CDC's Healthcare-Associated Infections Community Interface (HAIC) Staphylococcus aureus Laboratory Survey: Use of Nucleic Acid Amplification Testing (NAAT)

Form approved OMB No. 0920-0978 Expires xx/xx/xxxx

Date Survey Completed:	EIP Site:	Completed by:		
Hospital/Lab ID:	Lab contact to	complete the survey (name/	/title):	
□ Lab did not respond – END SUI	RVEY			
1. Type of laboratory				
☐ Hospital laboratory				
☐ Commercial or private	reference laboratory			
☐ State or local public he	alth laboratory			
☐ Other, please specify_				
2. During the past year, has your	lab changed testing methods	s used to detect any of the fol	lowing pathoge	ns:
		Yes	No	Not applicable/
				no surveillance
MRSA only				
All Staphylococcus aureu.	S			
2a. If yes when did the cha	ange occur ⁹			
	For MSSA) (Month/year of c	hange)/		
Stanbulacacaus	unaug (i.a. hoth MDCA and	MCCA) (Mandle/see as of also	200)	
Siapnyiococcus a	ureus (i.e., both MRSA and	MSSA) (Month/year of char	ige)/_	
		• • • • • • • • • • • • • • • • • • •	ilge)/_	
Staphylococcus aureus (methic	illin-sensitive and meth	icillin-resistant)		
Staphylococcus aureus (methic 1. Do you set up culture	cillin-sensitive and method for sterile sites (blood,	icillin-resistant) CSF, bone, etc.) for Sta		
Staphylococcus aureus (methic 1. Do you set up culture	illin-sensitive and meth	icillin-resistant) CSF, bone, etc.) for Sta		
Staphylococcus aureus (methic 1. Do you set up culture	rillin-sensitive and methor for sterile sites (blood, poratory? Yes - GO TO	icillin-resistant) CSF, bone, etc.) for Sta	phylococcus	aureus on site
Staphylococcus aureus (methic 1. Do you set up culture (in-house) at your labe 1a. [If no] To which labe 2. Do you run any culture	fillin-sensitive and methor for sterile sites (blood, oratory? Yes - GO TO aboratory do you send see independent diagnost	icillin-resistant) CSF, bone, etc.) for Stap Q2 No	phylococcus of phylococcus of ction of Staph	aureus on site aureus culture?
Staphylococcus aureus (methic 1. Do you set up culture (in-house) at your labe 1a. [If no] To which labe 2. Do you run any cultur aureus or MRSA either	fillin-sensitive and methor for sterile sites (blood, oratory? Yes - GO TO aboratory do you send see independent diagnost	icillin-resistant) CSF, bone, etc.) for Stap Q2	phylococcus of phylococcus of ction of Staph	aureus on site aureus culture?
Staphylococcus aureus (methic 1. Do you set up culture	for sterile sites (blood, oratory? Yes - GO TO aboratory do you send see independent diagnoster directly from a sterile No GO to Q2d	icillin-resistant) CSF, bone, etc.) for Stap Q2	phylococcus of phylococcus of ction of Staph	aureus on site aureus culture?
Staphylococcus aureus (methic 1. Do you set up culture	fillin-sensitive and methor for sterile sites (blood, oratory? Yes - GO TO aboratory do you send ser independent diagnost ter directly from a sterile No GO to Q2d the CIDT on-site or send	icillin-resistant) CSF, bone, etc.) for Stap Q2	phylococcus of phylococcus of the center of Staphace.) or from a	aureus on site aureus culture?
Staphylococcus aureus (methic 1. Do you set up culture (in-house) at your labe 1a. [If no] To which la 2. Do you run any cultur aureus or MRSA eith culture? ☐ Yes 2a. [If yes] Do you run ☐ On-si	illin-sensitive and methor for sterile sites (blood, oratory? Yes - GO TO aboratory do you send send service independent diagnoster directly from a sterile No GO to Q2d the CIDT on-site or send te Send out, plea	icillin-resistant) CSF, bone, etc.) for Stap Q2	phylococcus of phylococcus of the phylococcus of th	aureus on site aureus culture? aylococcus positive blood
2. Do you run any culture aureus or MRSA eith culture? 2. Do you run any culture aureus or MRSA eith culture? 2. Do you run any culture aureus or MRSA eith culture? 2. Do you run any culture aureus or MRSA eith culture?	cillin-sensitive and methor for sterile sites (blood, oratory? Yes - GO TO aboratory do you send so the independent diagnost the directly from a sterile to the CIDT on-site or send the Send out, please ou use (sterile site sources)	icillin-resistant) CSF, bone, etc.) for Stap Q2	phylococcus of phylococcus of phylococcus of Staphace.) or from a cural fluid, bone	aureus on site aureus culture? aylococcus positive blood
Staphylococcus aureus (methic 1. Do you set up culture (in-house) at your labe 1a. [If no] To which labe 2. Do you run any cultur aureus or MRSA either culture? □ Yes 2a. [If yes] Do you run □ On-si 2b. Which CIDTs do you check all that apply. □ FilmArray® E	rillin-sensitive and methor for sterile sites (blood, poratory? Yes - GO TO aboratory do you send so the independent diagnost the directly from a sterile No GO to Q2d the CIDT on-site or send te Send out, please use (sterile site sources blood Culture Identification	icillin-resistant) CSF, bone, etc.) for Stap Q2	phylococcus of phylococcus of the phylococcus of th	aureus on site aureus culture? aylococcus positive blood
Staphylococcus aureus (methic 1. Do you set up culture (in-house) at your labe 1a. [If no] To which labe 2. Do you run any cultur aureus or MRSA either culture? □ Yes 2a. [If yes] Do you run and culture culture? □ Staphylococcus aureus (methics) □ Which CIDTs do you run and culture? □ Staphylococcus aureus (methics) □ Werigene® Grand (methics) 1	illin-sensitive and methor for sterile sites (blood, poratory? Yes - GO TO aboratory do you send so the independent diagnost for directly from a sterile independent on sterile independent on sterile independent on sterile independent on sterile independent diagnost for directly from a sterile independent on sterile independent diagnost independent of the independent of	icillin-resistant) CSF, bone, etc.) for Stap Q2	phylococcus of phylococcus of phylococcus of stapple (c.) or from a cural fluid, bone	aureus on site aureus culture? aylococcus positive blood
Staphylococcus aureus (methic 1. Do you set up culture (in-house) at your labe 1a. [If no] To which labe 2. Do you run any cultur aureus or MRSA either culture? □ Yes 2a. [If yes] Do you run □ On-si 2b. Which CIDTs do you check all that apply. □ FilmArray® E □ Verigene® Gr □ Verigene® Sta	illin-sensitive and methor for sterile sites (blood, poratory? Yes - GO TO aboratory do you send so the independent diagnost for directly from a sterile independent on sterile independent on sterile independent on sterile independent on sterile independent diagnost for directly from a sterile independent on sterile independent diagnost independent of the independent of	icillin-resistant) CSF, bone, etc.) for Stap Q2	phylococcus of phylococcus of phylococcus of stapple (c.) or from a cural fluid, bone	aureus on site aureus culture? aylococcus positive blood

Public reporting burden of this collection of information is estimated to average 8 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a current valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Rd NE, MS D-74, Atlanta, Georgia 30329; ATTN: PRA (xxxx-xxxx)

	☐ AdvanDx Staphylococcus QuickFISH blood culture kit…Date started
	☐ AdvanDx S. aureus/CNS PNA FISHDate started
	☐ Alere BinaxNOW® Staphylococcus aureus testDate started
	☐ Great Basin Staph ID/R blood culture panel…Date started
	☐ T2Bacteria® Panel…Date started
	☐ Accelerate PhenoTest TM BC kit…Date started
	☐ iCubate iC-GPC Assay TM Date started
	☐ mecA XpressFISH®Date started
	☐ Micacom hemoFISH Masterpanel Date started
	□ ePlex BCID-GP Panel Date started
	☐ Other, Lab Developed Test (detects MRSA or SA) Date started
	☐ Other commercial test, SpecifyDate started
	2c. [If using any of the above tests on sterile site specimens] Do you still obtain an isolate for <i>S. aureus</i> or MRSA?
	□ Yes □ No - GO to Q3
	2d. [If no] Do you plan to start offering any CIDTs for S. aureus or MRSA within the next year?
	\square Yes \square No – END SURVEY
	2e. When do you plan to start offering culture independent diagnostic tests? Month/Year:/
3.	How does your lab use the CIDT for detection of Staphylococcus aureus or MRSA? (select one)
	☐ Test concurrently with culture
	☐ Reflex to culture after positive by CIDT panel
	☐ Only run CIDT panel, no additional testing is done
	□ Other, specify

END SURVEY