## **State SSP Sample Cost Report: 2017-2018**

ITEM	UNITS
Sealant Stations	
Dentlworks	8
Aseptico	0
Other Manufacturers	0
TOTAL SEALANT STATIONS	
Reusable Instruments	
Instrument sets	180
Sterilization	
Autoclave	1
Per year (ultrasonic cleaner, tray, utility gloves)	1
Per school event (spore testing kit)	307
Per day (sterilizer cleaner/ultrasonic cleaner solution)	900
Per child (instrument bag)	14523
TOTAL REUSABLE INSTRUMENTS	
Infection Control and Supplies	
Per year (eyewash station, Sharps container, kits*)	1
Per station (waterline testing, protective eyewear and bib clip)	1
Per operator (protective eyewear)	1
Per day (trash liners, hand-sanitizer and hand soap)	900
Per day per station (waterline treatment, evacuation system treatment)	900
Per day per operator (protective clothing)	900
Supplies for screening	14523
Supplies for sealants (in addition to screening costs)	7858
Disposable instruments	(
Sealant material	35561
TOTAL INFECTION CONTROL & SUPPLIES	
Labor	
Dentist	
Travel	65.00
At school	722.30
Dental Hygienist	
Travel	1052.20
At school	4926.40
Dental Assistant	
Travel	681.20
At school	3306.90
Non-dental	
Travel	526.30
At school	102.50
TOTAL LABOR	
TOTAL MILEAGE	78371
TOTAL ADMINISTRATIVE	
TOTAL PROGRAM COSTS	

Cost per child sealed
Cost per tooth sealed
Clinical labor time (hours) per child sealed
Clinical labor cost per child sealed

## Summary of services delivered

Number of children screened Number of children sealed Number of teeth sealed Number of fluoride varnish applications Number of prophylaxes

### **Summary of schools served**

Number of high need schools Number of rural schools

<sup>\*</sup>Kits include blood borne pathogen spill, first aid, and chemical hazard

AVERAGE COST PER UNIT	TOTAL COST PER UNIT
\$664.96	\$5,319.68
\$664.97	\$0.00
\$664.98	\$0.00
\$664.99	\$0.00
\$664.10	\$0.00
\$664.10	\$119,538.18
\$107.18	\$107.18
\$99.86	\$99.86
\$6.73	\$2,066.11
\$0.34	\$306.00
\$0.06	\$871.38
	\$122,988.71
\$151.37	\$151.37
\$57.75	\$57.75
\$4.78	\$4.78
\$1.54	\$472.78
\$5.10	\$4,590.00
\$2.78	\$2,502.00
\$1.15	\$16,701.45
\$0.48	\$3,771.84
\$0.00	\$0.00
\$0.00	\$0.00 \$28,251.97
	\$20,231.77
\$109.94	\$7,146.09
\$109.94	\$79,409.66
\$52.07	\$54,788.40
\$52.07	\$256,517.83
·	. ,
\$25.90	\$17,643.08
\$25.90	\$85,648.71
\$26.05	\$13,710.13
\$26.05	\$2,670.20
	\$517,534.10
\$0.54	\$42,320.55
	\$4,000
	\$715,095.33

\$91.00
\$20.11
1.14
\$53.65
14523
7858
35561
14036
36
160

Number of schools served by SSP		
High need, urban		6
High need, rural		2
Rural		2
Effectiveness in targeting high-risk children that lack access		
to dental care	Value	Response rate
% with untreated decay (baseline)	35.4	99.8
% with treated or untreated decay (baseline)	54.0	99.8
% with sealants present (baseline)	25.0	99.8
% needing "Restorative Care" (baseline)	22.0	100.0
% needing "Urgent Care" (baseline) One-year 1M attack rate without program/ based on # children	15.0 15.77%	99.8 784
One-year 1M attack rate without program/ based on # children	15.7790	704
Number of services delivered		
Children screened	1052	
Children sealed	740	
By age in years		
5	0	
6	3	
7	298	
8	198	
9	50	
10	116	
11	62	
12	11	
13	2	
14	0	
15	0	
16	0	
17	0	
18	0	
Other/unknown	0	
By grade		
1st	1	
2nd	509	
3rd	29	
4th	24	
5th	176	
6th	0	
7th	0	
Other/unknown	1	
1st molars / 2nd molars / other teeth sealed	2332	179
Children referred for dental care	388	

0.873

333

Quality of services delivered and program impact

Sealant retention rate / based on # children

Percentage screened children with sealant after event	82.9	
Percentage of targeted children subsequently screened	0.5	
Percentage screened children subsequently sealed	70.3	
Estimated cavaties averted over 9 years undiscounted / discounted	1225.99	1120.56
Estimated averted 9-year Medicaid treatment costs undiscounted / discounted	\$79,689.23	\$72,836.58

## SSP output description Value

SSP output description	vaiue
Number of children screen	1052
PosUntreat SUM	372
UntreatReport SUM	1050
PosUrgent SUM	157
PosRestCare SUM	231
ReportUrgency SUM	1050
PosTreated SUM	
RepostTreated SUM	
PosCariesExp SUM	568
ReportCariesExp SUM	1052
PosSeal SUM	263
ReportSeal SUM	1050
ARDummy7 SUM	324
ARDummy8 SUM	226
ARDummy9 SUM	54
ARDummy10 SUM	105
ARDummy11 SUM	61
ARDummy12 SUM	13
ARDummy13 SUM	1
NewDecay1M7 SUM	261
NewDecay1M8 SUM	225
NewDecay1M9 SUM	73
NewDecay1M10 SUM	176
NewDecay1M11 SUM	107
NewDecay1M12 SUM	24
NewDecay1M13 SUM	0
WereSealed SUM	740
SealPost SUM	872
FirstSealed SUM	2332
SecondSealed SUM	179
OSealed SUM	50
CheckRetained SUM	1600
CheckSealed SUM	1833
ChildChecked SUM	533
Consnts	2000
5-year olds sealed	0
6-year olds sealed	3
7-year olds sealed	298
8-year olds sealed	198
9-year olds sealed	50
10-year olds sealed	116
11-year olds sealed	62
12-year olds sealed	11
13-year olds sealed	2
14-year olds sealed	0
15-year olds sealed	0

16-year olds sealed	0
17-year olds sealed	0
18-year olds sealed	0
age unknown sealed	0
Grade 1 sealed	1
Grade 2 sealed	509
Grade 3 sealed	29
Grade 4 sealed	24
Grade 5 sealed	176
Grade 6 sealed	0
Grade 7 sealed	0
Other Grade sealed	1
Medicaid reimbursement fo	\$65.00

### **Description**

Number of children screemed

Number of children with untreated decay

Number of children for whom Untreated Caries was answered validly

Number of children with Treatment Urgency = "Urgent Treatment"

Number of children with Treatment Urgency = "Restorative Care"

Number of children for whom Treatment Urgency was answered validly

Number of children with treated decay

Number of children for whom Treated Caries was answered validly

Number of children with treated or untreated caries

Number of children for whom Caries Experience was answered validly

Number of children with sealants present at baseline

Number of children for whom Sealants Present was answered validly

Number of children 7 years old with valid amount of 1M decay reported

Number of children 8 years old with valid amount of 1M decay reported

Number of children 9 years old with valid amount of 1M decay reported

Number of children 10 years old with valid amount of 1M decay reported

Number of children 11 years old with valid amount of 1M decay reported

Number of children 12 years old with valid amount of 1M decay reported

Number of children 13 years old with valid amount of 1M decay reported

Decayed or filled 1M among 7 year olds

Decayed or filled 1M among 8 year olds

Decayed or filled 1M among 9 year olds

Decayed or filled 1M among 10 year olds

Decayed or filled 1M among 11 year olds

Decayed or filled 1M among 12 year olds

Decayed or filled 1M among 13 year olds

Number of children sealed

Number of children with at least one sealant after the event

Number of first molars sealed

Number of second molars sealed

Number of other teeth sealed

Sealants retained among children with valid retention check

Sealants placed among children with a valid retention check

Number of children checked for retention regardless of how long after placement

#### **SAS** output description

Number SSP, urban>50% Number of SSP, rural>50% Number of SSP, rural

# Value Description

6 urbanFRL

2 ruralFRL

2 rural

	Time 1M in mouth on	Number of children with r sealants at baseline	Sum of DF: no among child with no sea at baseline	dren alants	AR for years		Weighted by proportion of children in age
Reported age	average*	screening	screening		elapsed	AR for one year	group
7	1	. 3	24	261	20.14%	20.14%	8.32%
8	2	2 2	26	225	24.89%	13.33%	3.84%
9	3	3	54	73	33.80%	12.84%	0.88%
10	4	1	05	176	41.90%	12.70%	1.70%
11	5	5	61	107	43.85%	10.90%	0.85%
12	6	6	13	24	46.15%	9.80%	0.16%
13	7	7	1	1	25.00%	4.03%	0.01%
		7	84		Weighted ave	rage one-year AR	15.77%

<sup>\*</sup>Assumes permanent 1M erupt at age 6.

Averted cavities	Non-discounted	Discounted
1st molars	1,139	1,041
2nd molars	87	I I
All molars	1,226	1,121

### PARAMETERS USED TO ESTIMATE AVERTED 1M CAVITIES

AR	0.16	Conditional
R1	0.87	retention
r2	0.79	0.91
r3	0.73	0.92
r4	0.68	0.93
r5	0.64	0.94
r6	0.60	0.95
r7	0.58	0.95
r8	0.55	0.96
r9	0.53	0.97
1st molars seal	2332	
2nd molars	179	

### 1M CAVITIES WITH NO SEALANT PROGRAM

Years since		Cumulative	Cavities
placed	Sound	cavities	per year
0	2332	0	0
1	1964	368	368
2	1655	677	310
3	1394	938	261
4	1174	1158	220
5	989	1343	185
6	833	1499	156
7	702	1630	131
8	591	1741	111
9	498	1834	93
			1834

### **1M CAVITIES WITH SEALANT PROGRAM**

Years since placed	Sound Sealed	Sound Unsealed	Cumulative cvities	Cavities per year
0	2332	0	0	0
1	2036	250	47	47
2	1848	368	116	69
3	1700	435	197	81
4	1581	466	284	87
5	1485	474	373	89
6	1407	465	460	87
7	1343	446	544	83
8	1289	421	622	79
9	1245	392	696	73

## **AVERTED 1M CAVITIES**

Year	Non-discounted	Discounted
1	321	312
2	241	227
3	179	164
4	132	118
5	96	83
6	69	58
7	48	39
8	32	25
9	20	15
TOTAL	1139	1041

a b	0.0100 0.0120	0	.64	
Monthjs  1 2 3 4 5 6 7 8 9 10 11	0.0099 0.0098 0.0096 0.0095 0.0094 0.0093 0.0092 0.0091 0.0090 0.0089 0.0088	0.02 0 0.03 0 0.04 0 0.05 0 0.06 0 0.06 0 0.07 0 0.08 0 0.09 0	Cond Sealed .99 .98 .97 .96 .95 .94 .94 .93 .92	d
12	0.0087	0.13 <b>0</b>	.87 0.87	
13 14 15 16 17 18 19 20 21 22 23	0.0086 0.0085 0.0084 0.0083 0.0082 0.0081 0.0080 0.0079 0.0078 0.0077	0.14 0 0.15 0 0.16 0 0.16 0 0.17 0 0.18 0 0.18 0 0.19 0 0.20 0	.87 .86 .85 .84 .83 .82 .82 .82 .82	
24	0.0075	0.21 <b>0</b>	<mark>.79 0.907937</mark>	
25 26 27 28 29 30 31 32 33 34 35	0.0074 0.0073 0.0072 0.0071 0.0071 0.0069 0.0068 0.0066 0.0066	0.22 0 0.22 0 0.23 0 0.24 0 0.24 0 0.25 0 0.25 0 0.26 0	.79 .78 .78 .77 .76 .76 .75 .75 .74	
36	0.0065		.73 0.919815	
37 38 39 40 41 42 43 44 45 46 47	0.0064 0.0063 0.0062 0.0061 0.0060 0.0060 0.0059 0.0058 0.0058	0.28 0 0.28 0 0.28 0 0.29 0 0.29 0 0.30 0 0.30 0 0.31 0 0.31 0	.72 .72 .72 .71 .71 .70 .70 .69 .69	
48	0.0056		.68 0.930215	

49	0.0056	0.33	0.67	
	0.0055			
50		0.33	0.67	
51	0.0054	0.33	0.67	
52	0.0054	0.34	0.66	
53	0.0053	0.34	0.66	
54	0.0052	0.34	0.66	
55	0.0052	0.35	0.65	
56	0.0051	0.35	0.65	
57	0.0050	0.35	0.65	
58	0.0050	0.36	0.64	
59				
	0.0049	0.36	0.64	
60	0.0049	0.36	0.64	0.939308
61	0.0048	0.37	0.63	
62	0.0048	0.37	0.63	
63	0.0047	0.37	0.63	
64	0.0046	0.38	0.62	
65	0.0046	0.38	0.62	
66	0.0045	0.38	0.62	
67	0.0045	0.38	0.62	
68	0.0044	0.39	0.61	
69	0.0044	0.39	0.61	
70	0.0043	0.39	0.61	
71	0.0043	0.39	0.61	
72	0.0042	0.40	0.60	0.947246
73	0.0042	0.40	0.60	
74	0.0041	0.40	0.60	
	0.0041	0.40		
75	O(OOZI)	() 4()		
			0.60	
76	0.0041	0.41	0.59	
76 77	0.0040 0.0040	0.41 0.41	0.59 0.59	
76 77 78	0.0040 0.0040 0.0039	0.41 0.41 0.41	0.59 0.59 0.59	
76 77 78 79	0.0040 0.0040 0.0039 0.0039	0.41 0.41 0.41 0.41	0.59 0.59 0.59 0.59	
76 77 78 79 80	0.0040 0.0040 0.0039 0.0039 0.0038	0.41 0.41 0.41 0.41 0.42	0.59 0.59 0.59 0.59 0.58	
76 77 78 79 80 81	0.0040 0.0040 0.0039 0.0039 0.0038 0.0038	0.41 0.41 0.41 0.42 0.42	0.59 0.59 0.59 0.59 0.58 0.58	
76 77 78 79 80	0.0040 0.0040 0.0039 0.0039 0.0038	0.41 0.41 0.41 0.41 0.42	0.59 0.59 0.59 0.59 0.58	
76 77 78 79 80 81	0.0040 0.0040 0.0039 0.0039 0.0038 0.0038	0.41 0.41 0.41 0.42 0.42	0.59 0.59 0.59 0.59 0.58 0.58	
76 77 78 79 80 81 82 83	0.0040 0.0040 0.0039 0.0039 0.0038 0.0038 0.0037	0.41 0.41 0.41 0.42 0.42 0.42 0.42	0.59 0.59 0.59 0.59 0.58 0.58 0.58	0 9541 <b>7</b>
76 77 78 79 80 81 82 83	0.0040 0.0040 0.0039 0.0039 0.0038 0.0038 0.0037 0.0037	0.41 0.41 0.41 0.42 0.42 0.42 0.42 0.42	0.59 0.59 0.59 0.58 0.58 0.58 0.58 <b>0.58</b>	0.95417
76 77 78 79 80 81 82 83 84	0.0040 0.0040 0.0039 0.0038 0.0038 0.0037 0.0037	0.41 0.41 0.41 0.42 0.42 0.42 0.42 0.42 0.42 0.43	0.59 0.59 0.59 0.58 0.58 0.58 0.58 0.58	0.95417
76 77 78 79 80 81 82 83 84 85	0.0040 0.0040 0.0039 0.0038 0.0038 0.0037 0.0037 0.0036 0.0036	0.41 0.41 0.41 0.42 0.42 0.42 0.42 0.42 0.43 0.43	0.59 0.59 0.59 0.58 0.58 0.58 0.58 0.58	0.95417
76 77 78 79 80 81 82 83 84 85 86 87	0.0040 0.0040 0.0039 0.0038 0.0038 0.0037 0.0037 0.0036 0.0036 0.0036	0.41 0.41 0.41 0.42 0.42 0.42 0.42 0.42 0.43 0.43 0.43	0.59 0.59 0.59 0.58 0.58 0.58 0.58 0.57 0.57	<b>0.95417</b>
76 77 78 79 80 81 82 83 84 85	0.0040 0.0040 0.0039 0.0038 0.0038 0.0037 0.0037 0.0036 0.0036	0.41 0.41 0.41 0.42 0.42 0.42 0.42 0.42 0.43 0.43	0.59 0.59 0.59 0.58 0.58 0.58 0.58 0.58	0.95417
76 77 78 79 80 81 82 83 84 85 86 87	0.0040 0.0040 0.0039 0.0038 0.0038 0.0037 0.0037 0.0036 0.0036 0.0036	0.41 0.41 0.41 0.42 0.42 0.42 0.42 0.42 0.43 0.43 0.43	0.59 0.59 0.59 0.58 0.58 0.58 0.58 0.57 0.57	0.95417
76 77 78 79 80 81 82 83 84 85 86 87	0.0040 0.0040 0.0039 0.0038 0.0038 0.0037 0.0037 0.0036 0.0036 0.0035 0.0035	0.41 0.41 0.41 0.42 0.42 0.42 0.42 0.42 0.43 0.43 0.43 0.43	0.59 0.59 0.59 0.58 0.58 0.58 0.58 0.57 0.57	0.95417
76 77 78 79 80 81 82 83 <b>84</b> 85 86 87 88 89	0.0040 0.0040 0.0039 0.0038 0.0038 0.0037 0.0037 0.0036 0.0036 0.0035 0.0035 0.0034 0.0034	0.41 0.41 0.41 0.42 0.42 0.42 0.42 0.42 0.43 0.43 0.43 0.43 0.43 0.43	0.59 0.59 0.59 0.58 0.58 0.58 0.58 0.57 0.57 0.57 0.57 0.57	0.95417
76 77 78 79 80 81 82 83 <b>84</b> 85 86 87 88 89 90	0.0040 0.0040 0.0039 0.0038 0.0038 0.0037 0.0036 0.0036 0.0036 0.0035 0.0035 0.0034 0.0034	0.41 0.41 0.41 0.42 0.42 0.42 0.42 0.42 0.43 0.43 0.43 0.43 0.43 0.44 0.44	0.59 0.59 0.59 0.58 0.58 0.58 0.58 0.57 0.57 0.57 0.57 0.57 0.57	0.95417
76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91	0.0040 0.0040 0.0039 0.0038 0.0038 0.0037 0.0037 0.0036 0.0036 0.0035 0.0035 0.0034 0.0034 0.0034	0.41 0.41 0.41 0.42 0.42 0.42 0.42 0.42 0.43 0.43 0.43 0.43 0.43 0.43 0.44 0.44	0.59 0.59 0.59 0.58 0.58 0.58 0.58 0.57 0.57 0.57 0.57 0.57 0.56 0.56	0.95417
76 77 78 79 80 81 82 83 <b>84</b> 85 86 87 88 89 90 91 92 93	0.0040 0.0040 0.0039 0.0038 0.0038 0.0037 0.0036 0.0036 0.0036 0.0035 0.0035 0.0034 0.0034 0.0034 0.0033	0.41 0.41 0.41 0.42 0.42 0.42 0.42 0.42 0.43 0.43 0.43 0.43 0.43 0.44 0.44 0.44	0.59 0.59 0.59 0.58 0.58 0.58 0.58 0.57 0.57 0.57 0.57 0.57 0.56 0.56 0.56	0.95417
76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94	0.0040 0.0040 0.0039 0.0038 0.0038 0.0037 0.0037 0.0036 0.0036 0.0035 0.0035 0.0034 0.0034 0.0034	0.41 0.41 0.41 0.42 0.42 0.42 0.42 0.42 0.43 0.43 0.43 0.43 0.43 0.44 0.44 0.44 0.44	0.59 0.59 0.59 0.58 0.58 0.58 0.58 0.57 0.57 0.57 0.57 0.57 0.56 0.56	0.95417
76 77 78 79 80 81 82 83 <b>84</b> 85 86 87 88 89 90 91 92 93	0.0040 0.0040 0.0039 0.0038 0.0038 0.0037 0.0036 0.0036 0.0036 0.0035 0.0035 0.0034 0.0034 0.0034 0.0033	0.41 0.41 0.41 0.42 0.42 0.42 0.42 0.42 0.43 0.43 0.43 0.43 0.43 0.44 0.44 0.44	0.59 0.59 0.59 0.58 0.58 0.58 0.58 0.57 0.57 0.57 0.57 0.57 0.56 0.56 0.56	0.95417
76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94	0.0040 0.0040 0.0039 0.0038 0.0038 0.0037 0.0036 0.0036 0.0035 0.0035 0.0034 0.0034 0.0034 0.0033 0.0033	0.41 0.41 0.41 0.42 0.42 0.42 0.42 0.42 0.43 0.43 0.43 0.43 0.43 0.44 0.44 0.44 0.44	0.59 0.59 0.59 0.58 0.58 0.58 0.58 0.57 0.57 0.57 0.57 0.57 0.56 0.56 0.56	0.95417
76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95	0.0040 0.0040 0.0039 0.0038 0.0038 0.0037 0.0036 0.0036 0.0036 0.0035 0.0035 0.0034 0.0034 0.0034 0.0034 0.0033 0.0032 0.0032	0.41 0.41 0.41 0.42 0.42 0.42 0.42 0.42 0.43 0.43 0.43 0.43 0.43 0.44 0.44 0.44 0.44 0.44 0.45 0.45	0.59 0.59 0.59 0.58 0.58 0.58 0.58 0.57 0.57 0.57 0.57 0.56 0.56 0.56 0.56 0.55 0.55	
76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96	0.0040 0.0040 0.0039 0.0038 0.0038 0.0037 0.0036 0.0036 0.0036 0.0035 0.0035 0.0034 0.0034 0.0034 0.0033 0.0032 0.0032	0.41 0.41 0.41 0.42 0.42 0.42 0.42 0.42 0.43 0.43 0.43 0.43 0.43 0.44 0.44 0.44 0.44 0.44 0.45 0.45 0.45	0.59 0.59 0.59 0.58 0.58 0.58 0.58 0.57 0.57 0.57 0.57 0.56 0.56 0.56 0.56 0.56 0.55 0.55	
76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98	0.0040 0.0040 0.0039 0.0038 0.0038 0.0037 0.0036 0.0036 0.0035 0.0035 0.0034 0.0034 0.0034 0.0033 0.0032 0.0032 0.0032	0.41 0.41 0.41 0.42 0.42 0.42 0.42 0.42 0.43 0.43 0.43 0.43 0.43 0.44 0.44 0.44 0.44 0.44 0.45 0.45 0.45 0.45	0.59 0.59 0.59 0.58 0.58 0.58 0.58 0.57 0.57 0.57 0.57 0.56 0.56 0.56 0.56 0.56 0.55 0.55	
76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98	0.0040 0.0040 0.0039 0.0038 0.0038 0.0037 0.0036 0.0036 0.0036 0.0035 0.0035 0.0034 0.0034 0.0034 0.0034 0.0033 0.0032 0.0032 0.0032	0.41 0.41 0.41 0.42 0.42 0.42 0.42 0.42 0.43 0.43 0.43 0.43 0.43 0.44 0.44 0.44 0.44 0.44 0.45 0.45 0.45 0.45 0.45	0.59 0.59 0.59 0.58 0.58 0.58 0.58 0.57 0.57 0.57 0.57 0.56 0.56 0.56 0.56 0.55 0.55 0.55	
76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100	0.0040 0.0040 0.0039 0.0039 0.0038 0.0037 0.0037 0.0036 0.0036 0.0035 0.0035 0.0034 0.0034 0.0034 0.0034 0.0033 0.0032 0.0032 0.0032 0.0031 0.0030 0.0030	0.41 0.41 0.41 0.42 0.42 0.42 0.42 0.42 0.43 0.43 0.43 0.43 0.43 0.44 0.44 0.44 0.44 0.44 0.45 0.45 0.45 0.45 0.45	0.59 0.59 0.59 0.58 0.58 0.58 0.58 0.57 0.57 0.57 0.57 0.56 0.56 0.56 0.56 0.55 0.55 0.55	
76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98	0.0040 0.0040 0.0039 0.0038 0.0038 0.0037 0.0036 0.0036 0.0036 0.0035 0.0035 0.0034 0.0034 0.0034 0.0034 0.0033 0.0032 0.0032 0.0032	0.41 0.41 0.41 0.42 0.42 0.42 0.42 0.42 0.43 0.43 0.43 0.43 0.43 0.44 0.44 0.44 0.44 0.44 0.45 0.45 0.45 0.45 0.45	0.59 0.59 0.59 0.58 0.58 0.58 0.58 0.57 0.57 0.57 0.57 0.56 0.56 0.56 0.56 0.55 0.55 0.55	

400			
102	0.0029	0.46	0.54
103	0.0029	0.46	0.54
104	0.0029	0.46	0.54
105	0.0028	0.46	0.54
106	0.0028	0.46	0.54
107	0.0028	0.46	0.54
108	0.0027	0.47	0.53 0.965454