Internal use	
CDC nCoV ID	

2019 novel coronavirus (2019-nCoV) patient under investigation (PUI) form

As soon as possible, notify and send completed form to: 1) your local/state health department, and 2) CDC: email (eocreport@cdc.gov, subject line: nCoV PUI Form) or fax (770-488-7107). If you have questions, contact the CDC Emergency Operations Center (EOC) at 770-488-7100. Today's date_____ State patient ID_____ NNDSS local record ID/Case ID¹_____ Interviewer's name____ Phone____ Pager or Email____ Phone Physician's name Sex ☐ M ☐ F Age_____ ☐ yr ☐ mo Residency ☐ US resident ☐ Non-US resident, country_____ **PUI Criteria** Date of symptom onset Does the patient have the following signs and symptoms (check all that apply)? \square Fever² \square Cough \square Sore throat \square Shortness of breath In the 14 days before symptom onset, did the patient: Spend time in Wuhan City, China? \square Y □ N □ Unknown Does the patient live in Wuhan City? ☐ Y ☐ N ☐ Unknown Date traveled **to** Wuhan City Date traveled **from** Wuhan City Date **arrived** in US ☐ Unknown Have close contact³ with a person who is under investigation for 2019-nCoV while that person was ill? \square Y \square N Have close contact³ with a laboratory-confirmed 2019-nCoV case while that case was ill? \square Y \square N ☐ Unknown Additional Patient Information **Is the patient a health care worker**? ☐ Y ☐ N ☐ Unknown Have history of being in a healthcare facility (as a patient, worker, or visitor) in Wuhan City, China? ☐ Y ☐ N ☐ Unknown Is patient a member of a cluster of patients with severe acute respiratory illness (e.g., fever and pneumonia requiring hospitalization) of unknown etiology in which nCoV is being evaluated? ☐ Y ☐ N ☐ Unknown Does the patient have these additional signs and symptoms (check all that apply)? ☐ Chills ☐ Headache ☐ Muscle aches ☐ Vomiting ☐ Abdominal pain ☐ Diarrhea ☐ Other, Specify Diagnosis (select all that apply): Pneumonia (clinical or radiologic) ☐ Y ☐ N Acute respiratory distress syndrome ☐ Y ☐ N Comorbid conditions (check all that apply): ☐ None ☐ Unknown ☐ Pregnancy ☐ Diabetes ☐ Cardiac disease ☐ Hypertension ☐ Chronic pulmonary disease ☐ Chronic kidney disease ☐ Chronic liver disease ☐ Immunocompromised ☐ Other, specify Is/was the patient: Hospitalized? ☐ Y, admit date ☐ N Admitted to ICU? ☐ Y ☐ N

Does the patient have ano	ther di	agnosi	s/etiology f	for their resp
Respiratory diagnostic resu	ults			
Test	Pos	Neg	Pending	Not done
Influenza rapid Ag □ A □ B				
Influenza PCR ☐ A ☐ B				
RSV				
H. metapneumovirus				
Parainfluenza (1-4)				
Adenovirus				
Rhinovirus/enterovirus				
Coronavirus (OC43, 229E,				
HKU1, NL63)				
M. pneumoniae				
C. pneumoniae				
Other, Specify				

Specimens for 2019-nCoV testing

Specimen type	Specimen ID	Date collected	Sent to CDC?
NP swab			
OP swab			
Sputum			
BAL fluid			
Tracheal aspirate			

Specimen type	Specimen ID	Date collected	Sent to CDC?
Stool			
Urine			
Serum			
Other, specify			
Other, specify			

Public reporting burden of this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-74 Atlanta, Georgia 30333; ATTN: PRA (0920-1011).

¹ For NNDSS reporters, use GenV2 or NETSS patient identifier.

² Fever may not be present in some patients, such as those who are very young, elderly, immunosuppressed, or taking certain medications. Clinical judgement should be used to guide testing of patients in such situations

³ Close contact is defined as: a) being within approximately 6 feet (2 meters) or within the room or care area for a prolonged period of time (e.g., healthcare personnel, household members) while not wearing recommended personal protective equipment (i.e., gowns, gloves, respirator, eye protection); or b) having direct contact with infectious secretions (e.g., being coughed on) while not wearing recommended personal protective equipment. Data to inform the definition of close contact are limited. At this time, brief interactions, such as walking by a person, are considered low risk and do not constitute close contact.