



Pre-Transplant Essential Data

OMB No: 0915-0310

1. Page

**CIB
MTR
Use
Only**

Sequ
ence
Num
ber:

Date
Rece
ived:

Expiration Date:
10/31/2022

Public Burden Statement: The purpose of the data collection is to fulfill the legislative mandate to establish and maintain a standardized database of allogeneic marrow and cord blood transplants performed in the United States or using a donor from the United States. The data collected also meets the C.W. Bill Young Cell Transplantation Program requirements to provide relevant scientific information not containing individually identifiable information available to the public in the form of summaries and data sets. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The OMB control number for this information collection is 0915-0310 and it is valid until 10/31/2022. This information collection is voluntary under The Stem Cell Therapeutic and Research Act of 2005, Public Law (Pub. L.) 109–129, as amended by the Stem Cell Therapeutic and Research Reauthorization Act of 2010, Public Law 111–264 (the Act) and the Stem Cell Therapeutic and Research Reauthorization Act of 2015, Public Law 114-104. Public reporting burden for this collection of information is estimated to average 0.68 hours per response, including the time for reviewing instructions, searching existing

Center Identification

CIBMTR Center Number: _____

EBMT Code (CIC): _____

Recipient Identification

CIBMTR Research ID (CRID): _____

Event date: _____ / _____ / _____

_____ YYYYMM
_____ DD

CIBMTR Center Number: _____

CIBMTR Research ID: _____

- Western European
- White Caribbean
- White South or Central American
- Other White
- African
- African American
- Black Caribbean
- Black South or Central American
- Other Black
- Alaskan Native or Aleut
- North American Indian
- American Indian, South or Central America
- Caribbean Indian
- South Asian
- Filipino (Pilipino)
- Japanese
- Korean
- Chinese
- Vietnamese
- Other Southeast Asian
- Guamanian
- Hawaiian
- Samoan
- Other Pacific Islander
- Unknown

6. Country of primary residence: _____

7. State of residence of recipient: (for residents of Brazil) _____ - **Go to question 10.**

8. Province or territory of residence of recipient: (for residents of Canada) _____ - **Go to question 10.**

9. State of residence of recipient: (for residents of USA) _____

10. NMDP Recipient ID (RID): _____

11. Zip or postal code for place of recipient's residence (USA recipients only): _____ - _____

CIBMTR Center Number: _____

CIBMTR Research ID: _____

(last 4 digits optional)

12. Specify blood type: (recipient) **(For allogeneic HCTs only)**

- A
- B
- AB
- O

13. Specify Rh factor: (recipient) **(For allogeneic HCTs only)**

- Positive
- Negative

14. Has the recipient signed an IRB / ethics committee (or similar body) approved consent form for submitting research data to the NMDP / CIBMTR?

- Yes (recipient consented) – **Go to question 15.**
- No (recipient declined) – **Go to question 17.**
- Not approached – **Go to question 17.**

15. Did the recipient give permission to be directly contacted by CIBMTR for future research?

- Yes (recipient provided permission) – **Go to question 16.**
- No (recipient declined) – **Go to question 17.**

16.

Date form was signed: _____

YYYY

MM

DD

17. Has the recipient signed an IRB / ethics committee (or similar body) approved consent form to donate research blood samples to the NMDP / CIBMTR?

- Yes (recipient consented) – **Go to question 18.**
- No (recipient declined) - **Go to question 21.**
- Not approached - **Go to question 21.**
- Not applicable (center not participating) - **Go to question 21.**

18. Date form was signed: _____

YYYY

MM

DD

19. Did the recipient submit a research sample to the NMDP/CIBMTR repository? **(Related donors only)**

- Yes – **Go to question 20.**
- No – **Go to question 21.**

CIBMTR Center Number: _____

CIBMTR Research ID: _____

20. Research sample recipient ID: _____

21. Is the recipient participating in a clinical trial? (clinical trial sponsors that use CIBMTR forms to capture outcomes data)

Yes - **Go to question 22.**

No – **Go to question 26.**

22. Study Sponsor:

BMT CTN – **Go to question 24.**

RCI BMT – **Go to question 24.**

PIDTC – **Go to question 24.**

USIDNET – **Go to question 25.**

COG – **Go to question 25.**

Other sponsor – **Go to question 23.**

23. Specify other sponsor: _____ - **Go to question 25.**

24. Study ID Number: _____

25. Subject ID: _____

Copy questions 22.-25. to report participation in more than one study.

Hematopoietic Cellular Transplant (HCT) and Cellular Therapy

26. Is a subsequent HCT planned as part of the overall treatment protocol (not as a reaction to post-HCT disease assessment)? **(For autologous HCTs only)**

Yes – **Go to question 27.**

No – **Go to question 28.**

27. Specify subsequent HCT planned:

Autologous

Allogeneic

28. Has the recipient ever had a prior HCT?

Yes – **Go to question 29.**

No – **Go to question 40.**

29. Specify the number of prior HCTs: _____

30. Were all prior HCTs reported to the CIBMTR?

- Yes – **Go to question 35.**
- No – **Go to question 31.**
- Unknown – **Go to question 31.**

Copy and complete questions 31.- 34. to report all prior HCTs that have not yet been reported to the CIBMTR:

31. Date of the prior HCT: _____ — _____ — _____ date
estimated

YYYY MM DD

32. Was the prior HCT performed at a different institution?

- Yes – **Go to question 33.**
- No – **Go to question 34.**

Specify the institution that performed the last HCT:

33. Name: _____

City: _____

State: _____

Country: _____

34. What was the HPC source for the prior HCT?

- Autologous
- Allogeneic, unrelated
- Allogeneic, related

35. Reason for current HCT:

- Graft failure / insufficient hematopoietic recovery – **Go to question 36.**
- Persistent primary disease– **Go to question 40.**
- Recurrent primary disease– **Go to question 37.**
- Planned subsequent HCT, per protocol– **Go to question 40.**
- New malignancy (including PTLD and EBV lymphoma) – **Go to question 38.**
- Insufficient chimerism– **Go to question 40.**
- Other– **Go to question 39.**

CIBMTR Center Number: _____

CIBMTR Research ID: _____

36. Date of graft failure / rejection: _____
Go to question 40.

YYYY MM DD

37. Date of relapse: _____ - **Go to**
question 40.

YYYY MM DD

38. Date of secondary malignancy: _____
Go to question 40.

YYYY MM DD

39. Specify other reason: _____ - **Go to question**
40.

40. Has the recipient ever had a prior cellular therapy? (do not include DLIs)

Yes – **Go to question 41.**

No – **Go to question 46.**

Unknown – **Go to question 46.**

41. Were all prior cellular therapies reported to the CIBMTR?

Yes – **Go to question 46.**

No – **Go to question 42.**

Unknown – **Go to question 46.**

Copy and complete questions 42.-45. to report all prior cellular therapies that have not yet been reported to the CIBMTR:

42. Date of the prior cellular therapy: _____
YYYY MM DD

43. Was the cellular therapy performed at a different institution?

Yes – **Go to question 44.**

No – **Go to question 45.**

44. Name: _____

City:

State:

Country:

CIBMTR Center Number: _____

CIBMTR Research ID: _____

45. Specify the source(s) for the prior cellular therapy: (check all that apply)
- Autologous
 - Allogeneic, unrelated
 - Allogeneic, related

Donor Information

46. Multiple donors?
- Yes – **Go to question 47.**
 - No - **Go to question 48.**

47. Specify number of donors: _____

To report more than one donor, copy questions 48.-83. and complete for each donor.

48. Specify donor:
- Autologous
 - Allogeneic, related
 - Allogeneic, unrelated

49. Specify product type: (check all that apply)

- Bone marrow
- PBSC
- Single cord blood unit
- Other product– **Go to question 50.**

50. Specify other product: _____

51. Is the product genetically modified? **if autologous, go to question 80.. If allogeneic related, go to question 52.. If allogeneic unrelated, go to question 56..**

- Yes
- No

52. Specify the related donor type:

- Syngeneic (monozygotic twin) – **Go to question 57.**
- HLA-identical sibling (may include non-monozygotic twin) – **Go to question 57.**
- HLA-matched other relative (does NOT include a haplo-identical donor) - **Go to question 53.**
- HLA-mismatched relative– **Go to question 53.**

53. Specify the biological relationship of the donor to the recipient:

- Mother
- Father
- Child
- Sibling
- Fraternal twin
- Maternal aunt
- Maternal uncle
- Maternal cousin
- Paternal aunt
- Paternal uncle
- Paternal cousin
- Grandparent
- Grandchild
- Other biological relative – **Go to question 54.**

54. Specify other biological relative: _____ – **Go to question 55.**

55. Degree of mismatch: (related donors only)

- HLA-mismatched 1 allele – **Go to question 57.**
- HLA-mismatched ≥ 2 alleles (does include haplo-identical donor) – **Go to question 57.**

56. Specify unrelated donor type

- HLA matched unrelated
- HLA mismatched unrelated

57. Did NMDP / Be the Match facilitate the procurement, collection, or transportation of the product?

- Yes
- No

58. Was this donor used for any prior HCTs? (for this recipient)

- Yes
- No

59. NMDP cord blood unit ID: _____ – **Go to question 63.**

60. NMDP donor ID: _____ — _____ — _____ **Go to question 63.**

61. Non-NMDP unrelated donor ID: (not applicable for related donors)
_____ - **Go to question 63.**

62. Non-NMDP cord blood unit ID: (include related and autologous CBUs)
_____ - **Go to question 63.**

63. Global Registration Identifier for Donors (GRID): _____
(optional)

- NMDP cord blood unit, go to question 75.**
- NMDP donor, go to question 75.**
- Non-NMDP unrelated donor, go to question 66.**
- Non-NMDP cord blood unit, go to question 64.**

64. Is the CBU ID also the ISBT DIN number?

- Yes – **Go to question 66.**
- No – **Go to question 65.**
- Unknown – **Go to question 66.**

65. Specify the ISBT DIN number:

66. Registry or UCB Bank ID: _____ - **If 'Other registry' go to Error: Reference source not found, otherwise go to question 68.**

67. Specify other Registry or UCB Bank: _____ - **Go to question 68.**

68. Date of birth: (donor / infant)

- Known – **Go to question 69.**
- Unknown – **Go to question 70.**

69. Date of birth: (donor / infant) _____ — _____ — _____ - **Go to question 72.**

YYYY MM DD

70. Age: (donor / infant)

- Known – **Go to question 71.**
- Unknown – **Go to question 72.**

CIBMTR Center Number: _____

CIBMTR Research ID: _____

71.
old)

Age: (donor / infant) ____ Months (use only if less than 1 year

□ Years

72.

Sex: (donor / infant)

Male

Female

73. Specify blood type: (donor) **(non-NMDP allogeneic donors only)**

A

B

AB

O

74. Specify Rh factor: (donor) **(non-NMDP allogeneic donors only)**

Positive

Negative

75. Donor CMV-antibodies (IgG or Total) **(Allogeneic HCTs only)**

Reactive

Non-reactive

Indeterminate

Not done

Not applicable (cord blood unit)

76. Has the donor signed an IRB / ethics committee (or similar body) approved consent form to donate research blood samples to the NMDP / CIBMTR? **(Related donors only)**

Yes (donor consented) – **Go to question 77.**

No (donor declined) - **Go to question 80.**

Not approached - **Go to question 80.**

Not applicable (center not participating) - **Go to question 80.**

77. Date form was signed: _____

YYYY MM DD

78. Did the donor submit a research sample to the NMDP/CIBMTR repository? **(Related donors only)**

Yes – **Go to question Error: Reference source not found**

CIBMTR Center Number: _____

CIBMTR Research ID: _____

- No – **Go to question 80.**

79.

Research sample donor ID: _____

A series of collections should be considered a single product when they are all from the same donor and use the same collection method and technique (and mobilization, if applicable), even if the collections are performed on different days.

80. Specify number of products infused from this donor: _____

81. Specify the number of these products intended to achieve hematopoietic engraftment: _____

Questions 82.-83. are for autologous HCT recipients only. If other than autologous skip to question 84..

82. What agents were used to mobilize the autologous recipient for **this** HCT? (check all that apply)

- G-CSF (filgrastim, Neupogen)
- Pegylated G-CSF (pegfilgrastim, Neulasta)
- Plerixafor (Mozobil)
- Combined with chemotherapy
- Anti-CD20 (rituximab, Rituxan)
- Other agent– **Go to question 83.**

83. Specify other agent: _____

To report more than one donor, copy questions 48.-83. and complete for each donor.

Clinical Status of Recipient Prior to the Preparative Regimen (Conditioning)

84. What scale was used to determine the recipient's functional status?

- Karnofsky (recipient age \geq 16 years) – **Go to question 85.**
- Lansky (recipient age \geq 1 year and $<$ 16 years) – **Go to question 86.**

Performance score prior to the preparative regimen:

85. Karnofsky Scale (recipient age \geq 16 years):

- 100 Normal; no complaints; no evidence of disease - **Go to question 87.**
- 90 Able to carry on normal activity - **Go to question 87.**
- 80 Normal activity with effort - **Go to question 87.**

- 70 Cares for self; unable to carry on normal activity or to do active work - **Go to question 87.**
- 60 Requires occasional assistance but is able to care for most needs - **Go to question 87.**
- 50 Requires considerable assistance and frequent medical care - **Go to question 87.**
- 40 Disabled; requires special care and assistance - **Go to question 87.**
- 30 Severely disabled; hospitalization indicated, although death not imminent - **Go to question 87.**
- 20 Very sick; hospitalization necessary - **Go to question 87.**
- 10 Moribund; fatal process progressing rapidly - **Go to question 87.**

86. Lansky Scale (recipient age \geq 1 year and $<$ 16 years):

- 100 Fully active
- 90 Minor restriction in physically strenuous play
- 80 Restricted in strenuous play, tires more easily, otherwise active
- 70 Both greater restrictions of, and less time spent in, active play
- 60 Ambulatory up to 50% of time, limited active play with assistance / supervision
- 50 Considerable assistance required for any active play; fully able to engage in quiet play
- 40 Able to initiate quiet activities
- 30 Needs considerable assistance for quiet activity
- 20 Limited to very passive activity initiated by others (e.g., TV)
- 10 Completely disabled, not even passive play

87. Recipient CMV-antibodies (IgG or Total) :

- Reactive
- Non-reactive
- Indeterminate
- Not done

Comorbid Conditions

88. Is there a history of mechanical ventilation?

- Yes
- No

89. Is there a history of invasive fungal infection?

- Yes
- No

90. Glomerular filtration rate (GFR) before start of preparative regimen (**pediatric only**)

- Known- **Go to question 91.**
- Unknown- **Go to question 92.**

91. Glomerular filtration rate (GFR): ___ ___ mL/min/1.73²

92. Does the recipient have known complex congenital heart disease (corrected or uncorrected)? (excluding simple ASD, VSD, or PDA repair) **(pediatric only)**

- Yes
- No

93. Were there any co-existing diseases or organ impairment present according to the HCT comorbidity index (HCT-CI)?
Source: Sorror, M. L. (2013). How I assess comorbidities before hematopoietic cell transplantation. Blood, 121(15), 2854-2863.

- Yes- **Go to question 94.**
- No- **Go to question 100.**

94. Specify co-existing diseases or organ impairment (check all that apply)

- Arrhythmia - **Any history of atrial fibrillation or flutter, sick sinus syndrome, or ventricular arrhythmias requiring treatment**
- Cardiac -**Any history of coronary artery disease (one or more vessel-coronary artery stenosis requiring medical treatment, stent, or bypass graft), congestive heart failure, myocardial infarction, OR ejection fraction \leq 50% on the most recent test**
- Cerebrovascular disease -**Any history of transient ischemic attack, subarachnoid hemorrhage or cerebral thrombosis, embolism, or hemorrhage**
- Diabetes -**Requiring treatment with insulin or oral hypoglycemic drugs in the last 4 weeks but not diet alone**
- Heart valve disease -**At least a moderate to severe degree of valve stenosis or insufficiency as determined by Echo; prosthetic mitral or aortic valve; or symptomatic mitral valve prolapse**
- Hepatic, mild - **Bilirubin $>$ upper limit of normal to $1.5 \times$ upper limit of normal, or AST/ALT $>$ upper limit of normal to $2.5 \times$ upper limit of normal at the time of transplant OR any history of hepatitis B or hepatitis C infection**
- Hepatic, moderate/severe -**Liver cirrhosis, bilirubin $>$ $1.5 \times$ upper limit of normal, or AST/ALT $>$ $2.5 \times$ upper limit of normal**
- Infection -**Includes a documented infection, fever of unknown origin, or pulmonary nodules suspicious for fungal pneumonia or a positive PPD test requiring prophylaxis against tuberculosis. Patients must have started antimicrobial treatment before Day 0 with continuation of antimicrobial treatment after Day 0**
- Inflammatory bowel disease -**Any history of Crohn's disease or ulcerative colitis requiring treatment**
- Obesity -**Patients older than 18 years with a body mass index (BMI) $>$ 35 kg/m² prior to the start of conditioning or a BMI of the 95th percentile or higher for patients aged 18 years or younger**
- Peptic ulcer -**Any history of peptic (gastric or duodenal) ulcer confirmed by endoscopy or radiologic diagnosis requiring treatment**

- Psychiatric disturbance -**Presence of any mood (e.g., depression), anxiety, or other psychiatric disorder (e.g. bipolar disorder or schizophrenia) requiring continuous treatment in the last 4 weeks**
- Pulmonary, moderate -**Corrected diffusion capacity of carbon monoxide and/or FEV1 of 66-80% or dyspnea on slight activity attributed to pulmonary disease at transplant**
- Pulmonary, severe -**Corrected diffusion capacity of carbon monoxide and/or FEV1 of \leq 65% or dyspnea at rest attributed to pulmonary disease or the need for intermittent or continuous oxygen during the 4 weeks prior to transplant**
- Renal, moderate / severe -**Serum creatinine $>$ 2 mg/dL or $>$ 177 μ mol/L; on dialysis during the 4 weeks prior to transplant; OR prior renal transplantation -go to question 95.**
- Rheumatologic -**Any history of a rheumatologic disease (e.g., systemic lupus erythematosus, rheumatoid arthritis, polymyositis, mixed connective tissue disease, or polymyalgia rheumatica, etc.) requiring treatment. (Do NOT include degenerative joint disease, osteoarthritis)**
- Prior malignancy-**Treated at any time point in the patient's past history, other than the primary disease for which this infusion is being performed -go to question 96.**

95. Was the recipient on dialysis immediately prior to start of preparative regimen?

- Yes
- No
- Unknown

96. Specify prior malignancy: (check all that apply)

- Breast cancer
- Central nervous system (CNS) malignancy (e.g., glioblastoma, astrocytoma)
- Gastrointestinal malignancy (e.g., colon, rectum, stomach, pancreas, intestine, esophageal)
- Genitourinary malignancy (e.g., kidney, bladder, ovary, testicle, genitalia, uterus, cervix, prostate)
- Leukemia (includes acute or chronic leukemia)
- Lung cancer
- Lymphoma (includes Hodgkin & non-Hodgkin lymphoma)
- MDS / MPN
- Melanoma
- Multiple myeloma / plasma cell disorder (PCD)
- Oropharyngeal cancer (e.g., tongue, buccal mucosa)
- Sarcoma
- Thyroid cancer
- Other skin malignancy (basal cell, squamous)- **go to question 97.**
- Other hematologic malignancy -**go to question 98.**
- Other solid tumor, prior -**go to question 99.**

CIBMTR Center Number: _____ CIBMTR Research ID: _____

97. Specify other skin malignancy: (prior)

98. Specify other hematologic malignancy: (prior)

99. Specify other solid tumor: (prior) _____

Use results within 4 weeks prior to the start of the preparative regimen, report results from the test performed closest to the start date. Biomarkers according to the augmented HCT comorbidity index
Source: Biol Blood Marrow Transplant. 2015 Aug; 21(8): 1418–1424.

100. Serum ferritin: (within 4 weeks prior to the start of the preparative regimen, use result closest to the start date)

- Known – **Go to question 101.**
 Unknown – **Go to question 104.**

101. _____ ng/mL ($\mu\text{g/L}$)

102. Date sample collected: _____
 YYYY MM DD

103. Upper limit of normal for your institution: _____

104. Serum albumin: (within 4 weeks prior to the start of the preparative regimen, use result closest to the start date)

- Known – **Go to question 105.**
 Unknown – **Go to question 107.**

105. _____ • _____ g/dL

g/L

106. Date sample collected: _____
 YYYY MM DD

107. Platelets: (within 4 weeks prior to the start of the preparative regimen, use result closest to the start date)

- Known – **Go to question 108.**
 Unknown – **Go to question 110.**

108. _____ $\times 10^9/\text{L}$ ($\times 10^3/\text{mm}^3$)

$\times 10^6/\text{L}$

109. Were platelets transfused \leq 7 days before date of test?

- Yes
 No
 Unknown

110. Did the recipient have a prior solid organ transplant?

- Yes- **Go to question 111.**
 No- **Go to question 114.**

111. Specify organ:

- Bowel
 Heart
 Kidney(s)
 Liver
 Lung(s)
 Pancreas
 Other organ- **Go to question 112.**

112. Specify other organ: _____

113. Year of prior solid organ transplant: _____
YYYY

Copy and complete questions 111.-113. for each prior solid organ transplant

Pre-HCT Preparative Regimen (Conditioning)

114. Height at initiation of pre-HCT preparative regimen: _____ inches
 centimeters

115. Actual weight at initiation of pre-HCT preparative regimen: _____ . _____ pounds
 kilograms

116. Was a pre-HCT preparative regimen prescribed?

- Yes – **Go to question 117.**
 No – **Go to question 138.**

117. Classify the recipient's prescribed preparative regimen: **(Allogeneic HCTs only)**

- Myeloablative
- Non-myeloablative (NST)
- Reduced intensity (RIC)

118. Was irradiation planned as part of the pre-HCT preparative regimen?

- Yes – **Go to question 119.**
- No – **Go to question 124.**

119. What was the prescribed radiation field?

- Total body – **Go to question 120.**
- Total body by intensity-modulated radiation therapy (IMRT) – **Go to question Error: Reference source not found**
- Total lymphoid or nodal regions – **Go to question 120.**
- Thoracoabdominal region – **Go to question 120.**

120. _____ . _____ Gy Total prescribed dose: (dose per fraction x total number of fractions) _____
 _____ cGy

121. Date started: _____
 YYYY MM DD

122. Was the radiation fractionated?

- Yes – **Go to question 123.**
- No – **Go to question 124.**

123. Total number of fractions: _____

Indicate the total prescribed cumulative dose for the preparative regimen:

124. Drug: (drop down list)

- Bendamustine
- Busulfan
- Carboplatin
- Carmustine (BCNU)
- CCNU (Lomustine)
- Clofarabine (Clolar)
- Cyclophosphamide (Cytoxan)

CIBMTR Center Number: _____

CIBMTR Research ID: _____

- Cytarabine (Ara-C)
- Etoposide (VP-16, VePesid)
- Fludarabine
- Gemcitabine
- Ibritumomab tiuxetan (Zevalin)
- Ifosfamide
- Melphalan (L-Pam)
- Methylprednisolone (Solu-Medrol)
- Pentostatin
- Propylene glycol-free melphalan (Evomela)
- Rituximab (Rituxan)
- Thiotepa
- Tositumomab (Bexxar)
- Treosulfan
- Other drug **-go to question 125.**

125.

Specify other drug: _____

126. Total prescribed dose: _____
- mg/m²
 - mg/kg
 - AUC (mg x h/L)
 - AUC (μmol x min/L)
 - CSS (ng/mL)

127. Date started: _____

YYYY MM DD

128. Specify administration: (busulfan only)

- Oral
- IV
- Both

Copy and complete question 124.-128. to report each drug given for the preparative regimen

Additional Drugs Given in the Peri-Transplant Period

129. ALG, ALS, ATG, ATS

- Yes – **Go to question 130.**

No – **Go to question 133.**

130. Total prescribed dose: _____ mg/kg

131. Specify source:

- ATGAM (horse) – **Go to question 133.**
- ATG – Fresenius (rabbit) – **Go to question 133.**
- Thymoglobulin (rabbit) – **Go to question 133.**
- Other – **Go to question 132.**

132. Specify other source: _____

133. Alemtuzumab (Campath)

- Yes – **Go to question**
- No – **Go to question 135.**

134. Total prescribed dose: _____ . _____ mg/m²

mg/kg

mg

135. Defibrotide

- Yes
- No

136. KGF

- Yes
- No

137. Ursodiol

- Yes
- No

GVHD Prophylaxis

This section is to be completed for allogeneic HCTs only; autologous HCTs continue with question 141..

138. Was **GVHD** prophylaxis planned?

- Yes - **Go to question 139.**
- No - **Go to question 141.**

139. Specify drugs / intervention: (check all that apply)

- Abatacept
- Anti CD 25 (Zenapax, Daclizumab, AntiTAC)
- Bortezomib
- CD34 enriched (CD34+ selection)
- Corticosteroids (systemic)
- Cyclophosphamide (Cytoxan)
- Cyclosporine (CSA, Neoral, Sandimmune)
- Extra-corporeal photopheresis (ECP)
- Ex-vivo T-cell depletion
- Filgotinib
- Maraviroc
- Methotrexate (MTX) (Amehtopterin)
- Mycophenolate mofetil (MMF) (CellCept)
- Ruxolotinib
- Sirolimus (Rapamycin, Rapamune)
- Tacrolimus (FK 506)
- Tocilizumab
- Blinded randomized trial
- Other agent-**go to question 140.**

140. Specify other agent: _____ (do not report ATG, campath)

Post-HCT Disease Therapy Planned as of Day 0

141. Is additional post-HCT therapy planned?

- Yes - **Go to question 142.**
- No - **Go to First Name**

Questions 142.-143. are optional for non-U.S. centers

142. Specify post-HCT therapy planned: (check all that apply)

- Azacytidine (Vidaza)

- Blinatumomab
- Bortezomib (Velcade)
- Bosutinib
- Brentuximab
- Carfilzomib
- Cellular therapy (e.g. DCI, DLI)
- Crenolanib
- Daratumumab
- Dasatinib
- Decitabine
- Elotuzumab
- Enasidenib
- Gilteritinib
- Ibrutinib
- Imatinib mesylate (Gleevec, Glivec)
- Intrathecal therapy (chemotherapy)
- Ivosidenib
- Ixazomib
- Lenalidomide (Revlimid)
- Lestaurtinib
- Local radiotherapy
- Midostaurin
- Nilotinib
- Obinutuzumab
- Pacritinib
- Ponatinib
- Quizartinib
- Rituximab (Rituxan, MabThera)
- Sorafenib
- Sunitinib
- Thalidomide (Thalomid)
- Other therapy- **Go to question 143.**
- Unknown

143.

Specify other therapy: _____

CIBMTR Center Number: _____

CIBMTR Research ID: _____

Prior Exposure: Potential Study Eligibility

Selecting any option(s) below may generate an additional supplemental form.

144. Specify if the recipient received any of the following (at any time prior to HCT / infusion) (check all that apply)

- Blinatumomab (Blincyto)
- Gemtuzumab ozogamicin (Mylotarg)
- Inotuzumab ozogamicin (Besponsa)
- Adienne Tepadina®
- Mogamulizumab (Poteligeo)
- None of the above

First Name: _____

Last Name: _____

E-mail address:

Date: _____
 YYYY MM DD