Form Approved OMB No. 0920-1175 Exp. Date 04/30/2020

# Data Dictionary for Data Submission Birth Defects

Characteristic	Description
Data Source	State Birth Defects Registries
Purpose	This data set will be used to calculate the nationally consistent data and measures (5 year rolling prevalence counts and rates) for birth defects for use on the national public portal.
Geographic Level	The smallest geographic unit to be represented in this data set is the county.
Restrictions	This is a restricted access data set.  Data will be displayed via the national public portal only when sufficient conditions have been met to protect data privacy.
Instruction for Use	This data dictionary is a reference for creating the Radon data for submission. Refer to the Radon schema for the order of variables and final data structure.

## **Birth Defects**

Field Description	Data Type	Code Scheme	Legal Values	Field Length	Optionality
Birth defect category.	Integer	21 = Anencephaly	21 - 32	2	Required
		22 = Cleft lip with cleft palate			
		23 = Cleft lip w/o cleft palate			
		24 = Cleft palate w/o cleft lip			
		25 = Gastroschisis			
		26 = Hypoplastic left heart syndrome			
		27 = Hypospadias			
		28 = Limb deficiencies combined			
		29 = Spina bifida (w/o anencephaly)			
		30 = Tetralogy of Fallot			
		31 = Transposition of the great arteries (vessels)			
		32 = Trisomy 21			
State FIPS code.	String	FIPS	A valid state FIPS code.	2	Not specified in schema
	Birth defect category.	Birth defect category. Integer	Birth defect category.  Integer  Integer  21 = Anencephaly 22 = Cleft lip with cleft palate 23 = Cleft lip w/o cleft palate 24 = Cleft palate w/o cleft lip 25 = Gastroschisis 26 = Hypoplastic left heart syndrome 27 = Hypospadias 28 = Limb deficiencies combined 29 = Spina bifida (w/o anencephaly) 30 = Tetralogy of Fallot 31 = Transposition of the great arteries (vessels) 32 = Trisomy 21	Birth defect category.  Integer  Intege	Birth defect category.  Integer  Intege

# **Birth Defects**

Field Name	Field Description	Data Type	Code Scheme	Legal Values	Field Length	Optionality
County (Maternal residential county. Preferred data includes only births and defects among residents. Please specify in metadata if you are unable to exclude births and defects among nonresidents or births and defects to residents occurring outside the state).	County FIPS code over which birth defect cases and underlying birth populations are counted.	String	FIPS U = Unknown	A valid county FIPS code for the state, or 'U'.	5	Required
StartDate	Date on which data aggregation begins.	Date	yyyymmdd		8	Required
EndDate	Date on which data aggregation ends.	Date	yyyymmdd		8	Required

# **Birth Defects**

Field Name	Field Description	Data Type	Code Scheme	Legal Values	Field Length	Optionality
MaternalAgeGroup	Five-year maternal age intervals for which cases and underlying birth populations are counted.	Integer	1 = <20 years 2 = 20-24 years 3 = 25-29 4 = 30-34 5 = 35-39 6 = ≥40 9 = Unknown	1 - 6, 9	1	Required
MaternalEthnicity	Maternal Hispanic ethnicity for which cases and underlying birth populations are counted.	Text	H = Hispanic NH = non-Hispanic U = Unknown	H, NH, U	2	Required

# **Birth Defects**

Field Name	Field Description	Data Type	Code Scheme	Legal Values	Field Length	Optionality
MaternalRace	Maternal race group for which cases and underlying birth populations are counted.	Text	W = White B = Black O = Other U = Unknown NS = Not submitted  Note: The code 'NS' is intended to allow the maternal race field to be selectively collapsed, for example, when maternal ethnicity and race are not collected separately. This code is not intended to indicate unknown race.	W, B, O, U, NS	2	Required
InfantSex	Infant sex for which cases and underlying birth populations are counted.	Text	M = Male F = Female U = Unknown	M, F, U	1	Required

### **Birth Defects**

Field Name	Field Description	Data Type	Code Scheme	Legal Values	Field Length	Optionality
TLB	Total number of live births.	Integer	-999 = Unknown  Note: The missing value code -999 is appropriate when the number of birth defects is known for a demographic classification, but the number of live births is unknown. For example, when you have birth defects but county is unknown.	0 to nnnnnn	7	Required
LBWBD	Number of cases with the specified birth defect that were a live birth.	Integer	-999 = Unknown  Note: The missing value code -999 is appropriate when a birth count is known for a demographic classification, but the birth defect count is unknown. For example, when you have live births but county is unknown.	0 to nnnn -999	4	Required

# **Birth Defects**

Field Name	Field Description	Data Type	Code Scheme	Legal Values	Field Length	Optionality
LBFDTWD	Number of cases with the specified birth defect that were a live birth, fetal death or pregnancy termination. Only include this variable if your state collects these birth outcomes.	Integer	-999 = Unknown  Note: The missing value code -999 is appropriate when a birth count is known for a demographic classification, but the birth defect count is unknown. For example, when you have live births but county is unknown.	0 to nnnn -999	4	Optional

#### **Example tables:**

This table represents all rows for birthdefect = 1, county = 01001, StartDate = 20000101, EndDate = 20001231, and maternalagegroup = 1. This table would be repeated for each additional maternal age group to represent all rows of data for the combination of birth defect = 1, county 01001, and year 2000.

BIRTH	COUNTY	START	END	MATERNAL	MATERNAL	MATERNAL	INFAN	TLB	LBWBD	LBFDTWD
DEFECT		DATE	DATE	AGE GROUP	ETHNICITY	RACE	T SEX			
1	01001	20000101	20001231	1	Н	W	M			
1	01001	20000101	20001231	1	Н	W	F			
1	01001	20000101	20001231	1	Н	В	M			
1	01001	20000101	20001231	1	Н	В	F			
1	01001	20000101	20001231	1	Н	0	M			
1	01001	20000101	20001231	1	Н	0	F			
1	01001	20000101	20001231	1	Н	U	M			
1	01001	20000101	20001231	1	Н	U	F			
1	01001	20000101	20001231	1	NH	W	M			
1	01001	20000101	20001231	1	NH	W	F			
1	01001	20000101	20001231	1	NH	В	M			
1	01001	20000101	20001231	1	NH	В	F			
1	01001	20000101	20001231	1	NH	0	M			
1	01001	20000101	20001231	1	NH	0	F			
1	01001	20000101	20001231	1	NH	U	M			
1	01001	20000101	20001231	1	NH	U	F			
1	01001	20000101	20001231	1	U	W	M			
1	01001	20000101	20001231	1	U	W	F			
1	01001	20000101	20001231	1	U	В	M			
1	01001	20000101	20001231	1	U	В	F			
1	01001	20000101	20001231	1	U	0	M			
1	01001	20000101	20001231	1	U	0	F			
1	01001	20000101	20001231	1	U	U	M			
1	01001	20000101	20001231	1	U	U	F			

This table illustrates which rows you should include in your data based on the number of live births or number of cases for that row. In this example, you are reporting 'LBWBD' and not using the optional variable 'LBFDTWD'. Please submit all rows of data for the combination of birth defect = 1, county 01001, and year 2000 where TLB > 0 even if LBWBD or LBFDTWD = 0 (meaning that row or combination had live births but did not have any defects). Note that LBFDTWD is optional. In this example, maternal ethnicity and race are both specified.

BIRTH	COUNTY	START	END	MATERNAL	MATERNAL	MATERNAL	INFANT	TLB	LBWBD	LBFDTWD	INCLUDE in
DEFECT		DATE	DATE	AGE	ETHNICITY	RACE	SEX				DATA
				GROUP							SUBMISSION
1	01001	20000101	20001231	1	H	W	M	> 0	> 0	(not used)	YES
1	01001	20000101	20001231	1	Н	W	F	> 0	0	(not used)	YES
1	01001	20000101	20001231	1	Н	В	M	0	NA	(not used)	NO
1	U	20000101	20001231	1	Н	В	F	-999	> 0	(not used)	YES
1	U	20000101	20001231	1	Н	W	M	> 0	-999	(not used)	YES