Attachment M - RANDS during COVID-19 Variable Crosswalk, Uses, a

Note: This sheet includes the variables, crosswalk, purposes, and covariate

The second sheet presents NCHS' estimates of prevalence used in the

The third sheet presents the power calculation

Variable Question Wording

Were you unable to work because you or a family member was

sick with the Coronavirus? **COVID NOWK**

At any time in the last 4 weeks, did you need medical care for

something other than Coronavirus, but not get it because of the

Coronavirus pandemic? COVID_CARE

In the last two months, has this provider offered you a telephone

TELMED or video appointment

In the last two months, have you had an appointment with a **TELEMEDUSE**

doctor, nurse, or other health professional by video or by phone?

Did this provider offer telephone or video appointments before the

TELMEDNEW Coronavirus pandemic?

COVIDSEEK Did you seek medical care for Coronavirus or Covid-19?

Since the Coronavirus pandemic began, have you been able,

DISR MED unable, or have not needed... To get medications?

Since the Coronavirus pandemic began, have you been able,

unable, or have not needed... To get a doctor's appointment or

some other kind of healthcare? **DISR DOC**

In the last two months, were you unable to get any of the following

NOCARTYP types of care for any reason?

[FILL: "Regarding your NOCARTYP"] Were you unable able to get

this because of the Coronavirus pandemic? COVIDNOCAR

Did you lose health insurance coverage at any point in the last two

months? **COVID INS**

In the last month, have you done the following more, about the

PREVFREQ same, or less than before?

Would you say your health in general is excellent, very good, good,

PHSTAT fair, or poor?

How often do you feel worried, nervous or anxious? Would you say

daily, weekly, monthly, a few times a year, or never? ANXFREQ

ANXMED Do you take prescription medication for these feelings? Thinking about the last time you felt worried, nervous or anxious,

how would you describe the level of these feelings? [IF

MODE=PHONE, READ: Would you say a little, a lot, or somewhere

in between?] **ANXLEVEL**

How often do you feel depressed? Would you say daily, weekly,

monthly, a few times a year, or never? **DEPFREQ**

DEPMED Do you take prescription medication for depression?

Thinking about the last time you felt depressed, how depressed did

you feel? [IF MODE=PHONE, READ: Would you say a little, a lot, or

DEPLEVEL somewhere in between?

Have you smoked at least 100 cigarettes in your entire life? **SMKEV**

SMNOW Do you now smoke cigarettes every day, some days or not at all?

Do you now vape or use e-cigarettes every day, some days or not

ECIGNOW at all?

EMPLASTWK Last week, did you work for pay at a job or business?

Are you covered by any kind of health insurance or some other **HICOV**

kind of health care plan?

Is there a place that you usually go to if you are sick and need

health care? USUALPL

HYPEV

CHDEV

ASEV

What kind of place [FILL: USUALPL==1 "is it?"; USUALP== 3, R, DK "do you go most often?" [If Mode=Phone, READ: "A doctor's office or health center; an urgent care center, a clinic in a drug store or grocery store; a hospital emergency room; a VA Medical Center or

VA outpatient clinic; or some other place?" USPLKIND

> [If Mode=Phone, read: Have you ever been told by a doctor or other health professional that you had] Hypertension, also called

high blood pressure?

If Mode=Phone, read: Have you ever been told by a doctor or

CHLEV other health professional that you had] High cholesterol?

[If Mode=Phone, read: Have you ever been told by a doctor or

other health professional that you had Coronary heart disease?

If Mode=Phone, read if necessary: Have you ever been told by a

doctor or other health professional that you had] Asthma?

ASTILL Do you still have asthma?

> [If Mode=Phone, read if necessary: Have you ever been told by a doctor or other health professional that you had] Chronic

> Obstructive Pulmonary Disease, C.O.P.D., emphysema, or chronic

COPDEV bronchitis?

[If Mode=Phone, read if necessary: Have you ever been told by a doctor or other health professional that you had] Prediabetes or **PREDIB** borderline diabetes? [IF PREDIB=1 or GESDIB=1, fill: Not including prediabetes or gestational diabetes] [If Mode=Phone, read: Have you ever been told by a doctor or other health professional that you had] **DIBEV** Diabetes? [If Mode=Phone, read: Have you ever been told by a doctor or other health professional that you had Cancer or a malignancy of any kind? **CANEV** Would you say your mental health is excellent, very good, good, SRHPSYCH fair, or poor? When you said your health in general was [FILL: PHSTAT], which of PROBE SRH the following, if any, were you thinking about? Do you currently have a health condition that a doctor or other health professional told you weakens the immune system, making **AUTOIM** it easier for you to get sick? What is this condition? PROBE_AUTOEV [FILL: "Regarding your NOCARTYP"] Did your medical provider make this decision or did you? **NOCARDIR** NOCARWHYMD What reasons were you given for this decision? **NOCARWHYR** What reasons did you have for your decision? Has a doctor or other health professional ever told you that you **COVIDEV** have or likely have Coronavirus or COVID-19? **NHIS TEST** Have you ever been tested for Coronavirus or COVID-19? What kind of Coronavirus test did you receive? Please select all that apply PROBE_TESTTYP Have you ever had a test to determine if you were infected with Coronavirus or COVID-19 at the time of the test? ALT_NHISTEST1 Have you ever had an antibody test to determine if you had **ALT NHISTEST2** Coronavirus or COVID-19 in the past? Did the test find that you had Coronavirus or COVID-19? NHIS_RSLT Were you not told the results, are you still waiting on the results, or do you not remember the results of the test? PROBE RSLT Did you ever ask a doctor or medical professional for a Coronavirus WANTTEST test?

Do you suspect that you have ever had the Coronavirus or Covid-

Why do believe this?

Why did you not seek this medical care?

SUSPECT

PROBE SUSPECT

COVIDCARNO

Have you isolated or quarantined yourself because of the Coronavirus? QUARANTINE When answering the previous question about isolating or quarantining because of the Coronavirus, which of the following if PROBE QUAR1/2 any were you thinking about? Since the Coronavirus pandemic began, have you felt more stressed or anxious, less stressed or anxious, or about the same? FEEL ANX Since the Coronavirus pandemic began, have you felt more lonely or sad, less lonely or sad, or about the same? **FEEL DEP** Since the Coronavirus pandemic began, have you felt more socially connected to family and friends, less socially connected to family FEEL_SOC and friends, or about the same? PROBE WAYS List the ways that the Coronavirus pandemic has affected your life. [If Mode=Phone, read: Over the last 2 weeks, how often have you been bothered by any of the following problems?] Feeling nervous, anxious, or on edge. [If Mode=Phone, read if necessary: Would you say not at all, several days, more than half the days, or GAD71 nearly every day?] [If Mode=Phone, read: Over the last 2 weeks, how often have you been bothered by any of the following problems?] Not being able to stop or control worrying. [If Mode=Phone, read if necessary: Would you say not at all, several days, more than half the days, or GAD72 nearly every day?] [If Mode=Phone, read: Over the last 2 weeks, how often have you been bothered by any of the following problems?] Little interest or pleasure in doing things [If Mode=Phone, read: Would you say not at all, several days, more than half the days, or nearly every **PHQ81** day? [If Mode=Phone, read: Over the last 2 weeks, how often have you been bothered by any of the following problems?] Feeling down, depressed, or hopeless. [If Mode=Phone, read if necessary: Would you say not at all, several days, more than half the days, or nearly PHQ82 every day? Which of the following statements, if any, describe any of your PROBE ANX feelings of being nervous or anxious? Which of the following statements, if any, describe any of your feelings of being sad or depressed? PROBE DEP When do you think the Coronavirus pandemic began? Your best PROBE RPEPI guess is fine. When did the Coronavirus pandemic first affect your daily life? Your best guess is fine. PROBE RPAFFECT

PROBE_PANDEMIC Why do you say that?

and Power Calculation

e indicator.

ne power calculation.

Crosswalk to other Surveys	Primary Use Category
----------------------------	----------------------

New Question for this RANDS Estimation

CPS, Census Pulse Survey Estimation

New Question for this RANDS,

Planned for NHIS Estimation

New Question for this RANDS,

Planned for NHIS Estimation

New Question for this RANDS,

Planned for NHIS Estimation
New Question for this RANDS Estimation

New Question for this RANDS Estimation

New Question for this RANDS Estimation

New Question for this RANDS Estimation

New Question for this RANDS Estimation

New Question for this RANDS Secondary Coronavirus-related variables

New Question for this RANDS Secondary Coronavirus-related variables

NHIS Annual Core; Census'

Pulse Alignment

NHIS Annual Core; Washington

Group Alignment NHIS Annual Core Alignment

NHIS Annual Core Alignment

NHIS Annual Core Alignment
NHIS Annual Core Alignment

NHIS Annual Core Alignment

NHIS Annual Core Alignment

NHIS Annual Core Alignment

NHIS Annual Core Calibration

NHIS Annual Core Calibration

NHIS Annual Core Calibration

NHIS Annual Core Calibration
NHIS Annual Core Calibration

NHIS Annual Core Calibration

NHIS Annual Core Calibration

NHIS Annual Core Calibration

NHIS Annual Core Calibration

New Question for this RANDS Measurment Research

Used in RANDS 2 through

RANDS 4 Measurment Research

New Question for this RANDS;

Proposed for NHIS Measurment Research

New Question for this RANDS Measurment Research

New Question for this RANDS Measurment Research
New Question for this RANDS Measurment Research

New Question for this RANDS Measurment Research

New Question for this RANDS Measurment Research

11cw Question for this NAINDS - Medsarment Research

New Question for this RANDS;
Planned for NHIS Measurment Research

New Question for this RANDS Measurment Research

New Question for this RANDS Measurment Research

New Question for this RANDS Measurment Research

New Question for this RANDS;

Planned for NHIS Measurment Research

New Question for this RANDS Measurment Research

New Question for this RANDS Measurment Research

New Question for this RANDS Measurment Research
New Question for this RANDS Measurment Research

New Question for this RANDS Measurment Research

New Question for this RANDS	Measurment Research
New Question for this RANDS	Measurment Research
New Question for this RANDS	Measurment Research
New Question for this RANDS	Measurment Research
New Question for this RANDS	Measurment Research
New Question for this RANDS	Measurment Research
NHIS Rotating Core	Measurment Research
Used in RANDS 3 through RANDS 4	Measurment Research
Used in RANDS 2 through RANDS 4	Measurment Research
New Question for this RANDS	Measurment Research

New Question for this RANDS Measurment Research

New Question for this RANDS Measurment Research

Covariate for Estimates

Yes

Yes

Yes

Yes

Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes

Yes

Yes

Yes

Yes

Question	Wording
COVID_NOWK	Were you unable to work because you or a family member was sick with the Coronavirus?
COVID_CARE	At any time in the last 4 weeks, did you need medical care for something other than coronavirus, but not get it because of the coronavirus pandemic?
TELMED	In the last two months, has this provider offered you a telephone or video appointment
TELEMEDUSE	In the last two months, did you schedule and participate in a telephone or video appointment?
TELMEDNEW	Did this provider offer telephone or video appointments before the Coronavirus outbreak?
COVIDSEEK	Did you seek medical care for Coronavirus or Covid-19?
NOCARTYP	Were you unable to get any of the following types of care in the last two months?
COVIDNOCAR	[FILL: "Regarding your NOCARTYP"] Were you unable able to get this because of the Coronavirus epidemic?
DISR_MED	At any point since the coronavirus outbreak began, have you been able, unable, or have not needed To get medications?
DISR_DOC	Since the coronavirus outbreak began, have you been able, unable, or have not needed To get a doctor's appointment or some other kind of healthcare?

Assumed Prevelence

Low (prop w/ as of today is about 0.35%, but multiplied by the average US HH size of 2.52 is .882%, multiplied by

Med (~35% via KFF Poll in March)

Low/Med (~18 %--about 90 % of ppl have access a usual place of care, and I saw pre-covid estimates that about

Low(<18 %--about 90 % of ppl have access a usual place of care, and I saw pre-covid estimates that about 20% o

Low/Med (~18 %--about 90 % of ppl have access a usual place of care, and I saw pre-covid estimates that about Low, but higher than the prop of ppl who have covid (which is about 0.35%)

Unknown, but less than than the overall of covid_Care for each individual area

Unknown, but less than than the overall of covid_Care for each individual area

Med (~65% via KFF Poll in March of ABLE)

Med (~65% via KFF Poll in March of ABLE)

Experimental estimates for the primary estimation variables below will be released. Because adulted defined by chronic conditions and and factors related to chronic conditions (e.g. insurance, age) who primary experimental estimates for all adults and for smaller samples for subgroups. CV of 30% away from CV and are based on exact confidence intervals but were established to be consistent abeyond the subgroups shown in this table, other covariates indicated in the "Variables and Purpose to the covariates are confidence in the covariates and purpose the covariates are covariated in the "Variables and Purpose to the covariates are covariated in the covariates and purpose to the covariates are covariated in the covariates and purpose the covariates are covariated in the covariates and purpose to the covariates are covariated in the covariates and purpose to the covariates are covariated in the covariates and purpose to the covariates are covariated to the covariates are covariated to the covariates and purpose to the covariates are covariated to the covariates and purpose to the covariates are covariated to the covariates and purpose to the covariates are covariated to the covariates are covariated to the covariated to

CV were calculated for the sample of all adults (n=6000) and for sample sizes 2500, 2000, 1500, 10 These expected sample sizes were based on RANDS 3 or NHIS.

CV were calculated assuming a design effect of 2. The average design effect for RANDS 3 was 1.83

Table. Coefficients of Variation for primary estimation variables with varying expected prevaler

	Covariate subgroups (expected sample size based on Any health RANDS 3) insurance (570		Between 70% and 75% report one or more chronic condition
		All adults, n=6000	n=4000
Primary estimation variable	Assumed prevalence		
COVIDSEEK	0.50%	25.76	31.54
COVID_NOWK	1%	18.17	22.25
NOCARTYP	5%	7.96	9.75
COVIDNOCAR	5%	7.96	9.75
Variables with prevalence 10%	10%	5.48	6.71
TELEMEDUSE	15%	4.35	5.32
TELMED	20%	3.65	4.47
TELMEDNEW	20%	3.65	4.47
Variables with prevalence 25%	25%	3.16	3.87
Variables with prevalence 30%	30%	2.79	3.42
COVID_CARE	35%	2.49	3.05
DISR_MED	65%	1.34	1.64
DISR_DOC	65%	1.34	1.64

^{*}based on NHIS, not fielded on RANDS 3

**https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf

Its with chronic condiditons may be affected more than the general population, estimates for selectial be presented, when available. The table below shows the expected coefficients of variation (C) has been used as a threshold by NCHS for presentation criteria. Current NCHS presentation standwith prior criteria. The current standards generally allow for more low prevalence estimates to be ses" tab will be investigated as part of NCHS' evaluation of the data.

000, 750, and 500. Chronic disease subgroups that correspond to these sample sizes are identified

3. CV in RED are estimates that would not have met the CV critieria for presention.

ice by expected sample sizes according to covariates

	Hypertension (2224)	Age > 65 (1329)	Ever asthma (984), Fair/poor health (992), Current smoking (928), Hispanic (946)	non-Hispanic black (619)
n=2500	n=2000	n=1500	n=1000	n=750
	CV (DEFF	F=2)		
39.90	44.61	51.51	63.09	72.85
28.14	31.46	36.33	44.50	51.38
12.33	13.78	15.92	19.49	22.51
12.33	13.78	15.92	19.49	22.51
8.49	9.49	10.95	13.42	15.49
6.73	7.53	8.69	10.65	12.29
5.66	6.32	7.30	8.94	10.33
5.66	6.32	7.30	8.94	10.33
4.90	5.48	6.32	7.75	8.94
4.32	4.83	5.58	6.83	7.89
3.85	4.31	4.98	6.09	7.04
2.08	2.32	2.68	3.28	3.79
2.08	2.32	2.68	3.28	3.79

:ted subgroups /) for the ards** moved released.

l in row 17.

Diabetes (636), COPD (485), Cancer (561*)

n=500

89.22

62.93

27.57

27.57

18.97

15.06

12.65

12.65

10.95

9.66

8.62

4.64

4.64