

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0579-0299. The time required to complete this information collection is estimated to average 8 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

OMB Approved
0579-0299
EXP.: 09/2022

UNITED STATES DEPARTMENT OF AGRICULTURE
ANIMAL AND PLANT HEALTH INSPECTION SERVICE
VETERINARY SERVICES

**NATIONAL LIST OF REPORTABLE ANIMAL DISEASES (NLRAD)
NATIONAL ANIMAL HEALTH REPORTING SYSTEM (NAHRS)
MONTHLY REPORT FORM**

INSTRUCTIONS

These instructions refer to completion of the NLRAD NAHRS form by the State Animal Health Officials (SAHO) or representatives. NLRAD NAHRS reporting is completed through the NAHRS Web Reporting Tool: <https://vsapps.aphis.usda.gov/NAHRS>. This document reflects the reporting required in the NAHRS Web Reporting Tool and can be utilized to assist in completing reports or as a guide for reporting requirements. Additional information on the NLRAD NAHRS, reporting criteria, and utilizing the NAHRS Web Reporting Tool can be found at: https://www.aphis.usda.gov/aphis/ourfocus/animalhealth/monitoringand-surveillance/sa_disease_reporting/ct_info_for_participants

For each month, please report disease presence or absence for the entire month. Monthly reports are requested by the 20th of the following month. If you receive reports on out-of-state submissions, **REPORT ONLY CASES THAT OCCURRED IN YOUR OWN STATE.**

If you received a report of a case which fits the NAHRS criteria, check '**YES**' under PRESENT. If you received a report of a case which does not fit the NAHRS criteria, but you have additional evidence to support the presence of confirmed disease, check '**YES**' under PRESENT. If you received no reports in the investigation of a suspected disease which fit the NAHRS criteria and you have no further supporting evidence of the presence of confirmed disease, check '**NO**' under PRESENT (e.g., *all investigations for a given disease were negative.*) A '**NO**' report, in relation to an endemic disease, indicates that from information available there were no reports of confirmed disease occurrence, and does not infer the endemic disease does not occur in the State.

Most endemic diseases include both a presumptive and definitive level of confirmation. If a case meets the NAHRS confirmed (*definitive*) criteria for presence of disease, record it as present. If a case does not meet the NAHRS confirmed (*definitive*) criteria, but meets presumptive criteria—report the case if it is considered a probable case and 'presumptive' can be indicated in the comment section. The disease reporting criteria are minimum standards and additional information can be utilized to report i.e. epidemiological link, or other non-listed laboratory tests.

Add any additional information which you feel may be of value or pertinent in the COMMENTS column e.g. level of lab diagnosis; presumptive vs. confirmed; environment disease occurrence located in – backyard, feral, etc.; and any other clarifying information needed.

If a report of a case is received after the report has been sent or edits to the report are required, notify the NAHRS administrator at NLRAD.NAHRS@aphis.usda.gov to update the information.

SECTION I - NAHRS REPORT FOR:

| | | |
|--------|--------|-------|
| State: | Month: | Year: |
|--------|--------|-------|

NOTE: Diseases below that are indicated as Foreign Animal Disease (FAD) are those diseases that are considered foreign to the United States. Reporting the presence of a FAD occurrence is made after State-Federal coordination.

SECTION II – DISEASE OCCURRENCE INFORMATION

| WORLD ORGANIZATION FOR ANIMAL HEALTH (OIE) NUMBER - DISEASE NAME | PRESENT | | COMMENTS |
|---|---------|----|--|
| | YES | NO | |
| BOVINE | | | |
| A010 Foot-and-Mouth Disease (<i>all FMD, Viruses O, A, C, SAT 1, SAT 2, SAT 3, Asia 1</i>) | | | FAD |
| A020 Vesicular stomatitis (<i>VS, Viruses Indiana, New Jersey, or not typed</i>) | | | |
| A040 Rinderpest | | | FAD |
| A060 Contagious bovine pleuropneumonia (<i>Mycoplasma mycoides mycoides</i>) | | | FAD |
| A070 Lumpy skin disease | | | FAD |
| A080 Rift Valley fever | | | FAD |
| A090 Bluetongue | | | Indicate level of diagnostics – i.e. serology Type (<i>if known</i>): |
| N001 Crimean Congo hemorrhagic fever | | | FAD |
| 2001 Akabane (<i>congenital arthrogryposishydranencephalaly syndrome</i>) | | | FAD |
| B051 Anthrax (<i>Bacillus anthracis</i>) | | | |
| B052 Aujesky's disease (<i>Pseudorabies</i>) | | | |
| B053 Echinococcosis / Hydatidosis (<i>E. granulosus, E. multilocularis, E. oligarthrus, E. vogeli</i>) | | | |
| B055 Heartwater (<i>Cowdria ruminantium</i>) | | | FAD |
| B057 Q fever (<i>Coxiella burnetii</i>) | | | |
| B058 Rabies | | | |
| B059 Paratuberculosis (<i>Johne's Disease, Mycobacterium avium paratuberculosis</i>) | | | |
| B060 New World screwworm (<i>Cochliomyia hominivorax</i>) | | | FAD |
| B061 Old World screwworm (<i>Chrysomya bezziana</i>) | | | FAD |
| B101 Anaplasmosis (<i>Anaplasma marginale, A. centrale</i>) | | | |
| B102 Babesiosis (<i>Babesia bovis, B. bigemina</i>) | | | FAD |
| B103 Bovine brucellosis (<i>Brucella abortus</i>) | | | |
| B152 Caprine and ovine brucellosis (<i>Brucella melitensis</i>) | | | |

| | | | |
|--|------------|-----------|--|
| B253 Porcine brucellosis (<i>Brucella suis</i>) | | | |
| B104 Bovine genital campylobacteriosis (<i>Campylobacter fetus venerealis</i>) | | | |
| B105 Bovine Tuberculosis (<i>Mycobacterium bovis</i>) | | | |
| N117 Bovine viral diarrhea (BVD) | | | |
| B108 Enzootic bovine leukosis (BLV) | | | |
| B109 Hemorrhagic septicemia (<i>Pasteurella multocida</i> , B/Asian or E/African serotypes) | | | FAD |
| B110 Infectious bovine rhinotracheitis/ infectious pustular vulvovaginitis (IBR/IPV) | | | |
| B111 Theileriasis (<i>Theileria annulata</i> , <i>T. parva</i>) | | | FAD |
| B112 Trichomoniasis (<i>Tritrichomonas (Trichomonas) foetus</i>) | | | |
| B113 Trypanosomiasis (<i>tsetse-transmitted</i>) (<i>Trypanosoma congolense</i> , <i>T. vivax</i> , <i>T. brucei brucei</i> , <i>T. evansi</i>) | | | FAD |
| B114 Malignant catarrhal fever | | | Indicate if Sheep or Wildebeest related form/ or other |
| B115 Bovine Spongiform Encephalopathy | | | |
| N158 Epizootic hemorrhagic disease (EHD) | | | |
| C613 Melioidosis (<i>Burkholderia pseudomallei</i>) (<i>Pseudoglanders</i> , <i>Whitmore disease</i>) | | | FAD |
| 1000 Other Diseases (occurrence of non-listed diseases/events of significance, enter in comments) | | | |
| FARMED CERVIDS | YES | NO | |
| A010 Foot-and-Mouth Disease (all FMD, Viruses O, A, C, SAT 1, SAT 2, SAT 3, Asia 1) | | | FAD |
| A020 Vesicular stomatitis (VS, Viruses Indiana, New Jersey, or not typed) | | | |
| A040 Rinderpest | | | FAD |
| A080 Rift Valley fever | | | FAD |
| A090 Bluetongue | | | Type (if known): |
| N001 Crimean Congo hemorrhagic fever | | | FAD |
| 2001 Akabane (congenital arthrogryposishydranencephalaly syndrome) | | | FAD |
| B051 Anthrax (<i>Bacillus anthracis</i>) | | | |
| B052 Aujeszky's disease (<i>Pseudorabies</i>) | | | |
| B053 Echinococcosis / Hydatidosis (<i>E. granulosus</i> , <i>E. multilocularis</i> , <i>E. oligarthrus</i> , <i>E. vogeli</i>) | | | |

| | | | |
|--|------------|-----------|--|
| B055 Heartwater (<i>Cowdria ruminantium</i>) | | | FAD |
| B057 Q fever (<i>Coxiella burnetii</i>) | | | |
| B058 Rabies | | | |
| B059 Paratuberculosis (Johne's Disease, <i>Mycobacterium avium paratuberculosis</i>) | | | |
| B060 New World screwworm (<i>Cochliomyia hominivorax</i>) | | | FAD |
| B061 Old World screwworm (<i>Chrysomya bezziana</i>) | | | FAD |
| B103 Bovine brucellosis (<i>Brucella abortus</i>) | | | |
| B152 Caprine and ovine brucellosis (<i>Brucella melitensis</i>) | | | |
| B253 Porcine brucellosis (<i>Brucella suis</i>) | | | |
| B105 Bovine tuberculosis (<i>Mycobacterium bovis</i>) | | | |
| B114 Malignant catarrhal fever | | | Indicate if Sheep or Wildebeest related form/ or other |
| N156 Chronic Wasting Disease (CWD) | | | |
| N158 Epizootic hemorrhagic disease (EHD) | | | |
| C613 Melioidosis (<i>Burkholderia pseudomallei</i>) (Pseudoglanders, Whitmore disease) | | | FAD |
| 1000 Other Diseases (occurrence of non-listed diseases/events of significance, enter in comments) | | | |
| CAPRINE AND OVINE | YES | NO | |
| A010 Foot-and-Mouth Disease (FMD, Viruses O, A, C, SAT 1, SAT 2, SAT 3, Asia 1, or not typed) | | | FAD |
| A020 Vesicular stomatitis (VS, Viruses Indiana, New Jersey, or not typed) | | | |
| A040 Rinderpest | | | FAD |
| A050 Peste des petits ruminants | | | FAD |
| A080 Rift Valley fever | | | FAD |
| A090 Bluetongue | | | Type (if known): |
| A100 Sheep pox and goat pox | | | FAD |
| N001 Crimean Congo hemorrhagic fever | | | FAD |
| 2001 Akabane virus (congenital arthrogryposishydranencephalaly syndrome) | | | FAD |
| B051 Anthrax (<i>Bacillus anthracis</i>) | | | |
| B052 Aujesky's disease (<i>Pseudorabies</i>) | | | |

| | | | |
|--|--|--|-----|
| B053 Echinococcosis / Hydatidosis (<i>E. granulosus</i> , <i>E. multilocularis</i> , <i>E. oligarthrus</i> , <i>E. vogeli</i>) | | | |
| B055 Heartwater (<i>Cowdria ruminantium</i>) | | | FAD |
| B057 Q fever (<i>Coxiella burnetii</i>) | | | |
| B058 Rabies | | | |
| B059 Paratuberculosis (<i>Johne's Disease</i> , <i>Mycobacterium avian subsp. paratuberculosis</i>) | | | |
| B060 New World screwworm (<i>Cochliomyia hominivorax</i>) | | | FAD |
| B061 Old World screwworm (<i>Chrysomya bezziana</i>) | | | FAD |
| B103 Bovine brucellosis (<i>B.abortus</i>) | | | |
| B105 Bovine Tuberculosis (<i>Mycobacterium bovis</i>) | | | |
| B111 Theileriasis (<i>Theileria annulata</i> , <i>T. parva</i>) | | | FAD |
| B151 Ovine epididymitis (<i>Brucella ovis infection</i>) | | | |
| B152 Caprine and ovine brucellosis- (<i>B. melitensis</i>) (all others except <i>B. ovis</i>) | | | |
| B153 Caprine arthritis / encephalitis (CAE) | | | |
| B154 Contagious agalactia (<i>Mycoplasma agalactiae</i> , <i>M. capricolum capricolum</i> , <i>M. putrefaciens</i> , <i>M. mycoides mycoides</i> , <i>M. mycoides mycoides</i> LC) | | | |
| B155 Contagious caprine pleuropneumonia (<i>Mycoplasma capricolum capripneumoniae</i>) | | | FAD |
| B156 Enzootic abortion of ewes (<i>ovine chlamydiosis</i> , <i>Chlamydia abortus</i>) | | | |
| B158 Nairobi sheep disease | | | FAD |
| B159 Salmonellosis (<i>Salmonella abortus ovis</i>) | | | |
| B160 Scrapie | | | |
| B161 Maedi-visna / ovine progressive pneumonia | | | |
| B352 Tularemia (<i>Francisella tularensis</i>) | | | |
| N002 West Nile fever / encephalitis | | | |
| C613 Melioidosis (<i>Burkholderia pseudomallei</i>) (<i>Pseudoglanders</i> , <i>Whitmore disease</i>) | | | FAD |
| C706 Mange- <i>Sarcoptes scabiei</i> var <i>ovis</i> , <i>Chorioptes bovis</i> , <i>Psoroptes ovis</i> , <i>Psoroptes cuniculi</i> , <i>Psorergates ovis</i> | | | |
| 1000 Other Diseases (occurrence of non-listed diseases/events of significance, enter in comments) | | | |

| EQUINE | YES | NO | |
|---|-----|----|---|
| A020 Vesicular stomatitis (VS, viruses <i>Indiana</i> , <i>New Jersey</i> , or <i>not typed</i>) | | | |
| A110 African horse sickness | | | FAD |
| B051 Anthrax (<i>Bacillus anthracis</i>) | | | |
| B053 Echinococcosis / Hydatidosis (<i>E. granulosus</i> , <i>E. multilocularis</i> , <i>E. oligarthrus</i> , <i>E. vogeli</i>) | | | |
| B058 Rabies | | | |
| B060 New World screwworm (<i>Cochliomyia (Callitroga) hominivorax</i>) | | | FAD |
| B061 Old World screwworm (<i>Chrysomya bezziana</i>) | | | FAD |
| B062 Trichinellosis (<i>Trichinella spp.</i>) | | | |
| B201 Contagious equine metritis (<i>Taylorella equigenitalis</i>) | | | |
| B202 Dourine (<i>Trypanosoma equiperadum</i>) | | | FAD |
| N220 Eastern equine encephalomyelitis (EEE) | | | |
| N221 Western equine encephalomyelitis (WEE) | | | |
| B205 Equine Infectious Anemia (EIA) | | | Report additional EIA testing information below |
| B206 Equine influenza | | | |
| B207 Equine piroplasmiasis (Babesiosis, <i>Babesia (Piroplasma) equi</i> , <i>B. caballi</i>) | | | |
| B208 Equine rhinopneumonitis (EHV 1) | | | |
| B208a Equine herpesvirus myeloencephalopathy (EHV1 – EHM) | | | |
| B209 Glanders (<i>Pseudomonas mallei</i>) | | | FAD |
| B211 Equine viral arteritis (EVA) | | | |
| B212 Japanese encephalitis | | | FAD |
| B215 Surra (<i>Trypanosoma evansi</i>) | | | FAD |
| B216 Venezuelan equine encephalomyelitis | | | FAD |
| N352 Tularemia (<i>Francisella tularensis</i>) | | | |
| N002 West Nile Fever / encephalitis | | | |
| W075 Hendra virus | | | FAD |
| C613 Melioidosis (<i>Burkholderia pseudomallei</i>) (<i>Pseudoglanders</i> , <i>Whitmore disease</i>) | | | FAD |

| | | | |
|---|------------|-----------|-----|
| C752 Pigeon fever (<i>Corynebacterium pseudotuberculosis</i> , <i>ulcerative lymphangitis</i>) | | | |
| C753 Strangles (<i>Streptococcus equi equi</i>) | | | |
| 1000 Other Diseases (<i>occurrence of non-listed diseases/events of significance, enter in comments</i>) | | | |
| PORCINE | YES | NO | |
| A010 Foot-and-Mouth Disease (FMD-O, A, C, SAT 1, SAT 2, SAT 3, Asia 1, or not typed) | | | FAD |
| A020 Vesicular stomatitis (VS, <i>Viruses Indiana, New Jersey, or not typed</i>) | | | |
| A030 Swine vesicular disease | | | FAD |
| A040 Rinderpest | | | FAD |
| A120 African swine fever | | | FAD |
| A130 Classical swine fever (<i>hog cholera</i>) | | | |
| N258 Nipah virus encephalitis | | | FAD |
| B051 Anthrax (<i>Bacillus anthracis</i>) | | | |
| B052 Aujeszky's disease (<i>Pseudorabies</i>) | | | |
| B053 Echinococcosis / Hydatidosis (<i>E. granulosus</i> , <i>E. multilocularis</i> , <i>E. oligarthrus</i> , <i>E. vogeli</i>) | | | |
| B058 Rabies | | | |
| B060 New World screwworm (<i>Cochliomyia (Callitroga) hominivorax</i>) | | | FAD |
| B061 Old World screwworm (<i>Chrysomya bezziana</i>) | | | FAD |
| B062 Trichinellosis (<i>Trichinella spp.</i>) | | | |
| B212 Japanese encephalitis | | | FAD |
| B252 Porcine Cysticercosis (<i>Cysticercus cellulosae</i> metacestode stage of <i>Taenia solium</i>) | | | |
| B253 Porcine brucellosis (<i>Brucella suis</i>) | | | |
| B254 Transmissible gastroenteritis (TGE) | | | |
| B257 Porcine reproductive and respiratory syndrome (PRRS) | | | |
| B352 Tularemia (<i>Francisella tularensis</i>) | | | |
| C613 Melioidosis (<i>Burkholderia pseudomallei</i>) (<i>Pseudoglanders, Whitmore disease</i>) | | | FAD |
| 1000 Other Diseases (<i>occurrence of non-listed diseases/events of significance, enter in comments</i>) | | | |

| AVIAN | YES | NO | |
|--|-----|----|-----|
| A150h Highly pathogenic avian influenza (<i>fowl plague</i>)(<i>reporting of occurrence in all birds</i>) | | | |
| N150i Low pathogenic avian influenza (<i>H5 or H7 subtypes</i>) poultry | | | |
| A160 Newcastle disease (<i>exotic</i>)(END) | | | |
| N315 Turkey rhinotracheitis (<i>avian metapneumovirus</i>) | | | |
| B301 Avian infectious bronchitis | | | |
| B302 Avian infectious laryngotracheitis | | | |
| B304 Duck viral hepatitis | | | |
| B308 Fowl typhoid (<i>Salmonella gallinarum</i>) | | | |
| B309 Infectious Bursal Disease (<i>Gumboro Disease</i>) | | | |
| B311 Mycoplasmosis (<i>Mycoplasma gallisepticum</i>) | | | |
| B312 Avian Chlamydiosis (Psittacosis and Ornithosis, <i>Chlamydia psittaci</i>) | | | |
| B313 Pullorum Disease (<i>Salmonella pullorum</i>) | | | |
| N316 Mycoplasmosis (<i>Mycoplasma synoviae</i>) | | | |
| 1000 Other Diseases (<i>occurrence of non-listed diseases/events of significance, enter in comments</i>) | | | |
| LAGOMORPH (<i>Rabbits and Hares</i>) | YES | NO | |
| B351 Myxomatosis (<i>Myxoma virus</i>) | | | |
| B352 Tularemia (<i>Francisella tularensis</i>) | | | |
| B353 Rabbit hemorrhagic disease | | | |
| 1000 Other Diseases (<i>occurrence of non-listed diseases/events of significance, enter in comments</i>) | | | |
| OTHER DISEASES | YES | NO | |
| B501 Leishmaniosis (<i>Canines, feline, or equine</i>) | | | |
| N502 Camelpox | | | FAD |
| SARS-CoV-2/COVID-19 Virus | | | |
| 1000 Other Diseases (<i>occurrence of non-listed diseases/events of significance, enter in comments</i>) | | | |
| BEE (<i>APIARY</i>) Optional Reporting | YES | NO | |
| B451 Acarapisosis of honey bees | | | |
| B452 American foulbrood of honey bees | | | |
| B453 European foulbrood of honey bees | | | |

| | | | |
|--|------------|-----------|------------|
| B455 Small hive beetle infestation (<i>Aethina tumida</i>) | | | |
| 2008 Tropilaelaps infestation of honey bees | | | FAD |
| 2009 Varroosis of honey bees | | | |
| 1000 Other Diseases (occurrence of non-listed diseases/events of significance, enter in comments) | | | |
| AQUATIC | YES | NO | |
| FISH | | | |
| B401 Viral hemorrhagic septicemia (VHS) | | | |
| N416 Infectious salmon anemia (ISA) (<i>HPR-deleted</i>) | | | FAD |
| N416a Infectious salmon anemia (ISA) (HPR0) | | | |
| B404 Spring viremia of carp (SVC) | | | |
| B405 Infectious hematopoietic necrosis (IHN) | | | |
| B413 Epizootic hematopoietic necrosis | | | FAD |
| N417 Epizootic ulcerative syndrome (EUS)(<i>Infection with Aphanomyces invadans</i>) | | | |
| N418 Gyrodactylosis (<i>Gyrodactylus salaricus</i>) | | | FAD |
| N419 Red sea bream iridoviral disease | | | FAD |
| N420 Koi herpesvirus disease | | | |
| 2011 Infection with salmonid alphavirus | | | FAD |
| 1000 Other Diseases (occurrence of non-listed diseases/events of significance, enter in comments) | | | |
| MOLLUSC | | | |
| N430 Infection with <i>Bonamia ostreae</i> | | | |
| N431 Infection with <i>Bonamia exitiosa</i> | | | |
| N432 Infection with <i>Marteilia refringens</i> | | | FAD |
| N433 Infection with <i>Perkinsus marinus</i> | | | |
| N434 Infection with <i>Perkinsus olseni</i> | | | FAD |
| N435 Infection with <i>Xenohaliotis californiensis</i> | | | |
| N436 Infection with abalone herpes virus | | | FAD |
| 1000 Other Diseases (occurrence of non-listed diseases/events of significance, enter in comments) | | | |
| CRUSTACEAN | | | |
| N450 Taura syndrome | | | |

| | | | |
|--|------------|-----------|-----|
| B446 White spot disease | | | |
| N451 Necrotising hepatopancreatitis (<i>Candidatus Hepatobacter penaei</i>) (NHP, early mortality syndrome) | | | |
| N452 Yellowhead disease (<i>Infection with Yellowhead virus genotype 1</i>) | | | FAD |
| N455 Infectious hypodermal and haematopoietic necrosis | | | |
| N456 Crayfish plague (<i>Aphanomyces astaci</i>) | | | |
| N457 Infectious myonecrosis | | | FAD |
| N458 White tail disease | | | FAD |
| N459 A cute hepatopancreatic necrosis disease (AHPND) (<i>Vibrio parahaemolyticus-pVA-1 plasmid</i>) | | | |
| 1000 Other Diseases (<i>occurrence of non-listed diseases/events of significance, enter in comments</i>) | | | |
| AMPHIBIAN DISEASES | YES | NO | |
| N601 Infection with <i>Batrachochytrium dendrobatidis</i> | | | |
| N602 Infection with ranavirus | | | |
| N603 Infection with <i>Batrachochytrium salamandrivorans</i> | | | |
| 1000 Other Diseases (<i>occurrence of non-listed diseases/events of significance, enter in comments</i>) | | | |

SECTION III – ADDITIONAL EQUINE INFECTIOUS ANEMIA TESTING INFORMATION:

1. Number of EIA tests performed in a reporting month:

2. Number of horses tested in reporting month (*leave blank if unavailable*):

3. Number of horses tested positive in reporting month:

4. Number of premises (*epidemiological units*) with positive(s) in reporting month (*if premises previously reported in calendar year do not report, and if not other positive premises indicate – 0*):

5. Number of total horses quarantined in State for positive EIA test:

Instructions for Additional Equine Infectious Anemia Questions:

- 1. Number of EIA tests performed in reporting month:** Report the total number of EIA tests performed the reporting month for horses that reside in your State. This includes all tests on resident horses conducted both at in-state and out-of-state labs.
- 2. Number of horses tested in reporting month (*if unavailable leave blank*):** Report the number of horses tested for EIA for the reporting month. Do not include repeat EIA tests on the same horse in the calendar year. **If this information is unavailable, leave this blank.**
- 3. Number of horses tested positive in reporting month:** Report the total number of newly identified horses tested positive for EIA in the reporting month. Do not include repeat testing of an already identified positive horse.
- 4. Number of premises (*epidemiological units*) with positive(s) in reporting month (*If premise previously reported in calendar year do not report, and if no other positive premises indicate -- 0*):** Identify the number of premises (*epidemiological units*) with positive EIA horses for the calendar year. If a premise has been reported as positive in a previous monthly report, do not include in number of premises positive in reporting month. If the only positive premises is a premises identified on a previous monthly report for the calendar year, report '0'. Example: if a premise has one positive horse in June and additional testing in July identifies 3 additional positive horses on the same premises – for July indicate 3 positive horses and '0' for number of premises.
- 5. Number of total horses quarantined in State for positive EIA test:** This is the total number of EIA quarantined horses at the end of the previous month with the addition of newly identified EIA positive horses and minus any EIA quarantined animals that were destroyed or died in the reporting month.