Attachment 2 Program Evaluation for Prevention: SPF-Rx

Grantee-Level Outcomes Module

Contents

Section	n	Page
Inform	nation and Directions	1
1. Op	pioid Overdose Morbidity and Mortality	2
1.1	Hospital Data for Opioid Overdoses	2
1.2	Other Opioid Overdose Events (for Approved Substitute Data Source)	5
1.3	Opioid Overdose Deaths	8
2. Op	pioid Prescribing Patterns and Prescriber Use of PDMP	10
2.1	Opioid Prescribing Patterns (PDMP Data)	10
2.2	Prescriber Use of PDMP (PDMP data)	12
3. Co	onsumption: Survey Estimates of Prescription Drug Misuse and Abuse	13
3.1	Targeted Outcome Measure of Consumption/Prescription Drug Misuse	14
3.2	Survey Information and Results	15

Information and Directions

The Grantee-Level Outcomes Module collects outcome data annually from SPF-Rx grantees. Grantees will report outcome data for the subrecipient communities in the Community-Level Outcomes Module.

Grantee is used to indicate the state/tribal entity/jurisdiction receiving the award from the Substance Abuse and Mental Health Services Administration (SAMHSA). Note that *grantee-level data* refers to the *entire* state (or tribal area or jurisdiction). It does not refer to the aggregate of the funded communities.

Data submission deadlines are November 15 of each year. Report data for the prior calendar year. You will also be asked to provide baseline data for 2 years prior to the start of the grant, if available.

The Outcome Requirements at a Glance provides a summary of the reporting requirements. See the *Outcomes Module Guidance Manual* for more detailed instructions on how to report data and complete this module.

This module is divided into three main sections for reporting key SPF-Rx outcomes:

- 1. Opioid overdose morbidity and mortality (hospital and vital statistics data);
- 2. Opioid prescribing patterns and prescriber use of Prescription Drug Monitoring Program (PDMP data); and
- 3. Consumption: Prescription drug misuse and abuse (survey data).

1. Opioid Overdose Morbidity and Mortality

Use this section to report **annual** numbers of opioid-related overdoses and overdose deaths at the grantee level. The guidance manual provides you with the relevant ICD-10 codes for your morbidity and mortality data. For morbidity data from hospital emergency department visits, you will first provide the data aggregated for *all* types of opioids except heroin. Then you will provide the data for heroin separately. If you cannot report the data broken out this way, please explain in the Data Comments section below.

Note that grantees that are states do not need to provide mortality data as these data will be pulled from the Centers for Disease Control and Prevention's (CDC's) WONDER database. If you are a tribe or nonstate jurisdiction and will be providing mortality data, please see the guidance manual for specific instructions. **Note:** The instructions and ICD-10 codes differ between morbidity and mortality data.

1.1 Hospital Data for Opioid Overdoses

Grantees are required to report data on emergency department visits involving opioid overdose. If emergency department data are not available, please provide hospital admissions data. If no hospital data are available, submit a substitute data request for alternative overdose data you may have (e.g., emergency medical service data).

Report data by age group and sex. If you cannot obtain outcomes by age and sex, provide an explanation after the table. If feasible, please provide information on ethnicity and race.

State grantees do not need to report information in the Population (Denominator) field, as these data will be pulled from the CDC's WONDER database. Tribal and

nonstate jurisdiction grantees are asked to provide the total number of residents for the Population (Denominator) field.

Data Source Time Frame (Start Date and End Date)

Indicate the time frame during which data for this measure were collected. Enter the start date and end date for the time period of the data you are submitting.

Start Date:	(month/day/year)
End Date:	(month/day/year)

Types of Opioid

For which types of opioid are you submitting data now? (You are asked to provide data for all opioids excluding heroin, and then separately for heroin. Please see the guidance manual for details on how to report the data, including the specific ICD-10 codes.) If you cannot provide the data broken out as requested, choose "other," and specify the types of opioids that are included in your data. Provide any additional relevant information about the data in the Data Comments section below. (Select One)

- Opioids excluding heroin
- Heroin

Note: For the table below, provide the data you have available, and where you do not have data, leave the field blank. For example, if you do not have any data related to "sex," you would put the total number of cases in the "unavailable" category and leave the "male" and "female" cells blank. On the other hand, if the known value of an item is 0, then enter 0 in that cell. For example, if you have hospital data, which show that there were no emergency department visits involving opioid overdose, you would enter 0 in that cell.

Hospital Data for Opioid Overdoses

Demographic Group	Population (Denominator)	Emergency Department Visits Involving Opioid Overdose	Total Emergency Department Visits (Denominator)	Hospitalizations Involving Opioid Overdose	Total Hospitalizations (Denominator)
Total					
Total		Numerical	Numerical	Numerical	Numerical
By age					
<18 yr		Numerical	Numerical	Numerical	Numerical
18–24 yr		Numerical	Numerical	Numerical	Numerical
25–34 yr	State grantees do not need to	Numerical	Numerical	Numerical	Numerical
35–44 yr	provide	Numerical	Numerical	Numerical	Numerical
45–54 yr	population data, as they will be	Numerical	Numerical	Numerical	Numerical
55–64 yr	pulled from CDC WONDER	Numerical	Numerical	Numerical	Numerical
65+		Numerical	Numerical	Numerical	Numerical
Unavailable		Numerical	Numerical	Numerical	Numerical
Sex					
Male		Numerical	Numerical	Numerical	Numerical
Female		Numerical	Numerical	Numerical	Numerical
Other		Numerical	Numerical	Numerical	Numerical
Unavailable		Numerical	Numerical	Numerical	Numerical
By ethnicity (if a	available)				
Hispanic or Latino		Numerical	Numerical	Numerical	Numerical
Not Hispanic or Latino		Numerical	Numerical	Numerical	Numerical
Unavailable		Numerical	Numerical	Numerical	Numerical
By race (if available)					
White	State grantees	Numerical	Numerical	Numerical	Numerical
Black or African American	do not need to provide population data, as they will be	Numerical	Numerical	Numerical	Numerical
Asian		Numerical	Numerical	Numerical	Numerical
Native Hawaiian or Other Pacific Islander	pulled from CDC WONDER	Numerical	Numerical	Numerical	Numerical

Demographic Group	Population (Denominator)	Emergency Department Visits Involving Opioid Overdose	Total Emergency Department Visits (Denominator)	Hospitalizations Involving Opioid Overdose	Total Hospitalizations (Denominator)
American Indian or Alaska Native		Numerical	Numerical	Numerical	Numerical
Two or more races		Numerical	Numerical	Numerical	Numerical
Unavailable		Numerical	Numerical	Numerical	Numerical

Data Source(s): List all data sources for your data.

Data Comments

Please provide any additional information about the data source(s) or any other information that would be useful in understanding the overdose data you have provided.

Data	Additional Information
Population	Free text
Emergency Department Visits Involving Opioid Overdose	Free text
Hospitalizations Involving Opioid Overdose	Free text

1.2 Other Opioid Overdose Events (for Approved Substitute Data Source)

This is where you report any alternative opioid overdose data if you do not have access to hospital data. First, you would need to submit a substitute data source request and get it approved.

Substitute Date Source

[Dropdown box that lists all the approved Substitute Data Source Requests for this grantee]

Data Source Time Frame (Start Date and End Date)

Indicate the time frame during which data for this measure were collected. Enter the start date and end date for the time period of the data you are submitting.

Start Date:	(month/day/year)
End Date:	(month/day/year)

Types of Opioid

Opioids excluding heroin

For which types of opioid are you submitting data now? (You are asked to provide data for all opioids excluding heroin, and then separately for heroin. Please see the guidance manual for details on how to report your data, including the specific ICD-10 codes.) If you cannot provide the data broken out as requested, choose "other," and specify the types of opioids that are included in your data. Provide any additional relevant information about the data in the Data Comments section below. (Select One)

1	,
Heroin	
Other (Specify tyr	pes of opioids that are included:

Other Opioid Overdose Events (for Approved Substitute Data Source)

Demographic Group	Population (Denominator)	Other Opioid Overdose Events (optional)	Total Number of Events (Denominator)		
Total					
Total		Numerical	Numerical		
By age					
<18 yr		Numerical	Numerical		
18–24 yr		Numerical	Numerical		
25–34 yr	State grantees do not need to	Numerical	Numerical		
35–44 yr	provide population data, as they will be pulled from CDC WONDER	Numerical	Numerical		
45–54 yr		Numerical	Numerical		
55–64 yr		Numerical	Numerical		
65+ yr		Numerical	Numerical		
Unavailable		Numerical	Numerical		
By sex	By sex				
Male		Numerical	Numerical		
Female		Numerical	Numerical		
Other		Numerical	Numerical		
Unavailable		Numerical	Numerical		

Data Comments

Please provide any additional information about the data source or other information that would be useful in understanding the overdose data you have provided.

Data	Additional Information
Population	Free text
Other Opioid Overdose Events	Free text

1.3 Opioid Overdose Deaths

In this section, grantees that are tribes or nonstate jurisdictions report data on opioid overdose deaths. State grantees do not need to report opioid overdose deaths because these data will be pulled from CDC WONDER database.

Data Source Time Frame (Start Date and End Date)

Indicate the time frame during which data for this measure were collected. Enter the start date and end date for the time period of the data you are submitting.

Start 1	Date:(month/day/year)
End D	Pate:(month/day/year)
Types	s of Opioid
For w	hich types of opioid are you submitting data now? (You are asked to provide
data f	or all opioids excluding heroin, and then separately for heroin. Please see the
guida	nce manual for details on how to report your data, including the specific ICD-
10 co	des.) If you cannot provide the data broken out as requested, choose "other,"
and sp	pecify the types of opioids that are included in your data. Provide any
additi	onal relevant information about the data in the Data Comments section below.
(Selec	t One)
	Opioids excluding heroin
	Heroin
	Other (Specify types of opioids that are included:

In the table below, provide the number of opioid deaths by age and sex. If you cannot obtain outcomes by age and sex, provide an explanation after the table.

Opioid Overdose Deaths

Demographic Group	Population (Denominator)	Opioid Overdose Deaths	Total Deaths (Denominator)
Total			
Total		not need to provide the pulled from CDC WON	se data, as they will be DER
By age			
<18 yr			
18–24 yr			
25–34 yr	State grantees do not need to provide these data, as they will be pulled from CDC WONDER		
35–44 yr			
45–54 yr			
55–64 yr			
65+ yr			
Unavailable			
By sex			
Male			
Female		not need to provide the pulled from CDC WON	se data, as they will be
Other			
Unavailable			

Data Source(s): List all data sources for your data.

Data Comments

Please provide any additional provide information about the data source or other information that would be useful in understanding the overdose death data you have provided.

Data	Additional Information
Population	Free text
Opioid Overdose Deaths	State grantees do not need to provide this information

2. Opioid Prescribing Patterns and Prescriber Use of PDMP

In this section, grantees will use PDMP data to report on opioid prescribing patterns and prescriber use of PDMP in your state, tribal area, or jurisdiction during the 12-month reporting period. Please see the guidance manual for further details on types of opioid prescriptions to be included.

Data Source Time Frame (Start Date and End Date)

Indicate the time frame during which data for this measure were collected. Enter the start date and end date for the time period of the data you are submitting.

Start Date:	(month/day/year)
End Date:	(month/day/year)

2.1 Opioid Prescribing Patterns (PDMP Data)

Here, you will enter the data for the PDMP indicators to measure opioid prescribing patterns.

PDMP Indicators for Opioid Prescribing Patterns

Required Indicators				
Population (total number of residents in the state, tribal area, or jurisdiction)	(State grantees do not need to provide population data)			
Total number of unique residents prescribed opioid analgesics				
Total number of opioid analgesic prescriptions				
Total number of high-dose opioid analgesic prescriptions (>90 MME/day)				
Total number of opioid pills dispensed				
Average MME/day for all opioid prescriptions dispensed in this period				
Percentage of patient prescription days with overlapping opioid and benzodiazepine prescriptions				
Number of multiple provider episodes (unique patients filling prescriptions from 5 or more prescribers and 5 or more pharmacies in a 6-month period)				
Optional Indicators				
Percentage of patient prescription days with overlapping opioid prescriptions				
Total number of patients prescribed by a single provider >90 MME/day of opioids for 90 or more consecutive days				
Total number of prescribers who prescribed >90 MME/day of opioids for 90 or more consecutive days to any patients				

Changes in PDMP Linking Algorithm

For the reporting year, did your PDMP change its algorithm for how it aggregates or links patients?

Yes (Explain)	 	
■ No		

Data Comments

Please provide any additional information that would be useful in understanding the PDMP data you have provided related to opioid prescribing practices. Please note any changes that might have affected data quality for the reporting year and any changes to the algorithm to aggregate or link patients.

Data	Additional Information
PDMP indicators for opioid prescribing patterns	Free text

2.2 Prescriber Use of PDMP (PDMP data)

Here, you will enter the data to measure prescriber use of PDMP. If relevant to your jurisdiction, you may also report on the number of pharmacists registered with the PDMP.

Prescriber Use of PDMP

Required Indicators for Prescribers			
Total number of prescribers who prescribed a schedule II–IV controlled substance during this annual reporting period, based on PDMP data (Denominator)			
Total number of prescribers registered with the PDMP			
Total number of prescribers (or their delegates) who queried the PDMP			
Total number of queries by prescribers (or their delegates) to PDMP			
Optional Indicator for Pharmacists/Dispensers			
Total number of pharmacists registered with the PDMP			
Total number of licensed pharmacists in the state (Denominator)			

Data Comments

Please provide any additional information that would be useful in understanding the PDMP data you have provided related to prescriber use of PDMP. Please note any changes that might have affected data quality for the reporting year.

Data	Additional Information
Prescriber/dispenser use of PDMP	Free text

3. Consumption: Survey Estimates of Prescription Drug Misuse and Abuse

Use this section to report any available survey data related to prescription drug misuse. These data are intended to reflect changes at the grantee level in the consumption variable(s) targeted by the SPF-Rx grant.

Note that state grantees do not need to report any state-level National Survey on Drug Use and Health (NSDUH) data. The PEP-C evaluation team already has access to state-level NSDUH data to measure misuse of prescription drugs and prescription pain relievers among individuals age 12 and over. These NSDUH data will be available to state grantees through the PEP-C MRT. State grantees do have the option to report other available survey data (e.g., from schools) that may be relevant to their states' SPF-Rx goals.

If tribes or nonstate jurisdictions have access to existing survey data (e.g., from community or school surveys), report that survey data for your consumption indicator(s) for your target population.

To report survey data, complete the following items, which ask for detailed survey information.

3.1 Targeted Outcome Measure of Consumption/Prescription Drug Misuse

Choose the relevant consumption outcome indicator that your survey is measuring.

Presc	ription Drug Misuse/Abuse
	Percentage of target population with <i>any</i> misuse of prescription drugs in the past 30 days
	Percentage of target population with any misuse of prescription drugs during the past 12 months
Presc	ription Pain Reliever Misuse/Abuse
	Percentage of target population with <i>any</i> misuse of prescription pain relievers in the past 30 days
	Percentage of target population with <i>any</i> misuse of prescription pain relievers during the past 12 months
<u>Other</u>	Targeted Prescription Drug Measure
	Specify substance and measure:
Tir	me Period (Select one):
	Past 30-day use
	Past 12-month use
	Other time period (Specify:)

3.2 Survey Information and Results

the upper bound.

a.	Name of Survey:					
b.	Survey Item/Question: Enter the source item verbatim, exactly as it appears on the survey instrument.					
	Response Option(s): Enter the entire set of response options verbatim, exactly as they appear on the survey instrument.					
	If applicable, provide the associated codes for each response that was used in analyses.					
c.	Reported Outcome Description: Provide a description of the specific outcome you will be reporting for this measure; for example, the percentage of 9 th grade students with any misuse of prescription drugs in the past 12 months.					
d.	Survey Population Age Range (or grades if school survey): Indicate whether the survey population was defined by age or grade level, and provide the applicable age range or grades.					
	Age Range. Insert below the lower and upper bounds for the age range for the population represented by the survey. The possible values must fall between ages 1 and 99. For a community survey of adults, for example, you would enter age 18 as the lower bound and 99 as the upper bound.					

However, if you are reporting results for a subset of adults surveyed—e.g.,

ages 18 to 25—then you would enter age 18 as the lower bound and 25 as

		Minimu	ım		Ma	aximum_					
■ Grades . Select the grade(s) of the population represented by the surv							survey and				
		for whi	ch you aı	re repo	rting d	ata. For	exampl	e, if the	survey	y was	
		adminis	stered to	grades	9 and	11, and	the cur	rent dat	a bein	g repo	rted are for
		grade 9	student	s, then	select §	grade 9.					
		Select a	pplicable	e grade	s:						
			K		3		6		9		12
			1		4		7		10		College
			2		5		8		11		
e.	Otl	ner Samj	ple Desc	riptors	s: Desc	ribe any	other o	listingui	shing	charac	cteristics of
	the	sample,	if applica	able. (F	or exai	mple, La	tino stu	ıdents o	nlv.)		
		1 ,	11	`		• ,			,		
f.	De	scription	n of Sam	pling [)esign	: Indicat	e what	type of s	sampli	ng wa	s used for
	the	survey.									
		Census									
		Conveni	ence san	ıple							
		Random	sample								
		Stratifie	d randon	n samp	le						
ø.	Da	ta Collec	rtion Dat	e: Prov	ride the	e month	and ve	ar in wh	ich the	e surve	ev was
Ο.							•				ne middle
							-				report the
		ddle mon									
											rear of the
		· ·				-				•	elow. [Note:
		e of multi	•			_	•	-		aic Dt	now. [Note:
	US	or munn	iyear esti	mates .	must D	e breabl	noved	by CSAP	•]		
	Mo	nth/Yea	r					_			

		Yes	If Yes: Report the data collection years for the multiyear pooled estimate you are reporting. For example, 2016; 2017.
		No	
h.	Va	lue Ty	pe: Select the type of number you will report in the Calculated Value
	fiel	d. If y	ou are reporting a value type other than those listed, select "Other," and
	des	scribe	the value type.
		Perc	entage
		Mea	n
		Othe	er (Describe)
i.	Ca	lculate	ed Value: Enter your actual numeric result. For example, you may enter
	"10)" to ir	dicate that 10% of the target population reported misuse of prescription
	dru	gs in t	he past 12 months
j.	Sta	ındaro	l Error: Enter the standard error for the calculated value, computed to take
	acc	ount o	f the sampling design (e.g., simple random or two-stage cluster design).
k.	to t	ake ac	Deviation: Enter the standard deviation for the calculated value, computed count of the sampling design (e.g., simple random or two-stage cluster
l.			tem Valid N: Provide the total number of respondents with a valid response missing) to the survey item (the denominator for the data you are reporting).
m.			ts (Maximum 1,500 characters): Provide any comments you feel may be understanding the data and information you have provided.

Is this a multiple year pooled estimate?