USGS Form 9-4082-A Nonfer. (rev. 12/14/2017)

C53

SECTION 1. General Information.

(b) Type of operation:

Brass foundry

UNITED STATES
DEPARTMENT OF THE INTERIOR
U.S. GEOLOGICAL SURVEY
986 NATIONAL CENTER
RESTON, VIRGINIA 20192

CONSUMPTION OF COPPER MATERIALS Foundries, Manufacturers, Chemical Plants

(Please correct if name or address has changed.)

Aluminum foundry

OMB Control No. 1028-0053
Approval expires: To be determined

INDIVIDUAL COMPANY DATA - PROPRIETARY

Unless authorization is granted in the section above the signature, the data furnished in this report will be treated in confidence by the Department of the Interior, except that they may be disclosed Federal defénse to agencies, or to the Congress upon request for official appropriate purposes. Unless objection is made the USGS, wrting to information furnished in this report may be disclosed to the respondent's State Geological Survey (or similar State Agency) if the State has appropriate safeguards to prevent disclosing company proprietary data.

> FACSIMILE NUMBER 1-800-543-0661

Paperwork Reduction Act Notice: Public reporting burden for this voluntary collection of information is estimated to average 30 MINUTES per response. A Federal agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. Comments regarding this collection of information should be directed to: U.S. Geological Survey, gs-info_collections@usgs.gov. Please do not mail canvass forms to this address.

Collection of nonfuel minerals information is authorized by 30 U.S.C. 1601 et seq. and the Defense Production Act. This information is used to support executive policy decisions pertaining to emergency preparedness, national defense, and analyses for minerals legislation and industrial trends. The USGS relies on your voluntary and timely response to assure that its information is complete and accurate. See instructions for minimum quantities to report.

Jobbing

Other (specify)

Iron foundry

	Chem	nical wo	rks 🔲 Brass m	ill 🔲 V	Vire mill		
(c) Type of copper raw mater	ial us	ed:	Refined copper	Brass & b	ronze ingot	Purchased copper &	copper-base scrap
(d) Other metallic scrap used:		Alun	 ninum-base	Nickel-base	Lead	Tin-base	Zinc-base
(e) Location of plant: State	·	<u>'</u>		(City or town		
SECTION 2. Stocks, receipts,	con	sumpti	on, and shipments	s of refined copper,	copper-alloy ingot, b	illets, etc. (pounds)	
Material	Line no.	Code	Stocks at beginning of year	Receipts during year	Consumed in production during year ¹	Shipments during year ²	Stocks at end of year
Refined copper: Cathodes	1	021					
Wire bars	2	022					
Ingots and ingot bars	3	023					
Cakes and slabs	4	024					
Billets	5	025					
Copper powder	6	027					
Other (specify)	7						
TOTAL	8	099					
Copper-alloy ingot, billets, etc.: Tin bronze	9	331					
Leaded tin bronze	10	332					
Leaded red brass	11	333					
High-leaded bronze	12	334					
Leaded yellow brass	13	335					
Manganese bronze	14	336					
Aluminum bronze	15	338					
Hardeners	16	350					
Other (specify)	17						
TOTAL	18	399					

Report quantities of refined copper or ingot melted or rolled to make castings, wire, sheet, etc.

Report shipments, if any, of refined copper or ingot in same form as received; do not report shipments of castings or other products.

Scrap from Code Property Product, Intelligence Product,	SECTION 3. Stocks, receipts,	con	sumpti	ion, and shipme	nts	of purcha	sed				se scrap. //	oounds)		
Scrip isem Scrip								SCRAP RECEIVED						
Scrap from no. Code (G) (a) (b) (c) (d) (d		Line		inventory adjustment	be	ginning	(New scrap per-	scrap per-	consume	d Scra		
No. 2 wire, mixed heavy, and grid (proporty) and (print) (proporty) and (print) (proporty) and (print) (proporty) and (print) (proporty) and	Scrap item		Code						1				•	
Section Sect		19	181											
Reliroad-car boxes		20	182											
Cocks and faucets	Composition turnings and solids	21	131											
Vellow brass and castings	Railroad-car boxes	22	135							100				
Light brass 25 139	Cocks and faucets	23	136							100				
Brass clippings and turnings 26 141 100 Prass pipe	Yellow brass and castings	24	137											
Press pipe	Light brass	25	139											
Low brass turnings	Brass clippings and turnings	26	141						100					
Rod-brass turnings	Brass pipe	27	142											
Atuminum bronze	Low brass	28	146											
Tin bronze (Rod-brass turnings	29	144						100					
Nickel silver	Aluminum bronze	30	111											
Cartridge cases	Tin bronze (% tin)	31	152											
Manganese bronze	Nickel silver	32	109											
Commercial bronze and gilding metal	Cartridge cases	33	106											
TOTAL	Manganese bronze	34	148											
TOTAL		35	177											
Include scrap processed by you on conversion basis. Worn-out equipment such as scrap salvaged by railroads from line operations and that melted by shipyards which originated in salvage operations, should be reported even though technically it is not purchased scrap. SECTION 4. Secondary metal content of product. (total metal recovered from copper-base scrap) Code	Other (specify)	36												
Include scrap processed by you on conversion basis. Worn-out equipment such as scrap salvaged by railroads from line operations and that melted by shipyards which originated in salvage operations, should be reported even though technically it is not purchased scrap. SECTION 4. Secondary metal content of product. (total metal recovered from copper-base scrap) Code														
which originated in salvage operations, should be reported even though technically it is not purchased scrap. SECTION 4. Secondary metal content of product. (total metal recovered from copper-base scrap) Code	TOTAL	37	199											
Section 4. Secondary metal content of product. (total metal recovered from copper-base scrap) Code	include scrap processed by yo										s from line op	erations a	and that me	Ited by shipyards
Product no. Code Copper Tin Lead Zinc Aluminum Nickel Brass and bronze castings				•		_	-	•		· ·	ap)			
Brass and bronze castings	Draduat		Codo	Connor		Tin	SEC	<u> </u>		CONTE			nu m	Niekol
Brass-mill alloy products	-			Copper		LIN		Lea	u		ZINC	Alumi	num	Nickei
Copper in chemical compounds 40 203														
Copper in iron and steel														
Copper and brass powder														
Aluminum alloys					-									
Brass-mill copper products														
Copper castings														
Other (specify) TOTAL secondary content of products														
TOTAL secondary content of products			203											
Remarks: Name of person to be contacted regarding this report Tel. area code No. Ext. Address No. Street City State ZIP Code May tabulations be published which could indirectly reveal the data reported above? (1) Yes (2) No	TOTAL secondary content of		200											
Name of person to be contacted regarding this report Tel. area code No. Ext. Address No. Street City State ZIP Code May tabulations be published which could indirectly reveal the data reported above? (1) Yes (2) No		47	233							<u> </u>				
Address No. Street City State ZIP Code May tabulations be published which could indirectly reveal the data reported above? (1) Yes (2) No	Remarks:													
Address No. Street City State ZIP Code May tabulations be published which could indirectly reveal the data reported above? (1) Yes (2) No	Name of page 2 to be 2	adi -	thia	ut.				Tal	, do		No		r+	
May tabulations be published which could indirectly reveal the data reported above? (1) Yes (2) No	nvame or person to be contacted regar	raing 1	inis repo	-π 				rei. area co			<u></u>		Ext.	
<u> </u>	Address No. Stree	et				City					State		ZIP Code	
Signature Title Date	May tabulations be published	whic	h could	d indirectly reve	al th	ne data re	eport	ted above	? 🔲	(1)	Yes 🔲 (2) No		
	Signature					Title							Date	

PLEASE RETAIN FOR YOUR FILES CONSUMPTION OF COPPER MATERIALS

C53

GENERAL INSTRUCTIONS AND OVERVIEW

The purpose of these instructions is not only to explain the schedules, but to simplify, and reduce the work of completing them.

This form provides for data on consumption and stocks of refined copper, copper-alloy ingot, and copper-base scrap, and on recovery of secondary metal from scrap. It should be filed by foundries, chemical plants, manufacturers, and miscellaneous users of copper refinery shapes, copper shot or powder, copper-alloy ingot, copper scrap, or copper-base scrap and by brass and wire mills not reporting on monthly Form 9-4084-M.

All published information is on an industry-wide basis and does not reveal individual company operations. Defense Mobilization Agencies, however, may receive copies of individual reports, as noted on the form.

Annual forms are sent to some plants which do not currently consume copper materials, but whose operations are of a type that could require such use. For example, some iron foundries use copper shot or scrap as an alloying element, whereas others do not. If your plant is canvassed, and you are not a consumer of copper, please return the form with a notation to that effect so your plant can be removed from the USGS mailing list.

The data assembled from these reports are used in the Minerals Yearbook of the USGS, in periodic press releases, and in answering requests for information from the Congress, the Tariff Commission, the Department of Defense, other Government agencies, and private industry.

The Minerals Yearbook is for sale by the Superintendent of Documents, U.S. Government Printing Office, Washington DC 20402.

Please return this form in the enclosed envelope or fax to the above toll-free number **ON OR BEFORE MARCH 1**. Complete a separate form for each establishment that was active during the reporting period. If you do not have exact data, please enter your best estimates and mark with an /e. Use zero (0) when appropriate. Do not report decimals or fractions. Round to the nearest whole number. Please do not make entries in shaded areas. Please use the space for "Remarks" to provide any specific information that will help us in the use or interpretation of the data. Additional forms are available upon request.

If you have any questions concerning completion of this form, please contact the Mineral Commodities Data Unit, U.S. Geological Survey, 985 National Center, Reston, VA 20192, Telephone (703) 648-7960.

DEFINITIONS

A captive foundry is one owned and operated by a company to supply its own needs.

A **jobbing foundry** is one which is engaged in the production of castings for sale.

Scrap metal is a general term which includes metallic scrap and by-product residues. The scrap of any particular metal includes all scrap of that metal. For example, the term "copper scrap" includes unalloyed copper scrap, copper-alloy scrap, copper-base-alloy scrap, and copper, brass, and bronze skimmings, or other residues, but not primary residues. The scrap classified as that of a particular metal is scrap which contains a greater percentage of that metal than of any other.

Purchased scrap is a general term, excluding home scrap, but covering all scrap which has been purchased or transported from one plant to another. It includes new scrap, old scrap, toll scrap, and scrap generated at one plant and transferred to another plant of the same company for processing, which entails transportation costs. The term also includes worn-out metal equipment, parts and articles such as reclaimed in shipyard repair work and from line operations at railroad foundries, although no definite financial transaction may have resulted.

New scrap consists of process scrap (plant scrap) generated in the manufacture of articles from alloyed or refined metal and consumed at a plant of different location from the plant of generation. New scrap also includes defective, finished, or semifinished articles returned by purchasers to be reworked. Clippings, borings and turnings, and other items of process scrap are new scrap, whether clean, rusty, or oily, and whether generated recently or long before reclamation. Skimmings, slag, and drosses generated in processing scrap or refined metal are new scrap. Flue dust from smelting brass scrap is new scrap. Zinc chemical residues resulting from the consumption of zinc dust in the manufacture of sodium hydrosulfite are also new scrap. Aircraft plants melt zinc die alloys to make dies and remelt the dies to make new ones whenever necessary. The same material may be remelted several times during a year. In such cases, the dies are not considered to be scrap. If, however, they are sold to a smelter for redistillation or remelting, they are considered to be old scrap. Tailings from ore concentration are primary residues, not scrap.

USGS Form 9-4082-A Nonfer. (rev. 12/14/2017)

PLEASE RETAIN FOR YOUR FILES CONSUMPTION OF COPPER MATERIALS (continued)

C53

Old scrap consists of metal articles that have been removed from service because of wear, damage, or obsolescence, usually after serving a useful purpose. Typical examples of old scrap are used trolley wire, battery plates from worn-out storage batteries, worn-out railroad car-boxes, fired cartridge cases, plumbing fixtures and wiring from building demolition, and obsolete military equipment (frequently unused).

Toll scrap is scrap treated for a toll or conversion charge. It is reported by the plant at which the scrap is consumed, but not by the plant owning the material.

Home (runaround) scrap is process scrap consumed in the plant of generation and should not be reported on Form 9-4082-A.

Consumed means "used", i.e., the quantity melted, rolled, drawn, or otherwise converted to castings, sheet, wire rod, chemicals, etc. It does not mean the melting loss. Consumption of scrap is always measured at the point where it loses its identity as scrap and becomes secondary metal.

Secondary metals are metals or alloys recovered from scrap and residues. The term "secondary" applies only to the source of the metal and has no relation to the type of product recovered, either as to quality, degree of purity, or physical characteristics. The total secondary metal content of products will ordinarily be less than the gross weight of scrap consumed because consumption of scrap involves melting loss.

A hardener is an intermediate alloy which is not suitable for direct use without combination with other materials and is designed to facilitate the introduction of one or more of the constituent metals into other alloys.

SPECIFIC INSTRUCTIONS

SECTION 1. General Information.

Items (a) & (b). Classification of plant, type of operation.

Please check classification of plant and type operation, and write in type of plant if it is not listed. This aids in correct understanding and tabulation of the reported figures.

Item (d). Other metallic scrap used.

Respondents checking any of these items will be sent appropriate forms if they are not already receiving them.

SECTION 2. Stocks, receipts, consumption, and shipments of refined copper, copper-alloy ingot, billets, etc.

Report here purchases of refined copper in the form of cathodes, bars, ingots, etc. Do not report intermediate products such as sheet, rod, or wire received for further processing. If you process refined copper for others on toll, report it, but do report toll operations done by others for you. Report copper shot and cast anodes as OTHER (SPECIFY). Consumption of all refined copper consumed in making them has been reported by the manufacturer.

The SECTION 2 TABLE of these instructions gives a list of the composition of the principal types of ingot and the classifications in which they should be reported on the form. If exact classification of ingot consumed is not given, report it in a classification which is as near as possible to that of the ingot being reported. Ingot which has wide divergence from those listed, such as 50-50 copper-lead alloy, should be reported on one of the blank lines of the Section. Low brass and nickel silver, which are not listed in this Section, should be reported on blank lines, and the titles written in. Special alloys which are not used in large quantities, such as manganese copper, should be reported as CODE 350. If an item title is not self-explanatory and is written in on a blank line in either SECTION 2 or SECTION 3, please give its approximate composition, in a footnote, if necessary, so that it can be properly classified.

Entries on each line should balance, that is, STOCKS, BEGINNING OF YEAR plus RECEIPTS DURING YEAR should equal CONSUMED IN PRODUCTION DURING YEAR, plus SHIPMENTS DURING YEAR, plus STOCKS, END OF YEAR.

In the CONSUMED IN PRODUCTION DURING YEAR column, report quantity of ingot melted to make castings, etc.

In the SHIPMENTS DURING YEAR column, report only shipments of refined copper or copper-alloy ingot *in the same form as received; do not report shipments of products*. Users of these materials do not often ship any of them, but if they do, entries of such shipments are necessary to make the lines balance.

USGS Form 9-4082-A Nonfer. (rev. 12/14/2017)

PLEASE RETAIN FOR YOUR FILES CONSUMPTION OF COPPER MATERIALS (continued)

C53

SECTION 3. Stocks and consumption of purchased copper scrap and copper-base scrap.

Columns (a), (g). Stocks at beginning and end of year.

Report here stocks of purchased scrap. (Machine-shop scrap from other plants should be considered as

purchased scrap.)

Column (b). Purchased scrap received.

Report here scrap defined as "purchased" in DEFINITIONS SECTION. Include scrap treated at your plant on

toll. Do not report scrap owned by you but treated at plants of others.

Columns (c), (d). Percent of new and old scrap.

Estimate percentages of new and old purchased scrap receipts only. See DEFINITIONS SECTION.

Column (e). Total scrap consumed during year.

Report here purchased scrap consumed, but not runaround scrap such as gates, risers, and defective

castings returned to your foundry from your machine shop.

SECTION 4. Secondary metal content of products.

Report in SECTION 4 only the production resulting from the consumption of scrap reported in SECTION 3. If the weight and composition product is known, the secondary metal weight and composition may be determined by subtracting added alloying ingredients. This is the preferable and most accurate method, but necessary data may not always be available.

If necessary, SECTION 4 entries may be calculated by applying metallic recovery and composition percentages to weight of purchased scrap consumed. If the percentage method is used, the example in the following paragraph may be of value.

If a brass foundry melts 1,000 pounds of composition (85-5-5-5) scrap, the metallic recovery would be about 94 percent, or 940 pounds, of which 85 percent, or 799 pounds, would be copper; 5 percent, or 47 pounds, tin; 47 pounds, lead; and 47 pounds, zinc. These quantities of copper, lead, tin, and zinc, added to others obtained similarly, would be entered in SECTION 4 on the line for brass and bronze castings.

In many cases, refined copper or copper-alloy ingot will be added to the melt. Consumption of this material should be reported in SECTION 2, but the resulting production should be omitted from SECTION 4. TOTAL SECONDARY METAL CONTENT, CODE 299, means the totals of the SECONDARY METAL CONTENT columns. The total reported secondary metal content is always somewhat less than the total reported scrap consumption because there is always some melting loss.

PLEASE RETAIN FOR YOUR FILES **CONSUMPTION OF COPPER MATERIALS** (continued)

C53

SECTION 2 Table. Brass Ingot Classification.

Classification in			AGE COMF	Lommon name				
SECTION 2	Code	Copper	Tin	Lead	Zinc	Aluminum	Nickel	of ingot
Tin bronze	331	88	10		2			Tin bronze
		88	8		4	_		
		85	14		1			
		91	9					
		88	9		2		1	
		95	5					Phosphor bronze
Leaded tin bronze	332	88	6	1.5	4.5			Leaded tin bronze
		83	13.5	.5	3			
		81	13	5			1	Bearing bronze
		87	12	1				
		83	5	2	10			English metal
		91	3	3	3			
		87	4	1	4		4	
Leaded red brass	333	85	5	5	5			Soft red brass
		80	5	2.5	12.5			
		81	3	7	9			Valve compression
		83	4	6	7			
		76	2	8	14			
High-leaded bronze	334	80	10	10				High-leaded tin bronze
		84	6	8	2			
		75	5	20				
		71	13	15			1	
		75	10	15				
		75	1	24				Plastic bronze
		71	9	20				
Yellow brass	335	66	1	3	30			Leaded yellow brass
		61		2	37			,
		70			30			
		60			40			Muntz metal
Manganese bronze	336	58	1		39	1		Manganese bronze
manganoos bronzommm		62			27	5		Ĭ
Aluminum bronze	338	95				5		Aluminum bronze
		92				8		
		89				10		
Low brass	¹ 340	80			20			Low brass
		90			10			
		95			5			Gilding metal
		92			4	(1 to	5 Si)	Silicon bronze
		82			14	(2 to		2.110011 2101120
		94	2	2	2	, 2 10		Conductor bronze
Nickel silver	² 339	58	2	7	18		14	
INIONGI SIIVGI IIIIIIIIIIIIIIIIIIIIIIIIIIIIII	559	65	4	3	5		22	Nickel silver or German silver
Copper hardeners and deoxidizers	³ 350	- 55	 _	<u> </u>	<u> </u>			

Include in this category Everdur, Herculoy, Beryllium copper and Tombasil.
 Include in this category Everbrite, Cateract metal, Nickel brass, Nickel bronze, Nickel alloy and Copper nickel.
 Include in this category Phosphor copper, Manganese copper, Barium copper, and Silicon copper.