## SpecWriter Data

Form Version:10/13/2017 1:57:26 PMReport Type:Full DetailProject Database:WESSQL6.MEPS\_V2Language:English

Spec Label:

This is the cover page. Additional contents currently project specific.

MEPS_V2 Full Detail Spec			Review of Employment (RJ) Section
<u>BOX 00</u>	<u>(RJ1000)</u>	Item Type: Route	Type Class: If Then
Route Details:	01 Box = BC 70	X_00, BOX_10, BOX_ 20, B	OX_30, BOX_40, BOX_50, BOX_60, BOX_
	02  Loop = Le	DOP_10	
	03 End Loop	= END_LP10	
	04 Single Sel RJ130	ect = RJ10, RJ20, RJ30, RJ40	, RJ50, RJ55, RJ60, RJ70, RJ80, RJ90, RJ100,
	14 Regular D	Pate Entry = RJ120_01, RJ120_	_02, RJ120_03
	19 Numeric l	Field = RJ110	
	20 OS Text H	Field = RJ50OS, RJ55OS, RJ1	30OS

<u>BOX_10</u>	<u>(RJ1001)</u>	Item Type: Route	Type Class: If Then	
Route Details:		der display instructions: LLNAME, JobsEstbName, Jo	oStartMM/DD/YYYY, JobStopMM/DD/YYYY	
<u>BOX_20</u>	<u>(RJ1005)</u>	Item Type: Route	Type Class: If Then	
Route Details:	previous ro -is rounds 2 • Person no • Person w and • Person ha within refer PR_JobTP Continue w	If information about at least one current job was collected for person during the previous round, ask the review of employment information (RJ) section. That is, if: -is rounds 2-5, • Person not added to the RU this round, • Person was = or > 16 years old or in age categories 4-9 during the previous round, and • Person had a job with a job type set as 'current main' or 'current miscellaneous job within reference period' during the previous round, (PR_JobTP=CURRENT MAIN OR PR_JobTP=CURRENT MISC Continue with LOOP_10.		
	Otherwise,	skip the RJ section, that is, g	to BOX_70.	

MEPS_V2 Full Detail Spec			Review of Employment (RJ) Section	
LOOP 10	<u>(RJ1010)</u>	Item Type: Route	Type Class: Begin Loop	
Route Details:	For each element in PERSON'S -JOBS -ROSTER, ask BOX_30 - END_LP10. Loop definition: LOOP_10 reviews and updates information about current jobs collected during the previous round. This loop cycles on the jobs that meet the following conditions: Job type is set as either 'current main' (PR_JobTP=CURRENT MAIN). or 'current miscellaneous job within reference period' during the previous round (PR_JobTP=CURRENT MISC)			
	Navigator details: LOOP_10 uses BOX_30 to control the flow of the loop.			
<u>BOX 30</u>	<u>(RJ1020)</u>	Item Type: Route	Type Class: If Then	

Route Details: If job set as 'current main', (PR\_JobTP=CURRENT MAIN) continue with RJ10.

Otherwise (if job type set as 'CURRENT MISCELLANEOUS JOB WITHIN REFERENCE PERIOD')(PR\_JobTP=CURRENT MISC) go to RJ60.

<u>RJ10</u>	<u>(RJ1025)</u>	BLAISE NAME:         StillAtMainJob				
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:		
Type Class:	Enumerated	Field Size:				
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:		
Help Available (	)	$\Box$ Show Card (	)	□ Look Up File ( )		
Context Header:	text Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {JobsEstbName} {JobStartMM/DD/YYYY} {JobStopMM/DD/YYYY}					
Question Text:						
During our last inter	view on {PREV	RD INTV DT}, we recorded t	hat {you/{PERS	SON} worked at		

{JobsEstbName}. {{Do/Does}/Did} {you/he/she} still work at {JobsEstbName} {on {END DATE}}?

<b>Responses:</b>	YES 1	RJ20	(RJ1045)
	NO	RJ120_01	(RJ1160)
	REFUSED RF	RJ120_01	(RJ1160)
	DON'T KNOW DK	RJ120_01	(RJ1160)

MEPS_	_V2	
Full De	tail	Spec

Programmer Instructions:	If RJ10 coded '2'	' (NO), DK or RF set JobTp=FORN	IER MAIN.	
Display Instructions:	For {PREV RD IN RUEndD, RUEnd	TV DT} display the interview dat Y).	e of the prev	vious round. (Preload.RUEndM,
	Display 'on {END	DATE}' if round 5. Otherwise, u	se null displa	ay.
	Display '{Do/Do	es}' if not round 5. Display 'Did' i	f round 5.	
	For {END DATE},	, display the round 5 reference p	period end d	ate for that person.
Testing/Editing Notes:		ed at MEPSSpring2018.EM_Ma at MEPSSpring2018_PersSect.E		
<u>RJ20</u> Item Type: Type Class: Answer Type:	( <b>RJ1045</b> ) Question Enumerated TYESNO	Field Size:	rrayMin: rrayMax:	Min value: Max value:
✓ Help Available	(MainJobHelp)	$\Box$ Show Card (	( )	□ Look Up File ( )
Context Header:	{PERSON'S FIF {JobStartMM/D {JobStopMM/D		ME} {JobsEs	stbName}
Question Text:				
{Is/Was} {JobsEst	oName} still {your/	{PERSON}'s} <u>main</u> job or busin	ness?	
				HELP : F1
Responses:	NO		2	

DON'T KNOW ..... DK

Programmer Instructions:	If job being asked about set as 'SELF-EMPLOYED' (SelfEmp=SelfEmpl) go to RJ40. Else go to RJ30				
		'1' (YES), DK, or RF, set job PERIOD' (JobTp=CURREN'		RRENT MAIN	N JOB WITHIN
		'2' (NO), set job type to 'CUI PERIOD' (JobTp=CURREN'		SCELLANEOU	JS JOB WITHIN
Display Instructions:	Display 'Is' if no	t round 5. Display 'Was' if round	15.		
Testing/Editing Notes:		eted at MEPSSpring2018.EM 1 at MEPSSpring2018_PersSe			20]
<u>RJ30</u>	<u>(RJ1050)</u>	BLAISE NAME: ChngW	/ageAmt		
Item Type:	Question	Field kind: Datafield	ArrayMir	n: Min val	lue:
Type Class:	Enumerated	Field Size:			
Answer Type:	TYESNO	Answers allowed: 1	ArrayMa	x: Max va	lue:
□ Help Available	( )	$\Box$ Show Card (	)		Look Up File ( )
Help Available Context Header:		IRST MIDDLE AND LAST 1 DD/YYYY}		□ bsEstbName}	Look Up File ( )
-	{PERSON'S F {JobStartMM/	IRST MIDDLE AND LAST 1 DD/YYYY}		□ bsEstbName	Look Up File ( )
<b>Context Header:</b> <b>Question Text:</b> {During our last int INT DT}, has/Betw	{PERSON'S F {JobStartMM/ {JobStopMM/ {JobStopMM/ erview, we record reen {START DA	IRST MIDDLE AND LAST 1 DD/YYYY}	NAME} {Jo nde {PR_Sal }	aryDisplay.} {	Since {PREV RD
Context Header: Question Text: {During our last int INT DT}, has/Betw there {been} any ch	{PERSON'S F. {JobStartMM/ {JobStopMM/ genview, we record reen {START DA lange in the amoun	IRST MIDDLE AND LAST I DD/YYYY} DD/YYYY} ed that {you/{PERSON}} ma TE} and {END DATE}, was	NAME} {Jo nde {PR_Sal } /makes}/mac	aryDisplay.} {	Since {PREV RD
Context Header: Question Text: {During our last int INT DT}, has/Betw there {been} any ch	{PERSON'S F. {JobStartMM/ {JobStopMM/ } erview, we record reen {START DA lange in the amoun E: THIS INCLUDES YES	IRST MIDDLE AND LAST I DD/YYYY} DD/YYYY} ed that {you/{PERSON}} ma TE} and {END DATE}, was nt {you/{PERSON}} {{make/ CHANGES IN BOTH DIRECTION	NAME} {Jo ade {PR_Sal } /makes}/mac NS. 1	aryDisplay.} { le} through{Jo BOX_40	Since {PREV RD bsEstbName}? (RJ1065)
Context Header: Question Text: {During our last int INT DT}, has/Betw there {been} any ch INTERVIEWER NOT	{PERSON'S F. {JobStartMM/ {JobStopMM/ } erview, we record reen {START DA hange in the amoun E: THIS INCLUDES YES NO	IRST MIDDLE AND LAST I DD/YYYY} DD/YYYY} ed that {you/{PERSON}} ma TE} and {END DATE}, was nt {you/{PERSON}} {{make/ CHANGES IN BOTH DIRECTION	NAME} {Jo nde {PR_Sal } /makes}/mac NS. 1 2	aryDisplay.} { le} through{Jo BOX_40 RJ40	Since {PREV RD bsEstbName}? (RJ1065) (RJ1070)
Context Header: Question Text: {During our last int INT DT}, has/Betw there {been} any ch INTERVIEWER NOT	{PERSON'S F. {JobStartMM/ {JobStopMM/ } erview, we record reen {START DA lange in the amoun E: THIS INCLUDES YES NO REFUSED	IRST MIDDLE AND LAST I DD/YYYY} DD/YYYY} ed that {you/{PERSON}} ma TE} and {END DATE}, was nt {you/{PERSON}} {{make/ CHANGES IN BOTH DIRECTION	NAME} {Jo ade {PR_Sal } /makes}/mac NS. 1 2 RF	aryDisplay.} { de} through{Jo BOX_40 RJ40 RJ40 RJ40	Since {PREV RD bsEstbName}? (RJ1065) (RJ1070) (RJ1070)
Context Header: Question Text: {During our last int INT DT}, has/Betw there {been} any ch INTERVIEWER NOT	{PERSON'S F. {JobStartMM/ {JobStopMM/ } erview, we record reen {START DA hange in the amoun E: THIS INCLUDES YES NO	IRST MIDDLE AND LAST I DD/YYYY} DD/YYYY} ed that {you/{PERSON}} ma TE} and {END DATE}, was nt {you/{PERSON}} {{make/ CHANGES IN BOTH DIRECTION	NAME} {Jo ade {PR_Sal } /makes}/mac NS. 1 2 RF	aryDisplay.} { le} through{Jo BOX_40 RJ40	Since {PREV RD bsEstbName}? (RJ1065) (RJ1070)

Display Instructions:	{During our last interview, we recorded that {you/{PERSON}} made {PR_SalaryDisplay.}: Display sentence if PR_SalaryDisplay≠EMPTY.			
	{Since {PREV RD INTR DT}, has/Between {START DATE}} and {END DATE was}: DISPLAY 'Sin {PREV RD INTDT}, has' if not round 5. Display 'Between {START DATE} and {END DATE}, wa if round 5.			
	{START DATE}: Display the round 5 reference period for start date for this person.			
	{END DATE}: Display the round 5 reference period end date for this person.			
	{been}: Display 'been' if not round 5. Otherwise, use a null display.			
	{{make/makes}/made}: Display '{make/makes}' if not round 5. Display 'made' if round 5. F {PREV RD INT DT}, display the interview date of the previous round. (Preload.RUEndM, RUEndD, RUEndY).	or		
Testing/Editing Notes:	Variable collected at MEPSSpring2018.EM_Main.RJ_Main[120] Variable stored at MEPSSpring2018_PersSect.EM_Main.RJ_Main[120]			
<u>BOX 40</u>	(RJ1065) Item Type: Route Type Class: If Then			
Route Details:	Ask the Employment Wage (EW) section. At completion of Employment Wage (EW) section, continue with RJ40.			

MEPS_V2 Full Detail Spec			Revie	ew of Employment (RJ) Section
<u>RJ40</u>	<u>(RJ1070)</u>	<b>BLAISE NAME:</b> StillWo	orkFTPT	
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:
□ Help Available (	)	$\Box$ Show Card (	)	□ Look Up File ( )
Context Header:	{PERSON'S F {JobStartMM/ {JobStopMM/	,	NAME} {JobsEs	stbName}
Question Text:				

During our last interview on {PREV RD INTV DT}, we recorded that {you/{PERSON}} worked {<u>full-time/part-time</u>}, that is {35 hours or more/less than 35 hours} per week at {JobsEstbName}. {{Do/Does}/Did} {you/he/she} still work {35 hours or more/less than 35 hours} per week at {JobsEstbName} {on {END DATE}}?

<b>Responses:</b>	YES 1	BOX_50	(RJ1105)
	NO		
	REFUSED RF	BOX_50	(RJ1105)
	DON'T KNOW DK	BOX_50	(RJ1105)

Programmer Instructions:	If the classification of number of hours worked per week has changed since the previous round, that is,:
	<ul> <li>If coded '2' And PR_FTPTStatus=PART TIME</li> <li>Set FTPTStatus=FULL TIME (part-time to full time)</li> <li>Otherwise set FTPTStatus=PART TIME</li> <li>Then go to RJ50.</li> </ul>
	<ul> <li>If Coded '2' And PR_FTPTStatus=FULL TIME</li> <li>Set FTPTStatus=PART TIME (full-time to part-time)</li> <li>Otherwise set FTPTStatus=FULL TIME</li> <li>Then go to RJ55.</li> </ul>
Display Instructions:	For {PREV RD INTV DT} display the interview date of the previous round. Preload.RUEndM, RUEndD, RUEndY). Display 'full-time' If PR_FTPTStatus=FULL TIME Display 'part-time' if PR_FTPTStatus=PART TIME. Display '{Do/Does}' if not round 5. Display 'did' if round 5. Display '35 hours or more' if if PR_FTPTStatus=FULL TIME Display 'less than 35 hours' if PR_FTPTStatus=PART TIME Display 'on {END DATE}' if round 5, displaying the round 5 end date for this person for 'END DATE. Otherwise, use null display.
Testing/Editing Notes:	Variable collected at MEPSSpring2018.EM_Main.RJ_Main[120] Variable stored at MEPSSpring2018_PersSect.EM_Main.RJ_Main[120]

MEPS_V2			R	eview of Emp	oloyment (RJ) Sec	ction
Full Detail Spec						
<u>RJ50</u>	<u>(RJ1075)</u>	BLAISE NAME: WhyCl	nngPTToFT			
Item Type:	Question	Field kind: Datafield	ArrayMin	: Min va	lue:	
Type Class:	Enumerated	Field Size:				
Answer Type:	TY_CHANGE	Answers allowed: 1	ArrayMax	x: Max va	alue:	
Help Available (	)	$\Box$ Show Card (	)	E	Look Up File (	)
Context Header:	{PERSON'S FII {JobStartMM/E {JobStopMM/E	,	NAME} {Jot	osEstbName}		
Question Text:						
What is the main rea	son {you/{PERSO	DN}} changed from part-time	e to full-time	at {(JobsEstb	Name)}?	
Responses:	CHANGE IN P. BENEFITS/HE. FAMILY, SCHO OTHER-SPECI	ALTH INSURANCE OOL, TEMPORARY LEAV FY	2 3 E 4 91 RF	BOX_50 BOX_50 BOX_50 BOX_50 RJ50OS BOX_50 BOX_50	(RJ1105) (RJ1105) (RJ1105) (RJ1105) (RJ1080) (RJ1105) (RJ1105)	
Display Instructions:	Display RJ50 and	RJ50OS on the same form panel	e.			
Testing/Editing Notes:		ed at MEPSSpring2018.EM_ at MEPSSpring2018_PersSc			20]	
	( <b>RJ1080</b> ) Question	BLAISE NAME: WhyCl Field kind: Datafield	nngPTToFTC ArrayMin		luoi	
• •	String	Field Size: 25	Allayiviiii		luc.	
Answer Type:	•	wer.} Answers allowed: 1	ArrayMax	x: Max va	alue:	
	{Continuous Ans	wei. j Answeis anoweu. 1	Arraymax		ilder	
☐ Help Available (		Show Card (	)		Look Up File (	)
-	-				_	)
Help Available (     Question Text:     SPECIFY: MAIN RE.	)				_	)
<b>Question Text:</b> SPECIFY: MAIN REA	)		)	[	Look Up File (	)
Question Text:	) ASON	☐ Show Card (	)		_	)

MEPS_V2 Full Detail Spec			R	eview of Employment (RJ) Se	ection
Display Instructions:	Display RJ50 and	d RJ50OS on the same form p	ane.		
Testing/Editing Notes:		eted at MEPSSpring2018.E 1 at MEPSSpring2018_Pers			
<u>RJ55</u> Item Type:	( <b>RJ1081</b> ) Question	BLAISE NAME: Why Field kind: Datafield	•	: Min value:	
Type Class: Answer Type:	Enumerated TREASONFULI	Field Size: LTTO Answers allowed:	1 ArrayMax	x: Max value:	
□ Help Available (	( )	$\Box$ Show Card	( )	□ Look Up File (	( )
Context Header:	{PERSON'S FI {JobStartMM/I {JobStopMM/I		T NAME} {Jol	osEstbName}	
Question Text:					
What is the main rea	ason {you/{PERS	ON}} changed from full-ti	me to part-time	at {JobsEstbName}?	
Responses:	HOURS CUT,	BUSINESS SLOW	1	BOX_50 (RJ1105)	

Responses:	HOURS CUT, BUSINESS SLOW 1	BOX_50	(RJ1105)
	CHANGE IN SCHEDULE OR SHIFT 2	BOX_50	(RJ1105)
	ILLNESS, INJURY, HEALTH PROBLEM 3	BOX_50	(RJ1105)
	FAMILY, SCHOOL, TEMPORARY LEAVE 4	BOX_50	(RJ1105)
	OTHER-SPECIFY	RJ55OS	(RJ1082)
	REFUSED RF	BOX_50	(RJ1105)
	DON'T KNOW DK	BOX_50	(RJ1105)

Display Instructions: Display RJ55 and RJ55OS on the same form pane.

Testing/Editing	Variable collected at MEPSSpring2018.EM_Main.RJ_Main[120]
Notes:	Variable stored at MEPSSpring2018_PersSect.EM_Main.RJ_Main[120]

MEPS_V2				Review of E	Employment (RJ) See	ction
Full Detail Spec						
<u>RJ55OS</u>	<u>(RJ1082)</u>	BLAISE NAME: Why(	•			
Item Type:	Question	Field kind: Datafield	ArrayMi	n: Min	value:	
Type Class:	String	Field Size: 25			_	
Answer Type:	{Continuous Answ	er.} Answers allowed: 1	ArrayMa	ax: Max	x value:	
□ Help Available (	)	$\Box$ Show Card (	)		🗌 Look Up File (	)
Question Text:						
SPECIFY: MAIN REA	ASON					
Responses:				BOX_50	(RJ1105)	
Responses.				BOX_50	(RJ1105) (RJ1105)	
	DON'T KNOW			BOX_50 BOX_50	(RJ1105) (RJ1105)	
Display Instructions:	Display RJ55 and F	RJ55OS on the same form pa	ne.			
Testing/Editing Notes:		d at MEPSSpring2018.EM t MEPSSpring2018_Pers			[120]	
RJ60	<u>(RJ1085)</u>	BLAISE NAME: StillA	tMiscJob			
Item Type:	Question	Field kind: Datafield	ArrayMi	n: Min	value:	
Type Class:	Enumerated	Field Size:				
Answer Type:	TYESNO	Answers allowed: 1	ArrayMa	ax: Max	x value:	
Help Available (	)	□ Show Card (	)		Look Up File (	)
Context Header:	{PERSON'S FIR; {JobStartMM/DE {JobStopMM/DE		`NAME} {Jo	obsEstbNam	e}	
Question Text:						
		DINTV DT}, we recorded ou/he/she} still work there			worked at	
Responses:	YES		1	BOX_50	(RJ1105)	
_	NO		2	RJ120_01	(RJ1160)	
	REFUSED		RF	RJ120_01	(RJ1160)	
	DON'T KNOW		DK	RJ120_01	(RJ1160)	

MEPS_V2 Full Detail Spec			Review of Employment (RJ) Section
Programmer Instructions:		led '1' (YES) Set JobTp=CUR led '2' (NO), 'DK' or 'RF' Set Jo	
Display Instructions:	(Preload.Rl Display '{E For {on {E	JEndM, RUEndD, RUEndY). Do/Does}' if not round 5. Displa ND DATE}}: display if round	erview date of the previous round y 'Did' if round 5. 5. Otherwise, use a null display. ence period end date for this person.
Testing/Editing Notes:		ollected at MEPSSpring2018.El ored at MEPSSpring2018_Pers	M_Main.RJ_Main[120] Sect.EM_Main.RJ_Main[120]
<u>BOX_50</u>	<u>(RJ1105)</u>	Item Type: Route	Type Class: If Then

**Route Details:** If RJBox50Flag=1 (INSURANCE AT END OF PREVIOUS ROUND) then go to BOX\_60 If RJBox50Flag=2 (INSURANCE ENDED IN PREVIOUS ROUND BUT OFFERED NOT TAKEN ON FIRST JOB REPORT) then go to RJ70 If RJBox50Flag=3 (NO INSURANCE AT END OF PREVIOUS ROUND) then go to RJ80 If RJBox50Flag=4 (MILITARY CURRENT MAIN JOB) go to END\_LP10

Note: RJBox50Flag is set in inter-round processing (MHOP)

MEPS_V2 Full Detail Spec			Revie	w of Employment (RJ) Section
<u>RJ70</u>	<u>(RJ1110)</u>	BLAISE NAME: OffrdH	IINowTake	
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:	-	
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:
Help Available	(HLTHINSHelp)	$\Box$ Show C	ard ( )	□ Look Up File ( )
Context Header:	{PERSON'S FI {JobStartMM/I {JobStopMM/I		NAME} {JobsEs	tbName}
Question Text:				
health insurance thr	ough {JobsEstbNa	RD INTV DT}, we recorded ame} but chose not to take the {JobsEstbName} {on {END	at insurance. {{D	
				HELP: F1
Responses:	NO	, , ,	2 RJ9 RF RJ9	0 (RJ1120)
Programmer Instructions:	INSURANCE'( If coded '2' (NC	ES), set this jobholder-job pai (EmpHI=YES) and to be aske D), 'RF' (REFUSED), or 'DK' lealth insurance (EmpHI=EM	ed about in the he (DON'T KNOW	
Display Instructions:	RUEndY). Display '{Do/Do display null. For {on {END D		' if round 5. Display erwise use a null di	
Testing/Editing Notes:		ted at MEPSSpring2018.EM		

MEPS_V2 Full Detail Spec				Revie	ew of Employment (RJ) So	ection
<u>RJ80</u>	<u>(RJ1115)</u>	<b>BLAISE NAME</b>	: NowOf	frdTakeHI		
Item Type:	Question	Field kind: Da	tafield	ArrayMin:	Min value:	
Type Class:	Enumerated	Field Size:				
Answer Type:	TYESNO	Answers allo	wed: 1	ArrayMax:	Max value:	
✓ Help Available Context Header:		ST MIDDLE AND D/YYYY}	Show Ca		□ Look Up File ( stbName}	)

## **Question Text:**

 $\label{eq:pressure} During our last interview on {PREV RD INTV DT}, we recorded that {you/{PERSON}} {were/was} not {offered/receiving} health insurance through {JobsEstbName}. {{Do/Does}/Did} {you/he/she} {now} have health insurance through{JobsEstbName} {on {END DATE}}? }$ 

HELP: F1

YES 1	BOX_60	(RJ1150)
NO	RJ90	(RJ1120)
REFUSED RF	BOX_60	(RJ1150)
DON'T KNOW DK	BOX_60	(RJ1150)
	NO 2 REFUSED RF	NO 2 RJ90 REFUSED RF BOX_60

Programmer Instructions:	If coded '1' (YES) flag this jobholder-establishment pair as 'PROVIDES HEALTH INSURANCE' (EmpHI=YES)and to be asked about in the health insurance section. If coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW), set this jobholder-job pair as not providing health insurance (EmpHI=EMPTY).
Display Instructions:	<pre>{PREV RD INTV DT}: display the interview date of the previous round (Preload.RUEndM, RUEndD, RUEndY).</pre> Display 'offered' if PR_EmpHI=EMPTY and PR_OffrdHIChoseNot <> 1 and PR_ConfCovd = EMPTY. Otherwise, display 'receiving'. Display '{Do/Does}' if not round 5. Display 'Did' if round 5. Display 'now' if not round 5. If round 5, display null.
	For {on {END DATE}}: display if round 5. Otherwise, use a null display. For {END DATE}: display the round 5 reference Period end date for this person.

Testing/EditingVariable collected at MEPSSpring2018.EM\_Main.RJ\_Main[1..20]Notes:Variable stored at MEPSSpring2018\_PersSect.EM\_Main.RJ\_Main[1..20]

MEPS_V2 Full Detail Spec			Revie	ew of Employment (	RJ) Section
<u>RJ90</u>	<u>(RJ1120)</u>	BLAISE NAME: OffrdH	IThruJob		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:	
Type Class:	Enumerated	Field Size:			
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:	
<ul> <li>Help Available</li> <li>Context Header:</li> </ul>	e (HLTHINSHelp) {PERSON'S FI {JobStartMM/I {JobStopMM/I	IRST MIDDLE AND LAST 1 DD/YYYY}	ard ( ) NAME} {JobsE	□ Look Uµ stbName}	) File ( )
Question Text: {Were/Was} {you	n/{PERSON}} <u>offer</u>	red health insurance through {	JobsEstbName}	?	
					HELP: F1

<b>Responses:</b>	YES 1	BOX_60	(RJ1150)
	NO	RJ100	(RJ1125)
	REFUSED RF	BOX_60	(RJ1150)
	DON'T KNOW DK	BOX_60	(RJ1150)

## Display Instructions:

Testing/Editing	Variable collected at MEPSSpring2018.EM_Main.RJ_Main[120]
Notes:	Variable stored at MEPSSpring2018_PersSect.EM_Main.RJ_Main[120]

MEPS\_V2 **Review of Employment (RJ) Section Full Detail Spec** BLAISE NAME: RvwAnyOffrdHI **RJ100** (RJ1125) Item Type: Question Field kind: Datafield ArrayMin: Min value: **Type Class:** Enumerated **Field Size: Answer Type: TYESNO** Answers allowed: 1 ArrayMax: Max value: Help Available ()  $\Box$  Show Card (  $\Box$  Look Up File ( ) ) {PERSON'S FIRST MIDDLE AND LAST NAME} {JobsEstbName} **Context Header:** {JobStartMM/DD/YYYY} {JobStopMM/DD/YYYY} **Question Text:** Was health insurance offered to any employees at {JobsEstbName}? YES **Responses:** BOX\_60 (RJ1150) NO BOX 60 (RJ1150) ----- RF REFUSED BOX 60 (RJ1150) ----- DK DON'T KNOW BOX\_60 (RJ1150) Display **Instructions: Testing/Editing** Variable collected at MEPSSpring2018.EM\_Main.RJ\_Main[1..20] Variable stored at MEPSSpring2018\_PersSect.EM\_Main.RJ\_Main[1..20] Notes: Item Type: Route Type Class: If Then **BOX 60** (RJ1150) **Route Details:** If employer set as 'SELF-EMPLOYED', (SelfEmp=SelfEmpl) continue with RJ110. Otherwise, Set EmpEstm=PR\_EmpEstm and go to END\_LP10.

MEPS_V2 Full Detail Spec			Revi	ew of Employment (F	kJ) Section
<u>RJ110</u>	<u>(RJ1155)</u>	<b><u>BLAISE NAME:</u></b> RvwT	otNumEmp		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value: 1	
Type Class:	Integer	Field Size: 5			
Answer Type:	{Continuous Answ	ver.} Answers allowed: 1	ArrayMax:	<b>Max value:</b> 99999	
□ Help Available (	( )	$\Box$ Show Card (	)	□ Look Up	File ( )
Context Header:	{PERSON'S FIR {JobStartMM/DI {JobStopMM/DI		NAME} {JobsEs	stbName}	
Question Text:					
	erview we recorded worked at {JobsEst	that { PR_TotNumEmp} bName}.}	{employee/emplo	yees}, including	
		who worked at the busin old members that may {w	• • •		re to
ENTER AT LEAST 1 T	O COUNT THE OWN	NER. ENTER NUMBER OF E	MPLOYEES		
Responses:			EN	ID_LP10 (RJ11	.75)

	END_LP10	(RJ1175)
REFUSED RF	END_LP10	(RJ1175)
DON'T KNOW DK	END_LP10	(RJ1175)

MEPS\_V2 Full Detail Spec

Programmer Instructions:	Range check: Numeric value entered must be equal to or > 1. If '0' is entered, display the following message: "Since {you/{PERSON'S FIRST MIDDLE AND LAST NAME}} {is/are} the owner, I am going to enter 1 to count {you/him/her}. ENTER 1 AT RJ110 (RvwTotNumEmp) FOR NUMBER OF EMPLOYEES TO CONTINUE." Set TotNumEmp=the value entered at RJ110. If the value entered for the number of employees=1 set EmpEstm= '1' If the value entered for the number of employees=2-9, inclusive, set EmpEstm= '2-9' If the value entered for the number of employees=10-25, inclusive, set EmpEstm= '10-25' If the value entered for the number of employees=26-50, inclusive, set EmpEstm= '26-50' If the value entered for the number of employees=101-200, inclusive, set EmpEstm= '51-100' If the value entered for the number of employees=201-500, inclusive, set EmpEstm='201-500' If the value entered for the number of employees =201-500, inclusive, set EmpEstm='201-500' If the value entered for the number of employees =201-500, inclusive, set EmpEstm='201-500'
Display Instructions:	<pre>{During our last interview we recorded that { PR_TotNumEmp} {employee/employees}, including {you/{PERSON}}, worked at {JobsEstbName}.}: display sentence if PR_TotNumEmp was not coded 'RF' or 'DK' during the previous round for the job being asked about. Otherwise, use a null display. Display 'employee' if PR_TotNumEmp=1 otherwise display 'employees'. Display 'on {END DATE}' if round 5. Otherwise, display 'last week'. Display 'work' if not round 5. Otherwise, display 'have worked'. For {END DATE}: display the round 5 reference period end date for this person.</pre>
Testing/Editing Notes:	Variable collected at MEPSSpring2018.EM_Main.RJ_Main[120] Variable stored at MEPSSpring2018_PersSect.EM_Main.RJ_Main[120]

MEPS\_V2 **Review of Employment (RJ) Section Full Detail Spec** BLAISE NAME: RvwJobStopMM RJ120 01 (RJ1160) Item Type: Question Field kind: Datafield ArrayMin: Min value: 1 **Type Class:** Integer Field Size: 2 **Answer Type:** {Continuous Answer.} Answers allowed: 1 ArrayMax: Max value: 12 Help Available ()  $\Box$  Show Card (  $\Box$  Look Up File ( ) ) {PERSON'S FIRST MIDDLE AND LAST NAME} {JobsEstbName} **Context Header:** {JobStartMM/DD/YYYY} {JobStopMM/DD/YYYY} **Question Text:** When did {you/{PERSON}} stop working at {JobsEstbName)} for pay? {IF JOB ENDED AFTER DECEMBER 31, {YEAR}, BACKUP TO {RJ10/RJ60} AND SELECT 'YES'.} ENTER MONTH. **Responses:** \_\_\_\_\_ RJ120\_02 (RJ1162) REFUSED RJ120 02 (RJ1162) ..... DK DON'T KNOW RJ120 02 (RJ1162) Programmer Set JobStopMM **Instructions:** Display Display RJ120 1, RJ120 2, and RJ120 3 on the same form pane. **Instructions:** Display 'IF JOB ENDED... SELECT 'YES'.' if round 5. Otherwise, use a null display. Display 'RJ10' if looping on 'CURRENT MAIN JOB'(PR JobTP=CURRENT MAIN). Display 'RJ60' if looping on 'CURRENT MISCELLANEOUS JOB WITHIN REFERENCE PERIOD' (PR JobTP=CURRENT MISC) Note: For specification purposes only; CAPI handles automatically: 'YEAR' in question text is second calendar year of panel.

Testing/Editing	Variable collected at MEPSSpring2018.EM_Main.RJ_Main[120]
Notes:	Variable stored at MEPSSpring2018_PersSect.EM_Main.RJ_Main[120]

MEPS\_V2 **Review of Employment (RJ) Section Full Detail Spec** BLAISE NAME: RvwJobStopDD RJ120 02 (RJ1162) **Item Type:** Question Field kind: Datafield ArrayMin: Min value: 1 **Type Class:** Integer Field Size: 2 **Answer Type:** {Continuous Answer.} Answers allowed: 1 Max value: 31 ArrayMax: Help Available ()  $\Box$  Show Card (  $\Box$  Look Up File ( ) ) {PERSON'S FIRST MIDDLE AND LAST NAME} {JobsEstbName} **Context Header:** {JobStartMM/DD/YYYY} {JobStopMM/DD/YYYY} **Question Text:** [When did {you/{PERSON}} stop working at {JobsEstbName} for pay? {IF JOB ENDED AFTER DECEMBER 31, {YEAR}, BACKUP TO {RJ10/RJ60} AND SELECT 'YES'.}] ENTER DAY. **Responses:** RJ120\_03 (RJ1163) \_\_\_\_\_ ----- RF REFUSED RJ120 03 (RJ1163) ..... DK DON'T KNOW RJ120 03 (RJ1163) Set JobStopDD Programmer **Instructions:** Display Display RJ120\_1, RJ120\_2, and RJ120\_3 on the same form pane. Display bracketed question text in **Instructions:** lighter "grayed out" text. Display 'IF JOB ENDED... SELECT 'YES'.' if round 5. Otherwise, use a null display. Display 'RJ10' if looping on 'CURRENT-MAIN-JOB' (PR\_JobTP=CURRENT MAIN). Display 'RJ60' if looping on 'CURRENT-MISCELLANEOUS-JOB-WITHIN- REFERENCE-PERIOD' (PR\_JobTP=CURRENT MISC).' Variable collected at MEPSSpring2018.EM\_Main.RJ\_Main[1..20] **Testing/Editing** 

Notes: Variable stored at MEPSSpring2018\_PersSect.EM\_Main.RJ\_Main[1..20]

MEPS_V2			]	Review of Er	nployment (RJ) See	ction
Full Detail Spec						
<u>RJ120 03</u>	<u>(RJ1163)</u>	BLAISE NAME: RvwJo	bStopYYY	Y		
Item Type:	Question	Field kind: Datafield	ArrayMi	n: Miny	value: 1900	
Type Class:	Integer	Field Size: 4				
Answer Type:	{Continuous Ans	swer. } Answers allowed: 1	ArrayMa	x: Max	value: 2100	
□ Help Available (	)	$\Box$ Show Card (	)		Look Up File (	)
Context Header:	{PERSON'S F] {JobStartMM/I {JobStopMM/I	,	NAME} {Jo	bsEstbName	}	
Question Text:						
[When did {you/{PH	ERSON}} stop wo	orking at {JobsEstbName} fo	r pay?			
{IF JOB ENDED AFTE	R DECEMBER 31,	{YEAR}, BACKUP TO {RJ10/RJ	60} AND SEL	ECT 'YES'.}]		
ENTER YEAR.						
Responses:				RJ130	(RJ1165)	
	REFUSED		RF	RJ130	(RJ1165)	
	DON'T KNOW		DK	RJ130	(RJ1165)	

Programmer Instructions:	Set JobStopYYYY
	Hard Check: Job end date entered at RJ120_1, RJ120_2, RJ120_3 must be = or > reference period start date and < or = to reference period end date. If job end date is less than start date or greater than end date display the message "THE DATE MUST BE ON OR AFTER {START DATE}} AND ON OR BEFORE {END DATE}. VERIFY WITH RESPONDENT AND RE- CODE" For {Start Date} display Person's reference period start date (BegRefM, BegRefD, BegRefY). For {END DATE} display person's reference period end date (EndRefM, EndRefD, EndRefY)
Display Instructions:	Display RJ120_1, RJ120_2, and RJ120_3 on the same form pane. Display bracketed question text in lighter "grayed out" text.
	Display 'RJ10' if looping on 'CURRENT-MAIN-JOB'(PR_JobTP=CURRENT MAIN).
	Display 'RJ60' if looping on 'CURRENT-MISCELLANEOUS-JOB-WITHIN- REFERENCE- PERIOD' (PR_JobTP=CURRENT MISC).
Testing/Editing	Variable collected at MEPSSpring2018.EM_Main.RJ_Main[120]

Notes: Variable stored at MEPSSpring2018\_PersSect.EM\_Main.RJ\_Main[1..20]

MEPS_V2 Full Detail Spec				Review of En	nployment (RJ) Section
<u>RJ130</u>	<u>(RJ1165)</u>	BLAISE NAME: WhyL	eftJob		
Item Type:	Question	Field kind: Datafield	ArrayN	/lin: Min v	value:
Type Class:	Enumerated	Field Size:	-		
Answer Type:	TWHY_LEFT	Answers allowed: 1	ArrayN	Iax: Max	value:
✓ Help Available	(WhyLeftJobHelp)		Card (	)	Look Up File ()
Context Header:	{PERSON'S FIR {JobStartMM/DI {JobStopMM/DI		NAME} {	JobsEstbName	}
Question Text:					
What is the main reas	son {you/{PERSON}}	no longer {have/has} this job	?		
					HELP: F1
Responses:	JOB ENDED, TH CONTRACT, ET	EMPORARY, SEASONAL ΓC.	<b>_,</b> ]	I END_LP10	(RJ1175)
	BUSINESS CLC	SED OR SOLD		2 END_LP10	(RJ1175)
	RETIRED		3	3 END_LP10	(RJ1175)
	ILLNESS, INJUI PROBLEM	RY, ANY HEALTH	2	4 END_LP10	(RJ1175)
	TERMINATED,	FIRED, DISMISSED		5 END_LP10	(RJ1175)
	LAID OFF, LET	GO	(	5 END_LP10	(RJ1175)
	QUIT —FAMIL LEAVE	Y REASON, MATERNIT	Y7	7 END_LP10	(RJ1175)
	QUIT —SCHOO	)L	8	B END_LP10	(RJ1175)
	QUIT —JOB RE	ELATED REASON		END_LP10	(RJ1175)
	QUIT — ANY O	THER REASON	1(	) END_LP10	(RJ1175)
	OTHER			I RJ130OS	(RJ1170)
	REFUSED		RI	F END_LP10	(RJ1175)
	DON'T KNOW		DK	K END_LP10	(RJ1175)

Display Instructions:

Testing/Editing	Variable collected at MEPSSpring2018.EM_Main.RJ_Main[120]
Notes:	Variable stored at MEPSSpring2018_PersSect.EM_Main.RJ_Main[120]

MEPS\_V2 **Review of Employment (RJ) Section Full Detail Spec** BLAISE NAME: WhyLeftJobOS **RJ130OS** (RJ1170) **Item Type:** Question Field kind: Datafield ArrayMin: Min value: **Type Class:** String Field Size: 25 **Answer Type:** {Continuous Answer.} Answers allowed: 1 Max value: ArrayMax: Help Available ()  $\Box$  Show Card (  $\Box$  Look Up File ( ) ) **Question Text:** SPECIFY: MAIN REASON **Responses:** END\_LP10 (RJ1175) ..... RF REFUSED END\_LP10 (RJ1175) ----- DK DON'T KNOW END LP10 (RJ1175) Display Display RJ130 and RJ130OS on the same form pane. **Instructions: Testing/Editing** Variable collected at MEPSSpring2018.EM Main.RJ Main[1..20] Variable stored at MEPSSpring2018\_PersSect.EM\_Main.RJ\_Main[1..20] Notes: (RJ1175) Item Type: Route Type Class: End Loop END\_LP10 **Route Details:** Cycle on next job in the PERSON'S-JOBS-ROS TER that meets the conditions stated in the loop definition. If no other jobs meet the stated conditions, end LOOP\_10 and continue with BOX\_70. BOX\_70 (RJ1180) Item Type: Route Type Class: If Then **Route Details:** CONTINUE WITH EMPLOYMENT A SUBSECTION (EM).

## [End of RJ]