

SpecWriter Data

Form Version: 9/15/2017 1:19:51 PM
Report Type: Full Detail
Project Database: WESSQL6.MEPS_V2
Language: English
Spec Label:

This is the cover page. Additional contents currently project specific.

BOX_00 **(ER1000)** **Item Type:** Route **Type Class:** If Then

Route Details: 01 Box = BOX_00, BOX_10, BOX_20
 04 Single Select = ER20, ER40, ER60
 06 Single Select with Fill in Answer Text = ER10
 08 Multiple Select = ER50
 11 Multiple Select with Add/Edit/Delete = ER30, ER70
 Roster 3 = ER30, ER70

BOX_10 **(ER1001)** **Item Type:** Route **Type Class:** If Then

Route Details: Context header display instructions:
 Display PERS.FULLNAME, PROV.LORPNAME, EVNT.EVNTBEGM,
 EVNT.EVNTBEGD, EVNT.EVNTBEGY.

Full Detail Spec

ER10 **(ER1010)** **BLAISE NAME:** ERVstCat
Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TERVSTCATER02 **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available (ERVstCatHelp) Show Card (ER-1) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER} {EVN-DT}

Question Text:

ER-1.

Please look at card ER-1 and tell me which category best describes the care {you/{PERSON}} received during the visit to {PROVIDER} emergency room on {VISIT DATE}.

HELP: F1

- Responses:**
- DIAGNOSIS OR TREATMENT 1 ER20 (ER1015)
 - EMERGENCY (E.G., ACCIDENT OR INJURY) . 2 ER20 (ER1015)
 - PSYCHOTHERAPY OR MENTAL HEALTH COUNSELING 3 ER20 (ER1015)
 - FOLLOW-UP OR POST-OPERATIVE VISIT 4 ER20 (ER1015)
 - IMMUNIZATIONS OR SHOTS 5 ER20 (ER1015)
 - {PREGNANCY-RELATED (INCLUDING PRENATAL CARE AND DELIVERY)} 6 ER20 (ER1015)
 - OTHER 91 ER20 (ER1015)
 - REFUSED RF ER20 (ER1015)
 - DON'T KNOW DK ER20 (ER1015)

Display Instructions: Display response option '6' (PREGNANCY-RELATED (INCLUDING PRENATAL CARE AND DELIVERY)), if person is female and age 15 to 55 inclusive (or age categories 3 to 8). Otherwise, use a null display.

Testing/Editing Notes: Variable collected at MEPSSpring2018.ER_Main
Variable stored at MEPSSpring2018_Event.ER_Main

Full Detail Spec

ER20	(ER1015)	BLAISE NAME: ERSpecCond		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER} {EVN-DT}

Question Text:

Was this visit related to any specific health condition or were any conditions discovered during this visit?

Responses:	YES	1	ER30	(ER1020)
	NO	2	ER40	(ER1023)
	REFUSED	RF	ER40	(ER1023)
	DON'T KNOW	DK	ER40	(ER1023)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPSSpring2018.ER_Main
Variable stored at MEPSSpring2018_Event.ER_Main

Full Detail Spec

ER30

(ER1020)

BLAISE NAME: ERCondRoster

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TCONDITION **Answers allowed:** 99 **ArrayMax:** **Max value:**

Help Available (CondHelp) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER} {EVN-DT}

Question Text:

What conditions were discovered or led {you/{PERSON}} to make this visit?

PROBE: Any other condition?

ENTER ALL THAT APPLY.

CTRL-A: ADD
CTRL-E: EDIT
CTRL-D: DELETE

HELP: F1

Responses: {MEDICAL CONDITION} 1 1 ER50 (ER1025)
 {MEDICAL CONDITION} 2 2 ER50 (ER1025)
 {MEDICAL CONDITION} 3 3 ER50 (ER1025)
 {MEDICAL CONDITION} 4 4 ER50 (ER1025)
 {MEDICAL CONDITION}N 5 ER50 (ER1025)

Programmer Instructions: Roster behavior:
 1. Multiple select allowed.
 2. Multiple add allowed.
 3. Limited delete allowed. Interviewer may delete a condition added at this item until CAPI creates the link between this condition and the event. The link is created when the collection of utilization and/or charge/payment data is complete.
 4. Limited edit allowed. Interviewer may edit a condition name newly added at this item until CAPI creates the link between this condition and the event. The link is created when the collection of utilization and/or charge/payment data is complete.

Display Instructions: Roster 3 – add/edit/delete allowed

 Roster definition:
 Display the person-medical-conditions-roster for the selection and addition of one or many medical condition(s) associated with this event. Display name of medical condition (COND.CONDNAM)

 Roster filter:
 Display all conditions on person's roster; no filter.

Testing/Editing Notes: Variable collected at MEPSSpring2018.ER_Main
 Variable stored at MEPSSpring2018_Event.ER_Main

ER40	(ER1023)	BLAISE NAME: ERSurgProc		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available (SurgProcHelp) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER} {EVN-DT}

Question Text:
 Was a surgical procedure performed on {you/{PERSON}} during this visit?

HELP: F1.

Responses:	YES	1	ER50	(ER1025)
	NO	2	ER50	(ER1025)
	REFUSED	RF	ER50	(ER1025)
	DON'T KNOW	DK	ER50	(ER1025)

**Display
Instructions:**

Testing/Editing Notes: Variable collected at MEPSSpring2018.ER_Main
Variable stored at MEPSSpring2018_Event.ER_Main

ER50	(ER1025)	BLAISE NAME: CodeAllERSvc		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TMEDSVCTYPE	Answers allowed: 7	ArrayMax:	Max value:

Help Available (MedServHelp) Show Card (ER-2) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER} {EVN-DT}

Question Text:

ER-2.

Looking at this card, which of these services, if any, did {you/{PERSON}} have during this visit?

ENTER ALL THAT APPLY.

HELP: F1.

Responses:	LABORATORY TESTS	1	ER60	(ER1035)
	SONOGRAM OR ULTRASOUND	2	ER60	(ER1035)
	X-RAYS	3	ER60	(ER1035)
	MAMMOGRAM	4	ER60	(ER1035)
	MRI OR CATSCAN	5	ER60	(ER1035)
	EKG, ECG, OR EEG	6	ER60	(ER1035)
	VACCINATION	7	ER60	(ER1035)
	NONE OF THESE SERVICES RECEIVED	95	ER60	(ER1035)
	REFUSED	RF	ER60	(ER1035)
	DON'T KNOW	DK	ER60	(ER1035)

Programmer
Instructions:

Soft Check:

If coded '4' (MAMMOGRAM) and person being asked about is male or is female and < or = 17 years of age (or age categories 1-3), display the following message: "UNLIKELY RESPONSE FOR {MALES/CHILDREN 17 AND YOUNGER}. VERIFY AND RE-ENTER."

Display 'MALE' in error message if person being asked about is a male > 17 years of age (or age categories 4 through 9). Display 'CHILDREN 17 AND YOUNGER' in the error message if person being asked about is male or female and < or = 17 years of age (or age categories 1-3).

Allow code '95' (NONE OF THESE SERVICES RECEIVED) , 'RF' (REFUSED), and 'DK' (DON'T KNOW)

alone only; these responses may not be selected with any other response.

Note: 'NONE OF THESE SERVICES RECEIVED' is not displayed on show card.

Hard check:

Edit: if coded '95' (NONE OF THESE SERVICES RECEIVED), no other service categories can be coded.

If interviewer selects another code with NONE OF THESE SERVICES RECEIVED, display the following message: "NONE OF THESE SERVICES RECEIVED CANNOT BE SELECTED WITH OTHER OPTIONS. VERIFY AND RE- ENTER."

Display
Instructions:

Testing/Editing
Notes:

Variable collected at MEPSSpring2018.ER_Main
Variable stored at MEPSSpring2018_Event.ER_Main

Full Detail Spec

ER60

(ER1035)

BLAISE NAME: ERPmed

Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available (MEDPRESHelp) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER} {EVN-DT}

Question Text:

During this visit, were any medicines prescribed for {you/{PERSON}}? Please include only prescriptions which were filled.

HELP: F1

Responses:	YES	1	ER70	(ER1040)
	NO	2	BOX_20	(ER1045)
	REFUSED	RF	BOX_20	(ER1045)
	DON'T KNOW	DK	BOX_20	(ER1045)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPSSpring2018.ER_Main
Variable stored at MEPSSpring2018_Event.ER_Main

Full Detail Spec

ER70

(ER1040)

BLAISE NAME: ERPmedRoster

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**

Type Class: Enumerated **Field Size:**

Answer Type: TPRESCRIBEDMED **Answers allowed:** 99 **ArrayMax:** **Max value:**

Help Available ()

Show Card ()

Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER} {EVN-DT}

Question Text:

Please tell me the names of the prescriptions from this visit that were filled.

PROBE: Any other prescribed medicines from this visit that were filled?

ENTER ALL THAT APPLY.

CTRL-A: ADD
CTRL-E: EDIT
CTRL-D: DELETE

Responses:	{PRESCRIBED MEDICINE}1	1	BOX_20	(ER1045)
	{PRESCRIBED MEDICINE}2	2	BOX_20	(ER1045)
	{PRESCRIBED MEDICINE}3	3	BOX_20	(ER1045)
	{PRESCRIBED MEDICINE}4	4	BOX_20	(ER1045)
	{PRESCRIBED MEDICINE}N	5	BOX_20	(ER1045)

**Programmer
Instructions:**

Roster behavior:

1. Multiple select allowed.
2. Multiple add allowed.
3. Limited delete allowed. Interviewer may delete a medicine added at this item until CAPI creates the link between this medicine and the event. The link is created when the collection of utilization and/or charge/payment data is complete.
4. Limited edit allowed. Interviewer may edit medicines added at this item until CAPI creates the link between this medicine and the event. The link is created when the collection of utilization and/or charge/payment data is complete.

NOTE: In order for the columns to display properly, 35 allowable characters for the medicines will be accepted for display on the roster.

When adding a medicine in the pop-up manipula, a maximum of 60 characters will be allowed.

When the CTRL-D or CTRL-E command is called, the pop-up manipula should display 60 characters for the medicine name.

General flag rules for medicines:

- Round medicine first created (by definition a medicine is selected the same time it is created)
- Question number medicine first created
- Round medicine selected
- Event medicine is linked to (however, this is known by virtue that the medicine was selected at ER70 for this event)

**Display
Instructions:**

Roster 3 – add/edit/delete allowed

Roster definition:

This item displays the person's-prescription medicines-roster for selection. Display name of prescribed medicine (DRUG.DRUGNAME).

Roster filter:

Display all medicines on person's roster; no filter.

**Testing/Editing
Notes:**

Variable collected at MEPSSpring2018.ER_Main
Variable stored at MEPSSpring2018_Event.ER_Main

BOX 20

(ER1045)

Item Type: Route

Type Class: If Then

Route Details:

Go to the Charge/Payment (CP) section if it needs to be asked for this emergency room event, i.e. its status wasn't set to 'Completed' because it was part of a Flat Fee situation where the charges were collected in the CP section for another event in that Flat Fee group.

Otherwise, go to the event driver (ED) section.

[End of ER]