SpecWriter Data

Form Version: 10/13/2017 2:02:14 PM

Report Type: Full Detail

Project Database: WESSQL6.MEPS_V2

Language: English

Spec Label:

This is the cover page. Additional contents currently project specific.

BOX 00 (HP1000) Item Type: Route Type Class: If Then

Route Details:

01 Box = BOX_00, BOX_10, BOX_20, BOX_30, BOX_40, BOX_50, BOX_60, BOX_70, BOX_80, BOX_90, BOX_100, BOX_110, BOX_120, BOX_130, BOX_140, BOX_150

02 Loop = LOOP 10

03 End Loop = END LP10

04 Single Select = HP10, HP20, HP30, HP50, HP70, HP120, HP130, HP140, HP150, HP160, HP180, HP190

05 Single Select with Display Roster = HP80

06 Single Select with Fill in Answer Text = HP40

07 Single Select with Add/Edit/Delete = HP60

10 Multiple Select with Fill in Answer Text = HP90, HP170

20 OS Text Field = HP40OS, HP120OS

23 Text Field = HP100, HP110

BOX_10 (HP1005) Item Type: Route Type Class: If Then

Route Details:

Context Header Display Instructions:

Display Person.FullName, Insurance.Plcyhldr, Insurance.HISrcName

General Display Instructions for Question Text:

For '{START DATE}', display the RU level reference period start date (typically-but not always Jan 1 if Round 1 or the previous round interview date if Rds 2-5). Display as full month, xx, YYYY - e.g., "January 1, 2016". Use variable BegRefDt.

For '{END DATE}', display the RU level reference period end date (typically but not always current round interview date if Rds 1-4 or Dec 31 if Round 5). Display as full month, xx, YYYY - e.g., "January 1, 2016". Use variable EndRefDt.

Item Type: Route Type Class: If Then **BOX 20** (HP1015)**Route Details:** If looping on any insurance associated with an employer or union from the Employment (EM) section that provides health insurance (Insurance.HISrc=Employer or Union), go to LOOP_10. If looping on code '2' (DIRECTLY THROUGH A SCHOOL) at HX200 or HX300 (Insurance.DirectPurchTp= School), continue with HP10. Otherwise, go to HP30. **HP10** (HP1020) **BLAISE NAME:** SchHICovKind **Item Type:** Question Field kind: Datafield ArrayMin: Min value: **Type Class:** Field Size: Enumerated **Answer Type: TINSKIND Answers allowed:** 1 ArrayMax: Max value: ✓ Help Available (SchHIHelp) \square Show Card () ☐ Look Up File () **Question Text:** Does the insurance from the school cover only injuries caused by accidents, or does it have general health coverage? HELP:F1 GENERAL HEALTH COVERAGE 1 **Responses:** HP20 (HP1025) ONLY INJURIES CAUSED BY 2 BOX 150 (HP1220) **ACCIDENTS** ----- RF **REFUSED** HP20 (HP1025) DON'T KNOW DK HP20 (HP1025)

(HP1220)

(HP1030)

(HP1030)

Full Detail Spec

Programmer Instructions:	Note: If coded '2' (ONLY INJURIES CAUSED BY ACCIDENTS), school insurance is not added to the insurance array.						
Display Instructions:							
Testing/Editing Notes:	40[125].HP_ Variable colled MEPSSpring2	cted at MEPSSpring2018.HX DirectPurch_Main cted at 018.HX_Main.HXOthHICov d at MEPSSpring2018.HX_M	g.HP_DirectF	Purch_Main[114	-	in	
HP20	(HP1025)	BLAISE NAME: SchHI	CovNotClinic				
Item Type:	Question	Field kind: Datafield	ArrayMin		•		
Type Class:	Enumerated	Field Size:					
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax	: Max value	e:		
☐ Help Available	e()	☐ Show Card ()		ook Up File ()	
Question Text:							
Would the insurance	e from the school cov	ver health services outside of a sc	hool clinic?				
Responses:	125			HP30 BOX_150	(HP1030) (HP1220)		

..... RF HP30

DON'T KNOW DK HP30

REFUSED

Health Insurance Detail (HP) Section

Programmer Instructions:	Note: If coded	'2' (NO), school insura	ance is not	added to the i	nsurance ar	ray
Display Instructions:						
Testing/Editing Notes:	40[125].HP_Dire Variable collected MEPSSpring2018		g.HP_DirectP	urch_Main[114]		in
HP30 Item Type: Type Class:	(HP1030) Question Enumerated	BLAISE NAME: DirectF Field kind: Datafield Field Size:	PurchDisavow ArrayMin:			
Answer Type:	TDirPurchDis	Answers allowed: 1	ArrayMax	: Max value	:	
☐ Help Available ()	☐ Show Card ()		ook Up File ()
Question Text:						
		n is from {DIRECT PURCHAS r obtained directly from th		is, the health ins	urance	
ENTER 'CONTINUE'	UNLESS RESPONDI	ENT VOLUNTEERS INSUR	ANCE REPOR	RTED IN ERROR.		
Responses:		PORTED IN ERROR		LOOP_10 BOX_150	(HP1035) (HP1220)	

Programmer Instructions:

If coded '2' (INSURANCE REPORTED IN ERROR), flag item for source clean-up.

A permanent variable should be created at this item to track the use of this option.

Display Instructions:

Display the following for 'DIRECT PURCHASE TYPE':

- 'a group or association' if coded '1' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Group).
- 'a school' if coded '2' at HX200 or HX300 (looping on Insurance.DirectPurchTp=School).
- 'an insurance agent' if coded '3' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Agent).
- 'an insurance company' if coded '4' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Insurance Co).
- 'an HMO' if coded '5' at HX200 or HX300 (looping on Insurance.DirectPurchTp=HMO).
- 'a union' if coded '6' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Union).
- 'a previous employer' if coded '7' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Previous Employer).
- 'a spouse's (or deceased spouse's) previous employer' if coded '8' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Deceased Spouse's Previous Employer).
- 'some other employer' if coded '9' at HX200 or HX300 or if looping because HX225 is coded '2' (NO), 'DK' (DON'T KNOW), or 'RF' (REFUSED) (looping on Insurance.DirectPurchTp=Other Employer).
- 'the plan of someone not living here' if coded '10' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Plan of Someone Not Living Here).
- '{STATE EXCHANGE NAME-A}' if coded '11' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Exchange).
- 'the {OTHER SPECIFY TEXT}' if coded '91' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Other).
- 'a source that provided directly purchased insurance' if coded 'RF' or 'DK' at HX200 or HX300 (looping on Insurance.DirectPurchTp=RF or DK).

For 'STATE EXCHANGE NAME-A', display exchange name 'A' associated with the state in which interview is being conducted. For the specific name to use by state, see the plan fill file.

For 'OTHER SPECIFY TEXT' display the text entered at HX200OS or HX300OS.

Testing/Editing Notes:

Variable collected at MEPSSpring2018.HX_Main.HXLoop_

40[1..25].HP_DirectPurch_Main

Variable collected at

MEPSSpring2018.HX_Main.HXOthHICovg.HP_DirectPurch_Main[1..14]

Variable stored at MEPSSpring2018.HX_Main.HXLoop_40[1..25].HP_DirectPurch_Main

LOOP 10 (HP1035) Item Type: Route Type Class: Begin Loop

Route Details:

Ask BOX_30-END_LP10.

Loop definition: LOOP_10 collects detailed information about insurance provided through an employer or union or the insurance source names of the direct purchase insurance source created in the HX section during the current round.

If looping on insurance provided through an insurance source created in the HX section during the current round (i.e., source selected at HX200 or HX300 or HX225 is coded '2' (NO), 'DK' (DON'T KNOW), or 'RF' (REFUSED)) (Insurance.HISrc=Direct Purchase), the first loop cycle collects the main insurance source name of the insurance. Subsequent cycles, if any, are determined by the response to HP190. If HP190 is coded '1' (YES), the loop cycles again to collect the next insurance source name with the same direct purchase type. If HP190 is not asked or is coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW), the loop ends for that direct purchase type.

When looping through the HP section on any insurance associated with an employer or union from the Employment (EM) section that provides health insurance (Insurance.HISrc=Employer or Union), LOOP_10 will cycle only one time.

BOX 30 (HP1036) Item Type: Route Type Class: If Then

Route Details:

If looping on any insurance associated with an employer from the Employment (EM) section that provides health insurance and is self-employed, firm size = 1 (Insurance.HISrc=Employer and Job.SELFEMP=SelfEmpl and Job.EmpEstm= 1), continue with HP40.

If looping insurance associated with an employer or union from the Employment (EM) section that provides health insurance and is not self-employed, firm size=1 [(Insurance.HISrc=Union) or (Insurance.HISrc=Employer and not (Job.SELFEMP=SelfEmpl and Job.EmpEstm=1))], go to HP70.

Otherwise, go to BOX_40.

BLAISE NAME: HIPurchCat **HP40** (HP1037) Min value: Item Type: Question Field kind: Datafield ArrayMin: Type Class: Enumerated Field Size: **Answer Type:** TPURCHTYP2 **Answers allowed:** 1 ArrayMax: Max value: ✓ Help Available (HIPurchCatHelp) ✓ Show Card (HX-8) ☐ Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} INSURANCE THROUGH {NAME OF

INSURANCE SOURCE }

Question Text:

□ HX-8.

You mentioned that $\{you/\{PERSON\}\}\ \{\{are/is\}/\{were/was\}\}\$ self-employed and had health insurance through that business. Which category on card HX-8 comes closest to the main way $\{you/\{PERSON\}\}\$ purchase/purchases} this insurance?

HELP: F1

(HP1062)

(HP1080)

(HP1038)

Responses:	FROM A PROFESSIONAL ASSOCIATION 1 H	HP50 (HP1062)
	FROM A SMALL BUSINESS GROUP 2 H	HP50 (HP1062)
	FROM A UNION 3 H	HP70 (HP1080)

DIRECTLY FROM AN INSURANCE 4 HP50 (HP1062)
AGENT

HP50

DIRECTLY FROM AN INSURANCE COMPANY

DIRECTLY FROM AN HMO 6 HP50 (HP1062) FROM A PREVIOUS EMPLOYER 7 HP70 (HP1080)

DIRECTLY FROM {STATE EXCHANGE 8 HP70 NAME-A}
OTHER 91 HP40OS

REFUSED RF HP70 (HP1080) DON'T KNOW DK HP70 (HP1080)

HP - Page 8 of 39

Display	
Instructions:	

Display '{are/is}' if Rounds 1-4 and employer is a current job (Job.JobTp=CURRENT MAIN or CURRENT MISC). Otherwise, display '{were/was}'.

For 'STATE EXCHANGE NAME' display the exchange name 'A' associated with the state in which interview is being conducted. For the specific name to use by state, see the plan fill file.

Display HP40 and HP40OS on the same form pane.

For '{PERSON}", display the full name (Person.FullName) of the jobholder that came into HP $\,$

from HX LOOP 10.

(HP1038)

Testing/Editing Notes:

HP40OS

Variable collected at MEPSSpring2018.HX_Main.HXLoop_

10[1..75].HP_EmpUnion_Loop10[1..2]

Variable stored at MEPSSpring2018.HX_Main.HXLoop_

10[1..75].HP_EmpUnion_Loop10[1..2]

Item Type:	Question	Field kind:	Datafield	ArrayMi	n: Min	value:
Type Class:	String	Field Size:	30			
Answer Type:	{Continuous Answer	.) Answers	allowed: 1	ArrayMa	x: Max	value:
☐ Help Available ()	\square S	how Card ()		☐ Look Up File ()
Context Header:	{PERSON'S FIRST INSURANCE SOU		AND LAST	NAME} IN	SURANCE	THROUGH {NAME O
Question Text:						
SPECIFY: OTHER						
Responses:					HP50	(HP1062)
	REFUSED			RF	HP50	(HP1062)
	DON'T KNOW			DK	HP50	(HP1062)

BLAISE NAME: HIPurchCatOS

Display Instructions:	Display HP40 and HP40OS on the same form pane.							
Testing/Editing Notes:	Variable collected at MEPSSpring2018.HX_Main.HXLoop_ 10[175].HP_EmpUnion_Loop10[12] Variable stored at MEPSSpring2018.HX_Main.HXLoop_ 10[175].HP_EmpUnion_Loop10[12]							
<u>BOX 40</u>	(HP1040)	Item Type: Route	Type Class:	If Then				
Route Details:	If looping on code '11' (STATE EXCHANGE NAME) at HX200 or HX300 (Insurance.DirectPurchTp=Exchange), automatically code HP50 as 'YES' and Automatically add the insurance source name '{STATE EXCHANGE NAME-A}' to the HP60 roster. [Set Insurance.HISrcName='{STATE EXCHANGE NAME-A}']. Then go to BOX_50. If looping on code '1' (FROM A GROUP OR ASSOCIATION), '3' (DIRECTLY FROM AN INSURANCE AGENT), '4' (DIRECTLY FROM INSURANCE COMPANY), '5' (DIRECTLY FROM AN HMO), or '91' (OTHER SOURCE) at HX200 or HX300 (Insurance.DirectPurchTp=Group, Agent, Insurance Co, HMO, or Other), continue with HP50. Otherwise, go to HP60.							
HP50 Item Type: Type Class: Answer Type:	(HP1062) Question Enumerated TYESNO	BLAISE NAME: StExCo Field kind: Datafield Field Size: Answers allowed: 1	vg ArrayMin: ArrayMax:	Min value: Max value:				
☐ Help Available (()	☐ Show Card ()	☐ Look Up File ()				
Question Text:								
Is this coverage throug	gh {STATE EXCHA	ANGE NAME-A} {, [which may	also be known as	{ALIAS B} {or {ALIAS C}}]}?				
Responses:	NO		2 RF					

Programmer Instructions:

If looping on any insurance associated with an employer from the Employment (EM) section that provides health insurance and is self-employed, firm size = 1 (Insurance.HISrc=Employer and Job.SELFEMP=SelfEmpl and Job.EmpEstm= 1), go to HP70.

Otherwise, continue with HP60.

Display Instructions:

Display ', [which may also be known as {ALIAS B} {or {ALIAS C}}]' if there is more than one exchange name associated with the state in which interview is being conducted.

Display 'or {ALIAS C}' if there are three exchange names associated with the state in which interview is being conducted.

For 'STATE EXCHANGE NAME-A', 'ALIAS B', and 'ALIAS C', display the exchange name(s) associated with the state in which interview is being conducted. For the specific name to use by state, see the plan fill file.

Testing/Editing Notes:

Variable collected at MEPSSpring2018.HX_Main.HXLoop_

10[1..75].HP_EmpUnion_Loop10[1..2]

Variable collected at MEPSSpring2018.HX_Main.HXLoop_40[1..25].HP_DirectPurch_Main.HP_DirectPurch_Loop10

Variable collected at

MEPSSpring2018.HX_Main.HXOthHICovg.HP_DirectPurch_Main[1..14].HP_DirectPurch_

Loop10

Variable stored at MEPSSpring2018.HX_Main.HXLoop_

 $10[1..75]. HP_EmpUnion_Loop10[1..2]$

Variable stored at MEPSSpring2018_PrivHI.HP_DirectPurch_Loop10

<u>HP60</u>	(HP1065)	BLAISE NAME: PrivHI	Roster		
Item Type:	Question	Field kind: Datafield	ArrayMi	n: Min value	: :
Type Class:	Enumerated	Field Size:			
Answer Type:	TESTABLSHMENT	Answers allowed: 1	ArrayMa	x: Max valu	e:
☐ Help Available ()	☐ Show Card ()		Look Up File ()
Question Text:					
association/school TEXT}/source} {fro insurance purchas	/spouse's (or decea om which someone ed from an agent).	on/insurance company/ ased spouse's) previous in the family {purchase / You mentioned that so not living here. How doe	s employer/ d/obtained] omeone in	employer/{OTH this insurance/ the family receiv	ER SPECIFY for the /es health
VERIFY WITH RESI	PONDENT AND SELE	ECT (INSURANCE SOUF	RCE) BELOV	V:	CTDL A ADD
					CTRL-A: ADD CTRL-E: EDIT CTRL-D: DELETE
Responses:	Organization Nam	ne}1	1	BOX_50	(HP1075)
	{Organization Nam	ne}2	2	BOX_50	(HP1075)
	{Organization Nam	ne}3	3	BOX_50	(HP1075)
	{Organization Nam	ne}4	4	BOX_50	(HP1075)
	{Organization Nam	ne}N	5	BOX_50	(HP1075)

Programmer Instructions:

Roster Behavior:

- 1. Single select or single add allowed.
- 2. Limited delete allowed. Interviewer may delete only newly added insurance source names at this item until HP LOOP_10 is completed. Once LOOP_10 is completed, the insurance source name cannot be deleted.
- 3. Limited edit allowed. Interviewer may edit only newly added insurance source names at this item until HP LOOP_10 is completed. Once LOOP_10 is completed, the insurance source name cannot be edited.

If a new organization is added, create a new record on the DeDupOrg array [set DeDupOrgID, DeDupOrgName, OrigRnd, CreateQ, MostRecentRU, and DeDupOrgTp].

Regardless of whether organization is selected or added, set Insurance.DeDupOrgID = DedupOrg.DedupOrgID and Insurance.HISrcName = DedupOrg.DeDupOrgName

If a new organization is created at HP60, set DeDupOrgID, DeDupOrgName, OrigRnd, CreateQ, MostRecentRU, and DeDupOrgTp. If Insurance.DirectPurchTp= 7, 8, 9 then DeDupOrgTp = DirectPurchase_Employer. If Insurance.DirectPurchaseTp = 6 then DeDupOrgTp = DirectPurchase_Union. If Insurance.DirectPurchaseTp = 1, 2, 3, 4, 5, 10, 11, 91, DK, RF then DeDupOrgTp = DirectPurchase_Other.

Allow 40 characters for DeDupOrgName roster entries.

Display Instructions:

Roster 3-Add/Edit/Delete Allowed.

Roster Definition:

This item displays jobs, unions, or sources of direct purchase insurance that are linked to this RU (DeDupOrgName).

Roster Filter:

Display jobs, unions, or sources of direct purchase insurance that are linked to this RU (DeDupOrgName where MostRecentRU=this RU), but excludes organization names that were added in error or flagged for clean-up.

When CTRL-A is selected, display the following customized question wording in the pop-up:

If looping on code '10' (UNDER PLAN OF SOMEONE NOT LIVING HERE) at HX200 or HX300 (Insurance.DirectPurchTp=Plan of Someone Not Living Here), display:

You mentioned that someone in the family receives health insurance from the plan of someone not living here. How does that policyholder get this insurance?

INTERVIEWER: RECORD INSURANCE SOURCE NAME BELOW, SUCH AS EMPLOYER OR UNION NAME OR NAME OF DIRECT PURCHASE ORGANIZATION.

Otherwise, display:

INSURANCE SOURCE: {DIRECT PURCHASE TYPE}

RECORD SOURCE NAME WHERE PERSON PURCHASED/OBTAINED INSURANCE.

Display the following for 'DIRECT PURCHASE TYPE' on pop-up:

- 'GROUP OR ASSOCIATION' if coded '1' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Group)
- 'SCHOOL' if coded '2' at HX200 or HX300 (looping on Insurance.DirectPurchTp=School)
- 'INSURANCE AGENT' if coded '3' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Agent)
- 'INSURANCE COMPANY' if coded '4' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Insurance Co)
- 'HMO' if coded '5' at HX200 or HX300 (looping on Insurance.DirectPurchTp=HMO)
- 'UNION' if coded '6' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Union)
- 'PREVIOUS EMPLOYER' if coded '7' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Previous Employer)
- 'SPOUSE'S/DECEASED SPOUSE'S PREVIOUS EMPLOYER' if coded '8' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Deceased Spouse's Previous Employer)
- 'SOME OTHER EMPLOYER' if coded '9' at HX200 or HX300 or if looping because HX225 was coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW) (looping on Insurance.DirectPurchTp=Other Employer)
- 'PLAN OF SOMEONE NOT LIVING HERE' if coded '10 at HX200 or HX300 (looping on Insurance.DirectPurchTp=Plan of Someone Not Living Here)
- '{OTHER SPECIFY TEXT}'if coded '91' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Other)
- 'SOURCE THAT PROVIDED DIRECTLY PURCHASED INSURANCE' if coded 'RF' or 'DK at HX200 or HX300 (looping on Insurance.DirectPurchTp=RF or DK)

Display 'Please give... an agent.' if Insurance.DirectPurchTp <> Plan of Someone Not Living Here. Otherwise, display 'You mentioned... this insurance?'

- Display 'group or association' if Insurance. DirectPurchTp=Group.
- Display 'school' if Insurance.DirectPurchTp=School.
- Display 'insurance company' if Insurance.DirectPurchTp=Agent or Insurance Co.
- Display 'HMO' if Insurance.DirectPurchTp=HMO.
- Display 'union' if Insurance.DirectPurchTp=Union.
- Display 'previous employer' if Insurance.DirectPurchTp=Previous Employer.
- Display 'spouse's (or deceased spouse's) previous employer' if Insurance.DirectPurchTp=Deceased Spouse's Previous Employer.
- Display 'employer' if Insurance.DirectPurchTp=Other Employer.
- Display '{OTHER SPECIFY TEXT}' if Insurance.DirectPurchTp=Other. For 'OTHER SPECIFY TEXT' display the text entered at HX200OS or HX300OS.
- Display 'source' if Insurance. DirectPurchTp=RF or DK.

Display 'from which someone in the family {purchased/obtained} this insurance' if Insurance.DirectPurchTp <> Agent. Otherwise, display 'for the insurance purchased from an agent'.

Display 'purchased' if Insurance.DirectPurchTp=Group, School, Insurance Co, HMO, Union, RF, DK. Otherwise, display 'obtained'.

Testing/Editing Notes:

Variable collected at MEPSSpring2018.HX_Main.HXLoop_ 40[1..25].HP_DirectPurch_Main.HP_DirectPurch_Loop10

Variable collected at

MEPSSpring2018.HX_Main.HXOthHICovg.HP_DirectPurch_Main[1..14].HP_DirectPurch_

Loop10

Variable stored at MEPSSpring2018_PrivHI.HP_DirectPurch_Loop10

BOX 50	(HP1075)	Item Type: Route	Type Cl	lass: If Then	
Route Details:	'2', 'DK', or	a direct purchase type (i.e., c 'RF' at HX225) (Insurance.Hontinue with HP70.			
HP70 Item Type: Type Class:	(HP1080) Question Enumerated	BLAISE NAME: Plcyh Field kind: Datafield Field Size:	ldr ArrayMi n	ı: Min valu	æ:
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax	x: Max val	ue:
✓ Help Available Context Header:		☐ Show (FIRST MIDDLE AND LAST E SOURCE)	, ,		Look Up File () OUGH {NAME OF
Question Text:					
{{Are/Is}/As of {EN coverage through {In		was}} {you/{PERSON}} the pri URCE NAME}?	mary insured pe	erson or policyhol	der of this health
					HELP: F1
Responses:	125	 W	2 RF	BOX_60 HP80 HP80 HP80	(HP1110) (HP1085) (HP1085) (HP1085)

(HP1215)

(HP1215)

z un z cum spec			
Programmer Instructions:		o jobholder. ES), set jobholder as 'POLICYHOLDER'. [Set hldr=Jobs.PersID]	
Display Instructions:		I' if not round 5. Display 'As of {END DATE}, {were/was}' if ro'', display the full name (Person.FullName) of the jobholdo_10.	
Testing/Editing Notes:	10[175].HP_I Variable stored	ted at MEPSSpring2018.HX_Main.HXLoop_ EmpUnion_Loop10[12] I at MEPSSpring2018.HX_Main.HXLoop_ EmpUnion_Loop10[12]	
HP80 Item Type: Type Class: Answer Type:	(HP1085) Question Enumerated TOnList	BLAISE NAME: JobEmpList Field kind: Datafield ArrayMin: Min value Field Size: Answers allowed: 1 ArrayMax: Max value	
✓ Help Available	(PlcyhldrHelp)	☐ Show Card () ☐	Look Up File ()
Context Header:	{NAME OF IN	ISURANCE SOURCE}	
Question Text: Who {is/was} the pri NAME} {on {END } {JOBHOLDER/EMP {JOBHOLDER/EMP {JOBHOLDER/EMP {JOBHOLDER/EMP {JOBHOLDER/EMP {JOBHOLDER/EMP {JOBHOLDER/EMP	DATE}}? LOYER-PAIR 1} LOYER-PAIR 2} LOYER-PAIR 3} LOYER-PAIR 4}	n or policyholder of this health coverage through {INSURANC	E SOURCE
(JOBHOLDEK/EMI	LOTER-TAIR N		HELP: F1
Responses:		EMPLOYER IS LISTED 1 END_LP10 EMPLOYER IS NOT LISTED 2 END LP10	(HP1215) (HP1215)

REFUSED RF END_LP10

DON'T KNOW DK END_LP10

Programmer Instructions:

Roster Behavior: 1. Display only.

Flag insurance being looped on where jobholder is not policyholder (HP70=2, RF, DK) for

cleanup.

Display Instructions:

Roster 2: No Add/Edit/Delete

Roster Definition:

This item displays employer/jobholder pairs. [Display Person.FullName and Job.JobsEstbName

where PersID=Job.PersID]

Roster Filter:

Display all pairs that meet the following condition:

1. Job 'PROVIDES HEALTH INSURANCE' [Job.EmpHi=Yes]

Display 'is' if not round 5. Display 'was' if round 5. Display 'on {END DATE}' if round 5. Otherwise,

use null display.

Testing/Editing Notes:

Variable collected at MEPSSpring2018.HX_Main.HXLoop_

10[1..75].HP_EmpUnion_Loop10[1..2]

Variable stored at MEPSSpring2018.HX_Main.HXLoop_

10[1..75].HP_EmpUnion_Loop10[1..2]

<u>HP90</u>	(HP1090)	BLAISE NA	ME: Plcyhld	rRoster		
Item Type:	Question	Field kind:	Datafield	ArrayMin:	Min value:	
Type Class:	Enumerated	Field Size:				
Answer Type:	TPRIMARYPOLIC	Y Answers	allowed: 1	ArrayMax:	Max value:	
✓ Help Available ((PlcyhldrHelp)		☐ Show Ca	rd ()	☐ Look Up File ()
Context Header:	{NAME OF INSU	RANCE SOURC	CE}			
Question Text:						
Who {is/was} the prin NAME} {on {END}		policyholder of	this health cov	verage through { IN	ISURANCE SOURCE	
CAPI WILL PROMP TYPE}.	Γ SEPARATELY FOR	ANOTHER PO	OLICYHOLDI	ER WITH A PLAN	N FROM {DIRECT PURCHASE	
					HELP:F1	
Responses:	{FIRST NAME,[N NAME}1	MIDDLE NAM	ME], LAST	1		
	{FIRST NAME,[N NAME}2	MIDDLE NAM	ME], LAST	2		
	{FIRST NAME,[N NAME}3	MIDDLE NAM	ME], LAST	3		
	{FIRST NAME,[N NAME}4	MIDDLE NAM	ME], LAST	4		
	{FIRST NAME,[N NAME}N	MIDDLE NAM	ME], LAST	5		
	POLICYHOLDER POLICYHOLDER					

Programmer Instructions:

Roster Behavior:

1. Single select allowed.

If 'POLICYHOLDER DECEASED' selected, go to HP110.

If 'POLICYHOLDER NOT LISTED IN DU' selected, continue with HP100.

Otherwise, go to BOX 60.

Set Insurance.Plcyhldr=PersID if DU member selected or set to 901 if 'Policyholder Deceased' selected or set to 902 if 'Policyholder Not in DU' selected.

Set Insurance.HIPubPriv=Private and Insurance.HISrc=Direct Purchase and Insurance.DirectPurchTp=DirPType being looped on. Set Create Q and OrigRnd.

Hard Check:

If looping on code '11' (DIRECTLY FROM {STATE EXCHANGE NAME-A}) at HX200 or HX300, an RU member cannot be selected if he/she is already listed as a current policyholder for insurance coverage 'DIRECTLY FROM {STATE EXCHANGE NAME-A}' [looping on Insurance.DirectPurchTp=Exchange and array has a person where [PersID=Insurance.Plcyhldr where Insurance.DirectPurchTp=Exchange]. If so, display the following message: "{PERSON} ALREADY HAS COVERAGE THROUGH {STATE EXCHANGE NAME}. SELECT ANOTHER PERSON AS THE POLICYHOLDER OR BACK-UP TO REVIEW RESPONSES."

Display Instructions:

Roster 2- No Add/Edit/Delete

Roster Definition:

This item displays DU-members-roster for selection.

Roster Filter:

No filter; display all DU members. This can include DU members where PriorRndInelig=YES or EMPTY, but should exclude RU members where RemovedAtRE330=YES. This setting will exclude RU members who were deceased in a prior round as well as any RU members marked as non-key living away, unrelated 1 person RU and incorrectly listed but continues to show persons who could eventually rejoin the RU such as those who are in jail or outside the country.

If looping on code '11' (DIRECTLY FROM {STATE EXCHANGE NAME-A}) at HX200 or HX300, display any RU member who is already listed as a current policyholder for insurance coverage that is 'DIRECTLY FROM {STATE EXCHANGE NAME-A}' as grayed-out text [looping on Insurance.DirectPurchTp=Exchange and array has a person where [PersID=Insurance.Plcyhldr where Insurance.DirectPurchTp=Exchange].

Display 'is' if not round 5. Display 'was' if round 5.

Display 'on' {END DATE}' if round 5. Otherwise, use null display.

Display the following for 'DIRECT PURCHASE TYPE':

- 'A GROUP OR ASSOCIATION' if coded '1' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Group).
- 'A SCHOOL' if coded '2' at HX200 or HX300 (looping on Insurance.DirectPurchTp=School).
- 'AN INSURANCE AGENT' if coded '3' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Agent).
- 'AN INSURANCE COMPANY' if coded '4' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Insurance Co).
- 'AN HMO' if coded '5' at HX200 or HX300 (looping on Insurance.DirectPurchTp=HMO).
- 'A UNION' if coded '6' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Union).
- 'A PREVIOUS EMPLOYER' if coded '7' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Previous Employer).
- 'A SPOUSE'S (OR DECEASED SPOUSE'S) PREVIOUS EMPLOYER' if coded '8' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Deceased Spouse's Previous Employer).
- 'SOME OTHER EMPLOYER' if coded '9' at HX200 or HX300 or if looping because HX225 is coded '2' (NO), 'DK' (DON'T KNOW), or 'RF' (REFUSED) (looping on Insurance.DirectPurchTp=Other Employer).
- 'SOMEONE NOT LIVING HERE' if coded '10' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Plan of Someone Not Living Here).
- '{STATE EXCHANGE NAME-A}' if coded '11' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Exchange).
- '{OTHER SPECIFY TEXT}' if coded '91' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Other).
- 'A SOURCE THAT PROVIDED DIRECTLY PURCHASED INSURANCE' if coded 'RF' or 'DK' at HX200 or HX300 (looping on Insurance.DirectPurchTp=RF or DK).

For 'STATE EXCHANGE NAME-A', display exchange name 'A' associated with the state in which interview is being conducted. For the specific name to use by state, see the plan fill file.

For 'OTHER SPECIFY TEXT' display the text entered at HX200OS or HX300OS.

Testing/Editing **Notes:**

Variable collected at MEPSSpring2018.HX Main.HXLoop 40[1..25].HP_DirectPurch_Main.HP_DirectPurch_Loop10

Variable collected at

MEPSSpring2018.HX_Main.HXOthHICovg.HP_DirectPurch_Main[1..14].HP_DirectPurch_ Loop10

Variable stored at MEPSSpring2018_PrivHI.HP_DirectPurch_Loop10

run Detan Spec						
<u>HP100</u>	(HP1095)	BLAISE NA	ME: Plcyhld	rNotDUName		
Item Type:	Question	Field kind:	Datafield	ArrayMin:	Min value:	
Type Class:	String	Field Size:	40			
Answer Type:	{Continuous Answer	r.} Answers	allowed: 1	ArrayMax:	Max value:	
✓ Help Available	(PlcyhldrHelp)		☐ Show Ca	rd ()		ok Up File ()
Context Header:	{NAME OF INSU	RANCE SO	URCE}			
Question Text: INTERVIEWER: EN	ITER NAME OR DESC	RIPTION OF	POLICYHOL	DER WHO IS NO	OT IN THE DU:	
						HELP:F1
Responses:				BC	OX_60	(HP1110)
Programmer	If Insurance.Plcyl				lcyhldr = PLCY	HLDR NOT IN
Instructions:	DU-followed by th	e first 15 cha	racters entere	d at HP100		
Display Instructions:						
Testing/Editing Notes:	Variable collected 40[125].HP_Dire				-	

Variable collected at

MEPSSpring2018.HX_Main.HXOthHICovg.HP_DirectPurch_Main[1..14].HP_DirectPurch_

Variable stored at MEPSSpring2018_PrivHI.HP_DirectPurch_Loop10

HP110 Item Type: Type Class:	(HP1100) Question String	BLAISE NA Field kind Field Size:		drDecdName ArrayMin:	Min value:
Answer Type:	{Continuous An	swer.} Answers	s allowed: 1	ArrayMax:	Max value:
Help Available ((PlcyhldrHelp)		☐ Show Ca	ard ()	☐ Look Up File ()
Context Header:	{NAME OF IN	NSURANCE SO	URCE}		
Question Text:					
INTERVIEWER: EN	TER NAME OF D	ECEASED POLIC	CYHOLDER:		
					HELP: F1
Responses:				ВО	X_60 (HP1110)
Programmer Instructions:		cyhldr = 901, set e first 15 charac		-	hldr = PLCYHLDR DECEASED-
Display Instructions:					
Testing/Editing Notes:	40[125].HP_Variable collect MEPSSpring2 Loop10	DirectPurch_Ma cted at 018.HX_Main.H	in.HP_Direct	-	h_Main[114].HP_DirectPurch
BOX_60	(HP1110)	Item Type: R	Coute	Type Class:	If Then
Route Details:	(EM) section to BOX_90.		Ith insurance		nion from the Employment =Employer or Union), go to

<u>BOX_70</u> (HP1115) Item Type: Route Type Class: If Then

Route Details: If looping on code '7' (FROM ANYONE'S PREVIOUS EMPLOYER), code '8' (FROM

SPOUSE'S/DECEASED SPOUSE'S PREVIOUS EMPLOYER), or code '9' (FROM SOME OTHER EMPLOYER) at HX200 or HX300 or if looping because HX225 is coded

'2' (NO), 'DK' (DON'T KNOW), or 'RF' (REFUSED)

(Insurance.DirectPurchTp=Previous Employer, Deceased Spouse's Previous Employer, or

Other Employer), continue with BOX_80.

Otherwise, go to BOX_90.

BOX 80 (HP1120) Item Type: Route Type Class: If Then

Route Details: If policyholder currently being cycled on is deceased [(Insurance.Plcyhldr = 901) or

 $(Insurance.Plcyhldr=PersID\ where\ Person.PersRndStatus=DeadEligPt)],\ auto-code\ HP120$

as '4' (DECEASED) and go to BOX_90.

If policyholder is not a current RU member [(Insurance.Plcyhldr=902) or

(Insurance.Plcyhldr=PersID where Person.MostRecentRU<>RUUnit)], go to BOX 90.

Otherwise, continue with HP120.

BLAISE NAME: PlcyhldrEmpStat **HP120** (HP1125) **Item Type:** Question Field kind: Datafield ArrayMin: Min value: **Type Class:** Enumerated Field Size: **Answer Type: TEMPLSTAT Answers allowed:** 1 ArrayMax: Max value: ✓ Help Available (PlcyhldrEmpStatHelp) ☐ Show Card () ☐ Look Up File () {POLICYHOLDER FIRST MIDDLE LAST NAME} INSURANCE THROUGH {NAME **Context Header:** OF INSURANCE SOURCE} **Question Text:** {Are/Is} {you/ {POLICYHOLDER}} currently employed at this job, retired from this job, previously employed at this job, or is it some other situation? HELP: F1 **Responses:** CURRENTLY EMPLOYED 1 **BOX 90** (HP1135) RETIRED **BOX 90** (HP1135) BOX 90 (HP1135)4 DECEASED BOX 90 (HP1135) 91 **OTHER** HP120OS (HP1130) ----- RF **REFUSED BOX 90** (HP1135) DON'T KNOW DK (HP1135) BOX 90 Do not display response code '4' (DECEASED) as a response option when HP120 is **Programmer** presented on path. It remains only as an option for when it is auto-coded via BOX 80. **Instructions: Display** Display HP120 and HP120OS on the same form pane. **Instructions: Testing/Editing** Variable collected at MEPSSpring2018.HX_Main.HXLoop_ 40[1..25].HP_DirectPurch_Main.HP_DirectPurch_Loop10 **Notes:** Variable collected at MEPSSpring2018.HX_Main.HXOthHICovg.HP_DirectPurch_Main[1..14].HP_DirectPurch_ Loop10 Variable stored at MEPSSpring2018

_PrivHI.HP_DirectPurch_Loop10.HP_DirectPurch_Loop20[1..32]

Full Detail Spec BLAISE NAME: PlcyhldrEmpStatOS **HP120OS** (HP1130)**Item Type:** Question Field kind: Datafield ArrayMin: Min value: Type Class: String Field Size: 25 **Answer Type:** {Continuous Answer.} **Answers allowed:** 1 ArrayMax: Max value: ☐ Help Available () ☐ Show Card (☐ Look Up File () {POLICYHOLDER FIRST MIDDLE LAST NAME} INSURANCE THROUGH {NAME **Context Header:** OF INSURANCE SOURCE} **Question Text:** SPECIFY: -----**Responses:** BOX 90 (HP1135) RF BOX 90 REFUSED (HP1135) DON'T KNOW DK BOX_90 (HP1135) **Display** Display HP120 and HP120OS on the same form pane. **Instructions:** Variable collected at MEPSSpring2018.HX_Main.HXLoop_ Testing/Editing 40[1..25].HP DirectPurch Main.HP DirectPurch Loop10 **Notes:** Variable collected at

 $MEPSSpring 2018. HX_Main. HXOth HICovg. HP_DirectPurch_Main [1..14]. HP_$

Loop10

Variable stored at MEPSSpring2018

_PrivHI.HP_DirectPurch_Loop10.HP_DirectPurch_Loop20[1..32]

BOX 90 (HP1135) Item Type: Route Type Class: If Then

Route Details:

If looping on code '10' (UNDER PLAN OF SOMEONE NOT LIVING HERE) at HX200 or HX300 (Insurance.DirectPurchTp=Plan of Someone Not Living Here), continue with HP130.

If looping on code '7' (FROM ANYONE'S PREVIOUS EMPLOYER) or code '8' (FROM SPOUSE'S/DECEASED SPOUSE'S PREVIOUS EMPLOYER) or code '91' (OTHER SOURCE) at HX200 or HX300 (Insurance.DirectPurchTp=Previous Employer, Deceased Spouse's Previous Employer, or Other), go to HP140.

If looping on [code '9' (FROM SOME OTHER EMPLOYER) at HX200 or HX300 or if looping because HX225 is coded '2' (NO), 'DK' (DON'T KNOW), or 'RF' (REFUSED) (Insurance.DirectPurchTp=Other Employer)] and [HP120 is not coded '1' (CURRENTLY EMPLOYED)], go to HP140.

If looping on insurance associated with an employer from the Employment (EM) section that provides health insurance and job type is 'FORMER MAIN', 'FORMER MISCELLANEOUS' or 'LAST

JOB OUTSIDE REFERENCE PERIOD' and job is 'NOT RETIRED FROM' [Insurance.HISrc=Employer and (JobTp=FORMER MAIN or FORMER MISC or LAST JOB OUTSIDE REFERENCE PERIOD) and (Job.RetireJob<>Yes)], go to HP140.

Otherwise, go to BOX 100.

HP130	(HP1140)	BLAISE NAME: HIThroughEmp			
Item Type:	Question	Field kind: Datafield	ArrayMi	n: Min value:	
Type Class:	Enumerated	Field Size:			
Answer Type:	TYESNO	Answers allowed: 1	ArrayMa	x: Max value:	
☐ Help Available (()	☐ Show Card ()	☐ Look Up File ()	
Context Header:	{POLICYHOLD OF INSURANCI		`NAME} II	NSURANCE THROUGH {NAME	
Question Text:					
Is the {INSURANCE Semployer?	SOURCE NAME} hea	lth coverage {POLICYHOLDI	ER} has thro	ugh an employer or previous	
Responses:	YES		1	HP140 (HP1145)	
	NO		2	BOX_110 (HP1160)	
	REFUSED		RF	HP140 (HP1145)	
	DON'T KNOW		DK	HP140 (HP1145)	

Full	Detail	Spec

Display
Instructions:

Testing/Editing Notes:

Variable collected at MEPSSpring2018.HX_Main.HXLoop_40[1..25].HP_DirectPurch_Main.HP_DirectPurch_Loop10

Variable collected at

MEPSSpring2018.HX_Main.HXOthHICovg.HP_DirectPurch_Main[1..14].HP_DirectPurch_

Loop10

Variable stored at MEPSSpring2018_PrivHI.HP_DirectPurch_Loop10

<u>HP140</u> (<u>HP1145</u>) <u>BLAISE NAME:</u> COBRAPlan

Item Type: Question Field kind: Datafield ArrayMin: Min value:

Type Class: Enumerated Field Size:

Answer Type: TYESNO Answers allowed: 1 ArrayMax: Max value:

 ✓ Help Available (COBRAHelp)
 □ Show Card ()
 □ Look Up File ()

Context Header: {POLICYHOLDER FIRST MIDDLE LAST NAME} INSURANCE THROUGH {NAME

OF INSURANCE SOURCE}

Question Text:

Some employer insurance can be continued after leaving the company by continuing to pay the premium. This is sometimes referred to as a COBRA plan.

{Is/Was} {your/{POLICYHOLDER}'s} {INSURANCE SOURCE NAME} insurance like that {on {END DATE}}?

HELP: F1

Display Instructions:

Display 'Is' if not round 5. Display 'Was' if round 5. Display 'on (END DATE)' if round 5.

Otherwise, use null display.

Testing/Editing

Variable collected at MEPSSpring2018.HX_Main.HXLoop_

Notes: 10[1..75].HP_EmpUnion_Loop10[1..2]

Variable collected at MEPSSpring2018.HX_Main.HXLoop_ 40[1..25].HP_DirectPurch_Main.HP_DirectPurch_Loop10

Variable collected at

 $HX_Main.HXOthHICovg.HP_DirectPurch_Main[1..14].HP_DirectPurch_Loop10$

Variable stored at MEPSSpring2018.HX_Main.HXLoop_

10[1..75].HP_EmpUnion_Loop10[1..2]

Variable stored at MEPSSpring2018_PrivHI.HP_DirectPurch_Loop10

BOX 100 (HP1150) Item Type: Route Type Class: If Then

Route Details: Small Business Determination

If insurance being asked about meets the following conditions:

- Insurance is associated with an employer from the Employment (EM) section that provides health insurance (Insurance.HISrc=Employer), and
- Job is a 'CURRENT-MAIN-JOB' (Job.JobTp=CURRENT MAIN), and
- Job is 'SELF-EMPLOYED' (Job.SELFEMP=SelfEmpl), and
- EM740 (total employees) or RJ110 (total employees) is greater than 1 but <=200 (Job.EmpEstm = 2-9 or 10-25 or 26-50 or 51-100 or 101-200), continue with HP150

Small Business Determination

If insurance being asked about meets the following conditions:

- Insurance is associated with an employer from the Employment (EM) section that provides health insurance (Insurance.HISrc=Employer), and
- Job is a 'CURRENT-MAIN-JOB' (Job.JobTp=CURRENT MAIN), and
- Job is a 'NOT SELF-EMPLOYED' (Job.SELFEMP< >SelfEmpl), and
- Firm size is small (see determination below), and
 - EM430 (firm size) is greater than 1 but <= 200 (Job.EmpEstm = 2-9 or 10-25 or 26-50 or 51-100 or 101-200), or
 - EM440 (firm size category) is coded '2' (2 TO 9), '3' (10 TO 25), '4' (26 TO 50), '5' (51 TO 100), or '6' (101 TO 200) (Job.EmpEstm = 2-9 or 10-25 or 26-50 or 51-100 or 101-200)
- EM450 (multiple locations) is coded '2' (NO) (MORELOCTN=No)

continue with HP150.

Otherwise, go to BOX 110.

HP150 Item Type: Type Class:	(HP1155) Question Enumerated	BLAISE NAME: StSHO Field kind: Datafield Field Size:	P ArrayMin:	Min value:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value	:	
☐ Help Available (()	☐ Show Card ()	\Box L	ook Up File ()	
Context Header: {POLICYHOLDER FIRST MIDDLE LAST NAME} INSURANCE THROUGH {NAME OF INSURANCE SOURCE}						
Question Text:						
where small businesse	s will be able to shop	A) {, [which may also be know for health insurance plans for ANCE SOURCE NAME} rela	their employees. I	s {your/{POLIC		
Responses:	YES		1 BC	OX_110	(HP1160)	
_	NO		2 BC	OX_110	(HP1160)	
	REFUSED		RF BC	OX_110	(HP1160)	
	DON'T KNOW		DK BC	OX_110	(HP1160)	
Display Instructions:	For 'RU STATE', display the full state name associated with this RU's address.					
	Display ', [which may also be known as {ALIAS B} {or {ALIAS C}}],' if there is more than one SHOP name associated with the state in which interview is being conducted.					
	Display 'or {ALIAS C}' if there are three exchange names associated with the state in which interview is being conducted.					
	For 'STATE SHOP NAME-A' 'ALIAS B', and 'ALIAS C' display the small business health options program name associated with the state in which interview is being conducted. For the specific name to use by state, see the plan fill file.					
Testing/Editing Notes:	10[175].HP_Er Variable stored a	ed at MEPSSpring2018.HX npUnion_Loop10[12].HP_ at MEPSSpring2018.HX_M npUnion_Loop10[12].HP_	_EmpUnion_Locain.HXLoop_	op20		

BOX 110 (HP1160) Item Type: Route Type Class: If Then

Route Details: If single-person RU and the only RU member is selected as the policyholder of the

insurance being asked about, auto-code HP160 as code '2' (NO) and then go to HP180.

If single-person RU and the policyholder selected at HP90 is not a current RU member or code '99' (POLICYHOLDER DECEASED) or code '98' (POLICYHOLDER NOT

LISTED IN DU) selected at HP90 [(Insurance.Plcyhldr=901 or 902) or

(Insurance.Plcyhldr=PersID where Person.MostRecentRU< >RUUnit)], auto-code HP160 as code '1' (YES), auto-code HP170 with the name of the only RU member, and then go to

BOX_120.

Otherwise, continue with HP160.

<u>HP160</u> (HP1165) <u>BLAISE NAME:</u> CovdDepend

Item Type: Question Field kind: Datafield ArrayMin: Min value:

Type Class: Enumerated Field Size:

Answer Type: TYESNO Answers allowed: 1 ArrayMax: Max value:

✓ Help Available (CovdDependHelp)
□ Show Card ()
□ Look Up File ()

Context Header: {POLICYHOLDER FIRST MIDDLE LAST NAME} INSURANCE THROUGH {NAME

OF INSURANCE SOURCE}

Question Text:

Was anyone {living here} covered as a dependent under {your/ {POLICYHOLDER}'s} health coverage through {INSURANCE SOURCE NAME} at any time {since {START DATE} /between {START DATE} and {END DATE}}?

HELP: F1

 NO
 2
 HP180
 (HP1175)

 REFUSED
 RF
 HP180
 (HP1175)

 DON'T KNOW
 DK
 HP180
 (HP1175)

Programmer

Instructions:

Soft Check: If coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW) and if the policyholder selected at HP90 is not a current RU member or code '99' (POLICYHOLDER DECEASED) or code '98' (POLICYHOLDER NOT LISTED IN DU) [(Insurance.Plcyhldr

= 901 or 902) or (PolicyHolder=PersID where Person.MostRecentRU< >RUUnit)], display the following message: "UNLIKELY RESPONSE. NO ONE IN THE RU IS COVERED AS A DEPENDENT AND THE POLICYHOLDER IS NOT AN RU MEMBER. REVIEW ENTRIES FOR POLICYHOLDER (HP90 (PlcyhldrRoster)) AND WHETHER ANYONE IN RU COVERED (HP160 (CovdDepend)). IF CHANGES ARE NOT MADE, INSURANCE WILL BE

DELETED." If the soft check is suppressed without corrections being made, that is no current RU members are in the covered person array, the insurance will need to be flagged for clean-up. If insurance is flagged for clean-up, remaining follow-up items in HP are not asked for this instance of LOOP 10. Exit LOOP 10 and go to BOX 150.

Display Instructions:

Display 'living here' if looping on code '10' (UNDER PLAN OF SOMEONE NOT LIVING HERE) at HX200 or HX300 (Insurance.DirectPurchTp=Plan of Someone Not Living Here.

Display 'since {START DATE}' if not round 5.

Display 'between {START DATE} and {END DATE}' if round 5.

Testing/Editing Notes:

Variable collected at MEPSSpring2018.HX_Main.HXLoop_

10[1..75].HP_EmpUnion_Loop10[1..2]

Variable collected at MEPSSpring2018.HX_Main.HXLoop_40[1..25].HP_DirectPurch_Main.HP_DirectPurch_Loop10

Variable collected at

HX Main.HXOthHICovg.HP DirectPurch Main[1..14].HP DirectPurch Loop10

Variable stored at MEPSSpring2018.HX Main.HXLoop

10[1..75].HP_EmpUnion_Loop10[1..2]

Variable stored at MEPSSpring2018_PrivHI.HP_DirectPurch_Loop10

HP170 Item Type: Type Class: Answer Type:	Question Enumerated	BLAISE NAME: Dependence Field kind: Datafield Field Size: T Answers allowed: 99	ArrayMin		
☐ Help Available ()	☐ Show Card ()	☐ Look 1	Up File ()
Context Header:	{POLICYHOLDE OF INSURANCE	R FIRST MIDDLE LAST SOURCE}	NAME} IN	SURANCE THROUC	iH {NAME
Question Text:					
Who is that?					
PROBE: Was anyone	else covered as a depen	dent {since {START DATE	} /between {S	TART DATE} and {ENI	DATE}}?
ENTER ALL THAT A	APPLY.				
Responses:	{First Name, [Mide {First Name, [Mide	dle Name], Last Name}1 dle Name], Last Name}2 dle Name], Last Name}3 dle Name], Last Name}4	1 2 3 4	BOX_120 (H BOX_120 (H	P1180) P1180) P1180) P1180)

Programmer

Roster Behavior:

Instructions: 1. Multiple select allowed.

Add all selected RU members to the Covered Person array.

If coded '99' (PERSON NOT LISTED IN RU), set Insurance.CovPersOutRU=Yes.

Soft Check: If code '99' (PERSON NOT LISTED IN RU) selected alone at HP170 and if the policyholder selected at HP90 (and currently being cycled on) is not a current RU member or code '99' (POLICYHOLDER DECEASED) or code '98' (POLICYHOLDER NOT LISTED IN DU) or [(Insurance.Plcyhldr = 901 or 902) or (PolicyHolder=PersID where Person.MostRecentRU<>RUUnit)], display the following message: "UNLIKELY RESPONSE. NO ONE IN THE RU IS COVERED AS A DEPENDENT AND THE POLICYHOLDER IS NOT AN RU MEMBER. REVIEW ENTRIES FOR

POLICYHOLDER (HP90 (PlcyhldrRoster)) AND DEPENDENTS (HP170 (DependRoster)).

IF CHANGES ARE NOT MADE, INSURANCE WILL BE

DELETED." If the soft check is suppressed without corrections being made, that is no current RU members are in the covered person array, the insurance will need to be flagged for cleanup. If insurance is flagged for clean-up, remaining follow-up items in HP are not asked for this instance of LOOP 10. Exit LOOP 10 and go to BOX 150.

Display Instructions:

Roster 2 - No Add/Edit/Delete

Roster Definition:

This item displays RU-members-roster (Person.FullName) for selection of RU-members.

Roster Filter:

Display all persons on the RU-members-roster excluding the person who is the policyholder for this insurance being looped on.

Display 'since {START DATE}' if not round 5. Display 'between {START DATE} and {END DATE}' if round 5.

Testing/Editing Notes:

Variable collected at MEPSSpring2018.HX_Main.HXLoop_

10[1..75].HP_EmpUnion_Loop10[1..2]

Variable collected at MEPSSpring2018.HX_Main.HXLoop_40[1..25].HP_DirectPurch_Main.HP_DirectPurch_Loop10

Variable collected at

HX Main.HXOthHICovg.HP DirectPurch Main[1..14].HP DirectPurch Loop10

Variable stored at MEPSSpring2018.HX_Main.HXLoop_

10[1..75].HP EmpUnion Loop10[1..2]

Variable stored at MEPSSpring2018_PrivHI.HP_DirectPurch_Loop10

<u>HP180</u>	180 (HP1175) BLAISE NAME: CovPersOutRU				
Item Type:	Question	Field kind: Datafield	ArrayMin	: Min value	:
Type Class:	Enumerated	Field Size:			
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax	x: Max valu	e:
✓ Help Available	(CovdDependHelp)	☐ Show	Card ()		Look Up File ()
Context Header:	{POLICYHOLDI OF INSURANCE	ER FIRST MIDDLE LAST E SOURCE}	`NAME} IN	ISURANCE THI	ROUGH {NAME
Question Text:					
		DDATE}, did} {your/ {POLIC dependents any persons who continues the continues of the contin			e through
					HELP: F1
Responses:	NO		2	BOX_120 BOX_120 BOX_120 BOX_120	(HP1180) (HP1180) (HP1180) (HP1180)
Programmer Instructions:	If coded '1' (YES),	set Insurance.CovPersOut	RU=Yes.		
Display Instructions:	Display 'Does' if no	t round 5. Display 'Between {	START DAT	E} and {END DAT	ΓE}, did ' if round 5.
Testing/Editing Notes:	10[175].HP_Em Variable collected 40[125].HP_Dir Variable collected HX_Main.HXOth Variable stored at 10[175].HP_Em	d at MEPSSpring2018.HX_pUnion_Loop10[12] d at MEPSSpring2018.HX_ectPurch_Main.HP_Direct d at hHICovg.HP_DirectPurch_ EMEPSSpring2018.HX_M pUnion_Loop10[12] EMEPSSpring2018_PrivHI	_Main.HXLc Purch_Loop Main[114]. ain.HXLoop	oop_ 10 .HP_DirectPurch	_Loop10

BOX 120 (HP1180) Item Type: Route Type Class: If Then

Route Details: If at least one RU member is listed as the policyholder or as a covered person, continue

with BOX_130.

Otherwise, go to BOX_140.

BOX 130 (HP1190) Item Type: Route Type Class: If Then

Route Details: Ask the time period covered detail (HQ) section.

This instance of the HQ section collects time period coverage detail for all current RU members that are covered as either the policyholder or a dependent through this insurance being looped on. The grid for the HQ section should be preloaded with all persons in the covered person array for this insurance.

Note: The persons in the covered persons array include the following:

- Person is a current RU member and is flagged as the policyholder for this pair (HP70 is coded '1' (YES) (Jobholder=Policyholder) or a current RU member is selected at HP90) or
- Person was selected at as dependent at HP170 for this pair (do not include selections of code '99' (PERSON NOT LISTED IN RU) at HP170

At completion of time period covered detail (HQ) section, continue with BOX_140.

BOX 140 (HP1205) Item Type: Route Type Class: If Then

Route Details: If looping on insurance associated with an employer or union from the Employment (EM)

section that provides health insurance (Insurance.HISrc=Employer or Union), go to

END_LP10.

Otherwise, continue with HP190.

insurance plan that anyone in the family obtains {directly} from {DIRECT PURCHASE TYPE}?

Responses:

 YES
 1 END_LP10 (HP1215)

 NO
 2 END_LP10 (HP1215)

 REFUSED
 RF END_LP10 (HP1215)

 DON'T KNOW
 DK END_LP10 (HP1215)

Programmer Instructions:

Programmer Instructions: If coded '1' (YES), create direct purchase insurance with the same type that is currently being looped on [set Insurance.HIPubPriv=Private and Insurance.HISrc=Direct Purchase and Insurance.DirectPurchTp=DirPType being looped on)] [set Create Q and OrigRnd]. NOTE: While the insurance is being created at HP190, for the purposes of the specifications, it will be treated as if was created at HX200 or HX300, wherever the original direct purchase insurance was created.

Display Instructions:

Display 'directly' if looping on code '11' (DIRECTLY FROM {STATE EXCHANGE NAME-A}) at HX200 or HX300 (Insurance.DirectPurchTp=Exchange). Otherwise, use a null display.

Display the following for 'DIRECT PURCHASE TYPE':

- 'a group or association' if coded '1' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Group).
- 'a school' if coded '2' at HX200 or HX300 (looping on Insurance.DirectPurchTp=School).
- 'an insurance agent' if coded '3' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Agent).
- 'an insurance company' if coded '4' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Insurance Co).
- 'an HMO' if coded '5' at HX200 or HX300 (looping on Insurance.DirectPurchTp=HMO).
- 'a union' if coded '6' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Union).
- 'a previous employer' if coded '7' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Previous Employer).
- 'a spouse's (or deceased spouse's) previous employer' if coded '8' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Deceased Spouse's Previous Employer).
- 'some other employer' if coded '9' at HX200 or HX300 or if looping because HX225 is coded '2' (NO), 'DK' (DON'T KNOW), or 'RF' (REFUSED) (looping on Insurance.DirectPurchTp=Other Employer).
- 'the plan of someone not living here' if coded '10' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Plan of Someone Not Living Here).
- '{STATE EXCHANGE NAME-A}' if coded '11' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Exchange).
- 'the {OTHER SPECIFY TEXT}' if coded '91' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Other).
- 'a source that provided directly purchased insurance' if coded 'RF' or 'DK' at HX200 or HX300 (looping on Insurance.DirectPurchTp=RF or DK).

For 'STATE EXCHANGE NAME-A', display exchange name 'A' associated with the state in which interview is being conducted. For the specific name to use by state, see the plan fill file.

For 'OTHER SPECIFY TEXT' display the text entered at HX200OS or HX300OS.

Testing/Editing Notes:

Variable collected at MEPSSpring2018.HX_Main.HXLoop_ 40[1..25].HP_DirectPurch_Main.HP_DirectPurch_Loop10 Variable collected at $MEPSS pring 2018. HX_Main. HXO th HICovg. HP_DirectPurch_Main [1..14]. H$

Loop10

Variable stored at MEPSSpring2018_PrivHI.HP_DirectPurch_Loop10

END_LP10 (HP1215) Item Type: Route Type Class: End Loop

Route Details: If HP190 is coded '1' (YES), cycle to collect next insurance source name for this same

direct purchase type.

If HP190 is not asked or is coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW),

end LOOP_10 and continue with BOX_150.

BOX_150 (HP1220) Item Type: Route Type Class: If Then

Route Details: Return to the health insurance (HX) section.

[End of HP]