

SpecWriter Data

Form Version: 10/17/2017 4:06:21 PM
Report Type: Full Detail
Project Database: WESSQL6.MEPS_V2
Language: English
Spec Label:

This is the cover page. Additional contents currently project specific.

BOX 00 **(OM1005)** **Item Type:** Route **Type Class:** If Then

Route Details: 01 Box = BOX_00, BOX_10, BOX_20, BOX_30, BOX_40, BOX_50, BOX_60
 02 Loop = LOOP_10
 03 End Loop = END_LP10
 04 Single Select = OM10, OM30, OM40, OM50, OM60, OM70
 10 Multiple Select with Fill in Answer Text = OM80
 23 Text Field = OM90
 24 Information Screen = OM20
 Grid Type 1 = OM80

BOX 10 **(OM1010)** **Item Type:** Route **Type Class:** If Then

Route Details: Context header display instructions:
 Display PERS.FULLNAME, PRND.BEGREFMM, PRND.BEGREFDD,
 PRND.ENDREFMM, PRND.ENDREFDD, PRND.ENDREFYY

 If PRND dates are missing, use RU dates:
 RUBEGMM, RUBEGDD, RUENDMM, RUENDDD

BOX 20 **(OM1015)** **Item Type:** Route **Type Class:** If Then

Route Details: If person currently looping on has been asked EE40 or EE50, or has a record for
 GLASSES OR CONTACT LENSES created at EV20, where EV20=8 go to BOX_30.

 Otherwise, if RU member has not been asked about glasses/contact purchases at
 EE40 or EE50 and does not have GLASSES OR CONTACT LENSES record created,
 go to OM10.

Full Detail Spec

OM10	(OM1020)	BLAISE NAME: Glasses		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
 {END-DT}

Question Text:

Did {you/{PERSON}} purchase eyeglasses or contact lenses {since {START DATE}/between {START DATE} and {END DATE}}?

Responses:	YES	1	BOX_30	(OM1025)
	NO	2	BOX_30	(OM1025)
	REFUSED	RF	BOX_30	(OM1025)
	DON'T KNOW	DK	BOX_30	(OM1025)

Programmer Instructions: If OM10 coded '1' (YES), create a record as OM-record for 'GLASSES OR CONTACT LENSES', go to BOX_30.

Display Instructions: Display 'since {START DATE}' if not round 5. Display 'between {START DATE} and {END DATE}' if round 5.

Testing/Editing Notes: Variable collected at MEPSSpring2018.OM_Main
 Variable stored at MEPSSpring2018_PersSect.OM_Main

BOX 30	(OM1025)	Item Type: Route	Type Class: If Then
---------------	-----------------	-------------------------	----------------------------

Route Details: If CA30_01-CA30_N has at least 1 record for this person and this person is selected at EV10 and EV20 and coded '9' (OTHER MEDICAL EXPENSES), go to OM20.

 Otherwise, go to OM30.

Full Detail Spec

OM20	(OM1030)	BLAISE NAME: HCareRec		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TContinue	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}

Question Text:

Health care records were reported for {you/{PERSON}}. Please look at these records while answering the next set of questions. {Earlier, you mentioned {you/PERSON} } had medical purchases you wanted to talk about. This is the place where I can record that information. }

PRESS 1 AND ENTER TO CONTINUE.

Responses: CONTINUE OM30 (OM1035)

Display Instructions: If a person level variable was previously set at EV25 for the person currently looping on, display "Earlier you had mentioned {you/{PERSON} } had medical purchases..." Otherwise, use a null display.

Testing/Editing Notes: Variable collected at MEPSSpring2018.OM_Main
Variable stored at MEPSSpring2018_PersSect.OM_Main

Full Detail Spec

OM30	(OM1035)	BLAISE NAME: Ambulance		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 3	ArrayMax:	Max value:

Help Available (OMTpHelp) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}

Question Text:

{Since {START DATE}/Between {START DATE} and {END DATE}}, {have/has} {you/{PERSON}} used any ambulance services?

HELP:F1

Responses: YES 1
 NO 2
 REFUSED RF
 DON'T KNOW DK

Programmer Instructions: If coded '1', (YES) create OM-record for "AMBULANCE SERVICES".

Display Instructions: Display 'Since {START DATE}' if not round 5. Display 'Between {START DATE} and {END DATE}' if round 5.

Testing/Editing Notes: Variable collected at MEPSSpring2018.OM_Main
 Variable stored at MEPSSpring2018_PersSect.OM_Main

Full Detail Spec

OM40	(OM1040)	BLAISE NAME: DisposSupplies		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card (OM-1) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
 {END-DT}

Question Text:

 OM-1

Please look at card OM-1, {since {START DATE}/between {START DATE} and {END DATE}}, {have/has} {you/{PERSON}} purchased any disposable supplies {that we haven't already talked about as related to {your/{PERSON}'s} diabetes}?

Responses: YES 1
 NO 2
 REFUSED RF
 DON'T KNOW DK

Programmer Instructions: If coded '1' (YES), create OM-record for "DISPOSABLE SUPPLIES".

Display Instructions: Display 'since {START DATE}' if not round 5. Display 'between {START DATE} and {END DATE}' if round 5.

 Display 'that we haven't already talked about as related...' if PM20 or PM40 is coded '1' (YES) for this person during the current round. Otherwise, use a null display.

Testing/Editing Notes: Variable collected at MEPSSpring2018.OM_Main
 Variable stored at MEPSSpring2018_PersSect.OM_Main

Full Detail Spec

OM50	(OM1045)	BLAISE NAME: MedEquip		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card (OM-2) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
 {END-DT}

Question Text:

OM-2

Please look at card OM-2, {since {START DATE}/between {START DATE} and {END DATE}}, {have/has} {you/{PERSON}} purchased any long term medical equipment {that we haven't already talked about as related to {your/{PERSON}'s} diabetes}?

Responses:	YES	-----	1	BOX_40	(OM1050)
	NO	-----	2	BOX_40	(OM1050)
	REFUSED	-----	RF	BOX_40	(OM1050)
	DON'T KNOW	-----	DK	BOX_40	(OM1050)

Programmer Instructions: If OM50 coded '1' (YES), create OM-record for "LONG-TERM MEDICAL EQUIPMENT", go to BOX_40 .

Display Instructions: Display 'since {START DATE}' if not round 5. Display 'between {START DATE} and {END DATE}' if round 5.

Display 'that we haven't already talked about as related...' if PM20 or PM40 is coded '1' (YES) for this person during the current round. Otherwise, use a null display.

Testing/Editing Notes: Variable collected at MEPSSpring2018.OM_Main
 Variable stored at MEPSSpring2018_PersSect.OM_Main

BOX 40 **(OM1050)** **Item Type:** Route **Type Class:** If Then

Route Details: If at least one OM-record has been reported for this person (GLASSES/CONTACT LENSES record created at EE40, EE50 or OM10 or OM30=1 'AMBULANCE SERVICES', OM40= 1 'DISPOSABLE SUPPLIES', or OM50=1 'LONG-TERM MEDICAL EQUIPMENT'), go to LOOP_10.

Otherwise, go to OM80.

LOOP 10 **(OM1055)** **Item Type:** Route **Type Class:** Begin Loop

Route Details: For each OM- record reported, ask BOX_50-END_LP10.

Loop definition: LOOP_10 collects information on if glasses/contacts, ambulance services, disposable supplies, or long-term medical equipment were obtained at all during panel year 1 or 2, and collects charge payment information. This loop cycles on OM-record who meet the following condition:

-RU member reported any OM record type at OM30= '1' (AMBULANCE SERVICES), OM40='1' (DISPOSABLE SUPPLIES), OM50='3' (LONG-TERM MEDICAL EQUIPMENT) OR RU member has an OM-record for "GLASSES/CONTACTS" created at EE40, EE50, or OM10.

Loop by OM-record type in the following order: GLASSES OR CONTACT LENSES, AMBULANCE SERVICES, DISPOSABLE SUPPLIES, THEN LONG-TERM MEDICAL EQUIPMENT.

BOX 50 **(OM1060)** **Item Type:** Route **Type Class:** If Then

Route Details: If round 3 and persons reference period crosses between panel year 1 and panel year 2, continue with OM60. Otherwise, go to BOX_60.

Full Detail Spec

OM60	(OM1065)	BLAISE NAME: OMEYear1		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {OME ITEM GROUP}

Question Text:

Did {you/{PERSON}} {obtain/use} {eyeglasses or contact lenses/ambulance services/long-term medical equipment/disposable supplies} in {PANEL YEAR 1}?

Responses:	YES	-----	1	OM70	(OM1070)
	NO	-----	2	OM70	(OM1070)
	REFUSED	-----	RF	OM70	(OM1070)
	DON'T KNOW	-----	DK	OM70	(OM1070)

Display Instructions:

If PERSON's current OM-record being looped on is glasses/contacts, display 'eyeglasses or contact lenses'.
 If PERSON's current OM-record being looped on is ambulance services, display 'ambulance services'.
 If PERSON's current OM-record being looped on is disposable supplies, display 'disposable supplies'.
 If PERSON's current OM-record being looped on is long-term medical equipment, display 'long-term medical equipment'.

 If PERSON's current OM-record being looped on is ambulance services, display 'use'. Otherwise, display 'obtain'.

 For 'PANEL YEAR 1' display the first calendar year of the panel.

Testing/Editing Notes:

Variable collected at MEPSSpring2018.OM_Main.OM_LOOP10[1..4]
 Variable stored at MEPSSpring2018_PersSect.OM_Main.OM_LOOP10[1..4]

Full Detail Spec

OM70	(OM1070)	BLAISE NAME: OMEYear2		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {OME ITEM GROUP}

Question Text:

Did {you/{PERSON}} {obtain/use} {eyeglasses or contact lenses/ambulance services/long-term medical equipment/disposable supplies} in {PANEL YEAR 2}?

Responses:	YES	-----	1	BOX_60	(OM1075)
	NO	-----	2	BOX_60	(OM1075)
	REFUSED	-----	RF	BOX_60	(OM1075)
	DON'T KNOW	-----	DK	BOX_60	(OM1075)

Display Instructions:

If PERSON's current OM-record being looped on is glasses/contacts, display 'eyeglasses or contact lenses'.
 If PERSON's current OM-record being looped on is ambulance services, display 'ambulance services'.
 If PERSON's current OM-record being looped on is disposable supplies, display 'disposable supplies'.
 If PERSON's current OM-record being looped on is long-term medical equipment, display 'long-term medical equipment'.

 If PERSON's current OM-record being looped on is ambulance services, display 'use'. Otherwise, display 'obtain'.

 For 'PANEL YEAR 2' display the second calendar year of the panel.

Testing/Editing Notes:

Variable collected at MEPSSpring2018.OM_Main.OM_LOOP10[1..4]
 Variable stored at MEPSSpring2018_PersSect.OM_Main.OM_LOOP10[1..4]

BOX_60	(OM1075)	Item Type: Route	Type Class: If Then
---------------	-----------------	-------------------------	----------------------------

Route Details: Go to the Charge Payment section for this person-OM record pair.

 When the Charge Payment section is complete, go to END_LP10.

Programmer Instructions: Preloaded grid type 1

Display "ADDITIONAL" if CA30_01= 1, CA30_02=1, CA30_03=1, CA30_04=1, CA30_05=1, or CA_30_07=1. Otherwise, use a null display.

Display Instructions:

Col #1 Header: CA30 Responses
Instructions: Display the responses entered at the records grid CA30_01, CA30_02, CA30_03, CA30_04, CA30_05, and CA30_07. Do not display CA30_06. Display these previously recorded responses as prefilled values but not editable. Display the number associated with the event type: if CA30_01= 1, display "1", if CA30_02=1, display "2", if CA30_03=1, display "3", if CA30_04=1, display "4", if CA30_05=1, display "5", if CA_30_07=1, display "7", if no records coded at CA30_01-CA30_07, use a null display. Display these numbers with a hyphen separating them for example: 1-3-5.

Col#2 Header: Additional Records
Instructions: Display the responses entered at OM80 (CodeAllOMRec).

Hard checks:
Cannot code OM80 (CodeAllOMRec) as 8 (NO OTHER RECORDS USED) in combination with any other codes. Display the following error message: "CANNOT CHOOSE "NO OTHER RECORDS USED" IN COMBINATION WITH OTHER RESPONSES. REVIEW YOUR RESPONSES AND MAKE ANOTHER SELECTION."

Testing/Editing Notes: Variable collected at MEPSSpring2018.OM_Main.OM_RecordsTable.OM_Records[1..1]
Variable stored at MEPSSpring2018
_PersSect.OM_Main.OM_RecordsTable.OM_Records[1..1]

OM90	(OM1090)	BLAISE NAME: OthOMRec		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	String	Field Size: 40		
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
{END-DT}

Question Text:
ENTER OTHER RECORD.

NOTE: BE AS SPECIFIC AS POSSIBLE.

Responses:

.....	BOX_70	(OM1091)
REFUSED	RF BOX_70	(OM1091)
DON'T KNOW	DK BOX_70	(OM1091)

**Display
Instructions:**

**Testing/Editing
Notes:** Variable collected at MEPSSpring2018.OM_Main
Variable stored at MEPSSpring2018_PersSect.OM_Main

BOX 70 **(OM1091)** **Item Type:** Route **Type Class:** If Then

Route Details: Go to next section of the questionnaire.

[End of OM]