

sharing payments in exchange for providing certain government services to Wisconsin residents.

Tara Sweeney,

*Assistant Secretary—Indian Affairs.*

[FR Doc. 2020–15974 Filed 7–22–20; 8:45 am]

BILLING CODE 4337–15–P

## DEPARTMENT OF THE INTERIOR

### Bureau of Indian Affairs

[201A2100DD/AAK001030/  
A0A501010.999900253G]

#### Indian Gaming; Extension of Tribal-State Class III Gaming Compact (Rosebud Sioux Tribe and the State of South Dakota)

**AGENCY:** Bureau of Indian Affairs, Interior.

**ACTION:** Notice.

**SUMMARY:** This notice announces the extension of the Class III gaming compact between the Rosebud Sioux Tribe and the State of South Dakota.

**DATES:** The extension takes effect on July 23, 2020.

**FOR FURTHER INFORMATION CONTACT:** Ms. Paula L. Hart, Director, Office of Indian Gaming, Office of the Assistant Secretary—Indian Affairs, Washington, DC 20240, (202) 219–4066, [paula.hart@bia.gov](mailto:paula.hart@bia.gov).

**SUPPLEMENTARY INFORMATION:** An extension to an existing Tribal-State Class III gaming compact does not require approval by the Secretary if the extension does not modify any other terms of the compact. 25 CFR 293.5. The Rosebud Sioux Tribe and the State of South Dakota have reached an agreement to extend the expiration date of their existing Tribal-State Class III gaming compact to October 19, 2020. This publication provides notice of the new expiration date of the compact.

Tara Sweeney,

*Assistant Secretary—Indian Affairs.*

[FR Doc. 2020–15975 Filed 7–22–20; 8:45 am]

BILLING CODE 4337–15–P

## DEPARTMENT OF THE INTERIOR

### Bureau of Land Management

[20X.LLUTW01000.L14400000.ET0000, UTU–78501]

#### Public Land Order No. 7893; Extension of Public Land Order No. 7422, Diamond Fork System, Bonneville Unit of the Central Utah Project; Utah; Correction

**AGENCY:** Bureau of Land Management, Interior.

**ACTION:** Notice; correction.

**SUMMARY:** The Bureau of Land Management published a document in the *Federal Register* on December 4, 2019, concerning a Public Land Order (PLO) that extended the duration of the withdrawal created by an earlier PLO for an additional 20-year term. The document's subject heading incorrectly stated the new PLO number.

**FOR FURTHER INFORMATION CONTACT:**

Allison Ginn, Assistant Field Manager, BLM Salt Lake Field Office, 801–977–4300, or by email [utslmail@blm.gov](mailto:utslmail@blm.gov). Persons who use a telecommunications device for the deaf (TDD) may call the Federal Relay Service (FRS) at 1–800–877–8339 to reach Ms. Ginn. The FRS is available 24 hours a day, 7 days a week, to leave a message or question. You will receive a reply during normal business hours.

#### Correction

In the *Federal Register* of December 4, 2019, in FR Doc. 2019–26212, on page 66431, in the first column, correct the subject heading to read:

#### Public Land Order No. 7893; Extension of Public Land Order No. 7422, Diamond Fork System, Bonneville Unit of the Central Utah Project; Utah

Timothy R. Petty,

*Assistant Secretary for Water and Science.*

[FR Doc. 2020–15937 Filed 7–22–20; 8:45 am]

BILLING CODE 4310–JA–P

## INTERNATIONAL TRADE COMMISSION

[Investigation No. 731–TA–1151 (Second Review)]

#### Citric Acid and Certain Citrate Salts From Canada; Termination of Five-Year Review

**AGENCY:** United States International Trade Commission.

**ACTION:** Notice.

**SUMMARY:** The Commission instituted the subject five-year review on May 1,

2020 to determine whether revocation of the antidumping duty order on citric acid and certain citrate salts from Canada would be likely to lead to continuation or recurrence of material injury. On June 23, 2020, the Department of Commerce published notice that it was revoking the order effective June 24, 2020, because the domestic interested parties withdrew their intent to participate in this review. (85 FR 37626). Accordingly, the subject review is terminated.

**DATES:** June 24, 2020.

**FOR FURTHER INFORMATION CONTACT:**

Jason Duncan (202–205–3432), Office of Investigations, U.S. International Trade Commission, 500 E Street SW, Washington, DC 20436. Hearing-impaired individuals are advised that information on this matter can be obtained by contacting the Commission's TDD terminal on 202–205–1810. Persons with mobility impairments who will need special assistance in gaining access to the Commission should contact the Office of the Secretary at 202–205–2000. General information concerning the Commission may also be obtained by accessing its internet server (<https://www.usitc.gov>).

**Authority:** This review is being terminated under authority of title VII of the Tariff Act of 1930 and pursuant to section 751(c) of the Tariff Act of 1930 (19 U.S.C. 1675(c)). This notice is published pursuant to § 207.69 of the Commission's rules (19 CFR 207.69).

By order of the Commission.

Issued: July 17, 2020.

Lisa Barton,

*Secretary to the Commission.*

[FR Doc. 2020–15927 Filed 7–22–20; 8:45 am]

BILLING CODE 7020–02–P

## DEPARTMENT OF LABOR

### Mine Safety and Health Administration

[OMB Control No. 1219–0116]

#### Proposed Extension of Information Collection; Examinations and Testing of Electrical Equipment, Including Examination, Testing, and Maintenance of High Voltage Longwalls

**AGENCY:** Mine Safety and Health Administration, Labor.

**ACTION:** Request for public comments.

**SUMMARY:** The Department of Labor, as part of its continuing effort to reduce paperwork and respondent burden, conducts a pre-clearance consultation program to provide the general public

and Federal agencies with an opportunity to comment on proposed collections of information in accordance with the Paperwork Reduction Act of 1995. This program helps to ensure that requested data can be provided in the desired format, reporting burden (time and financial resources) is minimized, collection instruments are clearly understood, and the impact of collection requirements on respondents can be properly assessed. Currently, the Mine Safety and Health Administration (MSHA) is soliciting comments on the information collection for Examinations and Testing of Electrical Equipment, Including Examination, Testing, and Maintenance of High Voltage Longwalls.

**DATES:** All comments must be received on or before September 21, 2020.

**ADDRESSES:** You may submit comment as follows. Please note that late, untimely filed comments will not be considered.

Electronic Submissions: Submit electronic comments in the following way:

- *Federal eRulemaking Portal:* <https://www.regulations.gov>. Follow the instructions for submitting comments for docket number MSHA–2020–0022. Comments submitted electronically, including attachments, to <https://www.regulations.gov> will be posted to the docket, with no changes. Because your comment will be made public, you are responsible for ensuring that your comment does not include any confidential information that you or a third party may not wish to be posted, such as your or anyone else's Social Security number or confidential business information.

- If you want to submit a comment with confidential information that you do not wish to be made available to the public, submit the comment as a written/paper submission.

*Written/Paper Submissions:* Submit written/paper submissions in the following way:

- *Mail/Hand Delivery:* Mail or visit DOL–MSHA, Office of Standards, Regulations, and Variances, 201 12th Street South, Suite 4E401, Arlington, VA 22202–5452.

- MSHA will post your comment as well as any attachments, except for information submitted and marked as confidential, in the docket at <https://www.regulations.gov>.

**FOR FURTHER INFORMATION CONTACT:**

Roslyn Fontaine, Deputy Director, Office of Standards, Regulations, and Variances, MSHA, at [MSHA.information.collections@dol.gov](mailto:MSHA.information.collections@dol.gov) (email); (202) 693–9440 (voice); or (202) 693–9441 (facsimile).

**SUPPLEMENTARY INFORMATION:**

**I. Background**

Section 103(h) of the Federal Mine Safety and Health Act of 1977 (Mine Act), 30 U.S.C. 813(h), authorizes MSHA to collect information necessary to carry out its duty in protecting the safety and health of miners. Further, section 101(a) of the Mine Act, 30 U.S.C. 811, authorizes the Secretary of Labor (Secretary) to develop, promulgate, and revise as may be appropriate, improved mandatory health or safety standards for the protection of life and prevention of injuries in coal or other mines. The Mine Act and 30 CFR parts 75 and 77, mandatory safety standards for coal mines, make this collection of information necessary.

Inadequate maintenance of electric equipment is a major cause of serious electrical accidents in the coal mining industry. It is imperative that mine operators adopt and follow an effective maintenance program to ensure that electric equipment is maintained in a safe operating condition to prevent electrocutions, mine fires, and mine explosions. MSHA regulations require the mine operator to establish an electrical maintenance program by specifying minimum requirements for the examination, testing, and maintenance of electric equipment. The regulations also contain recordkeeping requirements that help operators in implementing an effective maintenance program.

*(a) Examinations of Electric Equipment*

(1) Section 75.512 requires that all electric equipment be frequently examined, tested, and maintained by a qualified person to assure safe operating conditions and that a record of such examinations be kept. Section 75.512–2 specifies that required examinations and tests be made at least weekly.

(2) Section 75.703–3(d)(11) requires that all grounding diodes be tested, examined, and maintained as electric equipment and records of these activities be kept in accordance with the provisions of § 75.512.

(3) Section 77.502 requires that electric equipment be frequently examined, tested, and maintained by a qualified person to ensure safe operating conditions and that a record of such examinations be kept. Section 77.502–2 requires these examinations and tests at least monthly.

*(b) Examinations of High-Voltage Circuit Breakers*

(1) Section 75.800 requires that circuit breakers protecting high-voltage circuits, which enter the underground

area of a coal mine, be properly tested and maintained as prescribed by the Secretary. Section 75.800–3 requires that such circuit breakers be tested and examined at least once each month. Section 75.800–4 requires that a record of the examinations and tests be made.

(2) Section 75.820 requires persons to lock-out and tag disconnecting devices when working on circuits and equipment associated with high-voltage longwalls.

(3) Section 75.821(a) requires testing and examination of each unit of high-voltage longwall equipment and circuits to determine that electrical protection, equipment grounding, permissibility, cable insulation, and control devices are being properly maintained to prevent fire, electrical shock, ignition, or operational hazards. These tests and examinations, including the activation of the ground-fault test circuit, are required once every seven days. Section 75.821(b) requires that each ground-wire monitor and associated circuits be examined and tested at least once every 30 days. Section 75.821(d) requires that, at the completion of examinations and tests, the person making the examinations and tests must certify that they have been conducted. In addition, a record must be made of any unsafe condition found and any corrective action taken. These certifications and records must be kept at least 1 year.

(4) Section 77.800 requires that circuit breakers protecting high-voltage portable or mobile equipment be properly tested and maintained. Section 77.800–1 requires that such circuit breakers be tested and examined at least once each month. Section 77.800–2 requires a record of each test, examination, repair, or adjustment of all circuit breakers protecting high-voltage circuits.

*(c) Examinations of Low- and Medium-Voltage Circuits*

(1) Section 75.900 requires that circuit breakers protecting low- and medium-voltage power circuits serving three-phase alternating-current equipment be properly tested and maintained. Section 75.900–3 requires that such circuit breakers be tested and examined at least once each month. Section 75.900–4 requires that a record of the required examinations and tests be made.

(2) Section 77.900 requires that circuit breakers protecting low- and medium-voltage circuits which supply power to portable or mobile three-phase alternating-current equipment be properly tested and maintained. Section 77.900–1 requires that such circuit breakers be tested and examined at least once each month. Section 77.900–2

requires that a record of the examinations and tests be made.

*(d) Tests and Calibrations of Automatic Circuit Interrupting Devices*

Section 75.1001–1(b) requires that automatic circuit interrupting devices that protect trolley wires and trolley feeder wires be tested and calibrated at intervals not to exceed 6 months. Section 75.1001–1(c) requires that a record of the tests and calibrations be kept.

## II. Desired Focus of Comments

MSHA is soliciting comments concerning the proposed information collection related to Examinations and Testing of Electrical Equipment, Including Examination, Testing, and Maintenance of High Voltage Longwalls. MSHA is particularly interested in comments that:

- Evaluate whether the collection of information is necessary for the proper performance of the functions of the Agency, including whether the information has practical utility;
- Evaluate the accuracy of MSHA's estimate of the burden of the collection of information, including the validity of the methodology and assumptions used;
- Suggest methods to enhance the quality, utility, and clarity of the information to be collected; and
- Minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated, electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., permitting electronic submission of responses.

Background documents related to this information collection request are available at <https://regulations.gov> and in DOL–MSHA located at 201 12th Street South, Suite 4E401, Arlington, VA 22202–5452. Questions about the information collection requirements may be directed to the person listed in the **FOR FURTHER INFORMATION CONTACT** section of this notice from the previous collection of information.

## III. Current Actions

This information collection request concerns provisions for Examinations and Testing of Electrical Equipment, Including Examination, Testing, and Maintenance of High Voltage Longwalls. MSHA has updated the data with respect to the number of respondents, responses, burden hours, and burden costs supporting this information collection request from the previous information collection request.

*Type of Review:* Extension, without change, of a currently approved collection.

*Agency:* Mine Safety and Health Administration.

*OMB Number:* 1219–0116.

*Affected Public:* Business or other for-profit.

*Number of Respondents:* 674.

*Frequency:* On occasion.

*Number of Responses:* 291,074.

*Annual Burden Hours:* 55,339 hours.

*Annual Respondent or Recordkeeper Cost:* \$0.

Comments submitted in response to this notice will be summarized in the request for Office of Management and Budget approval of the proposed information collection request; they will become a matter of public record and will be available at <https://www.reginfo.gov>.

**Roslyn B. Fontaine,**  
Certifying Officer.

[FR Doc. 2020–15960 Filed 7–22–20; 8:45 am]

**BILLING CODE 4510–43–P**

## DEPARTMENT OF LABOR

### Occupational Safety and Health Administration

[Docket No. OSHA–2010–0039]

#### Portable Fire Extinguishers Standard (Annual Maintenance Certification Record); Extension of the Office of Management and Budget's (OMB) Approval of Information Collection (Paperwork) Requirements

**AGENCY:** Occupational Safety and Health Administration (OSHA), Labor.

**ACTION:** Request for public comments.

**SUMMARY:** OSHA solicits public comments concerning the proposal to extend the Office of Management and Budget's (OMB) approval of the information collection requirements specified in the Portable Fire Extinguishers Standard (Annual Maintenance Certification Record).

**DATES:** Comments must be submitted (postmarked, sent, or received) by September 21, 2020.

**ADDRESSES:**

*Electronically:* You may submit comments and attachments electronically at <http://www.regulations.gov>, which is the Federal e-Rulemaking Portal. Follow the instructions online for submitting comments.

*Facsimile:* If your comments, including attachments, are not longer than 10 pages you may fax them to the OSHA Docket Office at (202) 693–1648.

*Mail, hand delivery, express mail, messenger, or courier service:* When using this method, you must submit your comments and attachments to the OSHA Docket Office, Docket No. OSHA–2010–0039, Occupational Safety and Health Administration, U.S. Department of Labor, Room N–3653, 200 Constitution Avenue NW, Washington, DC 20210. Deliveries (hand, express mail, messenger, and courier service) are accepted during the Docket Office's normal business hours, 10:00 a.m. to 3:00 p.m., ET.

*Instructions:* All submissions must include the agency name and the OSHA docket number (OSHA–2010–0039) for the Information Collection Request (ICR). All comments, including any personal information you provide, such as social security number and date of birth, are placed in the public docket without change, and may be made available online at <http://www.regulations.gov>. For further information on submitting comments see the “Public Participation” heading in the section of this notice titled **SUPPLEMENTARY INFORMATION.**

*Docket:* To read or download comments or other material in the docket, go to <http://www.regulations.gov> or the OSHA Docket Office at the above address. All documents in the docket (including this **Federal Register** notice) are listed in the <http://www.regulations.gov> index; however, some information (e.g., copyrighted material) is not publicly available to read or download from the website. All submissions, including copyrighted material, are available for inspection and copying at the OSHA Docket Office. You also may contact Theda Kenney at the below phone number to obtain a copy of the ICR.

**FOR FURTHER INFORMATION CONTACT:** Theda Kenney or Seleda Perryman, Directorate of Standards and Guidance, OSHA, U.S. Department of Labor; telephone (202) 693–2222.

**SUPPLEMENTARY INFORMATION:**

### I. Background

The Department of Labor, as part of the continuing effort to reduce paperwork and respondent (i.e., employer) burden, conducts a preclearance consultation program to provide the public with an opportunity to comment on proposed and continuing information collection requirements in accordance with the Paperwork Reduction Act (PRA) (44 U.S.C. 3506(c)(2)(A)). This program ensures that information is in the desired format, reporting burden (time and costs) is minimal, collection