OMB No.: 0970–0354 Expiration Date: 10/31/2021 Instrument: PCR [version] [Eng/Sp]



AFFIX LABEL HERE PCR [version] [Eng/Sp]



Parent Child Report Draft for OMB (Redacted) June 2020

This crosswalk version of the questionnaire includes items to be asked of parents of children ages newborn to 36 months, flagged as appropriate for the relevant age forms:

- Version 1: Newborn to 7 months
- Version 2: 8 months to 16 months
- Version 3: 17 months to 30 months
- Version 4: 31 months to 37 months

Pregnant women will not be asked to complete the Parent Child Report.

agency may not cond IB control number. Th	uct or sponsor, and a po e OMB number for this	erson is not required information collection	to respond to, a colle is 0970–0354 and th	ection of information un ne expiration date is 1	nless it displays a cur 0/31/2021.	rently valid

ABOUT THIS SURVEY

- The questions in this survey are about you and your child, your child's health, and your family routines. This collection of information will be used to describe the characteristics of children and families served by Early Head Start, and the characteristics and features of programs and staff that serve them.
- The survey will take about 15 minutes to complete. The questions in this survey can be answered by marking an "X" in the box. For a few questions, you will be asked to write in a brief response.

- If you are unsure how to answer a question, please give the best answer you can rather than leaving it blank.
- Your participation in the study is voluntary. All information you provide will be kept private to the
 extent permitted by law. Your name and your child's name will not be attached to any information
 you give us. Your answers will not affect you or your child's participation in any Early Head Start
 program.
- If you have any questions, please contact the Baby FACES team at Mathematica Policy Research at 1-833-763-2178.

INTERNAL NOTE: IN VERSION OF INSTRUMENT FOR STUDY FAMILIES, KEEP BELOW BOX ON SAME PAGE AS 'ABOUT THIS SURVEY' BOX ABOVE.

ABOUT YOU AND YOUR CHILD

Source: Baby FACES 2018

R1. What is your relationship to the Baby FACES child?

- ₃ ☐ Grandmother
- 4 Grandfather
- 5 Other Relative
- ₆ Other Non-Relative

Source: Baby FACES 2018

R2. What is this child's date of birth?

Source: BITSEA, A1-A2 (PROPRIETARY) Included in versions: 2 [8-16 mos], 3 [17-30 mos], and 4 [31-37 mos] Same items for all age versions (appropriate for 12-36 months only)

SECTION A: SOCIAL SKILLS

A1. The first set of questions contains statements about 1- to 3-year-old children. Many statements describe normal feelings and behaviors, but some describe things that can be problems. Some may seem too young or too old for your child. Please do your best to answer every question.

For each statement, please mark the answer that best describes your child in the past month.

Items A1a to A1hh are protected under copyright and have been redacted from this instrument.

Source: Briggs-Gowan, M.J., and A.S. Carter. The Brief Infant–Toddler Social and Emotional Assessment (BITSEA). San Antonio, TX: Harcourt Assessment, 2006.

A2.	The following questions are about feelings and behaviors that can be problems for young children. Some of the questions may be a bit hard to understand, especially if you have not seen them in a child. Please do your best to answer them anyway.
	For each statement, please mark the answer that best describes your child in the past month.
Items A	2a to A2h are protected under copyright and have been redacted from this instrument.
Source	: Briggs-Gowan, M.J., and A.S. Carter. The Brief Infant–Toddler Social and Emotional Assessment (BITSEA). tonio, TX: Harcourt Assessment, 2006.

Source: MacArthur-Bates Communicative Development Inventories, Infant and Toddler Short Forms and CDI-III (PROPRIETARY)

Included in versions: 2 [8-16 mos], 3 [17-30 mos], and 4 [31-37 mos]; Different item sets for age versions

SECTION B: VOCABULARY CHECKLIST

PRIMARY HOME LANGUAGE) USING THE RELEVANT AGE FORM: LEVEL I (8-18 MONTHS); LEVEL IÌ (16-30 MONTHS); OR LEVEL III (30-37 MONTHS). THESE AGE-BASED VOCABULARY LISTS INCLUDE APPROXIMATELY 100 WORDS EACH AND ARE APPENDED AT THE END OF THIS DOCUMENT.

B1. Below is a list of typical words in young children's vocabularies. We are interested specifically in the words your child understands or says in English.

For words your child does not yet understand, mark the first column (does not understand). For words your child understands but does not yet say on his/her own, mark the second column (understands). For words your child understands and also says on his/her own, mark the third column (understands and says). If your child uses a different pronunciation of a word or another word with the same meaning (for example, "raffe" for "giraffe" or "nana" for "grandma") mark the word anyway. For each item, please mark only one response.

Remember, this is a "catalogue" of words that are used by many different children. Don't worry if your child knows only a few right now.

These items are protected under	copyright and have been redacted from this instrument.

Source: MacArthur-Bates Communicative Development Inventories.

Source: MacArthur-Bates Communicative Development Inventories, Infant Long Form, First Communicative Gestures (12 items) (PROPRIETARY) Included in versions: 2 [8-16 mos]

B2.1. When infants are first learning to communicate, they often use gestures to make their wishes known. For each item below, mark the response that describes your child's actions right now.

Items B2.1a to B2.1l are protected under copyright and have been redacted from this instrument.

Source: MacArthur-Bates Communicative Development Inventories.

Source: MacArthur-Bates Communicative Development Inventories, Toddler Short Form and CDI-Iii, Combining words (PROPRIETARY)
Included in versions: 3 [17-30 mos] and 4 [31-37 mos]

B2.2. This item is protected under copyright and has been redacted from this instrument.

Source: MacArthur-Bates Communicative Development Inventories.

Source: Items C6-C7 adapted from Baby FACES 2009 Parent Interview Included in versions: 1 [newborn-7 mos], 2 [8-16 mos], 3 [17-30 mos], and 4 [31-37 mos]

SECTION C: CHILD WELL-BEING

	5 56	ction, we would like to learn about your child's general well-being.		
C6.	des	s your child have an Individualized Family Service Plan (IFSP)? This is a written to cribes your child's current levels of functioning, specific needs, and what early in the will receive.		
0		No → GO TO C 7		
1		Yes		
↓				
C6a.	Was	s this plan developed with the help of staff at your child's Early Head Start progra	ım?	
0] No		
1		Yes		
C7.	you	ow is a list of different special needs that children sometimes have. Some of thes r child, but please do your best to answer every question. For each statement, pl oonse. Does your child have		
			MARK O	
			_	
			Does yo hav	ur child e
	a.	behavioral trouble or difficulty paying attention to learn?	hav	е
	a. b.	behavioral trouble or difficulty paying attention to learn?	NO	e YES
		. , , -	NO □	e YES 1 □
	b.	difficulty hearing and understanding speech in a normal conversation?	NO O	e YES 1 1 1
	b. c. d.	difficulty hearing and understanding speech in a normal conversation? difficulty seeing objects in the distance or letters on paper? any physical development issues such as problems with the way he/she uses	NO O O O O	e YES 1 1 1 1 1 1 1 1 1 1
	b. c. d.	difficulty hearing and understanding speech in a normal conversation? difficulty seeing objects in the distance or letters on paper? any physical development issues such as problems with the way he/she uses his/her arms or legs?	hav NO 0 □ 0 □ 0 □ 0 □	e YES 1
	b. c. d.	difficulty hearing and understanding speech in a normal conversation? difficulty seeing objects in the distance or letters on paper? any physical development issues such as problems with the way he/she uses his/her arms or legs?	hav NO 0 □ 0 □ 0 □ 0 □	e YES 1
	b.c.d.e.f.	difficulty hearing and understanding speech in a normal conversation? difficulty seeing objects in the distance or letters on paper? any physical development issues such as problems with the way he/she uses his/her arms or legs?	hav NO □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	e YES 1

SECTION D: RAISING A CHILD

D1. Having a child can sometimes be stressful. The next set of questions contains statements about how stressful having a child has been for you and the ways in which you have had to adjust your life. For each statement, please mark how much you agree or disagree.

Items D1a to D1gg are protected under copyright and have been redacted from this instrument.

Source: Parenting Stress Index, 4th Edition Short Form.

- D2a. This item is protected under copyright and has been redacted from this instrument. Source: Parenting Stress Index, 4th Edition Short Form.
- D2b. This item is protected under copyright and has been redacted from this instrument. Source: Parenting Stress Index, 4th Edition Short Form.
- D2c. This item is protected under copyright and has been redacted from this instrument. Source: Parenting Stress Index, 4th Edition Short Form.

Source: Child-Parent Relationship Scale, Short Form (CPRS-SF)
Included in versions: 1 [newborn-7 mos], 2 [8-16 mos], 3 [17-30 mos], and 4 [31-37 mos]
DO NOT INCLUDE ITEMS g AND o IN VERSIONS 1 [NEWBORN TO 7 MOS] AND 2 [8-16 MOS]

SECTION E: RELATIONSHIPS AND FEELINGS

E1. Please think about the degree to which each of the following statements currently applies to your relationship with your child. For each statement, please mark only one response.

MARK ONE PER ROW

		How much does this currently apply to your relationship with your child?					
		DEFINITELY DOES NOT APPLY	NOT REALLY	NEUTRAL/ NOT SURE	APPLIES SOMEWHAT	DEFINITELY APPLIES	
a.	I share an affectionate, warm relationship with my child	1	2	з 🗆	4	5	
b.	My child and I always seem to be struggling with each other	1	2	з□	4	5 🗆	
C.	If upset, my child will seek comfort from me	1	2	3	4	5	
d.	My child is uncomfortable with physical attention or touch from me	1	2	з□	4	5 🗆	
e.	My child values his/her relationship with me	1	2	3	4	5	
f.	When I praise my child, he/she beams with pride	1	2	з□	4	5 🗆	
g.	My child spontaneously shares information about himself/herself	1	2	з 🗆	4	5	
h.	My child easily becomes angry at me	1	2	3	4	5	
i.	It is easy to be in tune with what my child is feeling	1	2	з 🗆	4	5	
j.	My child remains angry or is resistant after being disciplined	1	2	з□	4	5 🗌	
k.	Dealing with my child drains my energy	1	2	3	4	5	
I.	When my child is in a bad mood, I know we're in for a long and difficult day	1	2	3	4	5	

MARK ONE PER ROW

		How much do	oes this currently	apply to your	relationship with	n your child?
		DEFINITELY DOES NOT APPLY	NOT REALLY	NEUTRAL/ NOT SURE	APPLIES SOMEWHAT	DEFINITELY APPLIES
m.	My child's feelings toward me can be unpredictable or can change suddenly	1	2	3 🗌	4	5
n.	My child is sneaky or manipulative with me	1	2	3 🗆	4	5
0.	My child openly shares his/her feelings and experiences with me	1	2	3	4	5 🗌

©1992 Pianta, University of Virginia.

Source: Healthy Families Parenting Inventory (Parent/Child Interaction and Social Support subscales), E2-E3 (PROPRIETARY) Included in versions: 1 [newborn-7 mos], 2 [8-16 mos], 3 [17-30 mos], and 4 [31-37 mos]; same items for all age versions (Items in E3 asked of pregnant respondents in parent survey)

E2. Below is a list of statements that describes how some parents may behave or feel about their child. For each statement, please mark the answer that best fits for you.

Items E2a to E2j are protected under copyright and have been redacted from this instrument. Source: Healthy Families Parenting Inventory (Parent/Child Interaction subscale)

E3. The below statements also describe how some parents may behave or feel. For each statement, please mark the answer that best fits for you.

Items E3a to E3e are protected under copyright and have been redacted from this instrument.

Source: Healthy Families Parenting Inventory (Social Support subscale)

Source: CESD-R. Permissions: Items in this section are from Eaton WW, Muntaner C, Smith C, Tien A, Ybarra M. Center for Epidemiologic Studies Depression Scale: Review and revision (CESD and CESD-R). In: Maruish ME, ed. The Use of Psychological Testing for Treatment Planning and Outcomes Assessment. 3rd ed. Mahwah, NJ: Lawrence Erlbaum; 2004:363-377

18. Below is a list of ways you may have felt or behaved. Please mark how often you have felt this way in the past week or so.

MARK ONE PER ROW

	MARK ONE PER ROW				
	LESS THAN 1 DAY	1-2 DAYS IN PAST WEEK	3-4 DAYS IN PAST WEEK	5-7 DAYS IN PAST WEEK	NEARLY EVERY DAY FOR 2 WEEKS
a. My appetite was poor	0	1	2	3	4
b. I could not shake off the blues	0	1	2	3	4
c. I had trouble keeping my mind on what I was doing	0 🗆	1	2	3	4
d. I felt depressed	o 🗆	1	2	3	4
e. My sleep was restless	0	1	2	3	4
f. I felt sad	0 🗆	1	2	3	4
g. I could not get going	0	1	2	3	4
h. Nothing made me happy	0	1	2	3	4
i. I felt like a bad person	0	1	2	з 🗌	4
j. I lost interest in my usual activities	0 🗆	1	2	3	4
k. I slept much more than usual	0 🗆	1	2	3	4
I. I felt like I was moving too slowly	0 🗆	1	2	3	4
m. I felt fidgety	0 🗆	1	2	3	4
n. I wished I were dead	0 🗆	1	2	3	4
o. I wanted to hurt myself	0 🗆	1	2	3	4
p. I was tired all the time	0 🗆	1	2	3	4
q. I did not like myself	0 🗆	1	2	3	4
r. I lost a lot of weight without trying to	0 🗆	1	2	3	4
s. I had a lot of trouble getting to sleep	0	1	2	3	4

			MA	RK ONE PER	ROW	
		LESS THAN 1 DAY	1-2 DAYS IN PAST WEEK	3-4 DAYS IN PAST WEEK	5-7 DAYS IN PAST WEEK	NEARLY EVERY DAY FOR 2 WEEKS
t.	I could not focus on important things	0 🗆	1	2	3	4
	National Suicide Prevention Lifeline is available 24/7 for frees resources for you or your loved ones. Call 1-800-273-825				•	
The	next few questions are about tobacco, alcohol, and dru	g use.				
	ce: Adapted from Baby FACES 2009 title: TobaccoPast30Days					
15.	During the past 30 days, did you or anyone else in you cigars?	ur househ	old smoke	e tobacco,	such as c	igarettes or
	。					
	□ v ₋ -					
	□ Banklanan					
	d □ Don't know					
	ce: Baby FACES 2018 title: VapingPast30Days					
I5a.	During the past 30 days, have you or anyone else in yeas e-cigarettes?	our hous	ehold used	I nicotine "	vaping" p	oroducts, such
	。					
	ı ☐ Yes					
	d Don't know					
Sour	ce: Baby FACES 2018					
	title: ProgramCessationHelp					
I5b.	Did [PROGRAM] Early Head Start offer resources or s reducing or quitting the use of tobacco or nicotine "va		you or any	yone else i	n your ho	usehold for
	。					
	ı ☐ Yes					
	d Don't know					

Source 15c.	e: Adapted from MIHOPE 2 Parent Survey The next questions are about drinking alcoholic beverages. By a "drink" we mean a can or bottle of beer, a wine cooler or glass of wine, a shot of liquor, or a mixed drink.
	During the past 30 days, how many alcoholic drinks did you have in an average week?
	MARK ONE ONLY
	ı □ None
	$_2$ \square Less than 1 drink
	3 🔲 1 to 3 drinks
	4
	5 To 13 drinks
	₆
	₇ 20 or more drinks
	d Don't know
Source I5d.	e: Adapted from MIHOPE 2 Parent Survey In the last 30 days, how many times did <u>you or anyone in your household</u> drink 4 alcoholic drinks or more in one day? Would you say
	MARK ONE ONLY
	$_{1}$ \Box 6 or more times
	$_2$ \square 4 to 5 times
	3 2 to 3 times
	4 1 time
	5 Never
	e: New item Did Early Head Start offer resources or support to you or anyone else in your household to help reduce or quit drinking alcohol?
	o No
	ı ☐ Yes
	d Don't know

I5E1.	e: Adapted from the National Survey for Drug Use and Health In the past 30 days, have you or has anyone in your household used heroin (smack, horse) or a prescription pain reliever (oxy, percs, vikes) in a way that was not director by a doctor? By "not directed by a doctor" we mean used without a prescription; used in greater amounts, more often, or longer than prescribed; or used in any other way not prescribed by a doctor.
	₀ \square No
	ı □ Yes
	d Don't know
15f1.	e: Adapted from the National Survey for Drug Use and Health In the past 30 days have you or has anyone in your household used marijuana (weed, pot) or hashish (hash)?
	o No
	ı □ Yes
	d Don't know
15f2.	e: Adapted from the National Survey for Drug Use and Health What about other types of drugs, such as amphetamines (uppers, ice, speed, crystal meth, crank), cocaine (rock, coke, crack), tranquilizers (downers, ludes) hallucinogens (LSD, acid, PCP, angel dust, ecstasy), or sniffing gasoline, glue, or aerosols? Have you or anyone in your household used any of these in the past 30 days?
	₀ □ No
	ı □ Yes
	d Don't know
I5g.	e: Adapted from MIHOPE 2 Parent Survey Did Early Head Start offer resources or support to you or anyone else in your household to help reduce or quit using drugs?
	₀ No
	ı □ Yes
	d Don't know

Final	ly, we have one last question about your household income.
	e: Baby FACES 2009 In the last 12 months, what was the total income of all members of your household from all sources before taxes and other deductions? Please include your own income and the income of everyone living with you. Please include the money from jobs and public assistance programs, as well as any other sources such as rent, interest, and dividends. Your best estimate is fine.
	\$ <u> , </u>
	Please mark whether that is per week, every two weeks, per month or per year.
	MARK ONE ONLY
	1 ☐ Per week
	2 Every two weeks
	3 Per month
	4 Der year
E4.	Please record the date you completed this form.
	DATE COMPLETED: _ / / _ _ YEAR
	Thank you for your participation in Baby FACES!