### IFPS-3: MONTH 10

The information you are being asked to provide is authorized to be collected under Section 301 of The Public Health Service Act (42 USC 241). Providing this information is voluntary. CDC will use this information in its study, *Feeding My Baby and Me (also known as the Infant Feeding Practices Study III)*, in order to learn more about the choices mothers make in feeding their babies and toddlers in the first 2 years of life. This information will support efforts to improve the health of our nation's children. This information will be shared with a contractor, Westat, with which CDC has entered into an agreement to assist with carrying out this study.

Public reporting burden of this collection of information varies from **2 to 24 minutes** with an average of **15 minutes** per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; **1600** Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0920-**xxxx**)

#### **DEMOGRAPHICS**

### A9. Are you currently {CHILD'S NAME}'s caregiver?

- Yes (GO TO A29)
- No

#### A10. Does {CHILD'S NAME} currently live with you?

- Yes
- No

[IF A9 AND A10 = NO, END SURVEY, MAY BE ELIGIBLE FOR FUTURE SURVEYS. SHOW SURVEY INELIGIBILITY SCREEN AND THEN END SURVEY.]

[START SURVEY INELIGIBILITY SCREEN]

We're sorry, you are not eligible to complete this survey if you are not currently the study child's caregiver and the child doesn't live with you. We will check back with you to see if you are eligible for study surveys in the future. Thank you.

### [END SURVEY INELIGIBILITY SCREEN]

#### A29. Have you moved out of the United States?

- Yes
- No

#### **FEEDING**

### **Foods Your Baby Eats**

### [PROGRAMMER: LIST EACH REPETITION OF INSTRUCTIONS AND THE GRID THAT FOLLOWS THOSE INSTRUCTIONS ON A SEPARATE PAGE]

In the past 7 days, how often was {CHILD'S NAME} fed each food listed below? Include feedings by everyone who feeds the baby and include snack and night time feedings.

Fill in only one column for each item.

- **o** If **{CHILD'S NAME}** was fed the food once a day or more, enter the number of feedings per day in the first column.
- **o** If **{CHILD'S NAME}** was fed the food less than once a day, enter the number of feedings per week in the second column.
- **o** If **{CHILD'S NAME}** was not fed the food at all during the past 7 days, fill in 0 in the second column.

Breast milk and infant formula	Feedings per day	Feedings per week
Breast milk at your breast		
Breast milk in a bottle/cup		
Infant formula		
Toddler milk (includes follow up		
formula or toddler formulas)		

[IF INFANT FORMULA >0] In the past week, about how many ounces of infant formula did your baby drink at each feeding?

- 1 to 2
- 3 to 4
- 5 to 6
- 7 to 8
- More than 8

In the past 7 days, how often was {CHILD'S NAME} fed each beverage listed below? Include feedings by everyone who feeds the baby and include snack and night time feedings.

Fill in only one column for each item.

- **o** If **(CHILD'S NAME)** was fed the beverage once a day or more, enter the number of feedings per day in the first column.
- **o** If **{CHILD'S NAME}** was fed the beverage less than once a day, enter the number of feedings per week in the second column.
- **o** If **(CHILD'S NAME)** was not fed the beverage at all during the past 7 days, fill in 0 in the second column.

Beverages	Feedings per day	Feedings per week
Water: include tap, bottled, or		
unflavored sparkling water		
100% pure fruit juice or 100% pure		
vegetable juice		
Regular soda or pop that contains		
sugar. Don't include diet soda or diet		
рор		
Sweetened fruit drinks such as Kool-		
Aid, lemonade, sweet tea, Hi-C,		
cranberry cocktail, Gatorade, or		
flavored milk (e.g., chocolate,		
strawberry, vanilla)		
Unsweetened cow's milk (includes milk		
added to foods such as cereals)		
Unsweetened other milk such as soy		
milk, rice milk, or goat milk.		

Fill in only one column for each item.

- **o** If **{CHILD'S NAME}** was fed the food once a day or more, enter the number of feedings per day in the first column.
- **o** If **{CHILD'S NAME}** was fed the food less than once a day, enter the number of feedings per week in the second column.
- **o** If **(CHILD'S NAME)** was not fed the food at all during the past 7 days, fill in 0 in the second column.

### [PROGRAMMER: ONLY ALLOW ONE RESPONSE PER LINE, EITHER FEEDINGS PER DAY OR FEEDINGS PER WEEK]

Grains	Feedings per day	Feedings per week
Baby cereal		
Infant snacks (includes baby puffs,		
melts, or teething biscuits)		
Hot or cold cereal (do not include baby		
cereal)		
Rice, pasta, breads (includes, rice,		
pasta, toast, rolls, bagels, cornbread,		
tortillas, bread in sandwiches,		
pancakes, waffles, crackers, etc.)		

In the past 7 days, how often was {CHILD'S NAME} fed each food listed below? Include feedings by everyone who feeds the baby and include snack and night time feedings.

Fill in only one column for each item.

- **o** If **{CHILD'S NAME}** was fed the food once a day or more, enter the number of feedings per day in the first column.
- **o** If **{CHILD'S NAME}** was fed the food less than once a day, enter the number of feedings per week in the second column.
- **o** If **{CHILD'S NAME}** was not fed the food at all during the past 7 days, fill in 0 in the second column.

Meats and Other Protein Foods	Feedings per day	Feedings per week
Meat (not processed): chicken, turkey,		
pork, beef, or lamb		
Processed meat: baby food meats,		

combination dinners, bacon, ham,	
lunch meats, hot dogs, etc.	
Fish or shellfish	
Eggs	
Beans: Refried beans, black beans,	
white beans, baked beans, beans in	
soup, pork and beans, or any other	
cooked dried beans. Don't include	
green beans.	
Peanut butter, other peanut foods, or	
nuts	
Soy foods: tofu, frozen soy desserts,	
etc.	

Fill in only one column for each item.

- **o** If **{CHILD'S NAME}** was fed the food once a day or more, enter the number of feedings per day in the first column.
- **o** If **{CHILD'S NAME}** was fed the food less than once a day, enter the number of feedings per week in the second column.
- **o** If **(CHILD'S NAME)** was not fed the food at all during the past 7 days, fill in 0 in the second column.

Fruits and Vegetables	Feedings per day	Feedings per week
Fruits: fresh, frozen, or canned, pureed		
baby food, or in squeezable pouches.		
Don't include juice.		
Potatoes: baked, boiled, or mashed		
potatoes, or sweet potatoes		
Fried potatoes including French fries,		
home fries, or hash browns		
Green leafy vegetables: spinach, kale,		
collards, lettuce, or other green leafy		
vegetables		
Other vegetables: fresh, frozen, or		
canned, or in squeezable pouches		
(other than green leafy or lettuce		
salads, potatoes, or cooked dried		
beans)		

Tomato sauces: Mexican-type salsa	
with tomato, spaghetti noodles with	
tomato sauce, or mixed into foods	
such as lasagna (do not include tomato	
sauce on pizza)	

Fill in only one column for each item.

- **o** If **{CHILD'S NAME}** was fed the food once a day or more, enter the number of feedings per day in the first column.
- **o** If **{CHILD'S NAME}** was fed the food less than once a day, enter the number of feedings per week in the second column.
- **o** If **{CHILD'S NAME}** was not fed the food at all during the past 7 days, fill in 0 in the second column.

### [PROGRAMMER: ONLY ALLOW ONE RESPONSE PER LINE, EITHER FEEDINGS PER DAY OR FEEDINGS PER WEEK]

Dairy	Feedings per day	Feedings per week
Cheese: all types (include cheese as a snack, on a sandwich, or in foods such as lasagna, quesadillas, or casseroles).		
Do not count cheese on pizza		
Other dairy products, such as pudding or yogurt. Don't include sugar free or plain kinds		

In the past 7 days, how often was {CHILD'S NAME} fed each food listed below? Include feedings by everyone who feeds the baby and include snack and night time feedings.

Fill in only one column for each item.

- **o** If **(CHILD'S NAME)** was fed the food once a day or more, enter the number of feedings per day in the first column.
- **o** If **{CHILD'S NAME}** was fed the food less than once a day, enter the number of feedings per week in the second column.
- **o** If **{CHILD'S NAME}** was not fed the food at all during the past 7 days, fill in 0 in the second column.

Sweets and Desserts	Feedings per day	Feedings per week
Ice cream or other frozen dairy		
desserts, such as frozen yogurt and		
sherbet. Don't include sugar free kinds		
Sugar free frozen dairy desserts or		
sugar free pudding, plain or sugar free		
yogurt, or other sugar free dairy		
products		
Sweet foods: candy, cookies, cake,		
doughnuts, muffins, pop-tarts, etc.		
Don't count frozen or sugar free		
desserts		

Fill in only one column for each item.

- **o** If **(CHILD'S NAME)** was fed the food once a day or more, enter the number of feedings per day in the first column.
- **o** If **{CHILD'S NAME}** was fed the food less than once a day, enter the number of feedings per week in the second column.
- **o** If **(CHILD'S NAME)** was not fed the food at all during the past 7 days, fill in 0 in the second column.

# [PROGRAMMER: ONLY ALLOW ONE RESPONSE PER LINE, EITHER FEEDINGS PER DAY OR FEEDINGS PER WEEK]

Snacks and Other Foods	Feedings per day	Feedings per week
Pizza: frozen pizza, fast food pizza,		
homemade pizza, or other pizza		
Snacks such as potato chips, corn		
chips, pretzels, or popcorn		

# C13. [ASK ONLY IF BREAST MILK FROM BREAST AND BREAST MILK FROM BOTTLE/CUP ENDORSED IN FFQ] Babies might drink breast milk from the breast, a bottle, or a cup. Which of the following best describes how {CHILD'S NAME} was drinking breast milk in the past week.

- Mostly at the breast but some breast milk from a bottle or cup
- About half at the breast and half from a bottle or cup
- Some at the breast but most from a bottle or cup

### C49. During the past week, how were your baby's bottle, and all bottle parts, usually cleaned before being used again?

- Rinsed with water only
- Washed with soap and water
- Washed in a dishwasher
- Boiled or sterilized
- Not cleaned between uses used to feed without rinsing or washing
- I did not use a bottle in the past week (GO TO E5)

### C52. During the past week, how often was {CHILD'S NAME} put to bed with a bottle with anything other than water?

- At most bedtimes, including naps
- At most night bedtimes, but not naps
- At most naps, but not night bedtimes
- Only occasionally at bedtimes, including naps
- Never

# C50. [ONLY DISPLAY IF BREAST MILK FROM BOTTLE OR INFANT FORMULA ENDORSED IN FFQ] During the past week, how often have you heated your baby's bottle of infant formula or breast milk in a microwave oven?

- Rarely or never
- Sometimes, but less than half the time
- About half the time
- Most of the time
- I did not feed my baby breast milk or infant formula from a bottle in the past week

### **Feeding Breast Milk**

These next questions are about feeding your baby breast milk and pumping breast milk.

# E5. [ASK IF E4 FROM PREVIOUS SURVEY INCLUDES DATE AND R HAS NOT ALREADY ANSWERED YES] Has {CHILD'S NAME} stopped directly feeding at your breast?

- Yes
- No (GO TO E10)

E6. How old was {FILL: HE/SHE} when {FILL: HE/SHE} completely stopped feeding directly from your breast? Do not answer about pumped or expressed milk. You will be asked about that later. (Day 0 is the day your baby was born)

My baby completely stopped feeding at my breast at days OR weeks OR months					
E8. What were the two most important reasons for your dec your breast?	ision to stop feeding	your baby directly at			
[PROGRAMMER: ONLY ALLOW ONE RESPONSE PER COLUMN CHECKED FOR SAME LINE]	N, DO NOT ALLOW BO	TH COLUMNS			
	Most important reason	Second most important reason			
1	ICasuli	iiiiportaiit reasoii			
I wanted or needed someone else to feed my baby					
Breast milk alone did not satisfy my baby					
I wanted my body back to myself					
I was sick or had to take medicine					
I could not breastfeed while working or going to school					
My baby lost interest in nursing or began to wean himself or herself					
I was pregnant					
Other reason					
[PROGRAMMER: DISPLAY E10 AND E15 ON SAME SCREEN] E10. [DO NOT DISPLAY IF ANSWERED WITH DATE IN PREVIOUS SURVEY] How old was {FILL: HE/SHE} when you first pumped your breast milk? (Day 0 is the day your baby was born)					
I first pumped my breast milk at days OR weeks OR	_ months				
OR					
I have never pumped my breast milk					
E15. [DO NOT DISPLAY IF ANSWERED WITH DATE IN PREVIOW when you first fed your baby pumped or hand-expressed broborn)		•			
I first gave my baby pumped or hand-expressed breast milk a	t days OR weel	ks OR months			
OR					
<ul> <li>I have never given my baby pumped or hand-expresso</li> </ul>	ed breast milk				

[IF E10 = NEVER PUMPED, SKIP TO C14]

C19. Are you currently pumping breast milk on a regular schedule?

- Yes
- No

C20. In the past week, how many times did you pump breast milk?

\_\_ Times in past week

[IF C20 = 0, GO TO C14]

The next three questions refer to how often you rinse, wash, and sanitize your breast pump kit (not including tubing).

C24a. In the past week, how often did you <u>rinse</u> your pump kit (not including tubing)? This includes rinsing under running water <u>without</u> using soap?

- After each use
- After every 2-3 uses
- Less often than every 2 3 uses
- I did not <u>rinse</u> my pump kit this past week

C24b. In the past week, how often did you <u>wash</u> your pump kit (not including tubing)? This includes handwashing with soap and water or cleaning in a dishwasher. Please do not include washing in the dishwasher using the heated drying cycle (also called sanitize cycle). You will be asked about that later.

- After each use
- After every 2-3 uses
- Less often than every 2 3 uses
- I did not wash my pump kit this past week

C24c. In the past week, how often did you <u>sanitize</u> your pump kit (not including tubing)? This includes boiling, steaming (e.g., using a steam-bag in the microwave), or by washing in the dishwasher using the heated drying cycle (also called sanitize cycle).

- After each use
- After every 2-3 uses
- Less often than every 2-3 uses
- I did not sanitize my pump kit this past week

C14. [ASK IF BREAST MILK FROM BOTTLE ENDORSED IN FFQ] In the past week, if {CHILD'S NAME} started a bottle but did not finish it, what did you usually do with the remaining breast milk?

- I fed the remaining breast milk but only if it was within two hours of starting the bottle
- I fed the remaining breast milk but more than two hours after starting the bottle
- I threw any remaining breast milk away
- Not applicable, I did not feed my baby any breast milk from a bottle

E11. [SKIP IF E10= NEVER PUMPED] [ASK IF E10 FROM CURRENT OR PREVIOUS SURVEY INCLUDES DATE AND R HAS NOT ALREADY ANSWERED YES] Have you stopped pumping or hand-expressing breast milk?

- Yes
- No (GO TO E16)

[IF E11 = VALID SKIP, SKIP TO E16]

E12. How old was {CHILD'S NAME} when you completely stopped pumping or hand-expressing breast milk? (Day 0 is the day your baby was born). Do not answer about feeding your baby your pumped breast milk. You will be asked about that later.

I com	pletely stopped	pumping or	hand-expre	essing my l	breast milk a	t days Ol	₹ wee	eks OR
mont	hs							

E13. What were the two most important reasons for your decision to stop pumping or handexpressing breast milk?

[PROGRAMMER: ONLY ALLOW ONE RESPONSE PER COLUMN, DO NOT ALLOW BOTH COLUMNS CHECKED FOR SAME LINE]

	Most important	Second most important
	reason	reason
Pumping milk no longer seemed worth the effort it required		
Too many challenges related to pumping at work or school		
Pumping supplies cost too much		
I was not getting enough pumped milk		
I had enough milk stored to reach my breastfeeding goal		
I was pregnant		
I was sick or had to take medicine		
Other reason		

E16. [ASK IF E15 FROM CURRENT OR PREVIOUS SURVEY INCLUDES DATE AND R HAS NOT ALRE	ADY
ANSWERED YES] Have you stopped feeding your baby pumped or expressed breast milk?	

- Yes
- No (GO TO E22)

[IF E16 = VALID SKIP, GO TO E19]

E17. How old was {FILL: HE/SHE} when {FILL: HE/SHE} completely stopped being fed any pumped or expressed breast milk? Do not answer about feeding directly at your breast. (Day 0 is the day your baby was born)

My baby completely stopped being fed pumped or expressed breast milk at\_\_\_ days OR \_\_\_ weeks OR \_\_\_ months

E19. [IF E4 OR E15 HAVE DATE IN ANY SURVEY AND E5 ≠ NO AND E16 ≠ NO, ASK E19. ONCE ANSWERED, DO NOT ASK AGAIN IN FUTURE SURVEYS] Did you feed your baby breast milk (at the breast or pumped/expressed milk) as long as you wanted?

- Yes
- No

#### **Feeding Formula**

These next questions are about feeding your baby formula.

E22. [DO NOT ASK IF E22 = YES IN A PREVIOUS SURVEY; IF FORMULA ENDORSED IN FFQ CODE YES AND CONTINUE TO E23] Did you ever feed {CHILD'S NAME} infant formula?

- Yes
- No (GO TO C26)

E23. [DO NOT DISPLAY IF ANSWERED WITH DATE IN PREVIOUS SURVEY] How old was {FILL: HE/SHE} when {FILL: HE/SHE} was first fed infant formula? (Day 0 is the day your baby was born)

My baby was first fed infant formula at \_\_\_ days OR \_\_\_ weeks OR \_\_\_ months

C9. [ASK IF FORMULA IS ENDORSED IN THE FFQ] In the past week, if {CHILD'S NAME} started a bottle but did not finish it, what did you usually do with the remaining formula?

- I fed the remaining formula but only if it was within one hour
- I fed the remaining formula but more than one hour afterwards
- I threw any remaining formula away
- Not applicable, I did not feed my baby any infant formula from a bottle

E24. [ASK IF E23 INCLUDES DATE FROM PREVIOUS SURVEY AND R HAS NOT ALREADY ANSWERED YES] Has {CHILD'S NAME} stopped being fed infant formula?

- Yes
- No (GO TO C26)

E25. How old was {FILL: HE/SHE} when {FILL: HE/SHE} completely stopped being fed infant formula? (Day 0 is the day your baby was born) This means you are not planning to fed {CHILD'S NAME} infant formula again.

	M١	/ bab\	/ complete	ly stopped feedi	ing infant formula at	days OR	weeks OR	months
--	----	--------	------------	------------------	-----------------------	---------	----------	--------

E26. What were the two most important reasons for your decision to stop feeding {CHILD'S NAME} infant formula?

[PROGRAMMER: ONLY ALLOW ONE RESPONSE PER COLUMN, DO NOT ALLOW BOTH COLUMNS CHECKED FOR SAME LINE]

	Most important	Second most
	reason	important reason
My baby started drinking other milk(s) (such as		
cow's milk, soy milk, rice milk, or goat's milk)		
My baby started drinking other drinks (such as		
water, juice, sweetened fruit drinks, or soda or pop)		
I fed my baby my breast milk		
I fed my baby breast milk from someone else		
My doctor told me to stop		
I thought it was time to be done		
Other reason		

#### **Solid Foods**

C26. [ONCE ANSWERED WITH ANYTHING OTHER THAN "I HAVE NOT YET FED MY BABY SOLID FOODS," DO NOT ASK AGAIN] How old was {CHILD'S NAME} when {FILL: HE/SHE} was first fed solid foods? Please include any foods such as infant cereal, fruit, vegetables, meat or other foods, even if it was just a small amount fed from a spoon, a bottle or your hands. The first solid food means the first time your baby had any food other than breast milk or infant formula.

\_\_\_\_\_ Months [HAVE A DROP DOWN OPTION FOR LESS THAN ONE MONTH ALL OTHER RESPONSES ARE WRITE-IN]
[NOTE TO PROGRAMMER - DO NOT ALLOW FOR OPTIONS THAT ARE OLDER THAN CHILD'S AGE AT TIME OF SURVEY]

• I have not yet fed my baby solid foods (SKIP TO C64)

C27. [DO NOT DISPLAY IF ALREADY ANSWERED] What was the first solid food you fed {CHILD'S NAME}? The first solid food means the first time your baby had any food other than breast milk or infant formula. This can also include anything added to the bottle.

- Infant rice cereal
- Infant cereal (not rice)
- Fruits
- Vegetables
- Meats
- Other food
- I fed my baby several different foods mixed together

#### C28. When your baby first started eating solid food, did you do any of the following?

	Yes	No
Chose a specific food group first (such as vegetables, fruit, cereals, or meats)		
Introduced first foods that were pureed		
Introduced first foods that your baby could pick up		

### D22. The following are statements about feeding babies once they have started eating solid foods. For each statement, choose the answer that most closely matches your opinion.

	Strongly		Neither agree nor		Strongly
	• ,		•		
	agree	Agree	disagree	Disagree	disagree
The earlier babies eat vegetables, the					
more likely they are to eat them when					
they are older.					
Babies who are introduced to a variety of					
foods (fruits, vegetables, grains, meats)					
will have healthier diets later in life.					
It may take more tries for babies to learn					
to like vegetables than other healthy					
food like fruits					

### C29. In the past week, how often did you give {CHILD'S NAME} infant rice cereal?

- Never
- Rarely (once a week)
- Sometimes (2 to 3 times a week)
- Most of the time (4 or 5 times a week)
- Always (every day)

C57a. Have you ever fed {CHILD'S NAME} food in a store-bought or prepared at home squeezable pouch? This includes screw-top pouches and items like yogurt in a pouch.

- Yes
- No (GO TO C62)
- Not sure (GO TO C62)

### C57b. In the past week, how often has {CHILD'S NAME} eaten a squeezable pouch?

- More than once a day
- Once a day
- A couple times in the past week
- Once in the past week
- Has not had a squeezable pouch in the past week

C62. In the past week, how often did {CHILD'S NAME} eat the same dinner (or the main meal of the
day) as the rest of the family?
Every day
• 5-6 days
• 3-4 days
• 1-2 days
No days
C63. In the past week, how many times did {CHILD'S NAME} eat food from a restaurant (includes
delivery or carry-out)? Include food eaten in any type of restaurant, such as a fast food, cafeteria, or
table service restaurant.
table service restaurant.
<ul> <li>None, my baby did not eat any food from a restaurant</li> </ul>
• 1 time
• 2 to 3 times
• 4 to 5 times
6 to 7 times
8 or more times
C64. In the past week, how many times did all or most of your family sit down for a meal together?
Times
OR
• Never
Please indicate how often the following statement is true for {CHILD'S NAME}.
C70. [CHILD'S NAME] lets me know when {FILL: HE/SHE} is full.
• Never

• Seldom

Always

Half of the timeMost of the time

How much do you agree or disagree with the following statement?

C80. When an infant cries, it usually means {FILL: HE/SHE} needs to be fed.

- Disagree
- Slightly disagree
- Neutral
- Slightly agree
- Agree

#### **MILK SHARING**

Milk sharing refers to getting breast milk for your baby from another lactating woman, or providing your own breast milk to another baby besides your own son or daughter. Breast milk obtained from another lactating woman is often referred to as "donor milk".

[PROGRAMMER: DISPLAY C41a AND C41b ON THE SAME SCREEN]

C41a. Have you ever donated or shared your own breast milk (e.g., to a milk bank or with an individual)?

- Yes
- No

C41b. Have you ever sold your own breast milk?

- Yes
- No

C42. [If YES to C41a] In the past month, how often have you donated or shared your own breast milk?

	Milk bank	Other source or person
Once in the past month		
Twice in the past month		
Three or four times in the past month		
More than four times in the past month		

### C43. [If YES to C41b] In the past month, how often have you sold your own breast milk?

	Milk bank	Other source or person
Once in the past month		
Twice in the past month		
Three or four times in the past month		
More than four times in the past month		

### D26. [IF YES TO C41a or C41b] Are any of the following reasons that you shared your breast milk?

	Yes	No
I had more breast milk stored than I need		
I produced too much breast milk		
I needed or wanted money from the sale of breast milk		
I wanted to help out others who need it		
A family member or friend asked me		

D27. [ALL ANSWER D27] The following questions are about informal milk sharing. By informal milk sharing, we mean milk sharing such as through friends, family, social media, or some other person or company. This does not include milk received from a milk bank or hospital. Please choose the answer that most closely matches your opinion.

	Strongly agree	Agree	Neither agree nor disagree	Disagree	Strongly disagree
I think it is acceptable for me to share my breast milk with someone I do not know.	-				
I think it is acceptable for mothers to share their breast milk with someone they do not know.					
I think it is acceptable for babies to receive breast milk from another mother.					

### **EMPLOYMENT**

G15. Do you plan to work for pay during your baby's second year?

- Yes
- No (GO TO H26a)

G16. How many hours per week do you plan to work for pay during your baby's s	v's second ve	ear?
---	---------------	------

- 1 to 9 hours per week
- 10 to 19 hours per week
- 20 to 29 hours per week
- 30 to 34 hours per week
- 35 to 40 hours per week
- More than 40 hours per week

١							<b>.</b>	_
ı	ш	$L \Lambda$	LTH	X.	ILL	CIV	4	_
ı		$_{r}$	$\mathbf{L}$	I CX I	-11 -	JII	_	_

H26a. How much did {CHILD'S NAME} weigh the last time {FILL: HE/SHE} was weighed at a doctor's visit?
pounds ounces
H26b. What was the month and year of those measurements?
month day
H26c. How long was {CHILD'S NAME} the last time {FILL: HE/SHE} was measured at a doctor's visit?
inches
H26d. What was the month and year of those measurements?
month day

### H23. Which of the following problems did your baby have during the past month?

	Yes	No
Fever		
Diarrhea or vomiting		
Ear infection		
Severe respiratory infection (e.g., pneumonia, bronchiolitis)		
Wheeze		
Eczema (atopic dermatitis)		
COVID-19		

H38. When {CHILD'S NAME} eats meals or snacks, how often is an electronic media device (e.g., TV, tablets, smart phone, etc.) on while {FILL: HE/SHE} is eating?

- Most of the time
- Much of the time
- Sometimes
- Occasionally
- Never

[PROGRAMMER: DISPLAY CONTACT INFORMATION SECTION]