

**UNITED STATES DEPARTMENT OF AGRICULTURE
ANIMAL AND PLANT HEALTH INSPECTION SERVICE
NATIONAL VETERINARY SERVICES LABORATORIES
P.O. BOX 844, 1920 DAYTON AVENUE
AMES, IOWA 50010
515-337-7514**

**BSE SURVEILLANCE SUBMISSION
FORM
CONTINUATION SHEET**

PAGE **of**

1. BSE REFERRAL NUMBER

2. SAMPLE INFORMATION

| | | | |
|---------------------|---------------------|---------------------|---------------------|
| 17 BSE Sample ID | 26 BSE Sample ID | 35 BSE Sample ID | 44 BSE Sample ID |
| 18 BSE Sample ID | 27 BSE Sample ID | 36 BSE Sample ID | 45 BSE Sample ID |
| 19 BSE Sample ID | 28 BSE Sample ID | 37 BSE Sample ID | 46 BSE Sample ID |
| 20 BSE Sample ID | 29 BSE Sample ID | 38 BSE Sample ID | 47 BSE Sample ID |
| 21 BSE Sample ID | 30 BSE Sample ID | 39 BSE Sample ID | 48 BSE Sample ID |
| 22 BSE Sample ID | 31 BSE Sample ID | 40 BSE Sample ID | 49 BSE Sample ID |
| 23 BSE Sample ID | 32 BSE Sample ID | 41 BSE Sample ID | 50 BSE Sample ID |
| 24 BSE Sample ID | 33 BSE Sample ID | 42 BSE Sample ID | 51 BSE Sample ID |

3. ADDITIONAL DATA *(attach additional page(s), if needed)*

Accession Number

4. SIGNATURE OF SUBMITTER

VS FORM 17-146A INSTRUCTIONS

The BSE Surveillance Submission Form (VS 17-146) has space to attach identification numbers for 20 animals. If additional animals are sampled, submit VS 17-146A to list additional animals. VS Form 17-146A should not be submitted without an accompanying VS 17-146 and the appropriate number of forms VS 17-131 for each animal listed.

PAGE

Enter the number for this page out of the total number of pages submitted (e.g., 2 of 3).

1. BSE REFERRAL NUMBER

The number must correspond to the number listed on the related VS Form 17-146. See instructions for VS 17-146 for details on preferred numbering format.

2. SAMPLE INFORMATION

Place barcodes for up to 32 additional animals in the spaces provided. See instructions for VS 17-146 regarding barcode availability and distribution.

3. ADDITIONAL DATA

Use this block to provide other pertinent information not captured elsewhere on VS 17-146 or VS 17-131.

4. SIGNATURE OF SUBMITTER

The submitter must sign each page of the form.

Accession Number block is reserved for use by the testing laboratory.