

<p><b>USDA-FGIS</b></p> <p><b>DOCKAGE CHECKTEST</b></p>	<p>According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0309. The time required to complete this information collection is estimated to average 20 minutes per response and 1 minute of recordkeeping, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.</p>
---------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

NOTE: TEST UNIT OPERATOR - FILL IN SHADED AREAS ONLY

DATE	FIELD OFFICE	AGENCY	LOCATION
------	--------------	--------	----------

<b>MACHINESET UP</b>	<b>AIR NO.</b>	<b>FEED NO.</b>	<b>RIDDLE NO.</b>	<b>SIEVES</b>	<b>TOP NO.</b>	<b>MIDDLE NO.</b>	<b>BOTTOM NO.</b>
----------------------	----------------	-----------------	-------------------	---------------	----------------	-------------------	-------------------

**TEST UNIT**

MAKE	MODEL	SERIAL NO.			REMARKS		
SAMPLE NUMBER	CLEARED		RIDDLE SEPERATION (GRAMS)	AIR SEPERATION (GRAMS)	THROUGH BOTTOM SIEVE (GRAMS)	TOTAL DOCKAGE (GRAMS)	OVER BOTTOM SIEVE (GRAMS)
	HOPPER (SECS.)	SIEVE (SECS.)					
1							
2							
3							
AVERAGE							
<b>TEST UNIT AVERAGE</b>			%	%	%	%	%
RESULTS BY:				DATE			

**STANDARD UNIT**

MAKE	MODEL	SERIAL NO.			REMARKS		
SAMPLE NUMBER	CLEARED		RIDDLE SEPERATION (GRAMS)	AIR SEPERATION (GRAMS)	THROUGH BOTTOM SIEVE (GRAMS)	TOTAL DOCKAGE (GRAMS)	OVER BOTTOM SIEVE (GRAMS)
	HOPPER (SECS.)	SIEVE (SECS.)					
1							
2							
3							
AVERAGE							
<b>STANDARD UNIT AVERAGE</b>			%	%	%	%	%
RESULTS BY:				DATE			

**DOCKAGE TESTER SUMMARY**

	CLEARED		RIDDLE SEPERATION (%)	AIR SEPERATION (%)	THROUGH BOTTOM SIEVE (%)	TOTAL DOCKAGE (%)	OVER BOTTOM SIEVE (%)
	HOPPER (SECS.)	SIEVE (SECS.)					
TEST UNIT (Enter average results of test unit)							
STANDARD (Enter average results of standard unit)							
DEVIATION	0	0	0.00	0.00	0.00	0.00	0.00
ALLOWABLE DEVIATION			<b>0.10</b>	<b>0.10</b>	<b>0.10</b>	<b>0.15</b>	
RESULTS			IN	IN	IN	IN	

REMARKS

SUMMARY BY:	DATE
-------------	------

<b>USDA-FGIS</b>					According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0309. The time required to complete this information collection is estimated to average 20 minutes per response and 1 minute of recordkeeping, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.			
<b>DOCKAGE CHECKTEST</b>								
NOTE: TEST UNIT OPERATOR - FILL IN SHADED AREAS ONLY								
DATE <b>1</b>		FIELD OFFICE <b>2</b>		AGENCY <b>3</b>		LOCATION <b>4</b>		
MACHINESET UP		AIR NO. <b>5</b>	FEED NO.	RIDDLE NO.	SIEVES	TOP NO. <b>6</b>	MIDDLE NO.	BOTTOM NO.
<b>TEST UNIT</b>								
MAKE <b>7</b>		MODEL <b>8</b>		SERIAL NO. <b>9</b>		REMARKS <b>22</b>		
SAMPLE NUMBER	CLEARED		RIDDLE SEPARATION (GRAMS)	AIR SEPERATION (GRAMS)	THROUGH BOTTOM SIEVE (GRAMS)	TOTAL DOCKAGE (GRAMS)	OVER BOTTOM SIEVE (GRAMS)	
	HOPPER (SECS.)	SIEVE (SECS.)						
1	10	11	12	13	14	15	16	
2								
3								
AVERAGE	17				18			
<b>19</b>	TEST UNIT AVERAGE		%	%	%	%	%	
RESULTS BY: <b>20</b>				DATE <b>21</b>				
<b>STANDARD UNIT</b>								
MAKE		MODEL		SERIAL NO.		REMARKS		
SAMPLE NUMBER	CLEARED		RIDDLE SEPARATION (GRAMS)	AIR SEPERATION (GRAMS)	THROUGH BOTTOM SIEVE (GRAMS)	TOTAL DOCKAGE (GRAMS)	OVER BOTTOM SIEVE (GRAMS)	
	HOPPER (SECS.)	SIEVE (SECS.)						
1								
2			23					
3								
AVERAGE								
STANDARD UNIT AVERAGE			%	%	%	%	%	
RESULTS BY:				DATE				
<b>DOCKAGE TESTER SUMMARY</b>								
		CLEARED		RIDDLE SEPARATION (%)	AIR SEPERATION (%)	THROUGH BOTTOM SIEVE (%)	TOTAL DOCKAGE (%)	OVER BOTTOM SIEVE (%)
		HOPPER (SECS.)	SIEVE (SECS.)					
TEST UNIT (Enter average results of test unit)		<b>24</b>						
STANDARD (Enter average results of standard unit)		<b>25</b>						
DEVIATION		<b>26</b>						
ALLOWABLE DEVIATION		<b>27</b>		<b>0.10</b>	<b>0.10</b>	<b>0.10</b>	<b>0.15</b>	
RESULTS		<b>28</b>						
REMARKS <b>29</b>								
SUMMARY BY: <b>30</b>						DATE <b>31</b>		

## Instructions for Completing FGIS-928

- 1 Date mailed.
- 2 Field office that performed the test, when applicable.
- 3 Agency that performed the test, when applicable.
- 4 Location of test unit dockage tester.
- 5 For tests using wheat, show: air - 4, feed - 6, riddle - 2.  
For tests using corn, show: air - 1, feed - 10, riddle - n/a.
- 6 For tests using wheat, show: top - n/a, middle - 2 & I.D. No., bottom - 2 & I.D. No.  
For tests using corn, show: top - 3, middle - n/a, bottom - n/a.
- 7 Make of the test unit dockage tester.
- 8 Model of the test unit dockage tester.
- 9 Serial number of the test unit dockage tester.
- 10 Time elapsed for each sample to clear the hopper, shown in whole seconds.
- 11 Time elapsed for each sample to clear the middle sieve, shown in whole seconds.
- 12 Weight of the separation that passes over the riddle, shown to 0.01 g.
- 13 Weight of the separation that is removed by air, shown to 0.01 g.
- 14 Weight of the separation that passes through the bottom sieve, shown to 0.01 g.
- 15 Total dockage (riddle, air, and through-the-bottom), shown to 0.01 g.
- 16 Weight of the separation that passes over the bottom sieve, shown to 0.01 g.
- 17 Averages of the test unit's hopper and sieve clearance times, shown in whole seconds.
- 18 Averages of the test unit's test results, shown to 0.01 g.
- 19 Convert the average separation weights to a percentage of the total sample weight, shown to 0.001 %.
- 20 Name of the person who tested the unit.
- 21 Date that testing of the test unit was completed.
- 22 Test unit operator's remarks and RPM information.
- 23 Standard unit's information and test results.
- 24 Test unit's average test results, shown to 0.01 %.
- 25 Standard unit's average test results, shown to 0.01 %.
- 26 Difference ( 24 minus 25). Show the plus or minus deviation.
- 27 Allowable deviations.
- 28 Indicate IN or OUT of tolerance for each type of separation.
- 29 Remarks
- 30 Name of person who completed the Summary section.
- 31 Date the summary was completed.

