

Attachment 7

References

Medical Monitoring Project

0920-0740

Attachment 7

References

1. Cheever LW. Engaging HIV-infected patients in care: their lives depend on it. *Clin Infect Dis* 2007;44(11):1500-1502.
2. Cohen MS, et al. Prevention of HIV-1 infection with early antiretroviral therapy. *N Engl J Med* 2011;365(6):493-505.
3. Sterne JA, et al. Timing of initiation of antiretroviral therapy in AIDS-free HIV-1-infected patients: a collaborative analysis of 18 HIV cohort studies. *Lancet* 2009;373(9672):1352-1363.
4. Cain LE, et al. When to initiate combined antiretroviral therapy to reduce mortality and AIDS-defining illness in HIV-infected persons in developed countries: an observational study. *Ann Intern Med* 2011;154(8):509-515.
5. Kitahata MM, et al. Effect of early versus deferred antiretroviral therapy for HIV on survival. *N Engl J Med* 2009;360(18):1815-1826.
6. Giordano TP, et al. The population effectiveness of highly active antiretroviral therapy: are good drugs good enough? *Curr HIV/AIDS Rep* 2005;2(4):177-183.
7. Metsch LR, et al. HIV transmission risk behaviors among HIV-infected persons who are successfully linked to care. *Clin Infect Dis* 2008;47(4):577-584.
8. Thompson MA, et al. Antiretroviral treatment of adult HIV infection: 2012 recommendations of the International Antiviral Society-USA panel. *JAMA* 2012;308(4):387-402.
9. Tripathi A, et al. The impact of retention in early HIV medical care on viro-immunological parameters and survival: a statewide study. *AIDS Res Hum Retroviruses* 2011;27(7):751-758.
10. U.S. Department of Health and Human Services. Treating HIV-infected people with antiretrovirals significantly reduces transmission to partners. Findings result from NIH-funded international study. *NIH News* 2011. <http://www.nih.gov/news/health/may2011/niaid-12.htm>. Accessed May 17, 2011.
11. Panel on Antiretroviral Guidelines for Adults and Adolescents. Guidelines for the use of antiretroviral agents in HIV-1-infected adults and adolescents. 2013. <http://www.aidsinfo.nih.gov/guidelines/html/1/adult-and-adolescent-treatment-guidelines/0>. Accessed April 8, 2014.

12. Ulett KB, et al. The therapeutic implications of timely linkage and early retention in HIV care. *AIDS Patient Care STDS* 2009;23(1):41-49.
13. Vernazza PL, et al. Potent antiretroviral treatment of HIV-infection results in suppression of the seminal shedding of HIV. The Swiss HIV Cohort Study. *AIDS* 2000;14(2):117-121.
14. Walensky RP, et al. The survival benefits of AIDS treatment in the United States. *J Infect Dis* 2006;194(1):11-19.
15. Morton L, et al. (2006). Reporting Participation in Epidemiologic Studies: A Survey of Practice. *Am. J. Epidemiol.* 163(3): 197-203.
16. Mathematica Policy Research (2016). Declining Response Rates in Federal Surveys: Trends and Implications.
<https://aspe.hhs.gov/system/files/pdf/255531/Decliningresponserates.pdf>
17. Groves R. (2006). Nonresponse Rates and Nonresponse Bias in Household Surveys. *Public Opinion Quarterly*, 70(5): 646-675.