According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0579-0315. The time required to complete this information collection is estimated to average 1.51 hours per response, including the time to review instructions, search existing data resources, gather the data needed, and complete and review the information collected.

OMB Approved 0579-0315 EXP: 01/2023

UNITED STATES DEPARTMENT OF AGRICULTURE ANIMAL AND PLANT HEALTH INSPECTION SERVICE VETERINARY SERVICES NATIONAL ANIMAL HEALTH MONITORING SYSTEM 2150 CENTRE AVE, BLDG B FORT COLLINS, CO 80526

2021 NAHMS Swine Large Enterprise Survey

Project Code: ? NAHMS ? QID: 121858 SMetaKey: ?

Multiple Site Identification

<u> </u>		
EPAID		
	Site Number	Line Number
0000		<u>0 0 0</u>

Office Use Only

000	1			

	0002	
BEGINNING TIME [MILITARY]	:_	

INTRODUCTION

We would like to ask you some questions about the swine on the land you operate. USDA has collaborated with the National Pork Board, National Pork Producers Council and American Association of Swine Veterinarians to design this study to understand important issues in the hog industry. This questionnaire asks about the health status of the hogs on your land and also about productivity and management practices.

Under Title 7 of the U.S. Code and CIPSEA (Public Law 107-347), facts about your operation are kept **confidential** and used only for statistical purposes. Response is **voluntary**. However, your report is needed to make regional and national estimates as accurate as possible. You may find it easier to answer some of the questions if you have your records available.

NOTE: The questions in all sections pertain to what is done on THIS Site

SECTION 1 – SITE INVENTORY

1.	Of	he total swine on hand June 1, 2021 on this site, how	many were: (Enter Zero if None)	Head 0100			
	a. Sows, unmated replacement gilts and bred gilts in the breeding herd?						
	b. Unmated replacement gilts for breeding <u>not yet in the breeding herd</u> , such as those in a Gilt Development Unit?+						
	C.	Nursing pigs?	+	0102			
	d.	Boars and young males for breeding, including teaser	boars? +	0103			
	e.	Cull sows, gilts and boars?	+	0104			
	f.	Weaned hogs under 60 pounds?	+	0105			
	g.	Market hogs 60 pounds and over, excluding cull sow		0106			
	h.	Then the total number of swine on this site on June 1	, 2021 is: =	0107			
2	\ \ /h	ch of the following describes your day-to-day responsit	pilition on this nig site? (Entay Code from	Code			
۷.		1 below)	, ,	0108			
		LIST 1 – P	rimary Role	•			
1 - Contractor that owns the swine 2 - Contractee that raises or manages the swine 3 - Independent producer who markets on their own 4 - Independent producer who markets through a cooperative 5 - Farm manager/herdsman 6 - Company Veterinarian 7 - Private or Other Veterinarian 8 - Other-include combination of above respons applicable (Specify: 0108oth)							
		SECTION 2 – BREEDING AND PRE	WEANING ANIMAL MANAGEMEN	Г			
1.	Bet	ween December 1, 2020 and May 31, 2021 : (Check Y 6					
	a.	Did any sows or gilts farrow?		1 YES 🔲 3 NO			
[lf		Were any sows or gilts bred?s 1a and 1b BOTH = NO, SKIP to Section 3]	0201	1 YES 3 NO			
NC	TE:	Items 2 through 6 ask about what is generally or cu	urrently done.				
ro	om, om,	For the purposes of this study, all-in/all-out manag building, or site, and the pig areas are then cleaned building, or site) is never completely empty of swir	and disinfected before any new animals	arrive. If a facility			
		v do most sows and gilts flow through the (column hea	ding) phase? (Enter Gestation	Farrowing			
		de from List 2 below for each column)	0202	0203			
	1	LIST 2 – Flow Continual flow	Management				
		All swine removed, but swine areas not cleaned and disinfected	3 - All-in/all-out by room 4 - All-in/all-out by building 5 - All-in/all-out by site				

3	Which type of facility is used for the most animals in the (o	column heading)	Gestation	Farrowing
٥.	phase? (Enter Code from List 3 below for each column)		0204	0205
	LIST 3 – Fa		1	
	1 - Total confinement with mechanical ventilation	1 - Other (Specif	y: Gestation 0204oth	١
	2 - Open building with no outside access	4 - Other (Specif	Farrowing 0205oth)
	3 - Open building with outside access			/
NC	OTE: The next three Items refer to the specific facilities r	eported in item 3 to	r each applicable p	nase.
1	How was manure from most animals collected and handl	ad in this (column	Gestation	Farrowing
ᅻ.	heading) facility? (Enter Code from List 4 below for each c		0206	0207
	LIST 4 – Manure Col			-
	1 - None	5 - Hand-cleaned	b	
	2 - Deep pit holding	6 - Flush-under s		
	3 - Shallow pit holding	7 - Flush-open g		,
	4 - Mechanical scraper or tractor	8 - Other (Specif	y: Gestation ^{0206oth} _ Farrowing ^{0207oth}	
			r arrowing	
5	How was manure from most animals <u>stored and treated</u> in	n this (column	Gestation	Farrowing
٠.	heading) facility? (Enter Code from List 5 below for each c		0208	0209
	LIST 5 – Manure Sto	rage and Treatmen	t	
	1 - None	6 - Earthen Trea	<u> </u>	
	2 - Daily haul and spread	7 - Solid storage		
	3 - Composting	8 - Below Buildin		,
	4 - Earthen Manure storage pond 5 - Formed Liquid/Slurry Storage tank	9 - Other (Specil	y: Gestation ^{0208oth} Farrowing ^{0209oth} _	
	5 - Formed Elquid/Siurry Storage tarik		ranowing	<i></i>
6.	Which type of housing is used for most animals in the (co	lumn heading)	Gestation	Farrowing
•	facility? (Enter Code from List 6 below for each column)		0210	0211
	LIST 6 -	Housing		
	1 - Individual stalls or crates	3 - Other (Specif	y: Gestation 0210oth_)
	2 - Group housing such as in pens		Farrowing 0211oth_	<u> </u>
ΓIf	Item 6 = 2, CONTINUE for that phase; otherwise SKIP to	Item 81		
_	•	_		
1.	What percent of animals housed in groups in the (column har receive feed in the following methods? (Enter Zero if None		Gestation	Farrowing
	FI (' O '/O'!! F !' O		0212	0217
	•		0213	+ 0218
	b. Group fed on floor?		0214	+ 0219
	c. Individually fed in trough, but with group access to the	llough?	0215	0220
	d. Individually fed in free access stall?	+		+
	e. Other feeding methods? (Specify: 0216oth(Specify: 0221oth		0216	+ 0221
	• • • • • • • • • • • • • • • • • • • •	/ ould equal 100%] =	100%	= 100%
	·	•		llaad
8.	Between December 1, 2020 and May 31, 2021, how many	breeding females (e	.g., replacement gilt	Head s) 0222
	were introduced into the breeding herd?			, ·

[If Item 8 = ZERO, SKIP to Item 15]

9.	Groups								
10.		number of weeks, what was the average age of the (Item 8) <u>breeding female:</u> oduced into the breeding herd and commingled with other sows?		Weeks					
	11. Were the newly arriving <u>breeding females</u> always, sometimes or never put through an isolation or quarantine process when being introduced to the breeding herd? 0225								
	eith	☐ 3 Never are all, some or none of the newly arriving <u>breeding females</u> tested for disease are on or before introduction to the breeding herd?							
13.	Foi	which diseases are any newly arriving <u>breeding females</u> tested? (Check Ye							
	a.	Porcine Reproductive and Respiratory Syndrome?		☐ 1 YES ☐ 3 NO					
	b.	Mycoplasma?		☐ 1 YES ☐ 3 NO					
	C.	Swine Influenza?		☐ 1 YES ☐ 3 NO					
	d.	Other? (Specify: 0231oth) 0231	☐ 1 YES ☐ 3 NO					
14.		ween December 1, 2020 and May 31, 2021 , were any of the following acclin lyy arriving <u>breeding females</u> : (Check Yes or No for all)	natization procedure	es used for ANY					
	a.	Feedback of feces from other swine?	0232	☐ 1 YES ☐ 3 NO					
	b.	Feedback of mummies, placentas or stillborn swine?	0233						
	C.	Exposure to cull boars, gilts and sows?	0234						
	d.	Exposure to sick swine?	0235						
	e.	Vaccinations?	0236	☐ 1 YES ☐ 3 NO					
	f.	Other? (Specify: 0237oth	0237	☐₁YES ☐₃NO					
		For the purposes of this study, a service is one or more matings in the	samo hoat cyclo o						
			Sows	Gilts					
15.		ween December 1, 2020 and May 31, 2021 , how many (column heading) re serviced?	0238	0239					
16.		ween December 1, 2020 and May 31, 2021 , were ANY of the following reding methods used for (column heading) (Check Yes or No for all)	Sows	Gilts					
	a.	Artificial insemination?	0240 1 YES 3 NO 0241	0244 1 YES 3 NO 0245					
	b.	Individual hand-mating naturally?	. ☐ 1 YES ☐ 3 NO	☐ 1 YES ☐ 3 NO					
	C.	Pen-mate w/multiple females and one or more boars?	0242 .□ 1 YES □ 3 NO	0246 □ 1 YES □ 3 NO					
	d.	Other? (Specify: 0243oth) (Specify: 0247oth)	0243	0247					

[If Item 16a is "No" for both Sows and Gilts, SKIP to Item 19]

17.	Bet for	tween December 1, 2020 and May 31, 2021 , was any of the semen used all)	d fo			(Check	Yes or No
	a.	Purchased?] 1 YES	☐ з NO
	b.	Collected and processed on this site?] 1 YES	☐ з NO
	C.	Collected and processed off this site, but not purchased?		025	50] 1 YES	☐ з NO
18.		tween December 1, 2020 and May 31, 2021 , was any of the semen used e for the following diseases? (Check Yes , No or Don't Know for all)	d fo	r artificial insemir 0251	nation	TESTE	at ANY
	a.	Porcine Reproductive and Respiratory Syndrome?			YES	□₃ NO	□₄ DK
	b.	Porcine Epidemic Diarrhea/Porcine Deltacoronavirus?		0252 1 \ 0253	YES	□₃ NO	∐₄ DK
	C.	Seneca Valley Virus?			YES	□₃ NO	□₄ DK
	d.	Other? (Specify: 0254oth) 🔲 1 `	YES	□₃ NO	□₄ DK
19.	Bet	tween December 1, 2020 and May 31, 2021 : (Enter Zero if None)				ŀ	lead
	a.	How many sows and gilts farrowed, counting each time a sow farrowed	sep	parately?		0255	
	b.	How many total piglets were born, including stillborn piglets and mummi	es?	· ·		0256	
	C.	How many of the (Item 19b) piglets were born alive?				0257	
	d.	Of the (Item 19c) piglets born alive, how many have been or will be wea				0258	
						-	lead
20.		btract Item 19d from Item 19c and enter result. This is the number of prevocurred between December 1, 2020 and May 31, 2021				0259	1000
21.		the (Item 20) piglets that died, what percent were disposed of by: (Enter					
	typ				•		ercent
	a.	Burial ON this site?				0261	
	b.	Incineration ON this site?				0262	
	C.	Renderer pickup ON this site such as a "dead box" at the end of the driv		•		0263	
	d.	Renderer pickup OUTSIDE of this site?				0264	
	e.	Composting ON this site?				0265	
	f.	Composting OUTSIDE of this site?				0266	
	g.	Some other means? (Specify: 0266oth) +	0200	
		Tota	ıl [S	Should equal 100)%] =	1	00%
22.		the (Item 20) piglets that died, how many head or what percent of the weaning deaths were primarily due to: (Enter Zero if None)		Head	OF	P€	ercent
	a.	Scours?		0267	7	0274	
	b.	Crushed by sow by being laid on?	+	0268	+	0275	
	С.	Starvation or refusal to eat?	+	0269	+	0276	
	d.	Respiratory problems?	+	0270	+	0277	
	е.	Other known problems? (Specify: 02710th)	+	0271	+	0278	
	f.	Unknown problems?	+	0272	+	0279	
		Total [Should equal Item 20 or 100 %]	=	0273	=	1	00%
					_	ı	Days
23.		tween December 1, 2020 and May 31, 2021 , what was the average wea /s?		•	of	0280	y -

24.	Are	e piglets moved to a separate site at weaning?	0281	1	YES [] з NO		
25.	5. Between December 1, 2020 and May 31, 2021 , what was the approximate average number of litters per sow?							
NO	TE:	For the purposes of this study, parity is the total number of farrowings a gilt or so	w has					
26.	Bet <u>fen</u>	ween December 1, 2020 and May 31, 2021 , what was the approximate average parity on ales (gilts and sows) in the breeding herd?	f <u>breedi</u>	<u>ng</u> <u>02</u>	Average 83	Parity		
27.	a.	ween December 1, 2020 and May 31, 2021 , how many <u>breeding females</u> : (Enter Zero if Died or were euthanized?		 02 02		ad		
[If I		Were culled?						
-	Of	the (Item 27a) breeding females that died, what percent were disposed of by: (Enter Zer disposal type) Burial ON this site? Incineration ON this site? Renderer pickup ON this site such as a "dead box" at the end of the driveway?		e	87	eent		
	u. e.	Composting ON this site?		+ 02				
	f.	Composting OUTSIDE of this site?		+ 02				
	g.	Some other means? (Specify: 0292oth)	+				
[If I	tem	Total [Should equal 27b = ZERO, SKIP to Section 3]	100%]	=	100	0%		
29.		the (Item 27b) breeding females culled, how many head or what cent were culled primarily due to: (Enter Zero if None) Old age? Lameness? Small litter size, high preweaning mortality or low birth weight? Reproductive failure such as failure to rebreed or farrow? Injury? Other reasons? (Specify: 0298oth		+ 10 + 10 + 10	11 12 13			
30.	For	the (Item 27b) <u>breeding females</u> culled, what was the average parity?		10		Parity		

SECTION 3 – NURSERY AGED PIG MANAGEMENT

1. Between December 1, 2020 and May 31, 2021 , did this si [If Item 1 = NO, SKIP to Section 5]	ite raise weaned pigs?	1 YES □3 NO
2. Between December 1, 2020 and May 31, 2021 , did this s (weaning to approximately 60 pounds)?] ₁ YES □ ₃ NO
[II Item 2 - NO, SKIF to Section 4]		
3. Between December 1, 2020 and May 31, 2021 , in which nursery aged pigs? Check only one box below (3a or 3b)		
a. A <u>Nursery facility(ies)</u>		0302
b. A <u>Wean-to-Finish facility(ies)</u>		
NOTE: For this questionnaire in this section, answer for newean to finish facility(ies).	ursery aged pigs whether they are raised	l in nursery <u>or</u>
NOTE: Items 4 through 7 ask about what is generally or c	urrently done.	
NOTE: For the purposes of this study, all-in/all-out managroom, building, or site, and the pig areas are then cleaned (room, building, or site) is never completely empty of swiflow.	and disinfected before any new animals	arrive. If a facility
4. How do most nursery aged pigs flow through the nursery	or wean-to-finish phase? (Enter Code from	Code 0304
List 7 below)		
LIST 7- Flow	v Management	
1 - Continual flow	3 - All-in/all-out by room	
2 - All swine removed, but swine areas not cleaned and disinfected	4 - All-in/all-out by building 5 - All-in/all-out by site	
		Code
5. Which type of facility is used for the most nursery aged p	igs? (Enter Code from List 8 helow)	0305
	facility Type	••
1 - Total confinement with mechanical ventilation	3 - Open building with outside access	
2 - Open building with no outside access	4 - Other (Specify: ^{0305oth})
NOTE: The next two Items refer to the specific facility rep		/
NOTE: The next two items refer to the specific facility rep	orted in item 5.	
6. How was manure from most nursery aged pigs collected from List 9 below)		Code 0306
,	llection and Handling	
1 - None	5 - Hand-cleaned	
2 - Deep pit holding	6 - Flush-under slats	
3 - Shallow pit holding	7 - Flush-open gutter	
4 - Mechanical scraper or tractor	8 - Other (Specify: 0306oth)
7. How was manure from most nursery aged pigs <u>stored ar</u> List 10 below)		Code 0307
LIST 10 – Manure St	torage and Treatment	
1 - None	6 - Earthen Treatment lagoon	
2 - Daily haul and spread	7 - Solid storage	
3 - Composting	8 - Below Building in a Deep Pit	
4 - Earthen Manure storage pond	9 - Other (Specify: 0307oth)
5 - Formed Liquid/Slurry Storage tank		

SECTION 3 – NURSERY AGED PIG MANAGEMENT

8.	en	tween December 1, 2020 and May 31, 2021 , approximately how many rece tered the facility(ies) chosen in Item 3 ?			s	0308	Head
	Ind	clude weaned pigs that came from this site, purchases and movements from	m	other facilities			
[If	Que	estion 8 = ZERO, SKIP to Section 4]					
9.		the (Item 8) pigs, how many head or what percent originated from: nter Zero if None)		Head	OR		Percent
	a.	This site such as on-site farrowing units?		0309		0315	
	b.	Offsite farrowing unit(s) belonging to this operation?	+	0310	+	0316	
	C.	Offsite farrowing unit(s) not belonging to this operation? +	+	0311	+	0317	
	d.	An auction, sale barn or livestock market?+	+	0312	+	0318	
	e.	Another source? (Specify: 0313oth) +	+	0313	+	0319	
		Total [Should equal Item 8 or 100 %] =	=	0314	=		100%
[If	lten	n 9a = Item 8 or 100%, SKIP to Item 12]					
						ç	Sources
10.		etween December 1, 2020 and May 31, 2021, how many different off-site security weaned pigs to the facility(ies) chosen in Item 3?				0320	7001003
11.	We air	ere recently weaned pigs from different off-site sources commingled (shar space) in the same facility(ies)?	red	d 0321 1 YE	s [] ₃ NO	□4 DK
12.	Wh	at was the average age, in days of the Item 8 pigs when they:					Days
	a.	First entered the nursery or wean-to-finish facility(ies)?				0322	
	b.	Left the nursery facility(ies)?		0323	N/Δ	0324	
	C.	Transitioned within the wean-to-finish facility(ies) to be fed and managed a grower/finisher aged pigs?	as	0325	i	0326	
						0327	Head
		the (Item 8) pigs, how many died ?					
-		n 13 = ZERO, SKIP to Section 4]					
14.		the (Item 13) pigs that died, how many head or what percent of the aths were primarily due to: (Enter Zero if None)		Head	OR		Percent
	a.	Scours?		0328		0335	Ol Colle
	b.	Starvation or refusal to eat?	+	0329	+	0336	
	D. С.	Respiratory problems? +	+	0330	 	0337	
	d.	Central Nervous System signs or meningitis such as from Hemophilus, Strep. suis or E. coli (edema disease)?		0331	+	0338	
	e.	Other known problems? (Specify: 0332oth) +	+	0332	+	0339	
	f.	Unknown problems?	+	0333	+	0340	
	••	Total [Should equal Item 13 or 100%] =	=	0334	=		100%

SECTION 4 – GROWER/FINISHER AGED PIG MANAGEMENT

Between December 1, 2020 and May 31, 2021, did this site pigs (weaning to approximately 60 pounds)? [If Item 1 = NO, SKIP to Section 5]] 1 YES ☐ 3 NO
2. Between December 1, 2020 and May 31, 2021 , in which of grower/finisher aged pigs? Check only one box below (2a)		
a. A Grower/Finisher facility(ies)?		0401
b A <u>Wean-to-Finish facility(ies)</u> ?		0402 1
NOTE: For this questionnaire in this section, answer for grands grower/finisher or wean to finish facility(ies).	ower/finisher aged pigs whether they are	e raised in
NOTE: Items 3 through 9 ask about what is generally or cu	rrently done.	
NOTE: For the purposes of this study, all-in/all-out manage room, building, or site, and the pig areas are then cleaned (room, building, or site) is never completely empty of swine flow.	and disinfected before any new animals	arrive. If a facility
How do most grower/finisher aged pigs flow through the grower (Enter Code from List 11 below)		Code 0403
LIST 11 – Flow		
Continual flow All swine removed, but swine areas not cleaned and disinfected	3 - All-in/all-out by room 4 - All-in/all-out by building 5 - All-in/all-out by site	
4. Which type of facility is used for the most grower/finisher a below)		Code 0404
LIST 12 – Fa		
Total confinement with mechanical ventilation Open building with no outside access	3 - Open building with outside access4 - Other (Specify: ^{0404oth})
NOTE: The next five Items refer to the specific facility repo	rted in Item 4.	
5. How was manure from most grower/finisher aged pigs coll		Code 0405
Code from List 13 below)		
1 - None	5 - Hand-cleaned	
2 - Deep pit holding	6 - Flush-under slats	
3 - Shallow pit holding	7 - Flush-open gutter	,
4 - Mechanical scraper or tractor	8 - Other (Specify: ^{0405oth})
6. How was manure from most grower/finisher aged pigs stor Code from List 14 below)		Code 0406
LIST 14 – Manure Sto		
1 - None	6 - Earthen Treatment lagoon	
2 - Daily haul and spread 3 - Composting	7 - Solid storage 8 - Below Building in a Deep Pit	
4 - Earthen Manure storage pond	9 - Other (Specify: 0406oth)
5 - Formed Liquid/Slurry Storage tank		
[If Item 6 = 1,2 or 3, SKIP to Item 9]		
NOTE: The next three Items refer to the method used to sto	ore or treat manure for the facility in Item	ı 4.
7. Are any methods used to separate manure solid and liquid	parts, such as a screw press?] ₁ YES ☐ ₃ NO
8. How many times in the last three years has the <u>manure sto</u>	orage and treatment been cleaned out?	Times
		

SECTION 4 – GROWER/FINISHER AGED PIG MANAGEMENT

9. \	Νh	at month(s) of the year	do you typically clean out the <u>n</u>	nanure storage and t	tre	<u>eatment</u> s	ystem? (0	Chec	k all tl	nat apply)
		0409 🔲 1 January	0412 1 April	0415 🔲 1 July					=	tober
		1 February	0413	0416 1 Aug				_	=	vember
		0411	0414			ember		20	=	cember
			ction we switch topics from granaged as grower/finisher		d	pigs to <u>r</u>	nursery a	ged	pigs	<u>that</u>
10. I	3et	ween December 1, 202	20 and May 31, 2021 , approxim	ately how many nur	rse	ery aged	pigs eith	er		
	fac	ility(ies) chosen in Iter		•					0421	Head
			that came from this site, purch	ases and movemen	ts	from other	er facilities	S		
[If Q	ue	stion 10 = ZERO, SKIP	to Section 5]							
		the (Item 10) pigs, how ter Zero if None)	many head or what percent ori	ginated from:		He	ad	OR	0428	Percent
	a.	This site such as on-si	te nursery aged pigs?							
	b.	Offsite unit(s) belonging	ng to this operation?	+	Г	0423		+	0429	
	c.	Offsite unit(s) not belo	nging to this operation?	+	Г	0424		+	0430	
	d.	An auction, sale barn o	or livestock market?	+	_	0425		+	0431	
	e.	Another source? (Spec	sify: ^{0426oth}) +	+	0426		+	0432	
			Total [Should equal	Item 10 or 100 %1 =	=	0427		=		100%
[If It	em	11a = Item 10 or 100%	•	•						
-			·							Sauraaa
			20 and May 31, 2021 , how mar sher aged pigs to the facility(ie						0433	Sources
			rom different off-site sources of ity(ies)?				0434 □1 YES		з NO	□4 DK
14. \	Νh	at was the average age	, in days of the Item 10 pigs wh	nen they:						Days
	a.	Entered the grower/finis	sh facility(ies)?				0435 ·····□ ₄ N	/Δ	0436	
		Transitioned within the	wean-to-finish facility(ies) to be	e fed and managed a	as	grower/	0437		0438	
	c.	Left the site, such as w	vent to market?						0439	
										Head
4 -	○ t	4h - (14 40): h							0440	Ticau
		ine (item 10) pigs, now i 15 = ZERO, SKIP to S	many died?							
-		•	-							
		the (Item 15) pigs that d aths were primarily due	lied, how many head or what p to: (Enter Zero if None)	ercent of the		Не	ad	OR		Percent
	a.	Scours?				0441			0449	
	b.	Lameness?		н	+	0442		+	0450	
	c.		s from tail biting?		+	0443		+	0451	
					+	0444		+	0452	
	d.	. , ,			+	0445		+	0453	
	e. -				+	0446		+	0454	
•	f.	Other known problems				0447			0455	
!	g.	Unknown problems?		Н	+	0448		+		
			Total [Should equa	l Item 15 or 100% 1 =	=	0440		l =		100%

SECTION 5 – BIOSECURITY

[If Sections 3 and 4 were \underline{not} filled out because this site does not raise weaned pigs OR $\underline{Section 3}$, Item 13 and $\underline{Section 4}$, Item 15 BOTH = ZERO, SKIP to Item 3]

NOTE: Item 1 refers to those swine that were reported as having died in: <u>Section 3, Item 13 and Section 4, Item 15</u>, If disposal type is not applicable (had no disposals in that category), Enter zero for that disposal type.

1.	De	the weaned pigs (<u>Nursery</u> and <u>Grower/Fini</u> cember 1, 2020 and May 31, 2021 , what pe posal type)				а	Perce Weaned	
	a.	Burial ON this site?					0500	
	b.	Incineration ON this site?				+	0501	
	C.	Renderer pickup ON this site such as a "de driveway?	ad box" at the end of the	•		+	0502	
	d.	Renderer pickup OUTSIDE of this site?				+	0503	
	e.	Composting ON this site?				+	0504	
	f.	Composting OUTSIDE of this site?				+	0505	
	g.	Some other means? (Specify: 0506oth				_) +	0506	
_		1f is 0% or blank, SKIP to Item 3] dead swine from other sites also disposed of		•	0507 e? □1 YE	•	1009 □3 NO [% □₄ DK
ve	terin	For Items 3 and 4, a Business or Non Buarian, construction worker, feed salesma kids or a friend. Enter zero if none in a ca	n or maintenance pers					
3.	Ove	er the last three months , approximately <u>how</u>	<u>v many</u> visits were made	onto your	Busines Visitors		Non-Bus Visito	
	SILE	by (column heading)?			Busines Visitors		Non-Bus Visito	
4.	Are	(column heading) allowed to enter into area	s where swine are kept	on this site?		<u>з NC</u>) ∏ ₁ YES	☐ з NO
		In Item 5 answer 5a-c for each column. Ces on the site <u>per Item 4</u> . Otherwise, Chec		either type a	re not allow	ed in	the hog ar	nd pig
5.		ore entering the swine facilities on this site, (column heading) required to:	Employees	Business	s Visitors I	Non-	·Business \	/isitors
	a.	Take a shower immediately prior to entry?	.0512		ES ∏₃ NO¢ ′A		1 YES [2 N/A] 3 NO
	b.		0513 🔲 1 YES 🔲 3 NC	0518)523 [[1 YES [2 N/A	∃₃ NO
	C.	Use the Danish Entry or "Bench" system?	0514 1 YES 3 NC	0519)524 [[1 YES [2 N/A	∃₃ NO
	d.	Wait 24 hours or more after visiting any other swine site?	0515 1 YES 3 NC	0520)525 [[1 YES [2 N/A	∃₃ NO
	e.	Use footbaths?	0516 1 YES 3 NC		ES □₃ NO ′A)526 [] 1 YES [] 2 N/A	3 NO
6.	(En	er the last three months , approximately how ter Zero if None)	•	•	•		Number o	f Visits
	а	Company owned animal transport trucks?						
	b	Commercial animal transport trucks?						

SECTION 5 - BIOSECURITY

7.	Bef ead	fore all animal transport trucks are brought onto this site to pick up swine, is it requ ch)		`	eck Yes , N o	o or DK for
	a.	The inside of the trailer be cleaned?		²⁹ □₁ YE	S □₃ NC)
	b.	The inside of the trailer be disinfected?		³⁰ □₁ YE	S □₃ NC)
	C.	The outside of the trailer be cleaned?	05	31		
	d.	The outside of the trailer be disinfected?	05	32		
			05	33		
[If	e. I tem	The trailer be dried? 7e = NO or DK, SKIP to Item 9]	•••••	∐₁ YE	S ∏₃ NC)
8.	Wh	nat drying method is required (Check one box only)?	0534 I	Baking	☐ 1 0535 A	Air Dry 🗌 1
		For the purposes of this study, a Line of Separation is a line dividing the far nat neither drivers nor farm staff cross over.		o a clea	n area and	l a dirty
				0536		
		nen loading or unloading swine does this site have a designated Line of Separation			☐ ₁ YES	∐ 3 NO
10.	We	ere any of the following methods of rodent control used on the site? (Check Yes or		,		
	a.	Cats?		0538	☐ ₁ YES	
	b.	Dogs?			☐ ₁ YES	
	C.	Traps?			☐ ₁ YES	
	d.	Bait or poison?		0541	☐ ₁ YES	☐ ₃ NO
	e.	Professional exterminator?			☐ ₁ YES	<u> </u>
	f.	Grounds keeping (e.g., rock border, regular lawn mowing)?		0543	☐ 1 YES	
	g.	Other? (Specify: 0543oth		_)	☐ ₁ YES	☐ 3 NO
11.		you use the following methods to keep wildlife (e.g., birds, rodents, cats) out of or ine? (Check $\bf Yes$ or $\bf No$ for each)	away	from bu	ildings cont	taining
	a.	Bird screens in barn openings such as exhaust ports in ceiling?			1 YES	☐ 3 NO
	b.	Gravel perimeter?		0545	1 YES	☐ 3 NO
	C.	Clean up feed spills within 24 hours?		0540	1 YES	☐ 3 NO
	d.	Perimeter Fencing?		0547	1 YES	☐ 3 NO
	e.	Exterior fan louvers or covers that close automatically when not in operation?		0548	☐ 1 YES	☐ 3 NO
	g.	Other? (Specify: 0549oth		_) 0349	☐ 1 YES	☐ 3 NO
12.		the nearest quarter mile , how many miles is it from this site to the nearest site wit	-		0550	Miles
						Sites
13.		w many sites with swine are within three miles of this site? Include sites regardles swine			0551	Sites
14.		e there feral swine in this site's county? Include swine on hunting clubs or captive farms	05	52 □₁ YE	S ∏₃ NC)
15	Raf	tween June 1, 2020 and May 31, 2021, how many times have feral swine or evide	nce of	f them		Γimes
	(su	ich as footprints, rooted up land, low rubbed areas on trees, feces, etc.) been seer 15 = ZERO, SKIP to Section 6]			0553	
-		eral swine or evidence of them were seen on this site, was there any evidence that	the	0554		
		al swine entered or gained access to facilities used to house vour swine or store fo			□₁ YES	□₃ NO

SECTION 6 – OVERALL FARM MANAGEMENT

1.	J	Times						
	a. Ground water such as for nitrates or pathogens?	0600						
	b. Nutrient content of manure such as the nitrogen level?	0601						
	c. Air quality such as the ammonia or hydrogen sulfide levels?	0602						
	OTE: For the purposes of this study, a written manure or nutrient management plan includes testing lues in both the soil and manure and limiting application of nutrients to agronomic rates for the co							
2.	Do you have and follow a written manure or nutrient management plan? 🔲 YES	□₃ NO □₄ DK						
3.		□3 NO □4 DK						
4	Between June 1, 2020 and May 31, 2021 , was anyone from this site in contact with a 0605 veterinarian (include site visit, telephone, video conference, e-mail or data transfer)?	□3 NO □4 DK						
5	5 Were any individuals who work on this site Pork Quality Assurance Plus (PQA Plus) 0606 certified?							
	Has this site ever had a PQA Plus site assessment?	□3 NO □4 DK						
Į		Month/Year						
_		0608						
1.	When was the last PQA Plus site assessment conducted?							
	Has this site ever been audited under the Common Swine Industry Audit? 1 YES Item 8 = No, SKIP to question 10]	□3 NO □4 DK						
		Month/Year						
9.	9. When was the last Common Swine Industry Audit conducted?							
10.	Between June 1, 2020 and May 31, 2021 , were antibiotics used in swine water or feed on this site?							
_	Item 10 = NO or DK, SKIP to Section 7]							
	OTE: For Item 11, check N/A for items 11a – 11d <u>only</u> if antibiotics were not used via that delivery rone delivered by Water).	nethod (e.g.,						
11.	. Between June 1, 2020 and May 31, 2021 , when antibiotics were used in water or feed on this site wh following information was recorded? (Check Yes , No , DK or N/A for each)	ich of the						
	Water Feed							
	a. Date antibiotic use began0612 1 YES 3 NO 4 DK 2 N/A 0616 1 YES 3 NO	□4 DK □2 N/A						
	b. Date antibiotic use ended0613 1 YES 3 NO 4 DK 2 N/A 0617 1 YES 3 NO	☐4 DK ☐2 N/A						
	c. Antibiotic used	□4 DK □2 N/A						
		□4 DK □2 N/A						

SECTION 7 – CONCLUSION

1.	ENTER INTERVIEW RESPONSE CODE	
	☐ 2 - Out of business ☐ 3 - Refusal of LES ☐ 4 - Complete LES: signed CONSENT FORM ☐ 5 - Complete LES: refused CONSENT FORM ☐ 6 - Out of scope ☐ 7 - Office hold ☐ 8 - Inaccessible	Code 2000
[If I	tem 1 = 3 or 5, complete Item 2; otherwise SKIP to Item 3]	
2.	ENTER REFUSAL REASON CODE	
	1 - Does not want to commit time to the project	Code
	2 - Does not want involvement with government veterinarian	2001
	☐ 3 - Does not have necessary records available☐ 4 - Has participated in too many surveys	
	5 - Does not want outside people on the swine site	
	☐ 6 - A bad time of year due to planting, harvesting, second job, etc.☐ 7 - Currently has or recently had disease problem with herd	
	8 - Believes that surveys and reports hurt the farmer more than help	
	9 - Could not get Owner/Contractor permission	
	☐10- No reason given or other miscellaneous reasons	
2	ENDING TIME [MILITARY]	2002
٥.		
	200	3 MM DD YY
4.	DATE OF INTERVIEW	

				OI	FFICE U	SE ONLY	•					
Response		Respondent		Mode		Enum.	Enum. Eval.		Office Use for POID			
1-Comp 2-R 3-Inac 4-Office Hold 5-R – Est 6-Inac – Est 7-Off Hold – Est	9901	1-Op/Mgr 2-Spouse 3-Acct/Bkpr 4-Partner 9-Other	9902	1-PASI (Mail) 2-PATI (Tel) 3-PAPI (Face-to- Face) 6-Email 7-Fax 19-Other	9903	9998	9900 R. Unit 9921	9985	9989	Opti	onal Use 9906	9916