DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency

RESIDENTIAL BASEMENT FLOODPROOFING CERTIFICATE

Expiration: 11/30/2016

OMB Control Number: 1660-0033

PAPERWORK BURDEN DISCLOSURE NOTICE

Public reporting burden for this data collection is estimated to average 3.25 hours per response. The burden estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and submitting this Residential Basement Floodproofing Certificate. You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this Residential Basement Floodproofing Certificate. Send comments regarding the accuracy of the burden estimate and any suggestions for reducing the burden to: Information Collections Management, Department of Homeland Security, Federal Emergency Management Agency, 500 C Street, SW, Washington, DC 20472, Paperwork Reduction Project (1660-0033). NOTE: Do not send your completed form to this address.

Privacy Act Statement

AUTHORITY

National Flood Insurance Act of 1968, as amended (42 U.S.C. § 4001 et seq.).

PRINCIPAL PURPOSE(S)

This information is being collected for two primary purposes. First, for community use in documenting compliance with floodplain management ordinances, where records are maintained by the community. Second, for flood insurance purposes of estimating the risk premium rates necessary to provide flood insurance for new or substantially improved structures in designated Special Flood Hazard Areas. Records are located at the facility that underwrites and administers the policy (Write Your Own (WYO) companies or the Federal Emergency Management Agency's (FEMA) National Flood Insurance Program (NFIP) Direct).

ROUTINE USE(S)

When this form is maintained by FEMA and is used in conjunction with the application and maintenance of a flood insurance policy, the information requested on this form may be shared externally as a "routine use" to authorized WYO companies receiving transferred policies, to assist the Department of Homeland Security (DHS)/FEMA in estimating the risk premium rates necessary to provide flood insurance for new or substantially improved structures in designated Special Flood Hazard Areas. A complete list of the routine uses can be found in the system of records notice associated with this form, "DHS/FEMA-003 - National Flood Insurance Program Files 79 Fed. Reg. 28,747 (May 19, 2014); and upon written request, written consent, by agreement, or as required by law. The Department's full list of system of records notices can be found on the Department's website at http://www.dhs.gov/system-records-notices-sorns.

DISCLOSURE

The disclosure of information on this form is voluntary; however, failure to provide the information requested may result in the inability to obtain flood insurance through the National Flood Insurance Program, or the building being subject to higher premium rates for flood insurance. Information will only be released as permitted by law.

RESIDENTIAL BASEMENT FLOODPROOFING CERTIFICATE

BUILDING OWNER'S NAME					FOR IN	SURANCE COMPANY USE		
					POLICY N	IUMBER		
BUILDING STREET ADDRESS (Including Apt., Unit N	lumber)				COMPAN	Y NAIC NUMBER		
OTHER DESCRIPTION (Lot and Block Numbers, etc.	<u> </u>							
CITY		STATE				ZIPCODE		
I STATE								
SECTION L. ELOC	D INSTIDANCE	DATE M	AD (FIDM)	INFORMA	TION			
SECTION I - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION Provide the following from the FIRM and flood profile (from Flood Insurance Study)								
COMMUNITY DANEL DATE O	ie I	BASE F		NAME OF FLOODING SOURCE(S)				
NUMBER NUMBER SUFFIX FIRM	ZONE	ZONE (In AO Zones, Use depth)				AFFECTING BUILDING		
Indicate elevation datum used for Base Flood Elevation shows	n above: NO	SVD 1929 [NAVD 1	988 🔲 O	ther/Source	:		
SECTION II - FLOODPROOFED ELEVATION CE	RTIFICATION	(By a Regi	stered Pro	fessional L	and Surve	yor, Engineer, or Architect)		
All elevations must be based on finished construction.		-				· · · · · · · · · · · · · · · · · · ·		
Floodproofing Elevation Information for Zones A1	·30, AE, AH, A0	O:						
Building is floodproofed to an elevation of	. fee	et. (In P	uerto Rico	only:		meters.)		
(Elevation datum used must be the same as the	at on the FIRM.)						
Elevation of the top of the basement floor is	fee	et. (In P	uerto Rico	only:		meters.)		
Lowest adjacent (finished) grade next to the building (L	-AG):		feet.	(In Puert	o Rico onl	y: meters.)		
Highest adjacent (finished) grade next to the building (HAG):		feet.	(In Puert	o Rico onl	y: meters.)		
Indicate elevation datum used for Section II: NGVD 192	9 NAVD 198	38 🔲 Oth	er/Source:					
 (NOTE: For insurance rating purposes, the building's f	loodproofed ele	vation mus	st be at lea	ast 1 foot a	bove the E	sase Flood Elevation to receive		
rating credit. If the building is floodproofed only to								
premium.)								
Section II certification is to be signed and sealed by a l	and surveyor, e	engineer, o	r architect	authorized	by law to	certify elevation information.		
I certify that the information in Section II on this Certific								
using the available information and data. I understar Code, Section 1001.	id that any fais	se stateme	nt may be	punisnabi	e by fine c	r imprisonment under 18 0.5.		
CERTIFIER'S NAME	LICENSE NUI	MBER (or a	affix Seal)					
TITLE	COMPANY NA	AME						
ADDRESS	CITY		STATE	ZIP COD				
SIGNATURE	PHONE NO.		DATE	1				
						Place Seal Here		

RESIDENTIAL BASEMENT FLOODPROOFING CERTIFICATE cont.

BUILDING STREET ADDRESS (Including Apt., Unit N	lumber)								
CITY		STATE			ZIPCODE				
SECTION III - FLOODPROOFING (CERTIFICATION	N (By a Reg	gistered P	rofessional Eng	gineer or Architect)				
Residential Floo					· · · · · · · · · · · · · · · · · · ·				
I certify the structure, based upon development and/ inspection, has been designed and constructed in ac equivalent) and any alterations also meet those standard	cordance with t	he accepte	d standa						
* Basement area, together with attendant utilit elevation with walls that are impermeable to the									
* Basement walls and floor are capable of resi resulting from flooding to the floodproofing des occur from floods that exceed the floodproofin	sign elevation; a	nd have be							
* Building design, including the floodproofing of	lesign elevation	, complies	with comn	nunity requirem	nents; and				
* Soil or fill adjacent to the structure is compacted and protected against erosion and local scour (in accordance with ASCE 24).									
I certify that the information in Section III on this certific									
CERTIFIER'S NAME	ement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. LICENSE NUMBER (or affix Seal)								
	LIGENCE IVON	MIBER (or ann. Scar)							
TITLE		NAME							
IIILE	COMPANY NAME								
ADDDEGG	OITY	<u> </u>	07475	710 0005	-				
ADDRESS	CITY		STATE	ZIP CODE					
SIGNATURE	PHONE NO.		DATE						
SIGNATURE	PHONE NO.		DATE		Place Seal Here				
					T lace ocal field				
Copies of this certificate must be given to:	1) the commun	ity official: 2	2) the insu	ırance agent: a	and 3) the building owner.				

FEMA FORM 086-0-24 (09/16)

RESIDENTIAL BASEMENT FLOODPROOFING CERTIFICATE cont.

Instructions for Completing the Residential Basement Floodproofing Certificate

To receive credit for floodproofing, a completed Residential Basement Floodproofing Certificate is required for residential buildings with basements in Regular Program communities, located in zones A1 -A30, AE, AR, AR Dual, AO, AH, and A with BFE.

The communities must have been specifically approved and authorized by FEMA to receive residential basement floodproofing rating credit. Approved communities are listed in the Special Certifications section of the NFIP Flood Insurance Manual, available on the FEMA website at https://www.fema.gov/flood-insurance-manual.

When applying for flood insurance, the following information must be provided with the completed Residential Basement Floodproofing Certificate:

- The Flood Insurance Application
- At least two photographs of the building.

FEMA FORM 086-0-24 (09/16)