

U.S. Department of Transportation Federal Aviation Administration

FAA Form 7140-1, Notice of Proposed Outdoor Laser Operation(s)

Paperwork Reduction Act Statement

A federal agency may not conduct or sponsor, and a person is not required to respond to, nor shall a person be subject to a penalty for failure to comply with a collection of information subject to the requirements of the Paperwork Reduction Act unless that collection of information displays a currently valid OMB control number. The OMB control number for this information collection is 2120-0662. Public reporting for this collection of information is estimated to be approximately 240 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, completing, and reviewing the collection of information.

The Federal Aviation Administration (FAA) requires all responses to this collection of information if the proponent wishes to obtain or retain benefits available per Title 21 Code of Federal Regulations Part 1010. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: Information Collection Clearance Officer, Federal Aviation Administration, 10101 Hillwood Parkway, Fort Worth, TX 76177-1524.

Instructions to Complete

Use FAA Order JO 7400.2, Chapter 29 as a reference for additional background information. Consult FAA Advisory Circular (AC) 70-1 for detailed instructions to assist with completing, submitting, and the expected disposition of this form. FAA provides public access to these documents via https://www.faa.gov/regulations_policies.

Please print or type on this form and complete all sections prior to submission to the appropriate FAA service center. To enhance clarity, use plain language and numbers, e.g., decimal notation (0.7277) instead of scientific notation (72.77 x 10⁻² or 72.77E-02). Failure to provide all requested information may delay processing.

Form Approved OMB No 2120-0662 Expiration Date: 08/31/2024

Please print or type on this form. Failure to provide all requested information may delay processing.

-	ź	$\overline{}$	
1		Э,	
		4	Œ
V			
	v		

U.S. Department of Transportation Federal Aviation Administration

Notice of Proposed Outdoor Laser Operation(s)

recipe of the person of the pe							
1. General information							
a. To: (FAA Service Center)			b. From: (Proponent)				
c. Name of event			_				
or facility			d. Report date				
			•				
e. Customer			f. Site address				
Date(s) and time(s) of laser operation a. Testing and alignment			b. Operation				
a. Testing and angriment			b. Operation				
3. Brief description of laser operation							
4. On-site operation information							
a. Operator(s)							
b. On-site phone #1			c. On-site phone #2				
(primary)			(secondary)				
5. FDA/CDRH information (if applicable)							
a. Variance #		Variance		c. Accession #			
	ex	piration date					
6. Brief description of control measures	<u> </u>						
7. Attachments							
a. Number of laser configurations: State the to	otal number of co	onfigurations and complet	e a copy of page 2 (blocks 10 tl	hrough 15) for each configuration			
b. Attachments: List all attachments, e.g., map	ps, diagrams, cor	ntrol measure details, cal	culation details, or software prin	touts			
8. Designated contact person (if FAA requires further information)							
a. Name			b. Position				
			a Familia				
c. Phone	d. Fax	e. E-mail					
9. Statement of accuracy To the best of my knowledge, the information provided in this form (all pages) and corresponding attachment(s) is accurate and correct							
a. Name			b. Position				
(if different from contact person)							
c. Signature			d. Date				

Form Approved OMB No 2120-0662 Expiration Date: 08/31/2024

Please print or type on this form. Failure to provide all requested information may delay processing.

Laser Configuration Worksheet							
10. Configuration information							
a. Configuration number of (example: 7 of 9)	b. Brief description of configuration						
11. Geographic location							
a. Site elevation (mean sea level), in feet:		d. Information determined by: GPS I	Map (topo) Other				
b. Laser height above site elevation (above g	ground level), in feet:	e. Latitude:degrees,	minutes,seconds				
c. Overall laser elevation (a) + (b), in feet:	mean sea level	f. Longitude:degrees,	minutes,seconds				
12. Beam characteristics and calculations	(check only one mode of operation and t	ill in only that column)					
MODE OF OPERATION	☐ Single pulse	☐ Continuous wave	☐ Repetitively pulsed				
a. Laser and beam characterists		1					
Laser type (example: DPSS, sodium-vapor, etc.)							
Laser hazard class (example: Class 3B or Class 4)							
Power Watts (W)	(not applicable)	(maximum power)	(average power)				
Pulse energy Joules (J)		(not applicable)					
Pulse duration		(not applicable)					
Seconds (s) Pulse repetition frequency (PRF) Hertz (Hz)		(not applicable)					
Beam diameter at 1/e points Centimeters (cm)							
Beam divergence 1/e at full angle Milliradians (mrad)							
Wavelength(s) Nanometers (nm)							
b. Maximum permissible exposure (MPE) v	alues (use this value to calculate the NOHL	D)					
MPE Milliwatts per square cm (mW/cm²)	(not applicable)						
MPE per pulse Joules per square cm (J/cm²)		(not applicable)					
c. Visual effect calculations The following items are for lasers with visible	a wayalangths (400 700 nm) If the laser h	as no visible wavelengths, enter "N/A (non v	visible laser)" in all blocks				
Pre-corrected power (PCP)	Pulse energy (J) x 4	Maximum power (W)	Pulse energy (J) x PRF (Hz)				
Watts (W) Visual correction factor (VCF)							
Enter "1.0" or use FAA AC 70-1 Table 3 Visually corrected power							
PCP x VCF							
Beam direction(s) a. Maximum elevation angle		c. Azimuth					
(degrees)		(degrees)	☐ True or ☐ Magnetic north				
b. Minimum elevation angle (degrees, where horizontal = 0 degrees)		d. Magnetic variation (degrees)					
14. Protection distances (fill in all three co.	lumns below)						
·	Slant range (feet)	Horizontal distance (feet)	Vertical distance (feet)				
a. NOHD (based on MPE value)							
The following items are for lasers with visible	e wavelengths (400-700 nm). If the laser ha	as no visible wavelengths, enter "N/A (non-v	visible laser)" in all blocks.				
b. SZED (for 100 μW/cm²)							
c. CZED (for 5 μW/cm²)							
d. LFED (for 50 nW/cm²)							
15. Calculation method							
☐ Commercial software (print product name) ☐ Other (describe method such as a spreadsheet or calculator)							