




Primary Bloodstream Infection (BSI)

Page 1 of 5	*required for saving **required for completion					
Facility ID:	Event #:					
*Patient ID:	Social Security #:					
Secondary ID:	Medicare #:					
Patient Name, Last:	First: Middle:					
*Gender: F M Other	*Date of Birth:					
Ethnicity (Specify):	Race (Specify):					
*Event Type: BSI	*Date of Event:					
Post-procedure BSI: Yes No	Date of Procedure:					
NHSN Procedure Code:	ICD-10-PCS or CPT Procedure Code:					
*MDRO Infection Surveillance:						
$\hfill\Box$ Yes, this infection's pathogen & location are in-plan for Infect	ion Surveillance in the MDRO/CDI Module					
$\hfill\Box$ No, this infection's pathogen & location are \textbf{not} in-plan for Inf	fection Surveillance in the MDRO/CDI Module					
*Date Admitted to Facility:	*Location:					
Risk Factors						
*If ICU/Other locations, Central line: Yes No	Check all that apply: Yes□ No□ *Any hemodialysis catheter present					
*If Specialty Care Area/Oncology,	Yes□ No□ *Extracorporeal life support present (ECLS or ECMO)					
Permanent central line: Yes No	Yes□ No□ *Ventricular-assist device (VAD) present					
Temporary central line: Yes No	Yes□ No□ *Known or suspected Munchausen Syndrome by Proxy					
	during current admission					
	Yes□ No□ *Observed or suspected patient injection into vascular line(s) within the BSI infection window period					
	Yes□ No□ *Epidermolysis bullosa during current admission Yes□ No□ *Matching organism is identified in blood and from a					
	site-specific specimen, both collected within the infection window period and pus is present at one of					
	the following vascular sites from which the specimen was collected:					
	□ Arterial catheter					
*If NICU, Central line, including umbilical catheter	□ Arteriovenous fistula					
Yes No	□ Arteriovenous graft					
Birth weight (grams)	☐ Atrial lines (Right and Left)					
	☐ Hemodialysis reliable outflow (HERO)					
	catheter					
	□ Intra-aortic balloon pump (IABP) device					
	□ Non-accessed central line (not accessed inserted during the admission)					
	□ Peripheral IV or Midline catheter					
	Location of Device Insertion:					
	Date of Device Insertion://					
	I					
Assurance of Confidentiality: The voluntarily provided information of	otained in this surveillance system that would permit identification of any individual or institution is					
	be used only for the purposes stated, and will not otherwise be disclosed or released without the ns 304, 306 and 308(d) of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)).					
data sources, gathering and maintaining the data needed, and comp is not required to respond to a collection of information unless it disp	Public reporting burden of this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other					
	ucing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS D-74, Atlanta, GA 30333,					

CDC 57.108 (Front) Rev. 11 v9.4



	nt: Laboratory-confirmed								
Specify Criterians & Symn	ria Used: otoms (check all that apply)								
<u>yns & Symp</u> ny Patient	noms (check all that apply)		≤ 1 year old	1		Underlying	conditions fo	r MBI-LCBI (check a	all that apply).
Fever			□ Fever	<u>-</u>			Γ with Grade ≥		ан инисируу .
Chills			☐ Hypother	mia			√with diarrhea	-	
- Hypotensior	n		□ Apnea			□ Neutrope	enia (WBC or	ANC < 500 cells mr	m³)
			□ Bradycar	dia		Laboraton	, (abaal, ana)		
							(check one)	from one or more b	lood cultures
								from \geq 2 blood cultu	
ied: Yes	No				BSI Contrib	uted to Death: Yes No			
charge Da					*Pathogens	Identified:	Yes No	*If Yes	, specify on pages 2
VID-19: Y									
es: ⊔Conii thogen #	rmed □Suspected Gram-positive Organisi	ne							
lilogeπ #	Grain-positive Organisi	113							
	Staphylococcus coagulas	se-negative		VANC					
	(specify species if available	ole):							
	Enterococcus faeciu	ım		DAPTO	GENTHL [§]	LNZ	VANC		
•				SNSN	SRN	SIRN	SIRN		
	Enterococcus faeca	IIS							
	Entoroposico								
	Enterococcus spp. (Only those not ide	entified to the	species level)						
	Staphylococcus aureus		30.00 10 401)						
		CIPRO/LEV	O/MOXI	CLIND	DAPTO	DOXY/MINO	ERYTH	GENT	LNZ
		SIRN		SIRN	SNSN	SIRN	SIRN	SIRN	SRN
		OX/CEFOX	/METH	RIF	TETRA	TIG	TMZ	VANC	
		SIRN	-	SIRN	SIRN	S NS N	SIRN	SIRN	
athogen#	Gram-negative Organis	ms							
	Asinatahaatar	AMK	AMPSUL	AZT	CEFEP	CEFTAZ	CIPRO/L	EVO.	COL/PB
	Acinetobacter (specify species)	SIRN SIRN		SIRN SIRN		SIRN SIRN		SIRN	
		GENT	IMI	MERO/DO	RI	PIP/PIPTAZ			OXY/MINO
		SIRN	SIRN	SIRN		SIRN		SIRN	
		TMZ	TOBRA						
		SIRN	SIRN						
	Escherichia coli AMK AMP		AMD	AMPSUL/A	MYCL V	AZT	CEFAZ	CEFEP	CEFOT/CEFTR)
	Escriencina con	SIRN	SIRN	SIRN	AWIACLV	SIRN	SIRN	S I/S-DD R N	SIRN
		J	J	J			J	3 2 D IVIV	· · · · · ·
		CEFTAZ	CEFUR	CEFOX/CE	TET	CIPRO/LEVO	/MOXI	COL/PB [†]	
		SIRN	SIRN	SIRN		SIRN		SRN	
		ERTA	GENT	IMI	MERO/DORI		PIPTAZ	TETRA/DOXY/M	IINO
		SIRN	SIRN	SIRN	SIRN		SIRN	SIRN	-
		T IC		 :					
		TIG SIRN	TMZ SIRN	TOBRA SIRN					
		JIKN	JIKIN	JIN					
	Enterobacter	AMK	AMP	AMPSUL/A	AMXCLV	AZT	CEFAZ	CEFEP	CEFOT/CEFTR
	(specify species)	SIRN	SIRN	SIRN		SIRN	SIRN	S I/S-DD R N	SIRN
		CEFTAZ	CEFUR	CEFOX/CE	TET	CIPRO/LEVO	/MOXI	COL/PB [†]	
		SIRN	SIRN	SIRN		SIRN		SRN	
		ERTA SIRN	GENT SIRN	IMI SIRN	MERO/DORI SIRN		PIPTAZ SIRN	TETRA/DOXY/M SIRN	IINO
		SIRN	SIKN	SIRN	SIKN		SIRIN	SINN	
		TIG	TMZ	TOBRA					
		SIRN	SIRN	SIRN					
	Klebsiella	AMK	AMP	AMPSUL/A	MYCL V	AZT	CEFAZ	CEFEP	CEFOT/CEFTR
		SIRN	SIRN	SIRN	NINCL V	SIRN	SIRN	S I/S-DD R N	SIRN
	pneumonia					-			
	pneumonia					CIPRO/LEVO	/MOXI	COL/PB [†]	
	Klebsiella	CEFTAZ	CEFUR	CEFOX/CE	:151				
	· ·	CEFTAZ SIRN	CEFUR SIRN	CEFOX/CE SIRN	:1E1	SIRN		SRN	
	Klebsiella				MERO/DORI		PIPTAZ		IINO





TIG	TMZ	TOBRA
SIRN	SIRN	SIRN





Primary Bloodstream Infection (BSI)

Page 4 of 5

Pathogen #	Gram-negative Organisms (continued)									
	Pseudomonas aeruginosa	AMK SIRN	AZT SIRN	CEFEP SIRN	CEFTAZ SIRN		CIPRO/LEVO SIRN	COL/PB SIRN	GENT SIRN	I
		IMI SIRN	MERO/DO SIRN	DRI	PIP/PIPT SIRN	AZ	TOBRA SIRN			
Pathogen #	Fungal Organisms									
	Candida (specify species if available)	ANID SIRN	CASPO S NS N	FLUCO S S-DD R N		FLUCY SIRN	ITRA S S-DD R N	MICA S NS N	VORI S S-DI) R N
Pathogen #	Other Organisms									
	Organism 1 (specify) Organism 1 (specify)	Ug 1 SIRN Dr ug 1 SIRN	Drug 2 S I R N Drug 2 S I R N	Drug 3 S I R N Drug 3 S I R N	Drug 4 S I R N Drug 4 S I R N	ug 5 S I R N ug 5 S I R N	Drug 6 SIRN Drug 6 SIRN Drug 6 SIRN	Drug 7 S I R N Drug 7 S I R N	Drug 8 S I R N Drug 8 S I R N	Drug 9 S I R N Drug 9 S I R N
	Organism 1 (specify)	ug 1 S I R N	Drug 2 S I R N	Drug 3 S I R N	Drug 4 S I R N	ug 5 S I R N	Dr Drug 6 S I R N	Drug 7 S I R N	Drug 8 S I R N	Drug 9 S I R N

Result Codes

 $S = Susceptible \ I = Intermediate \ R = Resistant \ NS = Non-susceptible \ S-DD = Susceptible-dose dependent \ N = Not tested$ § GENTHL results: S = Susceptible/Synergistic and R = Resistant/Not Synergistic

Drug Codes:

AMK = amikacin	CEFTRX = ceftriaxone	FLUCY = flucytosine	OX = oxacillin
AMP = ampicillin	CEFUR= cefuroxime	GENT = gentamicin	PB = polymyxin B
AMPSUL = ampicillin/sulbactam	CETET= cefotetan	GENTHL = gentamicin –high level test	PIP = piperacillin
AMXCLV = amoxicillin/clavulanic acid	CIPRO = ciprofloxacin	IMI = imipenem	PIPTAZ = piperacillin/tazobactam
ANID = anidulafungin	CLIND = clindamycin	ITRA = itraconazole	RIF = rifampin
AZT = aztreonam	COL = colistin	LEVO = levofloxacin	TETRA = tetracycline
CASPO = caspofungin	DAPTO = daptomycin	LNZ = linezolid	TIG = tigecycline
CEFAZ= cefazolin	DORI = doripenem	MERO = meropenem	TMZ = trimethoprim/sulfamethoxazole
CEFEP = cefepime	DOXY = doxycycline	METH = methicillin	TOBRA = tobramycin
CEFOT = cefotaxime	ERTA = ertapenem	MICA = micafungin	VANC = vancomycin
CEFOX= cefoxitin	ERYTH = erythromycin	MINO = minocycline	VORI = voriconazole
CEFTAZ = ceftazidime	FLUCO = fluconazole	MOXI = moxifloxacin	

 $^{^{\}dagger}$ Clinical breakpoints have not been set by FDA or CLSI, Sensitive and Resistant designations should be based upon epidemiological cutoffs of Sensitive MIC ≤ 2 and Resistant MIC ≥ 4





Primary Bloodstream Infection (BSI)

Page 5 of 5 Custom Fields	-	•		
Custom Fields				
Label		Label		
			/	
Comments				
Comments				