



Burden Disclosure: Public reporting burden for this collection of information is estimated to average of 5 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to: NIH, Project Clearance Branch, 6705 Rockledge Drive, MSC 7974, Bethesda, MD 20892-7974, ATTN: PRA (0925-0648) Do not return the completed form to this address.

Introduction: The Division of Scientific Equipment and Instrumentation Services (DSEIS) survey asks you about recent equipment maintenance or repair services we provided you.

Survey responses reside behind the NIH firewall and are secure to the extent permitted by law. For each question select the option that best represents your view. The survey will take about 5 minutes to complete. Try to answer each question within the survey as honestly and accurately as possible. Questions about this survey can be sent to Dr. Janice Rouiller, with the NIH Office of Research Services (ORS) Office of Quality Management (OQM) at ORSSurveySystem@mail.nih.gov

Next







	10%	
Who was	our service technician?	
○ Anth	y Jolly	
○ Char	Kirkendoll	
○ Glen	imons	
○ Bill S	th .	
O Jerry	us	
○ Do n	remember/Don't know	
Previous	Next	







20%

What was your request for?

O Routine/Preventative maintenance

O Repair services

Previous Next





Office of Research Services

DSEIS M	laintenance a	nd Re	pair Survey
---------	---------------	-------	-------------

50%		

Was your request::

- O Part of a maintanence agreement with DSEIS
- O A la carte, on demand, or as needed

Previous Next





Next

Previous







DSEIS Maintenance and Repair Survey		
DSEIS Maintenance and Repair Survey		
	40%)
How quickly did DSEIS staff respond to your initial request?		
○ Within the hour		
○ Same day		
○ Next day		
○ Three or more days		
○ Don't know		
○ Do not remember		
Previous Next		





Office of Research Services

DSEIS Maintenance and Repair Survey

	60%				
Was service completed within the agreed upon time frame?					
○ Yes					
○ No					
○ Don't Know					
○ Do not remember					
Previous Next					





Please rate the following aspects of the services you received.

	Unsatisfactory								Outstanding	Don't Know	Not Applicable
	1								10	D/K	N/A
										-,	,
Cost of service (s)	0	0	0	0	0	0	0	0	0	0	0
Cost of material(s)	0	0	0	0	0	0	0	0	0	0	0
Courteousness of service technician	0	0	0	0	0	•	•	0	•	0	0
Technical competence of service technician	0	0	0	0	0	0	0	0	0	0	0
Professionalism of service technician	0	0	0	0	0	0	0	0	0	0	0
Overall quality of service	0	0	0	0	0	0	0	0	0	0	0
Previous Next											>

National Institutes of Health Office of Management Office of Management	Services
DSEIS Maintenance and Repair Survey	
What was done particularly well with respect to the service?	\supset
^	
Previous Next	





