_			
•	_	١,	\sim
٦,	а	v	_

Privacy Impact Assessment Form v 1.47.4 Status Draft F-76139 Form Number Form Date 4/20/2020 8:58:04 AM Question Answer OPDIV: CDC PIA Unique Identifier: P-4154066-593122 2a Name: Technical Assistance Hub (TAH) General Support System (GSS) Major Application Minor Application (stand-alone) The subject of this PIA is which of the following? Minor Application (child) C Electronic Information Collection ○ Unknown Identify the Enterprise Performance Lifecycle Phase Development of the system. ○ Yes 3b Is this a FISMA-Reportable system? No Does the system include a Website or online application available to and for the use of the general No public? Agency Identify the operator. Contractor **POC Title Business Steward POC Name** Christi Jones POC Organization | NCIPC Point of Contact (POC): **POC Email** buv3@cdc.gov **POC Phone** 770.488.3703 New Is this a new or existing system? Existing Does the system have Security Authorization (SA)? No June 12, 2020 8b Planned Date of Security Authorization ☐ Not Applicable

Save

11	Describe the purpose of the system.	The purpose of this system is to create a Technical Assistance (TA) Hub that delivers comprehensive technical assistance and	
12	Describe the type of information the system will collect, maintain (store), or share. (Subsequent questions will identify if this information is PII and ask about the specific data elements.)	TAH collect organizational email addresses to send notifications and collaborate with other users, password for authentication, and security role to specify privileges of the users in the system. TAH also collects user names to identify a	
13	•••	TAH collect basic program inforprogram participants request for administration and execution control of the con	rmation on OD2A; OD2A or technical assistance; the
14	Does the system collect, maintain, use or share PII?	YeNo	
15	Indicate the type of PII that the system will collect or maintain.	 Social Security Number Name Driver's License Number Mother's Maiden Name E-Mail Address Phone Numbers Medical Notes Certificates Education Records Military Status Foreign Activities Taxpayer ID UserID & Password 	□ Date of Birth □ Photographic Identifiers □ Biometric Identifiers □ Vehicle Identifiers □ Mailing Address □ Medical Records Number □ Financial Account Info □ Legal Documents □ Device Identifiers ☒ Employment Status □ Passport Number
16	Indicate the categories of individuals about whom PII is collected, maintained or shared.	 ☑ Employees ☐ Public Citizens ☑ Business Partners/Contacts (Federal, state, local agencies) ☑ Vendors/Suppliers/Contractors ☐ Patients Other 	
17	How many individuals' PII is in the system?	100-499	
18	For what primary purpose is the PII used?	The PII Information is used for user registration, login and contact and follow-up.	
19	Describe the secondary uses for which the PII will be used (e.g. testing, training or research)	N/A	
20	Describe the function of the SSN.	N/A	

			Save
20a	Cite the legal authority to use the SSN.	N/A	
21	Identify legal authorities governing information use and disclosure specific to the system and program.	Public Health Service Act, Section 301, "Research and Investigation" (42 U.S.C. 241)	
22	Are records on the system retrieved by one or more PII data elements?	○ Yes	
		Directly from an individual about whom the information pertains In-Person Hard Copy: Mail/Fax Email Online Other Government Sources	
23	Identify the sources of PII in the system.	Within the OPDIV Other HHS OPDIV State/Local/Tribal Foreign Other Federal Entities Other Non-Government Sources Members of the Public	

TBD

Identify the OMB information collection approval number and expiration date.

24 Is the PII shared with other organizations?

23a

Commercial Data Broker Public Media/Internet

○ Yes

No

Private Sector

Other

		The participants are informed that personal information is required for registration and identify proofing. The contractor communicates to the site users in three ways: 1) Site registration form- The online form that people use to
25	Describe the process in place to notify individuals that their personal information will be collected. If no prior notice is given, explain the reason.	request access (membership) to the OD2A-TAC website includes the following notice before the entry fields: "NOTE: Personally identifiable information (e.g., name, email address) is collected solely for the purposes of providing password-protected access to the OD2A-TAC website, facilitating internal communication among OD2A-TAC website users, and sending system notifications." 2) Site My Account Edit screen – The Site My Account screen which allows the site users to view and edit their Personal information has the following disclaimer: "NOTE: Personally identifiable information (e.g., name, email address) is collected solely for the purposes of providing password-protected access to the OD2A-TAC website, facilitating internal communication among OD2A-TAC website users, and sending system notifications." 3) Site Login screen – The login screen contains a disclaimer stating unauthorized or improper use of this system is prohibited and may result in disciplinary action and/or civil and criminal penalties. At any time, and for any lawful government purpose, the government may monitor, record, and audit your system usage and/or intercept, search and seize any communication or data transiting or stored on this system. Therefore, you have no reasonable expectation of privacy. Any communication or data transiting or stored on this system may be disclosed or used for any lawful Government purpose."
26	Is the submission of PII by individuals voluntary or mandatory?	✓ Voluntary✓ Mandatory
27	Describe the method for individuals to opt-out of the collection or use of their PII. If there is no option to object to the information collection, provide a reason.	There is no method to opt out of the collection of the PII for this systems since the PII collected is name, email address, and employment status is required in order to communicate with the site users. We could not communicate or authenticate the users without the PII requested.
28	Describe the process to notify and obtain consent from the individuals whose PII is in the system when major changes occur to the system (e.g., disclosure and/or data uses have changed since the notice at the time of original collection). Alternatively, describe why they cannot be notified or have their consent obtained.	The participants are contacted via email to notify and obtain consent when major changes occur.

29	Describe the process in place to resolve an individual's concerns when they believe their PII has been inappropriately obtained, used, or disclosed, or that the PII is inaccurate. If no process exists, explain why not.	User PII is limited to name, email, jurisdiction, and role – all of which are intended to be shared within the system with other users, via a member directory. Internal sharing of this information facilitates connections and communication among OD2A recipients, who are eager to learn from and support one another. The notice on the member directory records reminds users "Personally identifiable information (e.g., name, email address) is provided solely for the purposes of internal communication among OD2A Technical Assistance Center (TAC) website users and for system notifications.". Users also have access to their own account profile, which they can update or correct at any time, to fix any inaccurate PII. Users can contact overdosedata2action@cdc.gov with concerns about the use of their personal information.		
30	Describe the process in place for periodic reviews of PII contained in the system to ensure the data's integrity, availability, accuracy and relevancy. If no processes are in place, explain why not.	The system automatically prompts users (via email) every 60 days to update their password and review their profile information. This encourages self-maintenance of PII. New requests for system access are reviewed to ensure that only agency email addresses are used and to check for correct role selection. They are also reviewed and approved by DOP before being added to the system. This process takes place on a rolling basis to ensure new users are added to the system in a timely manner. Contractor Administrators and Developers may also access user profiles when needed – for example to delete them if DOP leadership requests this (for a recipient who had retired or resigned, for example).		
		⊠ Users	The users have access to PII for collaboration and or editing.	
			Indirect contractors add, edit, remove; PII to ensure integrity, accuracy and relevancy of information.	
31	Identify who will have access to the PII in the system and the reason why they require access.	□ Developers	Indirect contractors debugging data-related issues.	
			Indirect contractors add, edit, remove; PII to ensure integrity, accuracy and relevancy of information.	
		Others		
32	Describe the procedures in place to determine which system users (administrators, developers, contractors, etc.) may access PII.	Users' roles are approved by the program management team and they do not have access to PII. The program management team must approve all user role classifications before they are		
33	Describe the methods in place to allow those with access to PII to only access the minimum amount of information necessary to perform their job.	The site will only collect the bare minimum PII in order to register the user on the site and ensure that the user is who they say they are. Furthermore, role-based access control are in place to ensure the concept of "least privilege" is implemented. Job function determines the level of access and users are assigned only those rights necessary to fulfill responsibilities for approved roles and system-level audit controls to safeguard and audit use.		

dentify training and awareness provided to personnel (system owners, managers, operators, contractors and/or program managers) using the system to make them aware of their responsibilities for protecting the information being collected and maintained. Describe training system users receive (above and beyond general security and privacy awareness training). Do contracts include Federal Acquisition Regulation and other appropriate clauses ensuring adherence to privacy provisions and practices? Training for administrators and developers is tailored to the TAH information system and their roles. Training for administrators and developers is tailored to the TAH information system and their roles. Training for administrators and developers is tailored to the TAH information system and their roles. Training for administrators and developers is tailored to the TAH information system and their roles. Training for administrators and developers is tailored to the TAH information system and their roles. Training for administrators and developers is tailored to the TAH information system and their roles. Training for administrators and developers is tailored to the TAH information system and their roles. Training for administrators and developers is tailored to the TAH information system and their roles. Training for administrators and developers is tailored to the TAH information system and their roles. Training for administrators and developers is tailored to the TAH information system and the Amazor with contractual agreements. Training for administrators and developers is tailored to the TAH information system and the Amazor with retention schedules. Source documents for Copy Records are a retained for the agency from to three years in accordance with retention schedules. Source documents for computer sare disposed of when they are no longer needed in the support of the supp				
as a contractors and/or program managers) using the system to make them aware of their responsibilities for protecting the information being collected and maintained. Describe training system users receive (above and beyond general security and privacy awareness training). Do contracts include Federal Acquisition Regulation and other appropriate clauses ensuring adherence to privacy provisions and practices? Records are retained and disposed of in accordance with the CDC Records Control Schedule (N1 -442-09-1) and in accordance with the CDC Records Control Schedule (N1 -442-09-1) and in accordance with the repart to the retention and destruction of PII. Cite specific records retention schedules. Describe the process and guidelines in place with regard to the retention and destruction of PII. Cite specific records retention schedules. Describe the records retention schedules. Describe the records retention schedules. Describe the records retention and destruction of PII. Cite specific records retention schedules. Describe the process and guidelines in place with regard to the retention and destruction of PII. Cite specific records retention schedules. Describe the process and guidelines in place with retention schedules. Source documents for computers are disposed of when they are not longer needed by program officials, Personal identifiers may be deleted from records when no longer needed in the study as determined by the system manager, and as provided in the signed consent form, as appropriate. Disposal methods include erasing computer tapes, burning or shredding paper materials or transferring records to the Federal Records Center when no longer needed for evaluation and analysis. Records are retained for 20 years; for longer periods if further study is needed. The administrative security controls employed include adhering to department, policies and procedures around se				
system to make them aware of their responsibilities for protecting the information being collected and maintained. Describe training system users receive (above and beyond general security and privacy awareness training). Do contracts include Federal Acquisition Regulation and other appropriate clauses ensuring adherence to privacy provisions and practices? Records are retained and disposed of in accordance with the CDC Records Control Schedule (N1-442-09-1) and in accordance with contractual agreement. Record copy of study reports are maintained in the agency from two to three years in accordance with retention schedule Schedule (N1-442-09-1) and in accordance with retention schedule Schedule (N1-442-09-1) and in accordance with contractual agreement. Record copy of study reports are maintained in the agency from two to three years in accordance with retention schedule Schedule (N1-42-09-1) and in accordance with retention schedule Schedule (N1-42-09-1) and in accordance with contractual agreement. Record copy of study reports are maintained in the agency from two to three years in accordance with retention schedule Schedule (N1-42-09-1) and in accordance with retention schedules. Program officials. Personal identifiers may be deleted from records when no longer needed in the study as determined by the system manager, and as provided in the signed consent form, as appropriate. Disposal methods include erasing computer tapes, burning or shredding paper materials or transferring records to the Federal Records Center when no longer needed for evaluation and analysis. Records are retained for 20 years; for longer periods if further study is needed. The administrative security controls employed include adhering to department, policies and procedures around security and privacy, and annual awareness training for all users			All staff are required to take annual training in cybersecurity,	
for protecting the information being collected and maintained. Describe training system users receive (above and beyond general security and privacy awareness training). Do contracts include Federal Acquisition Regulation and other appropriate clauses ensuring adherence to privacy provisions and practices? Records are retained and disposed of in accordance with the CDC Records Control Schedule (N1-442-09-1) and in accordance with contractual agreement. Record copy of study reports are maintained in the agency from two to three years in accordance with contractual agreement. Record copy of study reports are maintained in the agency from two to three years in accordance with retention schedules. Source documents for computers are disposed of when they are no longer needed by program officials, Personal identifiers may be deleted from records when no longer needed in the signed consent form, as appropriate. Disposal methods include erasing computer tapes, burning or shredding paper materials or transferring records to the Federal Records Center when no longer needed for evaluation and analysis. Records are retained for 20 years; for longer periods if further study is needed. The administrative security controls employed include adhering to department, policies and procedures around security and privacy; and annual awareness training for all users holding accounts for the system. The technical controls are shared between the system and the Amazon Web Service (AWS) platform. The system provides controls such as multi-factor authentication for all users to include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.	34			
Describe training system users receive (above and beyond general security and privacy awareness training). Do contracts include Federal Acquisition Regulation and other appropriate clauses ensuring adherence to privacy provisions and practices? Records are retained and disposed of in accordance with the CDC Records Control Schedule (N1-442-09-1) and in accordance with contractual agreement. Record copy of study reports are maintained in the agency from two to three years in accordance with regard to the retention and destruction of PII. Cite specific records retention schedules. Pescribe the process and guidelines in place with regard to the retention and destruction of PII. Cite specific records retention schedules. Pescribe the process and guidelines in place with regard to the retention and destruction of PII. Cite specific records retention schedules. Pescribe the process and guidelines in place with regard to the retention and destruction of PII. Cite specific records retention schedules. Pescribe the process and guidelines in place with regard to the retention and destruction of PII. Cite specific records retention schedules. Pescribe the process and guidelines in place with regard to the retention and destruction of PII. Cite specific records retention schedules. Pescribe the process and guidelines in place with regard to the retention and destruction of PII. Cite specific records retention schedules. Source documents for computers are disposed of when they are no longer needed by program officials. Personal identifiers may be deleted from records when no longer needed in the study as determined by the system manager, and as provided in the signed consent form, as appropriate. Disposal methods include erasing computer tapes, burning or shredding paper materials or transferring records to the Federal Records Center when no longer needed for evaluation and analysis. Records are retained for 20 years; for longer periods if further study is needed. Price definition of PII. Cite secretary and provide		for protecting the information being collected and	reviewed and is in accordance with the CDC requirements.	
training for administrators and developers is tailored to the TAH information system and their roles. Do contracts include Federal Acquisition Regulation and other appropriate clauses ensuring adherence to privacy provisions and practices? Records are retained and disposed of in accordance with the CDC Records Control Schedule (N1-442-09-1) and in accordance with contractual agreement. Record copy of study reports are maintained in the agency from two to three years in accordance with contractual agreement. Record copy of study reports are maintained in the agency from two to three years in accordance with retention schedules. Source documents for computers are disposed of when they are no longer needed by program officials. Personal identifiers may be deleted from records when no longer needed in the study as determined by the system manager, and as provided in the signed consent form, as appropriate. Disposal methods include erasing computer tapes, burning or shredding paper materials or transferring records to the Federal Records Center when no longer needed for evaluation and analysis. Records are retained for 20 years; for longer periods if further study is needed. The administrative security controls employed include adhering to department, policies and procedures around security and privacy; and annual awareness training for all users holding accounts for the system. The technical controls are shared between the system and the Amazon Web Service (AWS) platform. The system provides controls such as multi-factor authentication for all users to include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.				
Do contracts include Federal Acquisition Regulation and other appropriate clauses ensuring adherence to privacy provisions and practices? Records are retained and disposed of in accordance with the CDC Records Control Schedule (N1-442-09-1) and in accordance with contractual agreement. Record copy of study reports are maintained in the agency from two to three years in accordance with retention schedules. Source documents for computers are disposed of when they are no longer needed by program officials. Personal identifiers may be deleted from records when no longer needed in the study as determined by the system manager, and as provided in the signed consent form, as appropriate. Disposal methods include erasing computer tapes, burning or shredding paper materials or transferring records to the Federal Records center when no longer needed for evaluation and analysis. Records are retained for 20 years; for longer periods if further study is needed. The administrative security controls employed include adhering to department, policies and procedures around security and privacy; and annual awareness training for all users holding accounts for the system. The technical controls are shared between the system and the Amazon Web Service (AWS) platform. The system provides controls such as multi-factor authentication for all users to include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.	25		Training for administrators and developers is tailored to the	
Do contracts include Federal Acquisition Regulation and other appropriate clauses ensuring adherence to privacy provisions and practices? Records are retained and disposed of in accordance with the CDC Records Control Schedule (N1-442-09-1) and in accordance with contractual agreement. Record copy of study reports are maintained in the agency from two to three years in accordance with retention schedules. Source documents for computers are disposed of when they are no longer needed by program officials. Personal identifiers may be deleted from records when no longer needed in the signed consent form, as appropriate. Disposal methods include erasing computer tapes, burning or shredding paper materials or transferring records to the Federal Records Center when no longer needed for evaluation and analysis. Records are retained for 20 years; for longer periods if further study is needed. The administrative security controls employed include adhering to department, policies and procedures around security and privacy; and annual awareness training for all users holding accounts for the system. The technical controls are shared between the system and the Amazon Web Service (AWS) platform. The system provides controls such as multi-factor authentication for all users to include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.	33	· · · · · · · · · · · · · · · · · · ·	· ·	
and other appropriate clauses ensuring adherence to privacy provisions and practices? Records are retained and disposed of in accordance with the CDC Records Control Schedule (N1-442-09-1) and in accordance with contractual agreement. Record copy of study reports are maintained in the agency from two to three years in accordance with retention schedules. Source documents for computers are disposed of when they are no longer needed by program officials. Personal identifiers may be deleted from records when no longer needed in the study as determined by the system manager, and as provided in the signed consent form, as appropriate. Disposal methods include erasing computer tapes, burning or shordding paper materials or transferring records to the Federal Records Center when no longer needed for evaluation and analysis. Records are retained for 20 years; for longer periods if further study is needed. The administrative security controls employed include adhering to department, policies and procedures around security and privacy; and annual awareness training for all users holding accounts for the system. The technical controls are shared between the system and the Amazon Web Service (AWS) platform. The system provides controls such as multi-factor authentication for all users to include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.			© Vor	
Records are retained and disposed of in accordance with the CDC Records Control Schedule (N1-442-09-1) and in accordance with contractual agreement. Record copy of study reports are maintained in the agency from two to three years in accordance with retention schedules. Source documents for computers are disposed of when they are no longer needed by program officials. Personal identifiers may be deleted from records when no longer needed in the study as determined by the system manager, and as provided in the signed consent form, as appropriate. Disposal methods include erasing computer tapes, burning or shredding paper materials or transferring records to the Federal Records Center when no longer needed for evaluation and analysis. Records are retained for 20 years; for longer periods if further study is needed. The administrative security controls employed include adhering to department, policies and procedures around security and privacy; and annual awareness training for all users holding accounts for the system. The technical controls are shared between the system and the Amazon Web Service (AWS) platform. The system provides controls such as multi-factor authentication for all users to include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.	36	and other appropriate clauses ensuring adherence to		
CDC Records Control Schedule (N1-442-09-1) and in accordance with contractual agreement. Record copy of study reports are maintained in the agency from two to three years in accordance with contractual agreement. Record copy of study reports are maintained in the agency from two to three years in accordance with retention schedules. Source documents for computers are disposed of when they are no longer needed by program officials. Personal identifiers may be deleted from records when no longer needed in the study as determined by the system manager, and as provided in the signed consent form, as appropriate. Disposal methods include erasing computer tapes, burning or shredding paper materials or transferring records to the Federal Records Center when no longer needed for evaluation and analysis. Records are retained for 20 years; for longer periods if further study is needed. The administrative security controls employed include adhering to department, policies and procedures around security and privacy; and annual awareness training for all users holding accounts for the system. The technical controls are shared between the system and the Amazon Web Service (AWS) platform. The system provides controls such as multi-factor authentication for all users to include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.		privacy provisions and practices?	(No	
accordance with contractual agreement. Record copy of study reports are maintained in the agency from two to three years in accordance with retention schedules. Source documents for computers are disposed of when they are no longer needed by program officials. Personal identifiers may be deleted from records when no longer needed in the study as determined by the specific records retention schedules. Describe the process and guidelines in place with regard to the retention and destruction of PII. Cite specific records retention schedules. The administrative security controls employed include and privacy; and annual awareness training for all users holding accounts for the system and the Amazon Web Service (AWS) platform. The system provides controls such as multi-factor authentication for all users to include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.				
Describe the process and guidelines in place with regard to the retention and destruction of PII. Cite specific records retention schedules. Describe the process and guidelines in place with regard to the retention and destruction of PII. Cite specific records retention schedules. Describe the process and guidelines in place with regard to the retention and destruction of PII. Cite specific records retention schedules. Program officials. Personal identifiers may be deleted from records when no longer needed in the study as determined by the system manager, and as provided in the signed consent form, as appropriate. Disposal methods include erasing computer tapes, burning or shredding paper materials or transferring records to the Federal Records Center when no longer needed for evaluation and analysis. Records are retained for 20 years; for longer periods if further study is needed. The administrative security controls employed include adhering to department, policies and procedures around security and privacy; and annual awareness training for all users holding accounts for the system. The technical controls are shared between the system and the Amazon Web Service (AWS) platform. The system provides controls such as multi-factor authentication for all users to include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.				
Describe the process and guidelines in place with regard to the retention and destruction of PII. Cite specific records retention schedules. Specific records retention schedules. Figure 137 regard to the retention and destruction of PII. Cite specific records retention schedules. Figure 248 regard to the retention and destruction of PII. Cite specific records retention schedules. Figure 249 records when no longer needed in the study as determined by the system manager, and as provided in the signed consent form, as appropriate. Disposal methods include erasing computer tapes, burning or shredding paper materials or transferring records to the Federal Records Center when no longer needed for evaluation and analysis. Records are retained for 20 years; for longer periods if further study is needed. The administrative security controls employed include adhering to department, policies and procedures around security and privacy; and annual awareness training for all users holding accounts for the system. The technical controls are shared between the system and the Amazon Web Service (AWS) platform. The system provides controls such as multi-factor authentication for all users to include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.				
Describe the process and guidelines in place with regard to the retention and destruction of PII. Cite specific records retention schedules. Describe the process and guidelines in place with regard to the retention and destruction of PII. Cite specific records retention schedules. Describe the process and guidelines in place with regard to the retention and destruction of PII. Cite specific records retention schedules. Describe the process and guidelines in place with specificity, how the PII will be secured in the system using administrative, technical, and physical controls. Describe, briefly but with specificity, how the PII will be secured in the system using administrative, technical, and physical controls. Computers are disposed of when they are no longer needed by program officials. Personal identifiers may be deleted from records when no longer needed in the system as provided in the signed consent form, as appropriate. Disposal methods include erasing computer tapes, burning or shredding paper materials or transferring records to the Federal Records Center when no longer needed for evaluation as provides in the Federal Records Center when no longer needed for evaluation as provided to a 20 years; for longer periods if further study is needed. The administrative security controls employed include adhering to department, policies and procedures around security and privacy; and annual awareness training for all users holding accounts for the system. The technical controls are shared between the system and the Amazon Web Service (AWS) platform. The system provides controls such as multi-factor authentication for all users to include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.				
records when no longer needed in the study as determined by the specific records retention schedules. records when no longer needed in the study as determined by the system manager, and as provided in the signed consent form, as appropriate. Disposal methods include erasing computer tapes, burning or shredding paper materials or transferring records to the Federal Records Center when no longer needed for evaluation and analysis. Records are retained for 20 years; for longer periods if further study is needed. The administrative security controls employed include adhering to department, policies and procedures around security and privacy; and annual awareness training for all users holding accounts for the system. The technical controls are shared between the system and the Amazon Web Service (AWS) platform. The system provides controls such as multi-factor authentication for all users to include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.				
the system manager, and as provided in the signed consent form, as appropriate. Disposal methods include erasing computer tapes, burning or shredding paper materials or transferring records to the Federal Records Center when no longer needed for evaluation and analysis. Records are retained for 20 years; for longer periods if further study is needed. The administrative security controls employed include adhering to department, policies and procedures around security and privacy; and annual awareness training for all users holding accounts for the system. The technical controls are shared between the system and the Amazon Web Service (AWS) platform. The system provides controls such as multi-factor authentication for all users to include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.			i	
form, as appropriate. Disposal methods include erasing computer tapes, burning or shredding paper materials or transferring records to the Federal Records Center when no longer needed for evaluation and analysis. Records are retained for 20 years; for longer periods if further study is needed. The administrative security controls employed include adhering to department, policies and procedures around security and privacy; and annual awareness training for all users holding accounts for the system. The technical controls are shared between the system and the Amazon Web Service (AWS) platform. The system provides controls such as multi- factor authentication for all users to include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.	37		· · · · · · · · · · · · · · · · · · ·	
computer tapes, burning or shredding paper materials or transferring records to the Federal Records Center when no longer needed for evaluation and analysis. Records are retained for 20 years; for longer periods if further study is needed. The administrative security controls employed include adhering to department, policies and procedures around security and privacy; and annual awareness training for all users holding accounts for the system. The technical controls are shared between the system and the Amazon Web Service (AWS) platform. The system provides controls such as multi-factor authentication for all users to include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.		specific records retention schedules.		
transferring records to the Federal Records Center when no longer needed for evaluation and analysis. Records are retained for 20 years; for longer periods if further study is needed. The administrative security controls employed include adhering to department, policies and procedures around security and privacy; and annual awareness training for all users holding accounts for the system. The technical controls are shared between the system and the Amazon Web Service (AWS) platform. The system provides controls such as multi-factor authentication for all users to include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.				
retained for 20 years; for longer periods if further study is needed. The administrative security controls employed include adhering to department, policies and procedures around security and privacy; and annual awareness training for all users holding accounts for the system. The technical controls are shared between the system and the Amazon Web Service (AWS) platform. The system provides controls such as multi-factor authentication for all users to include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.				
needed. The administrative security controls employed include adhering to department, policies and procedures around security and privacy; and annual awareness training for all users holding accounts for the system. The technical controls are shared between the system and the Amazon Web Service (AWS) platform. The system provides controls such as multi-factor authentication for all users to include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.			1 -	
The administrative security controls employed include adhering to department, policies and procedures around security and privacy; and annual awareness training for all users holding accounts for the system. The technical controls are shared between the system and the Amazon Web Service (AWS) platform. The system provides controls such as multi- factor authentication for all users to include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.			· · · · · · · · · · · · · · · · · · ·	
adhering to department, policies and procedures around security and privacy; and annual awareness training for all users holding accounts for the system. The technical controls are shared between the system and the Amazon Web Service (AWS) platform. The system provides controls such as multi- factor authentication for all users to include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.				
security and privacy; and annual awareness training for all users holding accounts for the system. The technical controls are shared between the system and the Amazon Web Service (AWS) platform. The system provides controls such as multi- factor authentication for all users to include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.				
users holding accounts for the system. The technical controls are shared between the system and the Amazon Web Service (AWS) platform. The system provides controls such as multi- factor authentication for all users to include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.				
The technical controls are shared between the system and the Amazon Web Service (AWS) platform. The system provides controls such as multi- factor authentication for all users to include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.				
Amazon Web Service (AWS) platform. The system provides controls such as multi- factor authentication for all users to include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.				
controls such as multi- factor authentication for all users to include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.				
include Personal Identity Verification (PIV) login capability and role-based system access to control the amount of PII available to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.				
Describe, briefly but with specificity, how the PII will 38 be secured in the system using administrative, technical, and physical controls. to a user; 2 rounds of two-factor authentication for each individual accessing a data center floor. AWS provides infrastructure controls such as secure network access points.				
38 be secured in the system using administrative, individual accessing a data center floor. AWS provides technical, and physical controls. infrastructure controls such as secure network access points.			1	
technical, and physical controls. infrastructure controls such as secure network access points.	20			
	38			
		cermical, and physical controls.	initiastructure controls such as secure network access points.	
			The physical controls will all be inherited by the AWS platform	
and include the following: Restricting physical access to the			1	
data center both at the perimeter and at building ingress			· · · · · · · · · · · · · · · · · · ·	
points through the help of video surveillance, intrusion detection systems, and Visitors and contractors are required to			· · · · · · · · · · · · · · · · · · ·	
have ID, sign-in with building security, and be escorted by an			1 ' '	
authorized staff at all times; Fire detection and suppression			authorized staff at all times; Fire detection and suppression	
systems; Uninterruptible Power Supply (UPS); Climate and				
Temperature control; and Preventative maintenance.			Temperature control; and Preventative maintenance.	

	Save
General Comments	
OPDIV Senior Official for Privacy Signature	