

**Formative Research to Develop HIV Social Marketing Campaigns for
Healthcare Providers**

Attachment 3a: Web-Based Survey Screenshots

Qualtrics Survey Software | Online Survey Software | Alex

https://co1.qualtrics.com/jfe1/preview/SV_06ApHRPDQ0PES8J

Bookmarks Save to Mendeley Gmail Facebook LinkedIn CITI Qualtrics Stats Weather Duke Library COH Patient Portal TV Surveys Other bookmarks

Close Preview Restart Survey Place Bookmark

Form Approved
OMB No. 0920-New
Exp. Date XXXX/XXXX

Thank you for your participation in this survey. Here we will ask you questions about your practice, professional development activities, information needs, use of different forms of media to communicate health information to your patients, and the types of health information you discuss with your patients.

Public reporting burden of this collection of information is estimated to average 15 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0920-New).



Powered by Qualtrics

For this first set of questions, we recognize that many physicians split their time between private practices (individual or group) and practices that are public or university based. For the following question, please provide responses for both these practice types as applicable to your own practice of medicine. Please use your best estimate.

	Private Practice	Public or University Based Practice
Number of patients you see in a month.	<input type="text"/>	<input type="text"/>
Number of HIV-infected patients you see in a month.	<input type="text"/>	<input type="text"/>
What percent of your patients are male? (Please use your best estimate)	<input type="text"/>	<input type="text"/>
What percent of your patients are female? (Please use your best estimate)	<input type="text"/>	<input type="text"/>
What percent of your patients identify as transgender? (Please use your best estimate)	<input type="text"/>	<input type="text"/>
[INSERT Patient descriptor here]	<input type="text"/>	<input type="text"/>

Which medical associations do you belong to? Please select one or more of the following associations.

- American Academy of Family Physicians (AAFP)
- American College of Physicians (ACP)
- American Medical Association (AMA)
- National Medical Association (NMA)
- HIV Medicine Association (HIVMA)
- American Academy of HIV Medicine (AAHIVM)
- Infectious Diseases Society of America (IDSA)
- American Congress of Obstetricians and Gynecologists (ACOG)
- International AIDS Society (IAS)
- American College of Physicians (ACP)
- Association of Nurses in AIDS Care (ANAC)
- World Professional Association for Transgender Health (WPATH)
- Gay and Lesbian Medical Association (GLMA)
- National Hispanic Medical Association (NHMA)
- American Nurses Association (ANA)
- National Hispanic Medical Association
- National Association of Hispanic Nurses
- National Black Nurses Association
- [INSERT MEDICAL ASSOCIATION HERE]
- Other (Specify):
- None of these

Would you be interested in receiving information about...

	Yes	No
Reducing HIV transmission	<input type="radio"/>	<input type="radio"/>
Retention in HIV care or treatment	<input type="radio"/>	<input type="radio"/>
Initiating antiretroviral therapy (ART)	<input type="radio"/>	<input type="radio"/>
Communicating about ART medication adherence (e.g., patient compliance)	<input type="radio"/>	<input type="radio"/>
Conducting HIV screening	<input type="radio"/>	<input type="radio"/>
Conducting other STD screening	<input type="radio"/>	<input type="radio"/>
Partner services	<input type="radio"/>	<input type="radio"/>
Screening for risky sexual behaviors	<input type="radio"/>	<input type="radio"/>
Screening for risky alcohol and illicit drug use behaviors	<input type="radio"/>	<input type="radio"/>
Helping patients modify risky sexual behaviors	<input type="radio"/>	<input type="radio"/>
Helping patients modify alcohol and illicit drug use	<input type="radio"/>	<input type="radio"/>
Providing culturally-competent care to transgender patients	<input type="radio"/>	<input type="radio"/>
Initiating pre-exposure prophylaxis (PrEP)	<input type="radio"/>	<input type="radio"/>
[INSERT TOPIC HERE]	<input type="radio"/>	<input type="radio"/>

<< >>

Form Approved
 OMB No. 0522-NEW
 Exp. Date 03/31/2013

How often do you do the following for professional purposes?

	Daily	Weekly	Monthly	Less than once per month	Never
Use an app on a portable device, such as an iPod/iPad	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Download content to a portable device, such as an iPod, cell phone, or PDA	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Access content online, such as a medical journal article	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Access Medical blogs, such as those available through Medscape or Sermo	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Access CMEs online	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Use social media, like Twitter or Facebook	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Listen to podcasts	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
[INSERT ACTIVITY HERE]	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

<< >>

Do you refer your patients to ...?

	Yes	No
Your practice's website	<input type="radio"/>	<input type="radio"/>
CDC's website	<input type="radio"/>	<input type="radio"/>
Other websites (specify) <input type="text"/>	<input type="radio"/>	<input type="radio"/>
Other electronic resources (specify) <input type="text"/>	<input type="radio"/>	<input type="radio"/>
Printed materials	<input type="radio"/>	<input type="radio"/>
[INSERT RESOURCE HERE]	<input type="radio"/>	<input type="radio"/>
Other (specify) <input type="text"/>	<input type="radio"/>	<input type="radio"/>

<< >>

How do you obtain CME/CE credits?

- Attending conferences
- Through employer-provided in-service trainings
- Dinner presentations by local chapter of a professional association
- Attending meetings of a regional professional association
- Journal supplement education programs
- Through online courses
- [INSERT DELIVERY MODE HERE]
- Other (specify)

How useful are CME/CE programs about HIV care, treatment, and prevention?

- Never useful
- Rarely useful
- Somewhat useful
- Always useful

Have you ever learned about the following topics through a CME/CE course or program?

	Yes	No
Reducing HIV transmission	<input type="radio"/>	<input type="radio"/>
Retention in HIV care or treatment	<input type="radio"/>	<input type="radio"/>
Initiating ART	<input type="radio"/>	<input type="radio"/>
Communicating about ART medication adherence (e.g., patient compliance)	<input type="radio"/>	<input type="radio"/>
Conducting HIV screening	<input type="radio"/>	<input type="radio"/>
Conducting other STD screening	<input type="radio"/>	<input type="radio"/>
Partner services	<input type="radio"/>	<input type="radio"/>
Screening for risky sexual behaviors	<input type="radio"/>	<input type="radio"/>
Screening for risky alcohol and illicit drug use behaviors	<input type="radio"/>	<input type="radio"/>
Helping patients modify risky sexual behaviors	<input type="radio"/>	<input type="radio"/>
Helping patients modify alcohol and illicit drug use	<input type="radio"/>	<input type="radio"/>
Providing culturally-competent care to transgender patients	<input type="radio"/>	<input type="radio"/>
Initiating PrEP	<input type="radio"/>	<input type="radio"/>
[INSERT TOPIC HERE]	<input type="radio"/>	<input type="radio"/>

Would you be interested in CME/CE courses or programs about the following topics?

	Yes	No
Reducing HIV transmission	<input type="radio"/>	<input type="radio"/>
Retention in HIV care or treatment	<input type="radio"/>	<input type="radio"/>
Initiating ART	<input type="radio"/>	<input type="radio"/>
Communicating about ART medication adherence (e.g., patient compliance)	<input type="radio"/>	<input type="radio"/>
Conducting HIV screening	<input type="radio"/>	<input type="radio"/>
Conducting other STD screening	<input type="radio"/>	<input type="radio"/>
Partner services	<input type="radio"/>	<input type="radio"/>
Screening for risky sexual behaviors	<input type="radio"/>	<input type="radio"/>
Screening for risky alcohol and illicit drug use behaviors	<input type="radio"/>	<input type="radio"/>
Helping patients modify risky sexual behaviors	<input type="radio"/>	<input type="radio"/>
Helping patients modify alcohol and illicit drug use	<input type="radio"/>	<input type="radio"/>
Providing culturally-competent care to transgender patients	<input type="radio"/>	<input type="radio"/>
Initiating PrEP	<input type="radio"/>	<input type="radio"/>
[INSERT TOPIC HERE]	<input type="radio"/>	<input type="radio"/>

Form Approved
OMB No. 0920-New
Exp. Date XXXXXXXX

Of the CME courses or programs that you are interested in, please indicate your top three choices:

First choice
Second choice
Third choice

<< >>

Form Approved
OMB No. 0920-New
Exp. Date XX/XX/XXXX

What challenges, if any, prevent you from having discussions regarding high-risk sexual or substance use behaviors with your HIV-infected patients?

- Lack of time
- Cultural differences between you and your patient
- Gender differences between you and your patient
- Lack of trust/relationship with patient
- Lack of skills or training in this area
- Patients are uncomfortable discussing the subject
- I am uncomfortable discussing the subject
- [INSERT CHALLENGE HERE]
- Other (specify)

There are no challenges to such discuss that I can identify

Please think about all of your patients, aged 13 – 64, and indicate which category best describes how often you typically do the following:

	Always	Very often	Once a Month	2-3 Times a Month	Once a Week	2-3 Times a Week	Daily
Ask patients if they are sexually active	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Ask patients if they are engaging in unsafe sex	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Recommend consistent and correct condom use to patients during all sexual activity	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Refer newly diagnosed HIV patients to appropriate care or treatment	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Talk with patients about HIV screening	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Talk with patients about PrEP	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
[INSERT ACTIVITY HERE]	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Which one of the following statements most accurately reflects your beliefs about effective HIV prevention?

- Risk-based HIV screening is the most effective approach
- HIV screening for all persons age 13 to 64 is the most effective approach
- HIV screening is a public health concern and not an issue in my clinical practice

Which one of the following best describes HIV screening in your practice?

- Opt-In, where patients must explicitly agree to an HIV test
- Opt-Out, where patients must explicitly decline an HIV test
- Other (specify):

Does CDC recommend HIV screening for all patients ages 13 - 64?

- Yes
- No
- Don't know

Which of the following are patient benefits of HIV testing?

- Knowledge of status
- Reduction of risky behaviors (e.g. unprotected sex)
- Reduced risk of transmitting HIV to others
- Cost effectiveness
- [INSERT BENEFIT HERE]
- All of the above
- None of the above

To what extent do you agree with the following statements?

	Strongly agree	Agree	Neither Agree nor Disagree	Disagree	Strongly Disagree
Routine HIV screening of patients can help to prevent transmission of HIV.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I have the necessary training to counsel my patients about reducing their risk of HIV transmission.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
[INSERT STATEMENT HERE]	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Qualtrics Survey Software x Online Survey Software | x Alex

https://co1.qualtrics.com/jfe1/preview/SV_06ApHRPDQ0PES8J

Bookmarks Save to Mendeley Gmail Facebook LinkedIn CITI Qualtrics Stats Weather Duke Library COH Patient Portal TV Surveys Other bookmarks

Close Preview Restart Survey Place Bookmark

Form Approved
OMB No. 0920-New
Exp. Date XXXXXXXX

Thank you for completing this survey.



Powered by Qualtrics