

Form Approved
OMB No. 0920-1242
Expiration Date: ##/####/####

Public reporting burden of this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; Attn: OMB-PRA (0920-1242)

Strengthening United States Response to Resistant Gonorrhea (SURRG)

Attachment 3D

SURRG Field Investigation Data Elements

Variable name	Data element	Description/Question	Response codes
CASE ATTRIBUTES			
CS_PATIENTID	Patient ID	SURRG record IDs from interviews will created and assigned (by the local or state health department) a unique patient identifier (patient ID). CDC will only receive the unique identifier and will not have the ability to back-convert the Patient ID or other event ID to a medical record number, name, social security number, or date of birth. (see SSA 9)	Character ID
CS_EVENTID	Event ID/Case ID of case-patient	This ID up to 18 characters in length. SURRG records from interviews will be assigned (by the local or state health department) a unique event identification number for each investigation. CDC will only receive the unique identifier and will not have the ability to back-convert the Patient ID or other event ID to a medical record number, name, social security number, or date of birth.	Character ID
CS_ASSGN_DATE	Date of Case Assignment	Date of assignment as a SURRG case	YYYY/MM/DD
CS_INT_DATE	Date of Case Interview	Date of SURRG case interview Note: If case interviewed more than once for the same case, you can use the initial interview date and put all data in one line in the Case table. Leave blank if not	YYYY/MM/DD

		interviewed	
CS_TSTX_DISPO	Case Disposition	Disposition of Field investigation/Testing and Treatment for Case	<p>A=Preventative treatment B=Refused preventative treatment C=Infected and treated D=Infected, no treatment verified E=Previously treated for this infection F=Not infected G=Insufficient Information to Begin Investigation H=Unable to Locate [Includes passive refusal)] I=Successful Interview/Recounsel (unlikely to be used) J=Located, Not Examined, Treated, or Interviewed (i.e. Refused testing/treatment) K=Sent out of jurisdiction L=Other (unlikely to be used) Q=Administrative closure (unlikely to be used) V=Domestic violence risk X=Patient deceased Z=Previous preventative treatment</p>
CS_PSINT_DSPO	Case Disposition of Partner Services/SURRG Interview	<p>Disposition of Partner Services/SURRG Interview for Case</p> <p>Note: all responses other than 3 indicate not interviewed</p>	<p>1=Insufficient information to attempt locating 2=Unable to locate (includes passive refusal) 3=Successful Interview/reinterview/recounsel 4=Located, refused interview 5=Out of jurisdiction 9=Unknown</p>
CS_CASE_TYPE	Case Type	Case type will need to be finalized after GC status determined	1=SURRG assigned index case (alert or other SURRG index case);

			<p>2= Investigation identified (patient GC status not known prior to SURRG partner services activities);</p> <p>3=previously known (patient GC status was known to patient prior to partner services activities);</p> <p>9=unknown</p>
CS_INT_TYPE	Interview Type at time of first interview	<p>What was the status of the interviewee when they were originally interviewed?</p> <p>Note: Do not leave blank. If this person was not interviewed, still assign the interview type that would have been appropriate (e.g. Case). Interviewing of social contacts is not required</p>	<p>1=Case (OP);</p> <p>2=Sex Partner (P1 or P3);</p> <p>3=Social contact (S1-S3 or A1-A3)</p>
CS_STATE	State of residence	2-digit FIPS state code	Character; 99=Unknown
CS_RESID_CITY	City of residence	4-digit FIPS city code	Character; 9999=Unknown
CS_RESID_CNTY	County of residence	3-digit FIPS county code	Character; 999=Unknown
CS_DEMO_AGE	Age in years	How old are you (in years)? [Can also be calculated as interview date minus birthdate, or as recent clinic visit date minus birthdate]	Numeric; 999=Unknown
CS_DEMO_GENDER	Gender	How do you describe your gender identity?	<p>1=Male</p> <p>2=Female</p> <p>3=Transgender male/trans man/Female-to-male transgender (FTM)</p> <p>4=Transgender female/trans woman/Male-to-female transgender (MTF)</p> <p>5= Genderqueer/gender non-conforming/neither exclusively male nor female</p>

			6=Additional or another gender identity 8=Refused to Answer 9=Unknown
CS_DEMO_SEX_BIRTH	Sex at birth	What sex were you assigned at birth, on your original birth certificate?	1=Male; 2=Female; 8=Refused to Answer; 9=Unknown
CS_DEMO_HISP_ETH	Ethnicity: Hispanic or Latino	Is the person of Hispanic or Latino ethnicity?	0=No, not Hispanic/Latino; 1=Yes, Hispanic/Latino; 8=Refused to Answer; 9=Unknown
CS_DEMO_AIAN	Race: AI/AN-American Indian or Alaskan Native	Does the person identify as American Indian or Alaska Native?	0=No; 1=Yes; 8=Refused to Answer; 9=Unknown
CS_DEMO_ASIAN	Race: Asian	Does the person identify as Asian?	0=No; 1=Yes; 8=Refused to Answer; 9=Unknown
CS_DEMO_NHOPI	Race: NH/PI-Native Hawaiian or Other Pacific Islander	Does the person identify as Native Hawaiian or Pacific Islander?	0=No; 1=Yes; 8=Refused to Answer; 9=Unknown
CS_DEMO_BLACK	Race: Black or African American	Does the person identify as black or African-American?	0=No; 1=Yes; 8=Refused to Answer; 9=Unknown
CS_DEMO_WHITE	Race: White	Does the person identify as white?	0=No; 1=Yes; 8=Refused to Answer; 9=Unknown
CS_DEMO_MULTIRACE	Race: Multirace	Does the person identify as multiracial?	0=No; 1=Yes;

			8=Refused to Answer; 9=Unknown
CS_DEMO_OTHRACE	Race: Other	Does the person identify as another race not listed?	0=No; 1=Yes; 8=Refused to Answer; 9=Unknown
CS_DEMO_SEX_ORIENT	Sexual orientation	Which of the following best represents how you think of yourself?	1=Lesbian or gay; 3=Straight or heterosexual; 4=Bisexual; 5=Queer, pansexual, and/or questioning 5=Something else/Other; 8=Refused to Answer; 9=Unspecified/Unknown
CS_DEMO_PREG_STAT	Pregnancy Status	What is your pregnant status (among women)? Use response=7, not applicable, if patient is cisgender male or female transgender (MTF). (NOTE: Can come from clinic records from day of recent GC test; if not available, required to ask during interview)	1=Pregnant; 2=Not Pregnant; 7=Not applicable; 9=Unknown
CS_PTR_INV_M	No. of recent male sex partners in the past 2 months	In the past 2 months, what is the number of recent male sex partners?	Numeric; 999=Unknown
CS_PTR_INV_F	No. of recent female sex partners in the past 2 months	In the past 2 months, what is the number of recent female sex partners?	Numeric; 999=Unknown
CS_PTR_INV_T	No. of recent transgender sex partners in the past 2 months	In the past 2 months, what is the number of recent transgender sex partners?	Numeric; 999=Unknown
CS_PTR_MAIN_INV	No. recent main partners in the past 2 months	How many of the sex partners you have had in the past 2 months do you consider to be a main or	Numeric; 999=Unknown

		primary partner?	
CS_PTR_ANYM_INV	No. recent anonymous partners in the past 2 months	How many of the sex partners you've had in the last 2 months were anonymous? [By anonymous, I mean that you don't know their last name and you wouldn't be able to find them again if you wanted to]	Numeric; 999=Unknown
CS_PTR_CAS_INV	No. recent casual partners in the past 2 months	Number of casual partners. [Calculated as Total partners minus (main + anonymous) where Total partners = PTR_INV_M + PTR_INV_F + PTR_INV_T]	Numeric; 999=Unknown
CS_SEXACT_INS_ANAL	Performed insertive anal sex (past 2 months)	In the past 2 months, have you performed insertive anal sex? [Anal sex can be defined as your penis in someone else's anus]	0=No; 1=Yes; 7=Not Applicable; 9=Unknown
CS_SEXACT_RECP_ANAL	Received/Receptive anal sex (past 2 months)	In the past 2 months, have you had receptive anal sex? [Can define as someone else's penis in your anus]	0=No; 1=Yes; 9=Unknown
CS_SEXACT_PER_ORAL	Performed oral sex (past 2 months)	In the past 2 months, have you performed oral sex?	0=No; 1=Yes; 9=Unknown
CS_SEXACT_RECP_ORAL	Receptive oral sex (past 2 months)	In the past 2 months, have you received oral sex?	0=No; 1=Yes; 9=Unknown
CS_SEXACT_VAG	Vaginal sex (past 2 months)	In the past 2 months, have you had vaginal sex? NOTE: SURRG ACCESS database does not use "not applicable", but other sites may use through a skip pattern	0=No; 1=Yes; 7=not applicable 9=Unknown

CS_SEXDRG_FRQ	Frequency of drug use for sex	How often do you use drugs before or during sex to make sex easier, last longer, or feel better?	1=Every time 2=Most of the time 3=Sometimes/occasionally 4=Never 9=Unknown
CS_SEXDRG_COC	Use of cocaine/crack prior to sex (past 2 months)	Have you used cocaine/crack (before sex) in the past 2 months? [indicate yes, if used "Speedballs" (heroin & cocaine combined)] (use 7 if never use drugs for sex/ CS_SEXDRG_FRQ=4)	0=No; 1=Yes; 7=not applicable; 9=Unknown
CS_SEXDRG_HER	Use of heroin prior to sex (past 2 months)	Have you used speedball (before sex) in the past 2 months? [indicate yes, if used "Speedballs" (heroin & cocaine combined) or "goofballs" (heroin and meth combined)] (use 7 if never use drugs for sex/ CS_SEXDRG_FRQ=4)	0=No; 1=Yes; 7=not applicable; 9=Unknown
CS_SEXDRG_METH	Use of methamphetamines prior to sex (past 2 months)	Have you used methamphetamines (e.g. crystal, "tine", "meth", "speed") (before sex) in the past 2 months? [indicate yes, if used "goofballs" (heroin and meth combined)] (use 7 if never use drugs for sex/ CS_SEXDRG_FRQ=4)	0=No; 1=Yes; 7=not applicable; 9=Unknown
CS_SEXDRG_ECS	Use of ecstasy prior to sex (past 2 months)	Have you used Ecstasy, E, Molly, MDMA, GHB, or Special K (before sex) in the past 2 months? (use 7 if never use drugs for sex/ CS_SEXDRG_FRQ=4)	0=No; 1=Yes; 7=not applicable; 9=Unknown
CS_SEXDRG_POP	Use of poppers/nitrates	Have you used poppers/nitrates	0=No;

	prior to sex (past 2 months)	(before sex) in the past 2 months? (use 7 if never use drugs for sex/ CS_SEXDRG_FRQ=4)	1=Yes; 7=not applicable; 9=Unknown
CS_SEXDRG_PRESC	Use of prescription pain killers prior to sex (past 2 months)	Have you used prescription pain killers (e.g. oxycodone, Vicodin) (before sex) in the past 2 months? (use 7 if never use drugs for sex/ CS_SEXDRG_FRQ=4)	0=No; 1=Yes; 7=not applicable; 9=Unknown
CS_GRP_SEX	Recent group sex frequency (in past 2 months)	How many times in the past 2 months did you have sex with two or more other people at the same place, like a threesome, or at a bathhouse or sex party? [Group sex includes sex with multiple people simultaneously or when you have sex with more than 1 other person sequentially at a party, bathhouse, or someone's home, etc.]	Numeric; 999=Unknown
CS_GRP_SEX_LOC	Recent group sex location	If CSEGRP_SEX>0: Where did the last group sex (or multiple-person sex) event/encounter take place? (Use response=8 if CS_GRP_SEX=0)	1=House or apartment (residence) 2=Bathhouse or sex club 3=Bar or club 4=Hotel 5=Outdoors/Outside public space (e.g. public park) 6=Brothel 7=Other 8=Not applicable 9=Unknown
CS_GRP_SEX_SIZE	Relative size of recent group sex event	How many people attended this last group sex (or multiple-person sex) event/encounter? [This question seeks to know how many (approximate) people were at the	Numeric; 777=Not applicable; 999=Unknown

		place (home, club, park, etc.) where the sex event(s) occurred, not how many people the patient had sex with?] (Use response=777 if CS_GRP_SEX=0)	
CS_GRP_SEX_KNOW	Recent group sex awareness	How did you find out about/or get connected with this recent group sex (or multiple-person sex) event/encounter? Note: Someone going to a bathhouse could indicate response option 1 or 5, and someone in a polyamorous relationship could indicate response option 7. (Use response=8 if CS_GRP_SEX=0)	1=It happened spontaneously 2=Personal invitation through a friend, sexual partner or other acquaintance 3=From a social networking site or app 4=Through an advertisement 5=Already knew about this sex venue (e.g bathhouse) 7=Other (e.g. patient part of couple who sought a 3 rd person rd) 8=Not applicable 9=Unknown
CS_GCHX_EVER_SR	Self-reported GC History	Have you ever been diagnosed with gonorrhea (before this recent infection)?	0=No; 1=Yes; 9=Unknown
CS_GCHX_YEAR_SR	Self-reported GC Diagnosis past year	Have you been diagnosed with gonorrhea (before this recent infection) in the past year?	0=No; 1=Yes; 9=Unknown
CS_GCHX_EVER_RC	Documented GC History in case reports/EMR	Record of patient gonorrhea diagnosis history in case reports or clinic records	0=No; 1=Yes; 9=Unknown
CS_GCHX_YEAR_RC	Documented GC History in past year in case reports	Record of person gonorrhea diagnosis history in past year in case reports or clinic records (Past year can be defined locally as 12 months prior to interview, recent test date, or diagnosis)	0=No; 1=Yes; 9=Unknown
CS_HC_SEXPROV	Provider Type for Sexual Healthcare needs	Where have you gone most often in the past year for STD or other sexual healthcare?	1=Have not received STD or sexual healthcare in the past year 2=Primary Care Provider/Community

			Health Center 3=STD clinic or other sexual health clinic 4=Family Planning Clinic 5=HIV care provider 6=Emergency Department 7=Urgent Care 8=Other 9=Unknown
CS_HIV_TST_INV	Ever tested for HIV	Have you ever tested for HIV?	0=No; 1=Yes; 9=Unknown (NOTE: Can come from clinic records from day of recent GC test; if not available, required to ask during interview)
CS_HIV_LAST_RESULT	Last HIV test date (YYYY/MM)	When was your last HIV test?	Character; YYYY/MM (Missing information should be coded as '.../..' or 'YYYY/..') (NOTE: Can come from clinic records from day of recent GC test; if not available, required to ask during interview)
CS_HIV_DOC_STATUS	HIV status (documented or self-report)	What is the patient's HIV status (from eHARS, EMR, or self-report)	0=Negative/Nonreactive 1=Positive/Reactive 2=Indeterminate 9=Unknown (NOTE: Can come from clinic records from day of recent GC test; if not available, required to ask during interview)
CS_PrEP_INV	Current daily PrEP use	(If HIV-negative) Is the patient currently using HIV pre-exposure prophylaxis (PrEP)? [Given that some people use PrEP daily and	0=No; 1=Yes; 7=Not Applicable; 9=Unknown

		<p>others on-demand, you can chose to define “currently using PrEP” as someone who was taking PrEP the last time they had sex]</p> <p>[Response=7 if CS_HIV_DOC_STATUS=1, i.e. HIV-positive]</p>	(NOTE: Can come from clinic records from day of recent GC test; if not available, required to ask during interview)
CS_PrEP_REF_INV	PrEP referral	<p>If HIV-negative and not currently on PrEP: Was the patient offered or referred for a PrEP consultation today (if eligible)?</p> <p>[Response=7 if CS_HIV_DOC_STATUS=1 (HIV-positive) or CS_PrEP_INV=1 (already on PrEP)]</p>	<p>0=No; 1=Yes; 7=Not Applicable; 9=Unknown (NOTE: Can come from clinic records from day of recent GC test; if not available, required to ask during interview)</p>
CS_HIVCARE_INV	Current HIV care self-reported	<p>If HIV-positive: Is the patient currently receiving HIV medical care (in the past 12 months)? [Note: can use a different time frame if already used locally- e.g. received HIV care in the past 6 months]</p> <p>[Response=7 if HIV-negative or unknown HIV status]</p>	<p>0=No; 1=Yes; 7=Not Applicable; 9=Unknown (NOTE: Can come from clinic records from day of recent GC test)</p>
CS_HIV_VL_INV	Most recent viral load self-reported	<p>If HIV-positive and currently receiving HIV medical care: Was your most recent viral load undetectable?</p> <p>[Response=7 if HIV-negative or unknown HIV status]</p>	<p>0=No; 1=Yes; 7=Not Applicable; 9=Unknown (NOTE: Can come from clinic records from day of recent GC test)</p>

CS_HIV_REF_INV	HIV care referral	If HIV-positive and not currently receiving HIV medical care: Was person referred to HIV care today? [Response=7 if HIV-negative]	0=No; 1=Yes; 7=Not Applicable; 9=Unknown (NOTE: Can come from clinic records from day of recent GC test)
CS_SYMPT_INV	Resolution of GC symptoms	If you had symptoms from the most recent episode of gonorrhea, how are your symptoms now? [Note: Use response 5 if patient was not symptomatic with this infection; use response 7 if patient is a partner and not a case; item should not be left blank]	1=Completely gone 2=Better, but not completely gone 3=Better, then got worse 4=Never improved 5=Asymptomatic (never symptomatic) 6=Recent case (i.e. treated today) 7=Not applicable/Not a case (e.g. a partner) 9=Unknown
CS_UNNAMED	Number of unnamed sex partners	How many other (unnamed) people did you have sex with in the last 2 months? [DIS could calculate this number based on # of male, female, and transgender partners patient described earlier minus the number of named partners, or ask the question again]	Numeric; 999=Unknown
CS_UN_MAIN	Number of unnamed sex partners: main sex partner	How many of these unnamed partners you would consider main or primary sex partners? [DIS can reiterate that “main” or “primary” sex partners may include anyone they are in a committed relationship with – even if they don’t have frequent sex, the persons they are currently having the most sex with, etc.]	Numeric; 777=Not Applicable; 999=Unknown

		Response=777 if CS_UNNAMED=0	
CS_UN_ANONY	Number of unnamed sex partners: anonymous sex partner	How many of these unnamed partners are anonymous? [Anonymous, means partners that you don't know their name, and it's unlikely you'd be able to find them again, even if you wanted to]	Numeric; 777=Not Applicable; 999=Unknown
		Response=777 if CS_UNNAMED=0	
CS_UN_CASU	Number of unnamed sex partners: casual sex partner	Number of casual unnamed partners. [Calculated as CT_UNNAMED minus (CT_UN_MAIN + CT_UN_ANONY)]	Numeric; 777=Not Applicable; 999=Unknown
		Response=777 if CS_UNNAMED=0	

CS_UN_SEXOTH_UN	Concurrency of interviewee	In the past two months, If you had sex more than one time with any of your unnamed partners, did you also had sex with other people besides these unnamed partner(s) during that time period? Response=777 if CS_UN_MULTISEX=777 or 0]	0=No; 1=Yes; 7=Not Applicable; 9=Unknown
CS_UN_EXCH_REC	Commercial/exchange sex: Received	Did any of these unnamed sex partners give you money, drugs, or something else you needed in exchange for sex? Response=777 if CS_UNNAMED=0	0=No; 1=Yes; 7=Not Applicable; 9=Unknown
CS_UN_EXCH_GIV	Commercial/exchange sex: Given	Did you give any of these unnamed partners money, drugs, or something else they needed in exchange for sex? Response=777 if CS_UNNAMED=0	0=No; 1=Yes; 7=Not Applicable; 9=Unknown
CS_UN_TRVL_ABRD	Partner travel	Did any of these unnamed partner(s) travel to or from another country in the past 2 months? Response=777 if CS_UNNAMED=0	0=No; 1=Yes; 7=Not Applicable; 9=Unknown
CS_UN_FRST_SEXABRD	First sex encounter: Travel abroad	Did you first have sex with any of these unnamed partner(s) in another country? Response=777 if CS_UNNAMED=0	0=No; 1=Yes; 7=Not Applicable; 9=Unknown
CS_UN_GCCT	GC Contact: No of unnamed partner(s)	How many of these unnamed recent sex partners have you told may have been exposed to gonorrhea (or an STD)? [Response=777 when either 1) no	Numeric; 777=Not applicable; 999=Unknown

		unnamed recent sex partners were reported, or 2) when someone is interviewed before they have received their GC results.]	
CS_UN_GCEXP	Disclosure of GC exposure: No of unnamed partner(s)	In total, how many other unnamed recent sex partners are you likely to inform that they may have been exposed to gonorrhea (or STD)? [Response=777 when any of the following occur: 1) no unnamed recent sex partners were reported, and 2) when someone is interviewed before they have received their GC results, and 3) when there are no more unnamed partners (i.e. when CS_UN_GCCT=CS_UNNAMED)]	Numeric; 777=Not applicable; 999=Unknown
CONTACT ATTRIBUTES			
CT_PATIENTID	Patient ID of contact	SURRG record IDs from interviews will created and assigned (by the local or state health department) a unique patient identifier (patient ID). CDC will only receive the unique identifier and will not have the ability to back-convert the Patient ID or other event ID to a medical record number, name, social security number, or date of birth. (see SSA 9)	Character ID

CT_EVENTID	Event ID of contact	SURRG records from interviews will be assigned (by the local or state health department) a unique event identification number for each investigation. CDC will only receive the unique identifier and will not have the ability to back-convert the Patient ID or other event ID to a medical record number, name, social security number, or date of birth.	Character ID
CT_TSTX_DSPO	Contact Disposition	Disposition of Field Investigation/Testing and Treatment for Contact	Disposition of Field Investigation/Testing and Treatment A=Preventative treatment B=Refused preventative treatment C=Infected and treated D=Infected, no treatment verified E=Previously treated for this infection F=Not infected G=Insufficient Information to Begin Investigation H=Unable to Locate [Includes passive refusal] I=Successful Interview/Recounsel (unlikely to be used) J=Located, Not Examined, Treated, or Interviewed (i.e. Refused testing/treatment) K: Sent out of jurisdiction L=Other (unlikely to be used) Q=Administrative closure (unlikely to be used) V=Domestic violence risk

			X=Patient deceased Z=Previous preventative treatment
CT_PSINT_DSPO	Contact Disposition of Partner Services/SURRG Interview	Disposition of Partner Services/SURRG Interview for Contact	1=Insufficient information to attempt locating 2=Unable to locate (includes passive refusal) 3=Successful Interview/reinterview/recounsel 4=Located, refused interview 5=Out of jurisdiction 9=Unknown
CT_ASSGN_DATE	Date of Contact Assignment	Date of assignment as a SURRG contact	YYYY/MM/DD
CT_INT_DATE	Date of Contact Interview	Interview date of elicited contact	YYYY/MM/DD
CT_INT_TYPE	Interview Type	Interviewee was interviewed as?	1=Sex Partner (P1 or P3); 2=Social contact (S1-S3 or A1-A3); 9=Not applicable (not interviewed)
CT_CASE_TYPE	Case Type		0=Not a case (i.e. negative for GC); 2= identified as a case (i.e. positive for GC) through SURRG Investigation; 3=previously known (patient GC status was known to patient prior to this SURG initiated investigation/partner services activity; 8=Not applicable (not interviewed); 9=unknown (i.e. GC status unknown)
CT_RESID_CITY	City of residence	4-digit FIPS county code	Character; 9999=Unknown/Not applicable
CT_RESID_CNTY	County of residence	3-digit FIPS county code	Character; 999=Unknown/ Not applicable
CT_GENDER	Gender	How do you describe your gender identity?	1=Male 2=Female

			3=Female-to-male transgender (FTM) 4=Male-to-female transgender (MTF) 5=Other gender identity 8=Refused to Answer 9=Unknown
CT_SEX_BIRTH	Sex at birth	What sex were you assigned at birth, on your original birth certificate?	1=Male; 2=Female; 8=Refused to Answer; 9=Unknown
CT_AGE	Age	Age in years	Numeric; 999=Unknown
CT_AIAN	Race: American Indian or Alaskan Native (AI/AN)		1=Male; 2=Female; 8=Refused to Answer; 9=Unknown
CT_ASIAN	Race: Asian		1=Male; 2=Female; 8=Refused to Answer; 9=Unknown
CT_NHOPI	Race: Native Hawaiian or Other Pacific Islander (NH/PI)		1=Male; 2=Female; 8=Refused to Answer; 9=Unknown
CT_BLACK	Race: Black or African American (AA)		1=Male; 2=Female; 8=Refused to Answer; 9=Unknown
CT_WHITE	Race: White		1=Male; 2=Female; 8=Refused to Answer; 9=Unknown
CT_MULTIRACE	Race: Multirace		1=Male;

			2=Female; 8=Refused to Answer; 9=Unknown
CT_OTHRACE	Race: Other		1=Male; 2=Female; 8=Refused to Answer; 9=Unknown
CT_HISP_ETH	Ethnicity: Hispanic/Latino		0=No, not Hispanic/Latino; 1=Yes, Hispanic/Latino; 8=Refused to Answer; 9=Unknown
CT_SEX_ORIENT	Sexual orientation	Which of the following best represents how you think of yourself?	1=Gay (Lesbian or gay); 3=Straight, this is not gay (or lesbian); 4=Bisexual; 5=Something else/Other; 8=Refused to Answer; 9=Unspecified/Unknown
CT_PTR_INV_M	No. of recent male sex partners in the past 2 months	In the past 2 months, what is the number of recent male sex partners?	Numeric; 999=Unknown
CT_PTR_INV_F	No. of recent female sex partners in the past 2 months	In the past 2 months, what is the number of recent female sex partners?	Numeric; 999=Unknown
CT_PTR_INV_T	No. of recent transgender sex partners in the past 2 months	In the past 2 months, what is the number of recent transgender sex partners?	Numeric; 999=Unknown
PARTNERSHIP ATTRIBUTES			
PTSP_NAMINGID	Naming ID	SURRG record IDs from interviews will created and assigned (by the local or state health department) a unique patient identifier (patient ID). CDC will only receive the unique	Character ID

		identifier and will not have the ability to back-convert the Patient ID or other event ID to a medical record number, name, social security number, or date of birth. (see SSA 9)	
PTSP_NAMEDID	Named ID	SURRG record IDs from interviews will created and assigned (by the local or state health department) a unique patient identifier (patient ID). CDC will only receive the unique identifier and will not have the ability to back-convert the Patient ID or other event ID to a medical record number, name, social security number, or date of birth. (see SSA 9)	Character ID
PTSP_NAMING_EVENTID	Event ID of NamingID	This ID up to 18 characters in length. SURRG records from interviews will be assigned (by the local or state health department) a unique event identification number for each investigation. CDC will only receive the unique identifier and will not have the ability to back-convert the Patient ID or other event ID to a medical record number, name, social security number, or date of birth.	Character ID
PTSP_NAMED_EVENTID	Event ID of NamedID	This ID up to 18 characters in length. SURRG records from interviews will be assigned (by the local or state health department)	Character ID

		a unique event identification number for each investigation. CDC will only receive the unique identifier and will not have the ability to back-convert the Patient ID or other event ID to a medical record number, name, social security number, or date of birth.	
PTSP_INT_DATE	Date of Interview/re-interview	Date of interview that contact(s) were named with provided description(s) of their relationship. [One entry per named contact and interview date. A case/contact could have multiple interview dates associated if they named additional contacts at different time points]	YYYY/MM/DD
PTSP_INT_REL	Relationship type	What is the relationship with this contact?	1=Sex partner; 2=Social contact
PTSP_TYPE	Partnership type	Is the sex partner a main or casual partner? [Let client define if they consider the person to be more of a main or casual sex partner. DIS can clarify that a main partner could include anyone they are in a committed relationship with - even if they don't have frequent sex, or the person(s) they are currently having the most sex with; a casual partner could include someone they don't feel like they are in a serious	1=Main; 2=Casual, 7=Not applicable 9=Unknown

		relationship with, or someone they have had/have sex with infrequently. The terms are not mutually exclusive. Let the client define if main or casual] If Relationship type=2 then Partnership type=7	
PTSP_AGE	Approximate age of partner	What is the approximate age of your partner? Aggregated age categories	1= \leq 19 2=20-29 3=30-39 4=40-49 5=50-59 6=60+ 9=Unknown
PTSP_RACE	Race of partner	How do you describe the race of your partner?	1=White 2=Black 3=Asian 4=Native Hawaiian or Other Pacific Islander (NHOPI) 5=American Indian or Alaskan Native (AI/AN) 6=Multi-race 7=Other 9=Unknown
PTSP_ETH	Ethnicity of Partner: Hispanic or Latino		0=No, not Hispanic/Latino; 1=Yes, Hispanic/Latino; 9=Unknown
PTSP_LIVE	Area of residence of partner	Where does the partner live? Note: DIS can complete PTSP_LIVE, PTSP_LIVE_STATE, PTSP_LIVE_CNTRY based on address information provided, i.e. these three questions do not need to be asked of the patient.	1=Same city/county (as case interviewee that named them) 2=Different county, same state 3=Different state 4=Different country 9=Unknown
PTSP_LIVE_STATE	State of residence of	If PTSP_LIVE=3: What state does	1=Alabama; 2=Alaska; 4=Arizona;

	partner	<p>this partner live? [Note: State codes are Census core FIPS codes (Jul 2015)]</p> <p>Note: DIS can complete PTSP_LIVE, PTSP_LIVE_STATE, PTSP_LIVE_CNTRY based on address information provided, i.e. these three questions do not need to be asked of the patient.</p>	<p>5=Arkansas; 6=California; 8=Colorado; 9=Connecticut; 10=Delaware; 11=District of Columbia; 12=Florida; 13=Georgia; 15=Hawaii; 16=Idaho; 17=Illinois; 18=Indiana; 19=Iowa; 20=Kansas; 21=Kentucky; 22=Louisiana; 23=Maine; 24=Maryland; 25=Massachusetts; 26=Michigan; 27=Minnesota; 28=Mississippi; 29=Missouri; 30=Montana; 31=Nebraska; 32=Nevada; 33=New Hampshire; 34=New Jersey; 35=New Mexico; 36=New York; 37=North Carolina; 38=North Dakota; 39=Ohio; 40=Oklahoma; 41=Oregon; 42=Pennsylvania; 44=Rhode Island; 45=South Carolina; 46=South Dakota; 47=Tennessee; 48=Texas; 49=Utah; 50=Vermont; 51=Virginia; 53=Washington; 54=West Virginia; 55=Wisconsin; 56=Wyoming; 99=unknown</p>
PTSP_LIVE_CNTRY	Country of residence of partner	<p>If PTSP_LIVE=4: What country does this partner live? Note: Codes are ISO codes (2-character ISO 3166-2 codes) using Foreign Trade Statistics of U.S. Census</p> <p>Note: DIS can complete PTSP_LIVE, PTSP_LIVE_STATE, PTSP_LIVE_CNTRY based on address information provided, i.e. these three questions do not need to be asked of the patient.</p>	<p>Country list: AD=Andorra; AE=United Arab Emirates; AF= Afghanistan; AG=Antigua and Barbuda; AI=Anguilla; AL=Albania; AM=Armenia; AO=Angola; AQ=Antarctica; AR=Argentina; AS=American Samoa; AT=Austria; AU=Australia; AW=Aruba; AX=Åland Islands; AZ=Azerbaijan; BA=Bosnia and Herzegovina; BB=Barbados; BD=Bangladesh; BE=Belgium;</p>

			<p>BF=Burkina Faso; BG=Bulgaria; BH=Bahrain; BI=Burundi; BJ=Benin; BL=Saint Barthélemy; BM=Bermuda; BN=Brunei Darussalam; BO=Plurinational State of Bolivia; BQ=Sint Eustatius and Saba Bonaire; BR=Brazil; BS=Bahamas; BT=Bhutan; BV=Bouvet Island; BW=Botswana; BY=Belarus; BZ=Belize; CA=Canada; CC=Cocos (Keeling) Islands; CD=The Democratic Republic of the Congo; CF=Central African Republic; CG=Congo; CH=Switzerland; CI=Côte d'Ivoire; CK=Cook Islands; CL=Chile; CM=Cameroon; CN=China; CO=Colombia; CR=Costa Rica; CU=Cuba; CV=Cape Verde; CW=Curaçao; CX=Christmas Island; CY=Cyprus; CZ=Czech Republic; DE=Germany; DJ=Djibouti; DK=Denmark; DM=Dominica; DO=Dominican Republic; DZ=Algeria; EC=Ecuador; EE=Estonia; EG=Egypt; EH=Western Sahara; ER=Eritrea; ES=Spain; ET=Ethiopia; FI=Finland; FJ=Fiji; FK=Falkland Islands (Malvinas); FM=Federated States of Micronesia; FO=Faroe Islands; FR=France; GA=Gabon; GB=United Kingdom; GD=Grenada; GE=Georgia; GF=French Guiana; GG=Guernsey; GH=Ghana; GI=Gibraltar; GL=Greenland; GM=Gambia; GN=Guinea; GP=Guadeloupe;</p>
--	--	--	--

			<p>GQ=Equatorial Guinea; GR=Greece; GS=South Georgia and the South Sandwich Islands; GT=Guatemala; GU=Guam; GW=Guinea-Bissau; GY=Guyana; HK=Hong Kong; HM=Heard Island and McDonald Islands; HN=Honduras; HR=Croatia; HT=Haiti; HU=Hungary; ID=Indonesia; IE=Ireland; IL=Israel; IM=Isle of Man; IN=India; IO=British Indian Ocean Territory; IQ=Iraq; IR=Islamic Republic of Iran; IS=Iceland; IT=Italy; JE=Jersey; JM=Jamaica; JO=Jordan; JP=Japan; KE=Kenya; KG=Kyrgyzstan; KH=Cambodia; KI=Kiribati; KM=Comoros; KN=Saint Kitts and Nevis; KP=Democratic People's Republic of Korea; KR=Republic of Korea; KW=Kuwait; KY=Cayman Islands; KZ=Kazakhstan; LA=Laos (Lao People's Democratic Republic); LB=Lebanon; LC=Saint Lucia; LI=Liechtenstein; LK=Sri Lanka; LR=Liberia; LS=Lesotho; LT=Lithuania; LU=Luxembourg; LV=Latvia; LY=Libya; MA=Morocco; MC=Monaco; MD=Republic of Moldova; ME=Montenegro; MF=Saint Martin (French part); MG=Madagascar; MH=Marshall Islands; MK=The Former Yugoslav Republic of Macedonia; ML=Mali; MM=Myanmar; MN=Mongolia; MO=Macao; MP=Northern Mariana</p>
--	--	--	--

			<p>Islands; MQ=Martinique; MR=Mauritania; MS=Montserrat; MT=Malta; MU=Mauritius; MV=Maldives; MW=Malawi; MX=Mexico; MY=Malaysia; MZ=Mozambique; NA=Namibia; NC=New Caledonia; NE=Niger; NF=Norfolk Island; NG=Nigeria; NI=Nicaragua; NL=Netherlands; NO=Norway; NP= Nepal; NR=Nauru; NU=Niue; NZ=New Zealand; OM=Oman; PA=Panama; PE=Peru; PF=French Polynesia; PG=Papua New Guinea; PH=Philippines; PK=Pakistan; PL=Poland; PM=Saint Pierre and Miquelon; PN=Pitcairn; PR=Puerto Rico; PS=State of Palestine; PT=Portugal; PW=Palau; PY=Paraguay; QA=Qatar; RE=Réunion; RO=Romania; RS=Serbia; RU=Russian Federation; RW=Rwanda; SA=Saudi Arabia; SB=Solomon Islands; SC=Seychelles; SD=Sudan; SE=Sweden; SG=Singapore; SH=Saint Helena Ascension and Tristan da Cunha; SI=Slovenia; SJ=Svalbard and Jan Mayen; SK=Slovakia; SL=Sierra Leone; SM=San Marino; SN=Senegal; SO=Somalia; SR=Suriname; SS=South Sudan; ST=Sao Tome and Principe; SV=El Salvador; SX=Sint Maarten (Dutch part); SY=Syrian Arab Republic; SZ=Swaziland; TC=Turks</p>
--	--	--	---

			and Caicos Islands; TD=Chad; TF=French Southern Territories; TG=Togo; TH=Thailand; TJ=Tajikistan; TK=Tokelau; TL=Timor-Leste; TM=Turkmenistan; TN=Tunisia; TO=Tonga; TR=Turkey; TT=Trinidad and Tobago; TV=Tuvalu; TW=Province of China Taiwan; TZ=United Republic of Tanzania; UA=Ukraine; UG=Uganda; UM=United States Minor Outlying Islands; UY=Uruguay; UZ=Uzbekistan; VA=Holy See (Vatican City State); VC=Saint Vincent and the Grenadines; VE=Bolivarian Republic of Venezuela; VG=British Virgin Islands; VI=U.S. Virgin Islands; VN=Viet Nam; VU=Vanuatu; WF=Wallis and Futuna; WS=Samoa; YE=Yemen; YT=Mayotte; ZA=South Africa; ZM=Zambia; ZW=Zimbabwe; ZZ=Unknown
PTSP_FRST_SEX	Date of first sex	When is the first time you had sex with this person?	YYYY/MM/DD (Missing information should be coded as '..././..' or 'YYYY/./..' etc.)
PTSP_LST_SEX	Date of last sex	When is the last time you had sex with this person?	YYYY/MM/DD (Missing information should be coded as '..././..' or 'YYYY/./..' etc.)
PTSP_RPT_SEX	Repeated sex encounter	Do you think you will have sex again with this person in the future?	0=No; 1=Yes; 9=Unknown/unsure
PTSP_SEX_FREQ	Frequency of sex	How many times (on how many occasions) have you had sex with this person in the past 2 months?	1=Once; 2=2-5 times; 3=6-10 times;

			4=11-20 times; 5=>20 times; 9=Don't remember/Unknown
PTSP_CDU_LSTSEX	Condom use at last sex	Did you (or your partner) use a condom the last time you had sex?	0=No; 1=Yes; 9=Unknown/unsure
PTSP_MET_LOC	Physical location of first meeting	Where did you first meet this partner face-to-face?	1=Home 2=Partner's home 3=Friend's home 4=Party (not a sex party) 5=Sex party 6=Bar or club 7=Public cruising (park, beach, pier) 8=Mall or shopping center 9=Bathhouse or sex club 10=Massage Parlor/brothel 11=Sex shop or adult book store 12=On the street or public transportation 13=Gym 14=Public restroom 15=At work 16=School 17=Hotel 18=Place of worship 19=Community event 20=AA or NA meeting 21=Other type of support group 22=Jail or Prison 77=Other 88=Refused to Answer 99=Unknown
PTSP_MEET_APP	Identification of internet site/social	If first contact using an escort service, internet sites or mobile	1=Craigslist.com 2=Tinder.com

	app used	social apps, which did you use?	3=Facebook.com 4=Grindr.com 5=Jack'd.com 6=Adam 4 Adam 7=SCRUFF 8=Hornet.com 9=OKcupid.com 10=Manhunt.com 11=Thrinder 12=Plenty of Fish (POF) 13=Bumble 14=DaddyHunt 15=Escort service 77=Other 88=Refused to Answer 99= Don't Know/Unknown
PTSP_MEET_OTHAPP	Identification of other internet site/social app used	If PTSPMEET_APP=77, inclusion of other apps not currently provided (NOTE: Required to collect for local analyses, but variable will not be submitted to CDC)	Character (Text field)
PTSP_MEET_INV	Name of venue	(NOTE: Required to collect for local analyses, but variable will not be submitted to CDC)	Character
PTSP_MEET_LATLON	Coordinates of venue where first met	Latitude and longitude coordinates (Note: Required to collect Lat/Long and/or Census tract for local epi and network analyses, but these variables will not be submitted to CDC)	Character
PTSP_MEET_GEOCODE	Geocode of venue where first met	Census tract (Note: Required to collect Lat/Long and/or Census tract for	Character

		local epi and network analyses, but these variables will not be submitted to CDC)	
PTSP_SEXOTH	Concurrency of interviewee	(If had sex with this person more than once) Did you have sex with someone else during the period of time you were having sex or having a sexual relationship with this person?	0=No; 1=Yes; 8=Not applicable (e.g. PTSP_SEX_FREQ=1); 9=Unknown
PTSP_SEXOTH_PTNR	Concurrency of interviewee's discussed partner	(If had sex with this person more than once) Do you think this person had sex with anyone else during the period of time you were having sex or a sexual relationship with them?	0=No/unlikely; 1=Yes/likely; 8=Not applicable (e.g. PTSP_SEX_FREQ=1); 9=Unknown
PTSP_EXCH_REC	Commercial/exchange sex: Received	Did this person give you money, drugs, or something else you needed in exchange for sex?	0=No; 1=Yes; 9=Unknown
PTSP_EXCH_GIV	Commercial/exchange sex: Given	Did you give this person money, drugs, or something else they needed in exchange for sex?	0=No; 1=Yes; 9=Unknown
PTSP_GRPSEX	Group sex with partner	Did you have group sex with this partner in the past 2 months?	0=No; 1=Yes; 9=Unknown
PTSP_FRST_SEXABRD	First sex encounter: Travel abroad	Did you first have sex with this person in another country?	0=No; 1=Yes; 9=Unknown
PTSP_FRST_SEXABRDLOC	First sex encounter: Travel abroad Location	If PTSP_FRST_SEXABRD=1: What country?	Country list: AD=Andorra; AE=United Arab Emirates; AF=Afghanistan; AG=Antigua and Barbuda; AI=Anguilla; AL=Albania; AM=Armenia; AO=Angola; AQ=Antarctica; AR=Argentina; AS=American Samoa; AT=Austria; AU=Australia; AW=Aruba; AX=Åland Islands; AZ=Azerbaijan; BA=Bosnia

			<p>and Herzegovina, BB=Barbados; BD=Bangladesh; BE=Belgium; BF=Burkina Faso; BG=Bulgaria; BH=Bahrain; BI=Burundi; BJ=Benin; BL=Saint Barthélemy; BM=Bermuda; BN=Brunei Darussalam; BO=Plurinational State of Bolivia; BQ=Sint Eustatius and Saba Bonaire; BR=Brazil; BS=Bahamas; BT=Bhutan; BV=Bouvet Island; BW=Botswana; BY=Belarus; BZ=Belize; CA=Canada; CC=Cocos (Keeling) Islands; CD=The Democratic Republic of the Congo; CF=Central African Republic; CG=Congo; CH=Switzerland; CI=Côte d'Ivoire; CK=Cook Islands; CL=Chile; CM=Cameroon; CN=China; CO=Colombia; CR=Costa Rica; CU=Cuba; CV=Cape Verde; CW=Curaçao; CX=Christmas Island; CY=Cyprus; CZ=Czech Republic; DE=Germany; DJ=Djibouti; DK=Denmark; DM=Dominica; DO=Dominican Republic; DZ=Algeria; EC=Ecuador; EE=Estonia; EG=Egypt; EH=Western Sahara; ER=Eritrea; ES=Spain; ET=Ethiopia; FI=Finland; FJ=Fiji; FK=Falkland Islands (Malvinas); FM=Federated States of Micronesia; FO=Faroe Islands; FR=France; GA=Gabon; GB=United Kingdom; GD=Grenada; GE=Georgia; GF=French Guiana; GG=Guernsey; GH=Ghana; GI=Gibraltar;</p>
--	--	--	--

			<p>GL=Greenland; GM=Gambia; GN=Guinea; GP=Guadeloupe; GQ=Equatorial Guinea; GR=Greece; GS=South Georgia and the South Sandwich Islands; GT=Guatemala; GU=Guam; GW=Guinea-Bissau; GY=Guyana; HK=Hong Kong; HM=Heard Island and McDonald Islands; HN=Honduras; HR=Croatia; HT=Haiti; HU=Hungary; ID=Indonesia; IE=Ireland; IL=Israel; IM=Isle of Man; IN=India; IO=British Indian Ocean Territory; IQ=Iraq; IR=Islamic Republic of Iran; IS=Iceland; IT=Italy; JE=Jersey; JM=Jamaica; JO=Jordan; JP=Japan; KE=Kenya; KG=Kyrgyzstan; KH=Cambodia; KI=Kiribati; KM=Comoros; KN=Saint Kitts and Nevis; KP=Democratic People's Republic of Korea; KR=Republic of Korea; KW=Kuwait; KY=Cayman Islands; KZ=Kazakhstan; LA=Laos (Lao People's Democratic Republic); LB=Lebanon; LC=Saint Lucia; LI=Liechtenstein; LK=Sri Lanka; LR=Liberia; LS=Lesotho; LT=Lithuania; LU=Luxembourg; LV=Latvia; LY=Libya; MA=Morocco; MC=Monaco; MD=Republic of Moldova; ME=Montenegro; MF=Saint Martin (French part); MG=Madagascar; MH=Marshall Islands; MK=The Former Yugoslav Republic of Macedonia; ML=Mali;</p>
--	--	--	---

			<p>MM=Myanmar; MN=Mongolia; MO=Macao; MP=Northern Mariana Islands; MQ=Martinique; MR=Mauritania; MS=Montserrat; MT=Malta; MU=Mauritius; MV=Maldives; MW=Malawi; MX=Mexico; MY=Malaysia; MZ=Mozambique; NA=Namibia; NC=New Caledonia; NE=Niger; NF=Norfolk Island; NG=Nigeria; NI=Nicaragua; NL=Netherlands; NO=Norway; NP= Nepal; NR=Nauru; NU=Niue; NZ=New Zealand; OM=Oman; PA=Panama; PE=Peru; PF=French Polynesia; PG=Papua New Guinea; PH=Philippines; PK=Pakistan; PL=Poland; PM=Saint Pierre and Miquelon; PN=Pitcairn; PR=Puerto Rico; PS=State of Palestine; PT=Portugal; PW=Palau; PY=Paraguay; QA=Qatar; RE=Réunion; RO=Romania; RS=Serbia; RU=Russian Federation; RW=Rwanda; SA=Saudi Arabia; SB=Solomon Islands; SC=Seychelles; SD=Sudan; SE=Sweden; SG=Singapore; SH=Saint Helena Ascension and Tristan da Cunha; SI=Slovenia; SJ=Svalbard and Jan Mayen; SK=Slovakia; SL=Sierra Leone; SM=San Marino; SN=Senegal; SO=Somalia; SR=Suriname; SS=South Sudan; ST=Sao Tome and Principe; SV=El Salvador; SX=Sint Maarten</p>
--	--	--	--

			(Dutch part); SY=Syrian Arab Republic; SZ=Swaziland; TC=Turks and Caicos Islands; TD=Chad; TF=French Southern Territories; TG=Togo; TH=Thailand; TJ=Tajikistan; TK=Tokelau; TL=Timor-Leste; TM=Turkmenistan; TN=Tunisia; TO=Tonga; TR=Turkey; TT=Trinidad and Tobago; TV=Tuvalu; TW=Province of China Taiwan; TZ=United Republic of Tanzania; UA=Ukraine; UG=Uganda; UM=United States Minor Outlying Islands; UY=Uruguay; UZ=Uzbekistan; VA=Holy See (Vatican City State); VC=Saint Vincent and the Grenadines; VE=Bolivarian Republic of Venezuela; VG=British Virgin Islands; VI=U.S. Virgin Islands; VN=Viet Nam; VU=Vanuatu; WF=Wallis and Futuna; WS=Samoa; YE=Yemen; YT=Mayotte; ZA=South Africa; ZM=Zambia; ZW=Zimbabwe; ZZ=Unknown
PTSP_TRVL_ABRD	Partner travel	Did this partner travel to another country in the past 2 months?	0=No; 1=Yes; 9=Unknown
PTSP_TRVL_CNTRY	Partner travel location	If PTSP_TRVL_ABRD=1: What country? [Note: Can just record most recent foreign travel location in the past two months, or list multiple counties separated by an *)	Country list: AD=Andorra; AE=United Arab Emirates; AF= Afghanistan; AG=Antigua and Barbuda; AI=Anguilla; AL=Albania; AM=Armenia; AO=Angola; AQ=Antarctica; AR=Argentina; AS=American Samoa; AT=Austria; AU=Australia; AW=Aruba; AX=Åland

			<p>Islands; AZ=Azerbaijan; BA=Bosnia and Herzegovina, BB=Barbados; BD=Bangladesh; BE=Belgium; BF=Burkina Faso; BG=Bulgaria; BH=Bahrain; BI=Burundi; BJ=Benin; BL=Saint Barthélemy; BM=Bermuda; BN=Brunei Darussalam; BO=Plurinational State of Bolivia; BQ=Sint Eustatius and Saba Bonaire; BR=Brazil; BS=Bahamas; BT=Bhutan; BV=Bouvet Island; BW=Botswana; BY=Belarus; BZ=Belize; CA=Canada; CC=Cocos (Keeling) Islands; CD=The Democratic Republic of the Congo; CF=Central African Republic; CG=Congo; CH=Switzerland; CI=Côte d'Ivoire; CK=Cook Islands; CL=Chile; CM=Cameroon; CN=China; CO=Colombia; CR=Costa Rica; CU=Cuba; CV=Cape Verde; CW=Curaçao; CX=Christmas Island; CY=Cyprus; CZ=Czech Republic; DE=Germany; DJ=Djibouti; DK=Denmark; DM=Dominica; DO=Dominican Republic; DZ=Algeria; EC=Ecuador; EE=Estonia; EG=Egypt; EH=Western Sahara; ER=Eritrea; ES=Spain; ET=Ethiopia; FI=Finland; FJ=Fiji; FK=Falkland Islands (Malvinas); FM=Federated States of Micronesia; FO=Faroe Islands; FR=France; GA=Gabon; GB=United Kingdom; GD=Grenada; GE=Georgia; GF=French Guiana; GG=Guernsey;</p>
--	--	--	---

			<p> GH=Ghana; GI=Gibraltar; GL=Greenland; GM=Gambia; GN=Guinea; GP=Guadeloupe; GQ=Equatorial Guinea; GR=Greece; GS=South Georgia and the South Sandwich Islands; GT=Guatemala; GU=Guam; GW=Guinea-Bissau; GY=Guyana; HK=Hong Kong; HM=Heard Island and McDonald Islands; HN=Honduras; HR=Croatia; HT=Haiti; HU=Hungary; ID=Indonesia; IE=Ireland; IL=Israel; IM=Isle of Man; IN=India; IO=British Indian Ocean Territory; IQ=Iraq; IR=Islamic Republic of Iran; IS=Iceland; IT=Italy; JE=Jersey; JM=Jamaica; JO=Jordan; JP=Japan; KE=Kenya; KG=Kyrgyzstan; KH=Cambodia; KI=Kiribati; KM=Comoros; KN=Saint Kitts and Nevis; KP=Democratic People's Republic of Korea; KR=Republic of Korea; KW=Kuwait; KY=Cayman Islands; KZ=Kazakhstan; LA=Laos (Lao People's Democratic Republic); LB=Lebanon; LC=Saint Lucia; LI=Liechtenstein; LK=Sri Lanka; LR=Liberia; LS=Lesotho; LT=Lithuania; LU=Luxembourg; LV=Latvia; LY=Libya; MA=Morocco; MC=Monaco; MD=Republic of Moldova; ME=Montenegro; MF=Saint Martin (French part); MG=Madagascar; MH=Marshall Islands; MK=The Former Yugoslav Republic of </p>
--	--	--	---

			<p>Macedonia; ML=Mali; MM=Myanmar; MN=Mongolia; MO=Macao; MP=Northern Mariana Islands; MQ=Martinique; MR=Mauritania; MS=Montserrat; MT=Malta; MU=Mauritius; MV=Maldives; MW=Malawi; MX=Mexico; MY=Malaysia; MZ=Mozambique; NA=Namibia; NC=New Caledonia; NE=Niger; NF=Norfolk Island; NG=Nigeria; NI=Nicaragua; NL=Netherlands; NO=Norway; NP= Nepal; NR=Nauru; NU=Niue; NZ=New Zealand; OM=Oman; PA=Panama; PE=Peru; PF=French Polynesia; PG=Papua New Guinea; PH=Philippines; PK=Pakistan; PL=Poland; PM=Saint Pierre and Miquelon; PN=Pitcairn; PR=Puerto Rico; PS=State of Palestine; PT=Portugal; PW=Palau; PY=Paraguay; QA=Qatar; RE=Réunion; RO=Romania; RS=Serbia; RU=Russian Federation; RW=Rwanda; SA=Saudi Arabia; SB=Solomon Islands; SC=Seychelles; SD=Sudan; SE=Sweden; SG=Singapore; SH=Saint Helena Ascension and Tristan da Cunha; SI=Slovenia; SJ=Svalbard and Jan Mayen; SK=Slovakia; SL=Sierra Leone; SM=San Marino; SN=Senegal; SO=Somalia; SR=Suriname; SS=South Sudan; ST=Sao Tome and Principe;</p>
--	--	--	--

			SV=El Salvador; SX=Sint Maarten (Dutch part); SY=Syrian Arab Republic; SZ=Swaziland; TC=Turks and Caicos Islands; TD=Chad; TF=French Southern Territories; TG=Togo; TH=Thailand; TJ=Tajikistan; TK=Tokelau; TL=Timor-Leste; TM=Turkmenistan; TN=Tunisia; TO=Tonga; TR=Turkey; TT=Trinidad and Tobago; TV=Tuvalu; TW=Province of China Taiwan; TZ=United Republic of Tanzania; UA=Ukraine; UG=Uganda; UM=United States Minor Outlying Islands; UY=Uruguay; UZ=Uzbekistan; VA=Holy See (Vatican City State); VC=Saint Vincent and the Grenadines; VE=Bolivarian Republic of Venezuela; VG=British Virgin Islands; VI=U.S. Virgin Islands; VN=Viet Nam; VU=Vanuatu; WF=Wallis and Futuna; WS=Samoa; YE=Yemen; YT=Mayotte; ZA=South Africa; ZM=Zambia; ZW=Zimbabwe; ZZ=Unknown
PTSP_GCCT	GC Contact: partner	Have you told this partner that they may have been exposed to gonorrhoea?	0=No; 1=Yes; 9=Unknown
PTSP_GCEXP	Disclosure of GC exposure	If PTSP_GCCT=0: Are you VERY LIKELY to tell this person that they may have been exposed to gonorrhoea?	0=No; 1=Yes; 9=Unknown/unsure

