UNITED STATES OF AMERICA FEDERAL ENERGY REGULATORY COMMISSION

[Docket No. IC21-13-000]

COMMISSION INFORMATION COLLECTION ACTIVITIES (FERC-725L); COMMENT REQUEST; EXTENSION

(June 8, 2021)

AGENCY: Federal Energy Regulatory Commission.

ACTION: Notice of information collection and request for comments.

SUMMARY: In compliance with the requirements of the Paperwork Reduction Act of 1995, the Federal Energy Regulatory Commission (Commission or FERC) is soliciting public comment on a renewal of currently approved information collection FERC 725L (Mandatory Reliability Standards for the Bulk-Power System: MOD Reliability Standards), which will be submitted to the Office of Management and Budget (OMB) for review.

DATES: Comments on the collection of information are due [Insert Date 30 days after date of publication in the Federal Register].

ADDRESSES: Send written comments on FERC-725L to OMB through www.reginfo.gov/public/do/PRAMain. Attention: Federal Energy Regulatory Commission Desk Officer. Please identify the OMB Control Number (1902-0261) in the subject line of your comments. Comments should be sent within 30 days of publication of this notice to www.reginfo.gov/public/do/PRAMain.

Please submit copies of your comments to the Commission. You may submit copies of your comments (identified by Docket No. IC21-13-000) by one of the following methods:

Electronic filing through http://www.ferc.gov, is preferred.

- Electronic Filing: Documents must be filed in acceptable native applications and print-to-PDF, but not in scanned or picture format.
- For those unable to file electronically, comments may be filed by USPS mail or by hand (including courier) delivery.
 - Mail via U.S. Postal Service Only: Addressed to: Federal Energy
 Regulatory Commission, Secretary of the Commission, 888 First Street,
 N.E., Washington, DC 20426.
 - Hand (including courier) delivery: Deliver to: Federal Energy Regulatory
 Commission, 12225 Wilkins Avenue, Rockville, MD 20852.

Instructions: OMB submissions must be formatted and filed in accordance with submission guidelines at www.reginfo.gov/public/do/PRAMain. Using the search function under the "Currently Under Review" field, select Federal Energy Regulatory Commission; click "submit," and select "comment" to the right of the subject collection.

FERC submissions must be formatted and filed in accordance with submission guidelines at: http://www.ferc.gov. For user assistance, contact FERC Online Support by e-mail at ferconlinesupport@ferc.gov, or by phone at: (866) 208-3676 (toll-free).

Docket: Users interested in receiving automatic notification of activity in this docket or in viewing/downloading comments and issuances in this docket may do so at https://www.ferc.gov/ferc-online/overview.

FOR FURTHER INFORMATION CONTACT: Ellen Brown may be reached by email at DataClearance@FERC.gov, telephone at (202) 502-8663.

SUPPLEMENTARY INFORMATION:

Title: FERC 725L (Mandatory Reliability Standards for the Bulk-Power System: MOD Reliability Standards).

OMB Control No.: 1902-0261

Type of Request: Three-year extension of the FERC-725L information collection requirements with changes to the current reporting requirements due to RD20-4. Abstract: MOD Reliability Standards ensure that generators remain in operation during specified voltage and frequency excursions, properly coordinate protective relays and generator voltage regulator controls, and ensure that generator models accurately reflect the generator's capabilities and equipment performance.

On May 30, 2013, the North American Electric Reliability Corporation (NERC) filed a petition explaining that the reliability of the Bulk-Power System benefits from "good quality simulation models of power system equipment," and that "model validation ensures the proper performance of the control systems and validates the computer models used for stability analysis." NERC further stated that the Reliability Standards will enhance reliability because the tests performed to obtain model data may reveal latent defects that could cause "inappropriate unit response during system disturbances."

Subsequently, on March 20, 2014, the Commission approved Reliability Standards MOD-025-2, MOD-026-1, and MOD-027-1. These Standards were intended to address generator verifications needed to support Bulk-Power System reliability that would also ensure that accurate data is verified and made available for planning simulations. On May 1, 2014, the Commission approved Reliability Standards MOD-032-1 and MOD-033-2. These Standards were to address "system-level modeling data and validation requirements necessary for developing planning models and the Interconnection-wide cases that are integral to analyzing the reliability of the Bulk-Power System". MOD-025-2, MOD-026-1, MOD-027-1, MOD-031-3, MOD-032-1 and MOD-033-2 are all currently approved within the FERC-725L information collection. The reporting requirements associated with each standard will not change as a result of this extension request.

The 60-day notice published on April 8, 2021 and received no comments.

Type of Respondents: NERC-registered entities including generator owners, transmission planners, planning authorities, balancing authorities, resource planners, transmission service providers, reliability coordinators, and transmission operators.⁴

¹ Final Rule in Docket No. RM13-16-000

² NERC Petition for Approval of Five Proposed Reliability Standards MOD-025-2, MOD-026-1, MOD-027-1, PRC-019-1, and PRC-024-1 submitted to FERC on 5/30/2013.

³ Order in Docket No. RD14-5-000

⁴ In subsequent portions of this notice, the following acronyms will be used: PA = Planning Authority, GO = Generator Owner, TP = Transmission Planner, BA = Balancing Authority, RP = Resource Planner, TSP = Transmission Service Provider, RC = Reliability Coordinator, TOP = Transmission Operator.

Estimate of Annual Burden⁵: The Commission estimates the annual public reporting burden⁶ and cost for the information collection as:

RD20-4:

• Elimination of the burden associated with the load-serving entity (LSE) function in Requirement R1 of proposed Reliability Standard MOD-031-3.⁷ The NERC petition states as the load-serving entity is no longer a NERC registration category, NERC proposes to remove this entity from the applicability section of proposed Reliability Standard MOD-031-3 and remove reference to this entity in Requirement R1, Part 1.1, where it is listed as an "Applicable Entity" for purposes of Requirements R2 and R4.⁸

Additionally, NERC proposes to strike the term "Planning Authority" from the applicability section of the standard and the explanatory text that follows. The preferred terminology for the responsible entity that coordinates and integrates transmission

⁵ "Burden" is defined as the total time, effort, or financial resources expended by persons to generate, maintain, retain, or disclose or provide information to or for a Federal agency. For further explanation of what is included in the information collection burden, reference 5 Code of Federal Regulations 1320.3.

⁶ Each of the five MOD standards in the FERC-725L information collection previously contained "one-time" components to their respondent burden. These one-time burden categories consisted primarily of activities related to establishing industry practices and developing data validation procedures tailored toward these reliability standards and their reporting requirements. None of the one-time burdens apply any longer, so they are being removed from the FERC-725L information collection.

⁷ The burden associated with the current version of this standard, MOD-031-2, is included in FERC-725L.

⁸ Standards Alignment with Registration Petition at 10.

facilities and service plans, resource plans, and protection systems is "Planning Coordinator." This is a terminology change and will not result in a change in burden.

- Modification of the term "Planning Authority" to "Planning Coordinator" in proposed Reliability Standard MOD-033-2.¹⁰ In the petition, NERC proposes to strike the term "Planning Authority" from the applicability section of the standard and the explanatory text that follows. The proposed change is intended to promote consistent use of "Planning Coordinator" throughout the Reliability Standards.¹¹ This is a terminology change and will not result in a change in burden.
- Reliability Standard MOD-031-3 (Demand and Energy Data)
- Reliability Standard MOD-033-2 (Steady-State and Dynamic System Model Validation)

Proposed Changes to Burden Due to Docket No. RD20-4-000 Adjustments and Clarifications ^[1]									
		Annual							
	No. of	No. of	Annual						
	Responde	Response	No. of	Average					
Reliability	nts &	s per	Response	Burden					
Standard &	Type of	Respond	s	Hrs. Per	Total Annual				
Requirement	Requirement Entity ent (1)*(2)=(Response Burden Hours								
s (1) (2) 3) (4) (3)*(4)=(5)									
RD20-4 Net C	hanges to FE	ERC-725L,	OMB Conti	ol No. 1902-	0261				

⁹ Standards Alignment with Registration Petition at 10.

[1]

¹⁰ The burden associated with the current version of this standard, MOD-033-1, is included in FERC-725L.

¹¹Standards Alignment with Registration Petition at 11.

MOD-031-3					
(Demand and					
Energy Data)					
Develop					
summary in					
accordance					
w/ R1,					
Subparts					
1.5.4 and					
1.5.5.—					
program					
decrease &	-561 (DP,				
adjustment /	LSE, TP				
clarification ¹²	& BA)	1	-561	8 hrs.	-4,488 hrs.
MOD-031-3					
(Demand and					
Energy Data)					
Develop data					
request in					
accordance					
w/ R1 and R3					
& Evidence					
Retention—					
adjustment /	113 (PC &				
clarification ¹³	BA)	1	113	8 hrs.	904 hrs.

¹² The estimates reflect a program decrease of 63 de-registered LSEs (and corresponding program decrease of 504 hrs.) related to Docket No. RD20-4-000, and an adjustment/clarification (decrease) of 498 DPs, TPs, and BAs (and corresponding decrease of 3,984 hrs.), not related to Docket No. RD20-4-000. The updated number of 381 DPs, TPs and BAs is listed in a new row clarifying their applicability with Requirements R2 and R4. Requirement R2 requires applicable entities to develop and provide data pursuant with Requirement R1.

¹³ The 113 PCs and BAs were originally estimated in FERC-725A due to Order No. 693. However, the estimates and descriptions were not clearly spelled out, so we are clarifying them. [Some of this burden may still be in FERC-725A (and double counted temporarily).]

(Demand and Energy Data) Develop and provide data in accordance w/ R2 and R4 & Evidence Retention— adjustment / Clarification ³⁶ BA & DP) 1 381 8 hrs. 3,048 hrs. MOD-033-2 (Steady-State Dynamic System Model Validation) R2 Data Submittal [for R2]— -14 (RC & adjustment TOP) 1 1 -14 8 hrs112 hrs.; MOD-033-2 (Steady-State Dynamic System Model Validation) R2 Data Submittal [for R2]— -14 (RC & adjustment TOP) 1 1 -14 8 hrs112 hrs.;	MOD-031-3					
Energy Data) Develop and provide data in accordance w/ R2 and R4 & Evidence Retention— adjustment / clarification ³⁶ BA & DP) 1 381 8 hrs. 3,048 hrs. MOD-033-2 (Steady-State Dynamic System Model Validation) R2 Data Submittal [for R2]— adjustment TOP) 1 1 -14 8 hrs112 hrs.; MOD-033-2 (Steady-State Dynamic System Model Validation) R2 Data Submittal [for R2]— adjustment TOP) 1 1 -14 8 hrs112 hrs.;						
Develop and provide data in accordance w/R2 and R4 & Evidence Retention—adjustment / clarification ³⁶ BA & DP) 1 381 8 hrs. 3,048 hrs. MOD-033-2 (Steady-State Dynamic System Model Validation) R2 Data Submittal [for R2]—	,					
provide data in accordance w/R2 and R4 & Evidence Retention— adjustment / clarification³6 BA & DP) 1 381 8 hrs. 3,048 hrs. MOD-033-2 (Steady-State Dynamic System Model Validation) R2 Data Submittal [for R2]— -14 (RC & adjustment TOP)¹4 1 -14 8 hrs112 hrs.; MOD-033-2 (Steady-State Dynamic System Model Validation), R1 -14 8 hrs112 hrs.;						
in accordance w/R2 and R4 & Evidence Retention— adjustment / clarification³6 BA & DP) 1 381 8 hrs. 3,048 hrs. MOD-033-2 (Steady-State Dynamic System Model Validation) R2 Data Submittal [for R2]— -14 (RC & adjustment TOP)¹4 1 -14 8 hrs112 hrs.; MOD-033-2 (Steady-State Dynamic System Model Validation) R7 MOD-033-2 (Steady-State Dynamic System Model Validation),R 1-R2,	_					
w/ R2 and R4 & Evidence Retention— adjustment / 381 (TP, clarification³6 BA & DP) 1 381 8 hrs. 3,048 hrs. MOD-033-2 (Steady-State Dynamic System Model Validation) R2 Data Submittal [for R2]— -14 (RC & adjustment -14 (RC & adjustment -112 hrs.; MOD-033-2 (Steady-State Dynamic System Model Validation),R -1-14 8 hrs. -112 hrs.; Model Validation),R 1-R2,	-					
& Evidence Retention— adjustment / clarification ³⁶ 381 (TP, clarification ³⁶ BA & DP) 1 381 8 hrs. 3,048 hrs. Appendix Appen						
Retention— adjustment / clarification ³⁶						
adjustment / clarification ³⁶ BA & DP) 1 381 8 hrs. 3,048 hrs. MOD-033-2 (Steady-State Dynamic System Model Validation) R2 Data Submittal [for R2]— -14 (RC & adjustment TOP) 14 1 -14 8 hrs112 hrs.; MOD-033-2 (Steady-State Dynamic System Model Validation),R 1-R2,						
Clarification 36		381 (TP.				
MOD-033-2 (Steady-State Dynamic System Model Validation) R2 Data Submittal [for R2]— -14 (RC & adjustment TOP) 14 1 -14 8 hrs112 hrs.; MOD-033-2 (Steady-State Dynamic System Model Validation),R 1-R2,	_	,	1	381	8 hrs.	3.048 hrs.
(Steady-State Dynamic System Model Validation) R2 Data Submittal [for R2]—			_			
Dynamic System Model Validation) R2 Data Submittal [for R2]—						
System Model Validation) R2 Data Submittal [for R2]—	' -					
Model Validation) R2 Data Submittal [for -14 (RC & adjustment TOP) 14 1 -14 8 hrs. -112 hrs.; MOD-033-2 (Steady-State Dynamic System Model Validation),R 1-R2,						
Validation) R2 Data Submittal [for R2]— -14 (RC & adjustment TOP) 14 1 -14 8 hrs112 hrs.; MOD-033-2 (Steady-State Dynamic System Model Validation),R 1-R2, Validation R R R R R R R R R	-					
R2 Data Submittal [for R2]—						
Data Submittal [for R2]—	· ·					
Submittal [for R2]—						
R2]—						
adjustment TOP) 14 1 -14 8 hrs. -112 hrs.; MOD-033-2 (Steady-State Dynamic System Model Validation),R 1-R2, 4 8 hrs. -112 hrs.; Validation, R 1-R2, 4 8 hrs. -112 hrs.;		-14 (RC &				
MOD-033-2 (Steady-State Dynamic System Model Validation),R 1-R2,		'	1	-14	8 hrs.	-112 hrs.;
(Steady-State Dynamic System Model Validation),R 1-R2,		- /				,
Dynamic System Model Validation),R 1-R2,						
System Model Validation),R 1-R2,	-					
Model Validation),R 1-R2,	1 -					
Validation),R 1-R2,						
1-R2,						
	,					
	Evidence	-14 (PC,				
Retention, RC &		'				
adjustment $ TOP ^{15}$ 1 -14 1 hr. -14 hrs.			1	-14	1 hr.	-14 hrs.

¹⁴ The estimate is changing to 174 (from 188) due to normal industry fluctuation. ¹⁵ The estimate is changing to 188 (from 194) due to normal industry fluctuation.

Net Changes			
for FERC-		-95 (net	
725L due to		reduction	-662 hrs.;
RD20-4)	(net reduction)

MOD-025	MOD-025-2 (Verification and Data Reporting of Generator Real and Reactive						
Power Cap	Power Capability and Synchronous Condenser Reactive Power Capability)						
					Total		
		Annual		Averag	Annual		
		Number	Total	e	Burden		
		of	Number	Burden	Hours &		
		Responses	of	& Cost	Total	Cost per	
	Number of	per	Response	Per	Annual	Responde	
	Respondent	Responde	s	Respon	Cost	nt	
	s ¹⁶	nt	(1)*(2)=(se	(3)*(4)=(5	(\$)	
	(1)	(2)	3)	(4))	(5)÷(1)	
Attachme	1003 (GO)	1	1003	6 hrs.;	6,018 hrs.;	\$502.02	
nt 2				\$502.0	\$503,526.		
				2 ¹⁷	06		
Evidence	1003	1	1003	1 hr.;	1003 hrs.;	\$34.79	
Retention	(GO)			\$34.79 ¹⁸	\$34,894.0		
					7		
TOTAL					7,021		
					hrs.;		
					\$538,420.		
					07		

¹⁶ The number of respondents for MOD-025-2/ MOD-026-1/ MOD-027-1/ MOD-31-3/ MOD-032-/ MOD-033-2 are from the NERC compliance registry February 5, 2021.

¹⁷ This wage figure uses the average hourly wage (plus benefits) for electrical engineers (Occupation Code: 17-2071, \$70.19/hour) and managers (Occupation Code: 11-0000, \$97.15/hour) obtained from the Bureau of Labor Statistics (BLS) (from https://www.bls.gov/oes/current/naics2_22.htm). The average used the following calculation: $[\$70.19/hour + \$97.15/hour] \div 2 = \$83.67/hour$.

¹⁸ The estimate uses the hourly average wage (plus benefits) for file clerks obtained from the Bureau of Labor Statistics: \$34.79/hour (BLS Occupation Code: 43-4071).

MOD-026-1 (Verification of Models and Data for Generator Excitation Control System or Plant Volt/Variance Control Functions)

	Number of Responde nts (1)	Annual Number of Response s per Responde nt (2)	Total Number of Respons es (1)*(2)=(3)	Averag e Burden & Cost Per Respon se (4)	Total Annual Burden Hours & Total Annual Cost (3)*(4)=(5)	Cost per Responde nt (\$) (5)÷(1)
Instructions for obtaining excitation control system or plant voltage/varia nce control function model	201 (TP)	1	201	8 hrs.; \$669.36 5	1,608 hrs.; \$134,541. 36	\$669.36
Documentati on on generator verification	501 (GO)	1	501	8 hrs.; \$669.36	4,008 hrs.; \$335,349.	\$669.36
Evidence Retention	668 (GO and TOP)	1	668	1 hr.; \$34.79 ⁶	668 hrs.; \$23,239.7 2	\$34.79
TOTAL					6,284 hrs.; \$493,130.	

MOD-027-1 (Verification of Models and Data for Turbine/Governor and Load Control or Active Power/Frequency Control Functions)

	Number of Responde nts (1)	Annual Number of Response s per Responde nt (2)	Total Number of Respons es (1)*(2)=(3)	Averag e Burden & Cost Per Respon se (4)	Total Annual Burden Hours & Total Annual Cost (3)*(4)=(5)	Cost per Responde nt (\$) (5)÷(1)
Instructions for obtaining excitation control system or plant voltage/varia nce control function model	201 (TP)	1	201	8 hrs.; \$669.36 5	1,608 hrs.; \$134,541. 36	\$669.36
Documentati on on generator verification Evidence	501 (GO) ¹⁹	1	501 668	8 hrs.; \$669.36 5	4,008 hrs.; \$335,349. 36 668 hrs.;	\$669.36 \$34.79
Retention TOTAL	(GO and TP)			\$34.796	\$23,239.7 2 6,284 hrs.; \$493,130.	

MOD-031-3 (formerly MOD-031-2) (Demand and Energy Data), included in FERC-725L

¹⁹ It is estimated that the applicable numbers of generator owner respondents used to calculate the public reporting burden for these standards MOD-026-1, MOD-027- 1, MOD-032-1 and MOD-033-1 is half of total numbers of GO (501=1003/2) due to the higher applicability threshold for those Reliability Standards.

Reliabilit y Standard MOD- 031-3	Number and Type of Responde nts (1)	Annual Number of Response s per Responde nt (2)	Total Number of Respons es (1)*(2)=(3)	Avg. Burden & Cost Per Respons e ²⁰ (4)	Total Annual Burden Hours & Total Annual Cost (3)*(4)=(5)	Cost per Responde nt (5)÷(1)
(On-going) Develop summary in accordanc e with Requireme nt R1, Subparts 1.5.4 and 1.5.5.	616 (DP, TP and/or BA)	1	616	8 hrs.; \$561.52	4,928 hrs.; \$345,896. 32	\$561.52
MOD- 031-3 Net Changes in RD20-4 (in the first table above) New Total for MOD- 031-3 for			-67 549		-536 hrs.; \$37,621.8 4 4,392 hrs.; \$308,274.	
Renewal					40	

The estimate uses the average hourly wage (plus benefits) of \$70.19/hour for electrical engineers (Occupation Code: 17-2071) from the Bureau of Labor Statistics.

MOD-032-1 (Verification of Models and Data for Turbine/Governor and Load Control or Active Power/Frequency Control Functions)

	Number of Responden ts (1)	Annual Number of Responses per Responde nt (2)	Total Number of Response s (1)*(2)=(3)	Average Burden & Cost Per Respons e (4)	Total Annual Burden Hours & Total Annual Cost (3)*(4)=(5)	Cost per Responde nt (\$) (5)÷(1)
Data Submitt al	1,418 (BA, GO, PA/PC, RP, TO, TP, and TSP)	1	1,418	8 hrs.; \$561.52 ²	11,344 hrs.; \$796,235.3 6	\$561.52
Evidenc e Retentio n	1,418 (BA, GO, PA/PC, RP, TO, TP, and TSP)	1	1,418	1 hr.; \$34.79 ⁶	1,418 hrs.; \$49,332.22	\$34.79
TOTAL					12,762 hrs.; \$998,484.7	

MOD-033-2 (formerly MOD-033-1) (Steady-State and Dynan	nics System Model
Validation)	

	Annual			Total	
	Number	Total	Average	Annual	
	of	Number	Burden	Burden	
	Responses	of	& Cost	Hours &	Cost per
Number of	per	Response	Per	Total	Responde
Responden	Responde	s	Respons	Annual	nt
ts	nt	(1)*(2)=(e	Cost	(\$)
(1)	(2)	3)	(4)	(3)*(4)=(5)	(5)÷(1)

Data	178	1	178	8 hrs.;	1,424 hrs.;	\$669.36
Submitt	(RC and			\$669.36 ⁷	\$119,146.0	
al	TOP)				8	
Evidenc	243	1	243	1 hr.;	243 hrs.;	\$34.79
e	(PA/PC,			\$34.79 ⁶	\$8,453.97	
Retentio	RC, and					
n	TOP)					
MOD-			-28		-126	
033-2						
Net						
Changes						
in						
RD20-4						
(in the						
first						
table						
above)						
New			393		1,541 hrs.;	
Total					\$128,935.4	
for					7	
MOD-						
033-2						
Renewa						
1						

The total annual estimated burden and cost for the FERC-725L information collection is 38,724 hours and \$2,960,375.60 respectively.

Comments: Comments are invited on: (1) whether the collection of information is necessary for the proper performance of the functions of the Commission, including whether the information will have practical utility; (2) the accuracy of the agency's estimate of the burden and cost of the collection of information, including the validity of the methodology and assumptions used; (3) ways to enhance the quality, utility and

Docket No. IC21-13-000

15

clarity of the information collection; and (4) ways to minimize the burden of the collection of information on those who are to respond, including the use of automated collection techniques or other forms of information technology.

Kimberly D. Bose, Secretary.