Section 1: General Information

Please fill out and submit this form electronically to WaterSense **by Monday**, **April 1**, **2013**. If you have any questions, please refer to the <u>Frequently Asked Questions</u> page or email the <u>WaterSense Helpline</u>.

To save a draft of this application, select "Save my progress and resume later". You will be prompted to provide an email address and password that you will use to re-enter the form. WaterSense does not have access to these passwords, so please keep your password in a safe place.

Please fill in the following information as it relates to your organization:

Section 5: Supporting Materials

Please note: WaterSense is no longer accepting hard copy supporting materials. Partners are also asked to limit their electronic supporting materials to 25 pages. Additional supporting materials will not be reviewed.

Please upload any supporting materials that help demonstrate the accomplishments described in your

Irrigation - Award Application

written statement. Including supporting materials is not required, but is strongly encouraged. To upload additional supporting materials, please use the "Upload more supporting materials" link below the first record.

	Browse
Upload more supplemental	materials

Please note: Individual files may not exceed 5 MB. Total file size may not exceed 20 MB.

We understand that some high-resolution photos may be quite large and push your application over the 20 MB file size limit. Therefore, you may send up to 10 additional photos of your 2012 WaterSense-related activities to watersenseawards@erg.com. These photos may be used in recognition materials if your organization is selected for an award. Materials other than photos sent to this email address will not be reviewed with your application.

Your application form, including the written statement and supporting materials, **must be submitted by Monday, April 1, 2013** to be considered for an award.

On the following page, you will be asked to review your responses. You **must** select "confirm" at the bottom of the following page to submit your award application to WaterSense.

Please note, you may need to try different printer settings or print as a PDF to print the full report for your records. We apologize for any inconvenience.

Need assistance with this form?

OMB Control Number 2040-0272 Approval Expires 06/30/2013

EPA Form Number 6100-17. The public reporting and record keeping burden for this collection of information is estimated to average 25 hours per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Avenue, NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.