

Attachment 12: Sample Analysis Tables

TABLE 1. HIV infection for all participants and for participants who did not self-report a previous positive HIV test result, by selected characteristics — United States,

Characteristics	All participants*		Non-SRP participants [†]			
	Total no. tested	HIV infection		Total no. tested	HIV infection	
		No.	(%)		No.	(%)
Gender						
Male						
Female						
Race/Ethnicity						
American Indian/Alaska Native						
Asian						
Black						
Hispanic/Latino [‡]						
Native Hawaiian/Other Pacific Islander						
White						
Age group (yrs)						
18-29						
30-39						
40-49						
50-59						
≥ 60						
Education						
< High school						
High school diploma or equivalent						
> High school						
Income^{**}						
At or below federal poverty level						
Above federal poverty level						
Health insurance						
None						
Public only						
Private						
only						
Other/multiple						
Visited health-care provider, past 12 months						
Yes						
No						
Homeless, past 12 months						
Yes						
No						
Arrested, past 12 months						
Yes						
No						
Drug injected most frequently, past 12 months						
Heroin alone						
Heroin and cocaine ^{††}						
Cocaine or crack alone						
Methamphetamine						
Other ^{§§}						
Male-male sex (among males only)						
Never						
≤ 12 months before interview						
> 12 months before interview						
Alcohol or drug treatment program^{†††}						
≤ 12 months before interview						
> 12 months before interview						
Never been in a treatment program						
Self-reported previous HIV test result						
Negative						
Positive						
Never obtained result						
Never tested						
Other ^{¶¶}						
Time since last HIV test^{†††}						
≤ 3 months						
4-6 months						
7-12 months						
≥ 13 months						
Never						
tested						
Other ^{§§§}						
Geographic region						
Total						

Abbreviations: HIV = human immunodeficiency virus; SRP= self-reported a previous positive HIV test result.

* Sample includes participants with a valid HIV test result who self-reported a previous positive HIV test result. Numbers may not add to totals because of missing data.

[†] Sample includes participants with a valid HIV test result who did not self-report a previous positive HIV test result. Numbers may not add to totals because of missing data.

[§] Suppressed due to small cell sizes.

[‡] Persons of Hispanic/Latino ethnicity might be of any race.

^{**} Poverty level is based on household income and household size.

^{††} Injected together, or with the same frequency.

^{§§} Other drugs injected alone or two or more drugs injected with the same frequency.

TABLE 2. Description of survey participants who did not self-report a previous positive HIV test result*, by gender — United States,

Characteristic	Total males		Total females		Total	
	No.	(%)	No.	(%)	No.	(%)
Race/Ethnicity						
American Indian/Alaska Native						
Asian						
Black						
Hispanic/Latino [†]						
Native Hawaiian/Other Pacific Islander						
White						
Hispanic Ancestry[§]						
Mexican						
Puerto Rican						
Cuban						
Dominican						
Other						
Multiple						
Age group (yrs)						
18-29						
30-39						
40-49						
50-59						
≥ 60						
Education						
< High school						
High school diploma or equivalent						
> High school						
Income[†]						
At or below federal poverty level						
Above federal poverty level						
Health insurance						
None						
Public only						
Private only						
Other/multiple						
Visited health-care provider, past 12 months						
Yes						
No						
Homeless, past 12 months						
Yes						
No						
Arrested, past 12 months						
Yes						
No						
Drug injected most frequently, past 12 months						
Heroin alone						
Heroin and cocaine ^{**}						
Cocaine or crack alone						
Methamphetamine						
Other ^{††}						
Alcohol or drug treatment program^{§§}						
≤ 12 months before interview						
> 12 months before interview						
Never been in a treatment program						
Geographic region						
Total						

Abbreviations: HIV = human immunodeficiency virus.

* Sample excludes participants who self-reported a previous positive HIV test result. Numbers may not add to totals because of missing data. Column percentages may not add to 100 because of rounding.

[†] Persons of Hispanic/Latino ethnicity might be of any race.

[§] Among those who reported Hispanic/Latino race/ethnicity.

[†] Poverty level is based on household income and household size.

^{**} Injected together, or with the same frequency.

^{††} Other drugs injected alone or two or more drugs injected with the same frequency.

^{§§} Includes outpatient, residential, detox, and methadone treatment programs.

TABLE 3. Injection drug use during the past 12 months for participants who did not self-report a previous positive HIV test result[†], by type of drug[‡], frequency of injection, and selected characteristics — United States

Characteristics	Heroin		Speedball [§]				Cocaine or crack				Methamphetamine				Other/multiple		Total
	Injected in past 12 months		Injected daily [¶]		Injected in past 12 months		Injected daily [¶]		Injected in past 12 months		Injected daily [¶]		Injected in past 12 months		Injected daily [¶]		
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	
Gender																	
Male																	
Female																	
Race/Ethnicity																	
American Indian/Alaska Native																	
Asian																	
Black																	
Hispanic/Latino ^{¶¶}																	
Native Hawaiian/Other Pacific Islander																	
White																	
Age group (yrs)																	
18-29																	
30-39																	
40-49																	
50-59																	
≥ 60																	
Education																	
< High school																	
High school diploma or equivalent																	
> High school																	
Income^{§§}																	
At or below federal poverty level																	
Above federal poverty level																	
Arrested, past 12 months																	
Yes																	
No																	
HIV test result																	
Negative																	
Positive																	
Geographic region																	
Total																	

Abbreviations: HIV = human immunodeficiency virus;

^{*} Sample excludes participants who self-reported a previous positive HIV test result. Numbers may not add to totals because of missing data.

[†] Participants may report the use of more than one drug as categories are not mutually exclusive.

[§] Refers to heroin and cocaine being injected together as speedball.

[¶] Among those participants who injected that drug in the past 12 months.

^{**} Suppressed because of small cell size.

^{††} Persons of Hispanic/Latino ethnicity might be of any race.

^{§§} Poverty level is based on household income and household size.

TABLE 4. Risky injection practices during the past 12 months for participants who did not self-report a previous positive HIV test result*, by selected characteristics
United States

Characteristic	Receptive sharing of syringes [†]		Receptive sharing of injection equipment [§]		Receptive sharing of syringes to divide drugs [¶]		Any receptive sharing ^{**}		Total
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	
Gender									
Male									
Female									
Race/Ethnicity									
American Indian/Alaska Native									
Asian									
Black									
Hispanic/Latino ^{§§}									
Native Hawaiian/Other Pacific Islander									
White									
Age group (yrs)									
18-29									
30-39									
40-49									
50-59									
≥ 60									
Education									
< High school									
High school diploma or equivalent									
> High school									
income^{§§§}									
At or below federal poverty level									
Above federal poverty level									
Homeless, past 12 months									
Yes									
No									
Arrested, past 12 months									
Yes									
No									
Drug injected most frequently, past 12 months									
Heroin alone									
Heroin and cocaine ^{¶¶}									
Cocaine or crack alone									
Methamphetamine									
Other ^{¶¶¶}									
Hepatitis C testing^{†††}									
Yes									
No									
Hepatitis C diagnosis^{§§§§}									
Yes									
No									
Had unprotected**** vaginal sex, past 12 months									
Yes									
No									
Had unprotected**** anal sex, past 12 months									
Yes									
No									
Had more than one opposite sex partner, past 12 months									
Yes									
No									
HIV test result									
Negative									
Positive									
Geographic Region									
Total									

Abbreviations: HIV = human immunodeficiency virus.

* Sample excludes participants who self-reported a previous positive HIV test result. Numbers may not add to totals because of missing data.

† During the past 12 months, used needles that was already been used by someone else.

§ During the past 12 months, used cooker (spoon, bottle cap, etc) or cotton (used to filter particles from drug solution) that was already used by someone else or shared water for rinsing needles or preparing drugs.

¶ During the past 12 months, divided drug solution with a syringe someone already injected with.

** During the past 12 months, used needles that was already been used by someone else, used cooker or cotton that was already used by someone else or shared water for rinsing needles or preparing drugs, or divided drug solution with a syringe someone already injected with.

†† Persons of Hispanic/Latino ethnicity might be of any race.

§§ Poverty level is based on household income and household size.

§§§ Injected together, or with the same frequency.

¶¶ Other drugs injected alone or two or more drugs injected with the same frequency.

††† Self-reported had ever been told had hepatitis C by a health care provider or ever had a blood test to check for hepatitis C infection.

§§§ Self-reported had ever been told had hepatitis C by a health care provider.

