



Form Approved
OMB #0920-0743
EXP. DATE: XX/XX/XXXX

Maternity Practices in Infant Nutrition and Care

2022

System use notification:

This warning banner provides privacy and security notices consistent with applicable federal laws, directives, and other federal guidance for accessing this Government system, which includes all devices/storage media attached to this system. This system is provided for Government-authorized use only. Unauthorized or improper use of this system is prohibited and may result in disciplinary action and/or civil and criminal penalties. At any time, and for any lawful Government purpose, the government may monitor, record, and audit your system usage and/or intercept, search and seize any communication or data transiting or stored on this system. Therefore, you have no reasonable expectation of privacy. Any communication or data transiting or stored on this system may be disclosed or used for any lawful Government purpose.

Public reporting burden of this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing burden to CDC, Reports Clearance Officer, 1600 Clifton Road, MS D-74, Atlanta, GA 30329, ATTN: PRA (0920-0743). Do not send the completed form to this address.

About the Maternity Practices in Infant Nutrition and Care (mPINC)™ trademark: The mPINC trademark (word and logo) are owned by the U.S. Department of Health and Human Services in the United States. An organization's participation in CDC's mPINC survey does not imply endorsement by the U.S. Department of Health and Human Services or the Centers for Disease Control and Prevention.

About this survey:

The Centers for Disease Control and Prevention (CDC) invites you to participate in a national survey of newborn feeding practices at hospitals in the United States and Territories that provided maternity care in the past year. The survey is being conducted for CDC by Battelle, a national survey and research organization with extensive experience in the collection of health data. Participation of every hospital providing maternity care makes this survey representative of all maternity care hospitals in the United States and Territories. If your hospital provided maternity care at multiple locations, only report data for the specific physical location listed in your email invitation.

Your participation in the survey is completely voluntary.

Prior to submitting the survey, you will have the opportunity to provide your contact information so that you, the survey recipient, will receive one (1) electronic copy of your hospital's results. Providing your contact information is voluntary. Your contact information will in no way be connected to survey responses or scores.

How long will this survey take to complete?

The survey will take about 30 minutes to complete.

How will this information be used?

The purpose of this survey is to learn about newborn feeding practices at hospitals in the United States and Territories. After data collection is complete, your hospital will receive an individualized report containing a summary of survey results. Data will also be used to generate state-specific reports, national aggregate data tables, and may be used to answer other questions. Data may be released for additional approved purposes and may be shared with state health departments for the development of public health programs. Information from this survey will also assist CDC with program planning.

Are our survey responses kept confidential?

Your responses will be treated in a secure manner and will not be disclosed unless required by law. Your name, hospital name, and any other personal identifiers will not be included in either oral or written presentation of survey results. Responses will only be reported in summary form so individual responses cannot be identified.

Survey Instructions: Please use Google Chrome Browser to complete your survey.

Survey Instructions:

Thank you for participating in this survey. You have been identified as the survey recipient for your hospital, which means that only you have access to the unique link to complete and submit the 2022 mPINC survey for your hospital.

We are asking you to fill out the survey with data from the 2021 calendar year (January 1, 2021 – December 31, 2021) or your hospital's fiscal year 2021. Unless otherwise specified, questions on the survey are asking about healthy newborns who are discharged to home (i.e., not transferred or admitted to the Special Care Nursery (SCN) or Neonatal Intensive Care Unit (NICU)).

This survey contains 6 core sections and an additional section for hospitals with an SCN or NICU. Each section should be completed by the most knowledgeable and appropriate staff. For example, the Mother-Baby Unit supervisor may be better able to answer one section, while the Lactation Services coordinator or NICU nurse manager may be better able to complete another section. See the table below for a list of people who may be helpful with completing different sections of the survey.

Titles of staff who may be appropriate to fill out sections of the survey include:

Mother-Baby Unit Manager / Supervisor	
Labor and Delivery Unit Manager / Supervisor	
Lactation Services Coordinator / Lactation Specialist	
NICU Nurse Manager	
Staff nurse	
Database Manager / Coordinator	
Maternal and Child Health Physician Leaders	

Some questions ask you to enter exact percentages; however, if your hospital does not formally track this information, please provide your best estimate.

Click [here](#) to download a blank copy of the survey. This version should only be used as a worksheet to record responses prior to entering and submitting them online. No paper copies of the survey will be accepted.

You may wish to work on this survey over a period of time, particularly if it will be completed by multiple staff. You can view all sections and pages in the survey and you may go back and forth and edit responses as needed. Your responses will only be saved after you have clicked **Next** at the bottom of the page. If you cannot complete the survey all at one time, click **Save**, and return at a later time. When you return, you may continue where you left off. Before submitting you will be able to review the questions and your answers. You will be notified before your final submission if you have missed any items.

Survey Tips:

- Click [here](#) to download/print a blank copy of the survey.
- Move between sections of the survey on the **Table of Contents** page by clicking the blue circle to the right of the section and then clicking **Next**.
- To move back and forth between questions within a section use the **Next** and **Previous** buttons.
- Do not click on your browser's back or forward button while taking the survey.
- Throughout the survey there will be pop-ups providing you with definitions and explanations; access these by hovering your mouse over the underlined text.

What to do if you have questions:

If you have any questions about the survey, please call the Battelle Survey Line toll free at 1 (866) 826-4176.

What to do when you have completed the survey:

Once you are finished with the survey, you will have the option to review and print your answers by selecting **Review Survey**. Once you are done reviewing or printing your survey, click **Next**. When you are ready to submit your survey, please select **Submit Survey** on the Table of Contents Page and click **Next**. You will be redirected to a screen thanking you for your submission. This action will send the survey to a secure database. Once you have submitted the survey, you will not be able to return to the survey. **It is important to remember to click Submit and then Next to complete the submission process and ensure you receive a hospital report.**

Thank you for your contribution!

SURVEY ITEMS	Hovers, skip patterns, & notes						
SECTION A: Hospital Data							
This section is about deliveries and general hospital information. Mouse over underlined text for a definition or more information.							
<p>A1</p> <p>What type of facility is your hospital? (select 1 option only)</p> <ul style="list-style-type: none"> • government (public, non-military) hospital • non-profit, private hospital • for profit, private hospital • military hospital 	<p>This should be a drop down menu</p>						
<p>A2</p> <p>Is your hospital a teaching hospital (e.g., medical residents, nursing students)?</p> <table border="1" data-bbox="380 703 1698 784"> <tr> <td>YES</td> <td></td> <td></td> </tr> <tr> <td>NO</td> <td></td> <td></td> </tr> </table>	YES			NO			
YES							
NO							
<p>A3</p> <p>Is your hospital currently designated as “Baby-Friendly” by the Baby-Friendly Hospital Initiative (BFHI)?</p> <table border="1" data-bbox="380 979 1698 1060"> <tr> <td>YES</td> <td></td> <td></td> </tr> <tr> <td>NO</td> <td></td> <td></td> </tr> </table>	YES			NO			
YES							
NO							

<p>A5 Do women who deliver at your hospital have the opportunity to receive prenatal breastfeeding education (in either group or individual settings) provided by your hospital and/or a hospital-affiliated clinic or service?</p>			
<table border="1"> <tr> <td data-bbox="380 375 1423 418">YES</td> <td data-bbox="1423 375 1703 418"></td> </tr> </table>	YES		
YES			
<table border="1"> <tr> <td data-bbox="380 418 1423 462">NO</td> <td data-bbox="1423 418 1703 462"></td> </tr> </table>	NO		
NO			
<table border="1"> <tr> <td data-bbox="380 462 1423 506">Not Sure</td> <td data-bbox="1423 462 1703 506"></td> </tr> </table>	Not Sure		
Not Sure			

Complete the following items using data from the past calendar or fiscal year:

A5_a

Among women delivering in your hospital, approximately what percent are:
 (Round to nearest percentage. Percentages are not required to add to 100%. If information on maternal race is not collected by the hospital or available to report, please leave all rows blank.)





Race	Enter %
American Indian or Alaska Native	___ %
Asian	___ %
Black or African American	___ %
Native Hawaiian or Other Pacific Islander	___ %
White	___ %
Maternal race missing	___ %

A5_b

Among women delivering in your hospital, approximately what percent are:
 (Round to nearest percentage. If information on maternal ethnicity is not collected by the hospital or available to report, please leave all rows blank.)

Ethnicity	Enter %
Hispanic or Latino	___ %
Not Hispanic or Latino	___ %
Maternal ethnicity missing	___ %

If information on maternal ethnicity is not collected by the hospital or available to report, please leave all rows blank and click next to continue."

<p>Complete the following items using data from the past calendar or fiscal year:</p> <p>A6 [Total live births]: _____</p>	<p>Total number of live births includes vaginal and Cesarean (C-Section) deliveries. For multiple births, count each newborn as a separate live birth.</p>				
<p>A7 Does your hospital perform deliveries by Cesarean section?</p> <table border="1" style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="padding: 2px 10px;">YES</td> <td style="width: 50px;"></td> </tr> <tr> <td style="padding: 2px 10px;">NO</td> <td></td> </tr> </table>	YES		NO		<p>Those who enter "no" will not see any future cesarean-related items (A7a & C2)</p>
YES					
NO					
<p><i>This question is only asked of those who report "Yes" for item A7. If they select "no" for A7, skip to A8.</i></p> <p>A7a [Total live births delivered by Cesarean section]: _____</p>	<p>Total number of live birth Cesarean (C-Section) deliveries that were performed at your hospital, including in the perinatal services area, an operating room, or any other location within the hospital.</p>				
<p>A8 How many healthy newborns at your hospital have their umbilical cord clamped more than one minute after birth?</p> <div style="display: flex; justify-content: center; gap: 20px; margin-top: 10px;"> <div style="text-align: center;"> <p>FEW (0-19%)</p>  </div> <div style="text-align: center;"> <p>SOME (20-49%)</p>  </div> <div style="text-align: center;"> <p>MANY (50-79%)</p>  </div> <div style="text-align: center;"> <p>MOST (80% +)</p>  </div> </div>					

A9

Throughout their hospital stay, what percent of healthy newborns are fed the following?

	Enter %	Select one
[ONLY breast milk]	_____ %	<input type="checkbox"/> Actual <input type="checkbox"/> Estimate
Breast milk AND any formula, water, or glucose water	_____ %	<input type="checkbox"/> Actual <input type="checkbox"/> Estimate
No breast milk	_____ %	<input type="checkbox"/> Actual <input type="checkbox"/> Estimate
<i>Total sums to 100%</i>	100%	

[ONLY breast milk]:













- no water or formula at any time during hospitalization
- no glucose water or sucrose solution except for during painful procedures

If the respondent enters values that do not total to 100%, the screen will say, "Total should equal 100%. Please fix or click next to continue."

A10

Among breastfed newborns who are supplemented, and not in a special care nursery or neonatal intensive care unit, how many receive donor human milk?

Not offered at our hospital	Few (0-19%)	Some (20-49%)	Many (50-79%)	Most (80% +)

<p>Although most of the survey is about early postpartum care practices for <u>healthy</u> mother-baby dyads, the following items address a special population of newborns.</p>																																				
<p>A11_0a (new) In the past year, has your hospital cared for ANY newborns diagnosed with [Neonatal Abstinence Syndrome (NAS)]? No, we did not have any newborns born in our hospital who were diagnosed with NAS (skip to B1) No, all newborns with NAS born in our hospital were transferred to another facility (skip to B1) Yes (proceed to A11_0b)</p>						<p>Neonatal Abstinence Syndrome (NAS): A newborn with confirmed or suspected <i>in utero</i> exposure to opioids, benzodiazepines, or barbiturates. Please see the "CSTE Neonatal Abstinence Syndrome Standardized Case Definition."</p>																														
<p>A11_0b (new) In the past year, our hospital cared for approximately the following number of newborns diagnosed with NAS:</p> <table border="1" style="width: 100%; text-align: center;"> <tr> <td>1-25</td> <td>26-50</td> <td>51-100</td> <td>101-200</td> <td>>200</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>						1-25	26-50	51-100	101-200	>200						<p>Neonatal Abstinence Syndrome (NAS): A newborn with confirmed or suspected <i>in utero</i> exposure to opioids, benzodiazepines, or barbiturates. Please see the "CSTE Neonatal Abstinence Syndrome Standardized Case Definition."</p>																				
1-25	26-50	51-100	101-200	>200																																
<p>A11 How many newborns diagnosed with NAS. . .</p> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th></th> <th>FEW (0-19%) </th> <th>SOME (20-49%) </th> <th>MANY (50-79%) </th> <th>MOST (80% +) </th> <th>Not Applicable (no NICU/PICU at our hospital)</th> </tr> </thead> <tbody> <tr> <td>. . .are breastfed or provided with any expressed human milk, if not contraindicated?</td> <td> </td> <td> </td> <td> </td> <td> </td> <td style="background-color: #cccccc;"> </td> </tr> <tr> <td>. . . are provided high-calorie formula or fortified breast milk?</td> <td> </td> <td> </td> <td> </td> <td> </td> <td style="background-color: #cccccc;"> </td> </tr> <tr> <td>. . .[are rooming-in]?</td> <td> </td> <td> </td> <td> </td> <td> </td> <td style="background-color: #cccccc;"> </td> </tr> <tr> <td>. . .are cared for in your hospital's Intensive Care Unit (NICU or PICU)?</td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>							FEW (0-19%) 	SOME (20-49%) 	MANY (50-79%) 	MOST (80% +) 	Not Applicable (no NICU/PICU at our hospital)	. . .are breastfed or provided with any expressed human milk, if not contraindicated?						. . . are provided high-calorie formula or fortified breast milk?						. . .[are rooming-in]?						. . .are cared for in your hospital's Intensive Care Unit (NICU or PICU)?						<p>Rooming-in is a practice where mother and newborn are in close proximity.</p> <p>Skin-to-skin contact: The naked newborn is placed directly on the mother's bare chest or abdomen (with or without a diaper).</p> <p>Kangaroo Care refers to skin-to-skin care where a newborn, often premature, is placed prone directly on the mother's, father's, or other's bare chest or abdomen. The caregiver is then wrapped in a blanket or other cloth to secure the newborn against his or her chest.</p>
	FEW (0-19%) 	SOME (20-49%) 	MANY (50-79%) 	MOST (80% +) 	Not Applicable (no NICU/PICU at our hospital)																															
. . .are breastfed or provided with any expressed human milk, if not contraindicated?																																				
. . . are provided high-calorie formula or fortified breast milk?																																				
. . .[are rooming-in]?																																				
. . .are cared for in your hospital's Intensive Care Unit (NICU or PICU)?																																				

<p>...practice [skin-to-skin contact] or [Kangaroo Care] outside of the immediate postpartum period?</p>						
<p>A12 Are the following included in a <u>written</u> policy/protocol about management of NAS at your hospital?</p>						<p>Rooming-in is a practice where mother and newborn are in close proximity.</p>
	Verbal screening for maternal substance use (e.g., asking in the medical history)	Toxicology screening for maternal substance use (e.g., urine, meconium, hair, cord blood)	Use of a standardized tool to evaluate NAS (e.g., Modified Neonatal Abstinence Scoring System, modified Finnegan)	Breastfeeding or provision of expressed human milk recommended as a nonpharmacological treatment of NAS, if not contraindicated	[Rooming-in] as a recommended nonpharmacological treatment of NAS	[Skin-to-skin contact] or [Kangaroo Care] outside of the immediate postpartum period as a recommended nonpharmacological treatment of NAS
<p>A13. Which NAS scoring/assessment system does your hospital primarily use? Check one</p>	Pharmacologic treatment of NAS	Neonatal Abstinence Scoring System (e.g., modified Finnegan's, <u>MOTHER Neonatal Abstinence Measure</u>)	Eat, Sleep, Console (ESC)	Other (e.g., Lipsitz Tool, Neonatal Narcotic Withdrawal Index)	Unknown (not specified)	None

The remaining questions in Section B only apply if your hospital has Level II-Level IV neonatal care.

Level I: Well newborn nursery	
Level II: Special care nursery	
Level III: Neonatal Intensive Care Unit	
Level IV: Regional Neonatal Intensive Care Unit	

apply. Click Next to return to the Table of Contents. If you selected Level 1 by mistake, please correct your answer before clicking Next.”





*This section is only available to those who have a Level 2-4 SCN or NICU from Item **B1**. If they select Level 1 for B1, skip the remaining items in Section B and go right to Section C.*

If level 1 is selected:

You've selected Level 1. The rest of the questions in this section do not apply. Click **Next** to return to the Table of Contents. If you selected Level 1 by mistake, please click **Previous**, return to the question and correct your answer

B2

How many mothers with newborns in your hospital's SCN or NICU . . .

	FEW (0-19%) 	SOME (20-49%) 	MANY (50-79%) 	MOST (80% +) 
. . .are advised to provide human milk as a component of their newborn's medical care?				
. . .are advised to breastfeed or express their milk 8 or more times every 24 hours to establish and maintain their milk supply?				
. . .begin expressing and collecting their milk within 1 hour of their newborn's birth (among healthy, stable mothers)?				
. . .are shown techniques or are given written instruction for cleaning breast pump equipment?				

B3

Among SCN/NICU newborns eligible for [Kangaroo Care], how many practice Kangaroo Care?

Not offered at our hospital	Few (0-19%)	Some (20-49%)	Many (50-79%)	Most (80% +)

Kangaroo Care refers to skin-to-skin care where a newborn, often premature, is placed prone directly on the mother's, father's, or other's bare chest or abdomen. The caregiver is then wrapped in a blanket or other cloth to secure the newborn against his or her chest.

B4
What percent of infants are receiving their mother's own breast milk at any time in the SCN/NICU?

Few (0-19%)	Some (20-49%)	Many (50-79%)	Most (80% +)

B5
How many infants receive donor human milk at any time while cared for in your hospital's SCN/NICU?

Donor milk not available	Few (0-19%)	Some (20-49%)	Many (50-79%)	Most (80% +)

SECTION C: CARE PRACTICES

This section is about early postpartum care practices for all healthy mother-baby dyads, **REGARDLESS OF FEEDING METHOD**. Mouse over underlined text for a definition or more information.

C1
After vaginal delivery, how many newborns remain in uninterrupted [skin-to-skin contact] with their mothers beginning immediately after birth . . .

skin-to-skin contact: The naked newborn is placed directly on the mother's bare chest or abdomen (with or without a diaper).

	FEW (0-19%)	SOME (20-49%)	MANY (50-79%)	MOST (80% +)
. . .if breastfeeding, until the first breastfeeding is completed?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
. . .if not breastfeeding, for at least one hour?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

<p>C2 After <u>Cesarean-delivery</u>, how many newborns remain in uninterrupted [skin-to-skin contact] with their mothers as soon as the mother is responsive and alert after birth?</p> <table border="1" style="margin-left: auto; margin-right: auto; text-align: center; border-collapse: collapse;"> <tr> <td style="padding: 2px;">FEW (0-19%)</td> <td style="padding: 2px;">SOME (20-49%)</td> <td style="padding: 2px;">MANY (50-79%)</td> <td style="padding: 2px;">MOST (80% +)</td> </tr> <tr> <td style="text-align: center;"><input type="radio"/></td> <td style="text-align: center;"><input type="radio"/></td> <td style="text-align: center;"><input type="radio"/></td> <td style="text-align: center;"><input type="radio"/></td> </tr> </table> <table border="1" style="margin-left: auto; margin-right: auto; border-collapse: collapse; width: 80%;"> <tr> <td style="padding: 2px;">. . .if breastfeeding, until the first breastfeeding is completed?</td> <td style="width: 10%;"></td> <td style="width: 10%;"></td> <td style="width: 10%;"></td> <td style="width: 10%;"></td> </tr> <tr> <td style="padding: 2px;">. . .if not breastfeeding, for at least one hour?</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	FEW (0-19%)	SOME (20-49%)	MANY (50-79%)	MOST (80% +)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	. . .if breastfeeding, until the first breastfeeding is completed?					. . .if not breastfeeding, for at least one hour?					<p>skin-to-skin contact: The naked newborn is placed directly on the mother's bare chest or abdomen (with or without a diaper).</p> <p><i>This item is skipped if no cesareans (A7 = no)</i></p>
FEW (0-19%)	SOME (20-49%)	MANY (50-79%)	MOST (80% +)																
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>																
. . .if breastfeeding, until the first breastfeeding is completed?																			
. . .if not breastfeeding, for at least one hour?																			
<p>C3 How many <u>vaginally-delivered</u> newborns are separated from their mothers [before] starting [rooming-in]?</p> <table border="1" style="margin-left: auto; margin-right: auto; border-collapse: collapse; text-align: center;"> <tr> <td style="padding: 2px;">Few (0-19%)</td> <td style="padding: 2px;">Some (20-49%)</td> <td style="padding: 2px;">Many (50-79%)</td> <td style="padding: 2px;">Most (80% +)</td> <td style="padding: 2px;">Rooming-in is not an option at our hospital</td> </tr> <tr> <td style="height: 20px;"></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	Few (0-19%)	Some (20-49%)	Many (50-79%)	Most (80% +)	Rooming-in is not an option at our hospital						<p>Before: Prior to or during transfer from Labor / Delivery care to Postpartum / Nursery care</p> <p>Rooming-in is a practice where mother and newborn are in close proximity.</p>								
Few (0-19%)	Some (20-49%)	Many (50-79%)	Most (80% +)	Rooming-in is not an option at our hospital															
<p>C4 What percent of newborns stay in the room with their mothers for 24 hours per day (not including those separated for medical reasons)?</p> <table border="1" style="margin-left: auto; margin-right: auto; border-collapse: collapse; width: 80%;"> <tr> <td style="padding: 2px;">Enter %</td> <td style="padding: 2px;">Select one</td> </tr> <tr> <td style="padding: 2px; text-align: center;">_____ %</td> <td style="padding: 2px;"> <input type="checkbox"/> Actual <input type="checkbox"/> Estimate </td> </tr> </table>	Enter %	Select one	_____ %	<input type="checkbox"/> Actual <input type="checkbox"/> Estimate															
Enter %	Select one																		
_____ %	<input type="checkbox"/> Actual <input type="checkbox"/> Estimate																		
<p>C5</p>	<p>Observed monitoring includes for</p>																		

How many newborns receive continuous [observed monitoring] throughout the first two hours immediately following birth?

FEW (0-19%)
 SOME (20-49%)
 MANY (50-79%)
 MOST (80% +)

positioning, color, and breathing

C6
 Where are newborns usually located during each of the following situations? *Click one location per situation. For situations addressed in multiple locations in your hospital, choose the most frequently-used location.*

	Mother's Room	Nursery, procedure room, or newborn observation unit
Pediatric exams/rounds	<input type="checkbox"/>	<input type="checkbox"/>
Hearing screening	<input type="checkbox"/>	<input type="checkbox"/>
Pulse oximetry screening (congenital heart defect screening)	<input type="checkbox"/>	<input type="checkbox"/>
Routine labs/blood draws/injections	<input type="checkbox"/>	<input type="checkbox"/>
Newborn bath	<input type="checkbox"/>	<input type="checkbox"/>

C7
Does your hospital have a protocol that requires frequent observations of [high-risk] mother-infant dyads by nurses to ensure safety of the infant while they are together?


YES	
NO	

Examples of high-risk include: low Apgar scores, late preterm, infants who required resuscitation, difficult delivery, or medications given to the mother that may make her drowsy or sedated or affect the newborn.

SECTION D: FEEDING PRACTICES

This section is about infant feeding practices for healthy BREASTFED newborns. Mouse over underlined text for a definition or more information.

D1
How many healthy breastfed newborns are given pacifiers by staff?
Do not include the use of pacifiers for painful procedures – e.g., circumcision – in your response.



D3
What percent of healthy, term breastfed newborns are fed any of the following?


	Enter %	Select one
Infant formula	_____ %	<input type="checkbox"/> Actual <input type="checkbox"/> Estimate
Water or glucose water <i>Do <u>not</u> include the use of glucose water for painful procedures – e.g. circumcision – in your response.</i>	_____ %	<input type="checkbox"/> Actual <input type="checkbox"/> Estimate
<i>Not expected to sum to 100%</i>		

<p>D5 Does your hospital perform <u>routine</u> blood glucose monitoring of full-term healthy newborns who are <u>NOT</u> at risk for hypoglycemia?</p>					
<table border="1"> <tr> <td data-bbox="380 332 1257 375">YES</td> <td data-bbox="1257 332 1444 375"></td> <td data-bbox="1444 332 2005 375"></td> </tr> </table>	YES				
YES					
<table border="1"> <tr> <td data-bbox="380 375 1257 417">NO</td> <td data-bbox="1257 375 1444 417"></td> <td data-bbox="1444 375 2005 417"></td> </tr> </table>	NO				
NO					

SECTION E: EDUCATION AND SUPPORT OF MOTHERS

This section is about information taught to mothers and caregivers about feeding and caring for their newborn and support provided to mothers by staff. Mouse over underlined text for a definition or more information.

E1
To prevent newborn adverse events (e.g., infant falls, accidental suffocation) associated with maternal sleep in the hospital, how many mothers are shown by staff how to place their newborn on a separate, [safe sleep] surface or with another caregiver when the mother becomes sleepy/drowsy?



Safe sleep: infants are placed on their backs on a firm, flat surface (e.g., bassinet) that is free of any items and will prevent infant falls.

E2
How many breastfeeding mothers are taught or shown how to . . .

	FEW (0-19%)	SOME (20-49%)	MANY (50-79%)	MOST (80%+)
. . .recognize and respond to their newborn's <u>[feeding cues]</u> ?				
. . .position and latch their newborn for breastfeeding?				
. . .assess effective breastfeeding by observing their newborn's latch and the presence of audible swallowing?				
. . .assess effective breastfeeding by observing their newborn's elimination patterns (i.e., urine and stool output and stool character)?				
. . .breastfeed <u>[as often and as long]</u> as their newborn wants, <u>[without restrictions]</u> ?				
. . .hand express their breast milk?				
. . .understand the <u>[use and risks of artificial</u>				

Feeding cues: Signs the baby is ready to feed, including increased alertness, flexion of the extremities, mouth and tongue movements, cooing sounds, rooting, bringing fist toward the mouth, or sucking on fingers / hand.

As often and as long: Also known as 'cue-based' or 'on-demand' feeding.

Without restrictions: Without setting a schedule for how long baby should be at the breast and/or the amount of time that should pass between feeds.

Use and risks of artificial nipples and pacifiers: hygiene, oral formation, and recognition of feeding cues.

nipples and pacifiers]?																									
<p>E3 When breastfeeding mothers request infant formula, how often do staff counsel them about the possible consequences to the health of their infant and the success of breastfeeding?</p> <table border="1"> <tr> <td>RARELY</td> <td>SOMETIMES</td> <td>OFTEN</td> <td>ALMOST ALWAYS</td> </tr> <tr> <td>(0-19%)</td> <td>(20-49%)</td> <td>(50-79%)</td> <td>(80% +)</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </table>										RARELY	SOMETIMES	OFTEN	ALMOST ALWAYS	(0-19%)	(20-49%)	(50-79%)	(80% +)								
RARELY	SOMETIMES	OFTEN	ALMOST ALWAYS																						
(0-19%)	(20-49%)	(50-79%)	(80% +)																						
<p>E4 Among mothers whose newborns are fed <i>any</i> formula, how many are taught . . .</p> <table border="1"> <tr> <td></td> <td>FEW (0-19%)</td> <td>SOME (20-49%)</td> <td>MANY (50-79%)</td> <td>MOST (80% +)</td> </tr> <tr> <td>. . .appropriate [formula feeding techniques]?</td> <td><input type="radio"/></td> <td><input type="radio"/></td> <td><input type="radio"/></td> <td><input type="radio"/></td> </tr> <tr> <td>. . .how to [safely prepare and feed] formula?</td> <td><input type="radio"/></td> <td><input type="radio"/></td> <td><input type="radio"/></td> <td><input type="radio"/></td> </tr> </table>											FEW (0-19%)	SOME (20-49%)	MANY (50-79%)	MOST (80% +)	. . .appropriate [formula feeding techniques]?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	. . .how to [safely prepare and feed] formula?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<p>Feeding in response to hunger cues and holding the baby closely during the feed, allowing for eye-to-eye contact.</p> <p>Safely prepare and feed: Instructions for mixing, handling, and storing infant formula.</p>
	FEW (0-19%)	SOME (20-49%)	MANY (50-79%)	MOST (80% +)																					
. . .appropriate [formula feeding techniques]?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>																					
. . .how to [safely prepare and feed] formula?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>																					
<p>E5 Do your discharge criteria for breastfeeding newborns require. . .</p> <table border="1"> <tr> <td></td> <td>YES</td> <td>NO</td> </tr> <tr> <td>. . . direct observation of at least one effective feeding at the breast within the 8 hours prior to discharge?</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>. . . scheduling of the first follow-up visit with a health care provider?</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </table>											YES	NO	. . . direct observation of at least one effective feeding at the breast within the 8 hours prior to discharge?	<input type="checkbox"/>	<input type="checkbox"/>	. . . scheduling of the first follow-up visit with a health care provider?	<input type="checkbox"/>	<input type="checkbox"/>							
	YES	NO																							
. . . direct observation of at least one effective feeding at the breast within the 8 hours prior to discharge?	<input type="checkbox"/>	<input type="checkbox"/>																							
. . . scheduling of the first follow-up visit with a health care provider?	<input type="checkbox"/>	<input type="checkbox"/>																							
<p>E6 What discharge support does your hospital routinely provide to breastfeeding mothers?</p>										<p>In-person follow-up visits: Breastfeeding assessments, support, and weight checks at a post-discharge home,</p>															

	Yes	No	
• [In-person follow-up visits/appointments for lactation support]			hospital, clinic, or office visit; breastfeeding-specific support group in a hospital wellness center Formalized, coordinated referrals: Scheduling an appointment on the mother’s behalf with a lactation provider, WIC peer counselor, or home visiting program; providing a referral for insurance coverage; providing access to lactation support via interactive smartphone app or other online/remote support; writing a prescription for lactation support. Breastfeeding information and resources: Educational booklets/pamphlets, informational smartphone app or other online information, list of community resources, breastfeeding assessment sheet/feeding log, warm-lines.
• Personalized phone calls to mothers to ask about breastfeeding (not automated calls)			
• [Formalized, coordinated referrals to lactation providers in the community when additional support or follow-up is needed]			
• [Breastfeeding information and resources]			
• Virtual breastfeeding support consultations (e.g. telehealth consults)			

SECTION F: STAFFING
 This section is about maternity-care staff and providers who work in your maternity-care unit, as well as staff and provider responsibilities and training. Mouse over underlined text for a definition or more information.

<p>F3 How often are nurses <u>formally assessed</u> for clinical competency in breastfeeding support and lactation management?</p>	<p>Systematic evaluation of staff’s hands-on ability to support breastfeeding mothers, and may include demonstration of competency at an annual skills lab or observation by a lactation specialist.</p>
--	--

					FINAL	Yes	No
	At least every 2 years						
Placement and monitoring of the newborn [skin-to-skin contact] with the mother immediately following birth							
Assisting with effective newborn positioning and latch for breastfeeding							
Assessment of milk transfer during breastfeeding							
Assessment of maternal pain related to breastfeeding							
Teaching hand expression of breast milk							
Teaching safe formula preparation and feeding							
Counseling the parents/caregivers on hospital stay	Staff Nurses (e.g., Registered Nurses)	Physicians*	Nurse Practitioners / Advance Practice Registered Nurses	Certified Nurse Midwives	Medical Residents		
Counseling the mother on the importance of exclusive breastfeeding							
F4 Are nurses required to demonstrate competency in the following skills?							
At least every 2 years							
Less frequently than every 2 years							
Not required							
We don't have this type of provider							
F7 How often does your hospital require that maternity staff and providers complete [continuing education or in-service training] on breastfeeding support and lactation management? *Physicians: Obstetricians, Pediatricians, Family Practice Physicians							

Skin-to-skin contact: The naked newborn is placed directly on the mother's bare chest or abdomen (with or without a diaper).

Safe sleep: infants are placed on their backs on a firm, flat surface (e.g., bassinet) that is free of any items and will prevent infant falls.

Participation in educational and training activities that improve the care that is provided to mothers and infants.

SECTION G: POLICIES AND PROCEDURES

This section is about hospital policies and procedures. Mouse over underlined text for a definition or more information.

G1						
Does your hospital...				Human milk is the only food provided and includes expressed human milk from the mother or from a donor milk bank. Medicines, minerals, and vitamins may also be given, but no formula, water, or other preparations.		
G2	Which of the following are included in a written policy (or policies) at your hospital?	record (keep track of) [exclusive breastfeeding] throughout the entire hospitalization?	YES	NO		
		...have an ongoing monitoring and data-management system that is used for quality improvement related to practices that support breastfeeding?			Yes	No
	Policy requiring...	documentation of medical justification and informed parental consent for giving [non breast milk feedings] to breastfed newborns				
		formal assessment of staff's clinical competency in breastfeeding support				
		formal, in-service, breastfeeding-related staff training				
		documentation of prenatal breastfeeding education				
		staff to teach mothers breastfeeding techniques, including how to manage common difficulties				
		staff to show mothers how to express breast milk				
		placement of newborns in [skin-to-skin contact] with their mother at birth or soon thereafter				
		purchase of infant formula and related breast milk substitutes by the hospital at fair market value				
		staff to provide mothers with resources for breastfeeding support after discharge				
		staff to teach mothers about strategies for [safe sleep] while [rooming-in] at the hospital				
		the option for mothers to room-in with their newborns				
	staff to teach mothers to breastfeed [as often and as long] as their newborn wants, [without restrictions]					
	staff to counsel mothers on the use and risks of feeding bottles, nipples, and pacifiers					
Policy	distribution of marketing/education materials, samples, or gift packs by the facility that include or					

prohibiting...	promote breast milk substitutes (infant formula), infant feeding supplies, or infant formula coupons		
<p>Non breast milk feedings: formula, water, glucose water</p> <p>Safe sleep: infants are placed on their backs on a firm, flat surface that is free of any items and will prevent infant falls.</p> <p>Rooming-in is a practice where mother and newborn are in close proximity.</p> <p>As often and as long: Also known as 'cue-based' or 'on-demand' feeding.</p> <p>Without restrictions: Without setting a schedule for how long baby should be at the breast and/or the amount of time that should pass between feeds.</p>			
G3			
How many health care providers who have <u>any</u> contact with pregnant women, mothers, and/or newborns have been oriented on the hospital's infant feeding policies?			
Our hospital does not have written policies related to infant feeding practices.	Few (0-19%)	Some (20-49%)	Many (50-79%)
			Most (80% +)
G4			
How does your hospital acquire each of the following:		Consistent with hospital-wide vendor policy	
	HOSPITAL PURCHASES at [fair market price]	HOSPITAL RECEIVES free of charge	
Infant formula			
Bottles, nipples, pacifiers			

G5

Does your hospital give mothers any of the following items free of charge, as gifts or free samples (not including items prescribed as part of medical care)?

	Yes	No
Infant formula (including formula discharge packs)		
Feeding bottles, bottle nipples, nipple shields, or pacifiers		
Coupons, discounts, or educational materials from companies that make or sell infant formulas or feeding products.		

G6

How does your hospital certify compliance with Centers for Medicaid & Medicare Services (CMS) health and safety standards? Check one.

ACCREDITATION by a national accreditation organization	American Osteopathic Association Healthcare Facilities Accreditation Program (AOA/HFAP)	
	Center for Improvement in Healthcare Quality (CIHQ)	
	Det Norske Veritas Healthcare (DNV Healthcare)	
	The Joint Commission (TJC)	
CERTIFICATION by a State Survey Agency		
NOT APPLICABLE (not approved as a CMS Provider)		
DON'T KNOW		

SECTION H: EXIT / COMPLETION**H1**

Select the positions or titles of the people who have participated in completing this survey, including your own. *Click all that apply.*

Mother-Baby Unit Manager / Supervisor	<input type="checkbox"/>
Labor and Delivery Unit Manager / Supervisor	<input type="checkbox"/>
Maternity Care Services Director / Manager	<input type="checkbox"/>
Lactation Services Coordinator	<input type="checkbox"/>
Lactation Care Provider (i.e., IBCLC, CLC, CBC)	<input type="checkbox"/>
Clinical Nurse Specialist	<input type="checkbox"/>
Director of Obstetrics and Gynecology	<input type="checkbox"/>
Director of Perinatal Care	<input type="checkbox"/>
Director of Pediatrics	<input type="checkbox"/>
Medical Director	<input type="checkbox"/>
NICU Nurse Manager	<input type="checkbox"/>
Staff physician	<input type="checkbox"/>
Staff midwife	<input type="checkbox"/>
Staff nurse	<input type="checkbox"/>
Database Manager / Coordinator	<input type="checkbox"/>
Other	<input type="checkbox"/>
I prefer not to answer	<input type="checkbox"/>

H2

Contact information for mPINC reports

We will email a copy of your hospital's results. To protect the confidentiality of your hospital's scores, we cannot send electronic copies of the Hospital Report to personal email addresses (e.g., Yahoo, Gmail, Hotmail). Please enter your name, position, and official hospital email address so that we may email your hospital's results. Providing your contact information is voluntary; your contact information will be used to electronically provide your hospital's results and inform you of mPINC survey related opportunities. You, the survey recipient, will receive one (1) electronic copy of your hospital's results. Your contact information will in no way be connected to survey responses or scores.

Survey Recipient Name	Position	Email

H3

Comments

Free text

Thank you for your time!