

Public reporting burden of this collection of information is estimated at 5 hours per response, including the time for reviewing instructions, searching existing data sources, gathering the data, reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a unique identification number. Send comments regarding this aspect of this collection of information, including suggestions for reducing this burden to CDC/Information Collection Review Office, 1600 Clifton Road, NE Atlanta, GA 30333.

## **Rate Calculation and Submission Spreadsheet for Injury Indicators Hospital Discharge Data – 2018**

This spreadsheet is to be used for the calculation and submission of the hospitalization related Injury Indicator Rates for 2018.

Please keep the following items in mind as you complete the spreadsheets.

- The spreadsheet should be completed after individual indicator case counts have been determined using the appropriate data source.
- Only cells outlined in red will accept data input. Information copied on subsequent pages does not appear in a red box. To update information in these cells, you must return to the original red-outlined cell.
- Please answer all the questions on the background information sheets.
- Please do not insert lines into the spreadsheet pages. Additional information may be highlighted in footnotes.
- All case count cells should be populated.
  - o Small case counts (<5) will be suppressed at CDC.
  - o Age-adjusted rates, while calculated on this spreadsheet, will not be presented for categories with small case counts.
- Rates will not auto-calculate until the population data has been entered. The default rate of 0 will be replaced with the calculated rate.
- The spreadsheet file should be renamed inserting the appropriate state postal abbreviation into the file name. If more than one submission is required, then the 01 should be updated to reflect submission number.

**State Injury Indicators Report**

**State Population Data**

State:

**2018 State Population**

Age	Both sexes	Males	Females
<1 year			
1-4 years			
5-9 years			
10-14 years			
15-19 years			
20-24 years			
25-34 years			
35-44 years			
45-54 years			
55-64 years			
65-74 years			
75-84 years			
85+ years			
<b>TOTAL</b>	0	0	0

**Population Data Source**

*Please answer the following questions by putting an "x" to the right of the data source you used.*

Source	YES
State Demographic Center	
US Census Bureau	
Other (please specify)	

**Footnote - if you want to add information**



**State Injury Indicators Report  
Hospital Discharge Data (HDD)**

State:  
0

The answers to the following questions will be used to better understand the completeness of hospital discharge data sets. *Please complete all questions, including the Footnote for Repo*

Number of hospital discharges with an injury primary diagnosis (Table 1 in "Preparing your Data: Nonfatal Hospitalizations")

*This is the total number of cases in the injury subset*

Number of discharges that have a code that contains external cause of injury information (Table 2 in "Preparing your Data: Nonfatal Hospitalizations")

Percentage of HDD injury hospitalizations with external-cause-of-injury coding

**Factors Affecting Representativeness of State Hospital Discharge Data Sets for Injury Surveillance**

*Please answer the following questions by putting an "x" in the appropriate column.*

QUESTION	YES	NO
Do you estimate that all required hospitals are participating in the system?	<input style="width: 100%; height: 100%; border: 1px solid red;" type="text"/>	<input style="width: 100%; height: 100%; border: 1px solid red;" type="text"/>
Are sufficient numbers of your state's residents hospitalized in neighboring states (cross-border hospitalization) such that it affects your injury rates?	<input style="width: 100%; height: 100%; border: 1px solid red;" type="text"/>	<input style="width: 100%; height: 100%; border: 1px solid red;" type="text"/>
Did you include re-admissions and transfers?	<input style="width: 100%; height: 100%; border: 1px solid red;" type="text"/>	<input style="width: 100%; height: 100%; border: 1px solid red;" type="text"/>
Do you receive data on state residents hospitalized in other states? (If yes, please include them in your data.)	<input style="width: 100%; height: 100%; border: 1px solid red;" type="text"/>	<input style="width: 100%; height: 100%; border: 1px solid red;" type="text"/>
Did use the test dataset to check your programming code? (This is not required. We are just tracking usage of the tool.)	<input style="width: 100%; height: 100%; border: 1px solid red;" type="text"/>	<input style="width: 100%; height: 100%; border: 1px solid red;" type="text"/>

If so, what did you find useful and/or how would you improve it?

---

--

**Footnote - if you want to add information**

--

**Footnote for Report Credit**

**Individuals to be Credited (please list all names and include degrees):**


nd comparability of state  
rt Credit.

0.0%

lance



### Nonfatal Hospitalizations for All Injuries--Overall

#### Nonfatal Hospitalizations for All Injuries--Overall

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate	
<1 year	0			0.0	3,795	0.013818	0.0
1-4 years	0			0.0	15,192	0.055317	0.0
5-9 years	0			0.0	19,920	0.072533	0.0
10-14 years	0			0.0	20,057	0.073032	0.0
15-19 years	0			0.0	19,820	0.072169	0.0
20-24 years	0			0.0	18,257	0.066478	0.0
25-34 years	0			0.0	37,233	0.135573	0.0
35-44 years	0			0.0	44,659	0.162613	0.0
45-54 years	0			0.0	37,030	0.134834	0.0
55-64 years	0			0.0	23,961	0.087247	0.0
65-74 years	0			0.0	18,136	0.066037	0.0
75-84 years	0			0.0	12,315	0.044841	0.0
85+ years	0			0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0	

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

#### Nonfatal Hospitalizations for All Injuries--Males

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate	
<1 year	0			0.0	3,795	0.013818	0.0
1-4 years	0			0.0	15,192	0.055317	0.0
5-9 years	0			0.0	19,920	0.072533	0.0
10-14 years	0			0.0	20,057	0.073032	0.0
15-19 years	0			0.0	19,820	0.072169	0.0
20-24 years	0			0.0	18,257	0.066478	0.0
25-34 years	0			0.0	37,233	0.135573	0.0
35-44 years	0			0.0	44,659	0.162613	0.0
45-54 years	0			0.0	37,030	0.134834	0.0
55-64 years	0			0.0	23,961	0.087247	0.0
65-74 years	0			0.0	18,136	0.066037	0.0
75-84 years	0			0.0	12,315	0.044841	0.0
85+ years	0			0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0	

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information





**Nonfatal Hospitalizations for All Injuries--Females**

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
<b>TOTAL</b>	<b>0</b>	<b>0</b>		<b>274,634</b>	<b>1</b>	<b>0.0</b>

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

## Nonfatal Drowning-related Hospitalizations

### Nonfatal Drowning-related Hospitalizations--Overall

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

### Nonfatal Drowning-related Hospitalizations--Males

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

**Footnote - if you want to add information**



**Nonfatal Drowning-related Hospitalizations--Females**

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
<b>TOTAL</b>	<b>0</b>	<b>0</b>		<b>274,634</b>	<b>1</b>	<b>0.0</b>

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

## Nonfatal Unintentional Fall-related Hospitalizations

### Nonfatal Unintentional Fall-related Hospitalizations--Overall

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

### Nonfatal Unintentional Fall-related Hospitalizations--Males

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



**Nonfatal Unintentional Fall-related Hospitalizations--Females**

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator



0

### Nonfatal Fall-related Hip Fracture Hospitalizations in Persons Aged 65 Years and Older

#### Nonfatal Fall-related Hip Fracture Hospitalizations in Persons Aged 65 Years and Older--Overall

Age	State population	Number of hospitalizations	Rate per 100,000	2000 population	Weight	Adjusted rate
65-74	0		0.0	18,136	0.522501	0.0
75-84	0		0.0	12,315	0.354797	0.0
85+	0		0.0	4,259	0.122702	0.0
total	0	0		34,710	1	0.0

#### Nonfatal Fall-related Hip Fracture Hospitalizations in Persons Aged 65 Years and Older--Males

Age	State population	Number of hospitalizations	Rate per 100,000	2000 population	Weight	Adjusted rate
65-74	0		0.0	18,136	0.522501	0.0
75-84	0		0.0	12,315	0.354797	0.0
85+	0		0.0	4,259	0.122702	0.0
total	0	0		34,710	1	0.0

Footnote - if you want to add information

**Nonfatal Fall-related Hip Fracture Hospitalizations in Persons Aged 65 Yea**

<b>Age</b>	<b>State population</b>	<b>Number of hospitalizations</b>	<b>Rate per 100,000</b>	<b>2000 population</b>	<b>Weight</b>
65-74	0		0.0	18,136	0.522501
75-84	0		0.0	12,315	0.354797
85+	0		0.0	4,259	0.122702
total	0	0		34,710	1

**rs and Older--Females**

**Adjusted rate**

0.0

0.0

0.0

0.0

0.0

## Nonfatal Unintentional Fire-related Injury Hospitalizations

### Nonfatal Unintentional Fire-related Injury Hospitalizations--Overall

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

### Nonfatal Unintentional Fire-related Injury Hospitalizations--Males

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



**Nonfatal Unintentional Fire-related Injury Hospitalizations--Females**

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
<b>TOTAL</b>	<b>0</b>	<b>0</b>		<b>274,634</b>	<b>1</b>	<b>0.0</b>

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

## Nonfatal Firearm-related Hospitalizations

### Nonfatal Firearm-related Hospitalizations--Overall

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

### Nonfatal Firearm-related Hospitalizations--Males

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

**Footnote - if you want to add information**





**Nonfatal Firearm-related Hospitalizations--Females**

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
<b>TOTAL</b>	<b>0</b>	<b>0</b>		<b>274,634</b>	<b>1</b>	<b>0.0</b>

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

## Nonfatal Assault-related Hospitalizations

### Nonfatal Assault-related Hospitalizations--Overall

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate	
<1 year	0			0.0	3,795	0.013818	0.0
1-4 years	0			0.0	15,192	0.055317	0.0
5-9 years	0			0.0	19,920	0.072533	0.0
10-14 years	0			0.0	20,057	0.073032	0.0
15-19 years	0			0.0	19,820	0.072169	0.0
20-24 years	0			0.0	18,257	0.066478	0.0
25-34 years	0			0.0	37,233	0.135573	0.0
35-44 years	0			0.0	44,659	0.162613	0.0
45-54 years	0			0.0	37,030	0.134834	0.0
55-64 years	0			0.0	23,961	0.087247	0.0
65-74 years	0			0.0	18,136	0.066037	0.0
75-84 years	0			0.0	12,315	0.044841	0.0
85+ years	0			0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0	

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

### Nonfatal Assault-related Hospitalizations--Males

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate	
<1 year	0			0.0	3,795	0.013818	0.0
1-4 years	0			0.0	15,192	0.055317	0.0
5-9 years	0			0.0	19,920	0.072533	0.0
10-14 years	0			0.0	20,057	0.073032	0.0
15-19 years	0			0.0	19,820	0.072169	0.0
20-24 years	0			0.0	18,257	0.066478	0.0
25-34 years	0			0.0	37,233	0.135573	0.0
35-44 years	0			0.0	44,659	0.162613	0.0
45-54 years	0			0.0	37,030	0.134834	0.0
55-64 years	0			0.0	23,961	0.087247	0.0
65-74 years	0			0.0	18,136	0.066037	0.0
75-84 years	0			0.0	12,315	0.044841	0.0
85+ years	0			0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0	

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



**Nonfatal Assault-related Hospitalizations--Females**

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
<b>TOTAL</b>	<b>0</b>	<b>0</b>		<b>274,634</b>	<b>1</b>	<b>0.0</b>

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

## Nonfatal Unintentional Motor Vehicle Traffic-related (MVT) Hospitalizations

### Nonfatal Unintentional Motor Vehicle Traffic-related (MVT) Hospitalizations--Overall

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

### Nonfatal Unintentional Motor Vehicle Traffic-related (MVT) Hospitalizations--Males

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

**Footnote - if you want to add information**



**Nonfatal Unintentional Motor Vehicle Traffic-related (MVT) Hospitalizations--Females**

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
<b>TOTAL</b>	<b>0</b>	<b>0</b>		<b>274,634</b>	<b>1</b>	<b>0.0</b>

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

## Nonfatal Nondrug Poisoning Hospitalizations

### Nonfatal Nondrug Poisoning Hospitalizations--Overall

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

### Nonfatal Nondrug Poisoning Hospitalizations--Males

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

**Footnote - if you want to add information**





**Nonfatal Nondrug Poisoning Hospitalizations--Females**

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
<b>TOTAL</b>	<b>0</b>	<b>0</b>		<b>274,634</b>	<b>1</b>	<b>0.0</b>

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

## Nonfatal Intentional Self-Harm Hospitalizations

### Nonfatal Intentional Self-Harm Hospitalizations--Overall

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

### Nonfatal Intentional Self-Harm Hospitalizations--Males

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

**Footnote - if you want to add information**



**Nonfatal Intentional Self-Harm Hospitalizations--Females**

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
<b>TOTAL</b>	<b>0</b>	<b>0</b>		<b>274,634</b>	<b>1</b>	<b>0.0</b>

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

### Nonfatal Traumatic Brain Injury (TBI) Hospitalizations--Proposed Case Definition

#### Nonfatal Traumatic Brain Injury (TBI) Hospitalizations--Proposed Case Definition--Overall

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

#### Nonfatal Traumatic Brain Injury (TBI) Hospitalizations--Proposed Case Definition--Males

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



**Nonfatal Traumatic Brain Injury (TBI) Hospitalizations--Proposed Case Definition--Females**

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
<b>TOTAL</b>	<b>0</b>	<b>0</b>		<b>274,634</b>	<b>1</b>	<b>0.0</b>

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator



0

**Nonfatal Traumatic Brain Injury (TBI) Hospitalizations--S09.90 as Only TBI Code**

**Nonfatal Traumatic Brain Injury (TBI) Hospitalizations--S09.90 as Only TBI Code--Overall**

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
<b>TOTAL</b>	<b>0</b>	<b>0</b>		<b>274,634</b>	<b>1</b>	<b>0.0</b>

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

**Nonfatal Traumatic Brain Injury (TBI) Hospitalizations--S09.90 as Only TBI Code--Males**

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
<b>TOTAL</b>	<b>0</b>	<b>0</b>		<b>274,634</b>	<b>1</b>	<b>0.0</b>

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

**Footnote - if you want to add information**



**Nonfatal Traumatic Brain Injury (TBI) Hospitalizations--S09.90 as Only TBI Code--Females**

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
<b>TOTAL</b>	<b>0</b>	<b>0</b>		<b>274,634</b>	<b>1</b>	<b>0.0</b>

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

## State Injury Indicators Report-2018

### Hospital Discharge Data (HDD)

State:

0

#### Overall Data

Indicator	Age Adjusted	
	Number	Rate
Nonfatal Hospitalizations for All Injuries	0	0.0
Nonfatal Drowning-related Hospitalizations	0	0.0
Nonfatal Unintentional Fall-related Hospitalizations	0	0.0
Nonfatal Fall-related Hip Fracture Hospitalizations in 65+	0	0.0
Nonfatal Unintentional Fire-related Injury Hospitalizations	0	0.0
Nonfatal Firearm-related Hospitalizations	0	0.0
Nonfatal Assault-related Hospitalizations	0	0.0
Nonfatal Unintentional Motor Vehicle Traffic-related Hospitalizations	0	0.0
Nonfatal Nondrug Poisoning Hospitalizations	0	0.0
Nonfatal Intentional Self-Harm Hospitalizations	0	0.0
TBI Hospitalizations--Proposed Case Definition	0	0.0
TBI Hospitalizations--S09.90 as Only TBI Code	0	0.0

#### Sex-Specific Data

Indicator	Male		Female	
	Number	Age Adjusted Rate	Number	Age Adjusted Rate
Nonfatal Hospitalizations for All Injuries	0	0.0	0	0.0
Nonfatal Drowning-related Hospitalizations	0	0.0	0	0.0
Nonfatal Unintentional Fall-related Hospitalizations	0	0.0	0	0.0
Nonfatal Fall-related Hip Fracture Hospitalizations in 65+	0	0.0	0	0.0
Nonfatal Unintentional Fire-related Injury Hospitalizations	0	0.0	0	0.0
Nonfatal Firearm-related Hospitalizations	0	0.0	0	0.0
Nonfatal Assault-related Hospitalizations	0	0.0	0	0.0

Nonfatal Unintentional Motor Vehicle Traffic-related Hospitalizations	0	0.0	0	0.0
Nonfatal Nondrug Poisoning Hospitalizations	0	0.0	0	0.0
Nonfatal Intentional Self-Harm Hospitalizations	0	0.0	0	0.0
TBI Hospitalizations--Proposed Case Definition	0	0.0	0	0.0
TBI Hospitalizations--S09.90 as Only TBI Code	0	0.0	0	0.0

**Footnote - if you want to add information**