

required to respond to a collection of information unless it displays a currently valid

Preparing the MVT Special Emphasis Report

Step 1 is to prepare your state/territory collection

Step 2 is to enter the data in this spreadsheet

Step 3 is to create the SER by populating

Step 1: Preparing State/Territory Data

| Name | ICD-10-CM code |
|---|----------------|
| <p>1a. Create Nonfatal MVT-Specific Injury Hospitalizations Data Set - The MVT-specific hospitalization data set is a MVT-related injury hospitalization subset. This is done using the ICD-10-CM codes for the indicators listed below.</p> <p>For hospitalizations, one of these codes should be in the primary/principal diagnosis field.</p> <p>*Only include cases if the 7th character of the code is A, B, C, or missing (reflects initial encounter).</p> <p>Create an injury hospitalization subset using the ICD-10-CM codes below:</p> | |
| Nonfatal injury hospitalization for all injuries | S00-S99 |
| | T07-T34 |

| | |
|--|-------------|
| | T36-T50 |
| | T51-T65 |
| | T66-T76 |
| | T79 |
| | O9A.2-O9A.5 |
| | T84.04 |
| | M97 |

1b. Select hospitalizations with any of the MVT ICD-10-CM codes in any diagnosis field list
**Only Include cases if the 7th character of the code is A or missing (reflects initial encounter)*

| | |
|--|--|
| Nonfatal Motor vehicle traffic hospitalization | V02-V04 (.1, .9), V09.2, V09.3 |
| | V12-V14 (.3-.9), V19.4-V19.6, V19.9 |
| | V20-V28 (.3-.9), V29.4-V29.9 |
| | V30-V79 (.4-.9), V83-V86 (.0-.3), V87.0-V87.8, V89.2 |
| | V80.3-V80.5, V81.1, V82.1 |

2a. Create Nonfatal MVT-Specific Injury Emergency Department (ED) Visit Data Set - These related injury emergency department visit subset. This is done using the instructions for ICD-10-CM indicator listed below:
Include cases if the 7th character of the code is A, B, C, or missing (reflects initial encounter)

| | |
|--------------------------|-------------|
| Nonfatal Injury ED visit | S00-S99 |
| | T07-T34 |
| | |
| | |
| | |
| | T36-T50 |
| | T51-T65 |
| | T66-T76 |
| | T79 |
| | O9A.2-O9A.5 |
| | T84.04 |
| | M97 |
| V00-V99 | |

| | |
|--|---------|
| | W00-X58 |
| | X71-X83 |
| | X92-Y09 |
| | Y21-Y33 |
| | Y35-Y38 |

2b. Select ED visits with any of the following MVT ICD-10-CM codes in any diagnosis field I
****Only Include cases if the 7th character of the code is A or missing (reflects initial encoun**

| | |
|---|--|
| Nonfatal Motor vehicle traffic ED visit | V02.1, V02.9, V03.1, V03.9, V04.1, V04.9, V09.2, V09.3 |
| | V12-V14 (.3-.9), V19.4-V19.6, V19.9 |
| | V20-V28 (.3-.9), V29.4-V29.9 |
| | V30-V79 (.4-.9), V83-V86 (.0-.3), V87.0-V87.8, V89.2 |
| | V80.3-V80.5, V81.1, V82.1 |

3a. Create MVT-specific Deaths Data Set - The MVT-specific death indicators should be cal
subset. Limit deaths to those with an injury underlying cause of death:

| | |
|----------------------------------|---------|
| Injury underlying cause of death | V01-Y36 |
| | Y85-Y87 |
| | Y89 |
| | U01-U03 |

3b. Then select deaths with any of the MVT ICD-10-CM codes in any field of the multiple c

| | |
|----------------------------------|------------------|
| Motor vehicle traffic fatalities | V02-V04 (.1, .9) |
| | V09.2 |
| | V12-V14(.3-.9) |
| | V19(.4-.6) |
| | V20-V28(.3-.9) |
| | V29(.4-.9) |
| | V30-V79(.4-.9) |
| | V83-V86(.0-.3) |
| | V80(.3-.5) |
| | V81.1 |
| | V82.1 |
| | V87(.0-.8) |
| | V89.2 |

Public reporting burden of this collection of information is estimated at 10 hours per response, OMB control number. Send comments regarding this burden estimate or any other aspect of th

port is a three step process:

data on MVT

heet in tabs A through L

the PDF form with the appropriate data




Step 2: Enter

ICD-10 notes

hospitalization indicators should be calculated based on first creating the MVT-related hospital discharge indicator in the State Injury

for the case to be in the injury subset.

counter, active treatment). T30-T32 do not have a 7th character.



E
S

A
A
A
t
A
C
A
t

E
E
E

C
C
"
C

| |
|--|
| T36-T50 with a 6th character of 1, 2, 3, or 4 Note: Include T36.9, T37.9, T39.9, T41.4, T42.7, T43.9, T45.9, T47.9, and T49.9 with 5th character of 1, 2, 3, or 4) (Intent information for these codes is included in the 5th character and not the 6th) |
| |
| |
| |
| |
| T84.04 was retired and replaced by M97 in the FY2017 version of ICD-10-CM which went into effect on Oct 1, 2016. |
| |
| ed below: er, active treatment) |
| MVT-Pedestrian |
| MVT-Pedal cyclist |
| MVT-Motorcyclist |
| MVT-Occupant (and unspecified) |
| MVT-Other |
| e indicators should be calculated based on first creating a MVT- CD-10-CM codes for MVT-related emergency department r, active treatment) |
| |
| |
| T36-T50 with a 6th character of 1, 2, 3, or 4 Note: Include T36.9, T37.9, T39.9, T41.4, T42.7, T43.9, T45.9, T47.9, and T49.9 with 5th character of 1, 2, 3, or 4) (Intent information for these codes is included in the 5th character and not the 6th) |
| |
| |
| |
| |
| |
| |
| |



~
 a
 [
 [
 [
 [
 [
 E
 E
 E
 E
 E
 F
 F
 t
 i
 a
 (C
 (C
 F
 F
 "
 I
 I
 J
 J
 C
 C
 F
 F
 V
 L
 L
 t
 F
 F
 F

For ICD10CM Injury Cause Codes select only 7th character of A or missing

**Only include cases if the 7th character is A or missing (reflects initial encounter, active treatment)

isted below:
ter, active treatment)

Pedestrian

Pedal cyclist

Motorcyclist

Occupant (and unspecified)

Other

culated based on first creating a MVT-related injury death

ause of death file:

MVT-Pedestrian

MVT-Pedal cyclist

MVT-Motorcyclist

MVT-Occupant

MVT-Other

MVT-Unspecified

l

including the time for reviewing instructions, searching existing data sources, gathering and maintaining a collection of information, including suggestions for reducing this burden to CDC/Information Collection Burden Reduction Project.

Entering Data

Before entering data in the following tabs, please use the instructions in the corresponding tabs for the MVT Special Emphasis Report (SER).

1. "Populations" tab

1.1 - Enter your state or territory name in cell B4 and data year in cell E4.

1.2 - Enter your state or territory population data by age group for your 5 most recent years. *Note: If your data is not 2016-2020.*

1.3 - Enter state or territory population data by race/ethnicity. *If your state uses different categories, enter data in the appropriate cell.*

1.4 - Enter **2000 standard populations** by age group. These populations will be used with hospitalization, ED visit, and death rates per 100,000 in the "2016", "2017", "2018", "2019", and "2020" tabs.

2. "Health Regions" tab

2.1 - Enter the name of each Health Region (if applicable).

2.2 - Enter 2020 or most recent data year population values for each health region.

3. If data across age groups cannot be entered - "Totals" tab

Note - Please modify years in the "Populations" tab if needed.

3.1 - If data across age groups cannot be entered, please only use the "Totals" tab and "2020" tabs.

3.2 - Enter total hospitalizations, ED visits, and deaths to calculate non-fatal and fatality rates.

2.2 - Enter total hospitalizations, ED visits, and deaths to calculate non-fatal and fatal age-adjusted.

0. "2016", "2017", "2018", "2019", and "2020" tabs

Note - Please modify years in the "Populations" tab if needed. Users can rename these

0.1 - Enter Hospitalization, ED Visit, and Death counts by age group in each tab for sex

0.2 - Enter counts for Hospitalizations, ED Visits, and Deaths for *Health Regions* only in *'Health Regions' tab if needed, not in the "2020" tab.*

0.3 - Enter 2000 state population by age group in the indicated column for the "2016",

0.4. - Age-adjusted rates per 100,000 will be calculated in these tabs.

1. "Health Region Rates"

1.1 - Enter hospitalization and ED Visit counts across health regions in this tab to gener

1.2 - *Optional - Right-click and select "Unhide"* to see the "Table 1" tab that calculates t
ED visits.

2. *Optional, for reference* - "2016-2020 rates" tab

2.1 - This tab will automatically fill with data from the individual "2016", "2017", "2018" tab can be used to complete the "Burden and Overview" section of the MVT Special Er
njury age-adjusted rates per 100,000 over 5 years (not percentage change) is shown in
across race/ethnicity, sex, and age groups.

3. "Figure 1" tab

3.1 - Enter total hospitalizations, ED visits, and deaths for your most recent data year t

4. "Figure 2" tab

4.1 - Enter fatality rates over a 10 year period to generate the graph for Figure 2. Age-
'2017', "2018", "2019", and "2020" tabs will automatically populate in the "Figure 2" t

5. "Figure 3" tab

5.1 - Enter hospitalization, ED visit, and fatality counts for each passenger type to gener

6. "Figure 4" tab

6.1 - Data from the "2016", "2017", "2018", "2019", and "2020" tabs or "Totals" tab car
data. Users can select which graph they would like to use in the MVT SER template.

7. "Figure 5" tab

7.1 - Please use the populations for age groups listed in the Figure 5 tab to calculate ag
would like to include in the Figure 5 graph.

8. "Figure 6" tab

8.1 - Data from the "2016-2020 rates" tab or "Totals" tab can be used to enter hospitali
he graph.

9. "Quick Facts" tab


9.1 - This tab includes resources for completing the Quick Facts section on page 2 of t

10. "Report" tab

10.1 - This tab presents an overview of where to input content and figures in the MVT S

Users that national and state-level MVT Activities can be added using the MVT SER PDF

gathering the data needed, and completing and reviewing the collection of information. An agency may contact the Public Information Review Office, 1600 Clifton Road, NE, MS D-74, Atlanta, GA 30333; Attn: PRA (0920-xxxx).



Step 3: Creating Report

Columns A, B, and C to generate your data

years of data. *Please modify data years only in this*

different race/ethnicity categories, enter them into the

with age weights to calculate age-adjusted
2019", and "2020" tabs

do not use the "2016", "2017", "2018", "2019", and

crude rates per 100 000. These rates are not age-

1. Open the PDF SER for
2. Open the "Report" tab
2.1 - The PDF SER form is populated according to the data you entered. Follow the instructions in the "Finalize the PDF SER" section with the appropriate data for the graphs and charts from the instructions for how to create the report.
3. Finalize the PDF SER form
3.1 - Once you have copied the data, remove the blue shading from all the fillable fields and save the PDF in Adobe Acrobat Reader by going to File > Properties > Content > Deselecting "show borders".

y rates per 100,000. These rates are not age

tabs to reflect the years of data being used.
and race/ethnicity.
the "2020" tab. *Please rename Health Regions in the*
"2017", "2018", "2019", and "2020" tabs.

ate data for Table 1 in the MVT SER
top 5 health regions with highest hospitalization and

", "2019", and "2020" tabs. The information in this
nphasis report. The average annual change in MVT
n this tab for hospitalizations, ED visits, and deaths

o populate the pyramid graphic.

adjusted fatality rates per 100,000 from the "2016",
ab.

rate the graph for Figure 3.

n be used to generate graphs of non-fatal and fatal

ge-specific hospitalization rates for data years you

ization rates across race/ethnicity groups to generate

he MVT SER.

IER. Page 3 is included in this tab as a reminder to

not conduct or sponsor, and a person is not

g Special Emphasis

m
b

ncludes fields that will be populated
u have entered in the spreadsheet. Follow
Report" tab and populate the PDF SER form
ta. You will need to copy and paste some of
om the report tab into your SER -
lo this are embedded in the tab.

orm

ied and entered all the data into the form,
g, which is on by default in the document so
be easily distinguished. Turn it off within
; to Edit > Preferences > Forms > and
er hover color for fields"

If you do not have population data for a certain year, please do not delete the rows so that formulas in other spreadsheet tabs will work.

MVT-Specific State Injury Indicators Report

State/Territor Population Data

State/Territory:

Enter your state name

Data year:

Enter your most recent data year
2020

Since each state may use data for differer columns I th

Enter total population data by age group below

Enter male population data by age group below

Enter female population data by age group below

Optional: Enter demographic population data

Optional: Enter demographic population data

Optional: Enter demographic population data

Modify year in row 9 if needed

| Age | Total | Male | Female | White-Not Hispanic | Hispanic | Black-Not Hispanic |
|---------|-------|------|--------|--------------------|----------|--------------------|
| 2020 <1 | | | | | | |
| 1-4 | | | | | | |
| 5-9 | | | | | | |
| 10-14 | | | | | | |
| 15-19 | | | | | | |
| 20-24 | | | | | | |
| 25-34 | | | | | | |
| 35-44 | | | | | | |
| 45-54 | | | | | | |
| 55-64 | | | | | | |
| 65-74 | | | | | | |
| 75-84 | | | | | | |
| 85+ | | | | | | |
| Total | 0 | 0 | 0 | 0 | 0 | 0 |

Please note that age-adjusted rates per 100,000 in "2016", "2017", "2018", "2019", and "2020" tabs are generated using these age groups

| | |
|-------|---|
| 75-84 | |
| 85+ | |
| Total | 0 |

| | |
|--|---|
| | |
| | |
| | 0 |

| | |
|--|---|
| | |
| | |
| | 0 |

| | |
|--|---|
| | |
| | |
| | 0 |

| | |
|--|---|
| | |
| | |
| | 0 |

| | |
|--|---|
| | |
| | |
| | 0 |

Enter total population data by age group below

Enter male population data by age group below

Enter female population data by age group below

Optional: Enter demographic population data

Optional: Enter demographic population data

Optional: Enter demographic population data

Modify year in row 81 if needed

| Age | Total | Male | Female | White-Not Hispanic | Hispanic | Black-Not Hispanic |
|---------|-------|------|--------|--------------------|----------|--------------------|
| 2016 <1 | | | | | | |
| 1-4 | | | | | | |
| 5-9 | | | | | | |
| 10-14 | | | | | | |
| 15-19 | | | | | | |
| 20-24 | | | | | | |
| 25-34 | | | | | | |
| 35-44 | | | | | | |
| 45-54 | | | | | | |
| 55-64 | | | | | | |
| 65-74 | | | | | | |
| 75-84 | | | | | | |
| 85+ | | | | | | |
| Total | 0 | 0 | 0 | 0 | 0 | 0 |

Please enter **2000 standard population** by age group. These populations will be used in "2016", "2017", "2018", "2019", and "2020" tabs with age weights to calculate age-adjusted rates per 100,000

| 2000 Age | Total |
|----------|-------|
| <1 | |
| 1-4 | |
| 5-9 | |
| 10-14 | |
| 15-19 | |
| 20-24 | |
| 25-34 | |
| 35-44 | |
| 45-54 | |
| 55-64 | |
| 65-74 | |
| 75-84 | |
| 85+ | |
| Total | 0 |

For different race/ethnicity groups, states can edit the labels in **through U** if necessary

| Optional: Enter demographic population data | Optional: Enter demographic population data | Optional: Enter demographic population data | Optional: Enter demographic population data |
|---|---|---|---|
| ▲ Asian | ▲ American Indian/Alaska Native | ▲ Other | ▲ Other |
| | | | |
| 0 | 0 | 0 | 0 |

▲ Enter name of "Other" category in R8

▲ Enter name of "Other" category in T8

| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

0

| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

0

| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

0

| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

0

Optional: Enter demographic population data



Asian

| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

Optional: Enter demographic population data



American Indian/Alaska Native

| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

Optional: Enter demographic population data



Other

| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

Enter name of "Other" category in R8



Optional: Enter demographic population data



Other

| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

Enter name of "Other" category in T8



| |
|--|
| |
| |

0

| |
|--|
| |
| |

0

| |
|--|
| |
| |

0

| |
|--|
| |
| |

0

Optional: Enter demographic population data

▲

Asian

| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

0

Optional: Enter demographic population data

▲

American Indian/Alaska Native

| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

0

Optional: Enter demographic population data

▲

Other

| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

0

Optional: Enter demographic population data

▲

Other

| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

0

Enter name of "Other" category in S8

▲

Enter name of "Other" category in U8

▲

MVT-Specific State Injury Indicators Report
Health Districts/Regions Data

The most recent data year in the "Populations" tab will populate in A4

Rename Regions in row 4 if needed, please do not edit Region names in the "2020" tab

2020 Age
<1
1-4
5-9
10-14
15-19
20-24
25-34
35-44
45-54
55-64
65-74
75-84
85+
TOTAL

| | Region 1 | Region 2 | Region 3 | Region 4 |
|--------------|-----------------|-----------------|-----------------|-----------------|
| <1 | | | | |
| 1-4 | | | | |
| 5-9 | | | | |
| 10-14 | | | | |
| 15-19 | | | | |
| 20-24 | | | | |
| 25-34 | | | | |
| 35-44 | | | | |
| 45-54 | | | | |
| 55-64 | | | | |
| 65-74 | | | | |
| 75-84 | | | | |
| 85+ | | | | |
| TOTAL | 0 | 0 | 0 | 0 |

| Region 5 |
|-----------------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

0

| Region 6 |
|-----------------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

0

| Region 7 |
|-----------------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

0

| Region 8 |
|-----------------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

0

| Region 9 |
|-----------------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

0

| |
|----------------------|
| Region 15 |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

0

| |
|----------------------|
| Region 16 |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

0

| |
|----------------------|
| Region 17 |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

0

| |
|----------------------|
| Region 18 |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

0

| |
|----------------------|
| Region 19 |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

0

**Region
20**

| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

0

**Year 1 -
Year 5
Totals**

Data Input Tables

Instructions: Enter your MVT-related injury data in the **red cells** below.
The rates will automatically calculate in the results table.

Use columns F through L to enter demographic data

| | | Sex Data | | | Demographic Data |
|-------------------------|---|--|---|---|---------------------------|
| Hospitalizations | <i>Years will populate below using years entered in the "Populations" tab</i> | Number of hospitalizations- Total | Number of hospitalizations- Male | Number of hospitalizations- Female | White-Not Hispanic |
| | 2016 | | | | |
| | 2017 | | | | |
| | 2018 | | | | |
| | 2019 | | | | |
| | 2020 | | | | |

| | | Sex Data | | | Demographic Data |
|------------------------------|---|-----------------------------------|----------------------------------|------------------------------------|---------------------------|
| Emergency Dept Visits | <i>Years will populate below using years entered in the "Populations" tab</i> | Number of ED visits- Total | Number of ED visits- Male | Number of ED visits- Female | White-Not Hispanic |
| | 2016 | | | | |
| | 2017 | | | | |
| | 2018 | | | | |
| | 2019 | | | | |
| | 2020 | | | | |

| | | Sex Data | | | Demographic Data |
|--|---|--------------------------------|-------------------------------|---------------------------------|---------------------------|
| | <i>Years will populate below using years entered in the "Populations" tab</i> | Number of deaths- Total | Number of deaths- Male | Number of deaths- Female | White-Not Hispanic |
| | 2016 | | | | |
| | 2017 | | | | |
| | 2018 | | | | |
| | 2019 | | | | |
| | 2020 | | | | |

| Deaths | | | | | |
|--------|--|--|--|--|--|
| 2016 | | | | | |
| 2017 | | | | | |
| 2018 | | | | | |
| 2019 | | | | | |
| 2020 | | | | | |

| Hispanic | Black-Not Hispanic | Asian | American Indian/Alaska Native | Other |
|----------|--------------------|-------|-------------------------------|-------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |

| Hispanic | Black-Not Hispanic | Asian | American Indian/Alaska Native | Other |
|----------|--------------------|-------|-------------------------------|-------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |

| Hispanic | Black-Not Hispanic | Asian | American Indian/Alaska Native | Other |
|----------|--------------------|-------|-------------------------------|-------|
| | | | | |

| | | | | |
|--|--|--|--|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Optional: Unhide columns N through AG to show rate calculations

Results Table

Rates per 100,1000. Results will calculate automatically.

Hospitalization rates per 100,000 population

| | Total | Male | Female | White-Not Hispanic |
|-------|-------|------|--------|--------------------|
| Other | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 |

ED visit rates per 100,000 population

| | Total | Male | Female | White-Not Hispanic |
|-------|-------|------|--------|--------------------|
| Other | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 |

Fatality rates per 100,000 population

| | Total | Male | Female | White-Not Hispanic |
|-------|-------|------|--------|--------------------|
| Other | | | | |

| | | | | | |
|--|--|---|---|---|---|
| | | | | | |
| | | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 |

| Hispanic | Black-Not Hispanic | Asian | American Indian/Alaska Native | Other |
|----------|--------------------|-------|-------------------------------|-------|
| 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 |

| Hispanic | Black-Not Hispanic | Asian | American Indian/Alaska Native | Other |
|----------|--------------------|-------|-------------------------------|-------|
| 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 |

| Hispanic | Black-Not Hispanic | Asian | American Indian/Alaska Native | Other |
|----------|--------------------|-------|-------------------------------|-------|
|----------|--------------------|-------|-------------------------------|-------|

| | | | | |
|---|---|---|---|---|
| | | | | |
| 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 |

| | |
|--------------|---|
| | |
| Other | |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |

| Year 1 - Year 5 hospitalization rate | | | | |
|--------------------------------------|------|------|------|------|
| | | | | |
| 2016 | 2017 | 2018 | 2019 | 2020 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | |
|--------------|---|
| | |
| Other | |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |

| Year 1 - Year 5 ED visit rate cha | | | | |
|-----------------------------------|------|------|------|------|
| | | | | |
| 2016 | 2017 | 2018 | 2019 | 2020 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | |
|--------------|--|
| | |
| Other | |

| Year 1 - Year 5 fatality rate cha | | | | |
|-----------------------------------|--|--|--|--|
| | | | | |

| | |
|--|---|
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |

| | | | | |
|------|------|------|------|------|
| | | | | |
| 2016 | 2017 | 2018 | 2019 | 2020 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

change

average annual change
in hospitalization rate per
100,000 over 5 years
(not percentage change)

0.0

ange

average annual change
in ED visit rate per
100,000 over 5 years
(not percentage change)

0.0

nge

average annual change
in ED visit rate per
100,000 over 5 years
(not percentage change)

0.0

2016

Data Input Tables

Instructions: Enter your MVT-related injury data in the **red cells** below. The age-adjusted rates will automatically calculate in the results table.

Use columns F through L to enter demographic data

| | | Sex Data | | | Demographic Data |
|------------------|-------|-----------------------------------|----------------------------------|------------------------------------|--------------------|
| Hospitalizations | Age | Number of hospitalizations- Total | Number of hospitalizations- Male | Number of hospitalizations- Female | White-Not Hispanic |
| | <1 | | | | |
| | 1-4 | | | | |
| | 5-9 | | | | |
| | 10-14 | | | | |
| | 15-19 | | | | |
| | 20-24 | | | | |
| | 25-34 | | | | |
| | 35-44 | | | | |
| | 45-54 | | | | |
| | 55-64 | | | | |
| | 65-74 | | | | |
| | 75-84 | | | | |
| 85+ | | | | | |
| total | | 0 | 0 | 0 | 0 |

| | | Sex Data | | | Demographic Data |
|-----------------------|-------|----------------------------|---------------------------|-----------------------------|--------------------|
| Emergency Dept Visits | Age | Number of ED visits- Total | Number of ED visits- Male | Number of ED visits- Female | White-Not Hispanic |
| | <1 | | | | |
| | 1-4 | | | | |
| | 5-9 | | | | |
| | 10-14 | | | | |
| | 15-19 | | | | |
| | 20-24 | | | | |
| | 25-34 | | | | |
| | 35-44 | | | | |
| | 45-54 | | | | |
| | 55-64 | | | | |
| | 65-74 | | | | |
| | 75-84 | | | | |
| 85+ | | | | | |
| total | | 0 | 0 | 0 | 0 |

| | | Sex Data | | | Demographic Data |
|--------|-------|-------------------------|------------------------|--------------------------|--------------------|
| Deaths | Age | Number of deaths- Total | Number of deaths- Male | Number of deaths- Female | White-Not Hispanic |
| | <1 | | | | |
| | 1-4 | | | | |
| | 5-9 | | | | |
| | 10-14 | | | | |
| | 15-19 | | | | |

| Deaths | | | | | |
|--------|--|---|---|---|---|
| 20-24 | | | | | |
| 25-34 | | | | | |
| 35-44 | | | | | |
| 45-54 | | | | | |
| 55-64 | | | | | |
| 65-74 | | | | | |
| 75-84 | | | | | |
| 85+ | | | | | |
| total | | 0 | 0 | 0 | 0 |

| | | | | |
|---|---|---|---|---|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 0 | 0 | 0 | 0 | 0 |

ble

1000. Results will
tically.

s per 100,000 population

| Male | Female | White-Not Hispanic | Hispanic | Black-Not Hispanic |
|------|--------|-----------------------|----------|-----------------------|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

s per 100,000 population

| Male | Female | White-Not Hispanic | Hispanic | Black-Not Hispanic |
|------|--------|-----------------------|----------|-----------------------|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

s per 100,000 population

| Male | Female | White-Not Hispanic | Hispanic | Black-Not Hispanic |
|------|--------|-----------------------|----------|-----------------------|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| Asian | American Indian/Alaska Native | Other | Other |
|-------|-------------------------------|-------|-------|
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |

| Asian | American Indian/Alaska Native | Other | Other |
|-------|-------------------------------|-------|-------|
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |

| Asian | American Indian/Alaska Native | Other | Other |
|-------|-------------------------------|-------|-------|
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |

2017

Data Input Tables

Instructions: Enter your MVT-related injury data in the red cells below. The age-adjusted rates will automatically calculate in the results table.

Use columns F through L to enter demographic data

| | | Sex Data | | | Demographic Data |
|------------------|-------|-----------------------------------|----------------------------------|------------------------------------|--------------------|
| Hospitalizations | Age | Number of hospitalizations- Total | Number of hospitalizations- Male | Number of hospitalizations- Female | White-Not Hispanic |
| | <1 | | | | |
| | 1-4 | | | | |
| | 5-9 | | | | |
| | 10-14 | | | | |
| | 15-19 | | | | |
| | 20-24 | | | | |
| | 25-34 | | | | |
| | 35-44 | | | | |
| | 45-54 | | | | |
| | 55-64 | | | | |
| | 65-74 | | | | |
| | 75-84 | | | | |
| | 85+ | | | | |
| | total | | 0 | 0 | 0 |

| | | Sex Data | | | Demographic Data |
|-----------------------|-------|----------------------------|---------------------------|-----------------------------|--------------------|
| Emergency Dept Visits | Age | Number of ED visits- Total | Number of ED visits- Male | Number of ED visits- Female | White-Not Hispanic |
| | <1 | | | | |
| | 1-4 | | | | |
| | 5-9 | | | | |
| | 10-14 | | | | |
| | 15-19 | | | | |
| | 20-24 | | | | |
| | 25-34 | | | | |
| | 35-44 | | | | |
| | 45-54 | | | | |
| | 55-64 | | | | |
| | 65-74 | | | | |
| | 75-84 | | | | |
| | 85+ | | | | |
| | total | | 0 | 0 | 0 |

| | | Sex Data | | | Demographic Data |
|--------|-----|-------------------------|------------------------|--------------------------|--------------------|
| Deaths | Age | Number of deaths- Total | Number of deaths- Male | Number of deaths- Female | White-Not Hispanic |
| | <1 | | | | |
| | 1-4 | | | | |
| | 5-9 | | | | |

Deaths

10-14
15-19
20-24
25-34
35-44
45-54
55-64
65-74
75-84
85+
total

| | | | |
|--|---|---|---|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |

| | | | | |
|---|---|---|---|---|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 0 | 0 | 0 | 0 | 0 |

ble

1000. Results will
tically.

s per 100,000 population

| Male | Female | White-Not Hispanic | Hispanic | Black-Not Hispanic |
|------|--------|-----------------------|----------|-----------------------|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

s per 100,000 population

| Male | Female | White-Not Hispanic | Hispanic | Black-Not Hispanic |
|------|--------|-----------------------|----------|-----------------------|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

s per 100,000 population

| Male | Female | White-Not Hispanic | Hispanic | Black-Not Hispanic |
|------|--------|-----------------------|----------|-----------------------|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| Asian | American Indian/Alaska Native | Other | Other |
|-------|-------------------------------|-------|-------|
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |

| Asian | American Indian/Alaska Native | Other | Other |
|-------|-------------------------------|-------|-------|
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |

| Asian | American Indian/Alaska Native | Other | Other |
|-------|-------------------------------|-------|-------|
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |

2018

Data Input Tables

Instructions: Enter your MVT-related injury data in the red cells below. The age-adjusted rates will automatically calculate in the results table.

Use columns F through L to enter demographic data

| | | Sex Data | | | Demographic Data |
|------------------|-------|-----------------------------------|----------------------------------|------------------------------------|--------------------|
| Hospitalizations | Age | Number of hospitalizations- Total | Number of hospitalizations- Male | Number of hospitalizations- Female | White-Not Hispanic |
| | <1 | | | | |
| | 1-4 | | | | |
| | 5-9 | | | | |
| | 10-14 | | | | |
| | 15-19 | | | | |
| | 20-24 | | | | |
| | 25-34 | | | | |
| | 35-44 | | | | |
| | 45-54 | | | | |
| | 55-64 | | | | |
| | 65-74 | | | | |
| | 75-84 | | | | |
| | 85+ | | | | |
| | total | | 0 | 0 | 0 |

| | | Sex Data | | | Demographic Data |
|-----------------------|-------|----------------------------|---------------------------|-----------------------------|--------------------|
| Emergency Dept Visits | Age | Number of ED visits- Total | Number of ED visits- Male | Number of ED visits- Female | White-Not Hispanic |
| | <1 | | | | |
| | 1-4 | | | | |
| | 5-9 | | | | |
| | 10-14 | | | | |
| | 15-19 | | | | |
| | 20-24 | | | | |
| | 25-34 | | | | |
| | 35-44 | | | | |
| | 45-54 | | | | |
| | 55-64 | | | | |
| | 65-74 | | | | |
| | 75-84 | | | | |
| | 85+ | | | | |
| | total | | 0 | 0 | 0 |

| | | Sex Data | | | Demographic Data |
|--|-----|-------------------------|------------------------|--------------------------|--------------------|
| | Age | Number of deaths- Total | Number of deaths- Male | Number of deaths- Female | White-Not Hispanic |
| | <1 | | | | |
| | 1-4 | | | | |
| | 5-9 | | | | |

Deaths

| | | | | |
|-------|---|---|---|---|
| 10-14 | | | | |
| 15-19 | | | | |
| 20-24 | | | | |
| 25-34 | | | | |
| 35-44 | | | | |
| 45-54 | | | | |
| 55-64 | | | | |
| 65-74 | | | | |
| 75-84 | | | | |
| 85+ | | | | |
| total | 0 | 0 | 0 | 0 |

| | | | | |
|---|---|---|---|---|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 0 | 0 | 0 | 0 | 0 |

Optional: Unhide columns O through AK to show rate calculations and 2000 population weights

Enter 2000 State population by age group. Columns AM through AV will then autogenerate age adjusted rates per 100,000

Results Ta

Age Adjusted Rates per 100, calculate automa

Age-adjusted Rates

| |
|--------------|
| |
| Other |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| 0 |

| State Population Total | 2000 Standard population - from "Populations" tab |
|------------------------|---|
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |

| Age | Total |
|-------|-------|
| <1 | 0.0 |
| 1-4 | 0.0 |
| 5-9 | 0.0 |
| 10-14 | 0.0 |
| 15-19 | 0.0 |
| 20-24 | 0.0 |
| 25-34 | 0.0 |
| 35-44 | 0.0 |
| 45-54 | 0.0 |
| 55-64 | 0.0 |
| 65-74 | 0.0 |
| 75-84 | 0.0 |
| 85+ | 0.0 |
| Total | 0.0 |

Age-adjusted Rates

| |
|--------------|
| |
| Other |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| 0 |

| State Population Total | 2000 Standard population - from "Populations" tab |
|------------------------|---|
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |

| Age | Total |
|-------|-------|
| <1 | 0.0 |
| 1-4 | 0.0 |
| 5-9 | 0.0 |
| 10-14 | 0.0 |
| 15-19 | 0.0 |
| 20-24 | 0.0 |
| 25-34 | 0.0 |
| 35-44 | 0.0 |
| 45-54 | 0.0 |
| 55-64 | 0.0 |
| 65-74 | 0.0 |
| 75-84 | 0.0 |
| 85+ | 0.0 |
| Total | 0.0 |

Age-adjusted Rates

| |
|--------------|
| |
| Other |
| |
| |

| State Population Total | 2000 Standard population - from "Populations" tab |
|------------------------|---|
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |

| Age | Total |
|-----|-------|
| <1 | 0.0 |
| 1-4 | 0.0 |
| 5-9 | 0.0 |

ble

1000. Results will
tically.

s per 100,000 population

| Male | Female | White-Not Hispanic | Hispanic | Black-Not Hispanic |
|------|--------|-----------------------|----------|-----------------------|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

s per 100,000 population

| Male | Female | White-Not Hispanic | Hispanic | Black-Not Hispanic |
|------|--------|-----------------------|----------|-----------------------|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

s per 100,000 population

| Male | Female | White-Not Hispanic | Hispanic | Black-Not Hispanic |
|------|--------|-----------------------|----------|-----------------------|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| Asian | American Indian/Alaska Native | Other | Other |
|-------|-------------------------------|-------|-------|
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |

| Asian | American Indian/Alaska Native | Other | Other |
|-------|-------------------------------|-------|-------|
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |

| Asian | American Indian/Alaska Native | Other | Other |
|-------|-------------------------------|-------|-------|
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |

2019

Data Input Tables

Instructions: Enter your MVT-related injury data in the red cells below. The age-adjusted rates will automatically calculate in the results table.

Use columns F through L to enter demographic data

| Age | Sex Data | | | Demographic Data |
|-------|-----------------------------------|----------------------------------|------------------------------------|--------------------|
| | Number of hospitalizations- Total | Number of hospitalizations- Male | Number of hospitalizations- Female | White-Not Hispanic |
| <1 | | | | |
| 1-4 | | | | |
| 5-9 | | | | |
| 10-14 | | | | |
| 15-19 | | | | |
| 20-24 | | | | |
| 25-34 | | | | |
| 35-44 | | | | |
| 45-54 | | | | |
| 55-64 | | | | |
| 65-74 | | | | |
| 75-84 | | | | |
| 85+ | | | | |
| total | 0 | 0 | 0 | 0 |

| Age | Sex Data | | | Demographic Data |
|-------|----------------------------|---------------------------|-----------------------------|--------------------|
| | Number of ED visits- Total | Number of ED visits- Male | Number of ED visits- Female | White-Not Hispanic |
| <1 | | | | |
| 1-4 | | | | |
| 5-9 | | | | |
| 10-14 | | | | |
| 15-19 | | | | |
| 20-24 | | | | |
| 25-34 | | | | |
| 35-44 | | | | |
| 45-54 | | | | |
| 55-64 | | | | |
| 65-74 | | | | |
| 75-84 | | | | |
| 85+ | | | | |
| total | 0 | 0 | 0 | 0 |

| Age | Sex Data | | | Demographic Data |
|-----|-------------------------|------------------------|--------------------------|--------------------|
| | Number of deaths- Total | Number of deaths- Male | Number of deaths- Female | White-Not Hispanic |
| <1 | | | | |
| 1-4 | | | | |
| 5-9 | | | | |

| Hispanic | Black-Not Hispanic | Asian | American Indian/Alaska Native | Other |
|-----------------|---------------------------|--------------|--------------------------------------|--------------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 0 | 0 | 0 | 0 | 0 |

| Hispanic | Black-Not Hispanic | Asian | American Indian/Alaska Native | Other |
|-----------------|---------------------------|--------------|--------------------------------------|--------------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 0 | 0 | 0 | 0 | 0 |

| Hispanic | Black-Not Hispanic | Asian | American Indian/Alaska Native | Other |
|-----------------|---------------------------|--------------|--------------------------------------|--------------|
| | | | | |
| | | | | |
| | | | | |

| | | | | |
|---|---|---|---|---|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 0 | 0 | 0 | 0 | 0 |

ble

1000. Results will
tically.

s per 100,000 population

| Male | Female | White-Not Hispanic | Hispanic | Black-Not Hispanic |
|------|--------|-----------------------|----------|-----------------------|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

s per 100,000 population

| Male | Female | White-Not Hispanic | Hispanic | Black-Not Hispanic |
|------|--------|-----------------------|----------|-----------------------|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

s per 100,000 population

| Male | Female | White-Not Hispanic | Hispanic | Black-Not Hispanic |
|------|--------|-----------------------|----------|-----------------------|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| Asian | American Indian/Alaska Native | Other | Other |
|-------|-------------------------------|-------|-------|
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |

| Asian | American Indian/Alaska Native | Other | Other |
|-------|-------------------------------|-------|-------|
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |

| Asian | American Indian/Alaska Native | Other | Other |
|-------|-------------------------------|-------|-------|
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |

2020

Data Input Tables

Instructions: Enter your MVT-related injury data in the red cells below. The age-adjusted rates will automatically calculate in the results table.

Use columns F through L to enter demographic data

| | | Sex Data | | | Demographic Data |
|------------------|-------|-----------------------------------|----------------------------------|------------------------------------|--------------------|
| Hospitalizations | Age | Number of hospitalizations- Total | Number of hospitalizations- Male | Number of hospitalizations- Female | White-Not Hispanic |
| | <1 | | | | |
| | 1-4 | | | | |
| | 5-9 | | | | |
| | 10-14 | | | | |
| | 15-19 | | | | |
| | 20-24 | | | | |
| | 25-34 | | | | |
| | 35-44 | | | | |
| | 45-54 | | | | |
| | 55-64 | | | | |
| | 65-74 | | | | |
| | 75-84 | | | | |
| | 85+ | | | | |
| | total | | 0 | 0 | 0 |

| | | Sex Data | | | Demographic Data |
|-----------------------|-------|----------------------------|---------------------------|-----------------------------|--------------------|
| Emergency Dept Visits | Age | Number of ED visits- Total | Number of ED visits- Male | Number of ED visits- Female | White-Not Hispanic |
| | <1 | | | | |
| | 1-4 | | | | |
| | 5-9 | | | | |
| | 10-14 | | | | |
| | 15-19 | | | | |
| | 20-24 | | | | |
| | 25-34 | | | | |
| | 35-44 | | | | |
| | 45-54 | | | | |
| | 55-64 | | | | |
| | 65-74 | | | | |
| | 75-84 | | | | |
| | 85+ | | | | |
| | total | | 0 | 0 | 0 |

| | | Sex Data | | | Demographic Data |
|--------|-------|-------------------------|------------------------|--------------------------|--------------------|
| Deaths | Age | Number of deaths- Total | Number of deaths- Male | Number of deaths- Female | White-Not Hispanic |
| | <1 | | | | |
| | 1-4 | | | | |
| | 5-9 | | | | |
| | 10-14 | | | | |
| | 15-19 | | | | |

| | | | | | |
|--------|-------|---|---|---|--|
| Deaths | 20-24 | | | | |
| | 25-34 | | | | |
| | 35-44 | | | | |
| | 45-54 | | | | |
| | 55-64 | | | | |
| | 65-74 | | | | |
| | 75-84 | | | | |
| | 85+ | | | | |
| total | 0 | 0 | 0 | 0 | |

| | | | | |
|---|---|---|---|---|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 0 | 0 | 0 | 0 | 0 |

ble

1000. Results will
tically.

s per 100,000 population

| Male | Female | White-Not Hispanic | Hispanic | Black-Not Hispanic |
|------|--------|-----------------------|----------|-----------------------|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

s per 100,000 population

| Male | Female | White-Not Hispanic | Hispanic | Black-Not Hispanic |
|------|--------|-----------------------|----------|-----------------------|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

s per 100,000 population

| Male | Female | White-Not Hispanic | Hispanic | Black-Not Hispanic |
|------|--------|-----------------------|----------|-----------------------|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| Asian | American Indian/Alaska Native | Other | Other |
|--------------|--------------------------------------|--------------|--------------|
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |

| Asian | American Indian/Alaska Native | Other | Other |
|--------------|--------------------------------------|--------------|--------------|
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |

| Asian | American Indian/Alaska Native | Other | Other |
|--------------|--------------------------------------|--------------|--------------|
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |

Most recent data year

Data Input Tables

Instructions: Enter your MVT-related injury data in the **red cells** below. The age-adjusted rates will automatically calculate in the results table.

Rename regions in the "Health Regions Populations" tab only. Please don't edit region names in this tab.

| | | Region Data | | | |
|-------------------------|-------|-------------|----------|----------|----------|
| Hospitalizations | Age | Region 1 | Region 2 | Region 3 | Region 4 |
| | <1 | | | | |
| | 1-4 | | | | |
| | 5-9 | | | | |
| | 10-14 | | | | |
| | 15-19 | | | | |
| | 20-24 | | | | |
| | 25-34 | | | | |
| | 35-44 | | | | |
| | 45-54 | | | | |
| | 55-64 | | | | |
| | 65-74 | | | | |
| | 75-84 | | | | |
| | 85+ | | | | |
| | total | | 0 | 0 | 0 |

Rename regions in the "Health Regions" tab only

| | | Region Data | | | |
|------------------------------|-------|-------------|----------|----------|----------|
| Emergency Dept Visits | Age | Region 1 | Region 2 | Region 3 | Region 4 |
| | <1 | | | | |
| | 1-4 | | | | |
| | 5-9 | | | | |
| | 10-14 | | | | |
| | 15-19 | | | | |
| | 20-24 | | | | |
| | 25-34 | | | | |
| | 35-44 | | | | |
| | 45-54 | | | | |
| | 55-64 | | | | |
| | 65-74 | | | | |
| | 75-84 | | | | |
| | 85+ | | | | |
| | total | | 0 | 0 | 0 |

| Region 10 | Region 11 | Region 12 | Region 13 | Region 14 |
|-----------|-----------|-----------|-----------|-----------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 0 | 0 | 0 | 0 | 0 |

| Region 10 | Region 11 | Region 12 | Region 13 | Region 14 |
|-----------|-----------|-----------|-----------|-----------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 0 | 0 | 0 | 0 | 0 |

Optional: Unhide columns AI through CS to show rate calculations and 2000 population weights

Columns CK through DE will then automatically calculate age-adjusted rates per 100,000

Results Table

Age Adjusted Rates per 100,000
calculate automatically

| |
|------------------|
| Region 20 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |

| | |
|---------------------------------|---|
| State population - Total | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |

| | |
|---|---|
| 2000 State population - from "Populations" tab | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |

| Age | Region 1 |
|--------------|------------|
| <1 | 0.0 |
| 1-4 | 0.0 |
| 5-9 | 0.0 |
| 10-14 | 0.0 |
| 15-19 | 0.0 |
| 20-24 | 0.0 |
| 25-34 | 0.0 |
| 35-44 | 0.0 |
| 45-54 | 0.0 |
| 55-64 | 0.0 |
| 65-74 | 0.0 |
| 75-84 | 0.0 |
| 85+ | 0.0 |
| Total | 0.0 |

| |
|------------------|
| Region 20 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |

| | |
|---------------------------------|---|
| State population - Total | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |

| | |
|---|---|
| 2000 State population - from "Populations" tab | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |

| Age | Region 1 |
|--------------|----------|
| <1 | 0 |
| 1-4 | 0 |
| 5-9 | 0 |
| 10-14 | 0 |
| 15-19 | 0 |
| 20-24 | 0 |
| 25-34 | 0 |
| 35-44 | 0 |
| 45-54 | 0 |
| 55-64 | 0 |
| 65-74 | 0 |
| 75-84 | 0 |
| 85+ | 0 |
| Total | 0 |

Data in this tab is optional and can be referenced to see trends in data to fill in text sections of the MVT SER PDF

This tab will automatically fill with data from the individual "2016", "2017", "2018", "2019", and "2020" tabs. The information in this tab can be used to complete the "Burden and Overview" section of the MVT Special Emphasis report. The average annual change in MVT injury age-adjusted rates per 100,000 over 5 years (not percentage change) is shown in this tab for hospitalizations, ED visits, and deaths across race/ethnicity, sex, and age groups.

Ar
fat

| Please edit years in the Populations tab, not this tab | Year 1 - Year 5 total MVT non-fatal and fatal injury rates | | |
|--|--|-----|-------|
| | Hopitalization | ED | Death |
| 2016 | 0.0 | 0.0 | 0.0 |
| 2017 | 0.0 | 0.0 | 0.0 |
| 2018 | 0.0 | 0.0 | 0.0 |
| 2019 | 0.0 | 0.0 | 0.0 |
| 2020 | 0.0 | 0.0 | 0.0 |

| Year 1 - Year 5 hospitalization rates across age groups | | | | | |
|---|------|------|------|------|------|
| age group | 2016 | 2017 | 2018 | 2019 | 2020 |
| <1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1-4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5-9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10-14 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 15-19 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 20-24 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 25-34 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 35-44 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 45-54 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 55-64 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 65-74 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 75-84 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 85+ | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

Year 1 - Year 5 ED rates across age groups

| age group | 2016 | 2017 | 2018 | 2019 | 2020 |
|-----------|------|------|------|------|------|
| <1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1-4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5-9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10-14 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 15-19 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 20-24 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 25-34 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 35-44 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 45-54 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 55-64 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 65-74 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 75-84 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 85+ | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| Year 1 - Year 5 death rates across age groups | | | | | |
|---|------|------|------|------|------|
| age group | 2016 | 2017 | 2018 | 2019 | 2020 |
| <1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1-4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5-9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10-14 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 15-19 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 20-24 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 25-34 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 35-44 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 45-54 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 55-64 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 65-74 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 75-84 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 85+ | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| Year 1 - Year 5 hospitalization rates across race/ethnicity and gender | | | | | |
|--|------|------|------|------|------|
| | 2016 | 2017 | 2018 | 2019 | 2020 |
| White-Not Hispanic | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Hispanic | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Black-Not Hispanic | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Asian | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| American Indian/Alaska Native | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Other | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Male | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |


| | | | | | |
|--------|-----|-----|-----|-----|-----|
| Female | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
|--------|-----|-----|-----|-----|-----|

| Year 1 - Year 5 ED rates across race/ethnicity and sex | | | | | |
|--|------|------|------|------|------|
| | 2016 | 2017 | 2018 | 2019 | 2020 |
| White-Not Hispanic | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Hispanic | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Black-Not Hispanic | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Asian | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| American Indian/Alaska Native | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Other | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Male | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Female | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| Year 1 - Year 5 death rates across race/ethnicity and sex | | | | | |
|---|------|------|------|------|------|
| | 2016 | 2017 | 2018 | 2019 | 2020 |
| White-Not Hispanic | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Hispanic | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Black-Not Hispanic | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Asian | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| American Indian/Alaska Native | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Other | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Male | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Female | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

Please enter ED Visits, Hospitalizations, and Fatalities for the most recent data year in row 6 to populate the pyramid

| | ED Visits | Hospitalizations | Fatalities |
|------|-----------|------------------|------------|
| Item | 58000 | 22315 | 32000 |



Years 2009-2015 can be edit in column B given your dataset. Data for years 2016-2020 will automatically populate with years from the "Populations" tab. Figure 2 reflects MVT fatality rates over 10 years.

| Year | Year label - modify years in this column to reflect in graph | Please enter fatality rates for each year to reflect in the graph. These rates can be age-adjusted if the data is available. |
|------|--|--|
| 1 | 2009 | |
| 2 | 2010 | |
| 3 | 2011 | |
| 4 | 2012 | |
| 5 | 2013 | |
| 6 | 2014 | |
| 7 | 2015 | |
| 8 | 2016 | |
| 9 | 2017 | |
| 10 | 2018 | |
| 11 | 2019 | |
| 12 | 2020 | |

Age-Adjusted Fatality Rate per 100,000



Year

Figure 3

FIGURE 3: Percent of Unintentional MTV Injuries by Type of Person, (Years, State)

| | |
|--|--|
| The type of person type can be modified in rows A7, A8, A9, and A10 if necessary | Please enter fatality, hospitalization, and ED visit data in Rows 6 through 10 |
|--|--|

Number by person type

| | Deaths | Hospitalizations | ED Visits |
|------------------------|-----------|------------------|-----------|
| Occupant / Unspecified | 2 | 6 | 5 |
| Motorcyclist | 3 | 9 | 15 |
| Pedestrian | 12 | 14 | 13 |
| Pedal cyclist | 5 | 6 | 7 |
| Other | 11 | 13 | 9 |
| TOTAL | 33 | 48 | 49 |

Percent by person type

| | Deaths | Hospitalizations | ED Visits |
|------------------------|---------------|------------------|---------------|
| Occupant / Unspecified | 6.1 | 12.5 | 10.2 |
| Motorcyclist | 9.1 | 18.8 | 30.6 |
| Pedestrian | 36.4 | 29.2 | 26.5 |
| Pedal cyclist | 15.2 | 12.5 | 14.3 |
| Other | 33.3 | 27.1 | 18.4 |
| TOTAL | 100.0% | 100.0% | 100.0% |

| Please do not edit data in rows 27 through 29, they will autofill with data from rows 6 through 10 | | | | | |
|--|------------------------|--------------|------------|---------------|-------|
| Values are shown as percentages | Occupant / Unspecified | Motorcyclist | Pedestrian | Pedal cyclist | Other |
| ED Visits | 10.2 | 30.6 | 26.5 | 14.3 | 18.4 |
| Hospitalizations | 12.5 | 18.8 | 29.2 | 12.5 | 27.1 |
| Fatalities | 6.1 | 9.1 | 36.4 | 15.2 | 33.3 |

Figure 3






Figure 4: Death or Non-fatal Unintentional Motor Vehicle Traffic-Occupant Injuries by Sex

Enter data in the tables below to populate graphs for Figure 4. States can select which graph they would like to include for Figure 4.


| Death rates | total | male | female |
|-------------|-------|------|--------|
| 2000 | | | |
| 2001 | | | |
| 2002 | | | |
| 2003 | | | |
| 2004 | | | |
| 2005 | | | |
| 2006 | | | |
| 2007 | | | |
| 2008 | | | |
| 2009 | | | |
| 2010 | | | |
| 2011 | | | |
| 2012 | | | |
| 2013 | | | |
| 2014 | | | |
| 2015 | | | |
| 2016 | | | |
| 2017 | | | |
| 2018 | | | |
| 2019 | | | |
| 2020 | | | |

| Hospitalizations rates | total | male | female |
|------------------------|-------|------|--------|
| 2016 | | | |
| 2017 | | | |
| 2018 | | | |
| 2019 | | | |
| 2020 | | | |

2016-2020 hospitalization, ED visit, and death rates can be pulled from either "Totals" tab or "2016", "2017", "2018", "2019", and "2019" tabs



| ED Visits rates | total | male | female |
|-----------------|-------|------|--------|
| 2016 | | | |
| 2017 | | | |
| 2018 | | | |
| 2019 | | | |
| 2020 | | | |



Sex <Data Period>

total deaths male deaths female deaths



Year

Sex <Data Period>

total hospitalizations female hospitalizations



MVT Emergency Department Visits by Sex
<Data Period>

total ED visits male ED visits female ED visits








Figure 5 - Please use the populations for these age groups to calculate age-specific hospitalization rates for data years you would like to include in the Figure 5 graph. Years in row 3 can be edited to reflect the data years you would like to see in the Figure 5 graph.

| age group | 2016 | 2017 | 2018 | 2019 | 2020 |
|-----------|------|------|------|------|------|
| 0-14 | | | | | |
| 15-19 | | | | | |
| 20-24 | | | | | |
| 25-44 | | | | | |
| 45-64 | | | | | |
| 65+ | | | | | |



| <i>Modify race/ethnicity groups as needed below</i> | | <i>Enter hospitalization rates for most recent data year. Rates can be pulled from the "Totals" tab, "2016" tab, "2017" tab, "2018" tab, "2019" tab, or "2020" tab</i> |
|---|---|--|
| White-Not Hispanic | 1 | |
| Hispanic | 2 | |
| Black-Not Hispanic | 3 | |
| Asian | 4 | |
| American Indian/Alaska Native | 5 | |
| Other | 6 | |
| Other | 7 | |



Quick Facts

The links below can be used to compile information for the Quick Facts section on Page 2 of the MVT Special Emphasis Report

MVT State Facts:

Percent of State/Region drivers wearing seat belts

Percent of State/Region driver fatalities not restrained

Number of lives saved if 100% of drivers wore seat belts

Percent of fatal drivers with BAC higher than .08

Percent of seat belt use among teens (see below footnotes)

How many times did you ride with someone whose been drinking? (Percentage)

How many times did you text or e-mail? (Percentage)

Lifetime cost of MVT injuries in <State/Region>

Can also include whether your state has a primary or secondary seat belt law.

YRBS: 2017/2019 Youth Behavioral Survey provides seat belt use; driving and drinking

YRBS also has texting and marijuana driving questions too.

Please use percentages to report YRBS teen data

Q1) How often do you wear a seat belt when riding in a car driven by someone else?

Options: *Never, Rarely, Sometimes, Most of the time, Always*

Q2) During the past 30 days, how many times did you ride in a car or other vehicle

Options: *0, 1, 2 or 3, 4 or 5, 6+*

Q3) During the past 30 days, on how many days did you text or e-mail while driving a

Options: *I did not drive a car or other vehicle during the past 30 d*

Data Source:

Fatal Analysis Reporting System (FARS)

Fatal Analysis Reporting System (FARS)

Fatal Analysis Reporting System (FARS)

Fatal Analysis Reporting System (FARS)

Youth Risk Behavioral Survey (YRBS)

Youth Risk Behavioral Survey (YRBS)

Youth Risk Behavioral Survey (YRBS)

National Center for Health Statistics (NCHS)

Governors Highway Safety Administration
(GHSA)

ng (YRBS), rode w/driver who had been drinki

è driven by someone who had been drinking a

car or other vehicle

ays, 0 days, 1 or 2 days, 3 to 5 days, 6 to

Quick Facts

Web Link:

<https://cdan.nhtsa.gov/stsi.htm>

<https://cdan.nhtsa.gov/tsftables/tsfar.htm>

<https://cdan.nhtsa.gov/stsi.htm>

<https://cdan.nhtsa.gov/stsi.htm>

<https://www.cdc.gov/healthyyouth/data/yrbs>

<https://www.cdc.gov/healthyyouth/data/yrbs>

<https://www.cdc.gov/healthyyouth/data/yrbs>

<https://www.cdc.gov/injury/wisqars>

<https://www.ghsa.org/state-laws>

ng (YRBS).

lcohol (0, 1, 2 or 3, 4 or 5, 6+).

9 days, 10 to 19 days, 20 to 29 days, All 30 days

Quick Facts

| Sub-category | Table |
|---|---|
| State Traffic Safety Information (STSI) | Table: Traffic Safety Performance (Core Outcome) Measures |
| Traffic Safety Facts Annual Report Tables (TSFAR) | Table 84: Drivers Involved in Crashes, by Vehicle Type, Restraint Use, and Crash Severity, 2017 |
| State Traffic Safety Information (STSI) | Table: (State) Passenger Vehicle Occupant Fatalities by Restraint Use and Lives Saved Estimates (Ages 5+) |
| State Traffic Safety Information (STSI) | Table: Alcohol-Impaired Driving Fatalities |
| State Data can be downloaded | |
| State Data can be downloaded | |
| State Data can be downloaded | |
| Cost of Injury Data | |
| All states have laws governing various driver behaviors, from distracted driving to motorcycle helmet use | |

Quick Facts

Comments

Website also includes
county data
Located within “People
- Restraints”

Check state public
health department for
reports


Drop down menus by
State and Topic

ADDING GRAPHS TO PDF FORM:

Select and copy the Excel graph, then open Word and choose Paste > Paste Special and insert the graph into the document as a .png file. Next, right click on that image and select "Save as Picture." Choose a convenient location to save the file, such as your desktop. Return to the PDF form, click on the button to insert the image, and follow the prompts to select your image file. Please ensure your PDF editor is up to date to fill out the SER form. Refer to the demo recording from CSTE for additional guidance on filling in the SER form.

State


Data Year





If data for age groups was entered, please refer to **2016-2020 rates** tab to see rate changes over time. Use the **Figure 2 tab** to see MVT fatality rates over a 10 year period.

If the "Totals" tab was only used, please refer to **columns AT-AY in the "Totals" tab**

Users can edit/delete text in this paragraph if data across certain age groups/time periods is not available





This page can be edited in the MVT SER PDF. No spreadsheet data is needed for this page. It is in here to remind users that the third page can be national and state-level MVT Activities.

Special Emphasis Report:

Unintentional Motor Vehicle Traffic Injuries



UNDERSTANDING MVT INJURIES

Every day, thousands of Americans are involved in motor vehicle crashes on public roadways that result in injury or death. Unintentional Motor Vehicle Traffic (MVT) injuries include those to motor vehicle occupants (drivers and passengers), motorcyclists, pedestrians, pedal cyclists, and other persons.

Burden and Overview

MVT injuries are a leading cause of hospitalization and death in the United States and <jurisdiction>. For every MVT injury death in <jurisdiction> there were <xx> non-fatal hospitalizations and <xxx> emergency department visits. Figure 1 reflects total counts for <data year>. During a ten-year period, the rate of MVT injury deaths <increased/decreased> (see Figure 2), with the largest <increase/decrease> occurring among those aged <xx - xx>.

FIGURE 1: Motor Vehicle Traffic Injury Pyramid in <Data Year>






FIGURE 2: Rate of Motor Vehicle Traffic Deaths Among Residents



Injuries by Type of Person

Figure 3 illustrates that most persons injured or killed by MVT injuries are occupants (drivers and passengers). In <data year>, occupants accounted for <xx>% of MVT deaths, <xx>% among hospitalizations, and <xx>% among ED visits. Table 1, and Figures 4 through Figure 6 will focus on occupant-related injuries.

FIGURE 3: Percent of Unintentional MTV Injuries by Type of Person in <Data Year>



MVT Injuries by Geography

In <data year> the majority of motor vehicle traffic occupant injuries in <jurisdiction> occurred in <sub-area>, and the highest rates per 100,000 residents were in <sub-area>. Table 1 presents the top five <counties/cities/regions> with the highest rates.

State Health Department Logo

Special Emphasis Report: Unintentional Motor Vehicle Traffic Injuries


TABLE 1: Table 1. MVT-Occupant Injuries by Geography, <Data Year>

| Sub-Area | Count | Rate |
|----------|-------|------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

MVT Injuries by Race

Figure 6 presents non-fatal MVT injury rates by race and ethnicity. The highest rates were noted for Black individuals (xxx per 100,000) and White individuals (xxx per 100,000).


FIGURE 6: Hospitalization Rates by Race



MVT Injuries by Sex and Age Group


Males had higher non-fatal MVT-occupant hospitalization injury rates than did females (xxx per 100,000 and xxx per 100,000 respectively). Rates for both males and females remained relatively stable over the <x-year> period.

FIGURE 4: MVT Occupant-related Hospitalization Rates by Sex, <Data Period>



The age groups with the highest non-fatal MVT-occupant hospitalization injury rates in <jurisdiction> were <ages xx to xx> and <ages xx to xx>. Rates remained relatively stable over the <x-year> period.

FIGURE 5: MVT Occupant-related Hospitalization Injury Rates by Age Group, <Data Period>



Quick Facts

Seat Belt Use: According to the National Highway Traffic Safety Administration's National Occupant Protection Use Survey, seat belt use in <State> increased from XX% in 2017 to XX% in 2018. This is an increase of XX percentage points.

XX% of those killed in a motor vehicle crash in <State> were not wearing a seat belt.

Number of lives saved in <State> in 2018 (N=xx): (xx) lives saved by seat belt use; (xx) lives saved by other measures.

YRBS data on teenagers.

Cost Data: <State> from WISQARS data if available.

Alcohol Level: MVT driver in <State> in 2018, XX% of drivers with a blood alcohol concentration of .08 or higher were involved in a motor vehicle crash.

year

cluded
used for

MVT II

National Activities

PREVENTION

SURVEILLANCE

PARTNERSHIPS

**ACCOMPLISHMENTS/
SUCSESSES**

Note:

State Activities

PREVENTION

SURVEILLANCE

PARTNERSHIPS


**ACCOMPLISHMENTS/
SUCSESSES**

Note:

Footnotes

<Organization Name> – Released <Month, year>

| | |
|--|------|
| Occupants percentage of deaths | 6.1 |
| Occupants percentage of hospitalizations | 12.5 |
| Occupants percentage of ED visits | 10.2 |



This table shows data for your most recent year. Cells are populated with counts and rates calculated in the "Health Region Rates" tab.

Top 5 Regions for Hospitalizations

Region 1



<STATE>
ries

| |
|----------|
| Region 2 |
| Region 3 |
| Region 4 |
| Region 5 |

ce

MVT-occupant hospitalization
icity for <jurisdiction> residents.
d for < race/ethnicity (xx per
> residents.

tes by Race and Ethnicity, <Data



to the National Occupant
at belt use in <State> was xx% in
of xx% from 20xx to 2018.


otor vehicle crash in <State>
elt.

STATE/REGION) by using a seat
d if seat belt use was 100%

/ISQARS cost module or billing

of fatal crash for <State>

th fatal MVT injuries in <State>
ontration of more than the legal





States can edit the text in the Quick Facts box to



| Hospitalization count | Age-adjusted hospitalization rate per 100k People | Top 5 Regions for ED Visits | ED visit count | Age-adjusted ED visit rate per 100k People |
|-----------------------|---|-----------------------------|----------------|--|
| 0 | 0 | Region 1 | 0 | 0 |

| | | | | |
|---|---|----------|---|---|
| 0 | 0 | Region 2 | 0 | 0 |
| 0 | 0 | Region 3 | 0 | 0 |
| 0 | 0 | Region 4 | 0 | 0 |
| 0 | 0 | Region 5 | 0 | 0 |



Emergency Department Visits by Sex Period

ED visits — male ED visits — female ED visits

