

# **User Interface Specification**

Version Number 9.42  
07/10/2020

## **Social Security Administration**

### **SSA\_ATT\_Care2020\_N8NN**

## Revision History

Date	Version	Description	Author(s)
05/09/2011	1.0	Full Detailed Design – initial version	T. Sheeder, B. Mittelstedter, R. Ishihara
05/12/2011	1.1	Full Detailed Design – revised * Added global confirmation error handling * Revised global error handling propting	T. Sheeder
05/13/2011	1.2	Full Detailed Design – revised * Revised conditional logic in mm0050_EntryRouting_DS	T. Sheeder
05/13/2011	1.3	Full Detailed Design – revised * mm1100_SocialSecurityCardsMenu_DM - removed extra 'goto' for 'update' option * mm0200_SFToggle_DS - changed variable 'nlu_enabled' to 'SPEAK_FREELY_ACTIVE' * mm0125_ABRStatus_DS - revised gotos to route to mm0130_GetVariablesAnn_DB (instead of deleted decision state) * mm0130_EmergencyAvailable_DS - eliminated this state (replaced with mm0130_GetVariablesAnn_DB) * mm0130_GetVariablesAnn_DB - added this DB state to retrieve emergency message information * mm0140_EmergencyMsg_PP - added conditional logic to play appropriate emergency message * mm0510_TNEV_SD - changed goto for conditions 'Elseif tnev_transaction_status=authorization_failed' and 'Elseif tnev_transaction_status=no_password' from mm0200_SFToggle_DS (main menu) to mm3000_ABRStatus_DS (transfer)	T. Sheeder
05/23/2011	1.4	Full Detailed Design – FINAL * incorporated changes, additions, and deletions per Full Detailed Design review (changes highlighted YELLOW)	T. Sheeder, B. Mittelstedter
06/06/2011	1.5	Full Detailed Design – FINAL (changes highlighted YELLOW) > global Command: updated to remove global 'Spanish' option (which suddenly appeared for reasons unknown) > global Recovery Behavior: updated to remove extraneous rows (which suddenly appeared for reasons unknown) > ka0355_TNRSGetName_DM: changed to confirm 'never' (and removed confirmation prompting) > ka0355_TNRSGetName_DM: revised error behavior to go to NameOSDM after 2nd error > na0130_SayAndSpellLast_DM: added condition, if tnrs_checked=true, to bypass confirmation > na0150_SpellLast_DM: added condition, if tnrs_checked=true, to bypass confirmation > na0120_SayAndSpellFirst_DM: added sayandspellfirst_tnrs grammar and logic > na0130_SayAndSpellLast_DM: added sayandspelllast_tnrs grammar and logic > na0140_SpellFirst_DM: added spellfirst_tnrs grammar and logic > na0150_SpellLast_DM: added spelllast_tnrs grammar and logic > ka0325_TNRSLocation_DS: added toggle (collect_full_name) to indicate whether full name collection is to be attempted	T. Sheeder
06/07/2011	1.6	Full Detailed Design – FINAL (changes highlighted YELLOW) * ka0900_CheckingInfoMsg_PP: added condition and prompt for current_task=card_medicare or benefits_verification * bv0140_SubmitMsg_PP, bv0200_BEVESubmitRequest_DB, mr0140_SubmitMsg_PP, and mr0200_MRCSSubmitRequest_DB: DELETED * bv0130_KBAAuthentication_SD: success goes to bv0210_BEVESuccess_PP instead	B. Mittelstedter

		<p>of bv0140_SubmitMsg_PP</p> <ul style="list-style-type: none"> <li>* mr0130_KBAAuthentication_SD: success goes to mr0210_MRCSuccess_PP instead of mr0140_SubmitMsg_PP</li> <li>* mr0210_MRCSuccess_PP: updated prompt verbiage</li> <li>* bv0210_BEVESuccess_PP: updated prompt verbiage</li> </ul>	
06/10/2011	1.7	<p>Full Detailed Design – FINAL (changes highlighted GREEN)</p> <ul style="list-style-type: none"> <li>&gt; mm0140_EmergencyMsg_PP: revised logic such that the emergency messages associated with 'activeFlagx' variables are NOT mutually exclusive</li> <li>&gt; mm2200_BecomePayee_DM: changed goto for 'finished' option from mm0210_SFMainMenu_DM to mm0200_SFToggle_DS</li> <li>&gt; mm0050_EntryRouting_DS: added Developer Note (per J. Hardcastle)</li> <li>&gt; removed 'coadd_task' variable, no longer needed since COA and DD were separated</li> <li>&gt; mm0210_SFMainMenu_DM: removed assigning values of 'coadd_task' variable for 'change_address' and 'direct_deposit' options (since 'coadd_task' variable has been removed since COA and DD were separated)</li> <li>&gt; mm0610_BackoffOtherOptionsMenu_DM: removed assigning values of 'coadd_task' variable for 'direct_deposit' option</li> <li>&gt; mm0700_Benefits_DM: removed assigning values of 'coadd_task' variable for 'direct_deposit' option</li> <li>&gt; mm0910_UpdatePersonalInfo_DM: removed assigning values of 'coadd_task' variable for 'change_address' and 'direct_deposit' options</li> <li>&gt; mm1110_UpdatePersonalInfo_DM: removed assigning values of 'coadd_task' variable for 'change_address' option</li> <li>&gt; mm0512_TNEVDisconnect_CT: modified prompts slightly re: web address</li> <li>&gt; dd0300_KBAAuthentication_SD: corrected mistakes in Action table</li> <li>&gt; mm0125_ABRStatus_DS: changed references to 'initial_abr' to 'initial_abr_transfer'</li> </ul>	T. Sheeder
06/14/2011	1.8	<p>Full Detailed Design – FINAL (changes highlighted GREEN)</p> <ul style="list-style-type: none"> <li>~ mm0210_SFMainMenu_DM - updated current_task for 'form_1099' from 'form_1099' to 'benefits_statement'</li> <li>~ mm0545_TranscriptionKBA_DS, mm2040_FutureBenefits_DM, mm0610_BackoffOtherOptionsMenu_DM, mm1770_OrderDrugFormQuestion_DM, and mm2400_EarningsMenu_DM - updated condition to remove transcription_task</li> <li>~ mm1430_SocialSecurityCardMenu_DM - assign current_task=form_ss5 instead of transcription_task=5</li> <li>~ tr0105_PlayTransIntro_PP, tr0120_ConfirmAddress_DM, tr0140_AddressOSDM_SD, and tr0220_SuccessMsg_PP: updated conditions to look at current_task instead of transcription_task</li> <li>~ mm1520_GetForm_DM: corrected current_task for 'order_form'</li> </ul>	B. Mittelstedter
06/16/2011	1.9	<p>Full Detailed Design – FINAL (changes highlighted GREEN)</p> <ul style="list-style-type: none"> <li>~ mm0210_SFMainMenu_DM, mm1520_GetForm_DM, tr0105_PlayTransIntro_PP, and tr0220_SuccessMsg_PP: updated current_task=form_ss5 to current_task=transcription_ss5</li> <li>~ mm1430_SocialSecurityCardMenu_DM: removed assign current_task=form_ss5 from option get_form</li> <li>~ mm1770_OrderDrugFormQuestion_DM, tr0105_PlayTransIntro_PP, and tr0220_SuccessMsg_PP: updated current_task=1020 to current_task=transcription_1020</li> <li>~ tr0105_PlayTransIntro_PP, tr0220_SuccessMsg_PP, mm2400_EarningsMenu_DM, mm2040_FutureBenefits_DM, and mm0545_TranscriptionKBA_DS: updated current_task=earnings statement to current_task=transcription_7004</li> <li>~ tr0120_ConfirmAddress_DM: Removed transcription_task=pamphlets and changed it to current_task=transcription_pamphlet in conditions for nomatch/no input 1.</li> <li>~ updated current_task value from earnings_statement to transcription_7004 and from 1020 to transcription_1020</li> </ul>	B. Mittelstedter
06/21/2011	2.0	<p>Full Detailed Design – FINAL (changes highlighted TURQUOISE)</p> <ul style="list-style-type: none"> <li>* ADDED dd0230_NotEligible_PP to replace dd0230_NotEligible_DM and</li> </ul>	T. Sheeder

		<p>dd0240_NotEligibleDetails_DM</p> <ul style="list-style-type: none"> <li>* REMOVED dd0230_NotEligible_DM</li> <li>* REMOVED dd0240_NotEligibleDetails_DM</li> <li>* REMOVED 'EmployeeVerification_TNEV' subdialog (exported as DIALOG_EmployeeVerification_TNEV_06-21-11-114415.zip)</li> <li>* ka0100_ElementsCheck_DB: removed ka_collectOtherName variable; removed condition 'Elseif ka_collectOtherName=true AND caller_alternative_name=NULL'</li> <li>* ka0400_AltNameNull_DS: removed ka_collectOtherName conditions; removed Else condition</li> <li>* REMOVED ka_collectOtherName variable from design</li> <li>* Revised Global Command confirmations for 'operator'</li> <li>* Added Global Command confirmation for 'StartOver'</li> <li>* mm0910_UpdatePersonalInfo_DM: corrected value for 'direct_deposit' option in Sample Phrases</li> <li>* mm1105_MedicareCardsMenu_DM: revised initial prompt ('medicare' for 'social security')</li> <li>* mm1210_InternetAddress_DM: changed confirmation mode for 'repeat' option to 'never'</li> <li>* Global Confirmations: removed 'reentry' prompts and conditions</li> <li>* mm1905_Checks_DM: revised Sample Phrases</li> <li>* mm2040_FutureBenefits_DM: changed confirmation mode for 'repeat' option to 'never'</li> <li>* ka0410_AltNameQuestion_DM: removed exit prompt for 'yes' option</li> <li>* ka0810_GetLastPaymentAmount_DM: revised initial prompt for flow</li> <li>* ka0210_AttestationQuestion_DM: added time estimates to initial prompts</li> <li>* ka0220_OMBNumber_PP: added time estimates to prompts</li> </ul>	
06/22/2011	2.1	<p>Full Detailed Design – FINAL</p> <ul style="list-style-type: none"> <li>~ updated global commands - recovery behavior: removed the global error_counter for no match 1 and 2 and no input 1 and 2; deleted no match/no input 2 global_error_counter conditions (changed to always)</li> <li>~ deleted global_error_counter variable</li> <li>~ mm0300_COLAMsg_DM, mm0400_TaxesMsg_DM, mm0420_SS5VerifyMsg_DM, mm1740_MedicareSusidyMsg_DM, mm1720_MedicareEnrollMsg_DM, mm2110_ProgramMsg_DM: deleted no match 2, condition 'If global_error_counter&gt;=6'</li> <li>~ mm1210_InternetAddress_DM: deleted no match 1/2 office_hours_conditions</li> <li>~ mm1720_MedicareEnrollMsg_DM:</li> <li>~ mm1760_HelpWithDrugCosts_DM, mm1810_CitizenshipMsg_DM: deleted no match 2 and 3 condition 'If global_error_counter&gt;=6'</li> <li>~ na0120_SayAndSpellFirst_DM, na0130_SayAndSpellLast_DM, na0140_SpellFirst_DM, na0150_SpellLast_DM, na0200_ConfirmName_DM, rb0440_BenefitsStatementEndMenu_DM: removed no match/no input 2 condition 'If global_error_counter&gt;=6'</li> <li>~ imported FOL module that includes time readback</li> </ul>	B. Mittelstedter
06/24/2011	2.2	<p>Full Detailed Design – FINAL (changes highlighted TURQUOISE)</p> <ul style="list-style-type: none"> <li>&gt; mm1300_WhichCard_DM: for 'both' option, set 'card_type' to 'both'</li> <li>&gt; ad0140_FullAddress_DM: on confirmation, removed condition 'Initial on repeat that' and changed 'Initial on entry' to 'Always'</li> <li>&gt; removed global confirmation 'reentry' prompts (these keep getting reintroduced, somehow, after they are removed from the project)</li> <li>&gt; rb0320_PersonLiving_DM: removed confirmation prompts (confirmation mode is 'never')</li> <li>&gt; Global Confirmation Behavior: added behavior such that, on second disconfirmation, call is transferred to agent (mm3000_ABRStatus_DS); revised error behavior (to fix logic problem)</li> <li>&gt; fl0105_CardCenterNeededQuestion_DM: changed condition 'Elseif (card_center = sacramento)' to 'Elseif (card_center = ssscc)'</li> <li>&gt; card_center variable: added 'none' value</li> <li>&gt; fl0100_GetZipCode_DM: modified logic (removed zip code evaluation, send all &lt;zip</li> </ul>	T. Sheeder

	<p>code&gt; responses to new DB state)</p> <ul style="list-style-type: none"> <li>&gt; fl0102_EvaluateZipCode_DB: added DB hit to evaluate provided zip code to determine whether card center handling is needed</li> <li>&gt; Global Command behavior: removed variable 'operator' prompting and behavior (again)</li> <li>&gt; mm0160_WebsiteInfo_PP: removed 'WWW dot' from prompt</li> <li>&gt; dd0430_AccountType_DM: modified error recovery prompts (added information from dd0420_BankIntroMsg_PP)</li> <li>&gt; dd0420_BankIntroMsg_PP: deleted this node</li> <li>&gt; dd0430_AccountType_DM: for 'yes' option, changed go to from dd0420_BankIntroMsg_PP to dd0430_AccountType_DM</li> <li>&gt; dd0410_EffectiveMonth_DM: for 'yes' option, changed go to from dd0420_BankIntroMsg_PP to dd0430_AccountType_DM</li> <li>&gt; dd0410_EffectiveMonth_DM: removed 'WWW dot' from prompt</li> <li>&gt; mm1210_InternetAddress_DM: removed 'WWW dot' from prompt</li> <li>&gt; mm1220_InternetInformation_DM: removed 'WWW dot' from prompt</li> <li>&gt; mm1530_WebsiteInstructions_PP: removed 'WWW dot' from prompt</li> <li>&gt; mm2040_FutureBenefits_DM: removed 'WWW dot' from prompt</li> <li>&gt; mm2210_PayeeMisuse_DM: removed 'WWW dot' from prompt</li> <li>&gt; dd0440_CollectRoutingNumber_DM: revised initial prompt</li> <li>&gt; mm0110_LanguageSelection_DM: modified prompts ('astrico' for 'estrella')</li> <li>&gt; mm1100_SocialSecurityCardsMenu_DM: modified prompts (and grammars) - 'apply for a [social security] number' for 'apply for a card'</li> <li>&gt; tr0105_PlayTransIntro_PP: revised prompt for condition 'Elseif current_task=transcription_ss5'</li> <li>&gt; mm1530_WebsiteInstructions_PP: deleted (replaced with mm1530_WebsiteInstructions_DM)</li> <li>&gt; mm1530_WebsiteInstructions_DM: added (replaced mm1530_WebsiteInstructions_PP), with 'repeat'</li> <li>&gt; fl0100_GetZipCode_DM: revised initial prompt</li> <li>&gt; fl0120_OfficeLocationInfo_DM: lengthened silences after address and hours</li> <li>&gt; fl0125_CardCenterInfo_DM: lengthened silences after address and hours</li> <li>&gt; mm1730_MedicareDrugQuestion_DM: removed exit prompt for 'yes' option</li> <li>&gt; mm1750_AskPartD_DM: modified initial prompt; added reentry prompt (after 'repeat')</li> <li>&gt; ca0260_CallingAboutSelf_DM: revised initial prompt</li> <li>&gt; dd0260_CallingAboutSelf_DM: revised initial prompt</li> <li>&gt; mr0210_MRCSuccess_PP: revised initial prompt (removed Puerto Rico note)</li> <li>&gt; ka0930_FailureMsg_PP: revised prompt (to eliminate reference to data collection problem)</li> <li>&gt; ad0230_ExitFailurePrompts_PP: revised prompt</li> <li>&gt; ka0510_GetDOB_DM: revised confirmation prompt</li> <li>&gt; ka0710_GetPlaceOfBirth_DM: revised confirmation prompt</li> <li>&gt; ka0810_GetLastPaymentAmount_DM: revised confirmation prompt</li> <li>&gt; mm0210_SFMainMenu_DM: revised initial prompting for conditions when first_entry=true (per EIG recommendation)</li> <li>&gt; mm1520_GetForm_DM: revised initial prompting to eliminate redundant language</li> <li>&gt; mm1510_CitizenDocumentsMsgPart1_DM: added reentry prompting after repeat and disconfirmation</li> <li>&gt; mm1515_NonCitizenDocumentsMsgPart1_DM: added reentry prompting after repeat and disconfirmation</li> <li>&gt; mm1517_NonCitizenDocumentsMsgPart2_DM: added reentry prompting after disconfirmation</li> <li>&gt; mm2110_ProgramMsg_DM: added reentry prompting after repeat and disconfirmation</li> <li>&gt; mm2120_ChangeMsg_DM: added reentry prompting after repeat and disconfirmation</li> <li>&gt; mm2200_BecomePayee_DM: added reentry prompting after repeat and disconfirmation</li> <li>&gt; mm2210_PayeeMisuse_DM: added reentry prompting after repeat and disconfirmation</li> </ul>	
--	--	--

		<ul style="list-style-type: none"> <li>&gt; ad0110_zipcode_DM: modified reentry prompt (removed repetitive 'my mistake')</li> <li>&gt; ca0420_CollectPhoneNumber_DM: added reentry prompting after repeat and disconfirmation</li> <li>&gt; cs0120_ConfirmationNumber_DM: added reentry prompting after repeat and disconfirmation</li> <li>&gt; cs0260_NoStatusEnd_DM: added reentry prompting after repeat and disconfirmation</li> <li>&gt; ca0260_CallingAboutSelf_DM: added reentry prompting after repeat</li> <li>&gt; dd0260_CallingAboutSelf_DM: added reentry prompting after repeat</li> <li>&gt; dd0430_AccountType_DM: added reentry prompting after repeat and disconfirmation</li> <li>&gt; dd0440_CollectRoutingNumber_DM: added reentry prompting after repeat and disconfirmation</li> <li>&gt; dd0450_CollectAccountNumber_DM: added reentry prompting after repeat and disconfirmation</li> <li>&gt; fl0100_GetZipCode_DM: revised reentry prompt (removed repetitive 'my mistake')</li> <li>&gt; fl0115_PhysicalZipCode_DM: added reentry prompting after repeat</li> <li>&gt; ka0310_GetSSN_DM: added reentry prompting after repeat and disconfirmation</li> <li>&gt; ka0355_TNRSGetName_DM: added reentry prompting after repeat</li> <li>&gt; ka0710_GetPlaceOfBirth_DM: added reentry prompting after repeat and disconfirmation</li> <li>&gt; rb0310_FormForSelf_DM: revised reentry prompt (removed repetitive 'my mistake')</li> <li>&gt; rb0320_PersonLiving_DM: added reentry prompting after repeat and disconfirmation</li> <li>&gt; rb0440_BenefitsStatementEndMenu_DM: added reentry prompting after repeat</li> <li>&gt; tr0200_AskHowManyForms_DM: revised reentry prompt (removed repetitive 'my mistake')</li> <li>&gt; tr0310_UnderstandingSS_DM: revised reentry prompt (removed repetitive 'my mistake')</li> <li>&gt; tr0320_RetirementBenefits_DM: revised reentry prompt (removed repetitive 'my mistake')</li> <li>&gt; tr0330_DisabilityBenefits_DM: revised reentry prompt (removed repetitive 'my mistake')</li> <li>&gt; tr0410_WorkAffectsBenefits_DM: revised reentry prompt (removed repetitive 'my mistake')</li> <li>&gt; tr0420_DisabledChildrenBenefits_DM: revised reentry prompt (removed repetitive 'my mistake')</li> <li>&gt; tr0430_WomanSS_DM: revised reentry prompt (removed repetitive 'my mistake')</li> <li>&gt; tr0540_MoreChoices_DM: added reentry prompting after repeat</li> <li>&gt; FOL subdialog: updated with latest shared version (including hours of operation logic for call center information state)</li> </ul>	
<p>06/27/2011</p>	<p>2.3</p>	<p>Full Detailed Design – FINAL (changes highlighted TURQUOISE)</p> <ul style="list-style-type: none"> <li>&gt; mm0545_TranscriptionKBA_DS: changed condition 'send_7004_to_agent=true' to 'form_7004_delivery=false'</li> <li>&gt; deleted variable send_7004_to_agent</li> <li>&gt; revised Global Command behaviors (removed confidence-based operator confirmations; added Start Over confirmation; etc)</li> <li>&gt; revised Global Recovery Behaviors (removed global error counter)</li> </ul>	<p>T. Sheeder</p>
<p>06/28/2011</p>	<p>2.4</p>	<p>Full Detailed Design – FINAL (changes highlighted TURQUOISE)</p> <ul style="list-style-type: none"> <li>&gt; mm0210_SFMainMenu_DM: removed 'employee_verification' from the grammar; removed 'employee_verification' from the Action table; removed 'employee_verification' from the Confirmations</li> <li>&gt; mm0050_EntryRouting_DS: removed condition 'Elseif applicationtag=TNEV'</li> <li>&gt; removed mm0508_TNEVKBA_DS</li> <li>&gt; removed mm0510_TNEV_SD</li> <li>&gt; removed mm0512_TNEVDisconnect_CT</li> <li>&gt; removed TNEV-specific variables: tnev_transaction_status, tnev_employee_ssn,</li> </ul>	<p>T. Sheeder</p>

		<p>tnev_employee_first_name, tnev_employee_last_name, tnev_employee_dob, tnev_employee_gender, tnev_OMB_heard, tnev_paperwork_details, tnev_perjury_message_yesno, dob (used only by TNEV), ev_employee_verification_yesno, ev_employee_ssn, employee_ssn_first_time, ev_employee_dob, ev_employee_gender, ev_employees_verified, ev_attestation_yesno, ev_verification_redirect_menu, ev_caller_ssn, ev_user_id, ev_disambiguate_problem_menu, ev_password, ev_ein, ev_verified_deceased_menu, ev_end_menu, ev_statusCode, employer_yesno</p> <p>&gt; for variable applicationtag, removed value 'TNEV'</p> <p>&gt; for variable current_task, removed value 'employee_verification'</p>	
06/28/2011	2.5	<p>Full Detailed Design – FINAL (changes highlighted TURQUOISE)</p> <p>&gt; fl0102_EvaluateZipCode_DB: in Returns table, changed 'card_center@import' variable to 'card_center'</p> <p>&gt; fl0105_CardCenterNeededQuestion_DM: changed all references to 'card_center@import' variable (in conditions) to 'card_center'</p> <p>&gt; deleted variable 'card_center@import'</p> <p>&gt; mm0210_SFMainMenu_DM: removed action 'Assign: sf_main_menu_help_count=0'</p> <p>&gt; deleted variable 'sf_main_menu_help_count'</p> <p>&gt; deleted unused variables: svc_available, turs_statusCode, turs_userID1, turs_userID2, turs_userID3, turs_userID4, turs_userID5, turs_userID6, turs_userID7, turs_userID8, turs_userID9, turs_userID10, turs_userID11, turs_userID12, turs_userID13, turs_userID14, turs_userID15, turs_userID16, turs_userID17, turs_userID18, turs_userID19, turs_userID20, and TVDC_items_to_collect</p> <p>&gt; deleted unused recognition variables: ssi_benefits_menu, medicare_benefits_menu, benefits_information_menu, proof_of_income_menu, general_information_menu, medicare_card_action_menu, social_security_card_action_menu, fill_form_instructions_commands, medicare_menu, processing_time_menu, proof_menu, earnings_information_end_menu, new_statement_menu, ssi_application_menu, last_years_statement_yesno, benefits_statement_new_address_menu, current_beneficiary_yesno, same_address_yesno, no_replacement_card_end_yesno, pending_check_status_yesno, get_alt_name, get_last_name, alt_name_spell, last_name_spell, first_name_spell, get_maiden_name, get_first_name, medicare_enroll, bv_same_address_yesno, cd_change_address_instead_yesno, mrc_same_address_yesno, and internet_msg_yesno</p> <p>&gt; mm2010_BenefitsEarnings_DM: added prompt mm2010_ni1_01 (previously specified as 'script')</p> <p>&gt; mm2030_OtherQuestions_DM: added prompt mm2030_ni2_01 (previously specified as 'script')</p> <p>&gt; mm0320_FieldOfficeLocator_SD: added (missing) transition for condition 'If fol_transaction_status=success   If card_type=both' (go to mm1105_MedicareCardsMenu_DM)</p> <p>&gt; dd0450_CollectAccountNumber_DM: revised error prompting (to remove references to 'checking' accounts and '10-digit' numbers); revised Confirmation prompt for flow</p>	T. Sheeder
06/29/2011	2.6	<p>Full Detailed Design – FINAL (changes highlighted TURQUOISE)</p> <p>&gt; mm0600_BackoffMainMenu_DM: changed 'office' recognition value to 'office_locations'</p> <p>&gt; mm1520_GetForm_DM: on Confirmation tab, changed 'keep_going' option to 'main_menu' (to match grammar)</p> <p>&gt; mm2110_ProgramMsg_DM: for 'repeat' option, changed confirmation mode from 'if necessary' to 'never'</p> <p>&gt; mm2120_ChangeMsg_DM: for 'repeat' option, changed confirmation mode from 'if necessary' to 'never'</p> <p>&gt; mm2200_BecomePayee_DM: for 'repeat' option, changed confirmation mode from</p>	T. Sheeder

		<p>'if necessary' to 'never'</p> <ul style="list-style-type: none"> <li>&gt; mm2210_PayeeMisuse_DM: for 'repeat' option, changed confirmation mode from 'if necessary' to 'never'</li> <li>&gt; mm2300_FormsGeneral_DM: in Grammar, Actions, and Conformations, changed recognition value 'benefits_verification' to 'proof_of_income'</li> <li>&gt; mm2400_EarningsMenu_DM: Grammars, set recognition values for 'benefits_statement' and 'earnings_statement' (previously unset)</li> <li>&gt; mm2400_EarningsMenu_DM: enabled (previously overridden) Confirmation prompt gl_cnf_ini_02 (Always)</li> <li>&gt; ca0410_TypeOfPhone_DM: corrected typos in Sample Phrases (changed '?i(t's...)' to '(it's...)'</li> <li>&gt; ca0435_EffectiveDate_DM: enabled (previously overridden) Confirmation prompt gl_cnf_ini_02 (Always), and removed Local confirmation prompt ca0435_cnf_ini_03</li> </ul>	
06/30/2011	2.7	<p>Full Detailed Design – FINAL (changes highlighted TURQUOISE)</p> <ul style="list-style-type: none"> <li>&gt; ad0200_ConfirmFull_DM: switched dynamic prompts from pre-recorded audio to TTS</li> <li>&gt; na0200_ConfirmName_DM: switched dynamic prompts from pre-recorded audio to TTS</li> <li>&gt; rb0410_SuccessMsg_PP: revised prompt rb0410_out_05 to include reference to 'U.S. territory'</li> <li>&gt; tr0120_ConfirmAddress_DM: switched dynamic prompts from pre-recorded audio to TTS</li> <li>&gt; cs0240_OneClaimEnd_DM: changed confirmation mode for 'repeat' option from 'if necessary' to 'never'</li> <li>&gt; cs0270_MultiLastClaimEnd_DM: updated sample phrases for 'repeat' option; disabled global 'repeat' command</li> <li>&gt; ka0710_GetPlaceOfBirth_DM: added specific slot values for individual states and territories; add confirmation prompts for states and territories</li> </ul>	T. Sheeder
07/06/2011	2.8	<p>Full Detailed Design – FINAL (changes highlighted TURQUOISE)</p> <ul style="list-style-type: none"> <li>- imported the updated FOL module into the project</li> <li>- fl0120_OfficeLocationInfo_DM: added the reco variables and values to the sample phrases</li> <li>- fl0125_CardCenterInfo_DM: added the reco variables and values to the sample phrases</li> <li>- fl0130_OfficeDirections_DM: added the reco variables and values to the sample phrases</li> <li>- dd0410_EffectiveMonth_DM: updated confirmation prompt names so that the index numbers match the month numbers</li> <li>- dd0410_EffectiveMonth_DM: added confirmation for option 'as soon as possible' and added 'this month' and 'next month' to the sample phrases</li> <li>- tr0310_UnderstandingSS_DM, tr0320_RetirementBenefits_DM, tr0340_SurvivorBenefits_DM, tr0410_WorkAffectsBenefits_DM, tr0420_DisabledChildrenBenefits_DM, and tr0430_WomanSS_DM: corrected the reco variable value for option 'skip'</li> <li>- fl0105_CardCenterNeededQuestion_DM: updated the conditions for option 'yes' on the actions tab</li> <li>- mm0600_BackoffMainMenu_DM: over rid the global repeat command and added repeat option to local DM grammar and actions tab (do not assign first_entry=false)</li> <li>- mm0610_BackoffOtherOptionsMenu_DM, mm0800_BenefitsApplicaitonMenu_DM, mm0900_BenefitsMoreOptions_DM, mm1430_SocialSecurityCardMenu_DM, mm1750_AskPartD_DM, mm1905_Checks_DM, mm1910_LatePaymentMenu_DM, ca0260_CallingAboutSelf_DM, ca0420_CollectPhoneNumber_DM, cs0120_ConfirmationNumber_DM, cs0260_NoStatusEnd_DM, dd0260_CallingAboutSelf_DM, dd0430_AccountType_DM, dd0440_CollectRoutingNumber_DM, dd0450_CollectAccountNumber_DM, ka0310_GetSSN_DM, ka0355_TNRSGetName_DM, ka0710_GetPlaceOfBirth_DM, ka0810_GetLastPaymentAmount_DM, rb0320_PersonLiving_DM, rb0440_BenefitsStatementEndMenu_DM, tr0200_AskHowManyForms_DM,</li> </ul>	B. Mittelstedter



		tr0310_UnderstandingSS_DM, tr0320_RetirementBenefits_DM, tr0330_DisabilityBenefits_DM, tr0340_SurvivorBenefits_DM, tr0410_WorkAffectsBenefits_DM, tr0420_DisabledChildrenBenefits_DM, tr0430_WomanSS_DM, and tr0540_MoreChoices_DM: over rid the global repeat command and added repeat option to local DM grammar and actions tab	
07/11/2011	2.9	Full Detailed Design – FINAL (changes highlighted TURQUOISE) - cs0230_ni1_01: corrected verbiage from "If want me..." to "If you want me..." - cs0240_cnf_ini_02: updated verbiage: use 'claim' instead of 'application' - mm1430_SocialSecurityCardMenu_DM: corrected verbiage on ni 2 and nm2 to delete the additional option 3. - mm1905_Checks_DM: updated prompts mm1905_ini_05 and mm1905_ini_06 with correct third wednesday day (18th instead of 15th) - mm2120_ChangeMsg_DM: corrected re-entry verbiage from 'areas' to 'area' - mm2200_BecomePayee_DM: corrected re-entry verbiage from 'areas' to 'area'	B. Mittelstedter
07/14/2011	3.0	Full Detailed Design – FINAL (changes highlighted PINK): - mm0600_BackoffMainMenu_DM: over rid global 'StartOver' behavior - mm0210_SFMainMenu_DM: over rid global 'StartOver' behavior - fl0120_OfficeLocationInfo_DM: updated verbiage in fl0120_ini_35 - included 'Federal' - fl0125_CardCenterInfo_DM: updated verbiage in fl0125_ini_43 and fl0125_ini_69 to include 'Federal' holidays - fl0120_OfficeLocationInfo_DM: removed phone number reference - fl0125_CardCenterInfo_DM: removed phone number reference - Global StartOver: added prompt 'All right. Main Menu.' and go to mm0200_SFToggle_DS instead of ProcessStartOver_DS - ProcessStartOver_DS: Deleted - ka0352_CollectFullName_DS: NEW State - if collect_full_name=true go to ka0355_TNRSGetName_DM and if collect_full_name=false go to ka0330_SetCallerNameParameters_DS - ka0325_TNRSLocation_DS: removed 2nd 'collect_full_name' conditions; If tnrs_db_upfront=true then always go to ka0350_TNRS_DB - ka0350_TNRS_DB: update transition for the condition 'If tnrs_statusCode=0000 (success) AND tnrs_db_upfront' then go to new state ka0352_CollectFullName_DS - fl0115_PhysicalZipCode_DM: changed 2nd prompt from 'initial' to re-entry - mm0210_SFMainMenu_DM: correct prompt mm0210_cnf_ini_19 to say 'our' instead of 'or' - mm0210_SFMainMenu_DM: corrected prompt mm0210_cnf_ini_22 to remove 'the' - mm0900_BenefitsMoreOptions_DM: corrected prompt mm0900_out_01 to make 'Earning' plural - mm1105_MedicareCardsMenu_DM: corrected prompt mm1105_ni1_01 so first option is press 1 and prompt mm1105_nm1_01 added the missing [press] 2 - mm1500_CitizenshipQuestion_DM: corrected prompt mm1500_ni1_01 - added 'the' - mm1510_CitizenDocumentsMsgPart1_DM: corrected prompt mm1510_nm2_01 to make 'document' plural	B. Mittelstedter
07/20/2011	3.1	Full Detailed Design – FINAL (changes highlighted PINK): - fl0102_EvaluateZipCode_DB: added psscc to the success else condition on actions tab - fl0105_CardCenterNeededQuestion_DM: added psscc to the yes else condition on actions tab - fl0102_EvaluateZipCode_DB: added philly offices 'psscc' to the return card_center description - ka0360_SetCallerNameRetryParameters_DS and ka0330_SetCallerNameParameters_DS and ka0420_SetAlternativeNameParameters_DS and ka0610_SetMaidenNameParameters_DS: no longer assign 'collectname_collectfortranscription' - removed the variable 'collectname_collectfortranscription' - mm3020_ProcessTransfer_DS: added level 2 conditions 'If transfer_reason=error or	B. Mittelstedter

		<p>failure' and 'else'</p> <ul style="list-style-type: none"> <li>- mm0310_ChangeOfAddress_SD: If coa_transaction_status=failure assign transfer_reason=failure</li> <li>- mm0320_FieldOfficeLocator_SD: If fol_transaction_status=failure assign transfer_reason=failure</li> <li>- mm0330_DirectDeposit_SD: If dd_transaction_status=failure assign transfer_reason=failure</li> <li>- mm0505_BEVE_SD: If beve_transaction_status=failure assign transfer_reason=failure</li> <li>- mm0520_ApplicationStatus_SD: If claims_transaction_status=failure assign transfer_reason=failure</li> <li>- mm0530_BenefitsStatement_SD: If benefits_transaction_status=failure assign transfer_reason=failure</li> <li>- mm0550_Transcription_SD: If transcription_transaction_status=failure assign transfer_reason=failure</li> <li>- mm0565_MRC_SD: If mrc_transaction_status=failure assign transfer_reason=failure</li> <li>- generated unnamed prompt names</li> <li>- mm0122_AfterHoursCheck_DS: NEW STATE</li> <li>- mm0124_OfficeClosedMsg_PP: NEW STATE</li> <li>- mm0120_RecordingMsg_DM: updated the transitions for no match 2 and no input 1 to go to mm0122_AfterHoursCheck_DS instead of mm0125_ABRStatus_DS</li> <li>- mm1810_CitizenshipMsg_DM :mm1810_ni1_01 - corrected verbiage, say '...on becoming...' instead of '...about becoming...'</li> <li>- mm1905_Checks_DM: mm1905_ini_04 - corrected verbiage, removed 'the' before February 3rd</li> <li>- na0150_SpellLast_DM: updated duplicate nm2 prompts to no input</li> <li>- mm3020_ProcessTransfer_DS: added territory conditions (once received, I'll need to add the hours for Guam, American Simoa, and Marietaa Islands)</li> </ul>	
07/22/2011	3.2	<p>Full Detailed Design – FINAL (changes highlighted PINK):</p> <ul style="list-style-type: none"> <li>* fl0120_OfficeLocationInfo_DM: updated address readback</li> <li>* fl0125_CardCenterInfo_DM: updated address readback</li> <li>* mm1760_HelpWithDrugCosts_DM: updated verbiage in mm1760_ini_05 (...married couple living together.) and mm1760_ini_01 (resources must be limited to)</li> <li>* added variable address_returned to appendix (used in tr0110_ReverseANILookup_DB)</li> <li>* mm0530_BenefitsStatement_SD: added condition to actions 'Elseif benefits_statement_transaction_status=replacement go to MM3000'</li> </ul>	B. Mittelstedter
07/26/2011	3.3	<p>Full Detailed Design – FINAL (changes highlighted PINK):</p> <ul style="list-style-type: none"> <li>- mm0124_OfficeClosedMsg_PP: updated office hours verbiage</li> <li>- mm3020_ProcessTransfer_DS: updated office hours verbiage</li> <li>- na0200_ConfirmName_DM: updated the first and last name conditions to always confirm first and last name if name_collect_task=caller</li> <li>- mm0900_BenefitsMoreOptions_DM: assigned 'current_task=benefits_verification' for the 'proof of income' option</li> <li>- mm1900_ReceivingBenefits_DM: assigned 'current_task=checks' for the 'yes' option</li> <li>- re-imported FOL module</li> </ul>	B. Mittelstedter
08/02/2011	3.4	<p>Full Detailed Design – FINAL (changes highlighted PINK):</p> <ul style="list-style-type: none"> <li>- mm0600_BackoffMainMenu_DM: updated the comments in the sample expressions to accurately reflect the options</li> <li>- mm0600_BackoffMainMenu_DM: included the sample phrases 'application status' and 'check application status' for the return grammar value application_status</li> <li>- cs0240_OneClaimEnd_DM: removed the local repeat option from the grammar and the no match prompts if condition is office_hours=true</li> <li>- cs0120_ConfirmationNumber_DM: added a developer note and a local command action for 'StartOver' to assign confirmation_number_first_entry=true.</li> </ul>	B. Mittelstedter

		- Regenerated prompt names (mm0900_out_04 and mm1900_out_02 were missing, but are in UI now)	
08/04/2011	3.5	Full Detailed Design – FINAL:  - - mm0110_LanguageSelection_DM: over rid the global operator and repeat commands	B. Mittelstedter
08/10/2011	3.6	Full Detailed Design – FINAL (changes highlighted PINK):  * cs0260_NoStatusEnd_DM: updated prompt cs0260_nm1_01, removed repeat option (fix for CR3950) * mm1720_MedicareEnrollMsg_DM: updated the 2nd no match 2 (mm1720_nm2_04) to be no input 2 re-named prompt from mm1720_nm2_04 to mm1720_ni2_02 (fix for CR3975) * Appendix A: updated tnrs_checked variable default = false (fix for CR3967) * ka0410_AltNameQuestion_DM: updated no match 2 from a script to a prompt and named prompt (ka0410_nm2_01) * mm0130_GetVariablesAnn_DB: broke broadcastPrompt, startTime, and endTime into three separate variables. * mm0130_GetVariablesAnn_DB: simplified the condition in the actions tab that goes to mm0140 and added a developer note. * mm0140_EmergencyMsg_PP: added secondary conditions and included silence in the comments instead of as prompts (should play after) * mm0140_EmergencyMsg_PP: added 'Else' condition to the actions tab	B. Mittelstedter
08/15/2011	3.7	Full Detailed Design – FINAL (changes highlighted PINK):  * fl0120_OfficeLocationInfo_DM: fl0120_ini_01 - updated prompt verbiage, changed 'nearest' to 'servicing' * fl0120_OfficeLocationInfo_DM: fl0120_ini_07 - updated prompt verbiage, changed 'their' to 'the' * fl0125_CardCenterInfo_DM: fl0125_ini_08 and fl0125_ini_39 - updated prompt verbiage, changed 'their' to 'the' * fl0115_PhysicalZipCode_DM: fl0115_out_01 - updated prompt verbiage, changed 'nearest' to 'servicing' * fl0120_OfficeLocationInfo_DM: updated verbiage in initial, no match, and no input prompts to remove directions option * fl0120_OfficeLocationInfo_DM: removed confirmation for 'directions' * fl0125_CardCenterInfo_DM: removed confirmation for 'directions' * fl0125_CardCenterInfo_DM: updated verbiage	B. Mittelstedter
08/22/2011	3.8	Full Detailed Design – FINAL (changes highlighted PINK):  * ka0510_GetDOB_DM: clarified the initial prompt conditions * fl0100_GetZipCode_DM: clarified condition for reprompt (fix CR4005) * ad0240_ExitSuccessPrompts_PP: updated developer note; always play the same exit prompt instead of playing 1 random exit prompt out of 3 * global: gl_cnf_ni3_01 and gl_cnf_nm3_01 - updated prompt verbiage to accomodate dev restrictions * tr0550_ConcludeChoices_PP: add condition 'if pamphlet_get_number=0, prompt and return to calling dialogue and condition 'else' * ka0340_GetCallerName_SD: If name_status=success and tnrs_checked=true, updated second condition * ka0370_GetCallerNameRetry_SD: removed comment for condition 'If name_status = success and if tnrs_checked = true' and updated the level 2 condition; no longer assign the caller_alternative_name * ka0400_AltNameNull_DS: removed the second condition 'Else if caller_alternative_name=NULL AND tnrs_checked=true' and updated the first condition to remove tnrs_checked = false * ka0355_TNRSGetName_DM: Removed the comment and added the conditions	B. Mittelstedter

08/25/2011	3.9	<p>Full Detailed Design – FINAL (changes highlighted PINK):</p> <ul style="list-style-type: none"> <li>* ca0435_EffectiveDate_DM: removed 'April' from the sample phrases</li> <li>* ad0140_FullAddress_DM: removed help command (ad0140_cnf_help1_01)</li> <li>* ad0150_SecondaryAddress_DM: removed help command (ad0150_cnf_help1_01)</li> <li>* tr0540_MoreChoices_DM: updated conditions if option = 'yes'</li> <li>* tr0545_PamphletCheck_DS: NEW STATE</li> <li>* tr0310_UnderstandingSS_DM: updated initial re-prompt condition</li> <li>* tr0320_RetirementBenefits_DM, tr0330_DisabilityBenefits_DM, tr0340_SurvivorBenefits_DM, tr0410_WorkAffectsBenefits_DM, tr0420_DisabledChildrenBenefits_DM, tr0430_WomanSS_DM: updated initial re-prompt condition</li> </ul>	B. Mittelstedter
09/06/2011	4.0	<p>Full Detailed Design – FINAL (changes highlighted PINK):</p> <ul style="list-style-type: none"> <li>* ca0435_EffectiveDate_DM: removed 'April' from the sample phrases</li> <li>* ad0140_FullAddress_DM: removed help command (ad0140_cnf_help1_01)</li> <li>* ad0150_SecondaryAddress_DM: removed help command (ad0150_cnf_help1_01)</li> <li>* tr0540_MoreChoices_DM: updated conditions if option = 'yes'</li> <li>* tr0545_PamphletCheck_DS: NEW STATE</li> <li>* tr0310_UnderstandingSS_DM: updated initial re-prompt condition</li> <li>* tr0320_RetirementBenefits_DM, tr0330_DisabilityBenefits_DM, tr0340_SurvivorBenefits_DM, tr0410_WorkAffectsBenefits_DM, tr0420_DisabledChildrenBenefits_DM, tr0430_WomanSS_DM: updated initial re-prompt condition</li> <li>* cs0200_ClaimsRetrieval_DB: removed 1111=Application is in off season (Dec. 15 - Jan. 31) from the cs_statusCode return description.</li> <li>* ka0510_GetDOB_DM: specified that 6-8 digits should be allowed for DOB entry</li> <li>* ad0150_SecondaryAddress_DM: added suite, building, floor, and mailstop to sample phrases, grammar, and confirmation.</li> <li>* ad0150_SecondaryAddress_DM: overrid the global no match/no input confirmation prompts</li> <li>* ad0140_FullAddress_DM: overrid the global no match/no input confirmation prompts</li> </ul>	Brook Mittelstedter
09/23/2011	4.1	<p>Full Detailed Design – FINAL (changes highlighted PINK):</p> <p>FOL</p> <ul style="list-style-type: none"> <li>* Updated the following prompts to replace 'field office' with 'local office':                      fl0100_nm2_01fl0100_nm2_01, fl0100_ni2_01, fl0120_ini_02, fl0120_nm2_02, fl0120_ni2_01, fl0120_nm2_01, fl0120_ni2_02, fl0125_ini_24, fl0125_ini_25, fl0125_ree_01, fl0125_ree_02, fl0125_nm1_01, fl0125_nm1_02, fl0125_nm2_01, fl0125_nm2_02, fl0125_ni1_01, fl0125_ni1_02, fl0125_ni2_01, fl0125_ni2_02, fl0125_cnf_ini_02, fl0150_out_01</li> <li>- fl0125_CardCenterInfo_DM: updated the sample phrase from 'field office' to 'local office'</li> </ul> <p>Other updates</p> <ul style="list-style-type: none"> <li>* ad0260_Recording_DM: grayed state out since doesn't apply to SSA design</li> <li>* ad0150_SecondaryAddress_DM: abbreviated return grammars (i.e. instead of apartment use apt)</li> <li>* mm0600_BackoffMainMenu_DM: assigned current task for office locations</li> <li>* * mm1720_MedicareEnrollMsg_DM: Updated verbiage in prompt mm1720_ini_01 and removed conditions for option 2 (remove prompt mm1720_out_01)</li> </ul>	B. Mittelstedter
10/18/2011	4.2	<p>Full Detailed Design – FINAL (changes highlighted PINK):</p> <ul style="list-style-type: none"> <li>- ka0105_AttestFlagCheck_DS: NEW STATE</li> <li>- fl0125_CardCenterInfo_DM: removed exit prompt fl0125_out_04</li> <li>- ka0220_OMBNumber_PP: added dev note</li> <li>- ka0100_ElementsCheck_DB: added dev note</li> </ul>	Brook Mittelstedter

<p>10/27/2011</p>	<p>4.3</p>	<p>NLU updates made after tagging (changes highlighted in ORANGE):</p> <ul style="list-style-type: none"> <li>- mm0420_SS5VerifyMsg_DM: updated node name to mm0420_AddressVerifyMsg_DM</li> <li>- mm0210_SFMainMenu_DM: added the following options and corresponding actions /confirmations: address, disability, employment, proof_of_income, ssn_verify, replacement_general, update_info, appeal_new, appointment, back_payment, balance, benefits_problem, billing, birth, cancel, card_social_security, case_change, change_ssi, check_replacement,child_support, circuit_breaker, citizenship, claim_medicare, college, complaint, death, debit_card, deductions,dependent, disability_other, divorce, earnings_general, employment_change, fax, food_stamps, fraud, housing,insurance, legal, letter,license, loans, marriage, military, new_application_status, new_claim, password, payment_amount, payment_arrangement, payment_over, payment_stop, pension, refund, retirement, return_call, tax_withholding, w2_form</li> <li>- mm0210_SFMainMenu_DM: updated the option ss5_verify to name_address_verify</li> <li>- mm0430_AddressDisambig_DM: NEW STATE</li> <li>- mm0440_DisabilityDisambig_DM: NEW STATE</li> <li>- mm0450_EmploymentDisambig_DM: NEW STATE</li> <li>- mm0460_SSNVerification_DM: NEW STATE</li> <li>- mm0470_ReplacementDisambig_DM: NEW STATE</li> <li>- fl0105_out_05: deleted prompt</li> <li>- mm1210_InternetAddress_DM: added the option 'problem'. Updated all prompting and corresponding actions /confirmations.</li> <li>- mm0420_SS5VerifyMsg_DM: updated node name to mm0420_AddressVerifyMsg_DM</li> <li>- mm0210_SFMainMenu_DM: updated prompt verbiage - mm0210_cnf_ini_02, mm0210_cnf_ini_06, mm0210_out_07, and mm0210_cnf_ini_10</li> </ul>	<p>Brook Mittelstedter</p>
<p>10/28/2011</p>	<p>4.4</p>	<p>NLU updates made after tagging (changes highlighted in ORANGE):</p> <ul style="list-style-type: none"> <li>* mm0210_SFMainMenu_DM: updated grammar options to match app tag</li> <li>* over rid the global agent option and added locally</li> </ul>	<p>Brook Mittelstedter</p>
<p>10/31/2011</p>	<p>4.5</p>	<p>Updated made per executive review changes highlighted in YELLOW):</p> <ul style="list-style-type: none"> <li>* mm0610_BackoffOtherOptionsMenu_DM: Updated initial and no match /no input verbiage and DTMF grammar options to make 'apply for benefits' the second option instead of the fourth.</li> </ul>	<p>Brook Mittelstedter</p>
<p>11/04/2011</p>	<p>4.6</p>	<p>Cola and tax messages are dynamic and come from RAU Updated made per executive review changes highlighted in YELLOW):</p> <ul style="list-style-type: none"> <li>- mm0300_COLAMsg_DM: DELETED</li> <li>- mm0300_GetCOLABroadcast_DB: NEW STATE</li> <li>- mm0302_COLAMsg_PP: NEW STATE</li> <li>- mm0303_AskRepeatCola_DM: NEW STATE</li> <li>- mm0400_TaxesMsg_DM: DELETED</li> <li>- mm0400_GetTaxesBroadcast_DB: NEW STATE</li> <li>- mm0405_TaxesMsg_PP: NEW STATE</li> <li>- mm0410_AskRepeatTaxes_DM: NEW STATE</li> <li>- mm0210_SFMainMenu_DM: updated the action for 'cost of living adjustment' to go to mm0300_GetCOLABroadcast_DB instead of mm0300_COLAMsg_DM</li> <li>- mm0210_SFMainMenu_DM: updated the action for 'tax_general' to go to mm0400_GetTaxesBroadcast_DB instead of mm0400_TaxesMsg_DM</li> <li>- mm0210_SFMainMenu_DM: updated the action for the option 'benefits_verification' to go to mm2000_ReceivingBenefits_DM instead of bv0100_PingHost_DB.</li> <li>- mm0440_DisabilityDisambig_DM: added sample expressions for 'else'</li> <li>- mm1210_InternetAddress_DM: corrected the grammar value for 'problem'</li> </ul>	<p>Brook Mittelstedter</p>
<p>11/15/2011</p>	<p>4.7</p>	<p>Changes made for NLU build out highlighted in YELLOW:</p>	<p>Brook Mittelstedter</p>

		<ul style="list-style-type: none"> <li>- mm0210_SFMainMenu_DM: updated confirmation mode to 'always' for the agent option</li> <li>- mm0210_SFMainMenu_DM: added local main menu option to the grammars, action, and confirmation.</li> <li>- mm0405_TaxesMsg_PP: added static prompts</li> </ul>	
11/30/2011	4.8	<p>Changes made pursuant to NLU build out (highlighted in a sort of SAGE GREEN):</p> <ul style="list-style-type: none"> <li>&gt; corrected reco option '1099_benefits_statement' (changed upper to lower case) on the confirmation tab</li> <li>&gt; corrected label for '1099_benefits_statement' (changed upper to lower case) on the actions tab</li> <li>&gt; corrected reco option 'claims_status_general' (changed 'claim_...' to 'claims...') on the confirmation tab</li> <li>&gt; corrected reco option 'claims_status_new' (changed 'status_...' to 'claims...') on the confirmation tab</li> <li>&gt; corrected reco option 'transfer_check_replacement' (changed '...replacment' to '...replacement') on the grammar tab</li> <li>&gt; added 'spanish' option on the actions tab</li> </ul>	T. Sheeder
12/05/2011	4.9	<p>Changes per CRs (highlighted in a sort of TEAL):</p> <ul style="list-style-type: none"> <li>&gt; CR5006: mm0405_TaxesMsg_PP - revised prompt names and adjusted logic (to accomodate final silence)</li> <li>&gt; CR5033: mm0410_AskRepeatTaxes_DM - revised summary (changed from COLA to taxes); changed 'go to' for repeat command (from 0302 to 0405)</li> <li>&gt; CR5034: added 'go to' states for yes and no options (missing)</li> <li>&gt; CR5037: removed (unshared) 'event.conf.noinput' from global Recovery Behavior</li> <li>&gt; CR5040: added'repeat' option to Actions table (previously missing); removed (disabled) repeat command (global in conflict with state grammar)</li> <li>&gt; CR5022: mm2050_FutureBenefitsBudgetaryMsg_PP - revised prompt text ('this' for 'the') to match recorded prompt</li> <li>&gt; CR5043: mm1220_InternetInformation_DM - corrected 'noinput2' behavior (mislabeled 'nomatch2') and changed prompt name (from 'mm1220_nm2_03' to 'mm1220_ni2_01')</li> <li>&gt; CR5049: mm1940_LatePaymentExit_DM - added prompts (global repeat prompt) to local repeat behavior</li> <li>&gt; CR5025: changed max disconfirmation limit from 2 (global behavior) to 1</li> </ul>	T. Sheeder
12/13/2011	5.0	<p>Changes made pursuant to the NLU build out highlighted in LIGHT PURPLE:</p> <ul style="list-style-type: none"> <li>- mm0210_SFMainMenu_DM - updated sample phrases for name_or_address_verify, and transfer_appeal_new, transfer_payment_amount, and transfer_check_replacement</li> </ul>	Brook Mittelstedter
01/05/2012	5.1	<p>Revised as follows:</p> <ul style="list-style-type: none"> <li>&gt; added 'current_intent' and 'final_intent' assignations to main and disambiguation menus</li> <li>&gt; revised MM1430 to transfer all 'something else' callers to an agent</li> </ul>	T. Sheeder
01/09/2012	5.2	<p>Revised as follows:</p> <ul style="list-style-type: none"> <li>&gt; corrected 'current_intent' and 'final_intent' assignations to main and disambiguation menus</li> </ul>	T. Sheeder
01/11/2012	5.3	<p>Revised as follows:</p> <ul style="list-style-type: none"> <li>&gt; mm0440_DisabilityDisambig_DM: 'else' option, set final_intent=&lt;current_intent&gt;</li> <li>&gt; mm0460_SSNVerification_DM: 'finished' option, set final_intent=&lt;current_intent&gt;</li> <li>&gt; mm0470_ReplacementDisambig_DM: 'else' option, set final_intent=&lt;current_intent&gt;</li> <li>&gt; mm1300_WhichCard_DM: 'something_else' option, set final_intent=&lt;current_intent&gt;</li> <li>&gt; mm1430_SocialSecurityCardMenu_DM: 'help_with_form' option, set final_intent=sscard_form_help</li> <li>&gt; mm1430_SocialSecurityCardMenu_DM: 'get_form' option, set</li> </ul>	T. Sheeder

		<p>final_intent=ssc_card_get_form</p> <ul style="list-style-type: none"> <li>&gt; mm1750_AskPartD_DM: 'no' option, set final_intent=medicare_subsidy</li> <li>&gt; mm1750_AskPartD_DM: 'yes' option, set final_intent=medicare_drug_costs</li> <li>&gt; mm1770_OrderDrugFormQuestion_DM: 'yes' option, removed set final_intent</li> <li>&gt; mm1800_SSIMenu_DM: 'apply' option, removed set final_intent</li> <li>&gt; mm1800_SSIMenu_DM: 'problem' option, removed set final_intent</li> <li>&gt; mm1907_LatePaymentQuestion_DM: 'no' option, set final_intent=&lt;current_intent&gt;</li> <li>&gt; mm1910_LatePaymentMenu_DM: 'direct_deposit' option, set final_intent=&lt;current_intent&gt;</li> <li>&gt; mm1910_LatePaymentMenu_DM: 'mail' option, set final_intent=&lt;current_intent&gt;</li> <li>&gt; mm2030_OtherQuestions_DM: 'yes'/Else condition, set final_intent=&lt;current_intent&gt;</li> <li>&gt; mm2400_EarningsMenu_DM: 'earnings_statement' option, set final_intent=transcription_7004</li> </ul>	
01/13/2012	5.4	<p>Revisions as follows:</p> <ul style="list-style-type: none"> <li>&gt; mm0210_SFMainMenu_DM: assigned final_intent for citizenship_general option</li> <li>&gt; mm0600_BackoffMainMenu_DM: revised global 'agent' behavior to set current_intent and final_intent variables prior to transfer</li> <li>&gt; mm0610_BackoffOtherOptionsMenu_DM: revised global 'agent' behavior to set current_intent and final_intent variables prior to transfer</li> <li>&gt; mm0610_BackoffOtherOptionsMenu_DM: assigned current_intent and final_intent for the 'something_else' option</li> </ul>	T. Sheeder
01/18/2012	5.5	<p>Revisions as follows:</p> <ul style="list-style-type: none"> <li>&gt; per CR 5160, in mm0545_TranscriptionKBA_DS, revised 'Else   Else' condition to '^   Else (form_7004_delivery != false)' (i.e. current_task=transcription_7004 and form_7004_delivery != false) and added new 'Else' condition</li> <li>&gt; added variable 'no_kba_info_needed' to keep track of whether any information needed to be collected for purposes of prompting in ka0900</li> <li>&gt; in ka0100_ElementsCheck_DB, added condition 'Elseif no information needs to be collected AND last two tasks were TK99 and TKCS, back-to-back and in that order'</li> <li>&gt; in ka0100_ElementsCheck_DB, revised 'Else (no information needs to be collected)' condition to go to ka0900_CheckingInfoMsg_PP instead of return</li> <li>&gt; in ka0900_CheckingInfoMsg_PP, changed 'Else' condition to 'Elseif no_kba_info_needed = false'</li> <li>&gt; in ka0900_CheckingInfoMsg_PP, added condition 'Else (no_kba_info_needed = true)' with associated prompting</li> <li>&gt; in ka0910_QueryKB_DB, added action condition 'ALWAYS' and action 'Assign no_kba_info_needed=false'</li> </ul>	T. Sheeder
02/06/2012	5.6	<p>Revised as follows:</p> <ul style="list-style-type: none"> <li>&gt; CR#5300: na0220_ConfirmationApology_PP - added logic and prompting to represent current 'alternative' and 'maiden' name capture implementation (Say and Spell, falls back to Spell only as opposed to Say and Spell, falls back to return)</li> <li>&gt; CR#5349: mm1905_Checks_DM - revised prompt mm1905_ini_09 to correct incorrect date (June 25 for July 25)</li> <li>&gt; ad0140_FullAddress_DM: revised per dev instructions</li> </ul>	T. Sheeder
03/01/2012	5.7	<p>Revised as follows:</p> <ul style="list-style-type: none"> <li>&gt; CR5511: rb0410_SuccessMsg_PP, revised prompt rb0410_out_05</li> <li>&gt; mm3030_CallTransfer_CX, removed the condition 'If non_national_transfer=true' altogether and changed the condition 'Else (non_national_transfer=false)' to 'Always.'</li> <li>&gt; ad0200_ConfirmFull_DM, added prompting for 'secondary address' (i.e. apartment, unit, suite, etc)</li> </ul>	T. Sheeder
03/05/2012	5.8	<p>Revised as follows:</p> <ul style="list-style-type: none"> <li>&gt; added a variable (name_disconfirm_counter) to keep track of disconfirmations</li> <li>&gt; added logic in na0200_ConfirmName_DM to handle disconfirmations (1st goes to say and spell, second to spell only, third out)</li> <li>&gt; there is no change requires for full name collection since it's never confirmed and already backs of to the NameOSDM</li> <li>&gt; we WILL need 2 new prompts (na0200_out_02 and na0200_out_03) in</li> </ul>	T. Sheeder

		na0200_ConfirmName_DM for transitional reasons, though these prompts could be built out of existing prompts.	
03/06/2012	5.9A	Revised as follows: > ka0355_TNRSGetName_DM - corrected mistaken 'goto previous node' designation in the action table > na0110_PlayEntryPrompt_PP - corrected prompting variable values > na0200_ConfirmName_DM - added condition 'ELSE IF name_collect_task=caller AND tnrs_checked=true AND spelling_only=true' > na0200_ConfirmName_DM - changed condition 'ELSE IF name_collect_task=caller AND tnrs_checked=true' to 'ELSE IF name_collect_task=caller AND tnrs_checked=true AND spelling_only=false'	T. Sheeder
03/08/2012	5.9B	Revised as follows: > See above > added 'name_collect_counter' to keep track of the number of name collection attempts > ka0340_GetCallerName_SD - revised logic to normalize name collection > ka0355_TNRSGetName_DM - added logic to increment name_collect_counter > ka0360_SetCallerNameRetryParameters_DS - added name_collect_counter checks > na0110_PlayEntryPrompt_PP - added logic to increment name_collect_counter > na0200_ConfirmName_DM - revised logic to normalize name collection	T. Sheeder
03/09/2012	6.0	Revisions occasioned by usability as follows: ID#1 > added 'ss_card_requested' variable to keep track of whether caller has requested a social security card > mm1430_SocialSecurityCardMenu_DM - set ss_card_requested' variable for callers going to Field Office Locator > mm1520_GetForm_DM - set ss_card_requested' variable for callers going to Field Office Locator > mm1600_SubmitForm_DM - set ss_card_requested' variable for callers going to Field Office Locator > fl0102_EvaluateZipCode_DB - added logic to bypass 'card needed' question if card already requested  ID#2 > mm0210_SFMainMenu_DM - changed goto for 'payment_late' from mm1905_Checks_DM to mm1910_LatePaymentMenu_DM  ID#3 > mm0210_SFMainMenu_DM - added 'social_security_application,' 'disability_application,' 'survivor_application.' 'retirement_application,' and 'ssi_application' grammar options (all of which map to the same target but which are separated for purposed of confirmation) > mm0210_SFMainMenu_DM - added 'social_security_application,' 'disability_application,' 'survivor_application.' 'retirement_application,' and 'ssi_application' Action logic and prompting > mm0210_SFMainMenu_DM - added 'social_security_application,' 'disability_application,' 'survivor_application.' 'retirement_application,' and 'ssi_application' Confirmation prompts  ID#4 > mm0210_SFMainMenu_DM - added 'social_security_replacement_card' grammar option > mm0210_SFMainMenu_DM - added 'social_security_replacement_card' Action logic and prompting > mm0210_SFMainMenu_DM - added 'social_security_replacement_card' Confirmation prompt  ID#5	T. Sheeder



		<p>&gt; ka0210_AttestationQuestion_DM - changed barge-in to OFF                  &gt; ka0270_PerjuryMessage_DM - changed barge-in to OFF</p> <p>ID#8                  &gt; bv0210_BEVESuccess_PP - revised text of prompt bv0210_out_01 for clarity</p> <p>ID#9                  &gt; mm0800_BenefitsApplicationMenu_DM -added 'prescription' grammar option                  &gt; mm0800_BenefitsApplicationMenu_DM - added 'prescription' Action logic and prompting                  &gt; mm0800_BenefitsApplicationMenu_DM -added 'prescription' Confirmation prompt</p> <p>ID#10                  &gt; mm0610_BackoffOtherOptionsMenu_DM - revised prompts mm0610_ini_01' and mm0610_ree_01' to provide explicit 'go back' instruction</p> <p>ID#11                  &gt; fl0115_PhysicalZipCode_DM - revised prompts fl0115_ini_01' and fl0115_ree_01' for clarity</p> <p>ID#12                  &gt; na0110_PlayEntryPrompt_PP - revised logic to route 'alternate' last name to na0131_SayAndSpellLast_Alternate_DM                  &gt; na0130_SayAndSpellLast_DM - revised to remove 'alternate' last name collection logic                  &gt; na0131_SayAndSpellLast_Alternate_DM - created alternate say and spell last name state for alternate last name to allow 'none' ('i don't know') option                  &gt; na0200_ConfirmName_DM - revised logic to route 'alternate' last name to na0131_SayAndSpellLast_Alternate_DM</p> <p>ID#14                  &gt; tr0120_ConfirmAddress_DM - added developer note re: slowing down TTS address read-back</p> <p>ID#15                  &gt; na0200_ConfirmName_DM - added additional sample phrases for 'repeat' option to ensure adequate coverage in context                  &gt; na0200_ConfirmName_DM - revised Recovery prompts to include name read-back</p> <p>ID#20                  &gt; mm1910_LatePaymentMenu_DM - revised prompts to add pause prior to 'not sure' instruction</p> <p>ID#21                  &gt; tr0200_AskHowManyForms_DM - added additional sample phrases for xxx options to ensure adequate coverage in context</p>	
<p>03/14/2012</p>	<p>6.1</p>	<p>Revised as follows:</p> <p>&gt; ka0350_TNRS_DB - changed condition for Assign tnrs_checked = true to 'Always                  &gt; na0130_SayAndSpellLast_DM - restored 'alternate' name collection conditions                  &gt; na0130_SayAndSpellLast_DM - added 'alt_name_sayandspell' grammar to handle the 'none' option (ONLY used during alternate name collection)                  &gt; na0131_SayAndSpellLast_Alternate_DM - DELETED (use na0130_SayAndSpellLast_DM instead)                  &gt; na0110_PlayEntryPrompt_PP - revised Actions to route alternative name collection to na0130_SayAndSpellLast_DM (instead of na0131_SayAndSpellLast_Alternate_DM)                  &gt; na0200_ConfirmName_DM - revised Actions to route alternative name collection to na0130_SayAndSpellLast_DM (instead of na0131_SayAndSpellLast_Alternate_DM)</p>	<p>T. Sheeder</p>

03/15/2012	6.2	<p>Revised as follows:</p> <ul style="list-style-type: none"> <li>&gt; na0131_SayAndSpellLast_Alternate_DM - DELETED (identified as deleted in previous version, but inadvertently kept in the design)</li> <li>&gt; ka0810_GetLastPaymentAmount_DM - revised grammar (and added Developer Note) to change the upper limit of the grammar range from \$99,999 to \$9,999</li> <li>&gt; ka0510_GetDOB_DM - added grammar and Developer notes specifying valid date formats (MMDDYY 6-digit or MMDDYYYY 8-digit strings)</li> </ul>	T. Sheeder
03/16/2012	6.3	<p>Updated revisions occasioned by usability as follows:</p> <p>ID#1</p> <ul style="list-style-type: none"> <li>&gt; fl0100_GetZipCode_DM - revised prompting to clarify references to 'physical' address</li> <li>&gt; fl0115_PhysicalZipCode_DM - revised prompting to clarify references to 'physical' address</li> </ul> <p>ID#4</p> <ul style="list-style-type: none"> <li>&gt; mm0210_SFMainMenu_DM - revised sample expressions for 'replacement_general' option</li> <li>&gt; mm0210_SFMainMenu_DM - revised sample expressions for 'replacement_social_security_card' option</li> </ul> <p>ID#15</p> <ul style="list-style-type: none"> <li>&gt; na0200_ConfirmName_DM - added 'spell it again' to sample expressions</li> </ul> <p>Additional revisions as follows:</p> <ul style="list-style-type: none"> <li>&gt; ka0210_AttestationQuestion_DM - revised the OMB number associated with 'screen pop'</li> <li>&gt; ka0220_OMBNumber_PP - revised the OMB number associated with 'screen pop'</li> <li>&gt; dd0450_CollectAccountNumber_DM - added grammar and Developer's notes specifying the format of the account number (4-17 digits)</li> </ul>	T. Sheeder
03/22/2012	6.4	<p>Additional changes following SSA review of usability changes, as follows:</p> <ul style="list-style-type: none"> <li>&gt; mm0210_SFMainMenu_DM - revised sample expressions for the 'social_security_card_general' option (to eliminate ambiguity vis-a-vis 'replacement_general' and 'social_security_replacement_card' options)</li> <li>&gt; ka0510_GetDOB_DM - added sample expressions to reflect range of date structures accepted</li> </ul>	T. Sheeder
03/29/2012	6.5	<p>Revised as follows:</p> <ul style="list-style-type: none"> <li>&gt; mm0910_UpdatePersonallInfo_DM - revised initial, error, and confirmation prompting (to add 'phone number' to the 'address' option) and revised the sample phrases for the 'address' option accordingly</li> </ul>	T. Sheeder
04/03/2012	6.6	<p>Revised as follows:</p> <ul style="list-style-type: none"> <li>&gt; Updated the following play prompt states to indicate the barge-in should be turned off: mm0100_WelcomeMsg_PP, mm0124_OfficeClosedMsg_PP, mm0140_EmergencyMsg_PP, mm0140_EmergencyMsg_PP, mm0160_WebsiteInfo_PP, mm0405_TaxesMsg_PP, mm0540_BestTimeMsg_PP, mm1310_BothCardsMsg_PP, mm1400_SSReplacementMsg_PP, mm1410_SSNewMsg_PP, mm1420_SSUpdateMsg_PP, mm1920_DepositMsg_PP, mm1930_MailMsg_PP, mm2050_FutureBenefitsBudgetaryMsg_PP, ad0230_ExitFailurePrompts_PP, ad0240_ExitSuccessPrompts_PP, bv0210_BEVESuccess_PP, bv0220_TransactionEnd_PP, ca0200_IntroMsg_PP, cs0220_ClaimStatusMsg_PP, dd0200_IntroMsg_PP, fl0140_ZipFailedFirstTimeMsg_PP, fl0150_NoFOMsg_PP, ka0200_PreAttestationMsg_PP, ka0220_OMBNumber_PP, ka0820_CantProceedMsg_PP, ka0830_ScreenPopSplashReturn_PP, ka0900_CheckingInfoMsg_PP, ka0920_SuccessMsg_PP, ka0930_FailureMsg_PP, ka0940_AccountBlockedMsg_PP, mr0210_MRCSuccess_PP, mr0220_TransactionEnd_PP, na0210_ExitSuccessPrompts_PP, na0220_ConfirmationApology_PP, rb0410_SuccessMsg_PP, tr0105_PlayTransIntro_PP, tr0220_SuccessMsg_PP, tr0240_FailureMsg_PP, and</li> </ul>	T. Sheeder

		<p>tr0550_ConcludeChoices_PP</p> <p>&gt; Updated the following dialog module states to indicate that barge-in should be turned off: ka0210_AttestationQuestion_DM (already off), ka0270_PerjuryMessage_DM (already off)</p> <p>&gt; ad0120_ZipLookup_DB: DELETED</p> <p>&gt; ad0130_ZipLookupErrorPrompt_PP: DELETED</p> <p>&gt; ad0110_zipcode_DM: changed transition (from ad0120_ZipLookup_DB to ad0140_FullAddress_DM)</p> <p>&gt; na0210_ExitSuccessPrompts_PP: added missing transition (return)</p>	
04/08/2012	6.7	<p>Revised as follows:</p> <p>&gt; mm0140_EmergencyMsg_PP: added note that barge-in is disabled</p>	T. Sheeder
04/09/2012	6.8	<p>Revised as follows:</p> <p>&gt; tr0105_PlayTransIntro_PP: set barge-in to OFF</p> <p>&gt; mm3000_ABRStatus_DS: for condition Elseif abr=2 (screen_pop)If office_hours=true' changed transition from mm3002_PingHost_DB to mm3005_KBAAuthentication_SD</p> <p>&gt; per CR#5782 - mm0210_SFMainMenu_DM: for social_security_replacement_card option, assigned 'card_action = replacement'</p> <p>&gt; mm0210_SFMainMenu_DM: updated sample phrases for social_security_replacement_card and social_security_application</p>	T. Sheeder
04/12/2012	6.9	<p>Revised as follows:</p> <p>&gt; mm0210_SFMainMenu_DM: revised sample phrases for 'social_security_application'</p> <p>&gt; mm0210_SFMainMenu_DM: revised sample phrases for 'social_security_replacement_card'</p> <p>&gt; mm0210_SFMainMenu_DM: revised sample phrases for 'cards_general'</p> <p>&gt; mm0210_SFMainMenu_DM: revised sample phrases for 'social_security_card_general'</p> <p>&gt; mm0210_SFMainMenu_DM: revised sample phrases for 'benefits_application'</p> <p>&gt; mm0210_SFMainMenu_DM: revised sample phrases for 'supplemental_security_income'</p> <p>&gt; mm0210_SFMainMenu_DM: revised sample phrases for 'ssi_application'</p>	T. Sheeder
05/03/2012	7.0	<p>Revised as follows:</p> <p>Added TNRS lookup to 'alternative' name flow (in the event that tnrs_checked=false AND nomatch1 in alternative name collection)</p> <p>&gt; ka0430_GetAlternativeName_SD: revised logic to incorporate TNRS check</p> <p>&gt; ka0440_TNRSAlt_DB: ADDED</p> <p>&gt; ka0450_SetAlternativeNameRetryParameters_DS: ADDED</p> <p>&gt; ka0460_GetAlternativeNameRetry_SD: ADDED</p> <p>Removed references to 'TKWR'</p> <p>&gt; na0120_SayAndSpellFirst_DM: removed inapplicable conditions</p> <p>&gt; na0130_SayAndSpellLast_DM: revised description, action conditions, and recovery behavior</p> <p>&gt; na0150_SpellLast_DM: revised description and recovery behavior</p>	T. Sheeder

		<p>&gt; na0200_ConfirmName_DM: revised prompt and recovery behavior conditions &gt; name_collect_task variable: removed 'tkwr' value</p> <p>Claim Status backend &gt; cs0200_ClaimsRetrieval_DB: grayed out '0 claims' condition and added developer's note because condition not currently reachable &gt; cs0260_NoStatusEnd_DM: grayed out and added developer's note because state not currently reachable</p> <p>Name OSDM &gt; na0200_ConfirmName_DM: added variable assignment 'collectname_spellingonly=true' to recovery behaviors and, for 'yes' action, added variable assignment 'name_disconfirm_counter=0' &gt; na0220_ConfirmationApology_PP: removed "collectname_spellingonly =TRUE" conditions (impossible); added missing 'return' for 'ELSE' condition</p>	
05/08/2012	7.1	<p>Revised as follows:</p> <p>&gt; revised transitional prompting to include reference to hanging up if finished. The following prompts have been changed: mm1510_out_02, mm1512_out_02, mm1515_out_02, mm1517_out_02, mm1519_out_02, mm1530_out_02, mm1600_out_02, mm1770_out_01, mm1810_out_01, and mm1907_out_01</p> <p>NOTE: all of the prompts cited above have identical verbiage and can be created by combining the existing mm1510_out_02 prompt with existing prompt bv0220_out_01 (i.e. they do not need to be recorded)</p> <p>&gt; ADDED transitional prompts to two states: mm0320_FieldOfficeLocator_SD (mm0320_out_02) and mm0530_BenefitsStatement_SD (mm0530_out_01)</p> <p>NOTE: both of the prompts cited above have identical verbiage and can be created by simply copying existing prompt bv0220_out_01 (i.e. they do not need to be recorded)</p>	T. Sheeder
05/10/2012	7.2	<p>Revised as follows:</p> <p>&gt; revised transitional prompts mm1510_out_02, 1515_out_02, and 1517_out_02 from "All right. Now, if you're finished, feel free to hang up. Otherwise..." to "All right. Feel free to hang up. Or..." to improve flow</p>	T. Sheeder
05/11/2012	7.3	<p>Revised as follows:</p> <p>&gt; na0130_SayAndSpellLast_DM: changed condition for nomatch 2 from 'Else' to 'Always' &gt; na0130_SayAndSpellLast_DM: changed noinput 2 condition from 'If tnrs_checked=false AND name_collect_task=caller' to 'If tnrs_checked=false AND name_collect_task=caller OR alternative' &gt; na0200_ConfirmName_DM: changed condition 'no   IF name_collect_task=caller AND tnrs_checked=false' to 'no   IF name_collect_task=caller OR alternative AND tnrs_checked=false'</p>	T. Sheeder
05/18/2012	7.4	<p>Usability recommendation for re-mapping the Spanish DTMF option from DTMF* to DTMF7. Revised as follows:</p> <p>&gt; Modified prompts and Grammars in mm0110_LanguageSelection_DM, mm0120_RecordingMsg_DM, mm0210_SFMainMenu_DM, mm0600_BackoffMainMenu_DM to change the Spanish DTMF option to DTMF7.</p>	John Ou

		Also deleted Spanish from the grammars in mm0610_BackoffOtherOptionsMenu_DM	
08/20/2012	7.5	Added additional holiday and emergency messaging - updates in green: <ul style="list-style-type: none"> <li>&gt; created new variable: css</li> <li>&gt; mm0124_OfficeClosedMsg_PP: updated conditions and added new prompts mm0124_out_02 and mm0124_out_08</li> <li>&gt; mm1905_Checks_DM: updated check dates - prompts: mm1905_ini_03 - mm1905_ini_14</li> </ul>	Brook Mittelstedter
08/29/2012	7.6	Added additional holiday and emergency messaging - updates in green: <ul style="list-style-type: none"> <li>&gt; mm3020_ProcessTransfer_DS: updated conditions to add holiday and emergency messaging; new prompts mm3020_out_11 through mm3020_out_14</li> </ul>	Brook Mittelstedter
09/18/2012	7.7	Removed previous highlights. Updates in purple for FOL: <ul style="list-style-type: none"> <li>&gt; fl0120_OfficeLocationInfo_DM: added dev note; updated condition for prompt fl0120_ini_10 to add 'AND isPhaseII = false'</li> <li>&gt; added new variable: isPhaseIIOffice</li> <li>&gt; fl0135_FindFOFromZip_DB: updated success transition to go to fl0137 instead of fl0120</li> </ul>	Brook Mittelstedter
05/14/2013	7.8	Revisions for DD CR in green: <ul style="list-style-type: none"> <li>&gt; mm0325_DirectDepositKBA_DS: updated name to be mm0325_IsDirectDepositEnabled_DS</li> <li>&gt; direct_deposit_active: new variable</li> <li>&gt; mm0325_IsDirectDepositEnabled_DS: Repurposed state; updated description and conditions</li> </ul>	Brook Mittelstedter
06/12/2013	7.9	Added updates for ACA and My SSA CRs. All changes highlighted in yellow.  ACA CR: <ul style="list-style-type: none"> <li>- mm0040: Added new DB to set initial call properties values.</li> <li>- mm0120: Modified transition to check for upfront emergency broadcast messages.</li> <li>- mm0122: Modified handling to check for business hours right before reaching the NLU.</li> <li>- mm0124: Modified handling to playback after hours info right before reaching the NLU.</li> <li>- mm0140: Modified transition to reach the new ACA logic.</li> <li>- mm0160: Modified transition to reach the new ACA logic.</li> <li>- mm0170: Added new decision state.</li> <li>- mm0171: Added new menu to offer information about health insurance.</li> <li>- mm0172: Added new PP to provide ACA information.</li> <li>- mm0173: Added new wrap menu for ACA updates.</li> </ul> My SSA CR: <ul style="list-style-type: none"> <li>- mm0180: Added new decision state.</li> <li>- mm0181: Added new menu to offer My SS Helpdesk.</li> <li>- mm0182: Added new decision state.</li> <li>- mm0183: Added new PP for My SS Helpdesk after hours.</li> <li>- mm0184: Added new wrap menu for My SS Helpdesk updates.</li> </ul> NLU <ul style="list-style-type: none"> <li>- mm0210: Added aca_info and myssa_helpdesk caller intents and handling.</li> </ul> Housekeeping <ul style="list-style-type: none"> <li>- mm0540: Highlighted in gray to denote it is currently not reachable.</li> </ul>	Joaquín Rueda
06/21/2013	7.9.1	Generated prompt names for new states mm0171, mm0172, mm0173, mm0181, mm0183, mm0184, and new prompts at mm0210.	Joaquín Rueda

06/24/2013	7.10	Fixed defects reported by Vivian Chiu: - tr0105: Updated prompt tr0105_out_01. - Removed silence prompts and set timeout to 3 seconds instead at mm0171, mm0173, and mm0181. - mm0184: Removed unnecessary silence prompt.	Joaquín Rueda
06/26/2013	7.10.1	Added 'continue' as a hidden option in states mm0171, mm0173, and mm0181.	Joaquín Rueda
06/28/2013	7.11	Correction in purple: > mm3020_ProcessTransfer_DS: updated condition for mm3020_out_07 and following prompts to be 'if office_hours = false'	Brook Mittelstedter
07/11/2013	7.12	Prompt correction and COA revision in turquoise: > rb0410_SuccessMsg_PP: updated prompt verbiage for rb0410_out_04 and rb0410_out_05 > coa_active: new variable > mm0305_ChangeOfAddressKBA_DS: updated name to be mm0305_IsChangeOfAddressEnabled_DS; re-purposed state; updated description and conditions	Brook Mittelstedter
07/12/2013	7.13	Revision for COA restriction in turquoise: > mm0040_GetCallProperties_DB: added return 'coa_active'	Brook Mittelstedter
07/26/2013	7.14	Revisions for cFOLO CR in orange: > fl0100_GetZipCode_DM: updated action transition for option <zip code> > fl0102_FindCCFromZip_DB: NEW STATE > fl0115_PhysicalZipCode_DM: DELETED > fl0102_EvaluateZipCode_DB: DELETED > fl0105_CardCenterNeededQuestion_DM: updated action conditions for 'yes' option; deleted assignment for 'no' option card_center = undefined' > fl0125_CardCenterInfo_DM: deleted brooklyn and queens card center logic - conditions and corresponding prompts	Brook Mittelstedter
07/26/2013	7.15	Revisions for cFOLO CR: > fl0100_GetZipCode_DM: removed prompt fl0100_ini_03 > fl0125_CardCenterInfo_DM: Removed second hours playback prompts	Brook Mittelstedter
08/19/2013	7.2	> Cleaned up and removed existing highlighting > mm0210_SFMainMenu_DM: updated aca_info sample phrase	Brook Mittelstedter
08/23/2013	7.3	ABR revisions in yellow: > mm3000_ABRStatus_DS: added condition for abr=5 > mm3020_ProcessTransfer_DS: added prompt mm3020_out_15 and corresponding condition > mm3040_EndCall_CT: NEW STATE	Brook Mittelstedter
09/09/2013	7.4	Updated mm0182_MySSAAfterHoursCheck_DS; added 2 new conditions and prompts; If abr=1 (no agents) and Elseif (abr=5).	Margot Perry
11/20/2013	7.5	Updated state mm0910 and mm1110; changed "final_intent =change_address" to "final_intent =change_of_address". Updated state mm1710, changed "final_intent =card_medicare" to "final_intent =medicare_replacement_card". Updated states mm0210 and mm0600, and added assignments for "current_intent =spanish" and "final_intent =spanish" for the "Spanish" options.	Margot Perry
02/05/2014	7.6	* Cleaned up and removed existing highlighting. > mm0172_ACAMsg_PP for both English and Spanish: updated sample phrase and prompt mm0172__out_01 with new verbiage "Need health insurance? Beginning January, more Americans have coverage that fits their needs and budget – are you one of them? The Health Insurance Marketplace is your online resource to research and sign up for the best plan for you. Visit healthcare.gov or call 1-800-318-2596 to learn more." (Changes highlighted in blue.)	Margot Perry
04/10/2014	7.7	* CR 218 – New ACA message	Margot Perry

		> Updated mm0172_ACAMsg_PP for both English and Spanish: updated sample phrase and prompt mm0172__out_01 with new verbiage "Need health insurance? 2015 open enrollment at the Health Insurance Marketplace will begin for everyone on November 15, 2014 and run through February 15, 2015. You might still be able to enroll now if you've lost your health coverage, had another qualifying life event, or a special situation that kept you from enrolling. Visit Healthcare.gov or call the Marketplace at 1-800-318-2596 to learn more." (Changes highlighted in blue.)	
05/15/2014	7.8	*CR 221 – SPT QBR Updates: >Updated state cs0120_ConfirmationNumber_DM: >Created new 'More Information' prompt with instructions on where to find confirmation #. >Updated initial prompt verbiage, offering 'More Information' option. >Moved 'don't have' option down into 2nd error recovery prompts. >Changed dtmf options for 'don't have' from dtmf 1 to 2. 'More information' is now dtmf 1. >Updated error recovery prompts, grammars, and actions accordingly. (Changes highlighted in pink.)	Margot Perry
05/19/2014	7.9	*CR 203 - My SSA Updates: >Updated state mm0182_MySSAAfterHoursCheck_DS; updated 3rd condition for If office_hours=true mapped to MySSA Open Close Matrix to determine when to play Open message only. >Updated mm0183_MySSOfficeClosedMsg_PP, added new conditions mapped to MySSA Open Close Matrix to determine when to play, Closed, Holiday, Emergency and new No Agents Logged On messages. Only one new prompt mm0183_out_04 – "You've reached the MySocialSecurity Help Desk. We're sorry, but due to administrative reasons we are currently closed. If you need to speak with someone, please call back during our regular office hours - Monday through Friday from 7 am to midnight." (Changes highlighted in green.)	Margot Perry
05/20/2014	8.0	*CR 224 - SSA GOV Website: >Updated transition in state mm0140_EmergencyMsg_PP to go to mm0160_WebsiteInfo_PP, instead of mm0170_ACAEnabled_DS. (Changes highlighted in yellow.)	Margot Perry
06/03/2014	8.1	Added dev note to mm0140 per Lisa Tomlinson: All callers will hear the SSA.gov website info (mm0160), regardless of whether any broadcast/emergency messages are played to the caller.	Margot Perry
07/08/2014	8.2	*CR 246 - Updated all Check Delivery Dates in state mm1905_Checks_DM.	Margot Perry
09/25/2014	8.3	*CR 255 – Created new state, mm1902_Checks_DB to determine what the next check delivery dates are based on the current date (today's date). Updated conditions and verbiage in state mm1905_Checks_DM to play dynamically based on the current date.	Margot Perry
09/30/2014	8.4	Renamed all NEW prompts in state mm1905_Checks_DM, so there is no overlap.	Margot Perry
10/07/2014	8.5	*CR 241 - Tagging Guide updates. >Updated state mm0210_SFMainMenu_DM; Mapped health insurance to aca_info, created new application tag benefits_other and mapped semantic tags and utterances from the tagging guide accordingly. Also created a new transitional prompt mm0210_out_90 for new tag. New tag will transfer caller to agent. Mapped new semantic tags BenefitsSpouse and BenefitsDependent to existing application tag benefits_general. Added new semantic tag BenefitsStatus and mapped to the existing application tag claims_status_general. >Updated initial (randomly played) prompts mm0210_ini_04, mm0210_ini_05 and mm0210_ini_06 in state mm0210_SFMainMenu_DM to include an audio icon to notify callers that they are at the main menu. >Updated verbiage in prompt mm0210_out_09 for callers that give vague or general response to prepare them for the backoff menu.	Margot Perry
10/10/2014	8.6	>Updated verbiage in prompt mm1110_ini_01 in state	Margot Perry

		mm1110_UpdatePersonalInfo_DM to make "something else" a more attractive option. Added 'Both' as new option. Updated grammars, confirmation and error recovery prompts. >Disabled barge-in in state mm0171_ACAMainMenu_DM.	
10/13/2014	8.7	>Updated prompts ka0210_ini_01, ka0210_ini_08, ka0220_out_01, and ka0220_out_08 per CR 252.	Margot Perry
10/30/2014	8.8	*CR 240 - SPT QBR Updates. >Updated verbiage for prompts ka0225_ini_01 and ka0225_out_04 in state ka0225_WhichActDetails_DM. >Changed state ka0230_PrivacyActDetails_DM to DTMF only. Command grammars for start over and main menu no longer apply. Updated DTMF option for skip_it to include both the star (*) key and the 1 key. Updated verbiage for prompts ka0230_ini_01 and ka0230_nm1_01. >Changed state ka0240_PaperworkActDetails_DM to DTMF only. Command grammars for start over and main menu no longer apply. Updated DTMF option for skip_it to include both the star (*) key and the 1 key. Updated verbiage for prompts ka0240_ini_01 and ka0240_nm1_01. >Updated verbiage for prompt ka0250_ini_02 in state ka0250_PrivacyEndMenu_DM. >Update verbiage for prompts ka0410_ini_01 and ka0410_nm1_01 in state ka0410_AltNameQuestion_DM. >Updated example name in all prompts in state na0130_SayAndSpellLast_DM. >Updated verbiage for prompt na0200_ini_26 in state na0200_ConfirmName_DM. >Updated verbiage for prompt ka0310_ini_01 in state ka0310_GetSSN_DM.	Margot Perry
11/03/2014	8.9	>Updated verbiage for prompt ka0310_ini_01 and ka0310_ini_02 in state ka0310_GetSSN_DM to both include "one digit at a time." >Turned off confirmation in states ka0230_PrivacyActDetails_DM and ka0240_PaperworkActDetails_DM since DTMF input is never confirmed.	Margot Perry
12/12/2014	9.0	>Updated verbiage for prompt mm0172_out_01 for new ACA Message per CR 296.	Margot Perry
02/18/2015	9.1	*CR 311 >Created new play prompt state, rb0100_MySSAWebsite_PP, to encourage callers to use the MySSA website to request their 1099/1042 statements. >Turned barge-in off for this play prompt state.	Margot Perry
04/22/2015	9.2	*Updated the Privacy Statement Act Updated verbiage in prompts ka0230_ini_07 and ka0230_ini_13. Deleted prompts ka0230_ini_07 and ka0230_ini_09 as they no longer apply.	Margot Perry
04/30/2015	9.3	*CR 284 >Reduced length of silence prompts in states fl0120_OfficeLocationInfo_DM and fl0125_CardCenterInfo_DM. >Added "please say yes or no" to prompt mm2000_ini_01.	Margot Perry
05/04/2015	9.4	*CR 284 - added the following dev notes: >mm0440_DisabilityDisambig_DM - Added two synonyms for option 1 "Apply" and "Apply for benefits" and have confirmation set to ALWAYS: "yes" and "okay" >mm1100_SocialSecurityCardsMenu_DM - Added four synonyms for option 1 replacement_card and have confirmation set to ALWAYS: [a] social security card, duplicate, yes, and new card. >mm1300_WhichCard_DM - Added two synonyms for option 1 for social_security and have confirmation set to ALWAYS: "yes" and "yeah"	Margot Perry
05/06/2015	9.5	*CR 284 >Added "award letter" to grammar as a hidden option not voiced in the prompt, with the same action as "something else". Created a confirmation prompt for award_letter, mm2010_cnf_ini_04. >Added 'None of those' as a spoken option for prompt mm2400_ini_03. "Which would you like - your '1099' benefits statement, your 'EARNINGS Statement,' a 'Proof of Income' letter or, say 'None of those'."	Margot Perry



05/14/2015	9.6	<p>*CR 324</p> <p>&gt;Created new informational play prompt state, mm0555_MRCMySSAWebsite_PP, to encourage callers to use the MySSA website to request their Medicare Replacement card (MRC).</p> <p>&gt;Turned barge-in off for this play prompt state.</p> <p>&gt;Updated the entry point into the MRC flow for the following 3 states: mm0210_SFMainMenu_DM, mm1105_MedicareCardsMenu_DM, and mm1710_ReplacementCardQuestion_DM. Callers now go to new state mm0555_MRCMySSAWebsite_PP first and then go to mm0560_MRCKBA_DS.</p>	Margot Perry
09/04/2015	9.7	<p>*CR 332 - Dynamic Messaging Enhancements</p> <p>&gt;Added new state mm0302_COLAMsg_PP to play back the pre-recorded cost of living adjustment message dynamically, with and without Medicare Premium amount.</p> <p>&gt; Created new decision state mm0300_GetCOLABroadcast_DS to see if information related to the cost of living adjustment is available.</p> <p>&gt;Added dynamic variables for mm0302_COLAMsg_PP to mm0040_GetCallProperties_DB.</p> <p>&gt;Updated state mm0405_TaxesMsg_PP and added prompting and dynamic variables for the Tax Broadcast Message to be played back to caller, which was previously a single prompt that played after mm0405_TaxesMsg_PP.</p> <p>&gt;Created new decision state mm0400_GetTaxesBroadcast_DS to determine if information related to the tax informational is available.</p> <p>&gt;Added dynamic variables for mm0405_TaxesMsg_PP to mm0040_GetCallProperties_DB.</p> <p>&gt;Created new decision state mm1755_CheckDrugEligibility_DS to determine if the eligibility amounts for help with prescription drug costs are available.</p> <p>&gt;Updated transition in mm1750_AskPartD_DM for Yes; goto new state mm1755_CheckDrugEligibility_DS first instead of mm1760_HelpWithDrugCosts_DM.</p> <p>&gt;Updated conditions in state mm1760_HelpWithDrugCosts_DM to play amounts dynamically for single and couples.</p> <p>&gt;Added dynamic variables for mm1760_HelpWithDrugCosts_DM to mm0040_GetCallProperties_DB.</p> <p>&gt;Created new decision state mm1902_CheckDeliveryDates_DS to determine what the next check delivery dates are based on the current date (today's date) if available.</p> <p>&gt;Updated transition in state mm1900_ReceivingBenefits_DM to point to new decision state mm1902_CheckDeliveryDates_DS.</p> <p>&gt;Added dynamic variables for mm1905_Checks_DM to mm0040_GetCallProperties_DB.</p>	Margot Perry
09/08/2015	9.8	Updated variable names for Tax Broadcast.	Margot Perry
09/28/2015	9.9	Rolled back updates made for CR 349.	Margot Perry
10/06/2015	9.10	*CR 332 - Updated dynamic prompts for percentage in mm0405_TaxesMsg_PP.	Margot Perry
10/29/2015	9.11	*CR 364 - Updated mm0172_ACAMsg_PP with new 2016 ACA Message.	Margot Perry
10/30/2015	9.12	<p>*CR 365 - Created new db state mm0300_GetCOLABroadcast_DB to retrieve information related to the cost of living adjustment broadcast message. If COLA broadcast available go to new play prompt state mm0304_COLABroadcastMsg_PP. Else, go to mm0301_GetCOLABroadcast_DS to see if dynamic messaging should be played. If COLA information is available go to mm0302_COLAMsg_PP. Else, transfer caller to operator.</p> <p>&gt;Updated transition for 'Yes' response in mm0303_AskRepeatCola_DM to go back to mm0300_GetCOLABroadcast_DB.</p> <p>Created new db state mm0400_GetTaxesBroadcast_DB to retrieve tax broadcast message. If tax broadcast available go to new play prompt state mm0404_TaxBroadcastMsg_PP. Else, go to mm0401_GetTaxesBroadcast_DS to see if dynamic messaging should be played. If tax information is available go to</p>	Margot Perry

		mm0405_TaxesMsg_PP. Else, transfer caller to operator. >Updated transition for 'Yes' response in mm0410_AskRepeatTaxes_DM to go back to mm0400_GetTaxesBroadcast_DB. >Updated the transition for 'COLA' in state mm0210_SFMainMenu_DM to point to mm0300_GetCOLABroadcast_DB. >Updated the transition for 'taxes' in state mm0210_SFMainMenu_DM to point to mm0400_GetTaxesBroadcast_DB.	
11/02/2015	9.13	>Updated the prompts in mm0405_TaxBroadcastMsg_PP to mimic what was there prior to CR 332, including prompt names.	Margot Perry
11/06/2015	9.14	>Updated the name of the COLA Broadcast message prompt. >Updated the name of the Tax Broadcast message prompt.	Margot Perry
11/16/2015	9.15	>Updated state mm0405_TaxBroadcastMsg_PP and deleted prompts mm0405_out_01 and mm0405_out_05. Now only the single, static tax broadcast message will play.	Margot Perry
12/11/2015	9.16	*CR 349 - Direct Deposit Messaging >Created new play prompt state, mm0323_DirectDepositMsg_PP, to play new direct deposit information to all callers. >Updated the transitions in the following states to point to the new play prompt state, if the caller selects 'Direct Deposit': mm0210_SFMainMenu_DM, mm0700_Benefits_DM, mm0910_UpdatePersonalInfo_DM, mm0610_BackoffOtherOptionsMenu_DM. >New play prompt will then goto mm0325_IsDirectDepositEnabled_DS to determine if direct deposit is enabled.	Margot Perry
08/25/2016	9.17	*CR 401 - Added new informational message, prompt mm1400_out_02, for iSSNRC to N8NN IVR call flow.	Margot Perry
09/16/2016	9.18	Updated state mm0545_TranscriptionKBA_DS and added a dev note: Form_7004_delivery is set to false in the current IVR configuration	Margot Perry
10/03/2016	9.19	Updated mm0172_ACAMsg_PP with new 2017 ACA Message.	Margot Perry
04/26/2017	9.20	*CR 442 - Created a new play prompt state called mm0503_BEVEMsg_PP to play new online advertising option for Benefits Verification (BEVE) message. Updated transition in mm0500_BEVEKBA_DS to goto new state. New state then goes to mm0505_BEVE_SD.	Margot Perry
04/27/2017	9.21	Turned Barge-In off in state mm0503_BEVEMsg_PP	Margot Perry
06/08/2017	9.22	>Release previous highlights. >Updated prompt bv0210_out_01 per CR 446. This change request is to modify the message played to the caller regarding the mailing time of the proof of Income letter when the Proof of Income option is selected under BEVE in the IVR. Current message played to English callers state that they will receive their proof of income letter within two weeks and the new message will change the mailing time duration to 7 days.	Margot Perry
07/13/2017	9.23	*CR420 - Created a new play prompt state, mm0518_ClaimsMsg_PP, to play the new advertising message informing callers about the new online claims status application behind the MySocialSecurity portal. >Updated the transition in state mm0515_ApplicationStatusKBA_DS to point to new play prompt state, prior to hitting state mm0520_ApplicationStatus_SD.	Margot Perry
06/22/2018	9.24	Added new event.system.error condition and prompt tech_diff to global error recovery behavior for documentation purposes.	Margot Perry
02/28/2019	9.25	*CR 516 - Added the following new prompt mm0518_out_02 - "To obtain a status of your claim, you will need the 8-digit confirmation number provided when you applied for benefits. If you do not have that information handy, please hang up and call us back once you do." to state mm0518_ClaimsMsg_PP.	Margot Perry
09/18/2019	9.26	*CR 541 - Callers requesting a change of address (COA) or direct deposit (DD) will	Margot Perry

		<p>be routed out to special agent training skill group.</p> <p>* Created new play prompt state mm0306_ChangeOfAddressMsg_PP for change of address to inform caller that they MUST have their old and new address information available. Similar flow to direct deposit.</p> <p>* Created new dialog module mm0327_ExpressCallService_DM to determine if caller wants to update both COA and DD.</p> <p>* Create new dialog module mm0329_AnythingElse_DM. to determine if caller needs help with anything else in addition to COA and DD.</p> <p>* Created new variable isSkillTransfer with default to true. If caller ONLY needs to update change of address and/or direct deposit, set variable to true. If caller needs help with anything else in addition to COA and DD, they will be transferred to the main N8NN agent queue.</p>	
09/27/2019	9.27	<p>Updated some of the prompt verbiage in the error handling for states mm0327_ExpressCallService_DM and mm0329_AnythingElse_DM.</p> <p>Updated the actions for state mm0327_ExpressCallService_DM so that there are only 2 transitions; one for yes and one for no.</p>	Margot Perry
11/04/2019	9.28	<p>Updated the transition for the first condition in state mm0305_IsChangeOfAddressEnabled_DS from mm3000 to mm0306.</p> <p>Updated the transition for the first condition in state mm0325_IsDirectDepositEnabled_DS from mm3000 to mm0327.</p> <p>Flip-flopped the exit prompts that are played in state mm0327_ExpressCallService_DM.</p> <p>Updated verbiage for prompts mm0327_nm2_01 and mm0327_ni1_01 so that all references to address use "change" and references to direct deposit use "update".</p>	Margot Perry
11/18/2019	9.29	<p>*CR 551 - Remove confirmation number from the Telephone Knowledge-Based Claims Status (TKCS) call flow.</p> <p>*mm0518_ClaimsMsg_PP - deleted prompt mm0518_out_02 where confirmation number is mentioned.</p> <p>*cs0120_ConfirmationNumber_DM - deleted state, as it is no longer needed.</p> <p>* cs0200_ClaimsRetrieval_DB - deleted references to confirmation number from prompts and added new exit prompt for when just one claim is returned. Also replaced confNumber with ssn on Inputs tab.</p> <p>*cs0210_WhichClaim_DM - deleted references to confirmation number from all prompts.</p> <p>*cs0240_OneClaimEnd_DM - - deleted references to confirmation number.</p> <p>*cs0250_MultiClaimEnd_DM - deleted references to confirmation number from all prompts and renumbered options.</p> <p>*cs0260_NoStatusEnd_DM - deleted references to confirmation number for all prompts and renumbered options. Also updated description of state, as callers where 0 claims were returned by the backend would come here.</p> <p>*cs0270_MultiLastClaimEnd_DM - deleted references to confirmation number from all prompts and renumbered options.</p> <p>* Updated transitions that enter state cs0120 as state was deleted:          - cs0110_KBAAuthentication_SD – updated transition for If kba_transaction_status=success to go to state cs0200_ClaimsRetrieval_DB instead of cs0120_ConfirmationNumber_DM.          - cs0240_OneClaimEnd_DM – deleted condition and transition back to cs0120_ConfirmationNumber_DM.          - cs0250_MultiClaimEnd_DM - deleted condition and transition back to cs0120_ConfirmationNumber_DM.</p>	Margot Perry

		-cs0260_NoStatusEnd_DM - deleted condition and transition back to cs0120_ConfirmationNumber_DM. -cs0270_MultiLastClaimEnd_DM - deleted condition and transition back to cs0120_ConfirmationNumber_DM.	
12/04/2019	9.30	*CR 551 - Removed confirmation number from the Telephone Knowledge-Based Claims Status (TKCS) call flow.  *cs0200_ClaimsRetrieval_DB - Updated the Else (0 claims) condition and added a second level condition to check office hours. Also set prompt cs0200_out_01 to Always play.  *cs0230_RepeatStatus_DM - Updated the If num_claims = 1 condition and added a second level condition to check office hours. Also set prompt cs0230_out_02 to Always play.  *cs0240_OneClaimEnd_DM - Deleted prompts and logic that checks office hours. Created new initial prompt and set to Always play prompt cs0240_ini_03. Also updated error recovery to remove logic that checks office hours. Cleaned up prompts accordingly.  *cs0260_NoStatusEnd_DM - Deleted prompts and logic that checks office hours. Created new initial prompt and set to Always play prompt cs0260_ini_03.	Margot Perry
12/05/2019	9.31	*CR 551 - Removed confirmation number from the Telephone Knowledge-Based Claims Status (TKCS) call flow.  *cs0120_ConfirmationNumber_DM - Struck through ni3/nm3 as this state has been deleted.  *cs0110_KBAAuthentication_SD - Updated transition for If kba_transaction_status=success condition and changed from cs0120 to cs0200.  *cs0200_ClaimsRetrieval_DB - cleaned up conditions/logic	Margot Perry
12/06/2019	9.32	*CR 551 - Removed confirmation number from the Telephone Knowledge-Based Claims Status (TKCS) call flow.  *cs0220_ClaimStatusMsg_PP - Updated the verbiage for prompt cs0220_out_92 per email from Rebecca at SSA. New prompt says "A decision has NOT been made on your claim. If you have any further questions, please contact your local Field Office."	Margot Perry
01/23/2020	9.33	*CR 565 - Updated claims status prompt in cs0220_ClaimStatusMsg_PP. New verbiage is as follows:  *cs0220_out_92 - "A decision has not been made on your claim. Once a decision has been made, you will receive an official notice in the mail. Note that it takes about 5 business days, from the time we receive your claim application, to begin processing it and provide any updated status."	Margot Perry
03/12/2020	9.34	*CR580 -Created new states bv0140_SubmitBEVERequest_DB, bv0145_PlayNeedAddress_PP, bv0150_AddressCollection_SD  -Removed benefits_verification from condition in ka0900_out_03  -Changed transition for prompt mm0210_out_73  -Added condition to delay beve verification success message in ka0920_SuccessMsg_PP  -Added prompts: bv0140_out_01, bv0140_out_02, bv0140_out_03, bv0150_out_01	Debbie Ou

		-Removed "Then" from prompt ad0110_ini_01 so it now reads: "Please tell me the 5-digit zip code for the new address now."	
03/20/2020	9.35	*CR580 -Update to prompt bv0150_out_01 so it now reads: "Please hold on while I submit that"	Debbie Ou
03/23/2020	9.36	*CR580 -Update to prompt bv0145_out_01 so it now reads: "To send you a letter, I need your address".	Debbie Ou
03/23/2020	9.37	*CR580 -Updated description of BenefitsVerification dialog to reflect the fact that callers not receiving benefits may request a proof of income letter.	Debbie Ou
06/22/2020	9.38	*CR596 (Highlights in green)  NEW STATES ka0720_POBCityNull_DS, ka0730_GetPOBCity_DM, ka0915_PlayLastAccessDate_PP, ca0315_ConfirmChangeAllRecords_DM, ca0350_ConfirmIfResidentAddress_DM, ca0340_CheckWhichAddress_DS  ca0230_NotEligible_DM: -Updated initial and recovery prompt verbiage -Removed more_information option from grammar and actions -Removed confirmation prompt for more_information  ca0260_CallingAboutSelf_DM: -Updated prompt verbiage for ca0260_out_01  ca0300_KBAAuthentication_SD -Added new actions for new status codes corresponding to coa_pending_changes, coa_no_benefits, success_multiple_address -Combined actions for account_blocked, arrestation_declined, and coa_not_eligible  ca0310_TypeOfChange_DM: -Added handling for if caller has multiple addresses on file, goes to new state ca0315 to confirm address change -Updated prompt ca0310_out_02.  ca0440_SendAddressPhone_DB -Added new status codes to outputs -Added isResidentAddress, new address, and current address to inputs  ka0100_ElementsCheck_DB: -Added output ka_collectPlaceOfBirthCity  ka0700_POBNull_DS: -Updated transitions to go to new state ka0720_POBCityNull_DS  ka0710_GetPlaceOfBirth_DM -Changed <state territory> transition to go to new state ka0720.  ka0910_QueryKB_DB: -Added new status codes 2000 - 2003 to returns -Added actions for new status codes  ad0110_zipcode_DM -Added prompting and logic for COA new and current address collection -Updated existing prompt for other address collection flows to specify new address	Debbie Ou

		<p>ad0140_FullAddress_DM -Updated prompt verbiage for ad0140_ini_01 (previously named ad0140_ree_02), ad0140_ree_01, and recovery behavior</p> <p>ad0160_BranchConfirmOrNot_DS: -Added logic so new address COA flow goes to new state ad0205 and other tasks go to new state ad0215.</p> <p>ad0240_ExitSuccessPrompts_PP -Added silence prompt and return for COA callers</p>	
07/06/2020	9.39	<p>*CR596 (Highlights in green) mm0310_ChangeOfAddress_SD: -Added handling for coa_transaction_status=effective_later</p> <p>ca0260_CallingAboutSelf_DM -Updated transition to go to ca0270_COAEffectiveASAP_DM -Updated prompt verbiage in ca0260_ini_01</p> <p>ca0430_COAEffectiveASAP_DM: -Updated numbering to ca0270_COAEffectiveASAP_DM -Updated transition to transfer for option 'no' -Updated transition to go to ca0300 for option 'yes' -Updated prompt verbiage in ca0270_ini_01</p> <p>ca0440_SendAddressPhone_DB -Updated inputs for current and new city, state, and zip code</p> <p>ka0910_QueryKB_DB -updated ka_lastAuthenticatedTimeStamp to ka_lastAuthenticatedDate to specify that date is being returned</p>	Debbie Ou
07/08/2020	9.40	<p>*CR596 (Highlights in Yellow)</p> <p>ca0270_COAEffectiveASAP_DM -Added exit/transition prompt for the no response ca0430_out_03 – “Hold on while I get someone to help you.” -Updated prompts ca0270_nm2_01 and ca0270_ni2_01 and deleted last sentence from both. “Sorry. If you want the change to take effect as soon as possible, press 1. Otherwise, press 2.”</p> <p>-Updated the missing transitions in the following states and pointed them all to state ca0440_SendAddressPhone_DB:</p> <ul style="list-style-type: none"> <li>• ca0350_ConfirmIfResidentAddress_DM</li> <li>• ca0400_RemoveOrChangePhone_DM</li> <li>• ca0420_CollectPhoneNumber_DM</li> </ul> <p>-Updated the entering from in state ca0440_SendAddressPhone_DB and added these same states accordingly.</p>	Margot Perry
07/09/2020	9.41	<p>*CR596 (Highlights in Yellow)</p> <p>ca0230_NotEligible_DM -Deleted prompts ca0230_nm3_01 and ca0230_ni1_02 (exit prompts) as they are not needed.</p>	Margot Perry
07/10/2020	9.42	<p>*CR596 (Highlights in Yellow)</p> <p>ca0230_NotEligible_DM -Rolled back yesterday’s change. Updated the verbiage for prompts ca0230_nm3_01 and ca0230_ni1_02 to “Hold on while I take you back to the main menu.”</p>	Margot Perry

## Table of Contents

Revision History .....	2
Table of Contents.....	31
Chapter 1: Global Behavior .....	39
1.1 Recovery Behavior .....	39
1.2 Global Commands .....	39
1.3 Global Confirmation.....	39
1.4 Global Config Parameters.....	40
Chapter 2: Detailed Dialog Specification .....	42
2.1 main Dialog .....	42
mm0040_GetCallProperties_DB.....	42
mm0050_EntryRouting_DS .....	43
mm0100_WelcomeMsg_PP .....	43
mm0110_LanguageSelection_DM.....	44
mm0120_RecordingMsg_DM.....	45
mm0150_SpanishApp_EC .....	46
mm0125_ABRStatus_DS.....	46
mm0122_AfterHoursCheck_DS.....	46
mm0124_OfficeClosedMsg_PP .....	47
mm0130_GetVariablesAnn_DB.....	47
mm0140_EmergencyMsg_PP .....	48
mm0160_WebsiteInfo_PP.....	49
mm0170_ACAEnabled_DS .....	49
mm0171_ACAMainMenu_DM .....	50
mm0172_ACAMsg_PP .....	51
mm0173_ACAWrapMenu_DM.....	52
mm0180_MySSEnabled_DS.....	53
mm0181_MySSMainMenu_DM.....	53
mm0182_MySSAfterHoursCheck_DS .....	54
mm0183_MySSOfficeClosedMsg_PP.....	55
mm0184_MySSWrapMenu_DM .....	56
mm0200_SFToggle_DS .....	57
mm0210_SFMainMenu_DM .....	58
mm0300_GetCOLABroadcast_DB.....	78
mm0301_GetCOLABroadcast_DS .....	79
mm0302_COLAMsg_PP.....	79
mm0303_AskRepeatCola_DM .....	80
mm0304_COLABroadcastMsg_PP.....	81
mm0305_IsChangeOfAddressEnabled_DS .....	82
mm0306_ChangeOfAddressMsg_PP.....	82
mm0310_ChangeOfAddress_SD .....	83
mm0320_FieldOfficeLocator_SD .....	83
mm0323_DirectDepositMsg_PP.....	84

mm0325\_IsDirectDepositEnabled\_DS..... 85

mm0327\_ExpressCallService\_DM ..... 85

mm0329\_AnythingElse\_DM..... 87

mm0330\_DirectDeposit\_SD ..... 88

mm0400\_GetTaxesBroadcast\_DB ..... 89

mm0401\_GetTaxesBroadcast\_DS..... 89

mm0404\_TaxesMsg\_PP..... 90

mm0405\_TaxBroadcastMsg\_PP ..... 92

mm0410\_AskRepeatTaxes\_DM..... 92

mm0420\_AddressVerifyMsg\_DM..... 93

mm0430\_AddressDisambig\_DM..... 95

mm0440\_DisabilityDisambig\_DM ..... 96

mm0450\_EmploymentDisambig\_DM ..... 98

mm0460\_SSNVerification\_DM..... 100

mm0470\_ReplacementDisambig\_DM ..... 101

mm0500\_BEVEKBA\_DS ..... 103

mm0503\_BEVEMsg\_PP ..... 103

mm0505\_BEVE\_SD ..... 104

mm0515\_ApplicationStatusKBA\_DS..... 104

mm0518\_ClaimsMsg\_PP ..... 105

mm0520\_ApplicationStatus\_SD ..... 105

mm0525\_BenefitsStatementKBA\_DS ..... 106

mm0530\_BenefitsStatement\_SD..... 106

mm0540\_BestTimeMsg\_PP ..... 107

mm0545\_TranscriptionKBA\_DS..... 107

mm0550\_Transcription\_SD ..... 108

mm0555\_MRCKBA\_DS..... 109

mm0560\_MRCKBA\_DS..... 109

mm0565\_MRC\_SD ..... 109

mm0600\_BackoffMainMenu\_DM..... 110

mm0610\_BackoffOtherOptionsMenu\_DM..... 113

mm0700\_Benefits\_DM ..... 116

mm0800\_BenefitsApplicationMenu\_DM ..... 119

mm0810\_ApplicationStatusQuestion\_DM ..... 121

mm0900\_BenefitsMoreOptions\_DM..... 122

mm0910\_UpdatePersonalInfo\_DM..... 125

mm1100\_SocialSecurityCardsMenu\_DM..... 127

mm1105\_MedicareCardsMenu\_DM..... 129

mm1110\_UpdatePersonalInfo\_DM..... 131

mm1210\_InternetAddress\_DM ..... 133

mm1220\_InternetInformation\_DM ..... 135

mm1300\_WhichCard\_DM ..... 136

mm1310\_BothCardsMsg\_PP ..... 138

mm1400\_SSReplacementMsg\_PP..... 139



mm1410\_SSNewMsg\_PP ..... 139

mm1420\_SSUpdateMsg\_PP..... 140

mm1430\_SocialSecurityCardMenu\_DM ..... 140

mm1500\_CitizenshipQuestion\_DM..... 143

mm1510\_CitizenDocumentsMsgPart1\_DM ..... 144

mm1512\_CitizenDocumentsMsgPart2\_DM ..... 146

mm1515\_NonCitizenDocumentsMsgPart1\_DM ..... 148

mm1517\_NonCitizenDocumentsMsgPart2\_DM ..... 150

mm1519\_NonCitizenDocumentsMsgPart3\_DM ..... 152

mm1520\_GetForm\_DM ..... 154

mm1530\_WebsiteInstructions\_DM..... 157

mm1600\_SubmitForm\_DM ..... 158

mm1700\_MedicareApplyMenu\_DM..... 160

mm1710\_ReplacementCardQuestion\_DM..... 161

mm1720\_MedicareEnrollMsg\_DM ..... 162

mm1730\_MedicareDrugQuestion\_DM..... 163

mm1740\_MedicareSusidyMsg\_DM..... 165

mm1750\_AskPartD\_DM..... 166

mm1755\_CheckDrugEligibility\_DS ..... 168

mm1760\_HelpWithDrugCosts\_DM..... 168

mm1770\_OrderDrugFormQuestion\_DM..... 170

mm1800\_SSIMenu\_DM ..... 171

mm1810\_CitizenshipMsg\_DM ..... 173

mm1900\_ReceivingBenefits\_DM ..... 174

mm1902\_CheckDeliveryDates\_DS..... 175

mm1905\_Checks\_DM..... 176

mm1907\_LatePaymentQuestion\_DM ..... 178

mm1910\_LatePaymentMenu\_DM ..... 179

mm1920\_DepositMsg\_PP ..... 181

mm1930\_MailMsg\_PP ..... 182

mm1940\_LatePaymentExit\_DM..... 182

mm2000\_ReceivingBenefits\_DM ..... 184

mm2010\_BenefitsEarnings\_DM ..... 185

mm2030\_OtherQuestions\_DM..... 187

mm2040\_FutureBenefits\_DM..... 188

mm2050\_FutureBenefitsBudgetaryMsg\_PP ..... 190

mm2100\_RepPayeeMenu\_DM ..... 191

mm2110\_ProgramMsg\_DM..... 193

mm2120\_ChangeMsg\_DM ..... 195

mm2200\_BecomePayee\_DM..... 198

mm2210\_PayeeMisuse\_DM..... 201

mm2300\_FormsGeneral\_DM..... 203

mm2400\_EarningsMenu\_DM ..... 205

mm3000\_ABRStatus\_DS..... 207

mm3002\_PingHost\_DB..... 208

mm3005\_KBAuthentication\_SD..... 209

mm3020\_ProcessTransfer\_DS ..... 209

mm3030\_CallTransfer\_CX ..... 211

mm3040\_EndCall\_CT..... 211

2.2 AddressOSDM Dialog..... 212

ad0100\_BranchCollectedZipSet\_DS..... 212

ad0050\_EntryPrompt\_DM ..... 212

ad0110\_zipcode\_DM..... 213

ad0140\_FullAddress\_DM ..... 215

ad0150\_SecondaryAddress\_DM ..... 218

ad0160\_BranchConfirmOrNot\_DS ..... 220

ad0200\_ConfirmFull\_DM..... 220

ad0210\_BranchExceedMaxCorrections\_DS ..... 223

ad0220\_CheckPreviousConfirmations\_DS ..... 224

ad0230\_ExitFailurePrompts\_PP..... 224

ad0240\_ExitSuccessPrompts\_PP ..... 225

ad0250\_BranchRecordOrNot\_DS ..... 225

ad0260\_Recording\_DM ..... 225

2.3 BenefitsVerification Dialog..... 227

bv0100\_PingHost\_DB..... 227

bv0130\_KBAuthentication\_SD..... 227

bv0140\_SubmitBEVERequest\_DB..... 228

bv0145\_PlayNeedAddress\_PP ..... 230

bv0150\_AddressOSDM\_SD ..... 230

bv0210\_BEVESuccess\_PP..... 231

bv0220\_TransactionEnd\_PP..... 231

2.4 ChangeOfAddress Dialog..... 233

ca0100\_PingHost\_DB ..... 233

ca0200\_IntroMsg\_PP ..... 233

ca0220\_ReceivingBenefits\_DM..... 234

ca0230\_NotEligible\_DM..... 235

ca0240\_NotEligibleDetails\_DM ..... 237

ca0260\_CallingAboutSelf\_DM ..... 239

ca0270\_COAEffectiveASAP\_DM..... 240

ca0300\_KBAuthentication\_SD ..... 242

ca0310\_TypeOfChange\_DM..... 242

ca0315\_ConfirmChangeAllRecords\_DM ..... 244

ca0320\_SetAddressParameters\_DS..... 246

ca0330\_AddressOSDM\_SD ..... 246

ca0340\_CheckWhichAddress\_DS..... 247

ca0350\_ConfirmIfResidentAddress\_DM ..... 247

ca0400\_RemoveOrChangePhone\_DM ..... 248

ca0410\_TypeOfPhone\_DM..... 250

ca0420\_CollectPhoneNumber\_DM..... 251

ea0435\_EffectiveDate\_DM..... 253

ca0440\_SendAddressPhone\_DB..... 254

2.5 ClaimStatusRequests Dialog ..... 257

cs0100\_PingHost\_DB..... 257

cs0110\_KBAAuthentication\_SD..... 257

es0120\_ConfirmationNumber\_DM-DELETED..... 258

cs0200\_ClaimsRetrieval\_DB..... 260

cs0210\_WhichClaim\_DM..... 263

cs0220\_ClaimStatusMsg\_PP..... 265

cs0230\_RepeatStatus\_DM..... 270

cs0240\_OneClaimEnd\_DM..... 271

cs0250\_MultiClaimEnd\_DM..... 274

cs0260\_NoStatusEnd\_DM..... 276

cs0270\_MultiLastClaimEnd\_DM..... 279

2.6 DirectDeposit Dialog..... 283

dd0100\_PingHost\_DB..... 283

dd0200\_IntroMsg\_PP..... 283

dd0220\_ReceivingBenefits\_DM..... 284

dd0230\_NotEligible\_PP..... 285

dd0260\_CallingAboutSelf\_DM..... 285

dd0300\_KBAAuthentication\_SD..... 287

dd0400\_DDEffectiveASAP\_DM..... 288

dd0410\_EffectiveMonth\_DM..... 289

dd0430\_AccountType\_DM..... 293

dd0440\_CollectRoutingNumber\_DM..... 295

dd0450\_CollectAccountNumber\_DM..... 297

dd0460\_SendDirectDepositInfo\_DB..... 299

2.7 FieldOfficeLocator Dialog..... 301

fl0100\_GetZipCode\_DM..... 301

fl0102\_FindCCFromZip\_DB..... 302

fl0105\_CardCenterNeededQuestion\_DM..... 304

fl0120\_OfficeLocationInfo\_DM..... 305

fl0125\_CardCenterInfo\_DM..... 309

fl0135\_FindFOFromZip\_DB..... 312

fl0137\_RetrieveOfficeDetails\_DB..... 314

fl0140\_ZipFailedFirstTimeMsg\_PP..... 314

fl0150\_NoFOMsg\_PP..... 314

2.8 KnowledgeBasedAuthentication Dialog ..... 316

ka0100\_ElementsCheck\_DB..... 316

ka0105\_AttestFlagCheck\_DS..... 317

ka0110\_AttestCheck\_DS..... 318

ka0200\_PreAttestationMsg\_PP..... 318

ka0210\_AttestationQuestion\_DM..... 319

ka0220_OMBNumber_PP .....	321
ka0225_WhichActDetails_DM .....	322
ka0230_PrivacyActDetails_DM.....	324
ka0240_PaperworkActDetails_DM.....	326
ka0250_PrivacyEndMenu_DM.....	328
ka0260_PaperworkEndMenu_DM.....	329
ka0270_PerjuryMessage_DM .....	330
ka0300_SSNNull_DS.....	332
ka0310_GetSSN_DM.....	332
ka0320_NameNull_DS.....	333
ka0325_TNRSLocation_DS.....	334
ka0330_SetCallerNameParameters_DS .....	334
ka0340_GetCallerName_SD .....	335
ka0350_TNRS_DB.....	336
ka0352_CollectFullName_DS.....	337
ka0355_TNRSGetName_DM.....	337
ka0360_SetCallerNameRetryParameters_DS .....	339
ka0370_GetCallerNameRetry_SD .....	340
ka0400_AltNameNull_DS.....	341
ka0410_AltNameQuestion_DM.....	341
ka0420_SetAlternativeNameParameters_DS .....	342
ka0430_GetAlternativeName_SD .....	343
ka0440_TNRSAlt_DB.....	344
ka0450_SetAlternativeNameRetryParameters_DS .....	345
ka0460_GetAlternativeNameRetry_SD .....	345
ka0500_DOBNull_DS.....	346
ka0510_GetDOB_DM.....	346
ka0600_MaidenNameNull_DS.....	348
ka0610_SetMaidenNameParameters_DS.....	348
ka0620_GetMaidenName_SD.....	349
ka0700_POBNull_DS .....	350
ka0710_GetPlaceOfBirth_DM .....	350
ka0720_POBCityNull_DS.....	356
ka0730_GetPOBCity_DM.....	357
ka0800_LastPaymentNull_DS .....	358
ka0810_GetLastPaymentAmount_DM .....	359
ka0820_CantProceedMsg_PP.....	360
ka0830_ScreenPopSplashReturn_PP .....	361
ka0900_CheckingInfoMsg_PP.....	362
ka0905_ScreenSplashKB_DB .....	362
ka0910_QueryKB_DB .....	363
ka0915_PlayLastAccessDate_PP.....	366
ka0920_SuccessMsg_PP .....	367
ka0930_FailureMsg_PP.....	368

ka0940_AccountBlockedMsg_PP .....	368
2.9 MedicareReplacementCard Dialog.....	370
mr0100_PingHost_DB .....	370
mr0130_KBAAuthentication_SD .....	370
mr0210_MRCSuccess_PP.....	371
mr0220_TransactionEnd_PP .....	371
2.10 NameOSDM Dialog .....	373
na0110_PlayEntryPrompt_PP .....	373
na0120_SayAndSpellFirst_DM.....	373
na0130_SayAndSpellLast_DM.....	375
na0140_SpellFirst_DM .....	379
na0150_SpellLast_DM.....	380
na0200_ConfirmName_DM.....	383
na0210_ExitSuccessPrompts_PP .....	389
na0220_ConfirmationApology_PP.....	389
2.11 ReplacementBenefitStatement Dialog.....	391
rb0100_MySSAWebsite_PP.....	391
rb0110_CurrentYearQuestion_DM .....	391
rb0130_1099JanuaryEnd_DM.....	393
rb0200_PingHost_DB .....	394
rb0300_KBAAuthentication_SD .....	395
rb0310_FormForSelf_DM.....	396
rb0320_PersonLiving_DM.....	397
rb0330_DeceasedSocial_DM .....	398
rb0400_SendStatement_DB .....	400
rb0410_SuccessMsg_PP.....	401
rb0420_NoRelationshipEnd_DM.....	402
rb0440_BenefitsStatementEndMenu_DM .....	403
2.12 Transcription Dialog.....	406
tr0105_PlayTransIntro_PP .....	406
tr0110_ReverseANILookup_DB.....	406
tr0120_ConfirmAddress_DM.....	407
tr0130_SetAddressParameters_DS.....	409
tr0140_AddressOSDM_SD .....	409
tr0200_AskHowManyForms_DM.....	410
tr0210_SubmitRequest_DB.....	412
tr0220_SuccessMsg_PP.....	413
tr0240_FailureMsg_PP .....	414
tr0310_UnderstandingSS_DM .....	414
tr0320_RetirementBenefits_DM .....	416
tr0330_DisabilityBenefits_DM .....	418
tr0340_SurvivorBenefits_DM .....	419
tr0410_WorkAffectsBenefits_DM .....	421
tr0420_DisabledChildrenBenefits_DM.....	423

tr0430\_WomanSS\_DM ..... 425

tr0540\_MoreChoices\_DM ..... 427

tr0545\_PamphletCheck\_DS ..... 429

tr0550\_ConcludeChoices\_PP ..... 430

Appendix A: Variable Table ..... 431

    Variables ..... 431

    Recognition Variables ..... 442

Appendix B: Grammar Mapping Table ..... 450

    main ..... 450

    AddressOSDM ..... 453

    BenefitsVerification ..... 454

    ChangeOfAddress ..... 454

    ClaimStatusRequests ..... 454

    DirectDeposit ..... 454

    FieldOfficeLocator ..... 455

    KnowledgeBasedAuthentication ..... 455

    MedicareReplacementCard ..... 456

    NameOSDM ..... 456

    ReplacementBenefitStatement ..... 456

    Transcription ..... 456

# Chapter 1: Global Behavior

## 1.1 Recovery Behavior

<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	--	--
nomatch 2	Always	--	--
nomatch 3	Always	<b>Assign:</b> <code>transfer_reason =error</code>	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <code>mm3000_ABRStatus_DS</code>
noinput 1	Always	--	--
noinput 2	Always	--	--
noinput 3	Always	<b>Assign:</b> <code>transfer_reason =error</code>	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <code>mm3000_ABRStatus_DS</code>
event.conf.noinput 1	--	--	<b>goto:</b> <code>mm3000_ABRStatus_DS</code>
event.conf.nomatch 1	--	--	<b>goto:</b> <code>mm3000_ABRStatus_DS</code>
event.nomatch 1	--	--	<b>goto:</b> <code>mm3000_ABRStatus_DS</code>
event.operator 1	--	--	<b>goto:</b> <code>mm3000_ABRStatus_DS</code>
event.system.error 1	--	<b>Prompt:</b> [tech_diff] Sorry, but we seem to be having technical difficulties.	<b>goto:</b> <code>mm3000_ABRStatus_DS</code>

## 1.2 Global Commands

<b>Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Command</b>	<b>Confirm</b>
start over, main menu	*	StartOver	If Necessary
agent, operator, representative	0	operator	Always
repeat that, repeat	9	repeat	Never
<b>Actions</b>			
<b>Command</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
<b>Command Confirmations</b>			
<b>Command</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
operator	Always	gl_cnf_operator_01	You'd like to speak to someone. Right?

## 1.3 Global Confirmation

<b>Initial Prompts</b>			
<b>Option</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
--	Always	gl_cnf_ini_01	You want
--	Always	gl_cnf_ini_02	Right?
<b>Grammar</b>			
Sample Phrases: yes: yes, correct, right			

no: no, no that's not correct, no it's not, no that's not right			
<b>Actions</b>			
<b>Condition</b>	<b>Action</b>	<b>Transition</b>	
Upon negative confirmation	Prompt: [gl_cnf_out_01] My Mistake	Collection	
Upon positive confirmation	--	Node Action	
<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
noinput1	--	--	<b>Re-Recognition:</b> Reprompt
noinput2	--	<b>Prompt:</b> [gl_cnf_ni2_01] Sorry.	<b>Re-Recognition:</b> Reprompt
noinput3	--	<b>Prompt:</b> [gl_cnf_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
nomatch1	--	<b>Prompt:</b> [gl_cnf_nm1_01] Sorry. Please say 'yes' or 'no.'	<b>Re-Recognition:</b> Reprompt
nomatch2	--	<b>Prompt:</b> [gl_cnf_nm2_01] Sorry. Please say 'yes' or 'no.'	<b>Re-Recognition:</b> Reprompt
nomatch3	--	<b>Prompt:</b> [gl_cnf_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
<b>Confirmation Commands</b>			
--			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
Confirmation_MaxInvalidanswers	2		

#### 1.4 Global Config Parameters

<b>Config Parameters</b>	
<b>Parameter</b>	<b>Value</b>
__Maxnoinputs	--
__Maxnomatches	--
__Maxrepeats	--
entryprompt	empty by default
exitfailureprompt	default_address_exitfailureprompt
exitsuccessprompts	default_successprompts(1,2,3)
fetchaudio	percolate
fetchtimeout	1000 ms
maxcorrections	1
maxnoinputtotal	2
maxnomatchestotal	2
overallconfirmation	Always //can also be set to never
collectedzipcode	empty by default
collectfortranscription	false
citystatelookuperrorprompt	default_address_citystateookuperrorprompt




ziplookuperrorprompt	default_address_ziplookuperrorprompt
----------------------	--------------------------------------

## Chapter 2: Detailed Dialog Specification

### 2.1 main Dialog


Includes the main menu (NLU and Directed Dialog), disambiguation states, and informational messages, as well as Operator Transfer functionality.

#### mm0040\_GetCallProperties\_DB

Database Call 	
Retrieves initial properties values for the call.	
<b>Entering From</b>	
--	
<b>Input parameters</b>	
Parameter	Value
current_date	today's date
<b>Output parameters</b>	
Variable	Description
aca_active	--
myss_helpdesk_active	--
collect_full_name	--
coa_active	--
direct_deposit_active	--
form_7004_delivery	--
play_attestation_flag	--
speak_freely_active	--
tnrs_db_upfront	--
colaYear	the cost of living adjustment year
colaRate	cost-of-living adjustment rate
colaPremiumAmount	cola medicare part b premium amount
colaSsiPaymentDate	Supplemental Security Income payments dated
colaSsPaymentDate	Social Security payments dated
taxYear	tax year
taxAmount1SelfEmp	self-employed minimum net profit amount
taxAmount2MaxTax	maximum taxable amount
taxAmount3MaxSs	maximum Social Security tax withheld
taxRate1ContEe	contribution rate for employees
taxRate2ConSelfEmp	contribution rate for self-employed people
taxRate3SsTax	Social Security tax rate
taxRate4MedTax	Medicare tax rate
individualResourceMax	individual resource max
coupleResourceMax	couple resources max
firstMonth	--

firstMonth.ssiPaymentDate	--	
firstMonth.firstPaymentDate	--	
firstMonth.secondPaymentDate	--	
firstMonth.thirdPaymentDate	--	
firstMonth.fourthPaymentDate	--	
secondMonth	--	
secondMonth.ssiPaymentDate	--	
secondMonth.firstPaymentDate	--	
secondMonth.secondPaymentDate	--	
secondMonth.thirdPaymentDate	--	
secondMonth.fourthPaymentDate	--	
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	--	goto: mm0050_EntryRouting_DS
<b>Recovery Behavior</b>		
See 1.1 Global Recovery Behavior		
<b>Developer Notes</b>		
--		

### mm0050\_EntryRouting\_DS


		<b>Decision</b> 	
Evaluates applicationtag and lob variables to route the call upon entry.			
<b>Entering From</b>			
mm0040_GetCallProperties_DB, mm0210_SFMainMenu_DM			
<b>Actions</b>			
<b>Condition</b>		<b>Action</b>	<b>Transition</b>
If applicationtag=order_ssn_card	If lob=OIG	--	goto: mm1100_SocialSecurityCardsMenu_DM
Elseif applicationtag=earnings_statement	If lob=OIG	--	goto: mm2400_EarningsMenu_DM
Else (applicationtag=Undefined)	If lob=OIG OR OCO	Assign: non_national_transfer =true	goto: mm0200_SFToggle_DS
^	Else	--	goto: mm0100_WelcomeMsg_PP
<b>Developer Notes</b>			
applicationtag maps to MainMenuChoice in IVR to ICM. The following shows the value mappings for applicationtag to MainMenuChoice: applicationtag=order_ssn_card   MainMenuChoice=card_social_security  applicationtag=earnings_statement   MainMenuChoice=earnings_statement			

### mm0100\_WelcomeMsg\_PP

		<b>Play Prompt</b> 	
--	--	--	--

This state plays a generic welcome to SSA message		
<b>Entering From</b>		
<a href="#">mm0050_EntryRouting_DS</a>		
<b>Actions</b> [Barge-in is OFF]		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Prompt:</b> [mm0100_out_01] Thank you for calling Social Security.	<b>goto:</b> <a href="#">mm0110_LanguageSelection_DM</a>
<b>Developer Notes</b>		
--		


### mm0110\_LanguageSelection\_DM

CustomContext Recognition 			
Language selection (Spanish or English) - '*' goes to Spanish, noinput to English.			
<b>Entering From</b>			
<a href="#">mm0100_WelcomeMsg_PP</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm0110_ini_01	Para español, marque siete.
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
<dtmf_7> // DTMF only		7	< <a href="#">language_selection</a> spanish>
<b>Confirm</b>			
Never			
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
spanish	Always	--	<b>goto:</b> <a href="#">mm0150_SpanishApp_EC</a>
noinput	--	<b>Comment:</b> this row for call flow illustration only - see Recovery Behavior for actual behavior	<b>goto:</b> <a href="#">mm0120_RecordingMsg_DM</a>
<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [mm0110_nm1_01] Para español, marque siete. To continue in Spanish, press seven. Otherwise, just hold on and we'll continue in English.	<b>Re-Recognition:</b>
nomatch 2	Always	--	<b>goto:</b> <a href="#">mm0120_RecordingMsg_DM</a>
noinput 1	Always	--	<b>goto:</b> <a href="#">mm0120_RecordingMsg_DM</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
StartOver, operator, repeat			
<b>Commands: Confirmations</b>			


[See 1.2 Global Commands](#)

<b>Config Parameters</b>	
<b>Parameter</b>	<b>Value</b>
--	--
<b>Developer Notes</b>	
--	


**mm0120\_RecordingMsg\_DM**

<b>CustomContext Recognition</b> 			
Presents standard monitoring message to English callers.			
<b>Entering From</b>			
<a href="#">mm0110_LanguageSelection_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm0120_ini_01	To ensure quality, your call may be monitored or recorded.
<b>Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
na // spanish	7	< <a href="#">language_selection</a> spanish>	Never
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
spanish	Always	--	<a href="#">goto: mm0150_SpanishApp_EC</a>
noinput	--	<b>Comment:</b> this row for call flow illustration only - see Recovery Behavior for actual behavior	<a href="#">goto: mm0125_ABRStatus_DS</a>
<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	--	<b>Re-Recognition:</b> Reprompt
nomatch 2	Always	--	<a href="#">goto: mm0125_ABRStatus_DS</a>
noinput 1	Always	--	<a href="#">goto: mm0125_ABRStatus_DS</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
StartOver, operator, repeat			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
Accepts dtmf_* to capture late Spanish callers. Timeout should be set to 1000 ms (i.e. very short)			


### mm0150\_SpanishApp\_EC

External Call 		
Transfers call to the Spanish language application.		
<b>Entering From</b>		
<a href="#">mm0110_LanguageSelection_DM</a> , <a href="#">mm0120_RecordingMsg_DM</a> , <a href="#">mm0600_BackoffMainMenu_DM</a>		
<b>Input parameters</b>		
Parameter	Value	
--	--	
<b>Output parameters</b>		
Variable	Description	
--	--	
<b>Actions</b>		
Condition	Action	Transition
--	<b>Comment:</b> What is the mechanism for transferring to the Spanish app (how should this be represented?)	--
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
--		

### mm0125\_ABRStatus\_DS


Decision 		
Evaluate A) whether ABR routing is in effect and B) abr variable to determine routing.		
<b>Entering From</b>		
<a href="#">mm0120_RecordingMsg_DM</a>		
<b>Actions</b>		
Condition	Action	Transition
If <a href="#">initial_abr_transfer=true</a>	If <a href="#">abr=4</a> AND <a href="#">office_hours=true</a>	--
^	Elseif <a href="#">abr=4</a> AND <a href="#">office_hours=false</a>	--
Else ( <a href="#">initial_abr_transfer=false</a> )	Always	--
		<a href="#">goto: mm3000_ABRStatus_DS</a>
		<a href="#">goto: mm0130_GetVariablesAnn_DB</a>
		<a href="#">goto: mm0130_GetVariablesAnn_DB</a>
<b>Developer Notes</b>		
--		

### mm0122\_AfterHoursCheck\_DS

Decision 	
Determines if it is currently during or after business hours and transitions accordingly.	
<b>Entering From</b>	
<a href="#">mm0173_ACAWrapMenu_DM</a> , <a href="#">mm0180_MySSEnabled_DS</a> , <a href="#">mm0181_MySSMainMenu_DM</a>	

<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If <code>office_hours=true</code>	--	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
Else (If <code>office_hours=false</code> )	--	<b>goto:</b> <a href="#">mm0124_OfficeClosedMsg_PP</a>
<b>Developer Notes</b>		
--		

### mm0124\_OfficeClosedMsg\_PP


<b>Simple Play Prompt</b> 		
Message that informs callers upfront that the offices are currently closed, so no agents are available.		
<b>Entering From</b>		
<a href="#">mm0122_AfterHoursCheck_DS</a>		
<b>Actions</b> [Barge-in is OFF]		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If <code>ccs = 2</code> (holiday)	<b>Prompt:</b> [mm0124_out_02] Due to the holiday our offices are currently closed, but *I* can help you. If you need to speak with someone, please call back during our regular office hours - Monday through Friday:	--
Else if <code>ccs = 4</code> (emergency)	<b>Prompt:</b> [mm0124_out_08] Due to an emergency our offices are currently closed, but *I* can help you. If you need to speak with someone, please call us back. Our regular office hours are - Monday through Friday:	--
Else	<b>Prompt:</b> [mm0124_out_01] Just so you're aware, our offices are currently closed, but *I* can help you. If you need to speak with someone, please call back during our regular office hours - Monday through Friday:	--
If Hawaii	<b>Prompt:</b> [mm0124_out_03] 7 A.M. to 5 P.M.	--
If Alaska, Standard Time	<b>Prompt:</b> [mm0124_out_04] 7 A.M. to 6 P.M.	--
If Guam or the Northern Marianas Islands	<b>Prompt:</b> [mm0124_out_06] 11 P.M. to 9 A.M.	--
If American Samoa	<b>Prompt:</b> [mm0124_out_07] 5 A.M. to 3 P.M.	--
Else (if unknown or any other territory)	<b>Prompt:</b> [mm0124_out_05] 7 A.M. to 7 P.M.	--
Always	--	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
<b>Developer Notes</b>		
--		

### mm0130\_GetVariablesAnn\_DB

<b>Database Call</b> 
Initial lookup to retrieve information related to optional 'emergency' messages.

<b>Entering From</b>		
<a href="#">mm0125_ABRStatus_DS</a>		
<b>Input parameters</b>		
<b>Parameter</b>	<b>Value</b>	
<a href="#">broadcastName</a>	--	
<a href="#">language</a>	English	
<b>Output parameters</b>		
<b>Variable</b>	<b>Description</b>	
<a href="#">broadcastPrompt1</a>	the name of the recording (wav file)	
<a href="#">broadcastPrompt2</a>	the name of the recording (wav file)	
<a href="#">broadcastPrompt3</a>	the name of the recording (wav file)	
<a href="#">startTime1</a>	the beginning of the time range when the emergency message 1 needs to be played	
<a href="#">startTime2</a>	the beginning of the time range when the emergency message 2 needs to be played	
<a href="#">startTime3</a>	the beginning of the time range when the emergency message 3 needs to be played	
<a href="#">endTime1</a>	the end of the time range when the emergency message 1 needs to be played	
<a href="#">endTime2</a>	the end of the time range when the emergency message 2 needs to be played	
<a href="#">endTime3</a>	the end of the time range when the emergency message 3 needs to be played	
<a href="#">activeFlag1</a>	indicator that determines if emergency message 1 is active or not	
<a href="#">activeFlag2</a>	indicator that determines if emergency message 2 is active or not	
<a href="#">activeFlag3</a>	indicator that determines if emergency message 3 is active or not	
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If 1 or more messages are returned	--	<b>goto:</b> <a href="#">mm0140_EmergencyMsg_PP</a>
Else	--	<b>goto:</b> <a href="#">mm0160_WebsiteInfo_PP</a>
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
Move on to <a href="#">mm0140_EmergencyMsg_PP</a> if any messages are returned.		


### mm0140\_EmergencyMsg\_PP

<b>Complex Play Prompt</b> 
If 'emergency message' is available to be played, this state plays the pre-recorded message.
NOTE: Barge-In is DISABLED in this state.
<b>Entering From</b>
<a href="#">mm0130_GetVariablesAnn_DB</a>
<b>Actions</b> [Barge-in is OFF]



Condition		Action	Transition
Always		<b>Comment:</b> The emergency messages associated with 'activeFlagx' variables are NOT mutually exclusive	--
If activeFlag1=true	If current time is greater than startTime1 AND current time is less than endTime1 AND broadcastPrompt1 (wav file) exists	<b>Comment:</b> play broadcastPrompt (wav file) associated with activeFlag1 English, then play 1,000ms of silence	--
If activeFlag2=true	If current time is greater than startTime2 AND current time is less than endTime2 AND broadcastPrompt2 (wav file) exists	<b>Comment:</b> play broadcastPrompt (wav file) associated with activeFlag2 English, then play 1,000ms of silence	--
If activeFlag3=true	If current time is greater than startTime3 AND current time is less than endTime3 AND broadcastPrompt3 (wav file) exists	<b>Comment:</b> play broadcastPrompt (wav file) associated with activeFlag3 English, then play 1,000ms of silence	--
Else		<b>Comment:</b> Play Nothing	--
Always		--	<b>goto:</b> <a href="#">mm0160_WebsiteInfo_PP</a>
<b>Developer Notes</b>			
NOTE that the emergency messages associated with the 'activeFlagx' variables are NOT mutually exclusive. Any or all of the messages might be played, in any combination, based on the values of the variables. That said, care should be taken to use these messages judiciously in order to avoid front-loading the call with off-topic messaging, and to use these emergency messages only for legitimate emergencies (as opposed to less critical informational messaging). All callers will hear the SSA.gov website info (mm0160), regardless of whether any broadcast/emergency messages are played to the caller.			

**mm0160\_WebsiteInfo\_PP**

Simple Play Prompt 		
Plays website address.		
<b>Entering From</b>		
<a href="#">mm0130_GetVariablesAnn_DB</a> , <a href="#">mm0140_EmergencyMsg_PP</a>		
<b>Actions</b> [Barge-in is OFF]		
Condition	Action	Transition
Always	<b>Prompt:</b> [mm0160_out_01] You can find the Social Security Administration online at www dot social security dot G-O-V.	<b>goto:</b> <a href="#">mm0170_ACAEnabled_DS</a>
<b>Developer Notes</b>		
Note: in the future this message might be removed, replaced with website messages elsewhere in the flow and played only as necessary and appropriate.		

**mm0170\_ACAEnabled\_DS**

Decision 	
Determines if ACA functionality is enabled.	
<b>Entering From</b>	
<a href="#">mm0160_WebsiteInfo_PP</a>	
<b>Actions</b>	

Condition	Action	Transition
If <code>aca_active</code> = true	--	<b>goto:</b> <a href="#">mm0171_ACAMainMenu_DM</a>
Else	--	<b>goto:</b> <a href="#">mm0180_MySSEnabled_DS</a>
<b>Developer Notes</b>		
--		

**mm0171\_ACAMainMenu\_DM**

**CustomContext Recognition** 

Asks if caller needs to get information about health insurance. This is part of the Affordable Care Act (ACA) updates request.

**Entering From**

[mm0170\\_ACAEnabled\\_DS](#)

**Initial Prompts** [Barge-in is OFF]

Type	Condition	Name	Wording
initial	Never (callflow example)	example	If you need information about affordable health insurance and the new changes to the law, please say "health insurance". For anything else, please remain on the line.
initial	Always	mm0171_ini_01	If you need information about affordable health insurance and the new changes to the law, please say "health insurance". For anything else, please remain on the line.

**Grammar**

Sample Expressions	DTMF	Reco Var/Option	Confirm
health insurance, insurance	1	<result insurance>	Never
continue	-	<result continue>	Never

**Actions**

Option	Condition	Action	Transition
insurance	Always	<b>Assign:</b> <code>current_task</code> =aca_info	<b>goto:</b> <a href="#">mm0172_ACAMsg_PP</a>
noinput/continue	Always	<b>Comment:</b> This row is for call flow illustration only - see Recovery Behavior for actual behavior.  'continue' is a hidden option.	<b>goto:</b> <a href="#">mm0180_MySSEnabled_DS</a>

**Recovery Behavior**


Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm0171_nm1_01] Let's try again... For information about health insurance and the new laws, say "health insurance" or press 1. For anything else, please remain on the line.	<b>Re-Recognition:</b>
nomatch 2	Always	<b>Prompt:</b> [mm0171_nm2_01] Sorry. Let's move on.	<b>goto:</b> <a href="#">mm0180_MySSEnabled_DS</a>
noinput 1	Always	<b>Comment:</b> No input is set to 3 seconds	<b>goto:</b> <a href="#">mm0180_MySSEnabled_DS</a>

**Commands: State-Specific Behavior**

[See 1.2 Global Commands](#)

<b>Commands: Confirmations</b>	
See 1.2 Global Commands	
<b>Config Parameters</b>	
Parameter	Value
--	--
<b>Developer Notes</b>	
Set timeout limit to 3 secs and move on to the next state. Only one retry is allowed upon the first no-match. If a second error occurs, the system should move on to the next state. Barge-in turned off!!!	

**mm0172\_ACAMsg\_PP**

<b>Simple Play Prompt</b> 		
Plays health insurance information.		
<b>Entering From</b>		
mm0171_ACAMainMenu_DM, mm0173_ACAWrapMenu_DM, mm0210_SFMainMenu_DM		
<b>Actions</b>		
Condition	Action	Transition
Never (callflow example)	<b>Prompt:</b> [example] It's Open Enrollment at HealthCare.gov. That means, if you -- or someone you care about -- needs health insurance, now is your chance to find a plan that fits your needs and budget. The final deadline to enroll in a 2016 plan is January 31. Don't miss your chance to get covered. Visit w.w dot healthcare dot gov or call 1-800-318-2596 to learn more. Marketplace open enrollment for 2017 health coverage is November 1, 2016, through January 31, 2017. If you want your coverage to begin January 1st, you'll have to enroll by December 15th. Visit Healthcare.gov or call 1-800-318-2596 to learn more.	--
Always	<b>Prompt:</b> [mm0172_out_01] It's Open Enrollment at HealthCare.gov. That means, if you -- or someone you care about -- needs health insurance, now is your chance to find a plan that fits your needs and budget. The final deadline to enroll in a 2016 plan is January 31. Don't miss your chance to get covered. Visit w.w dot healthcare dot gov or call 1-800-318-2596 to learn more. Marketplace open enrollment for 2017 health coverage is November 1, 2016, through January 31, 2017. If you want your coverage to begin January 1st, you'll have to enroll by December 15th. Visit Healthcare.gov or call 1-800-318-2596 to learn more.	--
^	<b>Prompt:</b> [silence_500ms] <silence 500ms>	--
Always	<b>Assign:</b> first_entry =false	<b>goto:</b> mm0173_ACAWrapMenu_DM
<b>Developer Notes</b>		


--

**mm0173\_ACAWrapMenu\_DM**


<b>CustomContext Recognition</b>			
Provides post-ACA-readout options.			
<b>Entering From</b>			
<a href="#">mm0172_ACAMsg_PP</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Never (callflow example)	example	To hear that again, say "repeat". Or to get help with anything else, please remain on the line.
initial	Always	mm0173_ini_01	To hear that again, say "repeat". Or to get help with anything else, please remain on the line.
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
repeat, repeat that	1	<result repeat>	Never
continue	-	<result continue>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
repeat	Always	--	<b>goto:</b> <a href="#">mm0172_ACAMsg_PP</a>
noinput/continue	Always	<b>Comment:</b> This row is for call flow illustration only - see Recovery Behavior for actual behavior.  'continue' is a hidden option.	<b>goto:</b> <a href="#">mm0122_AfterHoursCheck_DS</a>
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm0173_nm1_01] Let's try again... To hear that information again, say 'repeat' or press 1. For anything else, please remain on the line.	<b>Re-Recognition:</b>
nomatch 2	Always	<b>Prompt:</b> [mm0173_nm2_01] Sorry. Let's move on.	<b>goto:</b> <a href="#">mm0122_AfterHoursCheck_DS</a>
noinput 1	Always	<b>Comment:</b> No input is set to 3 seconds	<b>goto:</b> <a href="#">mm0122_AfterHoursCheck_DS</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
repeat			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
Parameter	Value		
--	--		

**Developer Notes**  
 Set timeout limit to 3 secs and move on to the next state.  
 Only one retry is allowed upon the first no-match. If a second error occurs, the system should move on to the next state.  
 The 'repeat' global command is overridden by the local behavior.

**mm0180\_MySSEnabled\_DS**


Decision 		
Determines if My Social Security Helpdesk functionality is enabled.		
<b>Entering From</b>		
mm0170_ACAEnabled_DS, mm0171_ACAMainMenu_DM		
<b>Actions</b>		
Condition	Action	Transition
If myss_helpdesk_active = true	--	goto: mm0181_MySSMainMenu_DM
Else	--	goto: mm0122_AfterHoursCheck_DS
<b>Developer Notes</b>		
--		

**mm0181\_MySSMainMenu\_DM**

CustomContext Recognition 			
Asks if caller needs help with My Social Security website.			
<b>Entering From</b>			
mm0180_MySSEnabled_DS			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Never (callflow example)	example	If you need help registering or using the MySocialSecurity website, say "online help". For anything else, please remain on the line.
initial	If aca_active = true	mm0181_ini_01	If you need help registering or using the MySocialSecurity website, say "online help". Otherwise, please hold.
initial	Else // ACA not active	mm0181_ini_02	If you need help registering or using the MySocialSecurity website, say "online help". For anything else, please remain on the line.
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
online, online help	1	<result help>	Never
continue	-	<result continue>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
help	Always	<b>Assign:</b> current_task =myssa_helpdesk	goto: mm0182_MySSAfterHoursCheck_DS
noinput/continue	Always	<b>Comment:</b> This row is for call flow illustration only - see Recovery Behavior for actual behavior.	goto: mm0122_AfterHoursCheck_DS


		'continue' is a hidden option.	
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm0181_nm1_01] Let's try again... For help registering or using the MySocialSecurity website, say "online help" or press 1. For anything else, please remain on the line.	<b>Re-Recognition:</b>
nomatch 2	Always	<b>Prompt:</b> [mm0181_nm2_01] Sorry. Let's move on.	<b>goto:</b> <a href="#">mm0122_AfterHoursCheck_DS</a>
noinput 1	Always	<b>Comment:</b> No input is set to 3 seconds	<b>goto:</b> <a href="#">mm0122_AfterHoursCheck_DS</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
Parameter	Value		
--	--		
<b>Developer Notes</b>			
Set timeout limit to 3 secs and move on to the next state. Only one retry is allowed upon the first no-match. If a second error occurs, the system should move on to the next state.			

### mm0182\_MySSAAfterHoursCheck\_DS

			<b>Decision</b> 
Determines if it is currently during or after business hours and transitions accordingly.			
<b>Entering From</b>			
<a href="#">mm0181_MySSMainMenu_DM</a> , <a href="#">mm0210_SFMainMenu_DM</a>			
<b>Actions</b>			
Condition	Action	Transition	
If office_hours=true	Else If abr=1 (no agents)	<b>Prompt:</b> [mm0182_out_02] Normally I'd get an agent to help you but, unfortunately, no one is available at the moment. To speak with someone, you'll need to call back. If you're finished for now, feel free to hang up. Otherwise,...	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
^	Else (abr=5)	<b>Prompt:</b> [mm0182_out_03] I'm very sorry but none of our agents are available right now. Please call back again, and keep in mind our busiest times are early in the month and early in the week. Thank you for calling. Goodbye.	<b>goto:</b> <a href="#">mm3040_EndCall_CT</a>
^	Else If N8NN CCS = Open AND If MySSA CCS = Open OR If N8NN CCS = Closed AND MySSA CCS = Open	<b>Prompt:</b> [mm0182_out_01] Just a moment while I get someone to help you.	--

	OR If N8NN CCS = Open AND MySSA CCS = Emergency OR If N8NN CCS = Open AND MySSA CCS = No Agents		
^		<b>Comment:</b> Route to the next available agent in the MySSA Helpdesk Skill Group	<b>goto:</b> <a href="#">mm3030_CallTransfer_CX</a>
Else //office_hours=false		--	<b>goto:</b> <a href="#">mm0183_MySSOfficeClosedMsg_PP</a>
<b>Developer Notes</b>			
--			

**mm0183\_MySSOfficeClosedMsg\_PP**

			Play Prompt 
Plays after hours information.			
<b>Entering From</b>			
<a href="#">mm0182_MySSAfterHoursCheck_DS</a> , <a href="#">mm0184_MySSWrapMenu_DM</a>			
<b>Actions</b> [Barge-in is OFF]			
Condition	Action	Transition	
If N8NN CCS OR MySSA CCS = Holiday	<b>Prompt:</b> [mm0183_out_02] You've reached the MySocialSecurity Help Desk. Due to the Federal holiday, our offices are currently closed. If you need to speak with someone, please call back during our regular office hours - Monday through Friday from 7 am to midnight.	--	
Else If N8NN CCS = Open	If MySSA CCS = Closed <b>Prompt:</b> [mm0183_out_03] You've reached the MySocialSecurity Help Desk. Our offices are currently closed. If you need to speak with someone, please call back during our regular office hours - Monday through Friday from 7 am to midnight.	--	
Else If N8NN CCS = Closed	If MySSA CCS = Closed <b>Prompt:</b> [mm0183_out_03] You've reached the MySocialSecurity Help Desk. Our offices are currently closed. If you need to speak with someone, please call back during our regular office hours - Monday through Friday from 7 am to midnight.	--	
^	Else If MySSA CCS = Emergency <b>Prompt:</b> [mm0183_out_01] You have reached the MySocialSecurity Help Desk. We are sorry but due to an emergency our offices are currently closed. If you need to speak with someone, please call back during our regular office hours - Monday through Friday 7 A.M. through midnight, Eastern Time, excluding Federal holidays.	--	
^	Else (MySSA CCS = No Agents) <b>Prompt:</b> [mm0183_out_04] You've reached the MySocialSecurity Help Desk. We're sorry, but due to	--	

		administrative reasons we are currently closed. If you need to speak with someone, please call back during our regular office hours - Monday through Friday from 7 am to midnight.	
Else (N8NN CCS = Emergency)	If MySSA CCS = Open OR Emergency OR No Agents	<b>Prompt:</b> [mm0183_out_01] You have reached the MySocialSecurity Help Desk. We are sorry but due to an emergency our offices are currently closed. If you need to speak with someone, please call back during our regular office hours - Monday through Friday 7 A.M. through midnight, Eastern Time, excluding Federal holidays.	--
^	Else (MySSA CCS = Closed)	<b>Prompt:</b> [mm0183_out_03] You've reached the MySocialSecurity Help Desk. Our offices are currently closed. If you need to speak with someone, please call back during our regular office hours - Monday through Friday from 7 am to midnight.	--
Always		<b>Prompt:</b> [silence_500ms] <silence 500ms>	--
Always		<b>Assign:</b> first_entry =false	<b>goto:</b> mm0184_MySSWrapMenu_DM
<b>Developer Notes</b>			
--			

**mm0184\_MySSWrapMenu\_DM**



CustomContext Recognition 			
Provides post My SS Helpdesk readout options.			
<b>Entering From</b>			
<a href="#">mm0183_MySSOfficeClosedMsg_PP</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Never (callflow example)	example	To hear that again, say "repeat". For help with anything else, say "main menu". Or if you're done, just hang up.
initial	Always	mm0184_ini_01	To hear that again, say "repeat". For help with anything else, say "main menu". Or if you're done, just hang up.
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
repeat, repeat that	1	<result repeat>	Never
main menu	2	<result main_menu>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
repeat	Always	--	<b>goto:</b> <a href="#">mm0183_MySSOfficeClosedMsg_PP</a>
main_menu	Always	--	<b>goto:</b> mm0200_SFToggle_DS
noinput	Always	<b>Comment:</b> This row is for call flow	--



		illustration only - see Recovery Behavior for actual behavior	
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm0184_nm1_01] Let's try again... Say "repeat" or press 1, "main menu" or press 2. Or if you're finished for now, feel free to hang up.	<b>Re-Recognition:</b>
nomatch 2	Always	<b>Prompt:</b> [mm0184_nm2_01] Sorry. To hear our regular business hours again, press 1. If you need help with something else and wish to be transferred to our automated service line, press 2. Or if you're finished for now, feel free to hang up.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
noinput 1	Always	<b>Prompt:</b> [mm0184_ni1_01] To hear our regular business hours again, say "repeat" or press 1. If you need help with anything else, say "main menu" or press 2. Or if you're done, just hang up.	<b>Re-Recognition:</b>
noinput 2	Always	<b>Prompt:</b> [mm0184_ni2_01] Sorry. To hear our regular business hours again, press 1. If you need help with something else and wish to be transferred to our automated service line, press 2. Or if you're finished for now, feel free to hang up.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
StartOver, repeat			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
Parameter	Value		
--	--		
<b>Developer Notes</b>			
The global commands 'repeat and 'main menu' are overridden by the local behavior.			

**mm0200\_SFToggle\_DS**

<b>Decision</b> 
Evaluates whether NLU is turned on or off and routes to SFMainMenu (if on) or BackoffMainMenu (if off)
<b>Entering From</b>

mm0050\_EntryRouting\_DS, mm0122\_AfterHoursCheck\_DS, mm0124\_OfficeClosedMsg\_PP, mm0182\_MySSAAfterHoursCheck\_DS, mm0184\_MySSWrapMenu\_DM, mm0303\_AskRepeatCola\_DM, mm0310\_ChangeOfAddress\_SD, mm0320\_FieldOfficeLocator\_SD, mm0330\_DirectDeposit\_SD, mm0410\_AskRepeatTaxes\_DM, mm0420\_AddressVerifyMsg\_DM, mm0460\_SSNVerification\_DM, mm0505\_BEVE\_SD, mm0520\_ApplicationStatus\_SD, mm0530\_BenefitsStatement\_SD, mm0540\_BestTimeMsg\_PP, mm0550\_Transcription\_SD, mm0565\_MRC\_SD, mm1210\_InternetAddress\_DM, mm1220\_InternetInformation\_DM, mm1510\_CitizenDocumentsMsgPart1\_DM, mm1512\_CitizenDocumentsMsgPart2\_DM, mm1515\_NonCitizenDocumentsMsgPart1\_DM, mm1517\_NonCitizenDocumentsMsgPart2\_DM, mm1519\_NonCitizenDocumentsMsgPart3\_DM, mm1520\_GetForm\_DM, mm1530\_WebsiteInstructions\_DM, mm1600\_SubmitForm\_DM, mm1720\_MedicareEnrollMsg\_DM, mm1740\_MedicareSusidyMsg\_DM, mm1770\_OrderDrugFormQuestion\_DM, mm1810\_CitizenshipMsg\_DM, mm1907\_LatePaymentQuestion\_DM, mm1940\_LatePaymentExit\_DM, mm2050\_FutureBenefitsBudgetaryMsg\_PP, mm2110\_ProgramMsg\_DM, mm2120\_ChangeMsg\_DM, mm2200\_BecomePayee\_DM, mm3020\_ProcessTransfer\_DS

<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If SPEAK_FREELY_ACTIVE=true	<b>Assign:</b> =0	<b>goto:</b> mm0210_SFMainMenu_DM
Else (SPEAK_FREELY_ACTIVE=false)	<b>Assign:</b> =0	<b>goto:</b> mm0600_BackoffMainMenu_DM
<b>Developer Notes</b>		
--		

**mm0210\_SFMainMenu\_DM**

<b>CustomContext Recognition</b>				
Natural language ('speak Freely') main menu.				
<b>Entering From</b>				
mm0200_SFToggle_DS, mm0310_ChangeOfAddress_SD, mm2210_PayeeMisuse_DM				
<b>Initial Prompts</b>				
<b>Type</b>	<b>Condition</b>		<b>Name</b>	<b>Wording</b>
initial	If first_entry=true	If non_national_transfer=true  (play one of 3 randomized versions)	mm0210_ini_01	Okay. To get started, you can say things like 'check claim status' or 'I need a replacement card.' So, briefly tell me why you're calling.
initial	^	^	mm0210_ini_02	Okay. To get started, you can say things like 'update my personal information' or 'find a social security office.' So, briefly tell me why you're calling.
initial	^	^	mm0210_ini_03	Okay. To get started, you can say things like 'set up direct deposit' or 'apply for benefits.' So, briefly tell me why you're calling.
initial	^	Else (non_national_transfer=false)  (play one of 3 randomized versions)	mm0210_ini_04	<Chime> Main Menu. In a few words, please tell me what you're calling about. You can say things like 'check claim status' or 'I need a replacement card.' So, how can I help you?
initial	^	^	mm0210_ini_05	<Chime> Main Menu. In a few words, please tell me what you're calling about. You can say things like 'update my personal information' or 'find a social security office.' So, how can I help you?
initial	^	^	mm0210_ini_06	<Chime> Main Menu. In a few words, please tell me what you're calling about. You can say things like 'set up direct deposit' or 'apply for benefits.' So, how

				can I help you?
initial	Else (first_entry=false)	(play one of 3 randomized versions)	mm0210_ini_07	Briefly tell me what else I can help you with. You can say things like 'get a replacement 1099' or 'update my personal information.' So, how can I help you?
initial	^	^	mm0210_ini_08	Briefly tell me what else I can help you with. You can say things like 'find a social security office.' or 'set up direct deposit.' So, how can I help you?
initial	^	^	mm0210_ini_09	Briefly tell me what else I can help you with. You can say things like 'update my personal information' or 'find a social security office.' So, how can I help you?

**Grammar**

<b>Sample Expressions</b>	<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
benefit letter, benefit statement, 1099, I need a replacment 1099 // 1099_benefits_statement	--	<main_menu 1099_benefits_statement>	If Necessary
affordable health insurance [information], affordable care act, health insurance // aca_menu	--	<main_menu aca_info>	If Necessary
my address, an address, address information, address // address_general	--	<main_menu address_general>	If Necessary
agent, operator, representative // agent	0	<main_menu agent>	Always
apply for benefits, applying for benefits, file for benefits, application for benefits // benefits_application	--	<main_menu benefits_application>	If Necessary
benefits, social security benefits, my benefits, benefit information, survivor benefits, retirement benefits, benefits spouse, benefits dependent // benefits_general	--	<main_menu benefits_general>	If Necessary
disability [report] appeal, reconsideration, disability report, hearing, denial // benefits_other	--	<main_menu benefits_other>	If Necessary
award letter, benefit amount, proof of benefits, benefit verification letter, income verification, proof of income // benefits_verification	--	<main_menu benefits_verification>	If Necessary
i need a card, card, lost my card, my card was stolen, new card // cards_general	--	<main_menu cards_general>	If Necessary
change of address, i need to change my address, address change, new address, i moved, change phone number, new phone number // change_of_address	--	<main_menu change_of_address>	If Necessary
check, benefits check, social security check, lost check, payment information, ssi payment // checks	--	<main_menu checks>	If Necessary
citizenship status, proof of citizenship, update citizenship status // citizenship_general	--	<main_menu citizenship_general>	If Necessary
application status, approval status, confirm award, claim status, check on a claim, check claim status, status of disability claim, benefits status // claims_status_general	--	<main_menu claims_status_general>	If Necessary
claims, social security claim, claim number, case, social security case, disability claim, ssi claim // claims_status_new	--	<main_menu claims_status_new>	If Necessary
cola, cost of living adjustment for next year, cost of living adjustment // cost_of_living_adjustment	--	<main_menu cost_of_living_adjustment>	If Necessary

direct deposit, setup direct deposit, change account number, new checking account, bank information, change deposit information // direct_deposit	--	<main_menu direct_deposit>	If Necessary
disability, disability insurance, disability benefits // disability_benefits_general	--	<main_menu disability_benefits_general>	If Necessary
earnings record, income statement, statement of earnings, copy of income, estimate, social security estimate, estimate calculator // earnings_statement	--	<main_menu earnings_statement>	If Necessary
unemployment, employment // employment_general	--	<main_menu employment_general>	If Necessary
i need the mailing address, local office, social security office, office hours, office location, office phone number // field_office_locator	--	<main_menu field_office_locator>	If Necessary
form, i need a form, tax form, enrollment form // forms_general	--	<main_menu forms_general>	If Necessary
what are my choices // general	--	<main_menu general>	Never
internet access, website, online help, online services // internet_general	--	<main_menu internet_general>	If Necessary
main menu, start over // main_menu	--	<main_menu main_menu>	If Necessary
medicare benefits, medical benefits, medicaid benefits, prescription drugs, drug coverage, prescription drug assistance, medicare form // medicare	--	<main_menu medicare>	If Necessary
medicare card, medicaid card, medical card, i need a medicare card, i lost my medicare card, lost medicaid card, missing medicaid card, missing medicare card // medicare_replacement_card	--	<main_menu medicare_replacement_card>	If Necessary
helpdesk // myssa_helpdesk	--	<main_menu myssa_helpdesk>	If Necessary
verify address, confirm address, address verification, name verification, verify last name, check my last name // name_or_address_verify	--	<main_menu name_or_address_verify>	If Necessary
late payment, delay in payment // payment_late	--	<main_menu payment_late>	If Necessary
i need a replacement, replacement, document replacement // replacement_general	--	<main_menu replacement_general>	If Necessary
change payee, payee change, change in beneficiary, new payee, representative payee, payee report, beneficiary // representative_payee	--	<main_menu representative_payee>	If Necessary
apply for social security, apply for social security benefits, get social security benefits // social_security_application	--	<main_menu social_security_application>	If Necessary
apply for disability, apply for disability benefits, get social security disability benefits // disability_application	--	<main_menu disability_application>	If Necessary
apply for survivor benefits, get social security survivor benefits // survivor_application	--	<main_menu survivor_application>	If Necessary
apply for retirement benefits, get social security retirement benefits // retirement_application	--	<main_menu retirement_application>	If Necessary
apply for supplemental security income, apply for supplemental security benefits, get SSI benefits, apply for SSI, SSI application // ssi_application	--	<main_menu ssi_application>	If Necessary

social security card // social_security_card_general	--	<main_menu social_security_card_general>	If Necessary
verify social security number, social security number verification, confirm social security number, employee verification // social_security_number_verification	--	<main_menu social_security_number_verification>	If Necessary
i need a social security card, i need a new social_security card, i lost my social security card, lost social security card, missing social security card,i need a replacement social security card, replace my social security card, new social_security card, my social_security card was stolen, apply for social_security card // social_security_replacement_card	--	<main_menu social_security_replacement_card>	If Necessary
supplemental security income, information on ssi // supplemental_security_income	--	<main_menu supplemental_security_income>	If Necessary
taxes, tax information, social_security taxes // tax_general	--	<main_menu tax_general>	If Necessary
i need a pamphlet, pamphlets, publication, booklet // transcription_pamphlets	--	<main_menu transcription_pamphlets>	If Necessary
file an appeal, reconsideration form, appeal form // transfer_appeal_new	--	<main_menu transfer_appeal_new>	If Necessary
cancel an appointment, reschedule appointment, change appointment, make an appointment // transfer_appointment	--	<main_menu transfer_appointment>	If Necessary
back pay, back payment, retro pay, retroactive check, disability back pay // transfer_back_payment	--	<main_menu transfer_back_payment>	If Necessary
balance, account balance, i want to find out how much money is in my account // transfer_balance	--	<main_menu transfer_balance>	If Necessary
benefits not received, lost benefits, missing benefits // transfer_benefits_problem	--	<main_menu transfer_benefits_problem>	If Necessary
billing, bill, billing information, medicare payment, medicare premium, medicare deduction // transfer_billing	--	<main_menu transfer_billing>	If Necessary
birthbirth certificate, i need a birth certificate, lost birth certificate, date of birth, birthdate, check on birthdate, birth, new birth, birth verification, report a birth // transfer_birth	--	<main_menu transfer_birth>	If Necessary
stop benefits, cancel social security benefit, discontinue benefits, cancellation, cancel direct deposit // transfer_cancel	--	<main_menu transfer_cancel>	If Necessary
a change in my case, add information to case, update my case // transfer_case_change	--	<main_menu transfer_case_change>	If Necessary
i need to change my check, deductions from my social security check, tax deductions, federal deductions, check deductions // transfer_check_deductions	--	<main_menu transfer_check_deductions>	If Necessary
replacement check, i need a replacement check // transfer_check_replacement	--	<main_menu transfer_check_replacement>	If Necessary
child support, i'm calling about child support // transfer_child_support	--	<main_menu transfer_child_support>	If Necessary
circuit breaker patients, circuit breaker information // transfer_circuit_breaker	--	<main_menu transfer_circuit_breaker>	If Necessary
medicare claim number, medical claims, medicare claim // transfer_claims_medicare	--	<main_menu transfer_claims_medicare>	If Necessary

filing a claim, start a claim, new claim, open a claim // transfer_claims_new	--	<main_menu transfer_claims_new>	If Necessary
college, college program, college security check // transfer_college	--	<main_menu transfer_college>	If Necessary
complaint, i have a complaint, file a complaint // transfer_complaint	--	<main_menu transfer_complaint>	If Necessary
death benefits, deceased benefits, a death, someone passed away // transfer_death	--	<main_menu transfer_death>	If Necessary
debit cards, calling about debit card // transfer_debit_card	--	<main_menu transfer_debit_card>	If Necessary
dependent, new child // transfer_dependent	--	<main_menu transfer_dependent>	If Necessary
disability report, disability jobs, disabled work, disability paperwork // transfer_disability	--	<main_menu transfer_disability>	If Necessary
divorce, divorced spouse benefits, divorce benefits // transfer_divorce	--	<main_menu transfer_divorce>	If Necessary
change in income, incorrect earnings, social security income, earnings, earned income // transfer_earnings_general	--	<main_menu transfer_earnings_general>	If Necessary
eligibility for benefits, benefit eligibility, disability eligibility, social security eligibility // transfer_eligibility	--	<main_menu transfer_eligibility>	If Necessary
return to work, going back to work, change in work status, loss of job // transfer_employment_change	--	<main_menu transfer_employment_change>	If Necessary
i need something faxed, fax number, i need your fax number // transfer_fax	--	<main_menu transfer_fax>	If Necessary
food stamps, food stamp card, apply for food stamps // transfer_food_stamps	--	<main_menu transfer_food_stamps>	If Necessary
w2, w2 form, i need a w2 form // transfer_forms_w2	--	<main_menu transfer_forms_w2>	If Necessary
fraud, identity theft, report fraud, stolen social security number // transfer_fraud	--	<main_menu transfer_fraud>	If Necessary
housing, options for housing // transfer_housing	--	<main_menu transfer_housing>	If Necessary
insurance, cancel insurance, supplemental insurance // transfer_insurance	--	<main_menu transfer_insurance>	If Necessary
power of attorney, attorney fees, a legal matter // transfer_legal	--	<main_menu transfer_legal>	If Necessary
a copy of a letter, a letter // transfer_letter	--	<main_menu transfer_letter>	If Necessary
driver's license, i need a license, fishing license, marriage license, hunting license // transfer_license	--	<main_menu transfer_license>	If Necessary
student loan, loans // transfer_loans	--	<main_menu transfer_loans>	If Necessary
marriage, i got married, change of marital status // transfer_marriage	--	<main_menu transfer_marriage>	If Necessary
extra earnings for military service, military service, military service and social security // transfer_military_service	--	<main_menu transfer_military_service>	If Necessary
password, i forgot my password, pin number, i need my pin	--	<main_menu transfer_password>	If Necessary

// transfer_password			
amount of payment, payment amount, social security amount // transfer_payment_amount	--	<main_menu transfer_payment_amount>	If Necessary
payment plan, payment arrangement, i need to make a payment arrangement // transfer_payment_arrangement	--	<main_menu transfer_payment_arrangement>	If Necessary
overpayment, overpayment information, notice of overpayment // transfer_payment_over	--	<main_menu transfer_payment_over>	If Necessary
stop payment, I need to stop a check // transfer_payment_stop	--	<main_menu transfer_payment_stop>	If Necessary
pension benefit information, pension // transfer_pension	--	<main_menu transfer_pension>	If Necessary
refund, i need to check on a refund, medicare refund // transfer_refund	--	<main_menu transfer_refund>	If Necessary
retirement information, early retirement, retirement age // transfer_retirement	--	<main_menu transfer_retirement>	If Necessary
return call, i returning a call // transfer_return_call	--	<main_menu transfer_return_call>	If Necessary
a change in ssi, supplemental security income change // transfer_ssi_change	--	<main_menu transfer_ssi_change>	If Necessary
federal tax withholding, withholding, withhold taxes // transfer_tax_withholding	--	<main_menu transfer_tax_withholding>	If Necessary
change account information, account correction, update, correction, update information, change information // update_information	--	<main_menu update_information>	If Necessary
<dtmf_7> // spanish (DTMF only)	7	<main_menu spanish>	Never

<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	Always	Assign: first_entry =false	--
1099_benefits_statement	Always	Assign: current_task =benefits_statement	--
^	^	Assign: current_intent =1099_benefits_statement	--
^	^	Assign: final_intent =1099_benefits_statement	--
^	^	Prompt: [mm0210_out_16] Okay. Benefits Statement (or '1099').	goto: mm0525_BenefitsStatementKBA_DS
aca_info	Always	Assign: current_task =aca_info	--
^	^	Assign: current_intent =aca_info	--
^	^	Assign: final_intent =aca_info	--
^	^	Prompt: [mm0210_out_88] Okay. Health insurance information.	goto: mm0172_ACAMsg_PP
address_general	Always	Assign: current_intent =address_general	--
^	^	Prompt: [mm0210_out_14] Okay. Address.	goto: mm0430_AddressDisambig_DM
agent	Always	Assign: current_intent =agent	--

^	^	<b>Assign:</b> final_intent =agent	--
^	^	<b>Prompt:</b> [mm0210_out_17] Okay.	<b>goto:</b> mm3000_ABRStatus_DS
benefits_application	Always	<b>Assign:</b> current_intent =benefits_application	--
^	^	<b>Prompt:</b> [mm0210_out_01] Okay. Applications.	<b>goto:</b> mm0800_BenefitsApplicationMenu_DM
benefits_general	Always	<b>Assign:</b> current_intent =benefits_general	--
^	^	<b>Prompt:</b> [mm0210_out_03] Okay. Benefits.	<b>goto:</b> mm0700_Benefits_DM
benefits_other	Always	<b>Assign:</b> current_intent =benefits_other	--
^	^	<b>Assign:</b> final_intent =benefits_other	--
^	^	<b>Prompt:</b> [mm0210_out_90] Okay.	<b>goto:</b> mm3000_ABRStatus_DS
benefits_verification	Always	<b>Assign:</b> current_task =benefits_verification	--
^	^	<b>Assign:</b> current_intent =benefits_verification	--
^	^	<b>Assign:</b> final_intent =benefits_verification	--
^	^	<b>Prompt:</b> [mm0210_out_73] Alright. Benefits Verification or Proof of Income.	<b>goto:</b> mm2010_BenefitsEarnings_DM
cards_general	Always	<b>Assign:</b> current_intent =cards_general	--
^	^	<b>Prompt:</b> [mm0210_out_05] Okay.	<b>goto:</b> mm1300_WhichCard_DM
change_of_address	Always	<b>Assign:</b> current_task =change_address	--
^	^	<b>Assign:</b> current_intent =change_of_address	--
^	^	<b>Assign:</b> final_intent =change_of_address	--
^	^	<b>Prompt:</b> [mm0210_out_07] Okay. Change Address or Phone Number.	<b>goto:</b> mm0305_IsChangeOfAddressEnabled_DS
checks	Always	<b>Assign:</b> current_task =checks	--
^	^	<b>Assign:</b> current_intent =checks	--
^	^	<b>Prompt:</b> [mm0210_out_08] Okay. Benefit Check.	<b>goto:</b> mm1905_Checks_DM
citizenship_general	Always	<b>Assign:</b> current_intent =citizenship_general	--
^	^	<b>Assign:</b> final_intent =citizenship_general	--
^	^	<b>Prompt:</b> [mm0210_out_40] Okay. Citizenship.	<b>goto:</b> mm3000_ABRStatus_DS
claims_status_general	Always	<b>Assign:</b> current_task =application_status	--



^	^	<b>Assign:</b> <a href="#">current_intent</a> =claims_status_general	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> =claims_status_general	--
^	^	<b>Prompt:</b> [mm0210_out_02] Okay. Claim or Application Status.	<b>goto:</b> <a href="#">mm0515_ApplicationStatusKBA_DS</a>
claims_status_new	Always	<b>Assign:</b> <a href="#">current_intent</a> =claims_status_new	--
^	^	<b>Prompt:</b> [mm0210_out_65] Okay. Claims.	<b>goto:</b> <a href="#">mm0810_ApplicationStatusQuestion_DM</a>
cost_of_living_adjustment	Always	<b>Assign:</b> <a href="#">current_intent</a> =cost_of_living_adjustment	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> =cost_of_living_adjustment	--
^	^	<b>Prompt:</b> [mm0210_out_10] Okay.	<b>goto:</b> <a href="#">mm0300_GetCOLABroadcast_DB</a>
direct_deposit	Always	<b>Assign:</b> <a href="#">current_task</a> =direct_deposit	--
^	^	<b>Assign:</b> <a href="#">current_intent</a> =direct_deposit	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> =direct_deposit	--
^	^	<b>Prompt:</b> [mm0210_out_11] Okay. Direct Deposit.	<b>goto:</b> <a href="#">mm0323_DirectDepositMsg_PP</a>
disability_application	Always	<b>Assign:</b> <a href="#">current_intent</a> =social_security_application	--
^	^	<b>Prompt:</b> [mm0210_out_82] Okay. Apply for Disability benefits.	<b>goto:</b> <a href="#">mm0810_ApplicationStatusQuestion_DM</a>
disability_benefits_general	Always	<b>Assign:</b> <a href="#">current_intent</a> =disability_benefits_general	--
^	^	<b>Prompt:</b> [mm0210_out_48] Okay. Disability	<b>goto:</b> <a href="#">mm0440_DisabilityDisambig_DM</a>
earnings_statement	Always	<b>Assign:</b> <a href="#">current_intent</a> =earnings_statement	--
^	^	<b>Prompt:</b> [mm0210_out_12] Okay. Earnings or Benefits Statement.	<b>goto:</b> <a href="#">mm2000_ReceivingBenefits_DM</a>
employment_general	Always	<b>Assign:</b> <a href="#">current_intent</a> =employment_general	--
^	^	<b>Prompt:</b> [mm0210_out_52] Okay. Employment.	<b>goto:</b> <a href="#">mm0450_EmploymentDisambig_DM</a>
field_office_locator	Always	<b>Assign:</b> <a href="#">current_task</a> =field_office_locator	--
^	^	<b>Assign:</b> <a href="#">current_intent</a> =field_office_locator	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> =field_office_locator	--
^	^	<b>Prompt:</b> [mm0210_out_15] Okay. Office Information.	<b>goto:</b> <a href="#">mm0320_FieldOfficeLocator_SD</a>

forms_general	Always	<b>Assign:</b> <a href="#">current_intent</a> =forms_general	--
^	^	<b>Prompt:</b> [mm0210_out_18] Okay.	<b>goto:</b> <a href="#">mm2300_FormsGeneral_DM</a>
general	Always	<b>Prompt:</b> [mm0210_out_09] I need a little more detail to get you to the right place. Let's try this a different way.	<b>goto:</b> <a href="#">mm0600_BackoffMainMenu_DM</a>
internet_general	Always	<b>Assign:</b> <a href="#">current_intent</a> =internet_general	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> =internet_general	--
^	^	<b>Prompt:</b> [mm0210_out_21] Okay.	<b>goto:</b> <a href="#">mm1210_InternetAddress_DM</a>
main_menu	Always	--	<b>goto:</b> <a href="#">mm0600_BackoffMainMenu_DM</a>
medicare	Always	<b>Assign:</b> <a href="#">current_intent</a> =medicare	--
^	^	<b>Prompt:</b> [mm0210_out_23] Okay. Medicare.	<b>goto:</b> <a href="#">mm1700_MedicareApplyMenu_DM</a>
medicare_replacement_card	Always	<b>Assign:</b> <a href="#">current_task</a> =card_medicare	--
^	^	<b>Assign:</b> <a href="#">current_intent</a> =medicare_replacement_card	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> =medicare_replacement_card	--
^	^	<b>Prompt:</b> [mm0210_out_04] Okay. Medicare Replacement Card.	<b>goto:</b> <a href="#">mm0555_MRCMySSAWebsite_PP</a>
myssa_helpdesk	Always	<b>Assign:</b> <a href="#">current_task</a> =myssa_helpdesk	--
^	^	<b>Assign:</b> <a href="#">current_intent</a> =myssa_helpdesk	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> =myssa_helpdesk	--
^	^	<b>Prompt:</b> [mm0210_out_89] Okay. My Social Security Helpdesk.	<b>goto:</b> <a href="#">mm0182_MySSAAfterHoursCheck_DS</a>
name_or_address_verify	^	<b>Assign:</b> <a href="#">current_intent</a> =name_or_address_verify	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> =name_or_address_verify	--
^	^	<b>Prompt:</b> [mm0210_out_25] Okay. Check on an Address or Name Change.	<b>goto:</b> <a href="#">mm0420_AddressVerifyMsg_DM</a>
payment_late	Always	<b>Assign:</b> <a href="#">current_task</a> =late_payment	--
^	^	<b>Assign:</b> <a href="#">current_intent</a> =payment_late	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> =payment_late	--
^	^	<b>Prompt:</b> [mm0210_out_22] Alright. Late Benefit Payment.	<b>goto:</b> <a href="#">mm1910_LatePaymentMenu_DM</a>
replacement_general	Always	<b>Assign:</b> <a href="#">current_intent</a> =replacement_general	--

^	^	<b>Prompt:</b> [mm0210_out_75] Okay.	<b>goto:</b> <a href="#">mm0470_ReplacementDisambig_DM</a>
representative_payee	Always	<b>Assign:</b> <a href="#">current_intent</a> =representative_payee	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> =representative_payee	--
^	^	<b>Prompt:</b> [mm0210_out_24] Okay. Representative Payees.	<b>goto:</b> <a href="#">mm2100_RepPayeeMenu_DM</a>
retirement_application	Always	<b>Assign:</b> <a href="#">current_intent</a> =social_security_application	--
^	^	<b>Prompt:</b> [mm0210_out_83] Okay. Apply for Retirement benefits.	<b>goto:</b> <a href="#">mm0810_ApplicationStatusQuestion_DM</a>
social_security_application	Always	<b>Assign:</b> <a href="#">current_intent</a> =social_security_application	--
^	^	<b>Prompt:</b> [mm0210_out_84] Okay. Apply for Social Security benefits.	<b>goto:</b> <a href="#">mm0810_ApplicationStatusQuestion_DM</a>
social_security_card_general	Always	<b>Assign:</b> <a href="#">card_type</a> =social_security	--
^	^	<b>Assign:</b> <a href="#">current_intent</a> =social_security_card_general	--
^	^	<b>Prompt:</b> [mm0210_out_06] Okay. Social Security Card.	<b>goto:</b> <a href="#">mm1100_SocialSecurityCardsMenu_DM</a>
social_security_number_verification	Always	<b>Assign:</b> <a href="#">current_intent</a> =social_security_number_verification	--
^	^	<b>Prompt:</b> [mm0210_out_78] Okay. Social Security Number Verification.	<b>goto:</b> <a href="#">mm0460_SSNVerification_DM</a>
social_security_replacement_card	Always	<b>Assign:</b> <a href="#">current_task</a> =social_security_replacement_card	--
^	^	<b>Assign:</b> <a href="#">current_intent</a> =social_security_replacement_card	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> =social_security_replacement_card	--
^	^	<b>Assign:</b> <a href="#">card_action</a> =replacement	--
^	^	<b>Prompt:</b> [mm0210_out_87] Okay. Replacement Social Security Card.	<b>goto:</b> <a href="#">mm1400_SSReplacementMsg_PP</a>
spanish	Always	<b>Assign:</b> <a href="#">current_intent</a> =spanish	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> =spanish	<b>goto:</b> <a href="#">mm0050_EntryRouting_DS</a>
ssi_application	Always	<b>Assign:</b> <a href="#">current_intent</a> =social_security_application	--
^	^	<b>Prompt:</b> [mm0210_out_85] Okay. Apply for Supplemental Security Income benefits.	<b>goto:</b> <a href="#">mm0810_ApplicationStatusQuestion_DM</a>
supplemental_security_income	Always	<b>Assign:</b> <a href="#">current_intent</a> =supplemental_security_income	--
^	^	<b>Assign:</b> <a href="#">final_intent</a>	--

		=supplemental_security_income	
^	^	<b>Prompt:</b> [mm0210_out_26] Okay. Supplemental Security Income.	<b>goto:</b> mm1800_SSIMenu_DM
survivor_application	Always	<b>Assign:</b> current_intent =social_security_application	--
^	^	<b>Prompt:</b> [mm0210_out_86] Okay. Apply for Survivor benefits.	<b>goto:</b> mm0810_ApplicationStatusQuestion_DM
tax_general	Always	<b>Assign:</b> current_intent =tax_general	--
^	^	<b>Assign:</b> final_intent =tax_general	--
^	^	<b>Prompt:</b> [mm0210_out_20] Okay. Tax Information.	<b>goto:</b> mm0400_GetTaxesBroadcast_D B
transcription_pamphlets	Always	<b>Assign:</b> current_task =transcription_pamphlet	--
^	^	<b>Assign:</b> current_intent =transcription_pamphlets	--
^	^	<b>Assign:</b> final_intent =transcription_pamphlets	--
^	^	<b>Prompt:</b> [mm0210_out_19] Okay. Pamphlets.	<b>goto:</b> mm0545_TranscriptionKBA_DS
transfer_appeal_new	^	<b>Assign:</b> current_intent =transfer_appeal_new	--
^	^	<b>Assign:</b> final_intent =transfer_appeal_new	--
^	^	<b>Prompt:</b> [mm0210_out_27] Okay. File an Appeal.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_appointment	Always	<b>Assign:</b> current_intent =transfer_appointment	--
^	^	<b>Assign:</b> final_intent =transfer_appointment	--
^	^	<b>Prompt:</b> [mm0210_out_28] Okay. Appointment.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_back_payment	Always	<b>Assign:</b> current_intent =transfer_back_payment	--
^	^	<b>Assign:</b> final_intent =transfer_back_payment	--
^	^	<b>Prompt:</b> [mm0210_out_29] Okay.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_balance	Always	<b>Assign:</b> current_intent =transfer_balance	--
^	^	<b>Assign:</b> final_intent =transfer_balance	--
^	^	<b>Prompt:</b> [mm0210_out_30] Okay. Account Balance.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_benefits_problem	Always	<b>Assign:</b> current_intent =transfer_benefits_problem	--
^	^	<b>Assign:</b> final_intent =transfer_benefits_problem	--
^	^	<b>Prompt:</b> [mm0210_out_31]	<b>goto:</b> mm3000_ABRStatus_DS

		Okay.	
transfer_billing	Always	<b>Assign:</b> <a href="#">current_intent</a> = <a href="#">transfer_billing</a>	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> = <a href="#">transfer_billing</a>	--
^	^	<b>Prompt:</b> [mm0210_out_32] Okay. Billing Question.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
transfer_birth	Always	<b>Assign:</b> <a href="#">current_intent</a> = <a href="#">transfer_birth</a>	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> = <a href="#">transfer_birth</a>	--
^	^	<b>Prompt:</b> [mm0210_out_33] Okay.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
transfer_cancel	Always	<b>Assign:</b> <a href="#">current_intent</a> = <a href="#">transfer_cancel</a>	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> = <a href="#">transfer_cancel</a>	--
^	^	<b>Prompt:</b> [mm0210_out_34] Okay.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
transfer_case_change	Always	<b>Assign:</b> <a href="#">current_intent</a> = <a href="#">transfer_case_change</a>	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> = <a href="#">transfer_case_change</a>	--
^	^	<b>Prompt:</b> [mm0210_out_35] Okay.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
transfer_check_deductions	Always	<b>Assign:</b> <a href="#">current_intent</a> = <a href="#">transfer_check_deductions</a>	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> = <a href="#">transfer_check_deductions</a>	--
^	^	<b>Prompt:</b> [mm0210_out_46] Okay. Benefit Check Deductions.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
transfer_check_replacement	Always	<b>Assign:</b> <a href="#">current_intent</a> = <a href="#">transfer_check_replacement</a>	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> = <a href="#">transfer_check_replacement</a>	--
^	^	<b>Prompt:</b> [mm0210_out_37] Okay. Replacement Benefit Check.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
transfer_child_support	Always	<b>Assign:</b> <a href="#">current_intent</a> = <a href="#">transfer_child_support</a>	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> = <a href="#">transfer_child_support</a>	--
^	^	<b>Prompt:</b> [mm0210_out_38] Okay. Child Support.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
transfer_circuit_breaker	Always	<b>Assign:</b> <a href="#">current_intent</a> = <a href="#">transfer_circuit_breaker</a>	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> = <a href="#">transfer_circuit_breaker</a>	--
^	^	<b>Prompt:</b> [mm0210_out_39] Okay.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
transfer_claims_medicare	Always	<b>Assign:</b> <a href="#">current_intent</a> = <a href="#">transfer_claims_medicare</a>	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> = <a href="#">transfer_claims_medicare</a>	--

^	^	<b>Prompt:</b> [mm0210_out_41] Okay. Medicare Claim.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_claims_new	Always	<b>Assign:</b> current_intent =transfer_claims_new	--
^	^	<b>Assign:</b> final_intent =transfer_claims_new	--
^	^	<b>Prompt:</b> [mm0210_out_66] Okay. Claims.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_college	Always	<b>Assign:</b> current_intent =transfer_college	--
^	^	<b>Assign:</b> final_intent =transfer_college	--
^	^	<b>Prompt:</b> [mm0210_out_42] Okay.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_complaint	Always	<b>Assign:</b> current_intent =transfer_complaint	--
^	^	<b>Assign:</b> final_intent =transfer_complaint	--
^	^	<b>Prompt:</b> [mm0210_out_43] Okay.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_death	Always	<b>Assign:</b> current_intent =transfer_death	--
^	^	<b>Assign:</b> final_intent =transfer_death	--
^	^	<b>Prompt:</b> [mm0210_out_44] Okay.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_debit_card	Always	<b>Assign:</b> current_intent =transfer_debit_card	--
^	^	<b>Assign:</b> final_intent =transfer_debit_card	--
^	^	<b>Prompt:</b> [mm0210_out_45] Okay. Debit Card.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_dependent	Always	<b>Assign:</b> current_intent =transfer_dependent	--
^	^	<b>Assign:</b> final_intent =transfer_dependent	--
^	^	<b>Prompt:</b> [mm0210_out_47] Okay.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_disability	Always	<b>Assign:</b> current_intent =transfer_disability	--
^	^	<b>Assign:</b> final_intent =transfer_disability	--
^	^	<b>Prompt:</b> [mm0210_out_49] Okay. Disability.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_divorce	Always	<b>Assign:</b> current_intent =transfer_divorce	--
^	^	<b>Assign:</b> final_intent =transfer_divorce	--
^	^	<b>Prompt:</b> [mm0210_out_50] Okay.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_earnings_general	Always	<b>Assign:</b> current_intent =transfer_earnings_general	--
^	^	<b>Assign:</b> final_intent	--

		=transfer_earnings_general	
^	^	<b>Prompt:</b> [mm0210_out_51] Okay. Earnings.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_eligibility	Always	<b>Assign:</b> current_intent =transfer_eligibility	--
^	^	<b>Assign:</b> final_intent =transfer_eligibility	--
^	^	<b>Prompt:</b> [mm0210_out_13] Okay. Benefit Eligibility.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_employment_change	Always	<b>Assign:</b> current_intent =transfer_employment_change	--
^	^	<b>Assign:</b> final_intent =transfer_employment_change	--
^	^	<b>Prompt:</b> [mm0210_out_53] Okay.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_fax	Always	<b>Assign:</b> current_intent =transfer_fax	--
^	^	<b>Assign:</b> final_intent =transfer_fax	--
^	^	<b>Prompt:</b> [mm0210_out_54] Okay.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_food_stamps	Always	<b>Assign:</b> current_intent =transfer_food_stamps	--
^	^	<b>Assign:</b> final_intent =transfer_food_stamps	--
^	^	<b>Prompt:</b> [mm0210_out_55] Okay. Food Stamps.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_forms_w2	Always	<b>Assign:</b> current_intent =transfer_forms_w2	--
^	^	<b>Assign:</b> final_intent =transfer_forms_w2	--
^	^	<b>Prompt:</b> [mm0210_out_81] Okay. W2 Forms.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_fraud	Always	<b>Assign:</b> current_intent =transfer_fraud	--
^	^	<b>Assign:</b> final_intent =transfer_fraud	--
^	^	<b>Prompt:</b> [mm0210_out_56] Okay.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_housing	Always	<b>Assign:</b> current_intent =transfer_housing	--
^	^	<b>Assign:</b> final_intent =transfer_housing	--
^	^	<b>Prompt:</b> [mm0210_out_57] Okay.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_insurance	Always	<b>Assign:</b> current_intent =transfer_insurance	--
^	^	<b>Assign:</b> final_intent =transfer_insurance	--
^	^	<b>Prompt:</b> [mm0210_out_58] Okay. Insurance.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_legal	Always	<b>Assign:</b> current_intent =transfer_legal	--

^	^	<b>Assign:</b> final_intent =transfer_legal	--
^	^	<b>Prompt:</b> [mm0210_out_59] Okay.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_letter	Always	<b>Assign:</b> current_intent =transfer_letter	--
^	^	<b>Assign:</b> final_intent =transfer_letter	--
^	^	<b>Prompt:</b> [mm0210_out_60] Okay.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_license	Always	<b>Assign:</b> current_intent =transfer_license	--
^	^	<b>Assign:</b> final_intent =transfer_license	--
^	^	<b>Prompt:</b> [mm0210_out_61] Okay. License.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_loans	Always	<b>Assign:</b> current_intent =transfer_loans	--
^	^	<b>Assign:</b> final_intent =transfer_loans	--
^	^	<b>Prompt:</b> [mm0210_out_62] Okay. Loans.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_marriage	Always	<b>Assign:</b> current_intent =transfer_marriage	--
^	^	<b>Assign:</b> final_intent =transfer_marriage	--
^	^	<b>Prompt:</b> [mm0210_out_63] Okay.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_military_servic e	Always	<b>Assign:</b> current_intent =transfer_military_service	--
^	^	<b>Assign:</b> final_intent =transfer_military_service	--
^	^	<b>Prompt:</b> [mm0210_out_64] Okay. Military Service.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_password	Always	<b>Assign:</b> current_intent =transfer_password	--
^	^	<b>Assign:</b> final_intent =transfer_password	--
^	^	<b>Prompt:</b> [mm0210_out_67] Okay. Pin or Password.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_payment_amo unt	Always	<b>Assign:</b> current_intent =transfer_payment_amount	--
^	^	<b>Assign:</b> final_intent =transfer_payment_amount	--
^	^	<b>Prompt:</b> [mm0210_out_68] Okay. Payment Amount.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_payment_arra ngement	Always	<b>Assign:</b> current_intent =transfer_payment_arrangement	--
^	^	<b>Assign:</b> final_intent =transfer_payment_arrangement	--
^	^	<b>Prompt:</b> [mm0210_out_69] Okay. Payment Arrangements.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_payment_over	Always	<b>Assign:</b> current_intent =transfer_payment_over	--



^	^	<b>Assign:</b> final_intent =transfer_payment_over	--
^	^	<b>Prompt:</b> [mm0210_out_70] Okay.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_payment_stop	Always	<b>Assign:</b> current_intent =transfer_payment_stop	--
^	^	<b>Assign:</b> final_intent =transfer_payment_stop	--
^	^	<b>Prompt:</b> [mm0210_out_71] Okay.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_pension	Always	<b>Assign:</b> current_intent =transfer_pension	--
^	^	<b>Assign:</b> final_intent =transfer_pension	--
^	^	<b>Prompt:</b> [mm0210_out_72] Okay. Pensions.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_refund	Always	<b>Assign:</b> current_intent =transfer_refund	--
^	^	<b>Assign:</b> final_intent =transfer_refund	--
^	^	<b>Prompt:</b> [mm0210_out_74] Okay. Refunds.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_retirement	Always	<b>Assign:</b> current_intent =transfer_retirement	--
^	^	<b>Assign:</b> final_intent =transfer_retirement	--
^	^	<b>Prompt:</b> [mm0210_out_76] Okay. Retirement Benefits.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_return_call	Always	<b>Assign:</b> current_intent =transfer_return_call	--
^	^	<b>Assign:</b> final_intent =transfer_return_call	--
^	^	<b>Prompt:</b> [mm0210_out_77] Okay.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_ssi_change	Always	<b>Assign:</b> current_intent =transfer_ssi_change	--
^	^	<b>Assign:</b> final_intent =transfer_ssi_change	--
^	^	<b>Prompt:</b> [mm0210_out_36] Okay. Update Supplemental Security Income Benefits.	<b>goto:</b> mm3000_ABRStatus_DS
transfer_tax_withholdin g	Always	<b>Assign:</b> current_intent =transfer_tax_withholding	--
^	^	<b>Assign:</b> final_intent =transfer_tax_withholding	--
^	^	<b>Prompt:</b> [mm0210_out_79] Okay.	<b>goto:</b> mm3000_ABRStatus_DS
update_information	Always	<b>Assign:</b> current_intent =update_information	--
^	^	<b>Prompt:</b> [mm0210_out_80] Okay. Change or Update Information.	<b>goto:</b> mm0910_UpdatePersonalInfo_D M

<b>Confirmation Prompts</b>			
<b>Option</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
1099_benefits_statement	Always	mm0210_cnf_ini_14	You're calling about your '1099' statement. Right?
aca_info	Always	mm0210_cnf_ini_88	You're calling about health insurance information. Right?
address_general	Always	mm0210_cnf_ini_12	You're calling about an address. Right?
agent	Always	mm0210_cnf_ini_15	You'd like to speak to someone. Right?
benefits_application	Always	mm0210_cnf_ini_02	You're calling about an application for benefits. Right?
benefits_general	Always	mm0210_cnf_ini_03	Sounds like you're calling about 'Benefits' Right?
benefits_other	Always	mm0210_cnf_ini_03	Sounds like you're calling about 'Benefits' Right?
benefits_verification	Always	mm0210_cnf_ini_72	You're calling about benefits verification, or proof of income. Right?
cards_general	Always	mm0210_cnf_ini_05	Sounds like you're calling about a 'Card.' Is that right?
change_of_address	Always	mm0210_cnf_ini_06	You'd like to change the address or phone number on file. Right?
checks	Always	mm0210_cnf_ini_07	Sounds like you're calling about a benefits payment. Is that right?
citizenship_general	Always	mm0210_cnf_ini_39	You're calling about citizenship. Right?
claims_status_general	Always	mm0210_cnf_ini_01	You're calling to check the status of a claim or application. Right?
claims_status_new	Always	mm0210_cnf_ini_64	Sounds like you're calling about a claim or application. Is that right?
cost_of_living_adjustment	Always	mm0210_cnf_ini_08	You're calling about the Cost of Living Adjustment. Right?
direct_deposit	Always	mm0210_cnf_ini_09	You're calling about direct deposit. Right?
disability_application	Always	mm0210_cnf_ini_81	You're calling to apply for disability benefits. Right?
disability_benefits_general	Always	mm0210_cnf_ini_47	You're calling about disability benefits. Is that right?
earnings_statement	Always	mm0210_cnf_ini_10	You're calling for an 'Earnings' or 'Benefits' Statement. Right?
employment_general	Always	mm0210_cnf_ini_51	Sounds like you're calling about employment. Is that right?
field_office_locator	Always	mm0210_cnf_ini_13	You'd like information about a Social Security office. Right?
forms_general	Always	mm0210_cnf_ini_16	Sounds like you're calling about a 'form.' Is that right?
internet_general	Always	mm0210_cnf_ini_19	You're calling about our website. Right?
main_menu	Always	mm0210_cnf_ini_82	Sounds like you want to go back to the main menu. Is that right?

medicare	Always	mm0210_cnf_ini_21	Sounds like you're calling about Medicare benefits. Is that right?
medicare_replacement_card	Always	mm0210_cnf_ini_04	You're calling about your 'Medicare card.' Right?
myssa_helpdesk	Always	mm0210_cnf_ini_89	You need help with the My Social Security website. Right?
name_or_address_verify	Always	mm0210_cnf_ini_23	Sounds like you're calling about a recent name or address change. Is that right?
payment_late	Always	mm0210_cnf_ini_20	You're calling about a late benefit payment. Right?
replacement_general	Always	mm0210_cnf_ini_74	Sounds like you're calling to get a replacement card or document. Is that right?
representative_payee	Always	mm0210_cnf_ini_22	Sounds like you're calling about 'Representative Payees.' Is that right?
retirement_application	Always	mm0210_cnf_ini_83	You're calling to apply for retirement benefits. Right?
social_security_application	Always	mm0210_cnf_ini_84	You're calling to apply for social security benefits. Right?
social_security_card_general	Always	mm0210_cnf_ini_33	Sounds like you're calling about a 'Social Security card' or a 'Social Security number'. Is that right?
social_security_number_verification	Always	mm0210_cnf_ini_77	You're calling to verify a Social Security number. Right?
social_security_replacement_card	Always	mm0210_cnf_ini_87	You're calling about your 'Social Security card.' Right?
ssi_application	Always	mm0210_cnf_ini_85	You're calling to apply for supplemental security income benefits. Right?
supplemental_security_income	Always	mm0210_cnf_ini_24	You're calling about 'Supplemental Security Income' benefits. Right?
survivor_application	Always	mm0210_cnf_ini_86	You're calling to apply for survivor benefits. Right?
tax_general	Always	mm0210_cnf_ini_18	You're calling about tax information. Right?
transcription_pamphlets	Always	mm0210_cnf_ini_17	Sounds like you're calling to get a pamphlet. Is that right?
transfer_appeal_new	Always	mm0210_cnf_ini_25	You're calling to file an appeal. Right?
transfer_appointment	Always	mm0210_cnf_ini_26	You're calling about an appointment. Right?
transfer_back_payment	Always	mm0210_cnf_ini_27	You're calling about back payment. Right?
transfer_balance	Always	mm0210_cnf_ini_28	You're calling about your balance. Right?
transfer_benefits_problem	Always	mm0210_cnf_ini_29	Sounds like you're calling about a problem with benefits. Right?
transfer_billing	Always	mm0210_cnf_ini_30	Sounds like you have a billing question. Is that right?
transfer_birth	Always	mm0210_cnf_ini_	Sounds like you're calling about a birth date or birth

		31	certificate. Right?
transfer_cancel	Always	mm0210_cnf_ini_32	Sounds like you're calling to cancel benefits or direct deposit. Right?
transfer_case_change	Always	mm0210_cnf_ini_34	You're calling about your Social Security case. Right?
transfer_check_deductions	Always	mm0210_cnf_ini_45	You're calling about a change to, or deductions from, your benefits check. Is that right?
transfer_check_replacement	Always	mm0210_cnf_ini_36	You're calling about a replacement check. Right?
transfer_child_support	Always	mm0210_cnf_ini_37	You're calling about child support. Right?
transfer_circuit_breaker	Always	mm0210_cnf_ini_38	Sounds like you're calling for circuit breaker information. Is that right?
transfer_claims_medicare	Always	mm0210_cnf_ini_40	You're calling about a Medicare claim. Right?
transfer_claims_new	Always	mm0210_cnf_ini_65	You're calling about a new claim. Right?
transfer_college	Always	mm0210_cnf_ini_41	Sounds like your calling about college. Right?
transfer_complaint	Always	mm0210_cnf_ini_42	Sounds like your calling about a complaint. Is that right?
transfer_death	Always	mm0210_cnf_ini_43	You're calling to report a death or get information about death benefits. Right?
transfer_debit_card	Always	mm0210_cnf_ini_44	Sounds like you're calling about a 'Debit Card.' Is that right?
transfer_dependent	Always	mm0210_cnf_ini_46	You're calling about a dependent. Is that right?
transfer_disability	Always	mm0210_cnf_ini_48	Your calling about disability benefits or a disability report. Is that right?
transfer_divorce	Always	mm0210_cnf_ini_49	Sounds like you're calling about a divorce. Is that right?
transfer_earnings_general	Always	mm0210_cnf_ini_50	Sounds like you're calling about earnings. Is that right?
transfer_eligibility	Always	mm0210_cnf_ini_11	Sounds like you have a question about eligibility for benefits. Is that right?
transfer_employment_change	Always	mm0210_cnf_ini_52	You're calling about a change to your employment. Is that right?
transfer_fax	Always	mm0210_cnf_ini_53	Sounds like you're calling to get a fax number or a document faxed. Is that right?
transfer_food_stamps	Always	mm0210_cnf_ini_54	Sounds like you're calling about food stamps. Is that right?
transfer_forms_w2	Always	mm0210_cnf_ini_80	You're calling about a W2 form. Is that right?
transfer_fraud	Always	mm0210_cnf_ini_55	Sounds like you're calling about fraud. Is that right?
transfer_housing	Always	mm0210_cnf_ini_56	You're calling about housing options. Right?
transfer_insurance	Always	mm0210_cnf_ini_57	Sounds like you're calling about insurance. Is that right?

transfer_legal	Always	mm0210_cnf_ini_58	Sounds like you're calling about a legal issue. Is that right?
transfer_letter	Always	mm0210_cnf_ini_59	Sounds like you're calling about a letter. Is that right?
transfer_license	Always	mm0210_cnf_ini_60	You're calling about a license. Right?
transfer_loans	Always	mm0210_cnf_ini_61	You're calling about a loan. Is that right?
transfer_marriage	Always	mm0210_cnf_ini_62	You're calling about a change in marital status. Is that right?
transfer_military_service	Always	mm0210_cnf_ini_63	You're calling about military service. Is that right?
transfer_password	Always	mm0210_cnf_ini_66	Sounds like you're calling about a password. Is that right?
transfer_payment_amount	Always	mm0210_cnf_ini_67	Sounds like you're calling about a payment amount. Is that right?
transfer_payment_arrangement	Always	mm0210_cnf_ini_68	Sounds like you're calling about a payment arrangement. Is that right?
transfer_payment_over	Always	mm0210_cnf_ini_69	Sounds like you're calling about an overpayment. Is that right?
transfer_payment_stop	Always	mm0210_cnf_ini_70	You're calling to stop payment. Is that right?
transfer_pension	Always	mm0210_cnf_ini_71	Sounds like you're calling about a pension. Is that right?
transfer_refund	Always	mm0210_cnf_ini_73	You're calling about a refund. Right?
transfer_retirement	Always	mm0210_cnf_ini_75	You're calling about retirement benefits. Right?
transfer_return_call	Always	mm0210_cnf_ini_76	You're returning a call. Right?
transfer_ssi_change	Always	mm0210_cnf_ini_35	You're calling about a change to your Supplemental Security Income benefits. Is that right?
transfer_tax_withholding	Always	mm0210_cnf_ini_78	Sounds like you're calling about tax withholding. Is that right?
update_information	Always	mm0210_cnf_ini_79	Your calling to change or update information. Is that right?

**Confirmation Recovery Behavior**


Type	Condition	Action	Transition
noinput 1	--	<b>Prompt:</b> [mm0210_cnf_ni1_01] Sorry. Please say 'yes' or 'no.'	<b>Re-Recognition:</b> Reprompt
noinput 2	--	<b>Prompt:</b> [mm0210_cnf_ni2_01] Let's try this a different way.	<b>goto:</b> <a href="#">mm0600_BackoffMainMenu_DM</a>
nomatch 1	--	<b>Prompt:</b> [gl_cnf_nm1_01] Sorry. Please say 'yes' or 'no.'	<b>Re-Recognition:</b> Reprompt
nomatch 2	--	<b>Prompt:</b> [mm0210_cnf_nm2_01] Let's try this a different way.	<b>goto:</b> <a href="#">mm0600_BackoffMainMenu_DM</a>

**Recovery Behavior**


Type	Condition	Action	Transition
nomatch 1	--	<b>Prompt:</b> [mm0210_nm1_01]	<b>goto:</b>

		Let's try this a different way.	<a href="#">mm0600_BackoffMainMenu_DM</a>
noinput 1	--	<b>Prompt:</b> [mm0210_ni1_01] Let's try this a different way.	<b>goto:</b> <a href="#">mm0600_BackoffMainMenu_DM</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
StartOver, operator			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
maxnomatchestotal	1		
maxnoinputtotal	1		
<b>Developer Notes</b>			
note that the ultimate array of tags in the NLU grammar will be determined by analysis of collected data			


### mm0300\_GetCOLABroadcast\_DB

<b>Database Call</b> 		
Database lookup to retrieve information related to the cost of living adjustment Broadcast message.		
<b>Entering From</b>		
<a href="#">mm0210_SFMainMenu_DM</a> , <a href="#">mm0303_AskRepeatCola_DM</a>		
<b>Input parameters</b>		
<b>Parameter</b>	<b>Value</b>	
<a href="#">broadcastName</a>	The wav file to be played.	
<a href="#">language</a>	English	
<b>Output parameters</b>		
<b>Variable</b>	<b>Description</b>	
<a href="#">colaBroadcastPrompt</a>	The name of the recording (wav file)	
<a href="#">colaMsgStartTime</a>	The beginning of the time range when the message needs to be played.	
<a href="#">colaMsgEndTime</a>	The end of the time range when the message needs to be played.	
<a href="#">colaActiveFlag</a>	Indicator that determines if the message is active or not.	
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If COLA Broadcast available	--	<b>goto:</b> <a href="#">mm0304_COLABroadcastMsg_PP</a>
Else	--	<b>goto:</b> <a href="#">mm0301_GetCOLABroadcast_DS</a>
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
10/30/2015 - Added db state back in.		

### mm0301\_GetCOLABroadcast\_DS


Decision 		
Check to see if dynamic COLA messaging should be played.		
<b>Entering From</b>		
mm0300_GetCOLABroadcast_DB		
<b>Actions</b>		
Condition	Action	Transition
If COLA information is available	--	goto: mm0302_COLAMsg_PP
Else	--	throwevent: event=event.operator
<b>Developer Notes</b>		
If any of these varialbes are null, then the Cola information is not available and caller needs to be transferred. colaYear colaRate colaSsiPaymentDate colaSsPaymentDate		

### mm0302\_COLAMsg\_PP

Complex Play Prompt 		
This state plays the pre-recorded cost of living adjustment information dynamically.		
<b>Entering From</b>		
mm0301_GetCOLABroadcast_DS, mm0303_AskRepeatCola_DM		
<b>Actions</b>		
Condition	Action	Transition
Always	<b>Prompt:</b> [mm0302_out_01] The...	--
^	<b>Prompt:</b> [mm0302_out_02] {colaYear /medial /CPR=date/example=two thousand sixteen}	--
^	<b>Prompt:</b> [mm0302_out_03] ...cost-of-living adjustment, or COLA, for Social Security and Supplemental Security Income, or, SSI beneficiaries, will be...	--
^	<b>Prompt:</b> [mm0302_out_04] {colaRate /final /CPR=number/example=one point seven percent}	--
^	<b>Prompt:</b> [mm0302_out_05] Changes in payment amount resulting from the COLA, will be included in the SSI payments dated...	--
^	<b>Prompt:</b> [mm0302_out_06] {colaSsiPaymentDate /medial /CPR=date/example=December thirty first two thousand sixteen}	--
^	<b>Prompt:</b> [mm0302_out_07] ... and the Social Security payments dated...	--
^	<b>Prompt:</b> [mm0302_out_08] {colaSsPaymentDate /final	--

	/CPR=date/example=January two thousand sixteen}	
If Cola Premium Amount is not null	<b>Prompt:</b> [mm0302_out_09] The Centers for Medicare and Medicaid Services have announced that the standard Medicare Part B premium for...	--
^	<b>Prompt:</b> [mm0302_out_10] {colaYear /medial /CPR=date/example=two thousand sixteen}	--
^	<b>Prompt:</b> [mm0302_out_11] ...is...	--
^	<b>Prompt:</b> [mm0302_out_12] {colaPremiumAmount /medial/CPR=currency/example=one hundred four dollars and ninety cents}	--
^	<b>Prompt:</b> [mm0302_out_13] ... per month.	--
Else (If Medicare Part B premium is null)	<b>Prompt:</b> [mm0302_out_23] The Centers for Medicare and Medicaid Services have not yet announced the standard Medicare Part B premium for...	--
^	<b>Prompt:</b> [mm0302_out_24] {colaYear /final /CPR=date/example=two thousand sixteen}	--
^	<b>Prompt:</b> [mm0302_out_25] We will update this message after announcement of the new Medicare premium amount.	--
Always	<b>Prompt:</b> [mm0302_out_14] <500ms silence>	<b>goto:</b> mm0303_AskRepeatCola_DM
<b>Developer Notes</b>		
9/4/15 - Changed mm0302_COLAMsg_PP state to dynamic play prompt as part of CR 332.		

### mm0303\_AskRepeatCola\_DM

CustomContext Recognition 			
Asks the caller if they'd like to hear the cost of living adjustment message again.			
<b>Entering From</b>			
mm0302_COLAMsg_PP, mm0304_COLABroadcastMsg_PP			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	mm0303_ini_01	Now, would you like to hear that again?
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
yes, yes please // yes	1	<cola_msg_yesno yes>	Never
no, no thanks // no	2	<cola_msg_yesno no>	Never
<b>Actions</b>			
Option	Condition	Action	Transition



no	Always	<b>Prompt:</b> [mm0303_out_01] All right. If you're finished, feel free to hang up. Otherwise, just hang on and I'll take you back to the Main Menu.	<b>goto:</b> mm0200_SFToggle_DS
yes	Always	<b>Prompt:</b> [mm0303_out_02] Sure.	<b>goto:</b> mm0300_GetCOLABroadcast_DB
<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [mm0303_nm1_01] Let's try again...Would you like to hear that COLA information again?	<b>Re-Recognition:</b>
nomatch 2	Always	<b>Prompt:</b> [mm0303_nm2_01] Sorry. To hear the information about this year's 'Cost of Living Adjustment' again, press 1. If you don't want to hear it again, press 2.	<b>Re-Recognition:</b>
nomatch 3	If office_hours=true	<b>Prompt:</b> [mm0303_nm3_01] Sorry we're having trouble. To speak with someone, say 'Agent.' Otherwise,...	<b>goto:</b> mm0200_SFToggle_DS
nomatch 3	Else (office_hours=false)	<b>Prompt:</b> [mm0303_nm3_02] Sorry we're having trouble. Let's keep going...	<b>goto:</b> mm0200_SFToggle_DS
noinput 1	Always	<b>Prompt:</b> [mm0303_ni1_01] If you'd like me to repeat that COLA information, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	If office_hours=true	<b>Prompt:</b> [mm0303_ni2_01] To speak with someone, press 0. Otherwise,...	<b>goto:</b> mm0200_SFToggle_DS
noinput 2	Else (office_hours=false)	<b>Prompt:</b> [mm0303_ni2_02] Let's keep going...	<b>goto:</b> mm0200_SFToggle_DS
<b>Commands: State-Specific Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
repeat	--	--	<b>goto:</b> mm0302_COLAMsg_PP
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
--			

**mm0304\_COLABroadcastMsg\_PP**

<b>Simple Play Prompt</b> :))
This state plays the COLA Broadcast message.
<b>Entering From</b>
<a href="#">mm0300_GetCOLABroadcast_DB</a>

<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Example	<b>Prompt:</b> [mm0304_out_01] By law, there will not be an automatic increase, also known as a cost-of-living adjustment or COLA, in Social Security benefits or Supplemental Security Income payments in two thousand sixteen. Additional information is available on our web site at w w w dot social security dot g o v slash cola. Our telephone agents and field office staff do not have any additional information about the two thousand sixteen COLA.	--
Always	<b>Prompt:</b> [colaBroadcastPrompt.wav] <COLABroadcaseMessage>	--
Always	<b>Prompt:</b> [mm0304_out_02] <500ms silence>	<b>goto:</b> mm0303_AskRepeatCola_DM
<b>Developer Notes</b>		
10/30/15 - Created new state to play back simple COLA broadcast message.		

**mm0305\_IsChangeOfAddressEnabled\_DS**


<b>Decision</b>		◇
Identifies if change of address is enabled or not and transitions accordingly.		
<b>Entering From</b>		
mm0210_SFMainMenu_DM, mm0430_AddressDisambig_DM, mm0910_UpdatePersonalInfo_DM, mm1110_UpdatePersonalInfo_DM		
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If <code>current_task = change_address</code>	If <code>coa_active = false</code>	--
Else	--	<b>goto:</b> mm0310_ChangeOfAddress_SD
<b>Developer Notes</b>		
--		

**mm0306\_ChangeOfAddressMsg\_PP**


<b>Simple Play Prompt</b>		:))
Informs callers that they will need their bank routing number and account number in order to continue.		
New state added as part of CR 541 Sept 2019.		
<b>Entering From</b>		
mm0305_IsChangeOfAddressEnabled_DS		
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Prompt:</b> [mm0306_out_01] To change your address, you must have your complete old and new address information available. If you have this information, please hold. If you do not	<b>goto:</b> mm0327_ExpressCallService_DM

	have this information, call us back once you locate it so that we can assist you.	
<b>Developer Notes</b>		
--		

**mm0310\_ChangeOfAddress\_SD**


<b>Subdialog Call</b>		
Subdialog call for Change of Address		
<b>Entering From</b>		
<a href="#">mm0305_IsChangeOfAddressEnabled_DS</a>		
<b>Dialog called</b>		
Proceed to initial node in: <a href="#">ChangeOfAddress</a>		
<b>Input parameters</b>		
<b>Parameter</b>	<b>Value</b>	
--	--	
<b>Output parameters</b>		
<b>Variable</b>	<b>Subdialog Variable</b>	
--	--	
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If <a href="#">attestation_confirmed</a> =declined	--	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
Elseif <a href="#">coa_transaction_status</a> =success	--	<b>goto:</b> <a href="#">mm0210_SFMainMenu_DM</a>
Elseif <a href="#">coa_transaction_status</a> =receiving_ssi	--	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
Elseif <a href="#">coa_transaction_status</a> =not_eligible	--	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
Elseif <a href="#">coa_transaction_status</a> =non_resident	--	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
Elseif <a href="#">coa_transaction_status</a> =not_self	--	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
Elseif <a href="#">coa_transaction_status</a> =no_zip	--	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
Elseif <a href="#">coa_transaction_status</a> =effective_later	--	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
Else ( <a href="#">coa_transaction_status</a> =failure)	<b>Assign:</b> <a href="#">transfer_reason</a> =failure	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
--		

**mm0320\_FieldOfficeLocator\_SD**

<b>Subdialog Call</b>		
Subdialog call for Field Office Locator		
<b>Entering From</b>		
<a href="#">mm0210_SFMainMenu_DM</a> , <a href="#">mm0430_AddressDisambig_DM</a> , <a href="#">mm0460_SSNVerification_DM</a> , <a href="#">mm0530_BenefitsStatement_SD</a> , <a href="#">mm0600_BackoffMainMenu_DM</a> , <a href="#">mm1430_SocialSecurityCardMenu_DM</a> , <a href="#">mm1520_GetForm_DM</a> , <a href="#">mm1600_SubmitForm_DM</a> , <a href="#">mm2120_ChangeMsg_DM</a> , <a href="#">mm2200_BecomePayee_DM</a>		


<b>Dialog called</b>			
Proceed to initial node in: <a href="#">FieldOfficeLocator</a>			
<b>Input parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Output parameters</b>			
<b>Variable</b>		<b>Subdialog Variable</b>	
--		--	
<b>Actions</b>			
<b>Condition</b>		<b>Action</b>	<b>Transition</b>
If fol_transaction_status=success	If card_type=both	<b>Prompt:</b> [mm0320_out_01] Now let's take care of your Medicare card...	<b>goto:</b> <a href="#">mm1105_MedicareCardsMenu_DM</a>
^	Else	<b>Prompt:</b> [mm0320_out_02] If you're finished, feel free to hang up. Otherwise...	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
If fol_transaction_status=dont_know_zip		--	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
Else (If fol_transaction_status=failure)		<b>Assign:</b> <a href="#">transfer_reason</a> =failure	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
<b>Recovery Behavior</b>			
<a href="#">See 1.1 Global Recovery Behavior</a>			
<b>Developer Notes</b>			
--			

### mm0323\_DirectDepositMsg\_PP


			Simple Play Prompt 
Informs callers that they can enroll or make changes to their Direct Deposit online.			
Updated as part of CR 541 Sept 2019.			
<b>Entering From</b>			
<a href="#">mm0210_SFMainMenu_DM</a> , <a href="#">mm0610_BackoffOtherOptionsMenu_DM</a> , <a href="#">mm0700_Benefits_DM</a> , <a href="#">mm0910_UpdatePersonalInfo_DM</a>			
<b>Actions</b>			
<b>Condition</b>		<b>Action</b>	<b>Transition</b>
Always		<b>Prompt:</b> [mm0323_out_01] Did you know you can enroll in or make changes to your direct deposit account by going online and using your MySocialSecurity account? Go to www dot Social Security dot G-O-V and click on my Social Security. If you are calling to change your bank information, you will need the bank routing number and account number currently on your record. If you have this information, please hold. If you do not have this information, call us back once you locate it so that we can assist you.	<b>goto:</b> <a href="#">mm0325_IsDirectDepositEnabled_DS</a>
Always		<b>Prompt:</b> [mm0323_out_01] Did you know you can enroll in or make	<b>goto:</b> <a href="#">mm0325_IsDirectDepositEnabled_DS</a>

	<p>changes to your direct deposit account by going online and using your MySocialSecurity account? Go to www dot Social Security dot G-O-V and click on my Social Security. To change your direct deposit, you must have your current bank routing number and account number. If you have this information, please hold. If you do not have this information, call us back once you locate it so that we can assist you.</p>	
<b>Developer Notes</b>		
--		

### mm0325\_IsDirectDepositEnabled\_DS

<b>Decision</b> 		
Identifies if direct deposit is enabled or not and transitions accordingly.		
<b>Entering From</b>		
mm0323_DirectDepositMsg_PP		
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If current_task = direct_deposit	If direct_deposit_active = false	--
^	Else	--
		goto: mm0327_ExpressCallService_DM
		goto: mm0330_DirectDeposit_SD
<b>Developer Notes</b>		
--		

### mm0327\_ExpressCallService\_DM

<b>YesNo Recognition</b> 			
Asks the caller if they ALSO want to update their direct deposit or change of address.			
New state added as part of CR 541 Sept 2019.			
<b>Entering From</b>			
mm0306_ChangeOfAddressMsg_PP, mm0325_IsDirectDepositEnabled_DS			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	If final_intent == direct_deposit	mm0327_ini_01	Do you also want to change your address?
initial	Else // If final_intent == change_of_address	mm0327_ini_02	Do you also want to update your direct deposit information?
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
yes		1	<result yes>
no		2	<result no>
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
yes	If final_intent == direct_deposit	Prompt: [mm0327_out_03]	--


		Alright. Please make sure you ALSO have your complete old and new address information available.	
^	Else // If final_intent == change_of_address	<b>Prompt:</b> [mm0327_out_02] Alright. Please make sure you ALSO have your current bank routing number and account number available.	--
^	Always	<b>Comment:</b> .	<b>goto:</b> <a href="#">mm0329_AnythingElse_DM</a>
no	Always	<b>Comment:</b> .	<b>goto:</b> <a href="#">mm0329_AnythingElse_DM</a>

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	If final_intent == direct_deposit	<b>Prompt:</b> [mm0327_nm1_01] Do you also want to change your address in *addition* to updating your direct deposit information? Please say Yes or No.	--
nomatch 1	Else // If final_intent == change_of_address	<b>Prompt:</b> [mm0327_nm1_02] Do you also want to update your direct deposit information in *addition* to changing your address? Please say Yes or No.	--
nomatch 2	If final_intent == direct_deposit	<b>Prompt:</b> [mm0327_nm2_01] Sorry. If you need to change your address in *addition* to updating your direct deposit information, say 'Yes' or press 1. If not, say 'No' or press 2.	--
nomatch 2	Else // If final_intent == change_of_address	<b>Prompt:</b> [mm0327_nm2_02] Sorry. If you need to update your direct deposit information in *addition* to changing your address, say 'Yes' or press 1. If not, say 'No' or press 2.	--
nomatch 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
noinput 1	If final_intent == direct_deposit	<b>Prompt:</b> [mm0327_ni1_01] If you'd like to change your address in *addition* to updating your direct deposit, say 'Yes' or press 1. If not, say 'No' or press 2.	--
noinput 1	Else // If final_intent == change_of_address	<b>Prompt:</b> [mm0327_ni1_02] If you'd like to update your direct deposit in *addition* to changing your address, say 'Yes' or press 1. If not, say 'No' or press 2.	--
noinput 2	If final_intent == direct_deposit	<b>Prompt:</b> [mm0327_ni2_01] Sorry. To change your address in *addition* to updating your direct deposit information, say 'Yes' or press 1. If not, say 'No' or press 2.	--
noinput 2	Else // If final_intent == change_of_address	<b>Prompt:</b> [mm0327_ni2_02] Sorry. To update your direct deposit information in *addition* to changing your address, say 'Yes' or press 1. If not, say 'No' or press 2.	--


noinput 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
--			

**mm0329\_AnythingElse\_DM**

<b>YesNo Recognition</b>			
New state added as part of CR 541 Sept 2019.			
<b>Entering From</b>			
<a href="#">mm0327_ExpressCallService_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm0329_ini_01	Now, will you need help with anything ELSE today?
<b>Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
yes	1	<result yes>	Never
no	2	<result no>	Never
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
yes	--	--	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
no	--	<b>Assign:</b> <a href="#">isSkillTransfer</a> =false	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [mm0329_nm1_01] Do you need help with anything else BESIDES changing your address or updating your direct deposit? Please say Yes or No.	--
nomatch 2	Always	<b>Prompt:</b> [mm0329_nm2_01] If you need help with anything else BESIDES changing your address or updating your direct deposit, say 'Yes' or press 1. If not, say 'No' or press 2.	--
nomatch 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>

noinput 1	Always	<b>Prompt:</b> [mm0329_ni1_01] Sorry. Do you need help with anything else BESIDES changing your address or updating your direct deposit information? Please say Yes or No.	--
noinput 2	Always	<b>Prompt:</b> [mm0329_ni2_01] Sorry. If you need help with anything else BESIDES changing your address or updating your direct deposit information, say 'Yes' or press 1. If not, say 'No' or press 2.	--
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
<b>Commands: State-Specific Behavior</b>			
See 1.2 Global Commands			
<b>Commands: Confirmations</b>			
See 1.2 Global Commands			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
Created new boolean variable <a href="#">isSkillTransfer</a> with default to false. It will be passed to ICM to assist with call routing.			

**mm0330\_DirectDeposit\_SD**

<b>Subdialog Call</b> 		
Subdialog call for Direct Deposit		
<b>Entering From</b>		
<a href="#">mm0325_IsDirectDepositEnabled_DS</a>		
<b>Dialog called</b>		
Proceed to initial node in: <a href="#">DirectDeposit</a>		
<b>Input parameters</b>		
<b>Parameter</b>		<b>Value</b>
--		--
<b>Output parameters</b>		
<b>Variable</b>		<b>Subdialog Variable</b>
--		--
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If attestation_confirmed=declined	--	<b>goto:</b> mm3000_ABRStatus_DS
Elseif dd_transaction_status=success	--	<b>goto:</b> mm0200_SFToggle_DS
Elseif dd_transaction_status=receiving_ssi	--	<b>goto:</b> mm3000_ABRStatus_DS
Elseif dd_transaction_status=not_eligible	--	<b>goto:</b> mm0200_SFToggle_DS
Elseif dd_transaction_status=non_resident	--	<b>goto:</b> mm3000_ABRStatus_DS



Elseif dd_transaction_status=not_self	--	<a href="#">goto: mm3000_ABRStatus_DS</a>
Elseif dd_transaction_status=dont_know_info	--	<a href="#">goto: mm0200_SFToggle_DS</a>
Else (dd_transaction_status=failure)	<b>Assign:</b> <a href="#">transfer_reason</a> =failure	<a href="#">goto: mm3000_ABRStatus_DS</a>
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
--		

### mm0400\_GetTaxesBroadcast\_DB


Database Call		
Database lookup to retrieve information related to the tax informational Broadcast message.		
<b>Entering From</b>		
<a href="#">mm0210_SFMainMenu_DM</a> , <a href="#">mm0410_AskRepeatTaxes_DM</a>		
<b>Input parameters</b>		
Parameter	Value	
<a href="#">broadcastName</a>	The wav file to be played.	
<a href="#">language</a>	English	
<b>Output parameters</b>		
Variable	Description	
<a href="#">taxBroadcastPrompt</a>	The name of the recording (wav file)	
<a href="#">taxMsgStartTime</a>	The beginning of the time range when the message needs to be played.	
<a href="#">taxMsgEndTime</a>	The end of the time range when the message needs to be played.	
<a href="#">taxActiveFlag</a>	Indicator that determines if the message is active or not.	
<b>Actions</b>		
Condition	Action	Transition
If tax Broadcast available	--	<a href="#">goto: mm0405_TaxBroadcastMsg_PP</a>
Else	--	<a href="#">goto: mm0401_GetTaxesBroadcast_DS</a>
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
10/30/2015 - Added db state back in.		

### mm0401\_GetTaxesBroadcast\_DS

Decision		
Check to see if dynamic tax messaging should be played.		
<b>Entering From</b>		
<a href="#">mm0400_GetTaxesBroadcast_DB</a>		
<b>Actions</b>		
Condition	Action	Transition
If tax information is available	--	<a href="#">goto: mm0404_TaxesMsg_PP</a>

Else	--	<b>throwevent:</b> event=event.operator
<b>Developer Notes</b>		
<p>If any of these variables are null, then the Tax information is not available and caller needs to be transferred.</p> <p>taxYear  taxAmount1SelfEmp  taxAmount2MaxTax  taxAmount3MaxSs  taxRate1ContEe  taxRate2ConSelfEmp  taxRate3SsTax  taxRate4MedTax</p>		


**mm0404\_TaxesMsg\_PP**

		Complex Play Prompt 
This state plays the pre-recorded tax information message.		
<b>Entering From</b>		
mm0401_GetTaxesBroadcast_DS, mm0410_AskRepeatTaxes_DM		
<b>Actions</b> [Barge-in is OFF]		
Condition	Action	Transition
Always	<b>Prompt:</b> [mm0404_out_05] Whenever you work in a job that's covered by Social Security, your employer must deduct your Social Security and Medicare taxes from your salary, and must pay an equal employer's share of the taxes. If you're self-employed and the net profit from your business is more than...	--
^	<b>Prompt:</b> [mm0404_out_06] {taxAmount1SelfEmp /medial /CPR=currency/example=four hundred dollars}	--
^	<b>Prompt:</b> [mm0404_out_07] ...that, too, is covered by Social Security and Medicare. You must report those earnings and pay the Social Security and Medicare taxes when you file your personal income tax return for the year.	--
^	<b>Prompt:</b> [mm0404_out_08] <500ms silence>	--
^	<b>Prompt:</b> [mm0404_out_09] The...	--
^	<b>Prompt:</b> [mm0404_out_10] {taxYear/medial /CPR=date/example= two thousand sixteen}	--
^	<b>Prompt:</b> [mm0404_out_11] ...contribution rate is...	--
^	<b>Prompt:</b> [mm0404_out_12] {taxRate2ConSelfEmp /medial /CPR=ratnum/example=seven point six five}	--
^	<b>Prompt:</b> [mm0404_out_13] ...percent...	--
^	<b>Prompt:</b> [mm0404_out_14]	--


	... for employees and...	
^	<b>Prompt:</b> [mm0404_out_15] {taxRate2ConSelfEmp /medial /CPR=natnum/example=seven point six five}	--
^	<b>Prompt:</b> [mm0404_out_16] ...percent...	--
^	<b>Prompt:</b> [mm0404_out_17] ... for self-employed people. The rates are broken out as follows: The Social Security tax rate is...	--
^	<b>Prompt:</b> [mm0404_out_18] {taxRate3SsTax /medial /CPR=natnum/example=seven point six five}	--
^	<b>Prompt:</b> [mm0404_out_19] ...percent...	--
^	<b>Prompt:</b> [mm0404_out_20] ...up to the maximum taxable amount of...	--
^	<b>Prompt:</b> [mm0404_out_21] {taxAmount2MaxTax /medial /CPR=currency/example=four hundred dollars}	--
^	<b>Prompt:</b> [mm0404_out_22] ...in...	--
^	<b>Prompt:</b> [mm0404_out_23] {taxYear /medial /CPR=date/example= two thousand sixteen}	--
^	<b>Prompt:</b> [mm0404_out_24] Thus, the maximum Social Security tax withheld is...	--
^	<b>Prompt:</b> [mm0404_out_25] {taxAmount3MaxSs /final /CPR=currency/example=four hundred dollars}	--
^	<b>Prompt:</b> [mm0404_out_26] The Medicare tax rate is...	--
^	<b>Prompt:</b> [mm0404_out_27] {taxRate4MedTax /medial /CPR=natnum/example=seven point six five}	--
^	<b>Prompt:</b> [mm0404_out_28] ...percent.	--
^	<b>Prompt:</b> [mm0404_out_29] Both amounts are doubled for self-employed individuals. When you have more than one job in a year, each of your employers must withhold Social Security taxes on your wages without regard to what the other employers may have withheld. You may then end up with total Social Security taxes withheld that exceed the maximum.	--
^	<b>Prompt:</b> [mm0404_out_30] <500ms silence>	--
^	<b>Prompt:</b> [mm0404_out_31]	--

	You can claim a refund for the excess taxes that were withheld when you file your personal income tax return with the Internal Revenue Service. If you're receiving Social Security benefits and continue to work, these extra earnings may help increase the amount of your benefits. We check these additional earnings each year, and if they raise your benefits, we'll notify you of the new amount.	
Always	<b>Prompt:</b> [mm0404_out_32] <500ms silence>	<b>goto:</b> mm0410_AskRepeatTaxes_DM
<b>Developer Notes</b>		
--		

**mm0405\_TaxBroadcastMsg\_PP**


<b>Simple Play Prompt</b> 		
This state plays the Tax Broadcast message.		
<b>Entering From</b>		
mm0400_GetTaxesBroadcast_DB		
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
^	<b>Prompt:</b> [taxBroadcastPrompt.wav] <TaxBroadcastMessage>	--
Always	<b>Prompt:</b> [mm0405_out_06] <500ms silence>	<b>goto:</b> mm0410_AskRepeatTaxes_DM
<b>Developer Notes</b>		
--		

**mm0410\_AskRepeatTaxes\_DM**

<b>CustomContext Recognition</b> 			
Asks the caller if they'd like to hear the taxes message again.			
<b>Entering From</b>			
mm0404_TaxesMsg_PP, mm0405_TaxBroadcastMsg_PP			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm0410_ini_01	Now, would you like to hear that again?
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
yes, yes please // yes		1	<cola_msg_yesno yes>
no, no thanks // no		2	<cola_msg_yesno no>
<b>Confirm</b>			
			Never
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
no	Always	<b>Prompt:</b> [mm0410_out_01]	<b>goto:</b> mm0200_SFToggle_DS

		All right. If you're finished, feel free to hang up. Otherwise, just hang on and I'll take you back to the Main Menu.	
yes	Always	<b>Prompt:</b> [mm0410_out_02] Sure.	<b>goto:</b> <a href="#">mm0400_GetTaxesBroadcast_D B</a>
<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [mm0410_nm1_01] Let's try again...Would you like to hear that tax information again?	<b>Re-Recognition:</b>
nomatch 2	Always	<b>Prompt:</b> [mm0410_nm2_01] Sorry. To hear the information about taxes and the Social Security Administration again, press 1. If you don't want to hear it again, press 2.	<b>Re-Recognition:</b>
nomatch 3	If office_hours=true	<b>Prompt:</b> [mm0410_nm3_01] Sorry we're having trouble. To speak with someone, say 'Agent.' Otherwise,...	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
nomatch 3	Else (office_hours=false)	<b>Prompt:</b> [mm0410_nm3_02] Sorry we're having trouble. Let's keep going...	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
noinput 1	Always	<b>Prompt:</b> [mm0410_ni1_01] If you'd like me to repeat that tax information, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	If office_hours=true	<b>Prompt:</b> [mm0410_ni2_01] To speak with someone, press 0. Otherwise,...	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
noinput 2	Else (office_hours=false)	<b>Prompt:</b> [mm0410_ni2_02] Let's keep going...	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
<b>Commands: State-Specific Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
repeat	--	--	<b>goto:</b> <a href="#">mm0404_TaxesMsg_PP</a>
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
--			


**mm0420\_AddressVerifyMsg\_DM**

<b>CustomContext Recognition</b> 
Informational message for callers wanting to verify their name or address.
<b>Entering From</b>
<a href="#">mm0210_SFMainMenu_DM</a>
<b>Initial Prompts</b>

Type	Condition	Name	Wording	
initial	Always	mm0420_ini_01	If you've recently submitted a change of name or address, you should know that it takes approximately three business days to change our records. Social Security will send a confirmation letter to your old address a few days after your request. If you have your check mailed to you, it may take three WEEKS from the date of your confirmation letter to change your address on your benefit check. If you requested that the change take place as soon as possible, the notice and your check may still go to your old address until we've had a chance to update our records. Oh, and to make sure you get all of your mail, don't forget to contact the Post Office to register your change of address.	
initial	^	mm0420_ini_02	<500ms silence>	
initial	^	mm0420_ini_03	Now, would you like to hear that information again?	
<b>Grammar</b>				
Sample Expressions		DTMF	Reco Var/Option	Confirm
yes, yes please // yes		1	<ss5verify_msg_yesno yes>	Never
no, no thanks // no		2	<ss5verify_msg_yesno no>	Never
<b>Actions</b>				
Option	Condition	Action	Transition	
no	Always	<b>Prompt:</b> [mm0420_out_01] All right. If you're finished, feel free to hang up. Otherwise, just hang on and I'll take you back to the Main Menu.	<b>goto:</b> mm0200_SFToggle_DS	
yes	Always	<b>Prompt:</b> [mm0420_out_02] Sure.	<b>Re-Recognition:</b> Reprompt	
<b>Recovery Behavior</b>				
Type	Condition	Action	Transition	
nomatch 1	Always	<b>Prompt:</b> [mm0420_nm1_01] Let's try again...Would you like to hear that information again?	<b>Re-Recognition:</b>	
nomatch 2	Always	<b>Prompt:</b> [mm0420_nm2_01] Sorry. To hear the information again, press 1. If you don't want to hear it again, press 2.	<b>Re-Recognition:</b>	
nomatch 3	If office_hours=true	<b>Prompt:</b> [mm0420_nm3_01] Sorry we're having trouble. To speak with someone, say 'Agent.' Otherwise,...	<b>goto:</b> mm0200_SFToggle_DS	
nomatch 3	Else (office_hours=false)	<b>Prompt:</b> [mm0420_nm3_02] Sorry we're having trouble. Let's keep going...	<b>goto:</b> mm0200_SFToggle_DS	
noinput 1	Always	<b>Prompt:</b> [mm0420_ni1_01] If you'd like me to repeat that information, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>	
noinput 2	If office_hours=true	<b>Prompt:</b> [mm0420_ni2_01] To speak with someone, press 0.	<b>goto:</b> mm0200_SFToggle_DS	

		Otherwise,...	
noinput 2	Else (office_hours=false)	<b>Prompt:</b> [mm0420_ni2_02] Let's keep going...	<b>goto:</b> mm0200_SFToggle_DS
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
Automatically returns to SFMainMenu on 2nd noinput			

### mm0430\_AddressDisambig\_DM

<b>CustomContext Recognition</b> 			
This is a disambiguation state to determine if the caller wants to update their personal address or find a Social Security field office.			
<b>Entering From</b>			
<a href="#">mm0210_SFMainMenu_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm0430_ini_01	Which would you like to do -- 'Update Your Address' or 'Find a Social Security Office'?
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
update address, update my address		1	< <a href="#">address_disambig_menu</a> update_address>
find a Social Security office, Social Security office, find an office, office		2	< <a href="#">address_disambig_menu</a> office>
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
update_address	Always	<b>Assign:</b> current_task =change_address	--
^	^	<b>Assign:</b> final_intent =change_of_address	--
^	^	<b>Prompt:</b> [mm0430_out_01] All right.	<b>goto:</b> <a href="#">mm0305_IsChangeOfAddressEnabled_DS</a>
office	Always	<b>Assign:</b> current_task =field_office_locator	--
^	^	<b>Assign:</b> final_intent =field_office_locator	--
^	^	<b>Prompt:</b> [mm0430_out_02] All right.	<b>goto:</b> <a href="#">mm0320_FieldOfficeLocator_SD</a>
<b>Confirmation Prompts</b>			
<b>Option</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>

update_address	Always	mm0430_cnf_ini_01	You want to update YOUR address. Right?
office	Always	mm0430_cnf_ini_02	You'd like to find a local Social Security office. Right?

**Confirmation Recovery Behavior**

[See 1.3 Global Confirmation](#)

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm0430_nm1_01] Let's try again...You can say 'Update Address' or 'Find an Office'.	<b>Re-Recognition:</b>
nomatch 2	Always	<b>Prompt:</b> [mm0430_nm2_01] Sorry. If you would like to update your address, say 'Update Address' or press 1. Otherwise, if you'd like to find a local Social Security office, say 'Find an Office' or press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
noinput 1	Always	<b>Prompt:</b> [mm0430_ni1_01] If you want to update your address, say 'Update Address'. Otherwise, to find a Social Security office, say 'Find an Office'.	<b>Re-Recognition:</b>
noinput 2	Always	<b>Prompt:</b> [mm0430_ni2_01] Sorry. If you would like to update your address, say 'Update Address' or press 1. Otherwise, if you'd like to find a local Social Security office, say 'Find an Office' or press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS

**Commands: State-Specific Behavior**

[See 1.2 Global Commands](#)

**Commands: Confirmations**

[See 1.2 Global Commands](#)


**Config Parameters**

Parameter	Value
--	--

**Developer Notes**

--

**mm0440\_DisabilityDisambig\_DM**

<b>CustomContext Recognition</b> 
This is a disambiguation state to determine if the caller wants to apply for benefits, check on the status of a claim, or if they're calling about a benefit check.
<b>Entering From</b>



<a href="#">mm0210_SFMainMenu_DM</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	mm0440_ini_01	Which of these are you calling about -- you can say 'Apply for Benefits', 'Claim Status', 'Benefit Check', or say 'It's Something Else'.
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
apply, apply for benefits	1	<disability_disambig_menu apply>	If Necessary
claim status, status of a claim	2	<disability_disambig_menu claim_status>	If Necessary
benefit check, check	3	<disability_disambig_menu check>	If Necessary
something else, it's something else	4	<disability_disambig_menu else>	If Necessary
<b>Actions</b>			
Option	Condition	Action	Transition
apply	Always	Assign: final_intent =apply	--
^	^	Prompt: [mm0440_out_01] All right.	goto: mm3000_ABRStatus_DS
claim_status	Always	Assign: current_task =application_status	--
^	^	Assign: final_intent =claims_status_general	--
^	^	Prompt: [mm0440_out_02] All right.	goto: mm0515_ApplicationStatusKBA_DS
check	Always	Assign: current_task =checks	--
^	^	Prompt: [mm0440_out_03] All right.	goto: mm1900_ReceivingBenefits_DM
else	Always	Assign: final_intent =<current_intent>	--
^	^	Prompt: [mm0440_out_04] All right.	goto: mm3000_ABRStatus_DS
<b>Confirmation Prompts</b>			
Option	Condition	Name	Wording
apply	Always	mm0440_cnf_ini_01	You want to 'Apply for Benefits'. Right?
check	Always	mm0440_cnf_ini_02	Your calling about a 'Benefit Check'. Right?
claim_status	Always	mm0440_cnf_ini_03	You want to check the 'Status of a Claim'. Right?
else	Always	mm0440_cnf_ini_04	You're calling about 'Something Else.' Right?
<b>Confirmation Recovery Behavior</b>			
<a href="#">See 1.3 Global Confirmation</a>			
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	Prompt: [mm0440_nm1_01]	Re-Recognition:

		Let's try again...You can say 'Apply for Benefits', 'Claim Status', 'Benefit Check', or 'It's Something Else'.	
nomatch 2	Always	<b>Prompt:</b> [mm0440_nm2_01] Sorry. If you need to apply for disability benefits, say 'Apply for Benefits' or press 1. If you need to check the status of a disability claim, say 'Claim Status' or press 2. If you are calling about a disability check, say 'Benefit Check' or press 3. OR, for anything else, press 4.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
noinput 1	Always	<b>Prompt:</b> [mm0440_ni1_01] If you need to apply for disability benefits, say 'Apply for Benefits'. If you need to check the status of a disability claim, say 'Claim Status'. If you are calling about a disability check, say 'Benefit Check'. OR, for anything else, say 'It's Something Else' or press 4.	<b>Re-Recognition:</b>
noinput 2	Always	<b>Prompt:</b> [mm0440_ni2_01] Sorry. If you need to apply for disability benefits, say 'Apply for Benefits' or press 1. If you need to check the status of a disability claim, say 'Claim Status' or press 2. If you are calling about a disability check, say 'Benefit Check' or press 3. OR, for anything else, press 4.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS

**Commands: State-Specific Behavior**

[See 1.2 Global Commands](#)

**Commands: Confirmations**

[See 1.2 Global Commands](#)


**Config Parameters**

Parameter	Value
--	--

**Developer Notes**

5/4/2015 - Added two synonyms for option 1 "Apply" and "Apply for benefits" and have confirmation set to ALWAYS: "yes" and "okay"


**mm0450\_EmploymentDisambig\_DM**

<b>CustomContext Recognition</b> 
This is a disambiguation state to determine if the caller needs a copy of there work history (form 7004) or if they are calling about something else related to employment.
<b>Entering From</b>
<a href="#">mm0210_SFMainMenu_DM</a>

<b>Initial Prompts</b>				
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>	
initial	Always	mm0450_ini_01	Do you need a copy of your work history?	
<b>Grammar</b>				
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
yes		1	<employment_disambig_menu_yes no yes>	Never
no		2	<employment_disambig_menu_yes no no>	Never
<b>Actions</b>				
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>	
no	Always	<b>Assign:</b> final_intent =<current_intent>	--	
^	^	<b>Prompt:</b> [mm0450_out_01] All right.	<b>goto:</b> mm3000_ABRStatus_DS	
yes	Always	<b>Assign:</b> current_task =transcription_7004	--	
^	^	<b>Assign:</b> final_intent =transcription_7004	--	
^	^	<b>Prompt:</b> [mm0450_out_02] All right.	<b>goto:</b> mm2000_ReceivingBenefits_DM	
<b>Recovery Behavior</b>				
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>	
nomatch 1	Always	<b>Prompt:</b> [mm0450_nm1_01] Let's try again...DO you need a copy of your work history?	<b>Re-Recognition:</b>	
nomatch 2	Always	<b>Prompt:</b> [mm0450_nm2_01] Sorry. If you need a copy of your work history, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>	
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--	
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS	
noinput 1	Always	<b>Prompt:</b> [mm0450_ni1_01] If you need a copy of your work history, also known as form 7004, say 'Yes'. If not, say 'No'.	<b>Re-Recognition:</b>	
noinput 2	Always	<b>Prompt:</b> [mm0450_ni2_01] Sorry. If you need a copy of your work history, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>	
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--	
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS	
<b>Commands: State-Specific Behavior</b>				
<a href="#">See 1.2 Global Commands</a>				
<b>Commands: Confirmations</b>				
<a href="#">See 1.2 Global Commands</a>				
<b>Config Parameters</b>				

Parameter	Value
--	--
<b>Developer Notes</b>	
--	

**mm0460\_SSNVerification\_DM**

CustomContext Recognition 			
This state advises the caller on how to verify a Social Security number, whether they are an employer or calling to verify their own.			
<b>Entering From</b>			
<a href="#">mm0210_SFMainMenu_DM</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	mm0460_ini_01	If you're an employer calling to verify the Social Security numbers of current or former employees, you'll need to visit our website at 'Social Security dot G O V, slash B S O'. If you're calling verify your OWN Social Security number, you'll need to visit your local Social Security Field Office.
initial	^	mm0460_ini_02	<500ms silence>
initial	^	mm0460_ini_03	You can say 'Repeat That' or 'Find an Office'. Or, if you're finished, just say 'I'm Finished'.
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
repeat, repeat that	1	<ssn_verify_menu repeat>	Never
find an office, local office	2	<ssn_verify_menu office>	If Necessary
i'm finished, i'm done	3	<ssn_verify_menu finished>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
office	Always	<b>Assign:</b> <a href="#">current_task</a> =field_office_locator	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> =field_office_locator	--
^	^	<b>Prompt:</b> [mm0460_out_01] All right.	<b>goto:</b> <a href="#">mm0320_FieldOfficeLocator_SD</a>
finished	Always	<b>Assign:</b> <a href="#">final_intent</a> =<current_intent>	--
^	^	<b>Prompt:</b> [mm0460_out_02] If you're done, feel free to hang up. Otherwise,...	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
<b>Confirmation Prompts</b>			
Option	Condition	Name	Wording
office	Always	mm0460_cnf_ini_01	You'd like to find a local Social Security office. Right?
<b>Confirmation Recovery Behavior</b>			
<a href="#">See 1.3 Global Confirmation</a>			
<b>Recovery Behavior</b>			

Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm0460_nm1_01] Let's try again...You can say 'Repeat', 'Find an Office', or 'I'm Finished'.	<b>Re-Recognition:</b>
nomatch 2	Always	<b>Prompt:</b> [mm0460_nm2_01] Sorry. To hear that information again, say 'Repeat' or press 1. If you want to find a local Social Security office, say 'Find an Office' or press 2. OR, if you're finished, simply say 'I'm Finished' or press 3.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
noinput 1	Always	<b>Prompt:</b> [mm0460_ni1_01] To hear that information again, say 'Repeat'. If you need to verify your own Social Security number and want to find a local Social Security office, say 'Find an Office'. OR, if you're finished, simply say 'I'm Finished'.	<b>Re-Recognition:</b>
noinput 2	Always	<b>Prompt:</b> [mm0460_ni2_01] Sorry. To hear that information again, say 'Repeat' or press 1. If you want to find a local Social Security office, say 'Find an Office' or press 2. OR, if you're finished, simply say 'I'm Finished' or press 3.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS

**Commands: State-Specific Behavior**

Type	Condition	Action	Transition
repeat	--	<b>Prompt:</b> [mm0460_repeat_01] Sure.	<b>Re-Recognition:</b> Reprompt

**Commands: Confirmations**

[See 1.2 Global Commands](#)

**Commands: Grammar**

Sample Expressions	DTMF	Command	Confirm
repeat that, repeat	9	repeat	Never

**Config Parameters**

Parameter	Value
--	--

**Developer Notes**

--


**mm0470\_ReplacementDisambig\_DM**

<b>CustomContext Recognition</b>
This is a disambiguation state to determine if the caller wants to get a replacement 1099, card, or something else.
<b>Entering From</b>

<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	mm0470_ini_01	Which of these do you need to replace -- a 'Benefits Statement (or '1099')', a 'Medicare or Social Security Card', or say 'It's Something Else'?
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
benefits statement, 1099	1	<replacement_disambig_menu 1099>	If Necessary
medicare card, social security card, card	2	<replacement_disambig_menu card>	If Necessary
something else	3	<replacement_disambig_menu else>	If Necessary
<b>Actions</b>			
Option	Condition	Action	Transition
1099	Always	Assign: current_task =benefits_statement	--
^	^	Assign: final_intent =1099_benefits_statement	--
^	^	Prompt: [mm0470_out_01] All right. Replacement Benefits Statement (or '1099').	goto: mm0525_BenefitsStatementKBA_DS
card	Always	Prompt: [mm0470_out_02] All right. Replacement Card.	goto: mm1300_WhichCard_DM
else	Always	Assign: final_intent =<current_intent>	--
^	^	Prompt: [mm0470_out_03] All right.	goto: mm3000_ABRStatus_DS
<b>Confirmation Prompts</b>			
Option	Condition	Name	Wording
1099	Always	mm0470_cnf_ini_01	You want a replacement 'Benefits Statement (or 1099)'. Right?
card	Always	mm0470_cnf_ini_02	You want a replacement 'Medicare or Social Security Card'. Right?
else	Always	mm0470_cnf_ini_03	You're calling about 'Something Else.' Right?
<b>Confirmation Recovery Behavior</b>			
<a href="#">See 1.3 Global Confirmation</a>			
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	Prompt: [mm0470_nm1_01] Let's try again...You can say 'Benefits Statement', 'Medicare or Social Security Card', OR say 'It's Something Else'.	Re-Recognition:
nomatch 2	Always	Prompt: [mm0470_nm2_01] Sorry. If you need to get a replacement 'Benefits Statement (or 1099)', press 1. For a replacement	Re-Recognition:

		'Medicare or Social Security Card', press 2. OR, for anything else, press 3.	
nomatch 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
noinput 1	Always	<b>Prompt:</b> [mm0470_ni1_01] You can say 'Benefits Statement' or press 1, 'Medicare or Social Security Card' or press 2, OR say 'It's Something Else' or press 3.	<b>Re-Recognition:</b>
noinput 2	Always	<b>Prompt:</b> [mm0470_ni2_01] Sorry. If you need to get a replacement 'Benefits Statement (or 1099)', press 1. For a replacement 'Medicare or Social Security Card', press 2. OR, for anything else, press 3.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
--			

**mm0500\_BEVEKBA\_DS**


<b>Decision</b> 		
Sets variable for use by the KBA for the 'Benefits Verification' task		
<b>Entering From</b>		
<a href="#">mm0610_BackoffOtherOptionsMenu_DM</a> , <a href="#">mm0900_BenefitsMoreOptions_DM</a> , <a href="#">mm2010_BenefitsEarnings_DM</a> , <a href="#">mm2300_FormsGeneral_DM</a> , <a href="#">mm2400_EarningsMenu_DM</a>		
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Assign:</b> <a href="#">beve_transaction_status</a> =Undefined	<b>goto:</b> <a href="#">mm0503_BEVEMsg_PP</a>
<b>Developer Notes</b>		
--		

**mm0503\_BEVEMsg\_PP**

<b>Simple Play Prompt</b> 	
New play prompt state to play new online advertising option for Benefits Verification (BEVE).	

<b>Entering From</b>		
mm0500_BEVEKBA_DS		
<b>Actions</b> [Barge-in is OFF]		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Prompt:</b> [mm0503_out_01] You may be able to obtain a benefit verification, sometimes called a proof of income letter, as verification that you do or do not receive benefits, by going online and using your MySocialSecurity account. Go to www dot Social Security dot GOV and click on my Social Security.	<b>goto:</b> mm0505_BEVE_SD
<b>Developer Notes</b>		
Barge-in turned off!		

### mm0505\_BEVE\_SD

<b>Subdialog Call</b> 		
Subdialog call for Benefits Verification		
<b>Entering From</b>		
mm0503_BEVEmsg_PP		
<b>Dialog called</b>		
Proceed to initial node in: <a href="#">BenefitsVerification</a>		
<b>Input parameters</b>		
<b>Parameter</b>	<b>Value</b>	
--	--	
<b>Output parameters</b>		
<b>Variable</b>	<b>Subdialog Variable</b>	
--	--	
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If attestation_confirmed=declined	--	<b>goto:</b> mm3000_ABRStatus_DS
Elseif beve_transaction_status=success	--	<b>goto:</b> mm0200_SFToggle_DS
Elseif beve_transaction_status=change_address	--	<b>goto:</b> mm3000_ABRStatus_DS
Else (beve_transaction_status = failure)	<b>Assign:</b> transfer_reason =failure	<b>goto:</b> mm3000_ABRStatus_DS
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
--		

### mm0515\_ApplicationStatusKBA\_DS


<b>Decision</b> 
Sets variable for use by the KBA for the 'Claim Status' task
<b>Entering From</b>




mm0210\_SFMainMenu\_DM, mm0440\_DisabilityDisambig\_DM, mm0600\_BackoffMainMenu\_DM, mm0700\_Benefits\_DM, mm0810\_ApplicationStatusQuestion\_DM

<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Assign:</b> claims_transaction_status =Undefined	<b>goto:</b> mm0518_ClaimsMsg_PP
<b>Developer Notes</b>		
--		

**mm0518\_ClaimsMsg\_PP**


<b>Simple Play Prompt</b>		
New play prompt state advertising the new online claims status application behind the MySocialSecurity portal.		
<b>Entering From</b>		
mm0515_ApplicationStatusKBA_DS		
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Prompt:</b> [mm0518_out_01] You may be able to request the status of a claim or appeal by going online and using your MySSA account. Go to www dot Social Security dot GOV and click on my Social Security.	--
^	<b>Prompt:</b> [mm0518_out_02] To obtain a status of your claim, you will need the 8-digit confirmation number provided when you applied for benefits. If you do not have that information handy, please hang up and call us back once you do.	<b>goto:</b> mm0520_ApplicationStatus_SD
<b>Developer Notes</b>		
--		

**mm0520\_ApplicationStatus\_SD**


<b>Subdialog Call</b>		
Subdialog call for Claim Status		
<b>Entering From</b>		
mm0518_ClaimsMsg_PP		
<b>Dialog called</b>		
Proceed to initial node in: ClaimStatusRequests		
<b>Input parameters</b>		
<b>Parameter</b>	<b>Value</b>	
--	--	
<b>Output parameters</b>		
<b>Variable</b>	<b>Subdialog Variable</b>	
--	--	

<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If attestation_confirmed=declined	--	goto: mm3000_ABRStatus_DS
Elseif claims_transaction_status=success	--	goto: mm0200_SFToggle_DS
Elseif claims_transaction_status=no_confirmation_number	--	goto: mm3000_ABRStatus_DS
Else (claims_transaction_status=failure)	Assign: transfer_reason =failure	goto: mm3000_ABRStatus_DS
<b>Recovery Behavior</b>		
See 1.1 Global Recovery Behavior		
<b>Developer Notes</b>		
--		

### mm0525\_BenefitsStatementKBA\_DS


<b>Decision</b>		
Sets variable for use by the KBA for the 'Benefits statement' task		
<b>Entering From</b>		
mm0210_SFMainMenu_DM, mm0470_ReplacementDisambig_DM, mm0610_BackoffOtherOptionsMenu_DM, mm2010_BenefitsEarnings_DM, mm2300_FormsGeneral_DM, mm2400_EarningsMenu_DM		
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	Assign: benefits_statement_transaction_status =Undefined	goto: mm0530_BenefitsStatement_SD
<b>Developer Notes</b>		
--		

### mm0530\_BenefitsStatement\_SD


<b>Subdialog Call</b>		
Subdialog call for Benefits Statement		
<b>Entering From</b>		
mm0525_BenefitsStatementKBA_DS		
<b>Dialog called</b>		
Proceed to initial node in: ReplacementBenefitStatement		
<b>Input parameters</b>		
<b>Parameter</b>	<b>Value</b>	
--	--	
<b>Output parameters</b>		
<b>Variable</b>	<b>Subdialog Variable</b>	
--	--	
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>

If attestation_confirmed=declined	--	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
Elseif benefits_statement_transaction_status=success	<b>Prompt:</b> [mm0530_out_01] If you're finished, feel free to hang up. Otherwise...	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
Elseif benefits_statement_transaction_status=previous_year	--	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
Elseif benefits_statement_transaction_status=field_office	--	<b>goto:</b> <a href="#">mm0320_FieldOfficeLocator_SD</a>
Elseif benefits_statement_transaction_status=replacement	--	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
Else (benefits_statement_transaction_status=failure)	<b>Assign:</b> <a href="#">transfer_reason</a> =failure	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
--		

### mm0540\_BestTimeMsg\_PP

		<b>Play Prompt</b> 
Informational message about the best time to call		
<b>Entering From</b>		
--		
<b>Actions</b> [Barge-in is OFF]		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Prompt:</b> [mm0540_out_01] Agents are available Monday through Friday from 7 AM to 7 PM (except for holidays). Our lines are busiest early in the week and early in the month. You can call any time - 24 hours a day, 7 days a week - to use our automated services. And when you call, it'll help to have your Social Security number handy.	--
^	<b>Prompt:</b> [mm0540_out_02] <500ms silence>	--
^	<b>Prompt:</b> [mm0540_out_03] Now,...	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
<b>Developer Notes</b>		
NOTE: this state is currently NOT called		

### mm0545\_TranscriptionKBA\_DS

		<b>Decision</b> 
Sets variable for use by the KBA for the 'Transcription' tasks		
<b>Entering From</b>		
<a href="#">mm0210_SFMainMenu_DM</a> , <a href="#">mm0900_BenefitsMoreOptions_DM</a> , <a href="#">mm1520_GetForm_DM</a> , <a href="#">mm1770_OrderDrugFormQuestion_DM</a> , <a href="#">mm2040_FutureBenefits_DM</a> , <a href="#">mm2400_EarningsMenu_DM</a>		
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>

If <code>current_task = transcription_7004</code>	AND If <code>form_7004_delivery = false</code>	--	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
^	Else ( <code>form_7004_delivery != false</code> )	<b>Assign:</b> <code>transcription_transaction_status =Undefined</code>	<b>goto:</b> <a href="#">mm0550_Transcription_SD</a>
Else		<b>Assign:</b> <code>transcription_transaction_status =Undefined</code>	<b>goto:</b> <a href="#">mm0550_Transcription_SD</a>
<b>Developer Notes</b>			
Form_7004_delivery is set to false in the current IVR configuration			

### mm0550\_Transcription\_SD


<b>Subdialog Call</b>		
Subdialog call for Transcription		
<b>Entering From</b>		
<a href="#">mm0545_TranscriptionKBA_DS</a>		
<b>Dialog called</b>		
Proceed to initial node in: <a href="#">Transcription</a>		
<b>Input parameters</b>		
Parameter	Value	
--	--	
<b>Output parameters</b>		
Variable	Subdialog Variable	
--	--	
<b>Actions</b>		
Condition	Action	Transition
If <code>attestation_confirmed=declined</code>	--	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
Elseif <code>transcription_transaction_status=success</code>	--	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
Else ( <code>transcription_transaction_status=failure</code> )	<b>Assign:</b> <code>transfer_reason =failure</code>	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
--		

### mm0555\_MRCSMySSAWebsite\_PP


<b>Simple Play Prompt</b>		
Created new play prompt to encourage callers to use the MySSA website to request their 1099/1042 statements.		
<b>Entering From</b>		
<a href="#">mm0210_SFMainMenu_DM</a> , <a href="#">mm1105_MedicareCardsMenu_DM</a> , <a href="#">mm1710_ReplacementCardQuestion_DM</a>		
<b>Actions</b> [Barge-in is OFF]		
Condition	Action	Transition
Always	<b>Prompt:</b> [mm0555_out_01] Did you know you can request a replacement Medicare card by going	<b>goto:</b> <a href="#">mm0560_MRCKBA_DS</a>

	online and using your MySSA account? Go to www dot Social Security dot GOV and click on my Social Security.	
<b>Developer Notes</b>		
Barge-in turned off!		


**mm0560\_MRCKBA\_DS**

<b>Decision</b> 		
Sets variable for use by the KBA for the 'Medicare Replacement Card' task		
<b>Entering From</b>		
<a href="#">mm0555_MRCMySSAWebsite_PP</a>		
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Assign:</b> <code>mrc_transaction_status =Undefined</code>	<b>goto:</b> <a href="#">mm0565_MRC_SD</a>
<b>Developer Notes</b>		
--		

**mm0565\_MRC\_SD**

<b>Subdialog Call</b> 		
Subdialog call for Medicare Replacement Card		
<b>Entering From</b>		
<a href="#">mm0560_MRCKBA_DS</a>		
<b>Dialog called</b>		
Proceed to initial node in: <a href="#">MedicareReplacementCard</a>		
<b>Input parameters</b>		
<b>Parameter</b>	<b>Value</b>	
--	--	
<b>Output parameters</b>		
<b>Variable</b>	<b>Subdialog Variable</b>	
--	--	
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If attestation_confirmed=declined	--	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
Elseif mrc_transaction_status=success	--	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
Elseif mrc_transaction_status=change_address	--	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
Else (mrc_transaction_status=failure)	<b>Assign:</b> <code>transfer_reason =failure</code>	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
--		

**mm0600\_BackoffMainMenu\_DM**

<b>CustomContext Recognition</b>					
Directed Dialog version of the Main Menu.					
<b>Entering From</b>					
mm0200_SFToggle_DS, mm0210_SFMainMenu_DM, mm0610_BackoffOtherOptionsMenu_DM					
<b>Initial Prompts</b>					
Type	Condition		Name	Wording	
initial	If first_entry=true	If non_national_transfer=true	mm0600_ini_01	Okay. Which of these are you calling about - 'Claim Status,' 'Update Personal Information,' 'New or Replacement Cards,' 'Medicare,' or 'Office Locations.' Or, to hear more options, say 'Other Options.'	
initial	^	Else (non_national_transfer=false)	mm0600_ini_02	Tell me which of these sounds closest to what you're calling about - 'Claim Status,' 'Update Personal Information,' 'New or Replacement Cards,' 'Medicare,' or 'Office Locations.' Or, to hear more options, say 'Other Options.'	
initial	Else (first_entry=false)	If backoff_menu_go_back=false	mm0600_ini_03	Tell me what else I can help you with - 'Claim Status,' 'Update Personal Information,' 'New or Replacement Cards,' 'Medicare,' or 'Office Locations.' Or, to hear more options, say 'Other Options.'	
initial	^	Else (backoff_menu_go_back=true)	mm0600_ini_04	You can say 'Claim Status,' 'Update Personal Information,' 'New or Replacement Cards,' 'Medicare,' or 'Office Locations.' Or, to hear the OTHER options again, say 'Other Options.'	
reprompt	After 'repeat' or disconfirmation	Always	mm0600_ree_01	Which of these are you calling about - you can say 'Claim Status,' 'Update Personal Information,' 'New or Replacement Cards,' 'Medicare,' or 'Office Locations.' Or, to hear more options, say 'Other Options.'	
<b>Grammar</b>					
Sample Expressions			DTMF	Reco Var/Option	Confirm
check claim status, claim status, application status, check application status // claim status			1	<backoff_main_menu application_status>	If Necessary
?update personal information, update ?personal information // update personal information			2	<backoff_main_menu update>	If Necessary
?[new replacement (new or replacement)] ?[(social security) medicare] card[s] // cards			3	<backoff_main_menu cards>	If Necessary
medicare // medicare			4	<backoff_main_menu medicare>	If Necessary
find ?(a social security) office, office ?locations // office locations			5	<backoff_main_menu office_locations>	If Necessary
[other more] options, something else, none ?(of [them those]) // other options			6	<backoff_main_menu other_options>	Always
repeat, repeat that // repeat			9	<backoff_main_menu repeat>	Never
<dtmf_7> // Spanish			7	<backoff_main_menu Spanish>	Never

<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
application_status	Always	<b>Assign:</b> <a href="#">current_task</a> =application_status	--
^	^	<b>Assign:</b> <a href="#">current_intent</a> =claims_status_general	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> =claims_status_general	--
^	^	<b>Assign:</b> <a href="#">first_entry</a> =false	--
^	^	<b>Assign:</b> <a href="#">backoff_menu_go_back</a> =false	--
^	^	<b>Prompt:</b> [mm0600_out_01] Okay. Claim Status.	<b>goto:</b> <a href="#">mm0515_ApplicationStatusKBA_DS</a>
cards	Always	<b>Assign:</b> <a href="#">backoff_menu_go_back</a> =false	--
^	^	<b>Assign:</b> <a href="#">current_intent</a> =cards_general	--
^	^	<b>Assign:</b> <a href="#">first_entry</a> =false	--
^	^	<b>Prompt:</b> [mm0600_out_02] All right. Cards.	<b>goto:</b> <a href="#">mm1300_WhichCard_DM</a>
medicare	Always	<b>Assign:</b> <a href="#">backoff_menu_go_back</a> =false	--
^	^	<b>Assign:</b> <a href="#">current_intent</a> =medicare	--
^	^	<b>Assign:</b> <a href="#">first_entry</a> =false	--
^	^	<b>Prompt:</b> [mm0600_out_03] All right. Medicare.	<b>goto:</b> <a href="#">mm1700_MedicareApplyMenu_DM</a>
office_locations	Always	<b>Assign:</b> <a href="#">backoff_menu_go_back</a> =false	--
^	^	<b>Assign:</b> <a href="#">current_task</a> =field_office_locator	--
^	^	<b>Assign:</b> <a href="#">current_intent</a> =field_office_locator	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> =field_office_locator	--
^	^	<b>Assign:</b> <a href="#">first_entry</a> =false	--
^	^	<b>Prompt:</b> [mm0600_out_04] All right. Office Locations.	<b>goto:</b> <a href="#">mm0320_FieldOfficeLocator_SD</a>
other_options	Always	<b>Assign:</b> <a href="#">first_entry</a> =false	--
^	^	<b>Prompt:</b> [mm0600_out_05] All right.	<b>goto:</b> <a href="#">mm0610_BackoffOtherOptionsMenu_DM</a>
update	Always	<b>Assign:</b> <a href="#">backoff_menu_go_back</a> =false	--
^	^	<b>Assign:</b> <a href="#">current_intent</a> =update_information	--
^	^	<b>Assign:</b> <a href="#">first_entry</a> =false	--
^	^	<b>Prompt:</b> [mm0600_out_06]	<b>goto:</b> <a href="#">mm0910_UpdatePersonalInfo_D</a>

		Okay. Update Information.	M
repeat	Always	<b>Prompt:</b> [mm0600_out_07] Sure.	<b>Re-Recognition:</b> Reprompt
Spanish	Always	<b>Assign:</b> <a href="#">current_intent</a> =spanish	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> =spanish	<b>goto:</b> <a href="#">mm0150_SpanishApp_EC</a>

**Confirmation Prompts**

Option	Condition	Name	Wording
application_status	Always	mm0600_cnf_ini_01	You're calling about the 'Status of a Claim.'
cards	Always	mm0600_cnf_ini_02	You want 'Cards.'
medicare	Always	mm0600_cnf_ini_03	You want 'Medicare.'
office_locations	Always	mm0600_cnf_ini_04	You're calling to find a Social Security office.
other_options	Always	mm0600_cnf_ini_05	You'd like to hear 'Other Options.'
update	Always	mm0600_cnf_ini_06	You're calling to Update Personal Information.
--	Always	gl_cnf_ini_02	Right?

**Confirmation Recovery Behavior**

[See 1.3 Global Confirmation](#)


**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm0600_nm1_01] Let's try again. You can say 'Claim Status' or press 1, 'Update Information' or press 2, 'Cards' or 3, 'Medicare' or 4, 'Office Locations' or 5, or say 'Other Options' or press 6.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm0600_nm2_01] Sorry. To check the status of an application or claim you've already filed, press 1. To update personal information (like your name, address, or direct deposit information), press 2. To request a new or replacement CARD, 3. For questions about Medicare, 4. To find a Social Security office in your area, 5. Or, to hear additional options, press 6.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
noinput 1	^	<b>Prompt:</b> [mm0600_ni1_01] If you're calling to check the status of an application or claim you've already filed, say 'Claim Status' or press 1. To update personal information (like your name or address), say 'Update Information' or press 2. To request a new or replacement CARD, say 'Cards' or press 3. For questions	<b>Re-Recognition:</b>



		about Medicare benefits or eligibility, say 'Medicare' or press 4. To find a Social Security office in your area, say 'Office Locations' or press 5. Or, to hear additional options, say 'Other Options' or press 6.	
noinput 2	^	<b>Prompt:</b> [mm0600_ni2_01] Sorry. To check the status of an application or claim you've already filed, press 1. To update personal information (like your name, address, or direct deposit information), press 2. To request a new or replacement CARD, 3. For questions about Medicare, 4. To find a Social Security office in your area, 5. Or, to hear additional options, press 6.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
<b>Commands: State-Specific Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
operator	--	<b>Confirm:</b> .	--
operator	--	<b>Assign:</b> <a href="#">current_intent</a> =agent	--
operator	--	<b>Assign:</b> <a href="#">final_intent</a> =agent	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
<b>Commands: Disabled Globals</b>			
StartOver, repeat			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
--			

**mm0610\_BackoffOtherOptionsMenu\_DM**

<b>CustomContext Recognition</b> 			
Additional Directed Dialog Main Menu options.			
<b>Entering From</b>			
<a href="#">mm0600_BackoffMainMenu_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm0610_ini_01	You can also set up or change 'Direct Deposit,' 'Apply for Benefits,' request a 'Proof of Income' letter, or get a replacement '1099 Benefits Statement.' For anything else, just say 'It's Something Else.' Or, to hear the other options again, say 'go back.'
reprompt	After 'repeat' or disconfirmation	mm0610_ree_01	You can set up or change 'Direct Deposit,' 'Apply for

			Benefits,' request a 'Proof of Income' letter, or get a replacement '1099 Benefits Statement.' For anything else, just say 'It's Something Else.' Or, to hear the first set of options again, say 'go back.'
<b>Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
?([set up) change (set up or change)] direct deposit // direct_deposit	1	<backoff_other_options_menu direct_deposit>	If Necessary
apply ?(for benefits) // application	2	<backoff_other_options_menu application>	If Necessary
?([request get] a) proof of income ?letter // proof_of_income	3	<backoff_other_options_menu proof_of_income>	If Necessary
?(get a) ?replacement [1099 (benefits statment) (1099 ?benefits statement)] // benefits_statement	4	<backoff_other_options_menu benefits_statement>	If Necessary
?[it's (i'm calling about)] something else, other // something_else	5	<backoff_other_options_menu something_else>	If Necessary
go back ?(to previous menu) // go_back	6	<backoff_other_options_menu go_back>	If Necessary
repeat, repeat that // repeat	9	<backoff_other_options_menu repeat>	Never
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
application	Always	<b>Assign:</b> current_intent =benefits_application	--
^	^	<b>Prompt:</b> [mm0610_out_01] Okay. Apply for Benefits.	<b>goto:</b> mm0800_BenefitsApplicationMe nu_DM
benefits_statement	Always	<b>Assign:</b> current_task =benefits_statement	--
^	^	<b>Assign:</b> current_intent =1099_benefits_statement	--
^	^	<b>Assign:</b> final_intent =1099_benefits_statement	--
^	^	<b>Prompt:</b> [mm0610_out_02] Okay. 1099 Statement.	<b>goto:</b> mm0525_BenefitsStatementKBA _DS
direct_deposit	Always	<b>Assign:</b> current_task =direct_deposit	--
^	^	<b>Assign:</b> current_intent =direct_deposit	--
^	^	<b>Assign:</b> final_intent =direct_deposit	--
^	^	<b>Prompt:</b> [mm0610_out_03] Okay. Direct Deposit.	<b>goto:</b> mm0323_DirectDepositMsg_PP
go_back	Always	<b>Assign:</b> backoff_menu_go_back =true	--
^	^	<b>Prompt:</b> [mm0610_out_04] Sure. Here are those options again...	<b>goto:</b> mm0600_BackoffMainMenu_DM
proof_of_income	Always	<b>Assign:</b> current_task =benefits_verification	--
^	^	<b>Assign:</b> current_intent	--

		=benefits_verification	
^	^	<b>Assign:</b> final_intent =benefits_verification	--
^	^	<b>Prompt:</b> [mm0610_out_05] Okay. Proof Of Income.	<b>goto:</b> mm0500_BEVEKBA_DS
something_else	Always	<b>Assign:</b> current_intent =something_else	--
^	^	<b>Assign:</b> final_intent =something_else	--
^	^	<b>Prompt:</b> [mm0610_out_06] Okay.	<b>goto:</b> mm3000_ABRStatus_DS
repeat	Always	<b>Prompt:</b> [mm0610_out_07] Sure.	<b>Re-Recognition:</b> Reprompt

**Confirmation Prompts**

Option	Condition	Name	Wording
application	Always	mm0610_cnf_ini_01	You want to 'Apply for Benefits.'
benefits_statement	Always	mm0610_cnf_ini_02	You want to get a 'Replacement 1099' statement.
direct_deposit	Always	mm0610_cnf_ini_03	You want 'Direct Deposit.'
go_back	Always	mm0610_cnf_ini_04	You want to 'Go Back' to the previous menu.
proof_of_income	Always	mm0610_cnf_ini_05	You're calling about 'Proof of Income.'
something_else	Always	mm0610_cnf_ini_06	You're calling about 'Something Else.'
--	Always	gl_cnf_ini_02	Right?

**Confirmation Recovery Behavior**


[See 1.3 Global Confirmation](#)

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm0610_nm1_01] Let's try again. You can say 'Direct Deposit' or press 1, 'Apply for Benefits' or press 2, 'Proof of Income' or 3, 'Replacement 1099' or 4, 'It's Something Else' or 5, or to go back to the previous menu of options, say 'Go Back' or press 6.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm0610_nm2_01] Sorry. To set up or change direct deposit, press 1. To apply for benefits, press 2. To get a proof of income letter, 3. To get a replacement 1099 benefits statement, 4. For anything else, 5. Or, to go back to the PREVIOUS menu options, press 6.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
noinput 1	^	<b>Prompt:</b> [mm0610_ni1_01]	<b>Re-Recognition:</b>

		To set up or change direct deposit of your Social Security benefits, say 'Direct Deposit' or press 1. To apply for benefits, say 'Apply for Benefits' or press 2. To request a proof of income or benefits verification letter, say 'Proof of Income' or press 3. To get a replacement 1099 benefits statement, say 'Replacement 1099' or press 4. For anything else, say 'It's Something Else' or press 5. Or, to go back to the PREVIOUS menu options, say 'Go Back' or press 6.	
noinput 2	^	<b>Prompt:</b> [mm0610_ni2_01] Sorry. To set up or change direct deposit, press 1. To apply for benefits, press 2. To get a proof of income letter, 3. To get a replacement 1099 benefits statement, 4. For anything else, 5. Or, to go back to the PREVIOUS menu options, press 6.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> <code>transfer_reason =error</code>	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <code>mm3000_ABRStatus_DS</code>
<b>Commands: State-Specific Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
operator	--	<b>Confirm:</b> .	--
operator	--	<b>Assign:</b> <code>current_intent =agent</code>	--
operator	--	<b>Assign:</b> <code>final_intent =agent</code>	<b>goto:</b> <code>mm3000_ABRStatus_DS</code>
<b>Commands: Disabled Globals</b>			
StartOver, repeat			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
--			

**mm0700\_Benefits\_DM**


<b>CustomContext Recognition</b>			
Benefits disambiguation menu			
<b>Entering From</b>			
<a href="#">mm0210_SFMainMenu_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm0700_ini_01	Which do you want to do - 'Apply For Benefits,' check the 'Status of a Claim,' set up or change 'Direct Deposit,' or ask about a 'Benefits Payment?' (To hear more options, just say 'Other Options.')

<b>Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
apply ?(for ?[(social security) medicare] benefits) // apply	1	<benefits_menu apply>	If Necessary
[claim application] status, ?(check the) status of an [application claim] // application_status	2	<benefits_menu application_status>	If Necessary
?[(set up) change] direct deposit // direct_deposit	3	<benefits_menu direct_deposit>	If Necessary
?(benefits) payment ?(question) // payment	4	<benefits_menu payment>	If Necessary
?(hear) [other more] options // other_options	5	<benefits_menu other_options>	If Necessary
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
application_status	Always	<b>Assign:</b> current_task =application_status	--
^	^	<b>Assign:</b> final_intent =claims_status_general	--
^	^	<b>Prompt:</b> [mm0700_out_01] Okay. Claim Status.	<b>goto:</b> <a href="#">mm0515_ApplicationStatusKBA_DS</a>
apply	Always	<b>Prompt:</b> [mm0700_out_02] Okay. Apply for Benefits.	<b>goto:</b> <a href="#">mm0800_BenefitsApplicationMenu_DM</a>
direct_deposit	Always	<b>Assign:</b> current_task =direct_deposit	--
^	^	<b>Assign:</b> final_intent =direct_deposit	--
^	^	<b>Prompt:</b> [mm0700_out_03] Okay. Direct Deposit.	<b>goto:</b> <a href="#">mm0323_DirectDepositMsg_PP</a>
other_options	Always	<b>Prompt:</b> [mm0700_out_04] Sure.	<b>goto:</b> <a href="#">mm0900_BenefitsMoreOptions_DM</a>
payment	Always	<b>Prompt:</b> [mm0700_out_05] Okay. Payments.	<b>goto:</b> <a href="#">mm1900_ReceivingBenefits_DM</a>
<b>Confirmation Prompts</b>			
<b>Option</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
application_status	Always	mm0700_cnf_ini_01	You're calling about the 'Status of a Claim.' Right?
apply	Always	mm0700_cnf_ini_02	Sounds like you're calling for help with an application. Is that right?
direct_deposit	Always	mm0700_cnf_ini_03	You want 'Direct Deposit.' Right?
other_options	Always	mm0700_cnf_ini_04	You'd like to hear more options. Right?
payment	Always	mm0700_cnf_ini_05	You want 'Payments.' Right?
<b>Confirmation Recovery Behavior</b>			
<a href="#">See 1.3 Global Confirmation</a>			
<b>Recovery Behavior</b>			

Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm0700_nm1_01] Let's try again... You can say 'Apply For Benefits' or press 1, 'Claim Status' or press 2, 'Direct Deposit' or 3, 'Benefits Payment' or 4, Or to hear more options, just say 'Other Options' or press 5.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm0700_nm2_01] Sorry. To get help with an application for benefits, press 1. To check the status of a claim or application you've ALREADY filed, press 2. If you'd like to set up or change direct deposit of your benefits payments, press 3. For questions about your benefits payments, press 4. Or to hear additional benefits options, press 5.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
noinput 1	^	<b>Prompt:</b> [mm0700_ni1_01] To get help with an application for Social Security or Medicare benefits, say 'Apply For Benefits' or press 1. To check the status of a claim or application you've ALREADY filed, say 'Claim Status' or press 2. If you'd like to set up or change direct deposit of your benefits payments, say 'Direct Deposit' or press 3. For questions about your benefits payments, say 'Benefits Payment' or press 4. Or to hear additional benefits options, just say 'Other Options' or press 5.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [mm0700_ni2_01] Sorry. To get help with an application for benefits, press 1. To check the status of a claim or application you've ALREADY filed, press 2. If you'd like to set up or change direct deposit of your benefits payments, press 3. For questions about your benefits payments, press 4. Or to hear additional benefits options, press 5.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			

--

**mm0800\_BenefitsApplicationMenu\_DM**

CustomContext Recognition 			
Benefits application disambiguation menu.			
<b>Entering From</b>			
mm0210_SFMainMenu_DM, mm0610_BackoffOtherOptionsMenu_DM, mm0700_Benefits_DM			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	First entry	mm0800_ini_01	Now, which are you calling about - 'Social Security Benefits' (including disability, survivor, retirement, or supplemental security income), 'Medicare and Prescription Drug Benefits,' or 'Something Else?'
reprompt	After 'repeat' or disconfirmation	mm0800_ree_01	Which are you calling about - 'Social Security Benefits,' 'Medicare and Prescription Drug Benefits,' or 'Something Else?'
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
[(social security) disability survivor retirement, '(supplemental security ?income)] benefits // social_security	1	<benefits_application_menu social_security>	If Necessary
[medicare (medicare or prescription ?drug)] benefits // medicare	2	<benefits_application_menu medicare>	If Necessary
?[it's (i'm calling about)] something else, other // something_else	3	<benefits_application_menu something_else>	If Necessary
[?medicare (prescription ?drug) drug] benefits // prescription	--	<benefits_application_menu prescription>	If Necessary
repeat, repeat that // repeat	9	<benefits_application_menu repeat>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
medicare	Always	<b>Prompt:</b> [mm0800_out_01] Okay. Medicare.	<b>goto:</b> mm1700_MedicareApplyMenu_DM
prescription	Always	<b>Prompt:</b> [mm0800_out_05] Okay. Drug benefits.	<b>goto:</b> mm1750_AskPartD_DM
social_security	Always	<b>Prompt:</b> [mm0800_out_02] Okay. Social Security.	<b>goto:</b> mm0810_ApplicationStatusQuestion_DM
something_else	Always	<b>Assign:</b> final_intent =<current_intent>	--
^	^	<b>Prompt:</b> [mm0800_out_03] Okay.	<b>goto:</b> mm3000_ABRStatus_DS
repeat	Always	<b>Prompt:</b> [mm0800_out_04] Sure.	<b>Re-Recognition:</b> Reprompt
<b>Confirmation Prompts</b>			
Option	Condition	Name	Wording
medicare	Always	mm0800_cnf_ini_01	You're calling about 'Medicare Benefits.'

prescription	Always	mm0800_cnf_ini_04	You're calling about 'Drug Benefits.'
social_security	Always	mm0800_cnf_ini_02	You're calling about 'Social Security Benefits.'
something_else	Always	mm0800_cnf_ini_03	You're calling about 'Something Else.'
--	Always	gl_cnf_ini_02	Right?

**Confirmation Recovery Behavior**

[See 1.3 Global Confirmation](#)

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm0800_nm1_01] Let's try again. You can say 'Social Security Benefits' or press 1, 'Medicare Benefits' or press 2, or for anything else, say 'It's Something Else' or press 3.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm0800_nm2_01] Sorry. For help applying for Social Security benefits (including disability, survivor, retirement, or supplemental security income), press 1. For Medicare benefits (including Prescription Drug benefits), press 2. Or, for anything else, press 3.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
noinput 1	^	<b>Prompt:</b> [mm0800_ni1_01] For help applying for Social Security benefits (including disability, survivor, retirement, or supplemental security income), say 'Social Security Benefits' or press 1. For Medicare benefits (including Prescription Drug benefits), say 'Medicare Benefits' or press 2. Or, for anything else, just say 'It's Something Else' or press 3.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [mm0800_ni2_01] Sorry. For help applying for Social Security benefits (including disability, survivor, retirement, or supplemental security income), press 1. For Medicare benefits (including Prescription Drug benefits), press 2. Or, for anything else, press 3.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS

**Commands: State-Specific Behavior**

[See 1.2 Global Commands](#)

**Commands: Disabled Globals**

repeat

**Commands: Confirmations**




[See 1.2 Global Commands](#)

Config Parameters	
Parameter	Value
--	--

**Developer Notes**


'prescription' added as an implicit (hidden) option.

### mm0810\_ApplicationStatusQuestion\_DM

CustomContext Recognition 			
Asks the caller if he/she is calling about an existing application.			
<b>Entering From</b>			
mm0210_SFMainMenu_DM, mm0800_BenefitsApplicationMenu_DM			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	mm0810_ini_01	Are you calling about a claim you've already filed?
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
yes // yes	1	<application_status_yesno yes>	Never
no // no	2	<application_status_yesno no>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
no	Always	Assign: final_intent =<current_intent>	--
^	^	Prompt: [mm0810_out_01] To apply for benefits you'll need to speak to someone.	goto: mm3000_ABRStatus_DS
yes	Always	Assign: current_task =application_status	--
^	^	Assign: final_intent =claims_status_general	--
^	^	Prompt: [mm0810_out_02] All right.	goto: mm0515_ApplicationStatusKBA_DS
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	Prompt: [mm0810_nm1_01] Let's try again...ARE you calling about a claim or application you've already filed?	Re-Recognition:
nomatch 2	^	Prompt: [mm0810_nm2_01] Sorry. If you're calling about a claim you've ALREADY filed with us, press 1. Otherwise, press 2.	Re-Recognition:
nomatch 3	Always	Assign: transfer_reason =error	--
nomatch 3	Always	Prompt: [gl_nm3_01]	goto: mm3000_ABRStatus_DS

		Sorry, we seem to be having trouble.	
noinput 1	^	<b>Prompt:</b> [mm0810_ni1_01] If you ARE calling about a claim or application you've already filed, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [mm0810_ni2_01] Sorry. If you're calling about a claim you've ALREADY filed with us, press 1. Otherwise, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
--			

**mm0900\_BenefitsMoreOptions\_DM**

<b>CustomContext Recognition</b>			
Additional Benefits options menu.			
<b>Entering From</b>			
<a href="#">mm0700_Benefits_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	First entry	mm0900_ini_01	Here are some more benefits options - you can say 'Proof of Income,' 'Earnings Statement,' 'Update Personal Information,' 'Forms,' 'Pamphlets,' or for anything else, just say 'It's Something Else.'
reprompt	After 'repeat' or disconfirmation	mm0900_ree_01	Which are you calling about - you can say 'Proof of Income,' 'Earnings Statement,' 'Update Personal Information,' 'Forms,' 'Pamphlets,' or for anything else, just say 'It's Something Else.'
<b>Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
proof of income ?letter // proof_of_income	1	<benefits_other_options_menu proof_of_income>	If Necessary
[benefits earnings] statment, 1099 // earnings_statement	2	<benefits_other_options_menu earnings_statement>	If Necessary
update ?(?my ?personal information ?on file) // update	3	<benefits_other_options_menu update>	If Necessary
forms // forms	4	<benefits_other_options_menu forms>	If Necessary

pamphlets // pamphlets	5	<benefits_other_options_menu pamphlets>	If Necessary
?[it's (i'm calling about)] something else, other // something_else	6	<benefits_other_options_menu something_else>	If Necessary
repeat, repeat that // repeat	9	<benefits_other_options_menu repeat>	Never

**Actions**

Option	Condition	Action	Transition
earnings_statement	Always	<b>Prompt:</b> [mm0900_out_01] Okay. Earnings Statement.	<b>goto:</b> <a href="#">mm2400_EarningsMenu_DM</a>
forms	Always	<b>Prompt:</b> [mm0900_out_02] All right. Forms.	<b>goto:</b> <a href="#">mm2300_FormsGeneral_DM</a>
pamphlets	Always	<b>Assign:</b> <a href="#">current_task</a> =transcription_pamphlet	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> =transcription_pamphlets	--
^	^	<b>Prompt:</b> [mm0900_out_03] All right. Pamphlets.	<b>goto:</b> <a href="#">mm0545_TranscriptionKBA_DS</a>
proof_of_income	Always	<b>Prompt:</b> [mm0900_out_04] All right. Proof of Income.	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> =benefits_verification	--
^	^	<b>Assign:</b> <a href="#">current_task</a> =benefits_verification	<b>goto:</b> <a href="#">mm0500_BEVEKBA_DS</a>
something_else	Always	<b>Assign:</b> <a href="#">final_intent</a> =<current_intent>	--
^	^	<b>Prompt:</b> [mm0900_out_05] Okay.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
update	Always	<b>Prompt:</b> [mm0900_out_06] Okay. Update Information.	<b>goto:</b> <a href="#">mm0910_UpdatePersonalInfo_DM</a>
repeat	Always	<b>Prompt:</b> [mm0900_out_07] Sure.	<b>Re-Recognition:</b> Reprompt

**Confirmation Prompts**

Option	Condition	Name	Wording
earnings_stat ement	Always	mm0900_cnf_ini_ 01	You're calling about an 'Earnings Statement.'
forms	Always	mm0900_cnf_ini_ 02	You want 'Forms.'
pamphlets	Always	mm0900_cnf_ini_ 03	You want 'Pamphlets.'
proof_of_inco me	Always	mm0900_cnf_ini_ 04	You're calling about 'Proof of Income.'
something_el se	Always	mm0900_cnf_ini_ 05	You're calling about 'Something Else.'
update	Always	mm0900_cnf_ini_ 06	You want to 'Update Personal Information.'
--	Always	gl_cnf_ini_02	Right?


**Confirmation Recovery Behavior**

[See 1.3 Global Confirmation](#)

<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [mm0900_nm1_01] Let's try again. You can say 'Proof of Income' or press 1, 'Earnings Statement' or press 2, 'Update Personal Information' or 3, 'Forms' or 4, 'Pamphlets' or 5, or say 'It's Something Else' or press 6.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm0900_nm2_01] Sorry. If you need proof of your Social Security income, press 1. For a copy of your annual earnings statement or '1099 form,' press 2. To update personal information you have on file (name or address changes, for example), press 3. To hear about Social Security forms, press 4. To receive information about Social Security benefits in the mail, press 5. Or, for anything else, press 6.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
noinput 1	^	<b>Prompt:</b> [mm0900_ni1_01] For a proof of Social Security income letter, say 'Proof of Income' or press 1. For a copy of your annual earnings statement or '1099 form,' say 'Earnings Statement' or press 2. To update personal information you have on file (name or address changes, for example), say 'Update Information' or press 3. To hear about Social Security forms (other than proof of income or a 1099), say 'Forms' or press 4. To receive information about Social Security benefits in the mail, say 'Pamphlets' or press 5. Or, for anything else, just say 'It's Something Else' or press 6.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [mm0900_ni2_01] Sorry. If you need proof of your Social Security income, press 1. For a copy of your annual earnings statement or '1099 form,' press 2. To update personal information you have on file (name or address changes, for example), press 3. To hear about Social Security forms, press 4. To receive information about Social Security benefits in the mail, press 5. Or, for anything else, press 6.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			

repeat	
<b>Commands: Confirmations</b>	
<a href="#">See 1.2 Global Commands</a>	
<b>Config Parameters</b>	
Parameter	Value
--	--
<b>Developer Notes</b>	
--	

### mm0910\_UpdatePersonalInfo\_DM

CustomContext Recognition 			
'Update Personal Information' disambiguation menu			
<b>Entering From</b>			
mm0210_SFMainMenu_DM, mm0600_BackoffMainMenu_DM, mm0900_BenefitsMoreOptions_DM			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	mm0910_ini_01	Which do you want to update - your 'Name,' your 'Address or Phone Number,' 'Direct Deposit Information' (like bank information), or 'Something Else?'
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
?(i [want need] to [change update] my) name, [change update] name, name change // name	1	<benefits_update_information_menu name>	If Necessary
?(i [want need] to [change update] my) [address (?phone number) phone (address or phone number) (address and phone number)], [change update] [address (?phone number) phone (address or phone number) (address and phone number)], [address (?phone number) phone (address or phone number) (address and phone number)] change // address	2	<benefits_update_information_menu address>	If Necessary
?(i [want need] to [change update] my) direct deposit ?information, [change update] direct deposit ?information, direct deposit change	3	<benefits_update_information_menu direct_deposit>	If Necessary
?[it's (i'm calling about)] something else, other // something_else	4	<benefits_update_information_menu something_else>	If Necessary
<b>Actions</b>			
Option	Condition	Action	Transition
address	Always	<b>Assign:</b> current_task =change_address	--
^	^	<b>Assign:</b> final_intent =change_of_address	--
^	^	<b>Prompt:</b> [mm0910_out_01] All right. Change your Address.	<b>goto:</b> mm0305_IsChangeOfAddressEnabled_DS
direct_deposit	Always	<b>Assign:</b> current_task =direct_deposit	--
^	^	<b>Assign:</b> final_intent =direct_deposit	--

^	^	<b>Prompt:</b> [mm0910_out_02] All right. Direct Deposit.	<b>goto:</b> mm0323_DirectDepositMsg_PP
name	Always	<b>Assign:</b> card_action =Undefined	--
^	^	<b>Prompt:</b> [mm0910_out_03] All right. Name Change.	<b>goto:</b> mm1420_SSUpdateMsg_PP
something_else	Always	<b>Assign:</b> final_intent =<current_intent>	--
^	^	<b>Prompt:</b> [mm0910_out_04] All right.	<b>goto:</b> mm3000_ABRStatus_DS

**Confirmation Prompts**

Option	Condition	Name	Wording
address	Always	mm0910_cnf_ini_01	You'd like to change your 'Address or Phone Number.'
direct_deposit	Always	mm0910_cnf_ini_02	You'd like to change your Direct Deposit information.
name	Always	mm0910_cnf_ini_03	You'd like to change your 'Name.'
something_else	Always	mm0910_cnf_ini_04	You're calling about 'Something Else.'
--	Always	gl_cnf_ini_02	Right?

**Confirmation Recovery Behavior**


[See 1.3 Global Confirmation](#)

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm0910_nm1_01] Let's try again. You can say 'Name' or press 1, 'Address or Phone Number' or press 2, 'Direct Deposit' or 3, OR for anything else, say 'It's Something Else' or press 4.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm0910_nm2_01] Sorry. To change the NAME we have on file for you, press 1. To change your ADDRESS or PHONE NUMBER, press 2. For changes to Direct Deposit information, press 3. Or, to change anything else, press 4.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
noinput 1	^	<b>Prompt:</b> [mm0910_ni1_01] To change the NAME we have on file for you (for example, if you've gotten married or had a legal name change), say 'name' or press 1. To change your ADDRESS or your PHONE NUMBER, say 'Address' or press 2. (To change BOTH, just choose the one you'd like to start with). For changes to your Direct Deposit information (like bank information), say 'Direct Deposit' or press 3. Or, to change anything else, just say 'It's Something Else' or press 4.	<b>Re-Recognition:</b>

noinput 2	^	<b>Prompt:</b> [mm0910_ni2_01] Sorry. To change the NAME we have on file for you, press 1. To change your ADDRESS or PHONE NUMBER, press 2. For changes to Direct Deposit information, press 3. Or, to change anything else, press 4.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
--			

**mm1100\_SocialSecurityCardsMenu\_DM**

<b>CustomContext Recognition</b> 			
Social Security Cards disambiguation menu			
<b>Entering From</b>			
<a href="#">mm0050_EntryRouting_DS</a> , <a href="#">mm0210_SFMainMenu_DM</a> , <a href="#">mm1300_WhichCard_DM</a> , <a href="#">mm1310_BothCardsMsg_PP</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm1100_ini_01	Which of these would you like to do - get a 'Replacement Social Security Card,' 'APPLY for a Social Security Number,' 'Update Your Personal Information,' or 'Something Else?'
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
?(get a) replacement ?(social security) card, replace my ?(social security) card // replacement_card		1	<card_menu_social_security replacement_card>
apply ?(for a social security number) // new_card		2	<card_menu_social_security new_card>
update ?(?my ?personal information) // update		3	<card_menu_social_security update>
?[it's (i'm calling about)] something else, other // something_else		4	<card_menu_social_security something_else>
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
new_card	Always	<b>Assign:</b> card_action =new	--
^	^	<b>Prompt:</b> [mm1100_out_01]	<b>goto:</b> mm1410_SSNewMsg_PP

		Okay. Apply for a Social Security Number.	
replacement_card	Always	<b>Assign:</b> card_action =replace	--
^	^	<b>Prompt:</b> [mm1100_out_02] Okay. Replacement Card.	<b>goto:</b> mm1400_SSReplacementMsg_PP
update	Always	<b>Assign:</b> card_action =update	--
^	^	<b>Prompt:</b> [mm1100_out_03] Okay. Update Information.	<b>goto:</b> mm1110_UpdatePersonalInfo_DM
something_else	Always	<b>Assign:</b> final_intent =<current_intent>	--
^	^	<b>Prompt:</b> [mm1100_out_04] Okay.	<b>goto:</b> mm3000_ABRStatus_DS

**Confirmation Prompts**

Option	Condition	Name	Wording
new_card	Always	mm1100_cnf_ini_01	You're calling to 'Apply for a Social Security Number.'
replacement_card	Always	mm1100_cnf_ini_02	You're calling about a 'Replacement Card.'
something_else	Always	mm1100_cnf_ini_03	You're calling about 'Something Else.'
update	Always	mm1100_cnf_ini_04	You want to 'Update Personal Information.'
--	Always	gl_cnf_ini_02	Right?

**Confirmation Recovery Behavior**

[See 1.3 Global Confirmation](#)


**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm1100_nm1_01] Let's try again. You can say 'Replacement Card' or press 1, 'Apply for a Number' or press 2, 'Update Personal Information' or 3, OR for anything else, say 'It's Something Else' or press 4.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm1100_nm2_01] Sorry. To get a REPLACEMENT Social Security card, press 1. If you've never had a social security number and you need to apply for one, press 2. To update personal information you have on file, press 3. Or for anything else, press 4.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
noinput 1	^	<b>Prompt:</b> [mm1100_ni1_01] To get a REPLACEMENT Social Security card, say 'Replacement Card' or press 1. If you've never had a social security number and you need to apply for one, say 'Apply for a Number' or press 2. To update	<b>Re-Recognition:</b>



		personal information you have on file (name or address changes, for example), say 'Update Personal Information' or press 3. Or for anything else, just say 'It's Something Else' or press 4.	
noinput 2	^	<b>Prompt:</b> [mm1100_ni2_01] Sorry. To get a REPLACEMENT Social Security card, press 1. If you've never had a social security number and you need to apply for one, press 2. To update personal information you have on file, press 3. Or for anything else, press 4.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
5/4/2015 - Added four synonyms for option 1 replacement_card and have confirmation set to ALWAYS: - [a] social security card - duplicate - yes - new card			

**mm1105\_MedicareCardsMenu\_DM**

<b>CustomContext Recognition</b> 			
Medicare Cards disambiguation menu			
<b>Entering From</b>			
mm0320_FieldOfficeLocator_SD, mm1300_WhichCard_DM, mm1510_CitizenDocumentsMsgPart1_DM, mm1512_CitizenDocumentsMsgPart2_DM, mm1515_NonCitizenDocumentsMsgPart1_DM, mm1517_NonCitizenDocumentsMsgPart2_DM, mm1519_NonCitizenDocumentsMsgPart3_DM, mm1520_GetForm_DM, mm1530_WebsiteInstructions_DM, mm1600_SubmitForm_DM			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm1105_ini_01	Which of these would you like to do - get a 'Replacement Medicare Card,' 'APPLY for a Card,' or 'Something Else?'
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
?(get a) replacement ?medicare card, replace my ?medicare card // replacement_card		1	<card_menu_medicare replacement_card>
apply for a ?medicare card // new_card		2	<card_menu_medicare new_card>
			If Necessary
			If Necessary

?[it's (i'm calling about)] something else, other // something_else	3	<card_menu_medicare something_else>	If Necessary
--	---	--	--------------

**Actions**

Option	Condition	Action	Transition
new_card	Always	Assign: card_action =new	--
^	^	Prompt: [mm1105_out_01] Okay. Get a New Card.	goto: mm1700_MedicareApplyMenu_DM
replacement_card	Always	Assign: current_task =card_medicare	--
^	^	Assign: final_intent =medicare_replacement_card	--
^	^	Assign: card_action =replace	--
^	^	Prompt: [mm1105_out_02] Okay. Replacement Card.	goto: mm0555_MRCMySSAWebsite_PP
something_else	Always	Assign: final_intent =<current_intent>	--
^	^	Prompt: [mm1105_out_03] Okay.	goto: mm3000_ABRStatus_DS

**Confirmation Prompts**

Option	Condition	Name	Wording
new_card	Always	mm1105_cnf_ini_01	You're calling to 'Apply for a Card.'
replacement_card	Always	mm1105_cnf_ini_02	You're calling about a 'Replacement Card.'
something_else	Always	mm1105_cnf_ini_03	You're calling about 'Something Else.'
--	Always	gl_cnf_ini_02	Right?

**Confirmation Recovery Behavior**


See 1.3 Global Confirmation

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	Always	Prompt: [mm1105_nm1_01] Let's try again. You can say 'REPLACEMENT Card' or press 1, 'Apply for a Card' or press 2, or for anything else, say 'It's Something Else' or press 3.	Re-Recognition:
nomatch 2	^	Prompt: [mm1105_nm2_01] Sorry. To get a REPLACEMENT card, press 1. If you've never had a Medicare card and you need to apply for one, say 'Apply for a Card' or press 2. Or for anything else, press 3.	Re-Recognition:
nomatch 3	Always	Assign: transfer_reason =error	--
nomatch 3	Always	Prompt: [gl_nm3_01] Sorry, we seem to be having trouble.	goto: mm3000_ABRStatus_DS
noinput 1	^	Prompt: [mm1105_ni1_01] To get a REPLACEMENT card, say 'Replacement Card' or press 1. For	Re-Recognition:

		help applying for a NEW Medicare card, say 'Apply for a Card' or press 2. Or for anything else, just say 'It's Something Else' or press 3.	
noinput 2	^	<b>Prompt:</b> [mm1105_ni2_01] Sorry. To get a REPLACEMENT card, press 1. If you've never had a Medicare card and you need to apply for one, say 'Apply for a Card' or press 2. Or for anything else, press 3.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
--			

**mm1110\_UpdatePersonalInfo\_DM**

<b>CustomContext Recognition</b> 			
Update Personal Information disambiguation menu			
<b>Entering From</b>			
<a href="#">mm1100_SocialSecurityCardsMenu_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm1110_ini_01	Which do you want to update, your 'Name,' your 'Address,' 'Both,' or 'Something Else'?
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
?(i [want need] to [change update] my) name, [change update] name, name change // name		1	<cards_update_information_menu name>
?(i [want need] to [change update] my) address, [change update] address, address change // address		2	<cards_update_information_menu address>
?(i [want need] to [change update] both // both		3	<cards_update_information_menu both>
?[it's (i'm calling about)] something else, other // something_else		4	<cards_update_information_menu something_else>
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>

address	Always	<b>Assign:</b> <a href="#">current_task</a> =change_address	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> =change_of_address	--
^	^	<b>Prompt:</b> [mm1110_out_01] All right. Change your Address.	<b>goto:</b> <a href="#">mm0305_IsChangeOfAddressEnabled_DS</a>
name	Always	<b>Assign:</b> <a href="#">card_action</a> =Undefined	--
^	^	<b>Prompt:</b> [mm1110_out_02] All right. Name Change.	<b>goto:</b> <a href="#">mm1420_SSUpdateMsg_PP</a>
something_else	Always	<b>Assign:</b> <a href="#">final_intent</a> =<current_intent>	--
^	^	<b>Prompt:</b> [mm1110_out_03] All right.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
both	Always	<b>Assign:</b> <a href="#">final_intent</a> =update_information	--
^	^	<b>Prompt:</b> [mm1110_out_04] All right. Both.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>

**Confirmation Prompts**

Option	Condition	Name	Wording
address	Always	mm1110_cnf_ini_01	You'd like to change your 'Address.'
name	Always	mm1110_cnf_ini_02	You'd like to change your 'Name.'
something_else	Always	mm1110_cnf_ini_03	You're calling about 'Something Else.'
both	Always	mm1110_cnf_ini_04	You're calling about 'Both.'
--	Always	gl_cnf_ini_02	Right?

**Confirmation Recovery Behavior**


[See 1.3 Global Confirmation](#)

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm1110_nm1_01] Let's try again. You can say 'Name' or press 1, 'Address' or press 2, 'Both' or press 3 or for anything else, say 'It's Something Else' or press 4.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm1110_nm2_01] Sorry. To change the NAME we have on file for you, press 1. To change your ADDRESS, press 2. To change BOTH your name and address, press 3. Or, to change anything else, press 4.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
noinput 1	^	<b>Prompt:</b> [mm1110_ni1_01] To change the NAME we have on file for you (for example, if you've gotten married or had a legal name change),	<b>Re-Recognition:</b>

		say 'name' or press 1. To change your ADDRESS, say 'Address' or press 2. To change BOTH your name and address, say 'both' or press 3. Or, to change anything else, just say 'It's Something Else' or press 4.	
noinput 2	^	<b>Prompt:</b> [mm1110_ni2_01] Sorry. To change the NAME we have on file for you, press 1. To change your ADDRESS, press 2. To change BOTH your name and address, press 3. Or, to change anything else, press 4.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
10/10/14 - Both is being added as an option. The 'both' path will currently transfer to an agent. Once the Change of Address (COA) module is enabled, "both" would require an update to include prompting (First, let's change your address") followed by Change of Address, followed by name collection or transfer to agent for name collection.			

**mm1210\_InternetAddress\_DM**


<b>CustomContext Recognition</b> 			
Internet Address message			
<b>Entering From</b>			
<a href="#">mm0210_SFMainMenu_DM</a> , <a href="#">mm1210_InternetAddress_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm1210_ini_01	You can find our website at 'social security dot G O V.'
initial	^	mm1210_ini_02	<500ms silence>
initial	^	mm1210_ini_03	To hear a detailed list of the services available online, say 'Details.' If you're experiencing trouble online, say 'Problem.' Otherwise, just hold on and I'll take you back to the Main Menu...
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
repeat ?that // repeat		1	< <a href="#">internet_address_menu</a> repeat>
?hear ?website details, details about ?the website // details		2	< <a href="#">internet_address_menu</a> details>
			<b>Confirm</b>
			Never
			If Necessary

trouble online, problem, online problem // problem		3	< <a href="#">internet_address_menu</a> problem>	If Necessary
<b>Actions</b>				
Option	Condition	Action	Transition	
repeat	Always	<b>Prompt:</b> [mm1210_out_01] Sure.	<b>goto:</b> <a href="#">mm1210_InternetAddress_DM</a>	
details	Always	<b>Prompt:</b> [mm1210_out_01] Sure.	<b>goto:</b> <a href="#">mm1220_InternetInformation_DM</a>	
problem	Always	<b>Prompt:</b> [mm1210_out_02] Okay.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>	
<b>Confirmation Prompts</b>				
Option	Condition	Name	Wording	
details	Always	mm1210_cnf_ini_01	You want to hear more Details.	
problem	Always	mm1210_cnf_ini_02	You're having trouble when you visit our website.	
--	Always	gl_cnf_ini_02	Right?	
<b>Confirmation Recovery Behavior</b>				
<a href="#">See 1.3 Global Confirmation</a>				
<b>Recovery Behavior</b>				
Type	Condition	Action	Transition	
nomatch 1	Always	<b>Prompt:</b> [mm1210_nm1_01] Let's try again. You can say 'Repeat That' or press 1, 'Details' or press 2, 'Problem' or press 3, OR if you're finished, just hang up. Otherwise, hold on and I'll take you back to the Main Menu...	<b>Re-Recognition:</b>	
nomatch 2	^	<b>Prompt:</b> [mm1210_nm2_01] Sorry. To hear that web address again, press 1. For more details about our website, press 2. If your experiencing problems when you go to our website, press 3. Or if you're finished, feel free to hang up. Otherwise, just hold on and I'll take you back to the Main Menu...	<b>Re-Recognition:</b>	
nomatch 3	If office_hours=true	<b>Prompt:</b> [mm1210_nm3_01] Sorry we're having trouble. To speak with someone, say 'Agent.' Otherwise,...	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>	
nomatch 3	Else (office_hours=false)	<b>Prompt:</b> [mm1210_nm3_02] Sorry we're having trouble. Let's keep going...	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>	
noinput 1	--	--	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>	
<b>Commands: State-Specific Behavior</b>				
<a href="#">See 1.2 Global Commands</a>				
<b>Commands: Disabled Globals</b>				
repeat				
<b>Commands: Confirmations</b>				

[See 1.2 Global Commands](#)


Config Parameters	
Parameter	Value
--	--
Developer Notes	
--	

**mm1220\_InternetInformation\_DM**

CustomContext Recognition 			
Internet 'more information' message			
Entering From			
<a href="#">mm1210_InternetAddress_DM</a>			
Initial Prompts			
Type	Condition	Name	Wording
initial	Always	mm1220_ini_01	In addition to general information, on the website you can apply for retirement, disability, or spouse's benefits; find the location, hours of operation, and directions for your nearest local Social Security office; download forms to apply for a new or replacement Social Security card, or to change or correct the name on your Social Security account. You can use the online Social Security Benefits Planner to calculate an estimate of future Social Security benefits, or the Benefit Eligibility Screening Tool to find out what benefits you might be eligible for. You can also request a replacement Medicare card; a benefit verification or 'proof of income' letter, with information about your Social Security and SSI eligibility and benefit amounts; or a replacement 1099 Social Security Benefit Statement summarizing the Social Security benefits you received during the previous year.
initial	^	mm1220_ini_02	<500ms silence>
initial	^	mm1220_ini_03	The web address, again, is 'social security dot G O V.
initial	^	mm1220_ini_04	<500ms silence>
initial	^	mm1220_ini_05	Now, would you like to hear that again?
Grammar			
Sample Expressions	DTMF	Reco Var/Option	Confirm
yes // yes	1	< <a href="#">internet_information_yesno</a> yes>	Never
no // no	2	< <a href="#">internet_information_yesno</a> no>	Never
Actions			
Option	Condition	Action	Transition
no	Always	<b>Prompt:</b> [mm1220_out_01] All right. If you're finished, feel free to hang up. Otherwise, just hang on and I'll take you back to the Main Menu.	<b>goto:</b> mm0200_SFToggle_DS
yes	Always	<b>Prompt:</b> [mm1220_out_02]	<b>Re-Recognition:</b> Reprompt

		Sure.	
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm1220_nm1_01] Let's try again...Would you like to hear the website information again?	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm1220_nm2_01] Sorry. To hear the information about the Social Security Administration website again, press 1. Otherwise, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Prompt:</b> [mm1220_nm3_01] Sorry we're having trouble. Let's keep going...	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
noinput 1	Always	<b>Prompt:</b> [mm1220_ni1_01] If you'd like to hear the website information again, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	Always	<b>Prompt:</b> [mm1220_ni2_01] Let's keep going...	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
Parameter	Value		
--	--		
<b>Developer Notes</b>			
--			

**mm1300\_WhichCard\_DM**

<b>CustomContext Recognition</b> 			
Which Card (Social Security or Medicare) question			
<b>Entering From</b>			
<a href="#">mm0210_SFMainMenu_DM</a> , <a href="#">mm0470_ReplacementDisambig_DM</a> , <a href="#">mm0600_BackoffMainMenu_DM</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	mm1300_ini_01	Which are you calling about - a 'Social Security Card,' a 'Medicare Card,' 'Both Cards,' or 'Something Else?'
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
?(i'm calling about [a my]) social security ?card // social_security	1	< <a href="#">which_card_menu</a> social_security>	If Necessary
?(i'm calling about [a my]) medicare ?card // medicare	2	< <a href="#">which_card_menu</a> medicare>	If Necessary



?(i'm calling about) both ?[cards (of them)] // both	3	< <a href="#">which_card_menu</a> both>	If Necessary
?[it's (i'm calling about)] something else, other, ?[(a different) another] card // something_else	4	< <a href="#">which_card_menu</a> something_else>	If Necessary

**Actions**

Option	Condition	Action	Transition
both	Always	Assign: <a href="#">current_task</a> =card_social_security	--
^	^	Assign: <a href="#">card_type</a> =both	--
^	^	Prompt: [mm1300_out_01] Okay.	goto: <a href="#">mm1310_BothCardsMsg_PP</a>
medicare_card	Always	Assign: <a href="#">card_type</a> =medicare	--
^	^	Prompt: [mm1300_out_02] Okay. Medicare.	goto: <a href="#">mm1105_MedicareCardsMenu_DM</a>
something_else	Always	Assign: <a href="#">final_intent</a> =<current_intent>	--
^	^	Prompt: [mm1300_out_03] Okay	goto: <a href="#">mm3000_ABRStatus_DS</a>
ss_card	Always	Assign: <a href="#">card_type</a> =social_security	--
^	^	Prompt: [mm1300_out_04] Okay. Social Security.	goto: <a href="#">mm1100_SocialSecurityCardsMenu_DM</a>

**Confirmation Prompts**

Option	Condition	Name	Wording
both	Always	mm1300_cnf_ini_01	You're calling about BOTH cards.
medicare	Always	mm1300_cnf_ini_02	You're calling about a Medicare card.
social_security	Always	mm1300_cnf_ini_03	You're calling about a Social Security card.
something_else	Always	mm1300_cnf_ini_04	You're calling about 'Something Else.'
--	Always	gl_cnf_ini_02	Right?

**Confirmation Recovery Behavior**


[See 1.3 Global Confirmation](#)

**Recovery Behavior**


Type	Condition	Action	Transition
nomatch 1	Always	Prompt: [mm1300_nm1_01] Let's try again. You can say 'Social Security' or press 1, 'Medicare' or press 2, 'Both Cards' or 3, OR for anything else, say 'It's Something Else' or press 4.	Re-Recognition:
nomatch 2	^	Prompt: [mm1300_nm2_01] Sorry. If you're calling about a Social Security card, press 1. For a Medicare card, press 2. If you'd like help with BOTH cards, press 3. Or, for anything else, press 4.	Re-Recognition:

nomatch 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
noinput 1	^	<b>Prompt:</b> [mm1300_ni1_01] For help with a Social Security card, say 'Social Security' or press 1. For help with Medicare cards, say 'Medicare' or press 2. If you'd like help with BOTH Social Security AND Medicare cards, just say 'Both' or press 3. Or, for anything else, say 'It's Something Else' or press 4.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [mm1300_ni2_01] Sorry. If you're calling about a Social Security card, press 1. For a Medicare card, press 2. If you'd like help with BOTH cards, press 3. Or, for anything else, press 4.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
5/4/2015 - Added two synonyms for option 1 for social_security and have confirmation set to ALWAYS: "yes" and "yeah"			


**mm1310\_BothCardsMsg\_PP**

<b>Play Prompt</b> 		
If caller chooses 'both [cards]' at mm1300_WhichCard_DM, plays message		
<b>Entering From</b>		
<a href="#">mm1300_WhichCard_DM</a>		
<b>Actions</b> [Barge-in is OFF]		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Prompt:</b> [mm1310_out_01] We'll have to handle the two cards one at a time. We'll do the Social Security card first. After we've done that, we'll take care of the Medicare Card.	--
^	<b>Prompt:</b> [mm1310_out_02] <1000ms silence>	--
^	<b>Prompt:</b> [mm1310_out_03] Now, the Social Security Card.	<b>goto:</b> <a href="#">mm1100_SocialSecurityCardsMenu_DM</a>
<b>Developer Notes</b>		
--		

**mm1400\_SSReplacementMsg\_PP**


Simple Play Prompt 		
Social Security replacement card message		
<b>Entering From</b>		
<a href="#">mm0210_SFMainMenu_DM</a> , <a href="#">mm1100_SocialSecurityCardsMenu_DM</a>		
<b>Actions</b> [Barge-in is OFF]		
Condition	Action	Transition
Never (example)	<b>Prompt:</b> [example] You may be able to request a replacement social security card online with a my social security account. For more information, go to W W W dot social security dot G O V / ss number. There's no charge to get a replacement card. To order one, you need to fill out an 'Application for a Social Security Card' (it's called 'form S S 5') and show proof of your identity and, if you weren't born in the U.S., proof of citizenship. You should know that, after you submit it, it might take a few weeks to get a reply.	--
Always	<b>Prompt:</b> [mm1400_out_02] You may be able to request a replacement social security card online with a my social security account. For more information, go to W W W dot social security dot G O V / ss number.	--
^	<b>Prompt:</b> [mm1400_out_01] There's no charge to get a replacement card. To order one, you need to fill out an 'Application for a Social Security Card' (it's called 'form S S 5') and show proof of your identity and, if you weren't born in the U.S., proof of citizenship. You should know that, after you submit it, it might take a few weeks to get a reply.	<b>goto:</b> <a href="#">mm1430_SocialSecurityCardMenu_DM</a>
<b>Developer Notes</b>		
--		

**mm1410\_SSNewMsg\_PP**


Play Prompt 		
New Social Security Card message.		
<b>Entering From</b>		
<a href="#">mm1100_SocialSecurityCardsMenu_DM</a>		
<b>Actions</b> [Barge-in is OFF]		
Condition	Action	Transition
Always	<b>Prompt:</b> [mm1410_out_01] There's no charge to get a Social Security number and card. For newborns, it's usually taken care of by the hospital when they're born. For everyone else, you'll need to fill out an 'Application for a Social Security Card' (it's called 'form S S 5') and	<b>goto:</b> <a href="#">mm1430_SocialSecurityCardMenu_DM</a>

	show proof of your age, identity, and U.S. citizenship. If you're not a citizen, you need to show proof that you have current lawful, work-authorized immigration status. If you're NOT authorized to work, you'll have to prove that you have a valid non-work reason for requesting a card.	
<b>Developer Notes</b>		
--		

### mm1420\_SSUpdateMsg\_PP

<b>Play Prompt</b> 		
Update personal Information message.		
<b>Entering From</b>		
<a href="#">mm0910_UpdatePersonalInfo_DM</a> , <a href="#">mm1110_UpdatePersonalInfo_DM</a>		
<b>Actions</b> [Barge-in is OFF]		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Prompt:</b> [mm1420_out_01] There's no charge to correct or change your information. To make changes or corrections, you need to fill out an 'Application for a Social Security Card' (it's called 'form S S 5') and show proof of your identity AND documents to support the change and the reason for making it (a legal name change, for example). If you weren't born in the United States, you also need to prove your U.S. citizenship or current lawful, work-authorized immigration status.	<b>goto:</b> <a href="#">mm1430_SocialSecurityCardMenu_DM</a>
<b>Developer Notes</b>		
--		

### mm1430\_SocialSecurityCardMenu\_DM

<b>CustomContext Recognition</b> 			
Social Security Card task disambiguation menu.			
<b>Entering From</b>			
<a href="#">mm1400_SSReplacementMsg_PP</a> , <a href="#">mm1410_SSNewMsg_PP</a> , <a href="#">mm1420_SSUpdateMsg_PP</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	First entry	mm1430_ini_01	Now, tell me which you'd like to do - 'Get an Application Form,' get help 'Filling Out a Form,' 'Submit a Form,' get information about 'Supporting Documents,' or 'Find a Social Security Office.' Or, for anything else, just say 'It's Something Else.'
reprompt	After 'repeat' or disconfirmation	mm1430_ree_01	Which would you like to do - 'Get an Application Form,' get help 'Filling Out a Form,' 'Submit a Form,' get information about 'Supporting Documents,' or 'Find a Social Security Office.' Or, for anything else, just say 'It's Something Else.'
<b>Grammar</b>			

Sample Expressions	DTMF	Reco Var/Option	Confirm
get ?an application ?form // get_form	1	<social_security_card_menu get_form>	If Necessary
?(get help with) ?[a (an application)] form // help_with_form	2	<social_security_card_menu help_with_form>	If Necessary
submit ?an [(application ?form) form] // submit_form	3	<social_security_card_menu submit_form>	If Necessary
?(get information about) ?supporting [documents documentation] // documents	4	<social_security_card_menu documents>	If Necessary
?(find a) ?(social security ?field) office // office	5	<social_security_card_menu office>	If Necessary
?[it's (i'm calling about)] something else, other // something_else	6	<social_security_card_menu something_else>	If Necessary
repeat, repeat that // repeat	9	<social_security_card_menu repeat>	Never

Actions			
Option	Condition	Action	Transition
document	Always	Assign: final_intent =citizenship_documents	--
^	^	Prompt: [mm1430_out_01] All right. Supporting Documents.	goto: mm1500_CitizenshipQuestion_D M
get_form	Always	Assign: final_intent =ssc_card_get_form	--
^	^	Prompt: [mm1430_out_02] All right. Get a Form.	goto: mm1520_GetForm_DM
help_with_form	Always	Assign: final_intent =ssc_card_form_help	--
^	^	Prompt: [mm1430_out_03] All right.	goto: mm3000_ABRStatus_DS
office	Always	Assign: current_task =field_office_locator	--
^	^	Assign: ss_card_requested =true	--
^	^	Assign: final_intent =field_office_locator	--
^	^	Prompt: [mm1430_out_04] All right. Office Locations.	goto: mm0320_FieldOfficeLocator_SD
something_else	Always	Assign: final_intent =<current_intent>	--
^	^	Prompt: [mm1430_out_06] All right.	goto: mm3000_ABRStatus_DS
submit_form	Always	Prompt: [mm1430_out_07] All right. Submit Form.	goto: mm1600_SubmitForm_DM
repeat	Always	Prompt: [mm1430_out_08] Sure.	Re-Recognition: Reprompt

Confirmation Prompts			
Option	Condition	Name	Wording
documents	Always	mm1430_cnf_ini_01	You'd like information about Supporting Documents.
get_form	Always	mm1430_cnf_ini_	You'd like help Getting a Form.

		02	
help_with_form	Always	mm1430_cnf_ini_03	You'd like help Filling Out a Form.
office	Always	mm1430_cnf_ini_04	You're calling to find a Social Security office.
something_else	Always	mm1430_cnf_ini_05	You're calling about 'Something Else.'
submit_form	Always	mm1430_cnf_ini_06	You'd like help Submitting a Form.
--	Always	gl_cnf_ini_02	Right?

**Confirmation Recovery Behavior**


[See 1.3 Global Confirmation](#)

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm1430_nm1_01] Let's try again. You can say 'Get an Application' or press 1, help 'Filling Out a Form' or press 2, 'Submit a Form' or 3, 'Supporting Documents' or 4, 'Find an Office' or 5, or for anything else, say 'Something Else' or press 6.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm1430_nm2_01] Sorry. To get a copy of the 'S S 5 Form,' press 1. For help filling out the form, press 2. To get instructions for submitting the form, press 3. To hear about the supporting documents you'll need to provide, press 4. To find a Social Security office, press 5. Or, for anything else, press 6.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
noinput 1	^	<b>Prompt:</b> [mm1430_ni1_01] For help getting a copy of the 'S S 5 Form' you use to apply for benefits, say 'Get an Application' or press 1. For help filling out the form, say 'Fill Out Form' or press 2. To get instructions for submitting the form, say 'Submit Form' or press 3. To hear information about the documents you'll need to provide when you make an application, say 'Supporting Documents' or press 4. To find a Social Security office in your area, say 'Office Locations' or press 5. Or, for anything else, just say 'It's Something Else' or press 6.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [mm1430_ni2_01] Sorry. To get a copy of the 'S S 5 Form,' press 1. For help filling out the form, press 2. To get instructions for submitting the form, press 3. To hear about the supporting documents you'll need to provide, press 4. To find a Social Security office, press 5. Or, for	<b>Re-Recognition:</b>


		anything else, press 6.	
noinput 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
repeat			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
--			

### mm1500\_CitizenshipQuestion\_DM

<b>CustomContext Recognition</b> 			
asks the caller if he/she is a US citizen in order to provide appropriate information about supporting documents			
<b>Entering From</b>			
<a href="#">mm1430_SocialSecurityCardMenu_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm1500_ini_01	Is the person who needs the card a United States citizen?
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
yes ?[(i am) ([he she] is)] // yes		1	< <a href="#">citizenship_question_yesno</a> yes>
no ?[(i'm not) ([he she] isn't)] // no		2	< <a href="#">citizenship_question_yesno</a> no>
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
yes	Always	<b>Prompt:</b> [mm1500_out_01] Okay.	<b>goto:</b> <a href="#">mm1510_CitizenDocumentsMsgPart1_DM</a>
no	Always	<b>Prompt:</b> [mm1500_out_02] No problem.	<b>goto:</b> <a href="#">mm1515_NonCitizenDocumentsMsgPart1_DM</a>
<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [mm1500_nm1_01] Let's try again... IS the person applying for a card a U.S. citizen?	<b>Re-Recognition:</b>

nomatch 2	^	<b>Prompt:</b> [mm1500_nm2_01] Sorry. If the person applying is a U.S. citizen, press 1. Otherwise, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
noinput 1	^	<b>Prompt:</b> [mm1500_ni1_01] The kinds of documentation we need depends, in part, on whether the person who's applying for benefits is a U.S. citizen. So, if the person who's applying IS a citizen, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [mm1500_ni2_01] Sorry. If the person applying is a U.S. citizen, press 1. Otherwise, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
--			

**mm1510\_CitizenDocumentsMsgPart1\_DM**

<b>CustomContext Recognition</b> 			
First section of informational message about Supporting Documents needed to apply or change personal information for U.S. citizens.			
<b>Entering From</b>			
<a href="#">mm1500_CitizenshipQuestion_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm1510_ini_01	I have a lot of information, which I'll give to you in two parts. (And just so you know, all of this information can be found on the back of the Application form). Now, Here's the first part. Your proof of identity must show your legal name, and we can accept any of the following: your U.S. driver's license, your U.S. state-issued ID, or your U.S. passport. If you don't have any of those, we may accept other documents, like a U.S. military ID, a Certificate of Naturalization, or an employee identity card. For young children, we may accept medical records maintained by the child's medical provider, a final adoption decree, a school ID card or records maintained by the school. But, we CANNOT accept birth certificates as proof of identity.



initial	^	mm1510_ini_02	<1000ms silence>
initial	^	mm1510_ini_03	To hear that again, say 'Repeat That.' Otherwise, to hear more information about supporting documents, say 'Keep Going.' Or, if you're finished, just say 'I'm Finished.'
reprompt	(after disconfirmation)	mm1510_ree_01	To hear the information again, say 'Repeat That.' Otherwise, to hear more information about supporting documents, say 'Keep Going.' Or, if you're finished, just say 'I'm Finished.'
reprompt	(after repeat)	mm1510_ree_02	Here's the first part again. Your proof of identity must show your legal name, and we can accept any of the following: your U.S. driver's license, your U.S. state-issued ID, or your U.S. passport. If you don't have any of those, we may accept other documents, like a U.S. military ID, a Certificate of Naturalization, or an employee identity card. For young children, we may accept medical records maintained by the child's medical provider, a final adoption decree, a school ID card or records maintained by the school. But, we CANNOT accept birth certificates as proof of identity.
reprompt	^	mm1510_ree_03	<1000ms silence>
reprompt	^	mm1510_ree_04	To hear that again, say 'Repeat That.' Otherwise, to hear more information about supporting documents, say 'Keep Going.' Or, if you're finished, just say 'I'm Finished.'

**Grammar**

Sample Expressions	DTMF	Reco Var/Option	Confirm
repeat that // repeat	1	<supporting_documents_nonfinal_menu repeat>	Never
keep going // keep_going	2	<supporting_documents_nonfinal_menu keep_going>	If Necessary
?(i'm) finished // finished	3	<supporting_documents_nonfinal_menu finished>	If Necessary

**Actions**


Option	Condition	Action	Transition
finished	If card_type=both	<b>Prompt:</b> [mm1510_out_01] Now let's take care of your Medicare card...	<b>goto:</b> mm1105_MedicareCardsMenu_DM
^	Else	<b>Assign:</b> card_type =Undefined	--
^	^	<b>Prompt:</b> [mm1510_out_02] All right. Feel free to hang up. Or...	<b>goto:</b> mm0200_SFToggle_DS
keep_going	Always	<b>Prompt:</b> [mm1510_out_03] All right.	<b>goto:</b> mm1512_CitizenDocumentsMsgPart2_DM
repeat	Always	<b>Prompt:</b> [mm1510_out_04] Sure.	<b>Re-Recognition:</b> Reprompt

**Confirmation Prompts**

Option	Condition	Name	Wording
keep_going	Always	mm1510_cnf_ini_01	You want to hear more information, right?
finished	Always	mm1510_cnf_ini_02	Sounds like you're finished. Is that right?

<b>Confirmation Recovery Behavior</b>			
<a href="#">See 1.3 Global Confirmation</a>			
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm1510_nm1_01] Let's try again... You can say 'Repeat That' (or press 1), 'Keep Going' (or press 2), or 'I'm Finished' (or press 3).	<b>Re-Recognition:</b>
nomatch 2	Always	<b>Prompt:</b> [mm1510_nm2_01] Sorry. To hear that again, press 1. To hear MORE information about supporting documents, press 2. Or, if you're finished, press 3.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Prompt:</b> [mm1510_nm3_01] Sorry we're having trouble. Let's keep going...	<b>goto:</b> <a href="#">mm1512_CitizenDocumentsMsgPart2_DM</a>
noinput 1	Always	<b>Prompt:</b> [mm1510_ni1_01] To hear that information again, say 'Repeat That' (or press 1). To hear MORE information about supporting documents, say 'Keep Going' (or press 2). Or, if you're finished, just say 'I'm Finished' (or press 3).	<b>Re-Recognition:</b>
noinput 2	Always	<b>Prompt:</b> [mm1510_ni2_01] Sorry we're having trouble. Let's keep going...	<b>goto:</b> <a href="#">mm1512_CitizenDocumentsMsgPart2_DM</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
repeat			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
Parameter	Value		
--	--		
<b>Developer Notes</b>			
--			


**mm1512\_CitizenDocumentsMsgPart2\_DM**

<b>CustomContext Recognition</b> 			
Second section of informational message about Supporting Documents needed to apply or change personal information for U.S. citizens.			
<b>Entering From</b>			
<a href="#">mm1510_CitizenDocumentsMsgPart1_DM</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	mm1512_ini_01	Here's the last part. The documents you'll need depends on what you need to change and why. For example, if you're correcting your date of birth, you

			can show a birth certificate. If you're changing your name, you'll need to show either a Marriage document; a Divorce decree; a Certificate of Naturalization showing a new name; or a Court order for a name change. Your name change document has to show both your old AND new names. If it doesn't have enough identifying information, you'll need to provide an identity document with your old name (like a drivers' license or passport) AND another one with your new legal name, in addition to the name change document. Note that we can only accept original documents, but we'll return your documents after we've seen them.
initial	^	mm1512_ini_02	<1000ms silence>
initial	^	mm1512_ini_03	Would you like to hear that again?
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
yes // yes		1	<supporting_documents_final_yes no yes>
no // finished		2	<supporting_documents_final_yes no no>
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
no	If card_type=both	<b>Prompt:</b> [mm1512_out_01] Now let's take care of your Medicare card...	<b>goto:</b> mm1105_MedicareCardsMenu_DM
^	Else	<b>Assign:</b> card_type =Undefined	--
^	^	<b>Prompt:</b> [mm1512_out_02] All right. Now, if you're finished, feel free to hang up. Otherwise...	<b>goto:</b> mm0200_SFToggle_DS
yes	Always	<b>Prompt:</b> [mm1512_out_03] Sure.	<b>Re-Recognition:</b> Reprompt
<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [mm1512_nm1_01] Would you like to hear that information again?	<b>Re-Recognition:</b>
nomatch 2	Always	<b>Prompt:</b> [mm1512_nm2_01] If you'd like to hear that information again, press 1. If not, press 2	<b>Re-Recognition:</b>
nomatch 3	If card_type=both	<b>Prompt:</b> [mm1512_nm3_01] Sorry we're having trouble. Let's take care of your Medicare card...	<b>goto:</b> mm1105_MedicareCardsMenu_DM
nomatch 3	Else	<b>Assign:</b> card_type =Undefined	--
nomatch 3	^	<b>Prompt:</b> [mm1512_nm3_02] Sorry we're having trouble. Let's keep going...	<b>goto:</b> mm0200_SFToggle_DS
noinput 1	Always	<b>Prompt:</b> [mm1512_ni1_01] If you'd like to hear that information again, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	If card_type=both	<b>Prompt:</b> [mm1512_ni2_01]	<b>goto:</b>

		Let's take care of your Medicare card...	<a href="#">mm1105_MedicareCardsMenu_DM</a>
noinput 2	Else	<b>Assign:</b> <code>card_type =Undefined</code>	--
noinput 2	^	<b>Prompt:</b> [mm1512_ni2_02] Let's keep going...	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
--			

**mm1515\_NonCitizenDocumentsMsgPart1\_DM**

<b>CustomContext Recognition</b> 			
First section of informational message about Supporting Documents needed to apply or change personal information for non-citizens.			
<b>Entering From</b>			
<a href="#">mm1500_CitizenshipQuestion_DM</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	mm1515_ini_01	I have a lot of information, which I'll give to you in three parts. (And just so you know, all of this information can be found on the back of the Application form). Now, Here's the first part. To correct information on your card or in our records, (for example, a name change or corrected date of birth), you'll need to prove your identity AND provide documents that support the change and explain the reason for the change.
initial	^	mm1515_ini_02	<1000ms silence>
initial	^	mm1515_ini_03	Your proof of identity must show your legal name, and we can accept any of the following: your U.S. driver's license, your U.S. state-issued non-driver identity card, or your U.S. passport. If you don't have any of those, we may accept other documents, like a U.S. military identity card, a Certificate of Naturalization, or an employee identity card. For young children, we may accept medical records maintained by the child's medical provider, a final adoption decree, a school ID card or records maintained by the school. But, we CANNOT accept birth certificates as proof of identity.
initial	^	mm1515_ini_04	<1000ms silence>
initial	^	mm1515_ini_05	To hear that again, say 'Repeat That.' Otherwise, to hear more information about supporting documents, say 'Keep Going.' Or, if you're finished, just say 'I'm Finished.'
reprompt	(after disconfirmation)	mm1515_ree_01	To hear the information again, say 'Repeat That.' Otherwise, to hear more information about

			supporting documents, say 'Keep Going.' Or, if you're finished, just say 'I'm Finished.'
initial	(after repeat)	mm1515_ini_06	Here's the first part again. To correct information on your card or in our records, (for example, a name change or corrected date of birth), you'll need to prove your identity AND provide documents that support the change and explain the reason for the change.
initial	^	mm1515_ini_07	<1000ms silence>
initial	^	mm1515_ini_08	Your proof of identity must show your legal name, and we can accept any of the following: your U.S. driver's license, your U.S. state-issued non-driver identity card, or your U.S. passport. If you don't have any of those, we may accept other documents, like a U.S. military identity card, a Certificate of Naturalization, or an employee identity card. For young children, we may accept medical records maintained by the child's medical provider, a final adoption decree, a school ID card or records maintained by the school. But, we CANNOT accept birth certificates as proof of identity.
initial	^	mm1515_ini_09	<1000ms silence>
initial	^	mm1515_ini_10	To hear that again, say 'Repeat That.' Otherwise, to hear more information about supporting documents, say 'Keep Going.' Or, if you're finished, just say 'I'm Finished.'

**Grammar**

Sample Expressions	DTMF	Reco Var/Option	Confirm
repeat that // repeat	1	<supporting_documents_nonfinal_menu repeat>	Never
keep going // keep_going	2	<supporting_documents_nonfinal_menu keep_going>	If Necessary
?(i'm) finished // finished	3	<supporting_documents_nonfinal_menu finished>	If Necessary

**Actions**

Option	Condition	Action	Transition
finished	If card_type=both	<b>Prompt:</b> [mm1515_out_01] Now let's take care of your Medicare card...	<b>goto:</b> mm1105_MedicareCardsMenu_DM
^	Else	<b>Assign:</b> card_type =Undefined	--
^	^	<b>Prompt:</b> [mm1515_out_02] All right. Feel free to hang up. Or...	<b>goto:</b> mm0200_SFToggle_DS
keep_going	Always	<b>Prompt:</b> [mm1515_out_03] All right.	<b>goto:</b> mm1517_NonCitizenDocumentsMsgPart2_DM
repeat	Always	<b>Prompt:</b> [mm1515_out_04] Sure.	<b>Re-Recognition:</b> Reprompt

**Confirmation Prompts**

Option	Condition	Name	Wording
keep_going	Always	mm1515_cnf_ini_01	You want to hear more information, right?
finished	Always	mm1515_cnf_ini_02	Sounds like you're finished. Is that right?

<b>Confirmation Recovery Behavior</b>			
<a href="#">See 1.3 Global Confirmation</a>			
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm1515_nm1_01] Let's try again... You can say 'Repeat That' (or press 1), 'Keep Going' (or press 2), or 'I'm Finished' (or press 3).	<b>Re-Recognition:</b>
nomatch 2	Always	<b>Prompt:</b> [mm1515_nm2_01] Sorry. To hear that again, press 1. To hear MORE information about supporting document, press 2. Or, if you're finished, press 3.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Prompt:</b> [mm1515_nm3_01] Sorry we're having trouble. Let's keep going...	<b>goto:</b> <a href="#">mm1517_NonCitizenDocumentsMsgPart2_DM</a>
noinput 1	Always	<b>Prompt:</b> [mm1515_ni1_01] To hear the information again, say 'Repeat That' (or press 1). To hear MORE information about supporting documents, say 'Keep Going' (or press 2). Or, if you're finished, just say 'I'm Finished' (or press 3).	<b>Re-Recognition:</b>
noinput 2	Always	<b>Prompt:</b> [mm1515_ni2_01] Sorry we're having trouble. Let's keep going...	<b>goto:</b> <a href="#">mm1517_NonCitizenDocumentsMsgPart2_DM</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
repeat			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
Parameter	Value		
--	--		
<b>Developer Notes</b>			
--			

**mm1517\_NonCitizenDocumentsMsgPart2\_DM**

<b>CustomContext Recognition</b>			
Second section of informational message about Supporting Documents needed to apply or change personal information for non-citizens.			
<b>Entering From</b>			
<a href="#">mm1515_NonCitizenDocumentsMsgPart1_DM</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	^	mm1517_ini_01	Here's the second part. The documents you'll need depends on what you need to change and why. For example, if you're correcting your date of birth, you

			can show a birth certificate. If you're changing your name, you'll need to show either a Marriage document; a Divorce decree; a Certificate of Naturalization showing a new name; or a Court order for a name change. Your name change document has to show both your old AND new names. If it doesn't have enough identifying information, you'll need to provide an identity document with your old name (like a drivers' license or passport) AND another one with your new legal name, in addition to the name change document.
initial	^	mm1517_ini_02	<1000ms silence>
initial	^	mm1517_ini_03	To hear that again, say 'Repeat That.' Otherwise, to hear more information about supporting documents, say 'Keep Going.' Or, if you're finished, just say 'I'm Finished.'
reprompt	(after disconfirmation)	mm1517_ree_01	To hear the information again, say 'Repeat That.' Otherwise, to hear more information about supporting documents, say 'Keep Going.' Or, if you're finished, just say 'I'm Finished.'

**Grammar**

Sample Expressions	DTMF	Reco Var/Option	Confirm
repeat that // repeat	1	<supporting_documents_nonfinal_menu repeat>	Never
keep going // keep_going	2	<supporting_documents_nonfinal_menu keep_going>	If Necessary
?(i'm) finished // finished	3	<supporting_documents_nonfinal_menu finished>	If Necessary

**Actions**

Option	Condition	Action	Transition
finished	If card_type=both	<b>Prompt:</b> [mm1517_out_01] Now let's take care of your Medicare card...	<b>goto:</b> mm1105_MedicareCardsMenu_DM
^	Else	<b>Assign:</b> card_type =Undefined	--
^	^	<b>Prompt:</b> [mm1517_out_02] All right. Feel free to hang up. Or...	<b>goto:</b> mm0200_SFToggle_DS
keep_going	Always	<b>Prompt:</b> [mm1517_out_03] All right.	<b>goto:</b> mm1519_NonCitizenDocumentsMsgPart3_DM
repeat	Always	<b>Prompt:</b> [mm1517_out_04] Sure.	<b>Re-Recognition:</b> Reprompt

**Confirmation Prompts**

Option	Condition	Name	Wording
keep_going	Always	mm1517_cnf_ini_01	You want to hear more information, right?
finished	Always	mm1517_cnf_ini_02	Sounds like you're finished. Is that right?

**Confirmation Recovery Behavior**


[See 1.3 Global Confirmation](#)

**Recovery Behavior**

Type	Condition	Action	Transition
------	-----------	--------	------------

nomatch 1	Always	<b>Prompt:</b> [mm1517_nm1_01] Let's try again... You can say 'Repeat That' (or press 1), 'Keep Going' (or press 2), or 'I'm Finished' (or press 3).	<b>Re-Recognition:</b>
nomatch 2	Always	<b>Prompt:</b> [mm1517_nm2_01] Sorry. To hear that again, press 1. To hear MORE information about supporting document, press 2. Or, if you're finished, press 3.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Prompt:</b> [mm1517_nm3_01] Sorry we're having trouble. Let's keep going...	<b>goto:</b> <a href="#">mm1519_NonCitizenDocumentsMsgPart3_DM</a>
noinput 1	Always	<b>Prompt:</b> [mm1517_ni1_01] To hear the information again, say 'Repeat That' (or press 1). To hear MORE information about supporting documents, say 'Keep Going' (or press 2). Or, if you're finished, just say 'I'm Finished' (or press 3).	<b>Re-Recognition:</b>
noinput 2	Always	<b>Prompt:</b> [mm1517_ni2_01] Sorry we're having trouble. Let's keep going...	<b>goto:</b> <a href="#">mm1519_NonCitizenDocumentsMsgPart3_DM</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
repeat			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
--			

**mm1519\_NonCitizenDocumentsMsgPart3\_DM**


<b>CustomContext Recognition</b> 			
Third section of informational message about Supporting Documents needed to apply or change personal information for non-citizens.			
<b>Entering From</b>			
<a href="#">mm1517_NonCitizenDocumentsMsgPart2_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm1519_ini_01	Here's the last part. For proof of citizenship, we can accept your U.S. birth certificate or U.S. passport. If you were born outside the U.S., we can also accept a Consular Report of Birth, a Certificate of Citizenship, or a Certificate of Naturalization. If you're NOT a U.S. citizen, we need to see a current document issued to you by the Department of Homeland Security showing your immigration status, such as form 'I five five one,' 'I nine four,' 'I six eight eight B,' or 'I seven six six.' If you are not authorized



			to work in the U.S., then you'll need to provide a document from a U.S. federal, state, or local government agency, that explains WHY you need a social security number and which proves that you meet all the requirements for receiving benefits. If you're not sure if your reason qualifies, please speak with one of our agents. Note that we can only accept original documents, but we'll return your documents after we've seen them.
initial	^	mm1519_ini_02	<1000ms silence>
initial	^	mm1519_ini_03	Would you like to hear that again?
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
yes // yes		1	<supporting_documents_final_yes no yes>
no // finished		2	<supporting_documents_final_yes no no>
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
no	If card_type=both	<b>Prompt:</b> [mm1519_out_01] Now let's take care of your Medicare card...	<b>goto:</b> mm1105_MedicareCardsMenu_DM
^	Else	<b>Assign:</b> card_type =Undefined	--
^	^	<b>Prompt:</b> [mm1519_out_02] All right. Now, if you're finished, feel free to hang up. Otherwise...	<b>goto:</b> mm0200_SFToggle_DS
yes	Always	<b>Prompt:</b> [mm1519_out_03] Sure.	<b>Re-Recognition:</b> Reprompt
<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [mm1519_nm1_01] Would you like to hear that information again?	<b>Re-Recognition:</b>
nomatch 2	Always	<b>Prompt:</b> [mm1519_nm2_01] If you'd like to hear that information again, press 1. If not, press 2	<b>Re-Recognition:</b>
nomatch 3	If card_type=both	<b>Prompt:</b> [mm1519_nm3_01] Sorry we're having trouble. Let's take care of your Medicare card...	<b>goto:</b> mm1105_MedicareCardsMenu_DM
nomatch 3	Else	<b>Assign:</b> card_type =Undefined	--
nomatch 3	^	<b>Prompt:</b> [mm1519_nm3_02] Sorry we're having trouble. Let's keep going...	<b>goto:</b> mm0200_SFToggle_DS
noinput 1	Always	<b>Prompt:</b> [mm1519_ni1_01] If you'd like to hear that information again, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	If card_type=both	<b>Prompt:</b> [mm1519_ni2_01] Let's take care of your Medicare card...	<b>goto:</b> mm1105_MedicareCardsMenu_DM
noinput 2	Else	<b>Assign:</b> card_type =Undefined	--
noinput 2	^	<b>Prompt:</b> [mm1519_ni2_02]	<b>goto:</b> mm0200_SFToggle_DS

	Let's keep going...
<b>Commands: State-Specific Behavior</b>	
<a href="#">See 1.2 Global Commands</a>	
<b>Commands: Confirmations</b>	
<a href="#">See 1.2 Global Commands</a>	
<b>Config Parameters</b>	
<b>Parameter</b>	<b>Value</b>
--	--
<b>Developer Notes</b>	
--	

**mm1520\_GetForm\_DM**

<b>CustomContext Recognition</b> 			
Menu of options for getting a Social Security application form.			
<b>Entering From</b>			
<a href="#">mm1430_SocialSecurityCardMenu_DM</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	If card_action=new	mm1520_ini_01	There are three ways to get an application - from our website, over the phone, or at a local Social Security field office. For instructions on downloading the form from our website, say 'Website.' To order one now, on the phone, say 'Order Form.' To find a Social Security office in your area, say 'Office.' Or, say 'Main Menu' and I'll take you back.
initial	Elseif card_action=replacement	mm1520_ini_02	Note that, in general, you're limited to a maximum of 3 replacement cards per year, and 10 in a lifetime. However, changes in your legal name or work authorization do NOT count toward the limit. Also, you may be given an exception if you can prove that you need a card in order to get benefits.
initial	^	mm1520_ini_03	<500ms silence>
initial	^	mm1520_ini_04	Now, there are three ways to get an application - from our website, over the phone, or at a local Social Security field office. For instructions on downloading the form from our website, say 'Website.' To order one now, on the phone, say 'Order Form.' To find a Social Security office in your area, say 'Office.' Or, say 'Main Menu' and I'll take you back.
initial	Else	mm1520_ini_05	Note that, in general, you're limited to a maximum of 3 replacement cards per year, and 10 in a lifetime. However, changes in your legal name or work authorization do NOT count toward the limit.
initial	^	mm1520_ini_06	<500ms silence>
initial	^	mm1520_ini_07	Now, there are three ways to get an application - from our website, over the phone, or at a local Social Security field office. For instructions on downloading the form from our website, say 'Website.' To order one now, on the phone, say 'Order Form.' To find a Social Security office in your area, say 'Office.' Or, say 'Main Menu' and I'll take you back.

<b>Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
?(get an application on the) website // website	1	<get_form_menu website>	If Necessary
order?(an application) form // order_form	2	<get_form_menu order_form>	If Necessary
?(find a)?(social security ?field) office // office	3	<get_form_menu office>	If Necessary
main menu // main_menu	4	<get_form_menu main_menu>	If Necessary


<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
main_menu	If card_type=both	<b>Prompt:</b> [mm1520_out_01] All right. Now let's take care of your Medicare card...	<b>goto:</b> mm1105_MedicareCardsMenu_DM
^	Else	<b>Assign:</b> card_type =Undefined	--
^	^	<b>Prompt:</b> [mm1520_out_02] All right.	<b>goto:</b> mm0200_SFToggle_DS
office	Always	<b>Assign:</b> current_task =field_office_locator	--
^	^	<b>Assign:</b> final_intent =field_office_locator	--
^	^	<b>Assign:</b> ss_card_requested =true	--
^	^	<b>Prompt:</b> [mm1520_out_03] All right. Let's look for an office...	<b>goto:</b> mm0320_FieldOfficeLocator_DS
order_form	Always	<b>Assign:</b> current_task =transcription_ss5	--
^	^	<b>Assign:</b> final_intent =transcription_ss5	--
^	^	<b>Prompt:</b> [mm1520_out_04] All right.	<b>goto:</b> mm0545_TranscriptionKBA_DS
website	Always	<b>Assign:</b> final_intent =website	--
^	^	<b>Prompt:</b> [mm1520_out_05] All right.	<b>goto:</b> mm1530_WebsiteInstructions_DM

<b>Confirmation Prompts</b>			
<b>Option</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
main_menu	Always	mm1520_cnf_ini_01	You want to go back to the "Main Menu."
office	Always	mm1520_cnf_ini_02	You'd like to find a Social Security office.
order_form	Always	mm1520_cnf_ini_03	You'd like to order a form over the phone.
website	Always	mm1520_cnf_ini_04	You'd like 'Website' instructions.
--	Always	gl_cnf_ini_02	Right?

**Confirmation Recovery Behavior**  
[See 1.3 Global Confirmation](#)


<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [mm1520_nm1_01] Let's try again. You can say 'Website' or press 1, 'Order Form' or press 2, 'Office' or 3, OR 'Main Menu' or press 4.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm1520_nm2_01] Sorry. For instructions on downloading the form from our website, press 1. To order one now, over the phone, press 2. To find a Social Security office in your area, press 3. Otherwise, to go back to the main menu, press 4.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
noinput 1	^	<b>Prompt:</b> [mm1520_ni1_01] There are three ways to get an 'Application for a Social Security Card,' (which is called 'form S S 5') - from our website, over the phone, or at a local Social Security field office. For instructions on downloading the form from our website, say 'Website' or press 1. To order one now, over the phone, say 'Order Form' or press 2. To find a Social Security office in your area, say 'Office' or press 3. Or, to go back to the main menu, just say 'Main Menu' or press 4.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [mm1520_ni2_01] Sorry. For instructions on downloading the form from our website, press 1. To order one now, over the phone, press 2. To find a Social Security office in your area, press 3. Otherwise, to go back to the main menu, press 4.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
StartOver			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
--			

mm1530\_WebsiteInstructions\_DM

CustomContext Recognition 				
Instructions for downloading an application form from the website.				
<b>Entering From</b>				
mm1520_GetForm_DM				
<b>Initial Prompts</b>				
Type	Condition	Name	Wording	
initial	Always	mm1530_ini_01	To download an 'Application for a Social Security Card' from our website, go to 'Social Security dot G O V,' then click on the link labeled 'Get or replace a Social Security card.' That'll take you to a page with a link to the 'Form SS5' that you can print out, along with instructions for filling out and submitting it. That web address, again, is 'social security dot G O V.'	
initial	^	mm1530_ini_02	<500ms silence>	
initial	^	mm1530_ini_03	Now, would you like to hear that again?	
<b>Grammar</b>				
Sample Expressions		DTMF	Reco Var/Option	Confirm
yes, yes please // yes		1	<web_instructions_yesno yes>	Never
no, no thanks // no		2	<web_instructions_yesno no>	Never
<b>Actions</b>				
Option	Condition	Action	Transition	
no	If card_type=both	<b>Prompt:</b> [mm1530_out_01] All right. Now let's take care of your Medicare card...	<b>goto:</b> mm1105_MedicareCardsMenu_DM	
^	Else	<b>Assign:</b> card_type =Undefined	--	
^	^	<b>Prompt:</b> [mm1530_out_02] All right. Now, if you're finished, feel free to hang up. Otherwise...	<b>goto:</b> mm0200_SFToggle_DS	
yes	Always	<b>Prompt:</b> [mm1530_out_03] Sure.	<b>Re-Recognition:</b> Reprompt	
<b>Recovery Behavior</b>				
Type	Condition	Action	Transition	
nomatch 1	Always	<b>Prompt:</b> [mm1530_nm1_01] Let's try again...Would you like to hear that information again?	<b>Re-Recognition:</b>	
nomatch 2	Always	<b>Prompt:</b> [mm1530_nm2_01] Sorry. To hear the information about applying online again, press 1. If you don't want to hear it again, press 2.	<b>Re-Recognition:</b>	
nomatch 3	If office_hours=true	<b>Prompt:</b> [mm1530_nm3_01] Sorry we're having trouble. To speak with someone, say 'Agent.' Otherwise,...	<b>goto:</b> mm0200_SFToggle_DS	
nomatch 3	Else (office_hours=false)	<b>Prompt:</b> [mm1530_nm3_02] Sorry we're having trouble. Let's keep going...	<b>goto:</b> mm0200_SFToggle_DS	

noinput 1	Always	<b>Prompt:</b> [mm1530_ni1_01] If you'd like me to repeat that information, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	If office_hours=true	<b>Prompt:</b> [mm1530_ni2_01] To speak with someone, press 0. Otherwise,...	<b>goto:</b> mm0200_SFToggle_DS
nomatch 2	Else (office_hours=false)	<b>Prompt:</b> [mm1530_nm2_02] Let's keep going...	<b>goto:</b> mm0200_SFToggle_DS
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
--			

**mm1600\_SubmitForm\_DM**

<b>CustomContext Recognition</b> 			
Instructions for submitting an application form, with option to find a Social Security office.			
<b>Entering From</b>			
<a href="#">mm1430_SocialSecurityCardMenu_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm1600_ini_01	First-time applicants who are age 12 or older, and who have NOT had a Social Security Number before, must apply in person. You're also required to apply in person at a local Social Security Card Center, no matter how old you are, if you live in any of the following places: Orlando, Florida; Brooklyn or Queens, New York; Las Vegas, Nevada; Sacramento County, California; Phoenix, Arizona; or the Greater Twin Cities Metropolitan Area in Minnesota. All OTHER applicants have the choice to MAIL their application, along with the required documents, or take it to a Social Security office.
initial	^	mm1600_ini_02	<500ms silence>
initial	^	mm1600_ini_03	Would you like to find a Social Security office near you?
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
yes ?(i would) // yes		1	<submit_form_yesno yes>
no ?(i wouldn't) // no		2	<submit_form_yesno no>
<b>Confirm</b>			
			Never
			Never
<b>Actions</b>			

Option	Condition	Action	Transition
no	If card_type=both	<b>Prompt:</b> [mm1600_out_01] All right. Now let's take care of your Medicare card...	<b>goto:</b> mm1105_MedicareCardsMenu_DM
^	Else	<b>Assign:</b> card_type =Undefined	--
^	^	<b>Prompt:</b> [mm1600_out_02] All right. Now, if you're finished, feel free to hang up. Otherwise...	<b>goto:</b> mm0200_SFToggle_DS
yes	Always	<b>Assign:</b> current_task =field_office_locator	--
^	^	<b>Assign:</b> final_intent =field_office_locator	--
^	^	<b>Assign:</b> ss_card_requested =true	--
^	^	<b>Prompt:</b> [mm1600_out_03] All right.	<b>goto:</b> mm0320_FieldOfficeLocator_SD

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm1600_nm1_01] Let's try again... WOULD you like to find a Social Security office near you?	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm1600_nm2_01] Sorry. To find a Social Security office in your area, press 1. Otherwise, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
noinput 1	^	<b>Prompt:</b> [mm1600_ni1_01] If you'd like to find a Social Security office in your area where you can apply for a card in person or by mail, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [mm1600_ni2_01] Sorry. To find a Social Security office in your area, press 1. Otherwise, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS

**Commands: State-Specific Behavior**

[See 1.2 Global Commands](#)

**Commands: Confirmations**

[See 1.2 Global Commands](#)


**Config Parameters**

Parameter	Value
--	--

**Developer Notes**

--


**mm1700\_MedicareApplyMenu\_DM**

CustomContext Recognition 			
To pre-qualify the caller. asks he/she is already enrolled in Medicare.			
<b>Entering From</b>			
mm0210_SFMainMenu_DM, mm0600_BackoffMainMenu_DM, mm0800_BenefitsApplicationMenu_DM, mm1105_MedicareCardsMenu_DM			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	mm1700_ini_01	Are you already enrolled in Medicare?
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
[yes yeah]?(i am?(?already enrolled?(in medicare))) // yes	1	<medicare_apply_menu >	Never
no?(i'm not?(?already enrolled?(in medicare))) // no	2	<medicare_apply_menu >	Never
<b>Actions</b>			
Option	Condition	Action	Transition
no	Always	Assign: final_intent =medicare_enroll	--
^	If office_hours = false	Prompt: [mm1700_out_01] All right.	goto: mm1720_MedicareEnrollMsg_DM
^	Else (office_hours=true)	Prompt: [mm1700_out_02] All right.	goto: mm3000_ABRStatus_DS
yes	Always	--	goto: mm1710_ReplacementCardQuestion_DM
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	Prompt: [mm1700_nm1_01] Let's try again... Are you ALREADY receiving Medicare benefits?	Re-Recognition:
nomatch 2	^	Prompt: [mm1700_nm2_01] Sorry. If you ARE currently receiving Medicare, press 1. Otherwise, press 2.	Re-Recognition:
nomatch 3	Always	Assign: transfer_reason =error	--
nomatch 3	Always	Prompt: [gl_nm3_01] Sorry, we seem to be having trouble.	goto: mm3000_ABRStatus_DS
noinput 1	^	Prompt: [mm1700_ni1_01] If you're ALREADY receiving Medicare benefits, say 'Yes' or press 1. Otherwise, say 'No' or press 2.	Re-Recognition:
noinput 2	^	Prompt: [mm1700_ni2_01] Sorry. If you ARE currently receiving Medicare, press 1. Otherwise, press 2.	Re-Recognition:
noinput 3	Always	Assign: transfer_reason =error	--
noinput 3	Always	Prompt: [gl_ni3_01] Sorry, we seem to be having trouble.	goto: mm3000_ABRStatus_DS




<b>Commands: State-Specific Behavior</b>	
See 1.2 Global Commands	
<b>Commands: Confirmations</b>	
See 1.2 Global Commands	
<b>Config Parameters</b>	
<b>Parameter</b>	<b>Value</b>
--	--
<b>Developer Notes</b>	
--	

**mm1710\_ReplacementCardQuestion\_DM**

<b>CustomContext Recognition</b> 			
Asks the caller if he/she is calling to get a replacement card.			
<b>Entering From</b>			
mm1700_MedicareApplyMenu_DM			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm1710_ini_01	Do you need to get a replacement Medicare card?
<b>Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
yes ?(i am) // yes	1	<replacement_medicare_card_yes o yes>	Never
no ?(i'm not) // no	2	<replacement_medicare_card_yes o no>	Never
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
no	Always	<b>Prompt:</b> [mm1710_out_01] Okay.	<b>goto:</b> mm1730_MedicareDrugQuestion_DM
yes	Always	<b>Assign:</b> current_task =card_medicare	--
^	^	<b>Assign:</b> final_intent =medicare_replacement_card	--
^	^	<b>Prompt:</b> [mm1710_out_02] Okay.	<b>goto:</b> mm0555_MRCMySSAWebsite_PP
<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [mm1710_nm1_01] Let's try again... DO you want to get a copy of your medicare card?	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm1710_nm2_01] Sorry. If you DO want to get a replacement copy of your Medicare card, press 1. If not, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--

nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
noinput 1	^	<b>Prompt:</b> [mm1710_ni1_01] If you want to get a replacement copy of your Medicare card, say 'Yes' or press 1. Otherwise, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [mm1710_ni2_01] Sorry. If you DO want to get a replacement copy of your Medicare card, press 1. If not, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
<b>Commands: State-Specific Behavior</b>			
See 1.2 Global Commands			
<b>Commands: Confirmations</b>			
See 1.2 Global Commands			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
--			

**mm1720\_MedicareEnrollMsg\_DM**

<b>CustomContext Recognition</b> 			
Informational message about enrolling in Medicare for callers who are NOT enrolled.			
<b>Entering From</b>			
mm1700_MedicareApplyMenu_DM			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm1720_ini_01	You can get more information about Medicare, including the prescription drug program (known as 'Part D') or State Programs that can help with your Medicare health costs, by calling 1-800-Medicare. That number, again, is 1-800-633-4227. This information is also available on their website at 'Medicare dot G O V.
initial	^	mm1720_ini_02	<500ms silence>
initial	^	mm1720_ini_03	Now, would you like to hear that again?
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
yes // yes		1	<medicare_enroll_msg_yesno yes> Never
no // no		2	<medicare_enroll_msg_yesno no> Never
<b>Actions</b>			

Option	Condition	Action	Transition
no	Always	<b>Prompt:</b> [mm1720_out_02] If you're finished, feel free to hang up. Otherwise, just hang on and I'll take you back to the Main Menu.	<b>goto:</b> mm0200_SFToggle_DS
yes	Always	<b>Prompt:</b> [mm1720_out_03] Sure.	<b>Re-Recognition:</b> Reprompt

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm1720_nm1_01] Let's try again... Would you like to hear that enrollment information again?	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm1720_nm2_01] Sorry. To hear the information again, press 1. Otherwise, press 2.	<b>Re-Recognition:</b>
nomatch 3	If office_hours=true	<b>Prompt:</b> [mm1720_nm3_01] Sorry we're having trouble. To speak with someone, say 'Agent.' Otherwise,...	<b>goto:</b> mm0200_SFToggle_DS
nomatch 3	Else (office_hours=false)	<b>Prompt:</b> [mm1720_nm3_02] Sorry we're having trouble. Let's keep going...	<b>goto:</b> mm0200_SFToggle_DS
noinput 1	Always	<b>Prompt:</b> [mm1720_ni1_01] If you'd like to hear the enrollment information again, say 'yes' or press 1. If not, say 'no' or press 2.	<b>Re-Recognition:</b>
noinput 2	If office_hours=true	<b>Prompt:</b> [mm1720_ni2_01] To speak with someone, press 0. Otherwise...	<b>goto:</b> mm0200_SFToggle_DS
noinput 2	Else (office_hours=false)	<b>Prompt:</b> [mm1720_ni2_02] Let's keep going...	<b>goto:</b> mm0200_SFToggle_DS

**Commands: State-Specific Behavior**

[See 1.2 Global Commands](#)

**Commands: Confirmations**

[See 1.2 Global Commands](#)

**Config Parameters**

Parameter	Value
--	--

**Developer Notes**

--

**mm1730\_MedicareDrugQuestion\_DM**

CustomContext Recognition 
To pre-qualify the caller. asks he/she is calling about drug benefits.
<b>Entering From</b>
<a href="#">mm1710_ReplacementCardQuestion_DM</a>
<b>Initial Prompts</b>

Type	Condition	Name	Wording	
initial	Always	mm1730_ini_01	Are you calling about prescription drugs?	
<b>Grammar</b>				
Sample Expressions		DTMF	Reco Var/Option	Confirm
yes ?(i am) // yes		1	<medicare_information_yesno yes>	Never
no ?(im not) // no		2	<medicare_information_yesno no>	Never
<b>Actions</b>				
Option	Condition	Action	Transition	
no	Always	Assign: final_intent =<current_intent>	--	
^	^	Prompt: [mm1730_out_01] Okay, thanks.	goto: mm3000_ABRStatus_DS	
yes	Always	--	goto: mm1750_AskPartD_DM	
<b>Recovery Behavior</b>				
Type	Condition	Action	Transition	
nomatch 1	Always	Prompt: [mm1730_nm1_01] Let's try again... ARE you calling about Medicare Prescription Drug benefits?	Re-Recognition:	
nomatch 2	^	Prompt: [mm1730_nm2_01] Sorry. If you're calling for information about prescription drug benefits, press 1. If you're calling about anything else, press 2	Re-Recognition:	
nomatch 3	Always	Assign: transfer_reason =error	--	
nomatch 3	Always	Prompt: [gl_nm3_01] Sorry, we seem to be having trouble.	goto: mm3000_ABRStatus_DS	
noinput 1	^	Prompt: [mm1730_ni1_01] If you ARE calling about Medicare Prescription Drug benefits, say 'Yes' or press 1. If not, say 'No' or press 2.	Re-Recognition:	
noinput 2	^	Prompt: [mm1730_ni2_01] Sorry. If you're calling for information about prescription drug benefits, press 1. If you're calling about anything else, press 2	Re-Recognition:	
noinput 3	Always	Assign: transfer_reason =error	--	
noinput 3	Always	Prompt: [gl_ni3_01] Sorry, we seem to be having trouble.	goto: mm3000_ABRStatus_DS	
<b>Commands: State-Specific Behavior</b>				
<a href="#">See 1.2 Global Commands</a>				
<b>Commands: Confirmations</b>				
<a href="#">See 1.2 Global Commands</a>				
<b>Config Parameters</b>				
Parameter	Value			
--	--			
<b>Developer Notes</b>				


--

**mm1740\_MedicareSubsidyMsg\_DM**

<b>CustomContext Recognition</b>			
Informational message about Medicare Prescription Drug benefits.			
<b>Entering From</b>			
mm1750_AskPartD_DM			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	mm1740_ini_01	To enroll in the regular Medicare Prescription Drug program, 'Part D,' you must be enrolled in, or entitled to, Medicare 'Part A' which provides hospital coverage, or 'Part B' which provides doctor's services, outpatient care coverage, and other services not covered by part A. Once you're in Part A or Part B, you can enroll YOURSELF in the Part D Medicare prescription drug program through an approved Medicare prescription drug provider, or through a Medicare Advantage plan that offers prescription drug coverage. For more information call 1-800-633-4227. That number, again, is 1-800-633-4227 or visit the website 'Medicare dot G O V'.
initial	^	mm1740_ini_02	<500ms silence>
initial	^	mm1740_ini_03	Now, would you like to hear that again?
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
yes // yes	1	<medicare_subsidy_msg_yesno yes>	Never
no // no	2	<medicare_subsidy_msg_yesno no>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
no	Always	<b>Prompt:</b> [mm1740_out_01] All right. If you're finished, feel free to hang up. Otherwise, just hang on and I'll take you back to the Main Menu.	<b>goto:</b> mm0200_SFToggle_DS
yes	Always	<b>Prompt:</b> [mm1740_out_02] Sure.	<b>Re-Recognition:</b> Reprompt
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm1740_nm1_01] Let's try again... Would you like to hear Prescription Drug information again?	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm1740_nm2_01] Sorry. To hear the information about Medicare's prescription drug subsidy again, press 1. If you don't want to hear it again, press 2.	<b>Re-Recognition:</b>
nomatch 3	If office_hours=true	<b>Prompt:</b> [mm1740_nm3_01] Sorry we're having trouble. To speak	<b>goto:</b> mm0200_SFToggle_DS


		with someone, say 'Agent.' Otherwise...	
nomatch 3	Else (office_hours=false)	<b>Prompt:</b> [mm1740_nm3_02] Sorry we're having trouble. Let's keep going...	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
noinput 1	Always	<b>Prompt:</b> [mm1740_ni1_01] If you'd like to hear the prescription drug information again, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	If office_hours=true	<b>Prompt:</b> [mm1740_ni2_01] To speak with someone, say press 0. Otherwise...	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
nomatch 2	Else (office_hours=false)	<b>Prompt:</b> [mm1740_nm2_04] Let's keep going...	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
--			

**mm1750\_AskPartD\_DM**


<b>CustomContext Recognition</b> 			
Asks the caller if he/she is ALREADY enrolled in Medicare Part D.			
<b>Entering From</b>			
<a href="#">mm0800_BenefitsApplicationMenu_DM</a> , <a href="#">mm1730_MedicareDrugQuestion_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm1750_ini_01	And are you already enrolled in the prescription drug plan, part D?
reprompt	(after 'repeat')	mm1750_ree_01	Are you already enrolled in the prescription drug plan, part D?
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
[yes yeah] ?(i am ?(?already enrolled ?(in medicare part d))) // yes		1	< <a href="#">ask_partd_enrolled_yesno</a> yes>
no ?(i'm not ?(?already enrolled ?(in medicare part d))) // no		2	< <a href="#">ask_partd_enrolled_yesno</a> no>
repeat, repeat that // repeat		9	< <a href="#">ask_partd_enrolled_yesno</a> repeat>
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
no	Always	<b>Assign:</b> <a href="#">final_intent</a>	--

		=medicare_subsidy	
^	^	<b>Prompt:</b> [mm1750_out_01] All right.	<b>goto:</b> <a href="#">mm1740_MedicareSusidyMsg_DM</a>
yes	Always	<b>Assign:</b> final_intent =medicare_drug_costs	--
^	^	<b>Prompt:</b> [mm1750_out_02] All right.	<b>goto:</b> <a href="#">mm1755_CheckDrugEligibility_DS</a>
repeat	Always	<b>Prompt:</b> [mm1750_out_03] Sure.	<b>Re-Recognition:</b> Reprompt
<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [mm1750_nm1_01] Let's try again... Are you ALREADY enrolled in 'Medicare Part D,' the Prescription Drug program?	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm1750_nm2_01] Sorry. If you ARE enrolled in 'Medicare Part D,' press 1. Otherwise, press 2	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
noinput 1	^	<b>Prompt:</b> [mm1750_ni1_01] If you're ALREADY enrolled in 'Medicare Part D,' the Prescription Drug program, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [mm1750_ni2_01] Sorry. If you ARE enrolled in 'Medicare Part D,' press 1. Otherwise, press 2	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
repeat			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
--			

### mm1755\_CheckDrugEligibility\_DS

Decision 		
Check to determine if the eligibility amounts for help with prescription drug costs are available.		
<b>Entering From</b>		
mm1750_AskPartD_DM		
<b>Actions</b>		
Condition	Action	Transition
If eligibility information is available	--	<b>goto:</b> mm1760_HelpWithDrugCosts_DM
Else	--	<b>throwevent:</b> event=event.operator
<b>Developer Notes</b>		
If individualResourceMax or coupleResourceMax is null, then the eligibility information is not available and caller needs to be transferred.		


### mm1760\_HelpWithDrugCosts\_DM

CustomContext Recognition 			
Informational message about Prescription Drug help, then asks the caller if they want to get an application.			
<b>Entering From</b>			
mm1755_CheckDrugEligibility_DS			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	mm1760_ini_01	Some individuals may be eligible for extra help with their prescription drug costs. To qualify for the extra help, your resources must be limited to...
initial	^	mm1760_ini_02	{individualResourceMax /medial /CPR=currency /example=five dollars and seventeen cents }
initial	^	mm1760_ini_03	... for an individual or...
initial	^	mm1760_ini_04	{coupleResourcesMax /medial /CPR=currency /example=five dollars and seventeen cents }
initial	^	mm1760_ini_05	... for a married couple living together. Resources include, for example, your savings, investments and real estate. We do NOT include the home you live in, vehicles, burial plots, or personal possessions. However, there are income limits we will consider if you decide to file for this help. Changes in the law will make it easier for some people to qualify for extra help. Social Security won't count the help you receive with your household expenses as income, or any life insurance policies, as a resource when determining your eligibility. You may also be able to get help with Medicare costs from your state under a Medicare Savings Program. Applications for extra help can initiate the application process for the Medicare Savings Programs in your state. We'll send your information to your state and they'll contact you to help you apply for the Medicare Savings Programs, unless you tell us not to.
initial	^	mm1760_ini_06	<500ms silence>
initial	^	mm1760_ini_07	Now, would you like to hear that again?
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm




yes ?(i would) // yes	1	< <a href="#">help_with_drug_costs_yesno</a> yes>	Never
no ?(i wouldn't) // no	2	< <a href="#">help_with_drug_costs_yesno</a> no>	Never
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
no	Always	<b>Prompt:</b> [mm1760_out_01] Okay.	<b>goto:</b> <a href="#">mm1770_OrderDrugFormQuestion_DM</a>
yes	Always	<b>Prompt:</b> [mm1760_out_02] Sure.	<b>Re-Recognition:</b> Reprompt
<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [mm1760_nm1_01] Let's try again... Would you like to hear the information about help with prescription costs again?	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm1760_nm2_01] Sorry. To hear the information about getting help with prescription drug costs again, press 1. If you don't want to hear it again, press 2.	<b>Re-Recognition:</b>
nomatch 3	If office_hours=true	<b>Prompt:</b> [mm1760_nm3_01] Sorry we're having trouble. To speak with someone, say 'Agent.' Otherwise...	<b>goto:</b> <a href="#">mm1770_OrderDrugFormQuestion_DM</a>
nomatch 3	Else (office_hours=false)	<b>Prompt:</b> [mm1760_nm3_02] Sorry we're having trouble. Let's keep going...	<b>goto:</b> <a href="#">mm1770_OrderDrugFormQuestion_DM</a>
noinput 1	Always	<b>Prompt:</b> [mm1760_ni1_01] If you'd like to hear the information about getting help with prescription drug costs again, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	If office_hours=true	<b>Prompt:</b> [mm1760_ni2_01] To speak with someone, say 'Agent.' Otherwise...	<b>goto:</b> <a href="#">mm1770_OrderDrugFormQuestion_DM</a>
noinput 2	Else (office_hours=false)	<b>Prompt:</b> [mm1760_ni2_02] Let's keep going...	<b>goto:</b> <a href="#">mm1770_OrderDrugFormQuestion_DM</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
--			

**mm1770\_OrderDrugFormQuestion\_DM**

CustomContext Recognition 			
New DM, asks the caller if he/she wants to get an application.			
<b>Entering From</b>			
mm1760_HelpWithDrugCosts_DM			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	mm1770_ini_01	Would you like to request an application for help with Medicare Prescription Drug Plan Costs?
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
yes ?(i would) // yes	1	<order_drug_help_form_yesno yes>	Never
no ?(i wouldn't) // no	2	<order_drug_help_form_yesno no>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
no	Always	<b>Prompt:</b> [mm1770_out_01] All right. Now, if you're finished, feel free to hang up. Otherwise...	<b>goto:</b> mm0200_SFToggle_DS
yes	Always	<b>Assign:</b> current_task =transcription_1020	--
^	^	<b>Prompt:</b> [mm1770_out_02] Okay.	<b>goto:</b> mm0545_TranscriptionKBA_DS
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm1770_nm1_01] Let's try again... WOULD you like to get an application for help with Prescription Drug costs?	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm1770_nm2_01] Sorry. To get an application for help with Prescription Drug costs, press 1. Otherwise, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
noinput 1	^	<b>Prompt:</b> [mm1770_ni1_01] If you'd like to get an application for help with Prescription Drug costs, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [mm1770_ni2_01] Sorry. To get an application for help with Prescription Drug costs, press 1. Otherwise, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS

<b>Commands: State-Specific Behavior</b>	
See 1.2 Global Commands	
<b>Commands: Confirmations</b>	
See 1.2 Global Commands	
<b>Config Parameters</b>	
<b>Parameter</b>	<b>Value</b>
--	--
<b>Developer Notes</b>	
--	


**mm1800\_SSIMenu\_DM**

<b>CustomContext Recognition</b> 			
Supplemental Security Income disambiguation menu.			
<b>Entering From</b>			
mm0210_SFMainMenu_DM			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm1800_ini_01	Supplemental Security Income, or 'SSI,' is a program that pays monthly benefits to U.S. citizens (and some non-citizens) who are 65 or older or blind or disabled, and who have limited income and assets. Now, to hear that again, say 'Repeat that.' Otherwise, to apply for the program, say 'Apply for SSI.' If you have a question or problem, say 'SSI Problem.' Or, for information about obtaining U.S. citizenship, say 'Citizenship.'
<b>Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
repeat that // repeat	1	<ssi_menu repeat>	Never
apply ?(for [((ssi) (supplemental security income)) ?benefits) benefits]) // apply	2	<ssi_menu apply>	If Necessary
?(ssi) problem, problem with [((ssi) (supplemental security income)) ?benefits) benefits] // problem	3	<ssi_menu problem>	If Necessary
?(information about ?[obtaining getting]) citizenship, citizenship [question information] // citizenship	4	<ssi_menu citizenship>	If Necessary
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
apply	Always	<b>Prompt:</b> [mm1800_out_01] Okay. Apply for Benefits.	<b>goto:</b> mm3000_ABRStatus_DS
citizenship	Always	<b>Prompt:</b> [mm1800_out_02] Okay. Citizenship.	<b>goto:</b> mm1810_CitizenshipMsg_DM
problem	Always	<b>Prompt:</b> [mm1800_out_03] Okay. SSI Problem.	<b>goto:</b> mm3000_ABRStatus_DS
repeat	Always	<b>Prompt:</b> [mm1800_out_04]	<b>Re-Recognition:</b> Reprompt

		Sure.	
<b>Confirmation Prompts</b>			
Option	Condition	Name	Wording
apply	Always	mm1800_cnf_ini_01	You want to 'Apply for SSI benefits.'
citizenship	Always	mm1800_cnf_ini_02	You're calling about 'Citizenship.'
problem	Always	mm1800_cnf_ini_03	Sounds like you have a problem or question about SSI.
--	Always	gl_cnf_ini_02	Right?
<b>Confirmation Recovery Behavior</b>			
<a href="#">See 1.3 Global Confirmation</a>			
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm1800_nm1_01] Let's try again. You can say 'Repeat That' (or press 1). 'Apply for SSI' (or 2), 'SSI Problem' (3), or 'Citizenship Information' (or press 4).	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm1800_nm2_01] Sorry. To hear that information again, say 'Repeat That' or press 1. To apply for Supplemental Security Income benefits, press 2. If you have a question or problem with SSI, press 3. Or, for information about becoming a U.S. citizen, press 4.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
noinput 1	^	<b>Prompt:</b> [mm1800_ni1_01] To hear the information about Supplemental Security Income benefits again, say 'Repeat That' or press 1. If you'd like to apply for Supplemental Security Income benefits, say 'Apply for SSI' or press 2. If you have a question or problem, say 'SSI Problem' or press 3. Or, for information about becoming a U.S. citizen, say 'Citizenship' or press 4.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [mm1800_ni2_01] Sorry. To hear that information again, say 'Repeat That' or press 1. To apply for Supplemental Security Income benefits, press 2. If you have a question or problem with SSI, press 3. Or, for information about becoming a U.S. citizen, press 4.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			


<b>Commands: Disabled Globals</b>	
repeat	
<b>Commands: Confirmations</b>	
<a href="#">See 1.2 Global Commands</a>	
<b>Config Parameters</b>	
<b>Parameter</b>	<b>Value</b>
--	--
<b>Developer Notes</b>	
--	

**mm1810\_CitizenshipMsg\_DM**

<b>CustomContext Recognition</b> 			
Informational message about citizenship requirements for SSI.			
<b>Entering From</b>			
<a href="#">mm1800_SSIMenu_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm1810_ini_01	To become a U.S. citizen, you must be 18 years of age or older; have lived in the United States as a legal permanent resident for at least 5 years (or 3 years if you're married to a U.S. citizen); be of 'good moral character;' be able to speak, read, write, and understand common English words and phrases; and be able to show knowledge and understanding of U.S. history and government. To request an Application for Naturalization (which is I N S form 'N-400') and detailed instructions, please call the Immigration and Naturalization Service at 1-800-870-3676. That number, again, is 1-800-870-3676.
initial	^	mm1810_ini_02	<1000ms silence>
initial	^	mm1810_ini_03	Now, would you like to hear that again?
<b>Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
yes ?(i would) // yes	1	<citizenship_msg_yesno yes>	Never
no ?(i wouldn't) // no	2	<citizenship_msg_yesno no>	Never
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
yes	Always	<b>Prompt:</b> [mm1810_out_01] Sure.	<b>Re-Recognition:</b> Reprompt
no	Always	<b>Prompt:</b> [mm1810_out_02] All right. Now, if you're finished, feel free to hang up. Otherwise...	<b>goto:</b> mm0200_SFToggle_DS
<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [mm1810_nm1_01]	<b>Re-Recognition:</b>


		Let's try again... Would you like to hear the information becoming a citizen again?	
nomatch 2	^	<b>Prompt:</b> [mm1810_nm2_01] Sorry. To hear the information about applying for U.S. citizenship again, press 1. If you don't want to hear it again, press 2.	<b>Re-Recognition:</b>
nomatch 3	If office_hours=true	<b>Prompt:</b> [mm1810_nm3_01] Sorry we're having trouble. To speak with someone, say 'Agent.' Otherwise,...	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
nomatch 3	Else (office_hours=false)	<b>Prompt:</b> [mm1810_nm3_02] Sorry we're having trouble. Let's keep going...	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
noinput 1	Always	<b>Prompt:</b> [mm1810_ni1_01] If you'd like to hear the information on becoming a citizen again, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	If office_hours=true	<b>Prompt:</b> [mm1810_ni2_01] Sorry we're having trouble. To speak with someone, say 'Agent.' Otherwise,...	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
noinput 2	Else (office_hours=false)	<b>Prompt:</b> [mm1810_ni2_02] Sorry we're having trouble. Let's keep going...	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
--			

**mm1900\_ReceivingBenefits\_DM**

<b>YesNo Recognition</b>			
Asks callers whether or not they are already receiving benefits.			
<b>Entering From</b>			
<a href="#">mm0440_DisabilityDisambig_DM</a> , <a href="#">mm0700_Benefits_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm1900_ini_01	Are you already receiving Social Security benefits?
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
yes ?(i am) // yes		1	< <a href="#">receiving_benefits_yesno</a> yes>
			<b>Confirm</b>
			Never


no ?(i'm not) // no	2	<receiving_benefits_yesno no>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
no	Always	<b>Prompt:</b> [mm1900_out_01] Okay.	<b>goto:</b> <a href="#">mm2030_OtherQuestions_DM</a>
yes	Always	<b>Assign:</b> <a href="#">current_task</a> =checks	--
^	^	<b>Prompt:</b> [mm1900_out_02] All right.	<b>goto:</b> <a href="#">mm1902_CheckDeliveryDates_DS</a>
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm1900_nm1_01] Let's try again... ARE you currently getting benefits?	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm1900_nm2_01] Sorry. If you are receiving Social Security benefits, press 1. If not, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
noinput 1	^	<b>Prompt:</b> [mm1900_ni1_01] I need to know if you're receiving Social Security benefits. If you are, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [mm1900_ni2_01] Sorry. If you're receiving Social Security benefits, press 1. Otherwise, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
Parameter	Value		
--	--		
<b>Developer Notes</b>			
--			

**mm1902\_CheckDeliveryDates\_DS**

<b>Decision</b> 
Check to determine what the next check delivery dates are based on the current date (today's date) if available.

<b>Entering From</b>		
mm1900_ReceivingBenefits_DM		
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If check delivery dates information is available	--	<b>goto:</b> mm1905_Checks_DM
Else	--	<b>throwevent:</b> event=event.operator
<b>Developer Notes</b>		
If any of the following variables are null, then the eligibility information is not available and caller needs to be transferred. firstMonth firstMonth.ssiPaymentDate firstMonth.firstPaymentDate firstMonth.secondPaymentDate firstMonth.thirdPaymentDate firstMonth.fourthPaymentDate secondMonth secondMonth.ssiPaymentDate secondMonth.firstPaymentDate secondMonth.secondPaymentDate secondMonth.thirdPaymentDate secondMonth.fourthPaymentDate		

**mm1905\_Checks\_DM**

			<b>YesNo Recognition</b>	
Tells callers the scheduled delivery date and asks whether or not they are calling about a late payment.				
<b>Entering From</b>				
mm0210_SFMainMenu_DM, mm1902_CheckDeliveryDates_DS				
<b>Initial Prompts</b>				
<b>Type</b>	<b>Condition</b>		<b>Name</b>	<b>Wording</b>
initial	If current_task=late_payment	If first entry (i.e. do NOT play after repeat)	mm1905_ini_01	First, let me give you some information...
initial	^		mm1905_ini_02	<500ms silence>
initial	Always		mm1905_ini_17	Here are the scheduled payment delivery dates for...
initial	^		mm1905_ini_18	{firstMonth /final /say_as=date// January 2016}
initial	^		mm1905_ini_19	SSI payments will arrive on...
initial	^		mm1905_ini_20	{firstMonth.ssiPaymentDate /final /say_as=date// December 31st}
initial	^		mm1905_ini_21	Social Security benefits normally received on the third of the month, will arrive on...
initial	^		mm1905_ini_22	{firstMonth.firstPaymentDate /final /say_as=date// January 2nd}
initial	^		mm1905_ini_23	Second Wednesday benefits arrive on...
initial	^		mm1905_ini_24	{firstMonth.secondPaymentDate /final /say_as=date// January 14th}
initial	^		mm1905_ini_25	Third Wednesday benefits arrive on...
initial	^		mm1905_ini_26	{firstMonth.thirdPaymentDate /final /say_as=date// January 21st}
initial	^		mm1905_ini_27	Fourth Wednesday benefits arrive on...



initial	--	mm1905_ini_28	{firstMonth.fourthPaymentDate /final /say_as=date// January 28th}
initial	^	mm1905_ini_29	For...
initial	--	mm1905_ini_30	{secondMonth /final /say_as=date// February 2016}
initial	--	mm1905_ini_31	SSI payments will arrive on...
initial	--	mm1905_ini_32	{secondMonth.ssiPaymentDate /final /say_as=date// January 30th}
initial	--	mm1905_ini_33	Social Security benefits normally received on the third of the month will arrive on...
initial	--	mm1905_ini_34	{secondMonth.firstPaymentDate /final /say_as=date// February 3rd}
initial	--	mm1905_ini_35	Second Wednesday benefits arrive on...
initial	--	mm1905_ini_36	{secondMonth.secondPaymentDate /final /say_as=date// February 11th}
initial	--	mm1905_ini_37	Third Wednesday benefits arrive on...
initial	--	mm1905_ini_38	{secondMonth.thirdPaymentDate /final /say_as=date// February 18th}
initial	--	mm1905_ini_39	Fourth Wednesday benefits arrive on...
initial	--	mm1905_ini_40	{secondMonth.fourthPaymentDate /final /say_as=date// February 25th}
initial	^	mm1905_ini_15	<1000ms silence>
initial	^	mm1905_ini_16	Now, would you like to hear that again?

**Grammar**

Sample Expressions	DTMF	Reco Var/Option	Confirm
yes ?(i would) // yes	1	<checks_repeat_yesno yes>	Never
no ?(i wouldn't) // no	2	<checks_repeat_yesno no>	Never
repeat, repeat that // repeat	9	<checks_repeat_yesno repeat>	Never

**Actions**


Option	Condition	Action	Transition
no	If current_task=checks	<b>Prompt:</b> [mm1905_out_01] Okay.	<b>goto:</b> mm1907_LatePaymentQuestion_DM
^	Else (current_task=late_payment)	<b>Prompt:</b> [mm1905_out_02] Now, about the late payment...	<b>goto:</b> mm1910_LatePaymentMenu_DM
yes	Always	<b>Prompt:</b> [mm1905_out_03] Sure.	<b>Re-Recognition:</b> Reprompt
repeat	Always	<b>Prompt:</b> [mm1905_out_04] Sure.	<b>Re-Recognition:</b> Reprompt

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm1905_nm1_01] Let's try again... Would you like to hear the payment dates again?	<b>Re-Recognition:</b>
nomatch 2	Always	<b>Prompt:</b> [mm1905_nm2_01]	<b>Re-Recognition:</b>


		Sorry. To hear the scheduled payment dates again, press 1. If you don't want to hear it again, press 2.	
nomatch 3	Always	<b>Prompt:</b> [mm1905_nm3_01] Sorry we're having trouble. Let's keep going...	<b>goto:</b> <a href="#">mm1907_LatePaymentQuestion_DM</a>
noinput 1	Always	<b>Prompt:</b> [mm1905_ni1_01] If you'd like to hear the scheduled payment delivery dates again, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	Always	<b>Prompt:</b> [mm1905_ni2_01] Let's keep going...	<b>goto:</b> <a href="#">mm1907_LatePaymentQuestion_DM</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
repeat			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
SSA will need to provide the new check delivery dates and operation dates as they become available each year. The new table will support all future months, so there will no longer be a 12 month restriction on existing prompting.			

**mm1907\_LatePaymentQuestion\_DM**

<b>YesNo Recognition</b> 			
Asks the caller if they're calling about a late payment.			
<b>Entering From</b>			
<a href="#">mm1905_Checks_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm1907_ini_01	Are you calling about a LATE payment?
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
yes ?(a late payment) // yes		1	< <a href="#">check_late_yesno</a> yes>
no ?(it's not late) // no		2	< <a href="#">check_late_yesno</a> no>
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
no	Always	<b>Assign:</b> <a href="#">final_intent</a> =<current_intent>	--
^	^	<b>Prompt:</b> [mm1907_out_01] All right. Now, if you're finished, feel	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>

		free to hang up. Otherwise...	
yes	Always	<b>Assign:</b> <code>final_intent =payment_late</code>	--
^	^	<b>Prompt:</b> [mm1907_out_02] Hmmm... Okay.	<b>goto:</b> <a href="#">mm1910_LatePaymentMenu_DM</a>
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm1907_nm1_01] Let's try again... ARE you calling about a late payment?	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm1907_nm2_01] Sorry. If you're calling about a payment that's LATE, press 1. Otherwise, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <code>transfer_reason =error</code>	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
noinput 1	^	<b>Prompt:</b> [mm1907_ni1_01] If you're calling about a payment that's LATE, say 'yes' or press 1. Otherwise, say 'no' or press 2.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [mm1907_ni2_01] Sorry. If you'd like information on a payment that's LATE, press 1. If you're calling about an on-time payment, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> <code>transfer_reason =error</code>	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
Parameter	Value		
--	--		
<b>Developer Notes</b>			
--			

### mm1910\_LatePaymentMenu\_DM

<b>CustomContext Recognition</b>			
Asks callers how they receive their payments.			
<b>Entering From</b>			
<a href="#">mm0210_SFMainMenu_DM</a> , <a href="#">mm1905_Checks_DM</a> , <a href="#">mm1907_LatePaymentQuestion_DM</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording

initial	If current_task-checks	mm1910_ini_01	How are you expecting your payment - by 'Mail' or 'Direct Deposit?'
initial	^	mm1910_ini_03	<2500ms silence>
initial	^	mm1910_ini_04	(If you're not sure, just say 'I'm Not Sure.')
initial	Else (current_task=late_payment)	mm1910_ini_02	How were you expecting it - by 'Mail' or 'Direct Deposit?'
initial	^	mm1910_ini_03	<2500ms silence>
initial	^	mm1910_ini_04	(If you're not sure, just say 'I'm Not Sure.')
reprompt	(after repeat or disconfirmation)	mm1910_ree_01	How were you expecting your payment - by 'Mail' or 'Direct Deposit?'
initial	^	mm1910_ini_03	<2500ms silence>
initial	^	mm1910_ini_04	(If you're not sure, just say 'I'm Not Sure.')

**Grammar**

Sample Expressions	DTMF	Reco Var/Option	Confirm
mail, [check payment] by mail // mail	1	<late_payment_menu mail>	If Necessary
direct deposit ?payment // direct_deposit	2	<late_payment_menu direct_deposit>	If Necessary
?i'm not sure // not_sure	3	<late_payment_menu not_sure>	If Necessary
repeat, repeat that // repeat	9	<late_payment_menu repeat>	Never

**Actions**


Option	Condition	Action	Transition
direct_deposit	Always	Assign: final_intent =<current_intent>	--
^	^	Assign: payment_method =direct_deposit	--
^	^	Prompt: [mm1910_out_01] All right.	goto: mm1920_DepositMsg_PP
mail	Always	Assign: final_intent =<current_intent>	--
^	^	Assign: payment_method =mail	--
^	^	Prompt: [mm1910_out_02] All right.	goto: mm1930_MailMsg_PP
not_sure	Always	Assign: final_intent =<current_intent>	--
^	^	Prompt: [mm1910_out_03] Okay.	goto: mm3000_ABRStatus_DS
repeat	Always	Prompt: [mm1910_out_04] Sure.	Re-Recognition: Reprompt

**Confirmation Prompts**

Option	Condition	Name	Wording
mail	Always	mm1910_cnf_ini_01	You're expecting a check in the mail, right?
direct_deposit	Always	mm1910_cnf_ini_02	You're waiting for a direct deposit, right?
not_sure	Always	mm1910_cnf_ini_03	You're not sure of HOW you'll be receiving your next payment, right?


<b>Confirmation Recovery Behavior</b>			
<a href="#">See 1.3 Global Confirmation</a>			
<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [mm1910_nm1_01] Let's try again. You can say "Mail" or press 1, 'Direct Deposit' or press 2, or 'I'm Not Sure' or press 3.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm1910_nm2_01] Sorry. If you're expecting to receive your payment by mail, press 1. If you're expecting a direct deposit instead, press 2. Or, if you're not sure, press 3.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <code>transfer_reason =error</code>	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
noinput 1	^	<b>Prompt:</b> [mm1910_ni1_01] If you're expecting your next payment by mail, say 'mail' or press 1. If you're waiting for your payment to be deposited into your bank account, say 'direct deposit' or press 2. Or, if you're not sure, say 'I'm not sure' or press 3.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [mm1910_ni2_01] Sorry. I need to know what method of payment you are expecting. If you're expecting a check in the mail, press 1. If a direct deposit, press 2. If you're not sure, press 3.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> <code>transfer_reason =error</code>	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
repeat			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
--			

**mm1920\_DepositMsg\_PP**


<b>Simple Play Prompt</b> 
Plays information and suggestions on how callers can troubleshoot a direct deposit.

Entering From		
mm1910_LatePaymentMenu_DM, mm1940_LatePaymentExit_DM		
Actions [Barge-in is OFF]		
Condition	Action	Transition
Always	<b>Prompt:</b> [mm1920_out_01] If you've recently changed bank accounts, you should check to make sure that the payment wasn't deposited to your old account. It might also have something to do with your bank's policy on the time and date when accounts are updated, so you should ask your bank if any other payments posted to your account on the day you were expecting the deposit.	<b>goto:</b> mm1940_LatePaymentExit_DM
Developer Notes		
--		

### mm1930\_MailMsg\_PP

Simple Play Prompt 	
Plays information about why a check may not have been received yet.	
Entering From	
mm1910_LatePaymentMenu_DM, mm1940_LatePaymentExit_DM	
Actions [Barge-in is OFF]	
Condition	Action
Always	<b>Prompt:</b> [mm1930_out_01] Just so you know, a payment isn't considered late until the third mail delivery date after its due date. (Sundays and Federal holidays are not mail delivery days.) Also, if you've recently moved, your check may have been sent to your previous address.
Developer Notes	
--	

### mm1940\_LatePaymentExit\_DM


CustomContext Recognition 			
Offers a menu of options for transition to next state. (Note that only the global command grammar is active for this state.)			
Entering From			
mm1920_DepositMsg_PP, mm1930_MailMsg_PP			
Initial Prompts			
Type	Condition	Name	Wording
initial	Always	mm1940_ini_01	Now, would you like to hear that again?
Grammar			
Sample Expressions	DTMF	Reco Var/Option	Confirm
yes	1	<late_payment_exit_yesno yes>	Never

// yes			
no // no	2	<late_payment_exit_yesno no>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
no	If office_hours=true	<b>Prompt:</b> [mm1940_out_01] All right. If you still have questions, and you'd like to speak to someone about your payment, say 'Agent.' Or, if you're finished, feel free to hang up. Otherwise, hold on and I'll take you back to the Main Menu.	--
^	Else (office_hours=false)	<b>Prompt:</b> [mm1940_out_02] If you're finished, feel free to hang up. Otherwise, just hang on and I'll take you back to the Main Menu.	--
^	Always	--	<b>goto:</b> mm0200_SFToggle_DS
yes	If payment_method=direct_deposit	<b>Prompt:</b> [mm1940_out_03] Sure.	<b>goto:</b> mm1920_DepositMsg_PP
^	Else (payment_method=mail)	<b>Prompt:</b> [mm1940_out_04] Sure.	<b>goto:</b> mm1930_MailMsg_PP
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm1940_nm1_01] Let's try again... Would you like to hear that payment information again?	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm1940_nm2_01] Sorry. To hear about the late payment again, press 1. Otherwise, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
noinput 1	^	<b>Prompt:</b> [mm1940_ni1_01] If you'd like to hear the late payment information again, say 'Yes' or press 1. Otherwise, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [mm1940_ni2_01] Sorry. To hear about the late payment again, press 1. Otherwise, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
<b>Commands: State-Specific Behavior</b>			
Type	Condition	Action	Transition
repeat	If payment_method=mail	<b>Prompt:</b> [gl_repeat_01] Sure.	<b>goto:</b> mm1930_MailMsg_PP
repeat	Else (payment_method=direct_deposit)	<b>Prompt:</b> [gl_repeat_01] Sure.	<b>goto:</b> mm1920_DepositMsg_PP
<b>Commands: Confirmations</b>			

[See 1.2 Global Commands](#)

Config Parameters	
Parameter	Value
--	--
Developer Notes	
--	


### mm2000\_ReceivingBenefits\_DM

YesNo Recognition 			
Asks callers whether or not they are already receiving benefits.			
Entering From			
<a href="#">mm0210_SFMainMenu_DM</a> , <a href="#">mm0450_EmploymentDisambig_DM</a>			
Initial Prompts			
Type	Condition	Name	Wording
initial	Always	mm2000_ini_01	Are you already receiving Social Security benefits, please say YES or NO?
Grammar			
Sample Expressions	DTMF	Reco Var/Option	Confirm
yes?(i am) // yes	1	<receiving_benefits_yesno yes>	Never
no?(i'm not) // no	2	<receiving_benefits_yesno no>	Never
Actions			
Option	Condition	Action	Transition
no	If form_7004_delivery=true	<b>Prompt:</b> [mm2000_out_01] Okay.	<b>goto:</b> <a href="#">mm2040_FutureBenefits_DM</a>
^	Else (form_7004_delivery=false)	<b>Prompt:</b> [mm2000_out_02] Okay.	<b>goto:</b> <a href="#">mm2050_FutureBenefitsBudgetaryMsg_PP</a>
yes	Always	<b>Prompt:</b> [mm2000_out_03] All right.	<b>goto:</b> <a href="#">mm2010_BenefitsEarnings_DM</a>
Recovery Behavior			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm2000_nm1_01] Let's try again... ARE you currently getting benefits?	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm2000_nm2_01] Sorry. If you are receiving Social Security benefits, press 1. Otherwise, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
noinput 1	^	<b>Prompt:</b> [mm2000_ni1_01] I need to know if you're receiving Social Security benefits. If you are,	<b>Re-Recognition:</b>



		say 'Yes' or press 1. If you AREN'T, say 'No' or press 2.	
noinput 2	^	<b>Prompt:</b> [mm2000_ni2_01] Sorry. If you're receiving Social Security benefits, press 1. Otherwise, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
--			

### mm2010\_BenefitsEarnings\_DM

<b>CustomContext Recognition</b> 			
Asks callers if they need a 1099, a proof of income statement, or something else.			
<b>Entering From</b>			
<a href="#">mm0210_SFMainMenu_DM</a> , <a href="#">mm2000_ReceivingBenefits_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm2010_ini_01	If you're doing your taxes and you need a replacement benefits statement (or '1099'), say 'Benefits Statement.' If you need a letter of proof of your income for anything OTHER than taxes, say 'Proof of Income.' For anything else, just say 'It's Something Else.'
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
?(?form 1099) (?tax benefits statement), (?form 1099) // benefits_statement		1	<benefits_earnings_menu benefits_statement>
proof of income ?letter // proof_of_income		2	<benefits_earnings_menu proof_of_income>
?it's something else // something_else		3	<benefits_earnings_menu something_else>
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
benefits_statement	Always	<b>Assign:</b> current_task =benefits_statement	--
^	^	<b>Assign:</b> final_intent =1099_benefits_statement	--

^	^	<b>Prompt:</b> [mm2010_out_01] Okay. Benefits Statement.	<b>goto:</b> <a href="#">mm0525_BenefitsStatementKBA_DS</a>
proof_of_income	Always	<b>Assign:</b> <a href="#">current_task</a> =benefits_verification	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> =benefits_verification	--
^	^	<b>Prompt:</b> [mm2010_out_02] Okay. Proof of Income.	<b>goto:</b> <a href="#">mm0500_BEVEKBA_DS</a>
something_else	Always	<b>Assign:</b> <a href="#">final_intent</a> =<current_intent>	--
^	^	<b>Prompt:</b> [mm2010_out_03] Okay.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>

**Confirmation Prompts**

Option	Condition	Name	Wording
benefits_statement	Always	mm2010_cnf_ini_01	You'd like a replacement Form 1099 benefits statement.
proof_of_income	Always	mm2010_cnf_ini_02	You need a proof of income document that's not for your tax return.
something_else	Always	mm2010_cnf_ini_03	You'd like help with something else.
award_letter	Always	mm2010_cnf_ini_04	You'd like help with an award letter.
--	Always	gl_cnf_ini_02	Right?

**Confirmation Recovery Behavior**


[See 1.3 Global Confirmation](#)

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm2010_nm1_01] Let's try again. You can say 'Benefits Statement' or press 1, 'Proof of Income' or press 2, or 'It's Something Else' or press 3.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm2010_nm2_01] Sorry. If you need a replacement Form 1099 benefits statement for filing your tax return, press 1. If you need a document of your income for anything other than your tax return, press 2. For anything else, press 3.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
noinput 1	^	<b>Prompt:</b> [mm2010_ni1_01] If you need a replacement benefits statement, or 'Form 1099,' for filing your tax return, say 'benefits statement' or press 1. For a document of your income for anything other than your tax return, say 'proof of income' or press 2. If you need something else, say 'it's something else' or press 3.	<b>Re-Recognition:</b>


noinput 2	^	<b>Prompt:</b> [mm2010_ni2_01] Sorry. If you need a replacement Form 1099 benefits statement for filing your tax return, press 1. If you need a document of your income for anything other than a tax return, press 2. For anything else, press 3.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
Added "award letter" to grammar as a hidden option not voiced in the prompt, with the same action as "something else". Added a confirmation prompt for award_letter to confirm caller's intent.			

**mm2030\_OtherQuestions\_DM**

<b>CustomContext Recognition</b> 			
Asks callers whether they are calling about an estimate of future benefits.			
<b>Entering From</b>			
<a href="#">mm1900_ReceivingBenefits_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm2030_ini_01	Are you calling about an estimate of FUTURE benefits?
<b>Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
yes // yes	1	<future_benefits_yesno yes>	Never
no // no	2	<future_benefits_yesno no>	Never
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
yes	If form_7004_delivery=true	<b>Prompt:</b> [mm2030_out_01] All right.	<b>goto:</b> <a href="#">mm2040_FutureBenefits_DM</a>
^	Else (form_7004_delivery=false)	<b>Assign:</b> final_intent =<current_intent>	--
^	^	<b>Prompt:</b> [mm2030_out_02] All right.	<b>goto:</b> <a href="#">mm2050_FutureBenefitsBudgetaryMsg_PP</a>
no	Always	<b>Assign:</b> final_intent =<current_intent>	--
^	^	<b>Prompt:</b> [mm2030_out_03]	<b>goto:</b> mm3000_ABRStatus_DS

		All right. You'll need to speak with someone...	
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm2030_nm1_01] Let's try again... ARE you calling about an estimate of future benefits?	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm2030_nm2_01] Sorry. If you'd like an estimate of future benefits, press 1. Otherwise, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
noinput 1	^	<b>Prompt:</b> [mm2030_ni1_01] If you'd like an estimate of future benefits, say 'Yes' or press 1. Otherwise, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [mm2030_ni2_01] Sorry. For an estimate of FUTURE benefits, press 1. For anything else, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
Parameter	Value		
--	--		
<b>Developer Notes</b>			
--			

**mm2040\_FutureBenefits\_DM**

CustomContext Recognition 			
Tells callers how to request an estimate of future benefits, and offers an option to request a mail-in form.			
<b>Entering From</b>			
<a href="#">mm2000_ReceivingBenefits_DM</a> , <a href="#">mm2030_OtherQuestions_DM</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	mm2040_ini_01	Estimates of your future benefits are on your social security statement, which is sent to you automatically every three years or so, starting about three months before you turn 25. To request a statement now, you can do it on our website at 'social security dot G O V' and it will take about 2 to

			4 weeks to receive it. You can also request a statement by MAIL, by filling out form number '7004.' Mail orders take 4 to 6 weeks. To order a 'Form 7004' over the phone, just say 'Order Form.' Or, if you have OTHER questions about earnings and benefits, say 'Other Questions.'
--	--	--	--

<b>Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
repeat, repeat that, hear that again // repeat	1	<future_benefits_menu repeat>	Never
order_form // order_form	2	<future_benefits_menu order_form>	If Necessary
other_questions // other_questions	3	<future_benefits_menu other_questions>	If Necessary

<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
order_form	Always	<b>Assign:</b> current_task =transcription_7004	--
^	^	<b>Assign:</b> final_intent =transcription_7004	--
^	^	<b>Prompt:</b> [mm2040_out_01] Sure.	<b>goto:</b> mm0545_TranscriptionKBA_DS
other_questions	Always	<b>Assign:</b> final_intent =<current_intent>	--
^	^	<b>Prompt:</b> [mm2040_out_02] Okay.	<b>goto:</b> mm3000_ABRStatus_DS

<b>Confirmation Prompts</b>			
<b>Option</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
order_form	Always	mm2040_cnf_ini_01	You'd like to request that a Form 7004 be mailed to you.
other_questions	Always	mm2040_cnf_ini_02	You'd like other information on earnings and benefits.
--	Always	gl_cnf_ini_02	Right?

**Confirmation Recovery Behavior**

[See 1.3 Global Confirmation](#)

**Recovery Behavior**

<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [mm2040_nm1_01] Let's try again. You can say 'Repeat That' or press 1. Otherwise, if you'd like to order form 7004, say 'Order Form' or press 2. OR, say 'Other Questions' or press 3.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm2040_nm2_01] Sorry. To hear the information again, press 1. To order Form 7004, press 2. Or, for other information about earnings and benefits, press 3.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS

noinput 1	^	<b>Prompt:</b> [mm2040_ni1_01] To hear the information again, say 'Repeat That' or press 1. If you'd like to order Form 7004 now, say 'Order Form' or press 2. Or, for other questions about earnings and benefits, say 'Other Questions' or press 3.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [mm2040_ni2_01] Sorry. If you'd like to hear the information again, press 1. To order Form 7004 now, press 2. Or, for other information about earnings and benefits, press 3.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS

**Commands: State-Specific Behavior**

Type	Condition	Action	Transition
repeat	--	<b>Prompt:</b> [mm2040_repeat_01] Sure.	<b>Re-Recognition:</b> Reprompt

**Commands: Confirmations**

[See 1.2 Global Commands](#)

**Commands: Grammar**

Sample Expressions	DTMF	Command	Confirm
repeat that, repeat	1	repeat	Never

**Config Parameters**

Parameter	Value
--	--

**Developer Notes**


--

**mm2050\_FutureBenefitsBudgetaryMsg\_PP**

Simple Play Prompt <span style="float: right;">:))</span>		
If 'form_7004_delivery=false,' this state plays informational message explaining whay form 7004 will not be delivered, due to budgetary constraints.		
<b>Entering From</b>		
<a href="#">mm2000_ReceivingBenefits_DM</a> , <a href="#">mm2030_OtherQuestions_DM</a>		
<b>Actions</b> [Barge-in is OFF]		
Condition	Action	Transition
Always	<b>Prompt:</b> [mm2050_out_01] Estimates of your future benefits are on your social security statement, which is normally sent to you automatically every three years or so, starting about three months before you turn 25. However, due to budgetary constraints, the Social Security Administration has temporarily suspended delivery of all benefits statements. We apologize for this	--

	inconvenience. For more information, visit our website at 'social security dot G O V.'	
^	<b>Prompt:</b> [mm2050_out_02] <1000ms silence>	--
If office_hours=true	<b>Prompt:</b> [mm2050_out_03] Now, if you're finished, feel free to hang up. If you'd like to speak to someone about your benefits, say 'Agent.' Otherwise...	--
Else (office_hours=false)	<b>Prompt:</b> [mm2050_out_04] Now, if you're finished, feel free to hang up. Otherwise...	--
Always	--	<b>goto:</b> mm0200_SFToggle_DS
<b>Developer Notes</b>		
--		

### mm2100\_RepPayeeMenu\_DM

CustomContext Recognition 			
Presents six payee options - hear about the program, change payees, report misuse, become a payee, questions about filing a payee report, or something else.			
<b>Entering From</b>			
mm0210_SFMainMenu_DM, mm2110_ProgramMsg_DM, mm2120_ChangeMsg_DM, mm2200_BecomePayee_DM, mm2210_PayeeMisuse_DM			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	mm2100_ini_01	Which would you like to do - you can say 'Change Payee,' report 'Misuse of Benefits,' 'Become a Payee,' get information about filing a 'Payee Report,' or to hear what a representative payee DOES, say 'Payee Responsibilities.' For help with anything else say 'It's Something Else.'
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
[change different] ?[payee representative] // change	1	<rep_payee_menu change>	If Necessary
(misuse ?(of benefits)), benefits misuse // misuse	2	<rep_payee_menu misuse>	If Necessary
become ?a payee // become	3	<rep_payee_menu become>	If Necessary
(?payee report), [file filing] ?(a payee) report // report	4	<rep_payee_menu report>	If Necessary
?payee responsibilities // program	5	<rep_payee_menu program>	If Necessary
?it's something else // something_else	6	<rep_payee_menu something_else>	If Necessary
<b>Actions</b>			
Option	Condition	Action	Transition
become	Always	<b>Prompt:</b> [mm2100_out_01] All right.	<b>goto:</b> mm2200_BecomePayee_DM

change	Always	--	<b>goto:</b> <a href="#">mm2120_ChangeMsg_DM</a>
misuse	Always	<b>Prompt:</b> [mm2100_out_02] All right. Misuse of Benefits.	<b>goto:</b> <a href="#">mm2210_PayeeMisuse_DM</a>
program	Always	--	<b>goto:</b> <a href="#">mm2110_ProgramMsg_DM</a>
report	Always	<b>Prompt:</b> [mm2100_out_03] Okay.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
something_else	Always	<b>Prompt:</b> [mm2100_out_04] Okay.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>

**Confirmation Prompts**

Option	Condition	Name	Wording
program	Always	mm2100_cnf_ini_01	You'd like information on what a payee representative DOES. Is that right?
change	Always	mm2100_cnf_ini_02	You'd like to change your payee, right?
misuse	Always	mm2100_cnf_ini_03	You suspect there may be a problem with how your benefits are being handled, right?
become	Always	mm2100_cnf_ini_04	You're interested in BECOMING a payee, right?
report	Always	mm2100_cnf_ini_05	You have questions about filing a payee report, right?
something_else	Always	mm2100_cnf_ini_06	You'd like help with something else, right?

**Confirmation Recovery Behavior**

[See 1.3 Global Confirmation](#)


**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm2100_nm1_01] Let's try again. You can say 'Change Payee' (or press 1); 'Misuse Of Benefits' (or 2), 'Become a Payee' (3); 'Payee Report' (4); 'Payee Responsibilities' (5); or say 'It's Something Else' or press 6.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm2100_nm2_01] Sorry. If you'd like to CHANGE your payee, press 1. If you suspect a problem with how your benefits are being handled, press 2. For information on BECOMING a payee, press 3. For questions about filing a REPORT, press 4. For information on what a payee DOES, press 5. Or, for all other questions, press 6.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
noinput 1	^	<b>Prompt:</b> [mm2100_ni1_01] To request a different payee, say 'Change Payee' (or press 1). If you think there's a problem with how your benefits are being handled, say 'Misuse Of Benefits' (or 2). If you'd	<b>Re-Recognition:</b>



		like to BECOME a payee, say 'Become A Payee' (3). For questions about filing a report, say 'Payee Report' (4). If you'd like to hear what a payee DOES, say 'Payee Responsibilities' (5). Or, for any other information, say 'It's Something Else' (or press 6).	
noinput 2	^	<b>Prompt:</b> [mm2100_ni2_01] Sorry. If you'd like to CHANGE your payee, press 1. If you suspect a problem with how your benefits are being handled, press 2. For information on BECOMING a payee, press 3. For questions about filing a REPORT, press 4. For information on what a payee DOES, press 5. Or, for all other questions, press 6.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
--			

**mm2110\_ProgramMsg\_DM**

<b>CustomContext Recognition</b> 			
Plays information about the Payee Representative program and offers options to hear it again, hear the payee options again, speak with an agent, or continue in the IVR.			
<b>Entering From</b>			
<a href="#">mm2100_RepPayeeMenu_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm2110_ini_01	When a beneficiary needs help managing their Social Security or SSI benefits, we appoint a Representative Payee for them. The payee can be a relative or friend, or a nursing home or hospital. The payee receives the monthly benefits and uses them to pay for the beneficiary's needs. The payee must keep accurate records of how the money is spent, and report this to Social Security using the Representative Payee Report form. The payee must also report any changes to a beneficiary's situation (like a change of address, medical condition, or income). Finally, although someone may have 'power of attorney' to conduct business for a beneficiary, the Social Security Administration does

				not recognize 'power of attorney' for purposes of managing a beneficiary's payments.
initial	^		mm2110_ini_02	<500ms silence>
initial	If office_hours=true		mm2110_ini_03	To hear that again, say 'Repeat That.' To hear the other 'Representative Payee' options again, say 'Payee Options.' Or, to speak to someone about the program, say 'Agent.' Otherwise, hold on and I'll take you back to the Main Menu...
initial	Else (office_hours=false)		mm2110_ini_04	To hear that again, say 'Repeat That.' Or to hear the other 'Representative Payee' options again, say 'Payee Options.' Otherwise, hold on and I'll take you back to the Main Menu...
reprompt	(after disconfirmation)	If office_hours=true	mm2110_ree_01	To hear the information again, say 'Repeat That.' To hear the other 'Representative Payee' options again, say 'Payee Options.' Or, to speak to someone about the program, say 'Agent.' Otherwise, hold on and I'll take you back to the Main Menu...
reprompt	^	Else (office_hours=false)	mm2110_ree_02	To hear the information again, say 'Repeat That.' Or to hear the other 'Representative Payee' options again, say 'Payee Options.' Otherwise, hold on and I'll take you back to the Main Menu...

**Grammar**

Sample Expressions	DTMF	Reco Var/Option	Confirm
repeat, repeat that // repeat	1	<payee_program_menu repeat>	Never
?hear ?the ?representative ?payee options ?again // payee_options	2	<payee_program_menu payee_options>	If Necessary

**Actions**

Option	Condition	Action	Transition
payee_options	Always	<b>Prompt:</b> [mm2110_out_01] Sure. Here are those options again...	<b>goto:</b> mm2100_RepPayeeMenu_DM

**Confirmation Prompts**

Option	Condition	Name	Wording
payee_options	Always	mm2110_cnf_ini_01	You'd like to choose another payee option, right?

**Confirmation Recovery Behavior**


[See 1.3 Global Confirmation](#)

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	If office_hours=true	<b>Prompt:</b> [mm2110_nm1_01] Let's try again. You can say 'Repeat That' or press 1, 'Payee Options' or press 2; or 'Agent' or press 0. If you're finished, feel free to hang up. Otherwise, just hold on and I'll take you back to the Main Menu...	<b>Re-Recognition:</b>
nomatch 1	Else (office_hours=false)	<b>Prompt:</b> [mm2110_nm1_02] Let's try again. You can say 'Repeat That' or press 1, 'Payee Options' or press 2; or if you're finished, feel free to hang up. Otherwise, just hold on and I'll take you back to the Main Menu...	<b>Re-Recognition:</b>

nomatch 2	If <a href="#">office_hours=true</a>	<b>Prompt:</b> [mm2110_nm2_01] Sorry. To hear the information about the representative payees again, press 1. To choose another payee option, press 2. To speak with an agent about the payee program, press 0. If you're finished, feel free to hang up. Otherwise, just hold on and I'll take you back to the Main Menu...	<b>Re-Recognition:</b>
nomatch 2	Else ( <a href="#">office_hours=false</a> )	<b>Prompt:</b> [mm2110_nm1_03] Sorry. To hear the information about the representative payees again, press 1. To choose another payee option, press 2. If you're finished, feel free to hang up. Otherwise, just hold on and I'll take you back to the Main Menu...	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
noinput 1	Always	--	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>
<b>Commands: State-Specific Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
repeat	--	<b>Prompt:</b> [mm2110_repeat_01] Sure.	<b>Re-Recognition:</b> Reprompt
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Command</b>	<b>Confirm</b>
repeat that, repeat	1	repeat	Never
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
--			

**mm2120\_ChangeMsg\_DM**

<b>CustomContext Recognition</b> 			
Plays information on how to change payees and offers options to repeat, choose another payee option, find a field office, speak with an agent, or continue in the IVR.			
<b>Entering From</b>			
<a href="#">mm2100_RepPayeeMenu_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm2120_ini_01	Social Security usually chooses a representative payee for you, and we send you a letter telling you who that payee is. If you want a different payee, you have 60 days to appeal our choice by contacting us.
initial	^	mm2120_ini_02	<500ms silence>

initial	^		mm2120_ini_03	If, on the other hand, you already have a payee and want to change, your potential new payee must file an application in person at a Social Security office. They'll need to provide their Social Security Number, a proof of identification (like a driver's license), as well as their doctor's name and contact information.
initial	^		mm2120_ini_04	<500ms silence>
initial	^		mm2120_ini_05	And finally, if you want to become your OWN payee, you'll need to show the Social Security Administration evidence - a doctor's statement, for example - indicating that you're now able to manage your own benefits.
initial	^		mm2120_ini_06	<1000ms silence>
initial	If office_hours=true		mm2120_ini_07	To hear that again, say 'Repeat That.' If you'd like to hear the other 'Representative Payee' options again, say 'Payee Options.' To find the location of a field office in your area, say 'Find an Office.' Or, to talk to someone about the program, say 'Agent.' Otherwise, hold on and I'll take you back to the Main Menu.
initial	Else (office_hours=false)		mm2120_ini_08	To hear that again, say 'Repeat That.' If you'd like to hear the other 'Representative Payee' options again, say 'Payee Options.' Or to find the location of a field office in your area, say 'Find an Office.' Otherwise, hold on and I'll take you back to the Main Menu.
reprompt	(after disconfirmation)	If office_hours=true	mm2120_ree_01	To hear the information again, say 'Repeat That.' If you'd like to hear the other 'Representative Payee' options again, say 'Payee Options.' To find the location of a field office in your area, say 'Find an Office.' Or, to talk to someone about the program, say 'Agent.' Otherwise, hold on and I'll take you back to the Main Menu.
reprompt	^		mm2120_ree_02	To hear the information again, say 'Repeat That.' If you'd like to hear the other 'Representative Payee' options again, say 'Payee Options.' Or to find the location of a field office in your area, say 'Find an Office.' Otherwise, hold on and I'll take you back to the Main Menu.

**Grammar**

Sample Expressions	DTMF	Reco Var/Option	Confirm
repeat, repeat that // repeat	1	<payee_change_menu repeat>	Never
?hear ?the ?representative ?payee options ?again // payee_options	2	<payee_change_menu payee_options>	If Necessary
(find an office), (?find ?a ?field office ?location), (?find ?the? ?(location of a) ?field office) // office	3	<payee_change_menu office>	If Necessary

**Actions**

Option	Condition	Action	Transition
payee_options	Always	<b>Prompt:</b> [mm2120_out_01] Sure. Here are those options again...	<b>goto:</b> mm2100_RepPayeeMenu_DM
office	Always	<b>Assign:</b> final_intent =field_office_locator	--
^	^	<b>Assign:</b> current_task =field_office_locator	<b>goto:</b> mm0320_FieldOfficeLocator_SD

**Confirmation Prompts**

Option	Condition	Name	Wording
payee_options	Always	mm2120_cnf_ini_01	You'd like to choose another payee option.
office	Always	mm2120_cnf_ini_02	You'd like to find a field office location.
--	Always	gl_cnf_ini_02	Right?

**Confirmation Recovery Behavior**

[See 1.3 Global Confirmation](#)

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	If <a href="#">office_hours</a> =true	<b>Prompt:</b> [mm2120_nm1_01] Let's try again. You can say 'Repeat That' or press 1, 'Payee Options' or press 2, 'Find An Office' or press 3; or 'Agent' or press 0. If you're finished, feel free to hang up. Otherwise, just hold on and I'll take you back to the Main Menu...	<b>Re-Recognition:</b>
nomatch 1	Else ( <a href="#">office_hours</a> =false)	<b>Prompt:</b> [mm2120_nm1_02] Let's try again. You can say 'Repeat That' or press 1, 'Payee Options' or press 2, 'Find An Office' or press 3; or if you're finished, feel free to hang up. Otherwise, just hold on and I'll take you back to the Main Menu...	<b>Re-Recognition:</b>
nomatch 2	If <a href="#">office_hours</a> =true	<b>Prompt:</b> [mm2120_nm2_01] Sorry. To hear the information again, press 1. To choose another payee option, press 2. For field office locations, press 3. To speak with an agent about the payee program, press 0. If you're finished, feel free to hang up. Otherwise, just hold on and I'll take you back to the Main Menu...	<b>Re-Recognition:</b>
nomatch 2	Else ( <a href="#">office_hours</a> =false)	<b>Prompt:</b> [mm2120_nm2_02] Sorry. To hear the information again, press 1. To choose another payee option, press 2. For field office locations, press 3. If you're finished, feel free to hang up. Otherwise, just hold on and I'll take you back to the Main Menu...	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
noinput 1	Always	--	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>

**Commands: State-Specific Behavior**

Type	Condition	Action	Transition
repeat	--	<b>Prompt:</b> [mm2120_repeat_01] Sure.	<b>Re-Recognition:</b> Reprompt


**Commands: Confirmations**

[See 1.2 Global Commands](#)

**Commands: Grammar**

Sample Expressions	DTMF	Command	Confirm
repeat that, repeat	1	repeat	Never
Config Parameters			
Parameter	Value		
--	--		
Developer Notes			
--			

**mm2200\_BecomePayee\_DM**

CustomContext Recognition 			
Plays information on how to become a payee representative and offers options to repeat, choose another payee option, find a field office, speak with an agent, or continue in the IVR.			
Entering From			
<a href="#">mm2100_RepPayeeMenu_DM</a>			
Initial Prompts			
Type	Condition	Name	Wording
initial	Always	mm2200_ini_01	There are three ways someone can become a representative payee: a payee may be appointed by the Social Security Administration; a payee may be requested by a beneficiary - whether they currently have one or not - or someone who already has a payee may become their own payee. When we find that a beneficiary needs help managing their Social Security or SSI benefits, we appoint a Representative Payee for them. Appointed payees must be interviewed in person, and complete a form at a Social Security office. There, the appointed payee will need their social security number, proof of identification (like a driver's license), as well as the name and contact information of the beneficiary's doctor. If, on the other hand, a beneficiary wants to obtain a payee, or wants to change their current payee, the potential payee must be interviewed in person, and complete a form at a Social Security office. Again, the potential payee will need their social security number, proof of identification, as well as the name and contact information of the beneficiary's doctor. In addition, although a potential payee may have 'power of attorney,' Social Security does not recognize 'power of attorney' for purposes of managing benefit payments. Finally, if you want to become your OWN payee, you need to show evidence (a doctor's statement, for example) that you're now able to handle your money yourself.
initial	^	mm2200_ini_02	<1000ms silence>
initial	If office_hours=true	mm2200_ini_03	To hear that again, say 'Repeat That.' If you'd like to hear the other 'Representative Payee' options again, say 'Payee Options.' To find the location of a field office in your area, say 'Find an Office.' Or, to talk to a Social Security representative about the program, say 'Agent.' Otherwise, to go back to the main menu, just say 'I'm Finished.'
initial	Else (office_hours=false)	mm2200_ini_04	To hear that again, say 'Repeat That.' If you'd like to hear the other 'Representative Payee' options again, say 'Payee Options.' Or, to find the location of a field office in your area, say 'Find an Office.' Otherwise, to

				go back to the main menu, just say 'I'm Finished.'
reprompt	(after disconfirmation)	If office_hours=true	mm2200_ree_01	To hear the information again, say 'Repeat That.' If you'd like to hear the other 'Representative Payee' options again, say 'Payee Options.' To find the location of a field office in your area, say 'Find an Office.' Or, to talk to a Social Security representative about the program, say 'Agent.' Otherwise, to go back to the main menu, just say 'I'm Finished.'
reprompt	^	Else (office_hours=false)	mm2200_ree_02	To hear the information again, say 'Repeat That.' If you'd like to hear the other 'Representative Payee' options again, say 'Payee Options.' Or, to find the location of a field office in your area, say 'Find an Office.' Otherwise, to go back to the main menu, just say 'I'm Finished.'

**Grammar**

Sample Expressions	DTMF	Reco Var/Option	Confirm
repeat, repeat that // repeat	1	<payee_become_menu repeat>	Never
?hear ?the ?representative ?payee options ?again // payee_options	2	<payee_become_menu payee_options>	If Necessary
(find an office), (?find ?a ?field office ?location), (?find ?the? ?(location of a) ?field office) // office	3	<payee_become_menu office>	If Necessary
?(i'm) (finished done) // finished	4	<payee_become_menu finished>	If Necessary

**Actions**

Option	Condition	Action	Transition
finished	Always	<b>Prompt:</b> [mm2200_out_01] All right.	<b>goto:</b> mm0200_SFToggle_DS
payee_options	Always	<b>Prompt:</b> [mm2200_out_02] Sure. Here are those options again...	<b>goto:</b> mm2100_RepPayeeMenu_DM
office	Always	<b>Assign:</b> current_task =field_office_locator	--
^	^	<b>Assign:</b> final_intent =field_office_locator	--
^	^	<b>Prompt:</b> [mm2200_out_03] Sure.	<b>goto:</b> mm0320_FieldOfficeLocator_SD

**Confirmation Prompts**

Option	Condition	Name	Wording
finished	Always	mm2200_cnf_ini_01	Sounds like you're finished with Payee Information.
payee_options	Always	mm2200_cnf_ini_02	You'd like to choose another payee option.
office	Always	mm2200_cnf_ini_03	You'd like to find a field office location.
--	Always	gl_cnf_ini_02	Right?

**Confirmation Recovery Behavior**

[See 1.3 Global Confirmation](#)

**Recovery Behavior**

Type	Condition	Action	Transition
------	-----------	--------	------------

nomatch 1	Always	<b>Prompt:</b> [mm2200_nm1_01] Let's try again. You can say 'Repeat That' or press 1, 'Payee Options' or press 2, 'Office Locations' or press 3, or if you're finished, just say 'I'm Finished' or press 4.	<b>Re-Recognition:</b>
nomatch 2	If <a href="#">office_hours=true</a>	<b>Prompt:</b> [mm2200_nm2_01] Sorry. To hear the information again, press 1. To choose another payee option, press 2. To find a field office in your area, press 3. If you're finished, press 4. Or, to speak to someone now, press 0.	<b>Re-Recognition:</b>
nomatch 2	Else ( <a href="#">office_hours=false</a> )	<b>Prompt:</b> [mm2200_nm2_02] Sorry, I still didn't get it. To hear the information again, press 1. To choose another payee option, press 2. To find a field office in your area, press 3. Or, if you're finished, press 4.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
noinput 1	Always	<b>Prompt:</b> [mm2200_ni1_01] To hear the information again, say 'Repeat That' or press 1. To choose another payee option, say 'Payee Options' or press 2. To find a field office in your area, say 'Office Locations' or press 3. Or, if you're finished, just say 'I'm Finished' or press 4.	<b>Re-Recognition:</b>
noinput 2	If <a href="#">office_hours=true</a>	<b>Prompt:</b> [mm2200_ni2_01] Sorry. To hear the information again, press 1. To choose another payee option, press 2. To find a field office in your area, press 3. If you're finished, press 4. Or, to speak to someone now, press 0.	<b>Re-Recognition:</b>
noinput 2	Else ( <a href="#">office_hours=false</a> )	<b>Prompt:</b> [mm2200_ni2_02] Sorry. To hear the information again, press 1. To choose another payee option, press 2. To find a field office in your area, press 3. Or, if you're finished, press 4.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
<b>Commands: State-Specific Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
repeat	--	<b>Prompt:</b> [mm2200_repeat_01] Sure.	<b>Re-Recognition:</b> Reprompt
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Command</b>	<b>Confirm</b>
repeat that, repeat	1	repeat	Never



<b>Config Parameters</b>	
<b>Parameter</b>	<b>Value</b>
--	--
<b>Developer Notes</b>	
--	


**mm2210\_PayeeMisuse\_DM**

<b>CustomContext Recognition</b>					
Plays information about how to report misuse and offers options to hear it again, hear the payee options again, speak with an agent, or continue in the IVR.					
<b>Entering From</b>					
<a href="#">mm2100_RepPayeeMenu_DM</a>					
<b>Initial Prompts</b>					
<b>Type</b>	<b>Condition</b>		<b>Name</b>	<b>Wording</b>	
initial	Always		mm2210_ini_01	If you suspect your payee is misusing your benefits, you should contact the hotline for the Office of the Inspector General -- or OIG. They will ensure that proper action is taken. The phone number for the OIG is: 1-800-269-0271. Again, that's 1-800-269-0271. Their office hours are Monday through Friday, 10 AM to 4 PM Eastern Time. You can also look on the Web, at 'social security dot G O V, slash-O I G.'	
initial	^		mm2210_ini_02	<1000ms silence>	
initial	If office_hours=true		mm2210_ini_03	To hear that again, say 'Repeat That.' If you'd like to hear the other 'Representative Payee' options again, say 'Payee Options.' Or, to talk to a Social Security representative about the program, say 'Agent.' Otherwise, to go back to the main menu, just say 'I'm Finished.'	
initial	Else (office_hopurs=false)		mm2210_ini_04	To hear that again, say 'Repeat That.' Or, to hear the other 'Representative Payee' options again, say 'Payee Options.' Otherwise, to go back to the main menu, just say 'I'm Finished.'	
reprompt	(after disconfirmation)	If office_hours=true	mm2210_ree_01	To hear the information again, say 'Repeat That.' If you'd like to hear the other 'Representative Payee' options again, say 'Payee Options.' Or, to talk to a Social Security representative about the program, say 'Agent.' Otherwise, to go back to the main menu, just say 'I'm Finished.'	
reprompt	^	Else (office_hours=false)	mm2210_ree_02	To hear the information again, say 'Repeat That.' Or, to hear the other 'Representative Payee' options again, say 'Payee Options.' Otherwise, to go back to the main menu, just say 'I'm Finished.'	
<b>Grammar</b>					
<b>Sample Expressions</b>			<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
repeat, repeat that // repeat			1	<payee_misuse_menu repeat>	Never
?hear ?the ?representative ?payee options ?again // payee_options			2	<payee_misuse_menu payee_options>	If Necessary
?(i'm) (finished done) // finished			3	<payee_misuse_menu finished>	If Necessary

<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
finished	Always	<b>Prompt:</b> [mm2210_out_01] All right.	<b>goto:</b> mm0210_SFMainMenu_DM
payee_options	Always	<b>Prompt:</b> [mm2210_out_02] Sure. Here are those options again...	<b>goto:</b> mm2100_RepPayeeMenu_DM
<b>Confirmation Prompts</b>			
<b>Option</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
finished	Always	mm2210_cnf_ini_01	Sounds like you're finished with Payee Information.
payee_options	Always	mm2210_cnf_ini_02	You want to choose another payee option.
--	Always	gl_cnf_ini_02	Right?
<b>Confirmation Recovery Behavior</b>			
See 1.3 Global Confirmation			
<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [mm2210_nm1_01] Let's try again. You can say 'Repeat That' or press 1, 'Payee Options' or press 2, or if you're finished, just say 'I'm Finished' or press 3.	<b>Re-Recognition:</b>
nomatch 2	If <a href="#">office_hours</a> =true	<b>Prompt:</b> [mm2210_nm2_01] Sorry. To hear the information about reporting a misuse of benefits again, press 1. To choose another payee option, press 2. If you're finished, press 3. Or, to speak to someone now, press 0.	<b>Re-Recognition:</b>
nomatch 2	Else ( <a href="#">office_hours</a> =false)	<b>Prompt:</b> [mm2210_nm2_02] Sorry, I still didn't get it. To hear the information about reporting a misuse of benefits again, press 1. To choose another payee option, press 2. Or, if you're finished, press 3.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
noinput 1	Always	<b>Prompt:</b> [mm2210_ni1_01] To hear the information again, say 'Repeat That' or press 1. To choose another payee option, say 'Payee Options' or press 2. Or, if you're finished, just say 'I'm Finished' or press 3.	<b>Re-Recognition:</b>
noinput 2	If <a href="#">office_hours</a> =true	<b>Prompt:</b> [mm2210_ni2_01] Sorry. To hear the information about reporting a misuse of benefits again, press 1. To choose another payee option, press 2. If you're finished, press 3. Or, to speak to someone now, press 0.	<b>Re-Recognition:</b>
noinput 2	Else ( <a href="#">office_hours</a> =false)	<b>Prompt:</b> [mm2210_ni2_02] Sorry. To hear the information about	<b>Re-Recognition:</b>

		reporting a misuse of benefits again, press 1. To choose another payee option, press 2. Or, If you're finished, press 3.	
noinput 3	Always	<b>Assign:</b> <code>transfer_reason =error</code>	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <code>mm3000_ABRStatus_DS</code>
<b>Commands: State-Specific Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
repeat	--	<b>Prompt:</b> [mm2210_repeat_01] Sure.	<b>Re-Recognition:</b> Reprompt
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Command</b>	<b>Confirm</b>
repeat that, repeat	1	repeat	Never
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
--			

**mm2300\_FormsGeneral\_DM**

<b>CustomContext Recognition</b> 			
Asks callers if they need a 1099, a proof of income statement, an earnings statement, or something else.			
<b>Entering From</b>			
<a href="#">mm0210_SFMainMenu_DM</a> , <a href="#">mm0900_BenefitsMoreOptions_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	mm2300_ini_01	Which of these forms are you calling about - a '1099' (or 'Benefits Statement'), 'Proof of Income,' an 'Earnings Statement,' or 'Something Else?'
<b>Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
?(?form 1099) (?tax benefits statement), (?form 1099) // benefits_statement	1	< <a href="#">forms_general_menu</a> benefits_statement>	If Necessary
proof of income ?[letter form], benefits verification ?[letter form] // benefits_verification	2	< <a href="#">forms_general_menu</a> proof_of_income>	If Necessary
earnings [statement form] // earnings_statement	3	< <a href="#">forms_general_menu</a> earnings_statement>	If Necessary
?it's something else // something_else	4	< <a href="#">forms_general_menu</a> something_else>	If Necessary
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>

benefits_statement	Always	<b>Assign:</b> <a href="#">current_task</a> =benefits_statement	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> =1099_benefits_statement	--
^	^	<b>Prompt:</b> [mm2300_out_01] All right. Benefits Statement.	<b>goto:</b> <a href="#">mm0525_BenefitsStatementKBA_DS</a>
proof_of_income	Always	<b>Assign:</b> <a href="#">current_task</a> =benefits_verification	--
^	^	<b>Assign:</b> <a href="#">final_intent</a> =benefits_verification	--
^	^	<b>Prompt:</b> [mm2300_out_02] All right. Proof of Income.	<b>goto:</b> <a href="#">mm0500_BEVEKBA_DS</a>
earnings_statement	Always	<b>Prompt:</b> [mm2300_out_03] All right.	<b>goto:</b> <a href="#">mm2400_EarningsMenu_DM</a>
something_else	Always	<b>Assign:</b> <a href="#">final_intent</a> =<current_intent>	--
^	^	<b>Prompt:</b> [mm2300_out_04] Okay.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>

**Confirmation Prompts**

Option	Condition	Name	Wording
benefits_statement	Always	mm2300_cnf_ini_01	You'd like a replacement Form 1099 benefits statement, right?
proof_of_income	Always	mm2300_cnf_ini_02	You need a proof of income document that's not for your tax return, right?
earnings_statement	Always	mm2300_cnf_ini_03	You need an earnings statement, right?
something_else	Always	mm2300_cnf_ini_04	You'd like help with something other than a Form 1099, a proof of income document, or an earnings statement. Is that right?

**Confirmation Recovery Behavior**


[See 1.3 Global Confirmation](#)

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [mm2300_nm1_01] Let's try again. You can say 'Benefits Statement' or press 1; 'Proof of Income' or press 2; 'Earnings Statement' or 3, or say 'It's Something Else' or press 4.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm2300_nm2_01] Sorry. If you need a replacement Form 1099 benefits statement for filing your tax return, press 1. If you need a document of your income for anything other than your tax return, press 2. If you need an earnings statement, press 3. For anything else, press 4.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
noinput 1	^	<b>Prompt:</b> [mm2300_ni1_01]	<b>Re-Recognition:</b>

		If you need a replacement benefits statement for filing your tax return, or a Form 1099, say 'benefits statement' or press 1. For a document of your income for anything other than your tax return, say 'proof of income' or press 2. For an earnings statement, say 'earnings statement' or press 3. If you need something else, say 'it's something else' or press 4.	
noinput 2	^	<b>Prompt:</b> [mm2300_ni2_01] Sorry. If you need a replacement Form 1099 benefits statement for filing your tax return, press 1. If you need a document of your income for anything other than a tax return, press 2. For an earnings statement, press 3. For anything else, press 4.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
--			

### mm2400\_EarningsMenu\_DM

CustomContext Recognition 			
Presents seven earnings options - new statement, proof of income letter, information on why caller has received an earnings statement, information on how the caller's address has been determined, information on the earnings statement, an option to hear all the information options, and an option for 'something else'.			
<b>Entering From</b>			
<a href="#">mm0050_EntryRouting_DS</a> , <a href="#">mm0900_BenefitsMoreOptions_DM</a> , <a href="#">mm2300_FormsGeneral_DM</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	mm2400_ini_01	There are different forms used to send your earnings information. Information about BENEFIT PAYMENTS you received this year and last year is sent on Internal Revenue Service form '1099.' Information about your past earnings, along with estimates of FUTURE Social Security benefits, in your 'Earning Statement,' which you receive every three years. And Proof of Income or benefits verification is sent in a letter from Social Security.
initial	^	mm2400_ini_02	<1000ms silence>
initial	^	mm2400_ini_03	Which would you like - your '1099' benefits statement, your 'EARNINGS Statement,' a 'Proof of

			Income' letter or, say 'None of those'.
<b>Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
1099, benefits statement // benefits_statement	1	<earnings_menu benefits_statement>	If Necessary
earnings statement // earnings_statement	2	<earnings_menu earnings_statement>	If Necessary
proof of income ?[letter form], benefits verification ?[letter form] // proof_of_income	3	<earnings_menu proof_of_income>	If Necessary
?it's something else // something_else	4	<earnings_menu something_else>	If Necessary
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
benefits_statement	Always	<b>Assign:</b> current_task =benefits_statement	--
^	^	<b>Assign:</b> final_intent =1099_benefits_statement	--
^	^	<b>Prompt:</b> [mm2400_out_01] Sure.	<b>goto:</b> mm0525_BenefitsStatementKBA_DS
earnings_statement	Always	<b>Assign:</b> current_task =transcription_7004	--
^	^	<b>Assign:</b> final_intent =transcription_7004	--
^	^	<b>Prompt:</b> [mm2400_out_02] Sure.	<b>goto:</b> mm0545_TranscriptionKBA_DS
proof_of_income	Always	<b>Assign:</b> current_task =benefits_verification	--
^	^	<b>Assign:</b> final_intent =benefits_verification	--
^	^	<b>Prompt:</b> [mm2400_out_03] Okay. Proof Of Income.	<b>goto:</b> mm0500_BEVEKBA_DS
something_else	Always	<b>Assign:</b> final_intent =<current_intent>	--
^	^	<b>Prompt:</b> [mm2400_out_04] Okay.	<b>goto:</b> mm3000_ABRStatus_DS
<b>Confirmation Prompts</b>			
<b>Option</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
benefits_stat ement	Always	mm2400_cnf_ini_ 01	You'd like a copy of your 1099 benefits statement.
earnings_stat ement	Always	mm2400_cnf_ini_ 02	You'd like a copy of your earnings statement.
proof_of_inco me	Always	mm2400_cnf_ini_ 03	You need a proof of income letter.
something_el se	Always	mm2400_cnf_ini_ 04	You'd like help with something else.
--	Always	gl_cnf_ini_02	Right?
<b>Confirmation Recovery Behavior</b>			
<a href="#">See 1.3 Global Confirmation</a>			

<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [mm2400_nm1_01] Let's try again. You can say '1099' or press 1, 'Earnings Statement' or press 2, 'Proof of Income' or 3, or for anything else, say 'It's Something Else' or press 4.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [mm2400_nm2_01] Sorry. To get a copy of your '1099' benefits statement, press 1. For an earnings Statement, press 2. For a Proof of Income letter, press 3. Or, for anything else, press 4.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
noinput 1	^	<b>Prompt:</b> [mm2400_ni1_01] To get a copy of your '1099' benefits statement, say '1099' or press 1. For an earnings Statement, say 'Earnings Statement' or press 2. For a Proof of Income letter, say 'Proof of Income, or press 3. Or, for anything else, say 'It's Something Else' or press 4.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [mm2400_ni2_01] Sorry. To get a copy of your '1099' benefits statement, press 1. For an earnings Statement, press 2. For a Proof of Income letter, press 3. Or, for anything else, press 4.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	<b>goto:</b> mm3000_ABRStatus_DS
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
--			

**mm3000\_ABRStatus\_DS**

<b>Decision</b>	◇
Checks the value of the abr variable.	
<b>Entering From</b>	
mm0125_ABRStatus_DS, mm0210_SFMainMenu_DM, mm0310_ChangeOfAddress_SD, mm0320_FieldOfficeLocator_SD, mm0329_AnythingElse_DM, mm0330_DirectDeposit_SD, mm0440_DisabilityDisambig_DM, mm0450_EmploymentDisambig_DM,	

mm0470\_ReplacementDisambig\_DM, mm0505\_BEVE\_SD, mm0520\_ApplicationStatus\_SD, mm0530\_BenefitsStatement\_SD, mm0545\_TranscriptionKBA\_DS, mm0550\_Transcription\_SD, mm0565\_MRC\_SD, mm0600\_BackoffMainMenu\_DM, mm0610\_BackoffOtherOptionsMenu\_DM, mm0800\_BenefitsApplicationMenu\_DM, mm0810\_ApplicationStatusQuestion\_DM, mm0900\_BenefitsMoreOptions\_DM, mm0910\_UpdatePersonalInfo\_DM, mm1100\_SocialSecurityCardsMenu\_DM, mm1105\_MedicareCardsMenu\_DM, mm1110\_UpdatePersonalInfo\_DM, mm1210\_InternetAddress\_DM, mm1300\_WhichCard\_DM, mm1430\_SocialSecurityCardMenu\_DM, mm1700\_MedicareApplyMenu\_DM, mm1730\_MedicareDrugQuestion\_DM, mm1800\_SSIMenu\_DM, mm1910\_LatePaymentMenu\_DM, mm2010\_BenefitsEarnings\_DM, mm2030\_OtherQuestions\_DM, mm2040\_FutureBenefits\_DM, mm2100\_RepPayeeMenu\_DM, mm2300\_FormsGeneral\_DM, mm2400\_EarningsMenu\_DM

Globals: event.conf.noinput, event.conf.nomatch, event.nomatch, event.operator, event.system.error, noinput, nomatch

<b>Actions</b>			
<b>Condition</b>		<b>Action</b>	<b>Transition</b>
If abr=1 (no agents)		--	goto: mm3020_ProcessTransfer_DS
Elseif abr=2 (screen_pop)	If office_hours=true	Assign: current_task =screen_pop	goto: mm3005_KBAAuthentication_SD
^	Else (office_hours=false)	--	goto: mm3020_ProcessTransfer_DS
Elseif abr=3 (screen_splash)	If office_hours=true	Assign: current_task =screen_splash	goto: mm3002_PingHost_DB
^	Else (office_hours=false)	--	goto: mm3020_ProcessTransfer_DS
Elseif abr=4 (immediate transfer)		--	goto: mm3020_ProcessTransfer_DS
Elseif abr=5 (courtesy disconnect)		--	goto: mm3020_ProcessTransfer_DS
Else		--	goto: mm3020_ProcessTransfer_DS

**Developer Notes**

--


**mm3002\_PingHost\_DB**

<b>Database Call</b>		
Pings the host database to ensure the host is available.		
<b>Entering From</b>		
mm3000_ABRStatus_DS		
<b>Input parameters</b>		
Parameter	Value	
processID	Which process to pass the request to. Values are: PING, AUTH, INFO, AUTHINFO, MI, ENDSSESSION, NONE.	
requestID	Unique 10 digit ID for the request. 10 zeros, if not used.	
timestamp	Transaction timestamp.	
version	Version of the xml schema used.	
<b>Output parameters</b>		
Variable	Description	
mm_statusCode	Possible values that can be returned are: 0000=Success, 0151=System Failure, 0152=Off hour request, and 7777=Validation failure.	
mm_statusDescription	Status code text description.	
<b>Actions</b>		
Condition	Action	Transition




If <code>mm_statusCode=0000</code> (success)	Always	--	<b>goto:</b> <a href="#">mm3005_KBAuthentication_SD</a>
Else (failure)	Always	--	<b>goto:</b> <a href="#">mm3020_ProcessTransfer_DS</a>
<b>Recovery Behavior</b>			
<a href="#">See 1.1 Global Recovery Behavior</a>			
<b>Developer Notes</b>			
--			

**mm3005\_KBAuthentication\_SD**

<b>Subdialog Call</b> 		
Sub dialogue call to Knowledge Based Authentication.		
<b>Entering From</b>		
<a href="#">mm3000_ABRStatus_DS</a> , <a href="#">mm3002_PingHost_DB</a>		
<b>Dialog called</b>		
Proceed to initial node in: <a href="#">KnowledgeBasedAuthentication</a>		
<b>Input parameters</b>		
<b>Parameter</b>	<b>Value</b>	
--	--	
<b>Output parameters</b>		
<b>Variable</b>	<b>Subdialog Variable</b>	
--	--	
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	--	<b>goto:</b> <a href="#">mm3020_ProcessTransfer_DS</a>
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
--		

**mm3020\_ProcessTransfer\_DS**


<b>Decision</b> 		
Determines if an agent is available, and if not plays a message that an agent if not available before returning to the main menu.		
<b>Entering From</b>		
<a href="#">mm3000_ABRStatus_DS</a> , <a href="#">mm3002_PingHost_DB</a> , <a href="#">mm3005_KBAuthentication_SD</a>		
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If <code>office_hours=true</code>	If <code>abr=1</code> (no agents) <b>Prompt:</b> [mm3020_out_01] Normally I'd get an agent to help you but, unfortunately, no one is available at the moment. To speak with someone, you'll need to call back. If you're finished for now, feel free to hang up. Otherwise,...	<b>goto:</b> <a href="#">mm0200_SFToggle_DS</a>

^	Elseif (abr=5)	<b>Prompt:</b> [mm3020_out_15] I'm very sorry but none of our agents are available right now. Please call back again, and keep in mind our busiest times are early in the month and early in the week. Thank you for calling. Goodbye.	<b>goto:</b> mm3040_EndCall_CT
^	Else (abr =1)	<b>Prompt:</b> [mm3020_out_02] Hold on while I get someone to help you.	<b>goto:</b> mm3030_CallTransfer_CX
Else (office_hours=false) AND If transfer_reason=error or failure AND	If ccs = 2 (holiday)	<b>Prompt:</b> [mm3020_out_11] And, unfortunately, due to the holiday our offices are currently closed. To speak with an agent, please call back during our regular business hours - Monday through Friday:	--
^	Else if ccs = 4 (emergency)	<b>Prompt:</b> [mm3020_out_12] And, unfortunately, due to an emergency our offices are currently closed. To speak with an agent, please call back during our regular business hours - Monday through Friday:	--
^	Else	<b>Prompt:</b> [mm3020_out_04] And, unfortunately, our offices are currently closed. To speak with an agent, please call back during our regular business hours - Monday through Friday:	--
Else \\ (office_hours=false) AND transfer_reason is not error or failure	If ccs = 2 (holiday)	<b>Prompt:</b> [mm3020_out_13] Normally I'd get an agent to help you but, unfortunately, due to the holiday our offices are closed. To speak with an agent, please call back during our regular business hours - Monday through Friday:	--
^	Else f ccs = 4 (emergency)	<b>Prompt:</b> [mm3020_out_14] Normally I'd get an agent to help you but, unfortunately, due to an emergency our offices are closed. To speak with an agent, please call back during our regular business hours - Monday through Friday:	--
^	Else	<b>Prompt:</b> [mm3020_out_05] Normally I'd get an agent to help you but, unfortunately, our offices are closed. To speak with an agent, please call back during our regular business hours - Monday through Friday:	--
If office_hours=false	If Hawaii	<b>Prompt:</b> [mm3020_out_07] 7 A.M. to 5 P.M.	--
^	If Alaska, Standard Time	<b>Prompt:</b> [mm3020_out_08] 7 A.M. to 6 P.M.	--
^	If Guam or the Northern Marianas Islands	<b>Prompt:</b> [mm3020_out_09] 11 P.M. to 9 A.M.	--
^	If American Samoa	<b>Prompt:</b> [mm3020_out_10] 5 A.M. to 3 P.M.	--
^	Else (if unknown or any other territory)	<b>Prompt:</b> [mm3020_out_06] 7 A.M. to 7 P.M.	--
^	Always	<b>Prompt:</b> [mm3020_out_03] ...except for holidays. If you're finished for now, feel free to hang up. Otherwise...	<b>goto:</b> mm0200_SFToggle_DS


**Developer Notes**

--

**mm3030\_CallTransfer\_CX**

Call Transfer 		
Transfer to an agent.		
<b>Entering From</b>		
<a href="#">mm0182_MySSAAfterHoursCheck_DS</a> , <a href="#">mm3020_ProcessTransfer_DS</a>		
<b>Actions</b>		
Condition	Action	Transition
Always	<b>Comment:</b> transfer to N8NN agent queue	--
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Config Parameters</b>		
Parameter	Value	
--	--	
<b>Developer Notes</b>		
--		


**mm3040\_EndCall\_CT**

Call Terminate 		
Terminate the call.		
<b>Entering From</b>		
<a href="#">mm0182_MySSAAfterHoursCheck_DS</a> , <a href="#">mm3020_ProcessTransfer_DS</a>		
<b>Actions</b>		
Condition	Action	Transition
--	--	--
<b>Developer Notes</b>		
--		


## 2.2 AddressOSDM Dialog

This module collects an address from a caller. This module is likely to be incorporated into a larger application. NOTE TO CUSTOMER: This is a packaged application, and both the flow and code can not be altered as it is sold and delivered as a packaged piece of code. We will have some flexibility in terms of prompt wording (within boundaries, as we don't want to change grammars) and there are some configurable parameters that we can change from their defaults. Please keep this in mind as you review the document.

### ad0100\_BranchCollectedZipSet\_DS


Decision 		
Determines if a zip code has already been collected.		
<b>Entering From</b>		
ad0050_EntryPrompt_DM, bv0150_AddressOSDM_SD, ca0330_AddressOSDM_SD, tr0140_AddressOSDM_SD		
<b>Actions</b>		
Condition	Action	Transition
IF parameter collectedzipcode is not set	--	goto: ad0110_zipcode_DM
IF parameter collectedzipcode is set	--	--
<b>Developer Notes</b>		
--		

### ad0050\_EntryPrompt\_DM

CustomContext Recognition 			
This is a placeholder state that plays an entry prompt and routes the call.			
<b>Entering From</b>			
--			
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
--	--	--	--
<b>Actions</b>			
Option	Condition	Action	Transition
--	--	--	goto: ad0100_BranchCollectedZipSet_DS
<b>Recovery Behavior</b>			
<a href="#">See 1.1 Global Recovery Behavior</a>			
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
Parameter	Value		
--	--		
<b>Developer Notes</b>			

NOTE: for SSA this DM is bypassed (the initial node is ad0100\_BranchCollectedZipSet\_DS)

**ad0110\_zipcode\_DM**

ZipCode Recognition 					
Asks the caller for their zip code.					
<b>Entering From</b>					
ad0100_BranchCollectedZipSet_DS					
<b>Initial Prompts</b>					
Type	Condition		Name	Wording	
initial	If <code>current_task=change_address</code>	If <code>collectCurrentAddress=true</code>	ad0110_ini_02	What's the 5-digit zip code for the address where you *currently* receive benefits?	
initial	^	Else <code>//collectCurrentAddress=false</code>	ad0110_ini_01	Now, what's the 5-digit zip code for the new address?	
initial	Else <code>//different task</code>		ad0110_ini_01	Please tell me the 5-digit zip code for the new address now.  Please tell me your 5-digit zip code now.	
reprompt	Always		ad0110_ree_02	Please say or enter the 5 digit ZIP code again.	
<b>Grammar</b>					
Sample Expressions			DTMF	Reco Var/Option	Confirm
<valid US zip> // NOTE: this state recognized only VALID zipcodes (i.e. not any numerical string)			<5-digit string>	< <code>collectaddress_zip</code> zip>	If Necessary
<b>Actions</b>					
Option	Condition		Action	Transition	
zip	Always		<b>Prompt:</b> [ad0110_out_01] Okay.	<b>goto:</b> ad0140_FullAddress_DM	
<b>Confirmation Prompts</b>					
Option	Condition		Name	Wording	
--	Always		ad0110_cnf_ini_01	That zip code is...	
--	--		ad0110_cnf_ini_02	<zip code>	
--	--		ad0110_cnf_ini_03	Is that right?	
<b>Confirmation Recovery Behavior</b>					
<a href="#">See 1.3 Global Confirmation</a>					
<b>Recovery Behavior</b>					
Type	Condition		Action	Transition	
nomatch 1	If <code>current_task=change_address</code>	If <code>collectCurrentAddress=true</code>	<b>Prompt:</b> [ad0110_nm1_01] Let's try again. Please say or enter the 5-digit zip code where you currently receive benefits.	<b>Re-Recognition:</b>	
nomatch 1	^	Else <code>//collecting new address</code>	<b>Prompt:</b> [ad0110_nm1_02] Let's try again. Please say or enter the new 5-digit zip code.	<b>Re-Recognition:</b>	

nomatch 1	Else //other task	Always	<b>Prompt:</b> [ad0110_nm1_03] Let's try again. Please say or enter your 5-digit zip code.	<b>Re-Recognition:</b>
nomatch 2	^		<b>Prompt:</b> [ad0110_ree_04] Sorry. Using your telephone keypad, enter the new 5 digit ZIP code.	<b>Re-Recognition:</b>
nomatch 2	If <code>current_task =change_address</code>	If <code>collectCurrentAddress=true</code>	<b>Prompt:</b> [ad0110_nm2_01] Sorry. Enter the 5-digit zip code of the address where you currently receive benefits.	<b>Re-Recognition:</b>
nomatch 2	^		<b>Prompt:</b> [ad0110_nm2_02] Sorry. Enter the 5-digit zip code of your new address.	<b>Re-Recognition:</b>
nomatch 2	Else //other task	Always	<b>Prompt:</b> [ad0110_nm2_03] Sorry. Enter your 5-digit zip code.	<b>Re-Recognition:</b>
nomatch 3	Always		<b>Assign:</b> <code>transfer_reason =error</code>	--
nomatch 3	Always		<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	If <code>current_task =change_address</code>	If <code>collectCurrentAddress=true</code>	<b>Prompt:</b> [ad0110_ni1_01] Let's try again. Please say or enter the 5-digit zip code where you currently receive benefits.	<b>Re-Recognition:</b>
noinput 1	^		<b>Prompt:</b> [ad0110_ni1_02] Let's try again. Please say or enter the new 5-digit zip code.	<b>Re-Recognition:</b>
noinput 1	Else //other task	Always	<b>Prompt:</b> [ad0110_ni1_03] Let's try again. Please say or enter your 5-digit zip code.	<b>Re-Recognition:</b>
noinput 2	^		<b>Prompt:</b> [ad0110_ree_06] Sorry. Using your telephone keypad, enter the new 5 digit ZIP code.	<b>Re-Recognition:</b>
noinput 2	If <code>current_task =change_address</code>	If <code>collectCurrentAddress=true</code>	<b>Prompt:</b> [ad0110_ni2_01] Sorry. Enter the 5-digit zip code of the address where you currently receive benefits.	<b>Re-Recognition:</b>
noinput 2	^		<b>Prompt:</b> [ad0110_ni2_02] Sorry. Enter the 5-digit zip code of your new address.	<b>Re-Recognition:</b>
noinput 2	Else //other task	Always	<b>Prompt:</b> [ad0110_ni2_03] Sorry. Enter your 5-digit zip code.	<b>Re-Recognition:</b>
noinput 3	Always		<b>Assign:</b> <code>transfer_reason =error</code>	--
noinput 3	Always		<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--

**Commands: State-Specific Behavior**

[See 1.2 Global Commands](#)

**Commands: Confirmations**

[See 1.2 Global Commands](#)

**Config Parameters**

Parameter	Value
--	--

**Developer Notes**

This DM needs to confirm pretty much all the time. In this case use default confirmation prompts. Set confidencelevel to .8 or higher. Alternatively, we might specify a parameter that controls confirmation for this DM alone. Suppress successprompts and failureprompt. Please note that as with the behavior of all the other OSDMs the sequence of Retry prompts is as follows: If caller's utterance is low confidence, play noanswerapologies followed by reprompts. If caller said "no" after confirmation, play wronganswerapologies followed by reprompts.

NOTE: this state recognized only VALID zipcodes (i.e. not any numerical string)

**ad0140\_FullAddress\_DM**

**CustomContext Recognition** 

Following the successful lookup of the city and state associated with the address, as for the street name and number. Prompts, grammars, and logic are provided for reference only - it is actually a 'black-box' module.

**Entering From**

ad0110\_zipcode\_DM, ad0220\_CheckPreviousConfirmations\_DS

**Initial Prompts**

Type	Condition	Name	Wording
initial	Always	ad0140_ini_01	I got the city and state information from your zip code. Now I need just your street address, PO box or rural route number. For example, you could say 1 2 3 Main Street West, or PO box 12345. Go ahead and say your address.  I got the city and state information from the zip code. Now I need just the street address, PO box or rural route number. For example, you could say 1 2 3 Main Street West, or PO box 12345. Go ahead and say the address.
reprompt	Always (After Disconfirmation or from CheckPreviousConfirmations)	ad0140_ree_02	Please say your address again. For example, you could say 1 24 Belvedere Street or PO Box 1 2 3 4 5. I also understand rural routes. Go ahead and say your address.  Please say the address again. For example, you could say 1 24 Belvedere Street or PO Box 1 2 3 4 5. I also understand rural routes. Go ahead and say the address.

**Grammar**

Sample Expressions	DTMF	Reco Var/Option	Confirm
a valid street address with optional prefix, suffix	--	<1300_street@CollectAddress_Zip Code streetnamenumber>	If Necessary
a valid street address with optional prefix, suffix and apartment#	--	<1300_street@CollectAddress_Zip Code streetnamenumber>	Never
a PO Box number	--	<1300_street@CollectAddress_Zip Code poboxnumber>	If Necessary
a rural route number	--	<1300_street@CollectAddress_Zip Code ruralroutenumber>	If Necessary

**Actions**

Option	Condition	Action	Transition
ruralroutenumber OR poboxnumber	--	Prompt: [ad0140_out_01] Thanks.	goto: ad0160_BranchConfirmOrNot_DS

streetnamenumber	IF unit# entered OR address does not require unit # OR previously confirmed unit #	<b>Prompt:</b> [ad0140_out_02] Thanks.	<b>goto:</b> ad0160_BranchConfirmOrNot_DS
^	Else If street address only was collected	<b>Prompt:</b> [ad0140_out_03] And...	<b>goto:</b> ad0150_SecondaryAddress_DM

<b>Confirmation Prompts</b>			
<b>Option</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
Always	--	ad0140_cnf_ini_01	I think you said...
IF Street Address	Always	ad0140_cnf_ini_03	<street number>
^	IF address contains pre-directional	ad0140_cnf_ini_04	<predirectional>
^	IF no prompt available for StreetName	ad0140_cnf_ini_12	<street name>
^	^	ad0140_cnf_ini_05	<Street Type (i.e. street/avenue)>
^	IF address contains post-directional	ad0140_cnf_ini_06	<Postdirectional>
IF Rural Route	Always	ad0140_cnf_ini_07	<route number   Highway Contract Route>
^	^	ad0140_cnf_ini_08	<Route Number>
^	^	ad0140_cnf_ini_10	<box number>
IF PO Box	Always	ad0140_cnf_ini_09	<PO box number>
Always	--	ad0140_cnf_ini_11	Is that correct?

<b>Confirmation Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	--	<b>Prompt:</b> [ad0140_cnf_nm1_01] Please say Yes or No. You can also say "repeat that" if you'd like me to read the address again.	--
nomatch 2	--	<b>Prompt:</b> [ad0140_cnf_nm2_01] Please say Yes or press 1, say No or press 2., or say "repeat that" or press 3.	--
noinput 1	--	<b>Prompt:</b> [ad0140_cnf_ni1_01] Sorry, I didn't hear you. Please say Yes or No. You can also say "Repeat that" if you'd like me to read the address again.	--
noinput 2	--	<b>Prompt:</b> [ad0140_cnf_ni2_01] Sorry, I still didn't hear you. Please say yes or no, or to have me read the address back to you, just say "repeat that"	--
noinput 3	--	<b>Prompt:</b> [gl_cnf_ni3_01] Sorry, we seem to be having trouble.	<b>event:</b> event.conf.noinput <b>goto:</b> mm3000_ABRStatus_DS
nomatch 3	--	<b>Prompt:</b> [gl_cnf_nm3_01]	<b>event:</b> event.conf.nomatch



		Sorry, we seem to be having trouble.	<a href="#">goto: mm3000_ABRStatus_DS</a>
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [ad0140_ree_03] Let's try again. What's your address?  Let's try again. What's the address?	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [ad0140_ree_04] Sorry. I need your street address or PO box number. For example, you can say 1 2 4 Belvedere Street or PO Box 1 2 3 4 5. I also understand rural routes. Please say your address now.  Sorry. I need the street address or PO box number. For example, you can say 1 2 4 Belvedere Street or PO Box 1 2 3 4 5. I also understand rural routes. Please say the address now.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	<b>Prompt:</b> [ad0140_ree_05] What's your address?  What's the address?	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [ad0140_ree_06] Sorry. I need your street address or PO box number. For example, you can say 1 2 4 Belvedere Street or PO Box 1 2 3 4 5. I also understand rural routes. Please say your address now.  Sorry. I need the street address or PO box number. For example, you can say 1 2 4 Belvedere Street or PO Box 1 2 3 4 5. I also understand rural routes. Please say the address now.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
Type	Condition	Action	Transition
repeat	--	<b>Prompt:</b> [ad0140_repeat_01] Sure.	--
repeat	--	<b>Script:</b> Play default_address_fulladdress_collection_initialprompt2	<b>Re-Recognition:</b> Reprompt
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			

Parameter	Value
--	--
Developer Notes	
--	

**ad0150\_SecondaryAddress\_DM**

**CustomContext Recognition** 

Ask if there is a unit or apartment number to be added, and if there is, the caller can say it.  
 Prompts, grammars, and logic are provided for reference only - it is actually a 'black-box' module.

**Entering From**

[ad0140\\_FullAddress\\_DM](#), [ad0220\\_CheckPreviousConfirmations\\_DS](#)

**Initial Prompts**

Type	Condition	Name	Wording
reprompt	Always	ad0150_ree_01	If there's an apartment number or suite number, please say it now. Otherwise, just say "No Apartment".
reprompt	Always (upon disconfirmation //if caller says 'no' to confirmation)	ad0150_ree_02	Please say your apartment or unit number again.

**Grammar**

Sample Expressions	DTMF	Reco Var/Option	Confirm
apartment_<number>, <number>	--	<1350_apartment@CollectAddress_ZipCode apt_<number>>	If Necessary
building_<number>	--	<1350_apartment@CollectAddress_ZipCode bldg_<number>>	If Necessary
floor_<number>	--	<1350_apartment@CollectAddress_ZipCode fl_<number>>	If Necessary
mailstop_<number>	--	<1350_apartment@CollectAddress_ZipCode msc_<number>>	If Necessary
suite_<number>	--	<1350_apartment@CollectAddress_ZipCode ste_<number>>	If Necessary
unit_<number>	--	<1350_apartment@CollectAddress_ZipCode unit_<number>>	If Necessary
no apartment	--	<1350_apartment@CollectAddress_ZipCode no_apt>	If Necessary

**Actions**

Option	Condition	Action	Transition
[(apartment), (unit), (apartment number), (suite), (building), (floor), (mailstop)] <number> or no_apt	<number> or no_apt successful collection (even upon 'yes' confirmation)	street confirmed  <b>Prompt:</b> [ad0150_out_01] Thanks.	<b>goto:</b> <a href="#">ad0160_BranchConfirmOrNot_DS</a>

**Confirmation Prompts**

Option	Condition	Name	Wording
--	Always	ad0150_cnf_ini_01	I think you said...
apt_<number>, <number>	--	ad0150_cnf_ini_05	...apartment <number>...

bldg_<number>	--	ad0150_cnf_ini_06	...building <number>...
fl_<number>	--	ad0150_cnf_ini_07	...floor <number>...
msc_<number>	--	ad0150_cnf_ini_08	...mailstop <number>...
ste_<number>	--	ad0150_cnf_ini_09	...suite <number>...
unit_<number>	--	ad0150_cnf_ini_10	...unit <number>...
no_apt	--	ad0150_cnf_ini_03	...no apartment...
--	Always	ad0150_cnf_ini_04	Is that correct?

**Confirmation Recovery Behavior**


Type	Condition	Action	Transition
nomatch 1	--	<b>Prompt:</b> [ad0150_cnf_nm1_01] Please say yes or no.	--
nomatch 2	--	<b>Prompt:</b> [ad0150_cnf_nm2_01] Please say yes or press one, or say no or press two.	--
noinput 1	--	<b>Prompt:</b> [ad0150_cnf_ni1_01] Sorry..... Please say yes or no.	--
noinput 2	--	<b>Prompt:</b> [ad0150_cnf_ni2_01] (Sorry, but I still didn't get that). Please say yes or press one, or say no or press 2.	--
noinput 3	--	<b>Prompt:</b> [gl_cnf_ni3_01] Sorry, we seem to be having trouble.	<b>event:</b> event.conf.noinput <b>goto:</b> mm3000_ABRStatus_DS
nomatch 3	--	<b>Prompt:</b> [gl_cnf_nm3_01] Sorry, we seem to be having trouble.	<b>event:</b> event.conf.nomatch <b>goto:</b> mm3000_ABRStatus_DS

**Recovery Behavior**


Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [ad0150_ree_03] Let's try again. Say or enter your apartment or unit number. If there isn't any, just say "No Apartment".	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [ad0150_ree_04] Sorry. Using your keypad, enter your apartment or unit number. If you don't have an apartment or unit number, just say 'No Apartment'.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	<b>Prompt:</b> [ad0150_ree_05] Say or enter your apartment or unit number. If there isn't any, just say "No Apartment".	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [ad0150_ree_06] Sorry. Using your keypad, enter your apartment or unit number. If you don't	<b>Re-Recognition:</b>

		have an apartment or unit number, just say 'No Apartment'.	
noinput 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
We will interpret a digit string entry here as the apartment number. On re-entry, do not play the initial prompt. If the caller just says a number app will automatically append with apartment.			

**ad0160\_BranchConfirmOrNot\_DS**

<b>Decision</b> 		
Determines if confirmation is needed and routes accordingly. Value can be chosen depending on customer experience.		
<b>Entering From</b>		
<a href="#">ad0140_FullAddress_DM</a> , <a href="#">ad0150_SecondaryAddress_DM</a>		
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
overallconfirmation = ALWAYS	--	<b>goto:</b> <a href="#">ad0200_ConfirmFull_DM</a>
overallconfirmation = NEVER	--	<b>goto:</b> <a href="#">ad0210_BranchExceedMaxCorrections_DS</a>
<b>Developer Notes</b>		
--		

**ad0200\_ConfirmFull\_DM**

<b>YesNo Recognition</b> 			
Confirm the full address given by the caller. Prompts, grammars, and logic are provided for reference only - it is actually a 'black-box' module.			
<b>Entering From</b>			
<a href="#">ad0160_BranchConfirmOrNot_DS</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
reprompt	Always	ad0200_ree_01	Let me make sure everything is correct. I have...
reprompt	If Street address	Always	TTS Prompt : [ad0200_ree_02] <street number>
reprompt	^	IF contains pre-directional	TTS Prompt : [ad0200_ree_03] <predirectional>

reprompt	^	IF no prompt for StreetName	TTS Prompt : [ad0200_ree_04]	<StreetName >
reprompt	^	Always	TTS Prompt : [ad0200_ree_05]	<Street Type (i.e. street/avenue)
reprompt	^	IF contains post-directional	TTS Prompt : [ad0200_ree_06]	<postdirectional>
initial	^	IF contains 'apartment_<number>'	TTS Prompt : [ad0200_ini_01]	apartment
initial	^	^	TTS Prompt : [ad0200_ini_02]	apt_<number>
initial	^	ELSE IF contains 'building_<number>'	TTS Prompt : [ad0200_ini_03]	building
initial	^	^	TTS Prompt : [ad0200_ini_04]	bldg_<number>
initial	^	ELSE IF contains 'floor_<number>'	TTS Prompt : [ad0200_ini_05]	floor
initial	^	^	TTS Prompt : [ad0200_ini_06]	fl_<number>
initial	^	ELSE IF contains 'mailstop_<number>'	TTS Prompt : [ad0200_ini_07]	mail stop
initial	^	^	TTS Prompt : [ad0200_ini_08]	msc_<number>
initial	^	ELSE IF contains 'suite_<number>'	TTS Prompt : [ad0200_ini_09]	suite
initial	^	^	TTS Prompt : [ad0200_ini_10]	ste_<number>
initial	^	ELSE (contains 'unit_<number>')	TTS Prompt : [ad0200_ini_11]	unit
initial	^	^	TTS Prompt : [ad0200_ini_12]	unit_<number>
reprompt	IF Rural Route	Always	TTS Prompt : [ad0200_ree_07]	<route number   Highway Contract Route>
reprompt	^	^	TTS Prompt : [ad0200_ree_08]	<Route Number>
reprompt	IF PO Box	Always	TTS Prompt : [ad0200_ree_09]	<PO Box number>
reprompt	^	^	TTS Prompt : [ad0200_ree_10]	<box number>
reprompt	City	Always	TTS Prompt : [ad0200_ree_11]	<city name>
reprompt	State	Always	TTS Prompt : [ad0200_ree_12]	<State>
reprompt	Zip Code	Always	TTS Prompt : [ad0200_ree_13]	<zip code>
reprompt	Always	Always	ad0200_ree_14	Is that correct?
reprompt	Always		ad0200_ree_15	Again, the address I have is...
reprompt	If Street address	Always	TTS Prompt : [ad0200_ree_16]	<street number>
reprompt	^	IF contains pre-directional	TTS Prompt : [ad0200_ree_17]	<predirectional>

reprompt	^	IF no prompt for StreetName	TTS Prompt : [ad0200_ree_18]	<StreetName >
reprompt	^	Always	TTS Prompt : [ad0200_ree_19]	<Street Type (i.e. street/avenue)
reprompt	^	IF contains post-directional	TTS Prompt : [ad0200_ree_20]	<postdirectional>
reprompt	^	IF contains 'apartment_<number>'	TTS Prompt : [ad0200_ree_33]	apartment
reprompt	^	^	TTS Prompt : [ad0200_ree_34]	apt_<number>
reprompt	^	ELSE IF contains 'building_<number>'	TTS Prompt : [ad0200_ree_35]	building
reprompt	^	^	TTS Prompt : [ad0200_ree_36]	bldg_<number>
reprompt	^	ELSE IF contains 'floor_<number>'	TTS Prompt : [ad0200_ree_37]	floor
reprompt	^	^	TTS Prompt : [ad0200_ree_38]	fl_<number>
reprompt	^	ELSE IF contains 'mailstop_<number>'	TTS Prompt : [ad0200_ree_39]	mail stop
reprompt	^	^	TTS Prompt : [ad0200_ree_40]	msc_<number>
reprompt	^	ELSE IF contains 'suite_<number>'	TTS Prompt : [ad0200_ree_41]	suite
reprompt	^	^	TTS Prompt : [ad0200_ree_42]	ste_<number>
reprompt	^	ELSE (contains 'unit_<number>')	TTS Prompt : [ad0200_ree_43]	unit
reprompt	^	^	TTS Prompt : [ad0200_ree_44]	unit_<number>
reprompt	IF Rural Route	Always	TTS Prompt : [ad0200_ree_21]	<route number   Highway Contract Route>
reprompt	^	^	TTS Prompt : [ad0200_ree_22]	<Route Number>
reprompt	IF PO Box	Always	TTS Prompt : [ad0200_ree_23]	<PO Box number>
reprompt	^	^	TTS Prompt : [ad0200_ree_24]	<box number>
reprompt	City	Always	TTS Prompt : [ad0200_ree_25]	<city name>
reprompt	State	Always	TTS Prompt : [ad0200_ree_26]	<State>
reprompt	Zip Code	Always	TTS Prompt : [ad0200_ree_27]	<zip code>
reprompt	Always	Always	ad0200_ree_28	Is that correct?
<b>Grammar</b>				
<b>Sample Expressions</b>			<b>DTMF</b>	<b>Reco Var/Option</b>
yes, correct, right			1	<collectaddress_confirm_address yes>
				<b>Confirm</b> Never


no, wrong	2	<collectaddress_confirm_address no>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
yes	Always	--	goto: ad0240_ExitSuccessPrompts_PP
no	--	Assign: collectaddress_corrections_counter =increment counter	goto: ad0210_BranchExceedMaxCorrections_DS
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	Prompt: [ad0200_ree_29] Let's try again... IS that address correct?	Re-Recognition:
nomatch 2	^	Prompt: [ad0200_ree_30] Sorry. If I got everything right, press 1. If not, press 2. Or, to hear the address again, press 9.	Re-Recognition:
nomatch 3	Always	Assign: transfer_reason =error	--
nomatch 3	Always	Prompt: [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	Prompt: [ad0200_ree_31] If I got everything right say 'Yes' or press 1. If not, say 'No' or press 2. You can also say 'Repeat That' or press 9 to hear the address again.	Re-Recognition:
noinput 2	^	Prompt: [ad0200_ree_32] Sorry. If I got everything right, press 1. If not, press 2. Or, to hear the address again, press 9.	Re-Recognition:
noinput 3	Always	Assign: transfer_reason =error	--
noinput 3	Always	Prompt: [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
Type	Condition	Action	Transition
repeat	--	Prompt: [ad0200_repeat_01] Sure.	Re-Recognition: Reprompt
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
Parameter	Value		
--	--		
<b>Developer Notes</b>			
The reprompt in this state is only played after someone says 'repeat'			

**ad0210\_BranchExceedMaxCorrections\_DS**


<b>Decision</b>	◇
-----------------	---

Determines if the maximum number of corrections have been reached.		
<b>Entering From</b>		
ad0160_BranchConfirmOrNot_DS, ad0200_ConfirmFull_DM		
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
IF corrections <= maxcorrections	--	goto: ad0220_CheckPreviousConfirmations_DS
Else	--	goto: ad0230_ExitFailurePrompts_PP
<b>Developer Notes</b>		
--		

**ad0220\_CheckPreviousConfirmations\_DS**


<b>Decision</b>		
Determines if primary and/or secondary address has already been confirmed and routes accordingly.		
<b>Entering From</b>		
ad0210_BranchExceedMaxCorrections_DS		
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If we previously positively confirmed both full and secondary addresses	--	goto: ad0230_ExitFailurePrompts_PP
If we previously positively confirmed full address (but not secondary)	--	goto: ad0150_SecondaryAddress_DM
Else (no confirmations have taken place) -- we'll begin at the beginning.	--	goto: ad0140_FullAddress_DM
<b>Developer Notes</b>		
--		

**ad0230\_ExitFailurePrompts\_PP**


<b>Simple Play Prompt</b>		
Plays a message preparing the caller for transfer to an agent due to trouble understanding them.		
<b>Entering From</b>		
ad0210_BranchExceedMaxCorrections_DS, ad0220_CheckPreviousConfirmations_DS		
<b>Actions</b> [Barge-in is OFF]		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Prompt:</b> [ad0230_out_01] Sorry, I'm having trouble getting this...	<b>Return to calling dialog:</b> BenefitsVerification [bv0150_AddressOSDM_SD] ChangeOfAddress [ca0330_AddressOSDM_SD] Transcription [tr0140_AddressOSDM_SD]
<b>Developer Notes</b>		
--		




### ad0240\_ExitSuccessPrompts\_PP

<b>Simple Play Prompt</b> 		
Plays a successful exit message to the caller before transferring back to the calling dialogue.		
<b>Entering From</b>		
ad0200_ConfirmFull_DM, ad0250_BranchRecordOrNot_DS		
<b>Actions</b>		
Condition	Action	Transition
If <code>current_task = change_address</code>	<b>Prompt:</b> [silence_0ms] <silence_0ms>	<b>Return to calling dialog:</b> BenefitsVerification [bv0150_AddressOSDM_SD] ChangeOfAddress [ca0330_AddressOSDM_SD] Transcription [tr0140_AddressOSDM_SD]
Else	<b>Prompt:</b> [ad0240_out_01] Got it.	<b>Return to calling dialog:</b> BenefitsVerification [bv0150_AddressOSDM_SD] ChangeOfAddress [ca0330_AddressOSDM_SD] Transcription [tr0140_AddressOSDM_SD]
<b>Developer Notes</b>		
No barge-in Note: This is the exitsuccessprompts and can be configured by setting this parameter. The prompts are played as follows: sum the maxcorrections variables. Compare this to the number of nomatches throughout. Choose the highest of these two values to arrive at N. Play successprompts(N+1). If N>3, play successprompts3		

### ad0250\_BranchRecordOrNot\_DS

<b>Decision</b> 		
Determines if the address needs to be recorded based on the value of the variable 'collectfortranscription'.		
<b>Entering From</b>		
--		
<b>Actions</b>		
Condition	Action	Transition
IF collectfortranscription = TRUE	--	<b>goto:</b> ad0260_Recording_DM
Else	<b>Assign:</b> collectaddress_exit_reason =Failure	<b>goto:</b> ad0240_ExitSuccessPrompts_PP
<b>Developer Notes</b>		
--		

### ad0260\_Recording\_DM


<b>CustomContext Recognition</b> 			
Asks the caller for their full address, including zip code, to be recorded.			
<b>Entering From</b>			
ad0250_BranchRecordOrNot_DS			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording

initial	Always	ad0260_ree_01	I don't want to take too much of your time. I'll just record you saying your address and have someone take it down later. After the beep, please say your full address, including the zip code.
reprompt	^	ad0260_ree_02	<1000ms silence>
reprompt	^	ad0260_ree_03	<beep>
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
--		--	--
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
--	Always	<b>Prompt:</b> [ad0260_ree_04] I've recorded your address.	--
--	--	<b>Assign:</b> collectaddress_exit_reason =Failure	--
<b>Recovery Behavior</b>			
<a href="#">See 1.1 Global Recovery Behavior</a>			
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>			<b>Value</b>
--			--
<b>Developer Notes</b>			
NOTE: this DM will never be used in the current SSA design.			

### 2.3 BenefitsVerification Dialog

This application allows callers who are currently receiving Social Security benefits to have a benefits verification or proof of income letter mailed to them. Callers need this letter for various purposes such as applying for a loan or mortgage, assisted housing benefits, and Medicare health insurance coverage.

#### bv0100\_PingHost\_DB


<b>Database Call</b>		
Pings the host database to ensure the host is available.		
<b>Entering From</b>		
<a href="#">mm0505_BEVE_SD</a>		
<b>Input parameters</b>		
Parameter	Value	
processID	Which process to pass the request to. Values are: PING, AUTH, INFO, AUTHINFO, MI, ENDSSESSION, NONE.	
requestID	Unique 10 digit ID for the request. 10 zeros, if not used.	
timestamp	Transaction timestamp.	
version	Version of the xml schema used.	
<b>Output parameters</b>		
Variable	Description	
<a href="#">bv_statusCode</a>	Possible values that can be returned are: 0000=Success, 0151=System Failure, 0152=Off hour request, and 7777=Validation failure.	
<a href="#">bv_statusDescription</a>	Status code text description.	
<b>Actions</b>		
Condition	Action	Transition
If <a href="#">bv_statusCode</a> =0000 (success)	<b>Assign:</b> =true	<b>goto:</b> <a href="#">bv0130_KBAuthentication_SD</a>
Else (failure)	Always	<b>Assign:</b> <a href="#">beve_transaction_status</a> =failure
^	If <a href="#">bv_statusCode</a> =0152 (off hour request)	<b>Prompt:</b> [bv0100_out_01] Sorry, our system is undergoing routine maintenance and I'm unable to access your records at this time. Please try back in the morning. If you'd like to speak with someone...
^	Else	<b>Prompt:</b> [bv0100_out_02] Sorry, I'm having trouble getting access to your records...
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
--		

#### bv0130\_KBAuthentication\_SD

<b>Subdialog Call</b>		
Sub dialog call to 'Knowledge Based Authentication'.		
<b>Entering From</b>		

<a href="#">bv0100_PingHost_DB</a>		
<b>Dialog called</b>		
Proceed to initial node in: <a href="#">KnowledgeBasedAuthentication</a>		
<b>Input parameters</b>		
<b>Parameter</b>	<b>Value</b>	
--	--	
<b>Output parameters</b>		
<b>Variable</b>	<b>Subdialog Variable</b>	
--	--	
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If <a href="#">kba_transaction_status</a> =success	--	<a href="#">goto: bv0140_SubmitBEVERequest_DB</a>
Else if <a href="#">kba_transaction_status</a> =account_blocked	<b>Assign:</b> <a href="#">beve_transaction_status</a> =failure	<b>Return to calling dialog:</b> <a href="#">main [mm0505_BEVE_SD]</a>
Else if <a href="#">kba_transaction_status</a> =attestation_declined	<b>Assign:</b> <a href="#">beve_transaction_status</a> =failure	<b>Return to calling dialog:</b> <a href="#">main [mm0505_BEVE_SD]</a>
Else ( <a href="#">kba_transaction_status</a> =failure)	<b>Assign:</b> <a href="#">beve_transaction_status</a> =failure	<b>Return to calling dialog:</b> <a href="#">main [mm0505_BEVE_SD]</a>
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
The request for the benefits verification letter is processed in authentication ( <a href="#">ka0910_QueryKB_DB</a> ).		

**[bv0140\\_SubmitBEVERequest\\_DB](#)**

<b>Database Call</b> 	
Database query that lets us know the status of the data submission request and whether the caller's address needs to be collected.	
<b>Entering From</b>	
<a href="#">bv0130_KBAAuthentication_SD</a> , <a href="#">bv0150_AddressOSDM_SD</a>	
<b>Input parameters</b>	
<b>Parameter</b>	<b>Value</b>
processID	A string to tell KBA module which process to handle.
requestID	A numeric value used to track this particular request and should not contain the SSN.
timestamp	Timestamp value, which indicates the exact time and date that this request was initiated.
version	A string value containing a four-tiered version numbering system.
serverID	A string value that the vendor uses to distinguish the server that is processing the transaction (should be unique)
actionType	String to tell the type of action invoked. This should always be "SUBMIT".
SSN	a 9-digit ssn
Address	An address a noBeve caller may provide to receive their verification letter. The IVR platform will perform validation to ensure that an address is a valid address.

addressLine1	Ex: Warehouses, Inc.
addressLine2	Ex: 123 Main Street
addressLine3	Ex: Unit 1265
addressLine4	Ex: Mail Stop 2
city	Ex: Baltimore
state	Ex: MD
zipcode	21117
ani	A phone number that the user uses to reach Verizon. The IVR platform will perform validation to ensure that an ANI is submitted and is exactly 10 digits. If an ANI is not available, fill the field with 10 zeros.

**Output parameters**


Variable	Description
bv_statusCode	0000 - for "data submission" request: data is valid and processed/ BEVE letter request queued. 0001 - For "data submission" request: No Beve, address not found, must be collected. "NOBEVE Data Processed" 0004 - For "data submission" request: address not found, must be collected. "Collect Address" 0108 - For "data submission" request: cannot match the information provided (unable to authenticate) 0151 - For all requests: system failure 0152 - For "data submission" or "ping" request: application is in off-hours 0508 - For "data submission" request: block access (opt out) 7777 - For all requests: surface or relational edits validation failure 9999 - For "data submission" or "end session" request: data is invalid (this is the expected status code when "end session submission" request is sent)
bv_statusDescription	"Data Processed" / "Ping Successful": Description of status code 0000 "NOBEVE Data Processed": Description of status code 0001 "Collect Address": Description of status code 0004 "Cannot Match Information": Description of status code 0108 "System Failure": Description of status code 0151 "Off-Hours": Description of status code 0152 "Opt Out": Description of status code 0508 "Validation Future": Description of status code 7777 "Not Authenticated or Authorized": Description of status code 8888 "Data Invalid": Description of status code 9999

**Actions**


Condition	Action	Transition
If bv_statusCode = 0000 OR 0001	Always <b>Prompt:</b> [bv0140_out_01] All right, we're all set.	<b>goto:</b> bv0210_BEVESuccess_PP
Else if bv_statusCode = 0004	^ --	<b>goto:</b> bv0145_PlayNeedAddress_PP
Else //any other status code	^ <b>Assign:</b> beve_transaction_status =failure	--
^	If bv_statusCode = 0152 <b>Prompt:</b> [bv0140_out_02] Sorry, our system is undergoing routine maintenance and I'm unable to access your records at this time. Please try back in the morning.	<b>Return to calling dialog:</b> main [mm0505_BEVE_SD]
^	Else <b>Prompt:</b> [bv0140_out_03] Sorry, I'm having trouble getting access to your records...	<b>Return to calling dialog:</b> main [mm0505_BEVE_SD]

<b>Recovery Behavior</b>
See 1.1 Global Recovery Behavior
<b>Developer Notes</b>
--

**bv0145\_PlayNeedAddress\_PP**


<b>Play Prompt</b> 		
Lets caller know they will need to provide an address for proof of income letter to be sent.		
<b>Entering From</b>		
bv0140_SubmitBEVERequest_DB		
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Prompt:</b> [bv0145_out_01] To send you a letter, I need your address.	--
^	<b>Comment:</b> Comment: set parameters before entering AddressOSDM	--
^	<b>Assign:</b> collectaddress_collectedzipcode = 'FALSE'	--
^	<b>Assign:</b> collectaddress_overallconfirmation = 'ALWAYS'	--
^	<b>Assign:</b> collectaddress_collectfortranscription = 'FALSE'	--
^	<b>Assign:</b> collectaddress_ziplookuperrorprompt = default_address_ziplookuperrorprompt	--
^	<b>Assign:</b> collectaddress_citystatelookuperrorprompt = default_address_citystatelookuperrorprompt	--
^	<b>Assign:</b> collectaddress_collectfortranscription = 'FALSE'	<b>goto:</b> bv0150_AddressOSDM_SD
<b>Developer Notes</b>		
--		

**bv0150\_AddressOSDM\_SD**


<b>Subdialog Call</b> 	
Subdialog call to "Address Collection"	
<b>Entering From</b>	
bv0145_PlayNeedAddress_PP	
<b>Dialog called</b>	
Proceed to initial node in: <a href="#">AddressOSDM</a>	
<b>Input parameters</b>	
<b>Parameter</b>	<b>Value</b>

--		--
<b>Output parameters</b>		
<b>Variable</b>	<b>Subdialog Variable</b>	
--	--	
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If success	<b>Assign:</b> <code>missingAddressCollected =true</code>	--
^	<b>Prompt:</b> [bv0150_out_01] Please hold on while I submit that.	<b>goto:</b> <code>bv0140_SubmitBEVERequest_DB</code>
Else //failure	<b>Assign:</b> <code>beve_transaction_status =failure</code>	<b>Return to calling dialog:</b> <code>main [mm0505_BEVE_SD]</code>
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
--		

**bv0210\_BEVESuccess\_PP**

<b>Simple Play Prompt</b> 		
Informs the caller how long it will take to receive the request and that it was submitted successfully.		
<b>Entering From</b>		
<a href="#">bv0140_SubmitBEVERequest_DB</a>		
<b>Actions</b> [Barge-in is OFF]		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If <code>missingAddressCollected=true</code>	<b>Prompt:</b> [bv0210_out_02] You should receive your 'Proof of Income' letter in the mail within seven days.	--
Else	<b>Prompt:</b> [bv0210_out_01] You should receive your 'Proof of Income' letter in the mail within seven days at the address we have on file for you. If you've moved, or you're planning to move, make sure to give the post office your new address.	--
Always	--	<b>goto:</b> <code>bv0220_TransactionEnd_PP</code>
<b>Developer Notes</b>		
--		

**bv0220\_TransactionEnd\_PP**

<b>Simple Play Prompt</b> 		
Gives the caller the option to hang up if they're finished.		
<b>Entering From</b>		
<a href="#">bv0210_BEVESuccess_PP</a>		
<b>Actions</b> [Barge-in is OFF]		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>


Always	<b>Assign:</b> <a href="#">beve_transaction_status</a> =success	--
^	<b>Prompt:</b> [bv0220_out_01] If you're finished, feel free to hang up. Otherwise...	<b>Return to calling dialog:</b> <a href="#">main [mm0505_BEVE_SD]</a>
<b>Developer Notes</b>		
--		



## 2.4 ChangeOfAddress Dialog

The Change of Address application allows callers to update their phone number and/or address on file.

### ca0100\_PingHost\_DB

Database Call 		
Pings the host database to ensure the host is available.		
<b>Entering From</b>		
<a href="#">mm0310_ChangeOfAddress_SD</a>		
<b>Input parameters</b>		
Parameter	Value	
processID	Which process to pass the request to. Values are: PING, AUTH, INFO, AUTHINFO, MI, ENDSSESSION, NONE.	
requestID	Unique 10 digit ID for the request. 10 zeros, if not used.	
timestamp	Transaction timestamp.	
version	Version of the xml schema used.	
<b>Output parameters</b>		
Variable	Description	
<a href="#">ca_statusCode</a>	Possible values that can be returned are: 0000=Success, 0150=System Failure-connected but failed for other reasons, 0151=System Failure, 0152=Off hour request, and 7777=Validation failure.	
<a href="#">ca_statusDescription</a>	Status code text description.	
<b>Actions</b>		
Condition	Action	Transition
If <a href="#">ca_statusCode</a> =0000 (success)	--	<b>goto:</b> <a href="#">ca0200_IntroMsg_PP</a>
Else (failure)	Always	<b>Assign:</b> <a href="#">coa_transaction_status</a> =failure
^	If <a href="#">ca_statusCode</a> =0152 (off hours request)	<b>Prompt:</b> [ca0100_out_01] Sorry, our system is undergoing routine maintenance and I'm unable to access your records at this time. Please try back in the morning. If you'd like to speak with someone...
^	Else	<b>Prompt:</b> [ca0100_out_02] Sorry, I'm having trouble getting access to your records...
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
--		

### ca0200\_IntroMsg\_PP

Simple Play Prompt 
Introduction prompt for the Change of Address application.
<b>Entering From</b>
<a href="#">ca0100_PingHost_DB</a>


<b>Actions</b> [Barge-in is OFF]		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Prompt:</b> [ca0200_out_01] To get started, I have a couple of questions...	<b>goto:</b> ca0220_ReceivingBenefits_DM
<b>Developer Notes</b>		
--		

**ca0220\_ReceivingBenefits\_DM**

<b>YesNo Recognition</b>				
Asks callers whether or not they are receiving benefits.				
<b>Entering From</b>				
ca0200_IntroMsg_PP				
<b>Initial Prompts</b>				
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>	
initial	Always	ca0220_ini_01	Are you receiving retirement, survivor, or disability benefits?	
<b>Grammar</b>				
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
no		2	<cd_receiving_benefits_yesno no>	Never
yes, retirement, survivor, disability		1	<cd_receiving_benefits_yesno yes>	Never
<b>Actions</b>				
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>	
yes	Always	--	<b>goto:</b> ca0260_CallingAboutSelf_DM	
no	Always	--	<b>goto:</b> ca0230_NotEligible_DM	
<b>Recovery Behavior</b>				
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>	
nomatch 1	Always	<b>Prompt:</b> [ca0220_nm1_01] Let's try again...ARE you receiving retirement, survivor, or disability benefits?	<b>Re-Recognition:</b>	
nomatch 2	^	<b>Prompt:</b> [ca0220_nm2_01] Sorry. If you're currently receiving retirement benefits, survivor benefits, or disability benefits, press 1. If you are NOT receiving any of those benefits, press 2.	<b>Re-Recognition:</b>	
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--	
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--	
noinput 1	^	<b>Prompt:</b> [ca0220_ni1_01] If you ARE receiving benefits for retirement, survivorship, or disability, say 'Yes' or press 1. If not, say 'No', or press 2.	<b>Re-Recognition:</b>	
noinput 2	^	<b>Prompt:</b> [ca0220_ni2_01]	<b>Re-Recognition:</b>	

		Sorry. If you're currently receiving retirement benefits, survivor benefits, or disability benefits, press 1. If you are NOT receiving any of those benefits, press 2.	
noinput 3	Always	<b>Assign:</b> <code>transfer_reason =error</code>	--
noinput 3	Always	<b>Prompt:</b> <code>[gl_ni3_01]</code> Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
--			

**ca0230\_NotEligible\_DM**

<b>CustomContext Recognition</b>			
Informs callers that they must be receiving benefits in order to change their address.			
<b>Entering From</b>			
<a href="#">ca0220_ReceivingBenefits_DM</a> , <a href="#">ca0300_KBAAuthentication_SD</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	If office_hours =true	ca0230_ini_01	In order to change your address, even with the help of an agent, you must already be receiving benefits. Otherwise, we don't keep your address on file. For more details, and tips about what you CAN do, say 'More Information.' If you're finished, feel free to hang up. Otherwise, hold on and I'll take you back to the Main Menu...  You must already be receiving benefits to change your contact information. To speak with someone, say 'agent'. Or if you're finished, you can hang up. Otherwise, hold on and I'll take you back to the Main Menu.
initial	Else //office_hours =false	ca0230_ini_02	You must already be receiving benefits to change your contact information. If you're finished, you can hang up. Otherwise, hold on and I'll take you back to the Main Menu.
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
more information		1	<cd_not_eligible_menu more_information>
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>

more_information	Always	--	goto: ca0240_NotEligibleDetails_DM
<b>Confirmation Prompts</b>			
<b>Option</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
more_informa tion	Always	ca0230_cnf_ini_0 1	You'd like more information, right?
<b>Confirmation Recovery Behavior</b>			
See 1.3 Global Confirmation			
<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [] Let's try again... You can say 'More Information' or press 1. Otherwise, you can hang up if you're finished, or hold on and I'll take you back to the Main Menu...	<b>Re-Recognition:</b>
nomatch 2	Always	<b>Prompt:</b> [] Sorry. In order to change your address, you must ALREADY be receiving benefits. For more information, press 1. Otherwise, feel free to hang up, or just hold on and we'll continue.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> coa_transaction_status =not_eligible	--
nomatch 3	If office_hours=true	<b>Prompt:</b> [] To speak with someone, say 'Agent.' Otherwise...	--
nomatch 3	Else (office_hours=false)	<b>Prompt:</b> [] Let's keep going...	--
nomatch 1	Always	<b>Assign:</b> coa_transaction_status =not_eligible	--
nomatch 1	^	<b>Prompt:</b> [ca0230_nm3_01] Hold on while I take you back to the main menu.	<b>Return to calling dialog:</b> main [mm0310_ChangeOfAddress_S D]
noinput 1	Always	<b>Assign:</b> coa_transaction_status =not_eligible	--
noinput 1	^	<b>Prompt:</b> [ca0230_ni1_02] Hold on while I take you back to the main menu.	<b>Return to calling dialog:</b> main [mm0310_ChangeOfAddress_S D]
<b>Commands: State-Specific Behavior</b>			
See 1.2 Global Commands			
<b>Commands: Confirmations</b>			
See 1.2 Global Commands			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			

--

**ca0240\_NotEligibleDetails\_DM**


CustomContext Recognition			
Provides callers with more information about why they are not eligible to change address.			
**CR596 - this node is no longer reachable**			
<b>Entering From</b>			
<a href="#">ca0230_NotEligible_DM</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	ca0240_ini_01	Sure, here's some more information. You can only change your address if you're currently receiving Social Security retirement, disability, or survivor benefit payments. If you're NOT receiving benefits, the Social Security Administration doesn't keep your address on file (so even an agent can't do it). In this case, to change the address where we send your Social Security statements, you'll need to contact the Internal Revenue Service. The easiest way to do that is just enter your new address on your tax return, but if you need to do it sooner, you can use IRS form 8-8-2-2, which you can get by calling 1-800-829-3676.
initial	^	ca0240_ini_02	<1000ms silence>
initial	^	ca0240_ini_03	Now, do you want to hear that again?
reprompt	Always	ca0240_ree_01	You can only change your address if you're currently receiving Social Security retirement, disability, or survivor benefit payments. If you're NOT receiving benefits, the Social Security Administration doesn't keep your address on file (so even an agent can't do it). In this case, to change the address where we send your Social Security statements, you'll need to contact the Internal Revenue Service. The easiest way to do that is just enter your new address on your tax return, but if you need to do it sooner, you can use IRS form 8-8-2-2, which you can get by calling 1-800-829-3676.
reprompt	^	ca0240_ree_02	<1000ms silence>
reprompt	^	ca0240_ree_03	Now, do you want to hear that again?
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
yes	1	<not_eligible_details_yesno yes>	Never
no	2	<not_eligible_details_yesno no>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
∅	--	Assign: <a href="#">coa_transaction_status</a> =not_eligible	--
^	--	Prompt: [ca0240_out_01] All right. If you've APPLIED to receive benefits and need to change your address, say 'Agent' and we'll help	Return to calling dialog: <a href="#">main</a> [mm0310_ChangeOfAddress_S D]

		you locate the office that has your pending claim. If you're finished, feel free to hang up. Otherwise, just hang on and I'll take you back to the Main Menu.	
yes	Always	<b>Prompt:</b> [ca0240_out_02] Sure.	<b>Re-Recognition:</b> Reprompt
<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [ca0240_nm1_01] Let's try again... Would you like to hear that information again?	<b>Re-Recognition:</b>
nomatch 2	If <a href="#">office_hours</a> =true	<b>Prompt:</b> [ca0240_nm2_01] Sorry. To hear the information about why I can't help you change your address again, press 1. If you don't want to hear it again, press 2. Or, if you've APPLIED to receive benefits and need to change your address, press 0 and I'll get someone to help you.	<b>Re-Recognition:</b>
nomatch 2	Else ( <a href="#">office_hours</a> =false)	<b>Prompt:</b> [ca0240_nm2_02] Sorry. To hear the information about why I can't help you change your address again, press 1. If you don't want to hear it again, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <a href="#">coa_transaction_status</a> =not_eligible	--
nomatch 3	If <a href="#">office_hours</a> =true	<b>Prompt:</b> [ca0240_nm3_01] Sorry we're having trouble. If you've APPLIED to receive benefits and need to change your address, press 0 and I'll get someone to help you. Otherwise,...	<b>Return to calling dialog:</b> <a href="#">main</a> <a href="#">[mm0310_ChangeOfAddress_SD]</a>
nomatch 3	Else ( <a href="#">office_hours</a> =false)	<b>Prompt:</b> [ca0240_nm3_02] Sorry we're having trouble. Let's keep going...	<b>Return to calling dialog:</b> <a href="#">main</a> <a href="#">[mm0310_ChangeOfAddress_SD]</a>
noinput 1	Always	<b>Prompt:</b> [ca0240_ni1_01] If you'd like to hear the information again, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	Always	<b>Assign:</b> <a href="#">coa_transaction_status</a> =not_eligible	--
noinput 2	If <a href="#">office_hours</a> =true	<b>Prompt:</b> [ca0240_ni2_01] If you've APPLIED to receive benefits and need to change your address, press 0 and I'll get someone to help you. Otherwise,...	<b>Return to calling dialog:</b> <a href="#">main</a> <a href="#">[mm0310_ChangeOfAddress_SD]</a>
noinput 2	Else ( <a href="#">office_hours</a> =false)	<b>Prompt:</b> [ca0240_ni2_02] Let's keep going...	<b>Return to calling dialog:</b> <a href="#">main</a> <a href="#">[mm0310_ChangeOfAddress_SD]</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			

[See 1.2 Global Commands](#)


Config Parameters	
Parameter	Value
--	--
Developer Notes	
--	

**ca0260\_CallingAboutSelf\_DM**

YesNo Recognition 			
Asks callers whether or not they are calling about their own benefits (as opposed to someone else's).			
<b>Entering From</b>			
<a href="#">ca0220_ReceivingBenefits_DM</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	ca0260_ini_01	And, Is this change for yourself?
reprompt	(after repeat)	ca0260_ree_01	Is the change you're calling about for your OWN benefit or payment?
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
no, not mine // no	2	<cd_calling_about_self_yesno no>	Never
yes, my own // yes	1	<cd_calling_about_self_yesno yes>	Never
repeat, repeat that // repeat	9	<cd_calling_about_self_yesno repeat>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
no	Always	<b>Assign:</b> coa_transaction_status =not_self	--
^	^	<b>Prompt:</b> [ca0260_out_01] All right. To change the address of another person, they'll need to be with you while you speak with an agent...  Okay. To change the address of another person, they'll need to be with you. If they are not with you then please call back when they are. Otherwise, hold on while I get someone to help you.	<b>Return to calling dialog:</b> main [Imm0310_ChangeOfAddress_S D]
yes	Always	--	<b>goto:</b> ca0270_COAEffectiveASAP_DM
repeat	Always	<b>Prompt:</b> [ca0260_out_02] Sure.	<b>Re-Recognition:</b> Reprompt
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [ca0260_nm1_01]	<b>Re-Recognition:</b>

		Let's try again... Is the change you're calling about for your OWN benefit or payment?	
nomatch 2	^	<b>Prompt:</b> [ca0260_nm2_01] Sorry. If you're calling about a change that affects the benefits or payments that YOU receive, press 1. If you're calling on behalf of someone else, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	<b>Prompt:</b> [ca0260_ni1_01] If the change you'd like to make is for your OWN benefit or payment, say 'Yes' or press 1. If you're calling for someone else, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [ca0260_ni2_01] Sorry. If you're calling about benefits of payments that YOU receive, press 1. If you're calling on behalf of someone else, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
repeat			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
--			

**ca0270\_COAEffectiveASAP\_DM**

<b>Date Recognition</b>			
Asks caller if they would like the change of address/phone number to be effective as soon as possible.			
<b>*CR596: Renamed from ca0430_COAEffectiveASAP_DM*</b>			
<b>Entering From</b>			
<a href="#">ca0260_CallingAboutSelf_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	ca0270_ini_01	And, would you like this change to take effect as soon as possible?




<b>Grammar</b>				
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
yes, yeah, as soon as possible		1	<cd_effective_asap_yesno >	Never
no		2	<cd_effective_asap_yesno >	Never
<b>Actions</b>				
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>	
Always	Always	<b>Prompt:</b> [ca0430_out_01] Okay.	--	
No	Always	<b>Prompt:</b> [ca0430_out_03] Hold on while I get someone to help you.		
^	^	<b>Assign:</b> coa_transaction_status =effective_later	<b>Return to calling dialog:</b> main [mm0310_ChangeOfAddress_S D]	
yes	Always	<b>Assign:</b> effective_date =<current date>	<b>goto:</b> ca0300_KBAAuthentication_SD	
^	^	<b>Prompt:</b> [ca0430_out_02] Great. Hold on while I process this. (It may take a few seconds...)	<b>goto:</b> ca0300_KBAAuthentication_SD	
<b>Recovery Behavior</b>				
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>	
nomatch 1	Always	<b>Prompt:</b> [ca0270_nm1_01] Let's try again...Would you like this change to take effect as soon as possible?	<b>Re-Recognition:</b>	
nomatch 2	^	<b>Prompt:</b> [ca0270_nm2_01] Sorry. If you want the change to take effect as soon as possible, press 1. Otherwise, press 2. and I'll get the date you would like the change to go into effect.	<b>Re-Recognition:</b>	
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--	
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--	
noinput 1	^	<b>Prompt:</b> [ca0270_ni1_01] If you want the change to take effect as soon as possible say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>	
noinput 2	^	<b>Prompt:</b> [ca0270_ni2_01] Sorry. If you want the change to take effect as soon as possible, press 1. Otherwise, press 2. and I'll get the date you would like the change to go into effect.	<b>Re-Recognition:</b>	
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--	
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--	
<b>Commands: State-Specific Behavior</b>				
<a href="#">See 1.2 Global Commands</a>				
<b>Commands: Confirmations</b>				


[See 1.2 Global Commands](#)

<b>Config Parameters</b>	
<b>Parameter</b>	<b>Value</b>
--	--
<b>Developer Notes</b>	
--	

### ca0300\_KBAAuthentication\_SD

<b>Subdialog Call</b> 		
Sub dialogue call to the Knowledge Based Authentication module to collect: SSN, name, DOB, POB, and last payment.		
<b>Entering From</b>		
<a href="#">ca0270_COAEffectiveASAP_DM</a>		
<b>Dialog called</b>		
Proceed to initial node in: <a href="#">KnowledgeBasedAuthentication</a>		
<b>Input parameters</b>		
<b>Parameter</b>	<b>Value</b>	
--	--	
<b>Output parameters</b>		
<b>Variable</b>	<b>Subdialog Variable</b>	
--	--	
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If <code>kba_transaction_status=success</code> OR <code>success_multiple_address</code>	--	<b>goto:</b> <a href="#">ca0310_TypeOfChange_DM</a>
Else if <code>kba_transaction_status=coa_no_benefits</code>	--	<b>goto:</b> <a href="#">ca0230_NotEligible_DM</a>
Else if <code>kba_transaction_status =coa_pending_changes</code>	<b>Assign:</b> <code>coa_transaction_status =failure</code>	<b>Return to calling dialog:</b> <a href="#">main [mm0310_ChangeOfAddress_SD]</a>
Else <code>//kba_transaction_status=account_blocked</code> OR <code>attestation_declined</code> OR <code>failure</code> OR <code>coa_not_eligible</code>	<b>Assign:</b> <code>coa_transaction_status =failure</code>	<b>Return to calling dialog:</b> <a href="#">main [mm0310_ChangeOfAddress_SD]</a>
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
--		

### ca0310\_TypeOfChange\_DM

<b>CustomContext Recognition</b> 			
Asks callers whether they want to change address, phone number, or both.			
<b>Entering From</b>			
<a href="#">ca0300_KBAAuthentication_SD</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>

initial	Always	ca0310_ini_01	What would you like to change - your 'Address,' your 'Phone Number,' or 'Both.'
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
change both, both		3	<cd_type_of_change_menu both>
change my phone number, my phone, phone number		2	<cd_type_of_change_menu phone>
change my address, my address, address		1	<cd_type_of_change_menu address>
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
address	Always	Assign: change_what =address	--
^	If kba_transaction_status = success_multiple_address	--	goto: ca0315_ConfirmChangeAllRecords_DM
^	Else	Prompt: [ca0310_out_01] Okay- Address-  Okay. Before you tell me your new address, I'll need the address where you currently receive benefits.	goto: ca0320_SetAddressParameters_DS
both	--	Assign: change_what =both	--
^	If kba_transaction_status = success_multiple_address	--	goto: ca0315_ConfirmChangeAllRecords_DM
^	Else	Prompt: [ca0310_out_02] Okay. Let's start with your address...  Okay. Before you tell me your new address, I'll need the address where you currently receive benefits.	goto: ca0320_SetAddressParameters_DS
phone	--	Assign: change_what =phone	--
^	--	Prompt: [ca0310_out_03] Okay. In order to change your phone number, I need your address.	goto: ca0320_SetAddressParameters_DS
<b>Confirmation Prompts</b>			
<b>Option</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
address	Always	ca0310_cnf_ini_01	You'd like to change your address, right?
phone	Always	ca0310_cnf_ini_02	You'd like to change your phone number, right?
both	Always	ca0310_cnf_ini_03	You'd like to change both your address AND your phone number. Is that right?
<b>Confirmation Recovery Behavior</b>			
<a href="#">See 1.3 Global Confirmation</a>			
<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	Prompt: [ca0310_nm1_01] Let's try again. You can say 'Address'	Re-Recognition:

		or press 1, 'Phone Number' or press 2, OR say 'Both' or press 3.	
nomatch 2	^	<b>Prompt:</b> [ca0310_nm2_01] Sorry. If you'd like to change your address, press 1. To change your phone number, press 2. If you need to change both your address AND your phone number, press 3.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	<b>Prompt:</b> [ca0310_ni1_01] If you're calling to change your address, say 'Address' or press 1. To change your phone number, say 'Phone Number' or press 2. Or, if you'd like to change both of them, say 'Both' or press 3.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [ca0310_ni2_01] Sorry. If you'd like to change your address, press 1. To change your phone number, press 2. Or, if you need to change both your address AND your phone number, press 3.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--

**Commands: State-Specific Behavior**

[See 1.2 Global Commands](#)

**Commands: Confirmations**

[See 1.2 Global Commands](#)

**Config Parameters**

Parameter	Value
--	--

**Developer Notes**

--

**ca0315\_ConfirmChangeAllRecords\_DM**

**YesNo Recognition** 

Asks callers with multiple addresses on file to confirm that address will be changed on all records.

**Entering From**

[ca0310\\_TypeOfChange\\_DM](#)

**Initial Prompts**


Type	Condition	Name	Wording
initial	Always	ca0315_ini_01	This will change the address on all your eligible records, is that okay?

**Grammar**


Sample Expressions	DTMF	Reco Var/Option	Confirm
--------------------	------	-----------------	---------

yes	1	<result yes>	Never
no	2	<result no>	Never
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
yes	Always	<b>Prompt:</b> [ca0315_out_01] To begin, we'll need your current address.	--
^	Always	--	<b>goto:</b> ca0320_SetAddressParameters_DS
no	Always	<b>Assign:</b> coa_transaction_status =failure	<b>Return to calling dialog:</b> main [mm0310_ChangeOfAddress_S D]
<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [ca0315_nm1_01] Let's try again. Changing your address here means it will also be changed on all eligible records. Is that okay?	<b>Re-Recognition:</b>
nomatch 2	Always	<b>Prompt:</b> [ca0315_nm2_01] Sorry. If you're okay with changing the address on all your eligible records, press 1. If not, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	Always	<b>Prompt:</b> [ca0315_ni1_01] If you want your address to be changed on all eligible records, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	Always	<b>Prompt:</b> [ca0315_ni2_01] Sorry. If you're okay with changing the address on all your eligible records, press 1. If not, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
--			

**ca0320\_SetAddressParameters\_DS**


<b>Decision</b> 		
Sets parameters needed for entering the address module.		
<b>Entering From</b>		
ca0310_TypeOfChange_DM, ca0315_ConfirmChangeAllRecords_DM		
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Comment:</b> set parameters before entering AddressOSDM	--
^	<b>Assign:</b> collectaddress_entryprompt = 'empty'	--
^	<b>Assign:</b> collectaddress_collectedzipcode = 'FALSE'	--
^	<b>Assign:</b> collectaddress_overallconfirmation = 'ALWAYS'	--
^	<b>Assign:</b> collectaddress_collectfortranscription = 'FALSE'	--
^	<b>Assign:</b> collectaddress_ziplookuperrorprompt = default_address_ziplookuperrorprompt	--
^	<b>Assign:</b> collectaddress_cystatelookuperrorprompt = default_address_cystatelookuperrorprompt	--
^	<b>Assign:</b> collectaddress_exitsuccessprompt = default_address_exitsuccessprompt	--
^	<b>Assign:</b> collectCurrentAddress = true	--
^	--	<b>goto:</b> ca0330_AddressOSDM_SD
<b>Developer Notes</b>		
--		

**ca0330\_AddressOSDM\_SD**


<b>Subdialog Call</b> 	
Calls the address module.	
<b>Entering From</b>	
ca0320_SetAddressParameters_DS, ca0340_CheckWhichAddress_DS	
<b>Dialog called</b>	
Proceed to initial node in: <a href="#">AddressOSDM</a>	
<b>Input parameters</b>	
<b>Parameter</b>	<b>Value</b>
--	--
<b>Output parameters</b>	

Variable		Subdialog Variable	
--		--	
Actions			
Condition		Action	Transition
success	If <code>change_what=address</code>	--	--
^	Else ( <code>change_what=both</code> )	<b>Prompt:</b> [ca0330_out_01] Now let's take care of your phone number...	<b>goto:</b> <a href="#">ca0400_RemoveOrChangePhone_DM</a>
success	If <code>change_what = phone</code>	<b>Prompt:</b> [] Now let's take care of your phone number...	<b>goto:</b> <a href="#">ca0400_RemoveOrChangePhone_DM</a>
^	Else // <code>change_what = address OR both</code>	--	<b>goto:</b> <a href="#">ca0340_CheckWhichAddress_DS</a>
failure		<b>Assign:</b> <code>coa_transaction_status =failure</code>	<b>Return to calling dialog:</b> <a href="#">main [mm0310_ChangeOfAddress_SD]</a>
Recovery Behavior			
<a href="#">See 1.1 Global Recovery Behavior</a>			
Developer Notes			
--			

**ca0340\_CheckWhichAddress\_DS**

Decision 		
Checks which address collection flow the caller is in.		
Entering From		
<a href="#">ca0330_AddressOSDM_SD</a>		
Actions		
Condition		Transition
If <code>collectCurrentAddress =true</code> //caller finishing current address collection for COA		<b>goto:</b> <a href="#">ca0330_AddressOSDM_SD</a>
Else // <code>collectCurrentAddress=false</code> , caller finishing new address collection for COA		<b>goto:</b> <a href="#">ca0350_ConfirmIfResidentAddress_DM</a>
Developer Notes		
--		

**ca0350\_ConfirmIfResidentAddress\_DM**

YesNo Recognition 			
Asks caller if the provided address is their resident address.			
Entering From			
<a href="#">ca0340_CheckWhichAddress_DS</a>			
Initial Prompts			
Type	Condition	Name	Wording
initial	Always	ca0350_ini_01	Is the address you provided your resident address?

<b>Grammar</b>				
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
yes		1	<result yes>	Never
no		2	<result no>	Never
<b>Actions</b>				
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>	
yes	Always	Assign: isResidentAddress =Y	--	
no	Always	Assign: isResidentAddress =N	--	
Always	If change_what=address	--	goto: ca0440_SendAddressPhone_DB	
^	If change_what=both	Prompt: [ca0350_out_01] Now let's take care of your phone number.	goto: ca0400_RemoveOrChangePhone_DM	
<b>Recovery Behavior</b>				
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>	
nomatch 1	Always	Prompt: [ca0350_nm1_01] Let's try again. Is this new address your resident address?	Re-Recognition:	
nomatch 2	Always	Prompt: [ca0350_nm2_01] Sorry. If this address is your resident address, press 1. If not, press 2.	Re-Recognition:	
nomatch 3	Always	Assign: transfer_reason =error	--	
nomatch 3	Always	Prompt: [gl_nm3_01] Sorry, we seem to be having trouble.	--	
noinput 1	Always	Prompt: [ca0350_ni1_01] If this is your resident address, say 'Yes' or press 1. If not, say 'No' or press 2.	Re-Recognition:	
noinput 2	Always	Prompt: [ca0350_ni2_01] Sorry. If this address is your resident address, press 1. If not, press 2.	Re-Recognition:	
noinput 3	Always	Assign: transfer_reason =error	--	
noinput 3	Always	Prompt: [gl_ni3_01] Sorry, we seem to be having trouble.	--	
<b>Commands: State-Specific Behavior</b>				
<a href="#">See 1.2 Global Commands</a>				
<b>Commands: Confirmations</b>				
<a href="#">See 1.2 Global Commands</a>				
<b>Config Parameters</b>				
<b>Parameter</b>	<b>Value</b>			
--	--			
<b>Developer Notes</b>				
--				

**ca0400\_RemoveOrChangePhone\_DM**


<b>CustomContext Recognition</b>	
----------------------------------	---



Asks the caller if they want to remove their phone number or change it.			
<b>Entering From</b>			
ca0330_AddressOSDM_SD, ca0350_ConfirmIfResidentAddress_DM			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	ca0400_ini_01	Do you want to 'Change' or 'Remove' your number?
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
change, change my number, change phone number // change	1	<remove_phone_menu change>	If Necessary
remove, remove my number, remove phone number // remove	2	<remove_phone_menu remove>	If Necessary
<b>Actions</b>			
Option	Condition	Action	Transition
change	Always	<b>Prompt:</b> [ca0400_out_01] All right.	<b>goto:</b> ca0410_TypeOfPhone_DM
remove	Always	<b>Prompt:</b> [ca0400_out_02] All right.	<b>goto:</b> ca0440_SendAddressPhone_DB
<b>Confirmation Prompts</b>			
Option	Condition	Name	Wording
change	Always	ca0400_cnf_ini_01	You want to change your phone number, right?
remove	Always	ca0400_cnf_ini_02	You want to remove your phone number, right?
<b>Confirmation Recovery Behavior</b>			
See 1.3 Global Confirmation			
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [ca0400_nm1_01] Let's try again... You can say 'Change' phone number, or press 1, OR say 'Remove' phone number, or press 2.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [ca0400_nm2_01] Sorry. If you'd like to change your phone number, press 1. If want to remove your phone number from our records, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	<b>Prompt:</b> [ca0400_ni1_01] Let's try again... You can say 'Change' phone number, or press 1, OR say 'Remove' phone number, or press 2.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [ca0400_ni2_01] Sorry. If you'd like to change your	<b>Re-Recognition:</b>

		phone number, press 1. If want to remove your phone number from our records, press 2.	
noinput 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
--			

**ca0410\_TypeOfPhone\_DM**

<b>CustomContext Recognition</b> 			
Asks callers which phone number to change.			
<b>Entering From</b>			
<a href="#">ca0400_RemoveOrChangePhone_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	ca0410_ini_01	For our records, what type of number is this - 'Home,' 'Work,' 'Cell,' your 'Attorney's' number, or 'Something Else.'
<b>Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
?[it's (i'm calling about)] [(something else) (a different ?phone ?number)], other	5	< <a href="#">cd_phone_type_menu</a> something_else>	Never
?(it's my) [attorney attorney's lawyer lawyer's] ?phone ?number	4	< <a href="#">cd_phone_type_menu</a> attorney>	Never
?(it's [my a]) [mobile cell] ?phone ?number	3	< <a href="#">cd_phone_type_menu</a> cell>	Never
?(it's [my a]) [work office business] ?phone ?number	2	< <a href="#">cd_phone_type_menu</a> work>	Never
?(it's [my a]) home ?phone ?number	1	< <a href="#">cd_phone_type_menu</a> home>	Never
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
attorney	--	<b>Assign:</b> <a href="#">phone_type</a> =attorney	<b>goto:</b> <a href="#">ca0420_CollectPhoneNumber_DM</a>
home	--	<b>Assign:</b> <a href="#">phone_type</a> =home	<b>goto:</b> <a href="#">ca0420_CollectPhoneNumber_DM</a>
cell	--	<b>Assign:</b> <a href="#">phone_type</a> =cell	<b>goto:</b> <a href="#">ca0420_CollectPhoneNumber_DM</a>

something_else	--	<b>Assign:</b> phone_type =other	<b>goto:</b> ca0420_CollectPhoneNumber_DM
work	--	<b>Assign:</b> phone_type =work	<b>goto:</b> ca0420_CollectPhoneNumber_DM

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [ca0410_nm1_01] Let's try again. You can say 'Home Number' or press 1, 'Work Number' or press 2, 'Cell Number' or 3, 'Attorney's Number' or 4, or for anything else, say 'It's Something Else' or press 5.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [ca0410_nm2_01] Sorry. If it's your HOME phone number, press 1. If it's a WORK phone number, press 2. If it's your Cell number, press 3. If it's your ATTORNEY's number, press 4. Or, if it's anything else, press 5.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	<b>Prompt:</b> [ca0410_ni1_01] You can say 'Home Number' or press 1, 'Work Number' or press 2, 'Cell Number' or 3, 'Attorney's Number' or 4, or for anything else, say 'It's Something Else' or press 5.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [ca0410_ni2_01] Sorry. If it's your HOME phone number, press 1. If it's a WORK phone number, press 2. If it's your Cell number, press 3. If it's your ATTORNEY's number, press 4. Or, if it's anything else, press 5.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--

**Commands: State-Specific Behavior**

[See 1.2 Global Commands](#)

**Commands: Confirmations**

[See 1.2 Global Commands](#)

**Config Parameters**

Parameter	Value
--	--

**Developer Notes**

--


**ca0420\_CollectPhoneNumber\_DM**

Phone Recognition

Asks callers for 10-digit phone number.			
<b>Entering From</b>			
ca0410_TypeOfPhone_DM			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	ca0420_ini_01	And, starting with the area code, what's your new number?
reprompt	(after repeat or disconfirmation)	ca0420_ree_01	Starting with the area code, what's your new telephone number?
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
<10-digit phone number>	<10-digit string]	<cd_phone_number phone_number>	Always
repeat, repeat that // repeat	9	<cd_phone_number repeat>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
phone_number	Always	<b>Prompt:</b> [ca0420_out_01] All right.	<b>goto:</b> ca0440_SendAddressPhone_DB
repeat	Always	<b>Prompt:</b> [ca0420_out_02] Sure.	<b>Re-Recognition:</b> Reprompt
<b>Confirmation Prompts</b>			
Option	Condition	Name	Wording
phone_number	Always	ca0420_cnf_ini_01	That phone number is...
^	Always	ca0420_cnf_ini_02	...[phone_number].
--	Always	gl_cnf_ini_02	Right?
<b>Confirmation Recovery Behavior</b>			
<a href="#">See 1.3 Global Confirmation</a>			
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [ca0420_nm1_01] Let's try again. Please say or enter the new area code and phone number now.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [ca0420_nm2_01] Sorry. Please enter the new area code and phone number now.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	<b>Prompt:</b> [ca0420_ni1_01] Please say or enter the new area code and phone number now.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [ca0420_ni2_01] Sorry. Please enter the new area	<b>Re-Recognition:</b>


		code and phone number now.	
noinput 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
repeat			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
--			

**ca0435\_EffectiveDate\_DM**

<b>CustomContext Recognition</b> 			
After the caller indicated they don't want their change of address/phone number to take effect asap, asks what date within the next three months they would like their change of address/phone number to take effect.			
<b>**CR596: This state is no longer reachable**</b>			
<b>Entering From</b>			
--			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	ca0435_ini_01	Tell me the date, within the next three months, that you want the change to take effect.
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
mm/dd/yyyy, mm/dd, April tenth, April tenth 2011, etc...		4-8 digit string	< <a href="#">cd_effective_date_menu</a> <effective_date>>
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
<effective_date>	If <date> => <current date>	<b>Assign:</b> <a href="#">effective_date</a> =<date>	--
^	Else (<date> << <current date>	<b>Assign:</b> <a href="#">effective_date</a> =<current_date>	--
^	Always	<b>Prompt:</b> [ca0435_out_01] Great. Hold on while I submit this. (It may take a few seconds...)	<b>goto:</b> <a href="#">ca0440_SendAddressPhone_DB</a>
<b>Confirmation Prompts</b>			
<b>Option</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
<date>	Always	ca0435_cnf_ini_01	You'd like the change to take effect on...

^	Always	ca0435_cnf_ini_02	<date>
--	Always	gl_cnf_ini_02	Right?
<b>Confirmation Recovery Behavior</b>			
<a href="#">See 1.3 Global Confirmation</a>			
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [ca0435_nm1_01] Let's try again. You can say a month and day within the next three months, such as April 21st, or enter zero four two one.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [ca0435_nm2_01] One more time. Enter the two-digit month and two-digit day that you want the change to take effect. For example, for April 21st, enter zero four two one.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	<b>Prompt:</b> [ca0435_ni1_01] You can say a month and day within the next three months, such as April 21st, or enter zero four two one.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [ca0435_ni2_01] Sorry. Enter the two-digit month and two-digit day that you want the change to take effect. For example, for April 21st, enter zero four two one.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
Parameter	Value		
--	--		
<b>Developer Notes</b>			
NOTE: the grammar will accept a rolling 90 day range - projecteing into the future - relative to the current date			

**ca0440\_SendAddressPhone\_DB**

<b>Database Call</b> 
Changes address and/or phone number in the backend database.
<b>Entering From</b>
<a href="#">ca0435_EffectiveDate_DM</a> , <a href="#">ca0350_ConfirmIfResidentAddress_DM</a> , <a href="#">ca0400_RemoveOrChangePhone_DM</a> , <a href="#">ca0420_CollectPhoneNumber_DM</a>

<b>Input parameters</b>	
<b>Parameter</b>	<b>Value</b>
processID	Which process to pass the request to. Values are: PING, AUTH, INFO, AUTHINFO, MI, ENDESESSION, NONE.
requestID	Unique 10 digit ID for the request. 10 zeros, if not used.
timestamp	Transaction timestamp.
version	Version of the xml schema used.
actionType	--
isResidentAddress	indicates whether caller's new address is a resident address  Y or N
ui	Type of user, T for Telephone
currentAddressLine1	Current Street Address Line 1
currentAddressLine2	Current Street Address Line 2
currentAddressLine3	Current Street Address Line 3
currentAddressLine4	Current Street Address Line 4
newAddressLine1	New Street Address Line 1
newAddressLine2	New Street Address Line 2
newAddressLine3	New Street Address Line 3
newAddressLine4	New Street Address Line 4
currentCity	Current City
newCity	New City
currentState	2 character current state abbreviation
newState	2 character new state abbreviation
currentZip	5 digit current zip code
newZip	5 digit new zip code
phoneArea	3 digit phone area code
phoneExch	3 digit phone exchange
phoneNum	4 digit phone number
telephoneType	1 character phone type. The available choices are: H (home), W (work), M (mobile), A (attorney), O (other), D (remove telephone number), and a space (no change)
effectiveMonth	2-digit string representing the effective month in the format MM. The months (MM) are in the range of 01 to 12
effectiveDay	2-digit string representing the effective day in the format DD. The days (DD) are in the range of 01 to 31.
effectiveYear	4-digit string representing the effective year in the format CCYY. The years (CCYY) should only be current year or the current year plus one.
ani	<ani number>
<b>Output parameters</b>	
<b>Variable</b>	<b>Description</b>
ca_statusCode	Possible values that can be returned are: 0000=Success, 0001=data is valid and processed and the user already has direct deposit, 0002=data is valid and processed and the user does not have direct deposit, 0150=System Failure-connected but failed for other reasons,


		0151=System Failure, 0152=Off hour request, 0508=Block Access, 7777=Validation failure, and 9999=Data is invalid, 2000 = authentication pass but SSN not receiving benefits, 2001/2002 = authentication pass but SSN is ineligible to use IVR, 2003 = authentication pass but SSN has pending changes.	
<a href="#">ca_statusDescription</a>		Status code text description.	
<b>Actions</b>			
<b>Condition</b>		<b>Action</b>	<b>Transition</b>
If success		<b>Assign:</b> <a href="#">coa_transaction_status</a> =success	--
^	Always	<b>Prompt:</b> [ca0440_out_01] All set! Your information change has been sent for processing which may take up to three business days. As requested...	--
^	If <a href="#">effective_date</a> =current date	<b>Prompt:</b> [ca0440_out_02] ...this change will take effect as soon as possible.	--
^	Else	<b>Prompt:</b> [ca0440_out_03] ...this change will be effective on...	--
^	^	<b>Prompt:</b> [ca0440_out_04] <date>	--
^	Always	<b>Prompt:</b> [ca0440_out_05] If you're done, feel free to hang up. Otherwise...	<b>Return to calling dialog:</b> <a href="#">main [mm0310_ChangeOfAddress_SD]</a>
Else (failure)	Always	<b>Assign:</b> <a href="#">coa_transaction_status</a> =failure	--
^	If <a href="#">ca_statusCode</a> =0152 (off hours request)	<b>Prompt:</b> [ca0440_out_06] Sorry, our system is undergoing routine maintenance and I'm unable to access your records at this time. Please try back in the morning. If you'd like to speak with someone...	<b>Return to calling dialog:</b> <a href="#">main [mm0310_ChangeOfAddress_SD]</a>
^	Else	<b>Prompt:</b> [ca0440_out_07] Sorry, but I'm having trouble processing this request.	<b>Return to calling dialog:</b> <a href="#">main [mm0310_ChangeOfAddress_SD]</a>
<b>Recovery Behavior</b>			
<a href="#">See 1.1 Global Recovery Behavior</a>			
<b>Developer Notes</b>			
--			




## 2.5 ClaimStatusRequests Dialog

This module enables callers to be able to check on the status of a claim they have already filed.

### cs0100\_PingHost\_DB


Database Call 		
Pings the host database to ensure the host is available.		
<b>Entering From</b>		
<a href="#">mm0520_ApplicationStatus_SD</a>		
<b>Input parameters</b>		
Parameter	Value	
processID	Which process to pass the request to. Values are: PING, AUTH, INFO, AUTHINFO, MI, ENDSSESSION, NONE.	
requestID	Unique 10 digit ID for the request. 10 zeros, if not used.	
timestamp	Transaction timestamp.	
version	Version of the xml schema used.	
<b>Output parameters</b>		
Variable	Description	
<a href="#">cs_statusCode</a>	Possible values that can be returned are: 0000=Success, 0151=System Failure, 0152=Off hour request, and 7777=Validation failure.	
<a href="#">cs_statusDescription</a>	Status code text description.	
<b>Actions</b>		
Condition	Action	Transition
If <a href="#">cs_statusCode</a> =0000 (success)	Always	--
Else (failure)	Always	<b>Assign:</b> <a href="#">claims_transaction_status</a> =failure--
^	If <a href="#">cs_statusCode</a> =0152 (off hours request)	<b>Prompt:</b> [cs0100_out_01] Sorry, our system is undergoing routine maintenance and I'm unable to access your records at this time. Please try back in the morning. If you'd like to speak with someone...
^	Else	<b>Prompt:</b> [cs0100_out_02] Sorry, I'm having trouble getting access to your records...
<b>Return to calling dialog:</b> <a href="#">main [mm0520_ApplicationStatus_SD]</a>		
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
--		

### cs0110\_KBAAuthentication\_SD

Subdialog Call 	
Sub dialogue call to 'Knowledge Based Authentication' to get caller's SSN and DOB.	
<b>Entering From</b>	
<a href="#">cs0100_PingHost_DB</a>	

<b>Dialog called</b>		
Proceed to initial node in: <a href="#">KnowledgeBasedAuthentication</a>		
<b>Input parameters</b>		
Parameter	Value	
--	--	
<b>Output parameters</b>		
Variable	Subdialog Variable	
--	--	
<b>Actions</b>		
Condition	Action	Transition
If kba_transaction_status=success	--	<a href="#">goto: cs0120_ConfirmationNumber_DM-DELETED</a>
If kba_transaction_status=success	--	<a href="#">goto: cs0200_ClaimsRetrieval_DB</a>
Elseif kba_transaction_status=account_blocked	<b>Assign:</b> <a href="#">claims_transaction_status =failure</a>	<b>Return to calling dialog:</b> <a href="#">main [mm0520_ApplicationStatus_SD]</a>
Elseif kba_transaction_status=attestation_declined	<b>Assign:</b> <a href="#">claims_transaction_status =failure</a>	<b>Return to calling dialog:</b> <a href="#">main [mm0520_ApplicationStatus_SD]</a>
Else (kba_transaction_status=failure)	<b>Assign:</b> <a href="#">claims_transaction_status =failure</a>	<b>Return to calling dialog:</b> <a href="#">main [mm0520_ApplicationStatus_SD]</a>
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
--		

[cs0120\\_ConfirmationNumber\\_DM-DELETED](#)

<b>Digits Recognition</b> 			
12/2019 - Deleted this state, as it is no longer needed.			
<a href="#">Asks the caller for the 8 digit confirmation number of the claim.</a> <a href="#">Added ability to say 'more information' for instructions on where to find their claim confirmation number.</a>			
<b>Entering From</b>			
<a href="#">cs0110_KBAAuthentication_SD</a> , <a href="#">cs0120_ConfirmationNumber_DM-DELETED</a> , <a href="#">cs0240_OneClaimEnd_DM</a> , <a href="#">cs0250_MultiClaimEnd_DM</a> , <a href="#">cs0260_NoStatusEnd_DM</a> , <a href="#">cs0270_MultiLastClaimEnd_DM</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	If confirmation_number_first_entry=true	cs0120_ini_01	Now, let's look up your claim. When you first submitted your claim, you should have received an 8-digit confirmation number. Please say or enter your confirmation number now. For help locating it, just say 'More Information'.
initial	Else (confirmation_number_first_entry=false)	cs0120_ini_02	What's the confirmation number for the next claim?
reprompt	(after repeat or disconfirmation)	cs0120_ree_01	Say or enter your confirmation number. For help locating your confirmation number, just say 'More Information'.
reinvoke	"More Information" requested,	cs0120_ree_02	Okay. If you filed your application online, your 8-digit

			confirmation number is located towards the top of your confirmation page, just below your name. If you filed in person, your 8-digit confirmation number is located on your confirmation page, just below the "Checking the Status of Your Claim" paragraph. <1 sec pause> Please say or enter your confirmation number now.
--	--	--	--

**Grammar**

Sample Expressions	DTMF	Reco Var/Option	Confirm
<confirmation number>	<8-digit string>	<get_confirmation_number <confirmation number>>	Always
more_information	1	<get_confirmation_number repeat>	Never
dont_have	2	<get_confirmation_number dont_have>	Always
repeat, repeat that	9	<get_confirmation_number more_information>	Never

**Actions**

Option	Condition	Action	Transition
<confirmation_number >	If confirmation_number_first_entry=true	Assign: confirmation_number_first_entry =false	--
^	Always	Assign: confirmation_number = <confirmation number>	--
^	^	Prompt: [cs0120_out_01] Great. Thanks.	goto: es0200_ClaimsRetrieval_DB
dont_have	Always	Assign: claims_transaction_status =no_confirmation_number	--
^	^	Prompt: [cs0120_out_02] All-right.	Return to calling dialog: main [mm0520_ApplicationStatus_SD]
repeat	Never	Prompt: [cs0120_out_03] Sure.	Re-Recognition: Reprompt
more_information	Never	Comment: Stay in this state and play the "More Information" prompt	goto: es0120_ConfirmationNumber_DM-DELETED

**Confirmation Prompts**

Option	Condition	Name	Wording
<confirmation number>	Always	cs0120_cnf_ini_01	Just to make sure, your confirmation number is...
Δ	Always	cs0120_cnf_ini_02	...<confirmation number>.
Δ	Always	cs0120_cnf_ini_03	Right?
dont_have	Always	cs0120_cnf_ini_04	You don't HAVE your confirmation number, right?

**Confirmation Recovery Behavior**

See 1.3 Global Confirmation

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	Always	Prompt: [cs0120_nm1_01] Please say or enter your 8-digit confirmation number. You can also say 'More Information' or press 1.	Re-Recognition:

nomatch 2	^	<b>Prompt:</b> [cs0120_nm2_01] Sorry. Please say or enter your 8-digit confirmation number. If you don't have it, say 'I Don't Have It' or press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [cs0120_nm3_01] Sorry, we seem to be having trouble.	<b>event:</b> event.nomatch <b>goto:</b> mm3000_ABRStatus_DS
noinput 1	^	<b>Prompt:</b> [cs0120_ni1_01] Please say or enter your 8-digit confirmation number. You can also say 'More Information' or press 1.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [cs0120_ni2_01] Sorry. Please say or enter your 8-digit confirmation number. If you don't have it, say 'I Don't Have It' or press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [cs0120_ni3_01] Sorry, we seem to be having trouble.	--

**Commands: State-Specific Behavior**

Type	Condition	Action	Transition
StartOver	--	<b>Assign:</b> confirmation_number_first_entry =true	--

**Commands: Disabled Globals**

repeat

**Commands: Confirmations**

[See 1.2 Global Commands](#)

**Config Parameters**

Parameter	Value
--	--

**Developer Notes**

The variable confirmation\_number\_first\_entry gets reset to 'true' upon a return to main menu.  
 Changed 'don't have' dtmf from 1 to 2.  
 'More information' dtmf is now 1.

**cs0200\_ClaimsRetrieval\_DB**

<b>Database Call</b>	
----------------------	---

This is a database query to retrieve the claim(s) associated with the caller's confirmation number. There can be up to 3 associated claims found, but it is most common to have just one.

**Entering From**

[cs0110\\_KBAAuthentication\\_SD](#), [es0120\\_ConfirmationNumber\\_DM-DELETED](#)

**Input parameters**

Parameter	Value
processID	Which process to pass the request to. Values are: PING, AUTH, INFO, AUTHINFO, MI, ENDSSESSION, NONE.
requestID	Unique 10 digit ID for the request. 10 zeros, if not used.

timestamp	Transaction timestamp.
version	Version of the xml schema used.
actionType	--
ui	Type of user, T for Telephone
confNumber	8 digit confirmation number
ssn	9 digit Social Security Number
ani	Caller's 10 digit ANI. All zeros if unavailable.
<b>Output parameters</b>	
<b>Variable</b>	<b>Description</b>
cs_statusCode	Possible values that can be returned are: 0000=Success, 0150=System Failure-connected but failed for other reasons, 0151=System Failure, 0152=Off hour request, 0508=Block Access, 7777=Validation failure, 8888=Not authenticated/authorized, and 9999=Data is invalid.
cs_statusDescription	Status code text description.
cs_claimType	2 character claim type: 10 (Retirement Benefits) 11 (Hospital Insurance Only) 20 (Disability Benefits) 31 (Widow's or Widower's Insurance Benefits) 32 (Mother's or Father's Benefits) 33 (Child's Insurance Benefits – Survivor) 34 (Parent's Benefits) 36 (Widow's or Widower's Insurance Benefits) 41 (Wife's or Husband's Insurance Benefits) 42 (Spouse With Child in Care Benefits) 43 (Child's Insurance Benefits – Life) 46 (Wife's or Husband's Insurance Benefits) 47 (Widow's or Widower's Insurance Benefit) 48 (Childhood Disability Benefits) 49 (Student Benefits) 50 (Hospital Insurance) 60 (Lump Sum Death Payments) 70 (Benefits at Age 72 for Uninsured Individuals) 80 (Health Insurance Benefits Under Medicare for Individuals with Chronic Renal Disease)
cs_claimStatus	1 character status: A (Adjudicated) or P (Pending)
cs_pendingIssues	Y (if issues pending other than <toDDS1>, <reconDecReq1>, <fedRevDec1>, or <inOHA1>)
cs_toDDS	The Disability Determination Service in your state is processing the medical portion of your claim.
cs_reconDecReq	As of today's date, a decision has not been made on your reconsideration request.
cs_fedRevDec	As of today's date, a decision has not been made on your request for Federal Reviewing Official Review.
cs_inOHA	As of today's date, the Office of Disability Adjudication and Review has not made a decision on your appeal request.
cs_age	Proof of age pending.
cs_ammendedApp	Amended application pending.
cs_citizen	Proof of citizenship pending.
cs_nhNameChange	Proof of number holder name change pending.
cs_claimantNameChange	Proof of claimant name change pending.

cs_earnings	Proof of earnings pending.
cs_lawfulPresence	Proof of lawful presence pending.
cs_marriage	Proof of marriage pending.
cs_military	Proof of military service pending.
cs_specialWage	Proof of special wages pending.
cs_death	Proof of death pending.
cs_relationship	Proof of relationship pending.
cs_support	Proof that you provided at least one-half support to your parents pending.
cs_endStateRenal	Proof of End Stage Renal Disease pending.
cs_schoolAttend	Proof of full-time school attendance pending.
cs_attorneyRep	Proof of attorney representation pending.
cs_foreignBenefits	Application for benefits under a U.S. International Social Security agreement pending.
cs_hearingRequest	Request for hearing pending.
cs_reconRequest	Request for reconsideration pending.
cs_cause	Proof of good cause for filing late appeal request pending.
cs_medicalRecon	Medical information for your reconsideration request (Form SSA-3441) pending.
cs_medicalHearing	Medical information for your hearing request (Form SSA-3441) pending.
cs_fedRevReq	Request for Federal Reviewing Official Review pending.

<b>Actions</b>			
<b>Condition</b>		<b>Action</b>	<b>Transition</b>
If	cs_statusCode=0 000 (success)	If > 1 claim	--
			<b>goto:</b> cs0210_WhichClaim_DM
^		Else if 1 claim	
		<b>Prompt:</b> [cs0200_out_04] I found one claim.	<b>goto:</b> cs0220_ClaimStatusMsg_PP
^		Else (0 claims)	
		<b>Comment:</b> This condition is currently unreachable because, while correct as designed, the backend is currently returning a generic '9999' error code in the event of 0 claims	--
^		^	
		<b>Assign:</b> claims_transaction_status =no_application	--
^		^	
		<b>Prompt:</b> [cs0200_out_01] Hmmm... I couldn't find a claim with that confirmation number... There are a number of reasons why this might have happened. If you filed your claim just a few days ago, it might not be available yet, and you might want to wait a few days and call back. Hmmm... I couldn't find any claims... There are a number of reasons why this might have happened. If you filed your claim just a few days ago, it might not be available yet, and you might want to wait a few days and call back.	--
^		^	
		If office_hours=true	<b>goto:</b> cs0260_NoStatusEnd_DM

^	^	Else (office_hours=false)	<b>Comment:</b> Return to calling dialog: main [mm0520_ApplicationStatus_SD]	<b>Return to calling dialog:</b> main [mm0520_ApplicationStatus_SD]
Else (failure)	Always		<b>Assign:</b> claims_transaction_status =failure	--
^	If cs_statusCode=0152 (off hours request)		<b>Prompt:</b> [cs0200_out_02] Sorry, our system is undergoing routine maintenance and I'm unable to access your records at this time. Please try back in the morning. If you'd like to speak with someone...	<b>Return to calling dialog:</b> main [mm0520_ApplicationStatus_SD]
^	Else		<b>Prompt:</b> [cs0200_out_03] Sorry, I'm having trouble getting access to your records...	<b>Return to calling dialog:</b> main [mm0520_ApplicationStatus_SD]

**Recovery Behavior**

[See 1.1 Global Recovery Behavior](#)

**Developer Notes**

--

**cs0210\_WhichClaim\_DM**

**YesNo Recognition** 

Since multiple claims were found, this dialogue module asks the caller which claim they would like to hear the status of.

**Entering From**

[cs0200\\_ClaimsRetrieval\\_DB](#), [cs0210\\_WhichClaim\\_DM](#), [cs0250\\_MultiClaimEnd\\_DM](#), [cs0270\\_MultiLastClaimEnd\\_DM](#)

**Initial Prompts**

Type	Condition	Name	Wording
initial	If current_claim=1 AND num_claims=2	cs0210_ini_01	I found two claims for that confirmation number. I'll read them one at a time. I found two claims. I'll read them one at a time.
initial	Elseif current_claim=1 AND num_claims=3	cs0210_ini_02	I found three claims for that confirmation number. I'll read them one at a time. I found three claims. I'll read them one at a time.
initial	Always	cs0210_ini_03	<500ms silence>
initial	If current_claim=1	cs0210_ini_04	The first claim is for...
initial	Elsif current_claim=2 AND num_claims=2	cs0210_ini_05	The other claim is for...
initial	Elseif current_claim=2 AND num_claims=3	cs0210_ini_06	The next claim is for...
initial	Else (current_claim=3 AND num_claims=3)	cs0210_ini_07	The last claim is for...
initial	If <claimTypeN>=10	cs0210_ini_08	Retirement Benefits.
initial	Elseif <claimTypeN>=11	cs0210_ini_09	Hospital Insurance Only.
initial	Elseif <claimTypeN>=20	cs0210_ini_10	Disability Benefits.
initial	Elseif <claimTypeN>=31 OR 36 OR 47	cs0210_ini_11	Widowed Spouse's Insurance Benefits.
initial	Elseif <claimTypeN>=32	cs0210_ini_12	Mother's or Father's Benefits.
initial	Elseif <claimTypeN>=33	cs0210_ini_13	Child's 'Survivor' Insurance Benefits.
initial	Elseif <claimTypeN>=34	cs0210_ini_14	Parent's Benefits.
initial	Elseif <claimTypeN>=41 OR 46	cs0210_ini_15	Wife's or Husband's Insurance Benefits.
initial	Elseif <claimTypeN>=42	cs0210_ini_16	Spouse With Child in Care Benefits.

initial	Elseif <claimTypeN>=43	cs0210_ini_17	Child's 'Life' Insurance Benefits.
initial	Elseif <claimTypeN>=48	cs0210_ini_18	Childhood Disability Benefits.
initial	Elseif <claimTypeN>=49	cs0210_ini_19	Student Benefits.
initial	Elseif <claimTypeN>=50	cs0210_ini_20	Hospital Insurance.
initial	Elseif <claimTypeN>=60	cs0210_ini_21	Lump Sum Death Payments.
initial	Elseif <claimTypeN>=70	cs0210_ini_22	Benefits at Age 72 for Uninsured Individuals.
initial	Elseif <claimTypeN>=80	cs0210_ini_23	Health Insurance Benefits Under Medicare for Individuals with Chronic Renal Disease.
initial	Always	cs0210_ini_24	<1000ms silence>
initial	If current_claim=1	cs0210_ini_25	Is that the claim you'd like to hear the status of?
initial	Elseif current_claim=2	cs0210_ini_26	Do you want to hear the status of THAT claim?
initial	Else (current_claim=3)	cs0210_ini_27	Would you like to hear the status?
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
no		2	<cs_which_claim_yesno no>
yes, yes that one		1	<cs_which_claim_yesno yes>
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>		<b>Action</b>
no	If current_claim=1	Always	<b>Assign:</b> current_claim =2
^	^	^	<b>Prompt:</b> [cs0210_out_01] All right.
^	Elseif current_claim=2	num_claims = 3	<b>Assign:</b> current_claim =3
^	^	^	<b>Prompt:</b> [cs0210_out_02] Okay.
^	Else	Always	<b>Prompt:</b> [cs0210_out_03] All right. That was the last claim. for that confirmation number. All right. That was the last claim.
yes	Always		<b>Prompt:</b> [cs0210_out_04] All right.
<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>		<b>Action</b>
nomatch 1	Always		<b>Prompt:</b> [cs0210_nm1_01] Let's try again... WOULD you like to hear the status?
nomatch 2	^		<b>Prompt:</b> [cs0210_nm2_01] Sorry. If you'd like to hear the status of that claim application, press 1. Otherwise, press 2.
nomatch 3	Always		<b>Assign:</b> transfer_reason =error
nomatch 3	Always		<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.
noinput 1	^		<b>Prompt:</b> [cs0210_ni1_01] If you WOULD like to hear the status of that claim, say 'Yes' or press 1. If not, say 'No' or press 2.



noinput 2	^	<b>Prompt:</b> [cs0210_ni2_01] Sorry. To hear the status of that claim application, press 1. Otherwise, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
--			

**cs0220\_ClaimStatusMsg\_PP**

<b>Complex Play Prompt</b> :))		
Tells the caller if a decision has been made about their claim and if the agency is awaiting further documentation.		
<b>Entering From</b>		
<a href="#">cs0200_ClaimsRetrieval_DB</a> , <a href="#">cs0210_WhichClaim_DM</a> , <a href="#">cs0230_RepeatStatus_DM</a>		
<b>Actions</b> [Barge-in is OFF]		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Prompt:</b> [cs0220_out_01] As of today...	--
If <claimStatusN>=A (claim HAS been adjudicated)	<b>Prompt:</b> [cs0220_out_02] A decision HAS been made on your claim, and you'll receive an explanation of the decision in the mail.	--
Elseif <claimStatusN>=P (claim is pending) AND <pendingIssues1>=Y  (<ageN> OR <ammendedAppN> OR <citizenN> OR <nhNameChangeN> OR <claimantNameChangeN> OR <earningsN> OR <lawfulPresenceN> OR <marriageN> OR <militaryN> OR <specialWageN> OR <deathN> OR <relationshipN> OR <supportN> OR <endStageRenalN> OR <schoolAttendN> OR <attorneyRepN> OR <foreignBenefitsN> OR	Always  <b>Prompt:</b> [cs0220_out_03] A decision has NOT been made on your claim.	--

<p>&lt;hearingRequestN&gt; OR &lt;reconRequestN&gt; OR &lt;fedRevReqN&gt; OR &lt;causeN&gt; OR &lt;medicalReconN&gt; OR &lt;medicalHearingN&gt; is filled with a valid entry (i.e., not null AND not 00000000);)</p>			
<p>^</p>	<p>If &lt;toDDSN&gt; is filled</p>	<p><b>Prompt:</b> [cs0220_out_04] The Disability Determination Service in your state is processing the medical portion of your claim.</p>	<p>--</p>
<p>^</p>	<p>^</p>	<p><b>Prompt:</b> [cs0220_out_05] &lt;500ms silence&gt;</p>	<p>--</p>
<p>^</p>	<p>If &lt;reconDecReqN&gt; is filled</p>	<p><b>Prompt:</b> [cs0220_out_06] A decision has not been made on your reconsideration request.</p>	<p>--</p>
<p>^</p>	<p>^</p>	<p><b>Prompt:</b> [cs0220_out_07] &lt;500ms silence&gt;</p>	<p>--</p>
<p>^</p>	<p>If &lt;fedRevDecN&gt; is filled</p>	<p><b>Prompt:</b> [cs0220_out_08] A decision has not been made on your request for Federal Reviewing Official Review.</p>	<p>--</p>
<p>^</p>	<p>^</p>	<p><b>Prompt:</b> [cs0220_out_09] &lt;500ms silence&gt;</p>	<p>--</p>
<p>^</p>	<p>If &lt;inOHAN&gt; is filled</p>	<p><b>Prompt:</b> [cs0220_out_10] The Office of Disability Adjudication and Review has not made a decision on your appeal request.</p>	<p>--</p>
<p>^</p>	<p>^</p>	<p><b>Prompt:</b> [cs0220_out_11] &lt;500ms silence&gt;</p>	<p>--</p>
<p>^</p>	<p>Always</p>	<p><b>Prompt:</b> [cs0220_out_12] We've requested, and are still waiting to receive, the following documentation:</p>	<p>--</p>
<p>^</p>	<p>^</p>	<p><b>Prompt:</b> [cs0220_out_13] &lt;500ms silence&gt;</p>	<p>--</p>
<p>^</p>	<p>If &lt;ageN&gt; is filled</p>	<p><b>Prompt:</b> [cs0220_out_14] 'Proof of age' was requested on</p>	<p>--</p>
<p>^</p>	<p>^</p>	<p><b>Prompt:</b> [cs0220_out_15] &lt;date&gt;.</p>	<p>--</p>
<p>^</p>	<p>^</p>	<p><b>Prompt:</b> [cs0220_out_16] &lt;500ms silence&gt;</p>	<p>--</p>
<p>^</p>	<p>If &lt;ammendedAppN&gt; is filled</p>	<p><b>Prompt:</b> [cs0220_out_17] Your 'amended application' was requested on</p>	<p>--</p>
<p>^</p>	<p>^</p>	<p><b>Prompt:</b> [cs0220_out_18] &lt;date&gt;.</p>	<p>--</p>
<p>^</p>	<p>^</p>	<p><b>Prompt:</b> [cs0220_out_19] &lt;500ms silence&gt;</p>	<p>--</p>
<p>^</p>	<p>If &lt;citizenN&gt; is filled</p>	<p><b>Prompt:</b> [cs0220_out_20] 'Proof of citizenship' was requested on</p>	<p>--</p>
<p>^</p>	<p>^</p>	<p><b>Prompt:</b> [cs0220_out_21] &lt;date&gt;.</p>	<p>--</p>


^	^	<b>Prompt:</b> [cs0220_out_22] <500ms silence>	--
^	If <nhNameChangeN> is filled	<b>Prompt:</b> [cs0220_out_23] Proof of the number holder's 'name change' was requested on	--
^	^	<b>Prompt:</b> [cs0220_out_24] <date>.	--
^	^	<b>Prompt:</b> [cs0220_out_25] <500ms silence>	--
^	If <claimantNameChangeN> is filled	<b>Prompt:</b> [cs0220_out_26] Proof of the claimant's 'name change' was requested on	--
^	^	<b>Prompt:</b> [cs0220_out_27] <date>.	--
^	^	<b>Prompt:</b> [cs0220_out_28] <500ms silence>	--
^	If <earningsN> is filled	<b>Prompt:</b> [cs0220_out_29] 'Proof of earnings' was requested on	--
^	^	<b>Prompt:</b> [cs0220_out_30] <date>.	--
^	^	<b>Prompt:</b> [cs0220_out_31] <500ms silence>	--
^	If <lawfulPresenceN> is filled	<b>Prompt:</b> [cs0220_out_32] 'Proof of lawful presence' was requested on	--
^	^	<b>Prompt:</b> [cs0220_out_33] <date>.	--
^	^	<b>Prompt:</b> [cs0220_out_34] <500ms silence>	--
^	If <marriageN> is filled	<b>Prompt:</b> [cs0220_out_35] 'Proof of marriage' was requested on	--
^	^	<b>Prompt:</b> [cs0220_out_36] <date>.	--
^	^	<b>Prompt:</b> [cs0220_out_37] <500ms silence>	--
^	If <militaryN> is filled	<b>Prompt:</b> [cs0220_out_38] 'Proof of military service' was requested on	--
^	^	<b>Prompt:</b> [cs0220_out_39] <date>.	--
^	^	<b>Prompt:</b> [cs0220_out_40] <500ms silence>	--
^	If <specialWageN> is filled	<b>Prompt:</b> [cs0220_out_41] Proof of 'special wages' was requested on	--
^	^	<b>Prompt:</b> [cs0220_out_42] <date>.	--
^	^	<b>Prompt:</b> [cs0220_out_43] <500ms silence>	--
^	If <deathN> is filled	<b>Prompt:</b> [cs0220_out_44] 'Proof of death' was requested on	--
^	^	<b>Prompt:</b> [cs0220_out_45] <date>.	--

^	^	<b>Prompt:</b> [cs0220_out_46] <500ms silence>	--
^	If <relationshipN> is filled	<b>Prompt:</b> [cs0220_out_47] 'Proof of relationship' was requested on	--
^	^	<b>Prompt:</b> [cs0220_out_48] <date>.	--
^	^	<b>Prompt:</b> [cs0220_out_49] <500ms silence>	--
^	If <supportN> is filled	<b>Prompt:</b> [cs0220_out_50] Proof that you provided at least 'one-half support to your parents' was requested on	--
^	^	<b>Prompt:</b> [cs0220_out_51] <date>.	--
^	^	<b>Prompt:</b> [cs0220_out_52] <500ms silence>	--
^	If <endStageRenalN> is filled	<b>Prompt:</b> [cs0220_out_53] 'Proof of End Stage Renal Disease' was requested on	--
^	^	<b>Prompt:</b> [cs0220_out_54] <date>.	--
^	^	<b>Prompt:</b> [cs0220_out_55] <500ms silence>	--
^	If <schoolAttendN> is filled	<b>Prompt:</b> [cs0220_out_56] Proof of 'full-time school attendance' was requested on	--
^	^	<b>Prompt:</b> [cs0220_out_57] <date>.	--
^	^	<b>Prompt:</b> [cs0220_out_58] <500ms silence>	--
^	If <attorneyRepN> is filled	<b>Prompt:</b> [cs0220_out_59] Proof of 'attorney representation' was requested on	--
^	^	<b>Prompt:</b> [cs0220_out_60] <date>.	--
^	^	<b>Prompt:</b> [cs0220_out_61] <500ms silence>	--
^	If <causeN> is filled	<b>Prompt:</b> [cs0220_out_62] Proof of 'good cause for filing a late appeal request' was requested on	--
^	^	<b>Prompt:</b> [cs0220_out_63] <date>.	--
^	^	<b>Prompt:</b> [cs0220_out_64] <500ms silence>	--
^	If <medicalReconN> is filled	<b>Prompt:</b> [cs0220_out_65] Medical information for your reconsideration request - which is 'Form SSA-3441' - was requested on	--
^	^	<b>Prompt:</b> [cs0220_out_66] <date>.	--
^	^	<b>Prompt:</b> [cs0220_out_67] <500ms silence>	--
^	If <medicalHearingN> is filled	<b>Prompt:</b> [cs0220_out_68]	--

		Medical information for your hearing request - which is 'Form SSA-3441' - was requested on	
^	^	<b>Prompt:</b> [cs0220_out_69] <date>.	--
^	^	<b>Prompt:</b> [cs0220_out_70] <500ms silence>	--
^	If <foreignBenefitsN> is filled	<b>Prompt:</b> [cs0220_out_71] Your application for benefits under a U.S. International Social Security agreement was requested on	--
^	^	<b>Prompt:</b> [cs0220_out_72] <date>.	--
^	^	<b>Prompt:</b> [cs0220_out_73] <500ms silence>	--
^	If <hearingRequestN> is filled	<b>Prompt:</b> [cs0220_out_74] We asked for your 'Request for hearing' form on	--
^	^	<b>Prompt:</b> [cs0220_out_75] <date>.	--
^	^	<b>Prompt:</b> [cs0220_out_76] <500ms silence>	--
^	If <reconRequestN> is filled	<b>Prompt:</b> [cs0220_out_77] We asked for your 'Request for Reconsideration' form on	--
^	^	<b>Prompt:</b> [cs0220_out_78] <date>.	--
^	^	<b>Prompt:</b> [cs0220_out_79] <500ms silence>	--
^	If <fedRevReqN> is filled	<b>Prompt:</b> [cs0220_out_80] We asked for your 'Request for Federal Reviewing Official Review' form on	--
^	^	<b>Prompt:</b> [cs0220_out_81] <date>.	--
^	^	<b>Prompt:</b> [cs0220_out_82] <500ms silence>	--
^	Always	<b>Prompt:</b> [cs0220_out_83] If you haven't already, please send or take those documents to the office that's processing your claim. We need to get the ORIGINAL documents, but we'll return them when we're finished.	--
Else (<claimStatusN>=P (claim is pending) AND <pendingIssues1> =Y)	If <toDDSN> is filled	<b>Prompt:</b> [cs0220_out_84] The Disability Determination Service in your state is processing the medical portion of your claim.	--
^	^	<b>Prompt:</b> [cs0220_out_85] <500ms silence>	--
^	If <reconDecReqN> is filled	<b>Prompt:</b> [cs0220_out_86] A decision has not been made on your reconsideration request.	--
^	^	<b>Prompt:</b> [cs0220_out_87] <500ms silence>	--


^	If <fedRevDecN> is filled	<b>Prompt:</b> [cs0220_out_88] A decision has not been made on your request for Federal Reviewing Official Review.	--
^	^	<b>Prompt:</b> [cs0220_out_89] <500ms silence>	--
^	If <inOHAN> is filled	<b>Prompt:</b> [cs0220_out_90] The Office of Disability Adjudication and Review has not made a decision on your appeal request.	--
^	^	<b>Prompt:</b> [cs0220_out_91] <500ms silence>	--
^	Else	<b>Prompt:</b> [cs0220_out_92] A decision has NOT been made on your claim. Once a decision has been made, you'll receive an official notice in the mail. Note that it takes about 5 business days, from the time we receive your claim application, to begin processing it and provide any updated status.	--
Always		--	<b>goto:</b> cs0230_RepeatStatus_DM
<b>Developer Notes</b>			
--			

**cs0230\_RepeatStatus\_DM**

CustomContext Recognition 			
Asks callers that have more than one claim application if they would like to hear again the status of the application they just heard.			
<b>Entering From</b>			
cs0220_ClaimStatusMsg_PP			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	cs0230_ini_01	Would you like to hear that again?
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
no, no thanks	2	<cs_repeat_status_yesno no>	Never
yes, yes please	1	<cs_repeat_status_yesno yes>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
yes	--	<b>Prompt:</b> [cs0230_out_01] Okay. Again...	<b>goto:</b> cs0220_ClaimStatusMsg_PP
no	If num_claims = 1	Always <b>Prompt:</b> [cs0230_out_02] Okay.	--
^	^	If office_hours=true	-- <b>goto:</b> cs0240_OneClaimEnd_DM
^	^	Else (office_hours=false) <b>Comment:</b> Return to calling dialog: main [mm0520_ApplicationStatus_SD]	<b>Return to calling dialog:</b> main [mm0520_ApplicationStatus_SD]
^	If num_claims > 1 AND current_claim <	<b>Prompt:</b> [cs0230_out_03]	<b>goto:</b>

	num_claims	Okay.	cs0250_MultiClaimEnd_DM
^	Else (num_claims > 1 AND current_claim = num_claims	<b>Prompt:</b> [cs0230_out_04] Okay. That was the last claim on the list...	<b>goto:</b> cs0270_MultiLastClaimEnd_DM
<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [cs0230_nm1_01] Let's try again...WOULD you like to hear that again?	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [cs0230_nm2_01] Sorry. If you'd like to hear the status of that claim application again, press 1. Otherwise, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	<b>Prompt:</b> [cs0230_ni1_01] If you want me to repeat the status of that claim, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [cs0230_ni2_01] Sorry. To hear the status of that claim application again, press 1. Otherwise, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
--			

**cs0240\_OneClaimEnd\_DM**

<b>CustomContext Recognition</b> 			
This is an end menu for callers that have one claim. They are given the options to repeat the previous claim, go to the main menu, or ask a question about another claim.			
<b>Entering From</b>			
<a href="#">cs0230_RepeatStatus_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	If office_hours=true	cs0240_ini_01	To look up a different confirmation number, say 'Different Number.' If you'd like to speak to someone about THIS claim, say 'Agent.' Or, if you're finished,

			just say 'I'm Finished.'
initial	Else (office_hours=false)	cs0240_ini_02	To look up a different confirmation number, say 'Different Number.' Or, if you're finished, just say 'I'm Finished.'
initial	Always	cs0240_ini_03	If you'd like to speak to someone about this claim, say 'Agent.' Or, if you're finished, just say 'I'm Finished.'

**Grammar**

Sample Expressions	DTMF	Reco Var/Option	Confirm
[different new] ?confirmation number	4	<cs_one_claim_end_menu different_number>	If Necessary
?i'm [finished done]2	2	<cs_one_claim_end_menu finished>	If Necessary
?i'm [finished done]	1	<cs_one_claim_end_menu finished>	If Necessary

**Actions**

Option	Condition	Action	Transition
different_number	Always	--	goto: cs0120_ConfirmationNumber_DM-DELETED
finished	Always	Assign: claims_transaction_status =success	--
^	^	Prompt: [cs0240_out_01] If you're done, feel free to hang up. Otherwise,...	Return to calling dialog: main [mm0520_ApplicationStatus_SD]

**Confirmation Prompts**

Option	Condition	Name	Wording
different_number	Always	cs0240_cnf_ini_01	You'd like to look up a different confirmation number, right?
finished	Always	cs0240_cnf_ini_02	You're finished with looking up application status, right?

**Confirmation Recovery Behavior**

See 1.3 Global Confirmation

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	If office_hours=true Always	Prompt: [cs0240_nm1_01] Let's try again... You can say 'Different Number' or press 1, 'I'm Finished' or press 2, OR say 'Agent' or press 0. If you're finished, say 'I'm Finished' or press 1. Otherwise, if you'd like to speak to someone about this claim, say 'Agent' or press 0.	Re-Recognition:
nomatch 1	Else (office_hours=false)	Prompt: [cs0240_nm1_02] Let's try again... You can say 'Different Number' or press 1, OR 'I'm Finished' or press 2.	Re-Recognition:
nomatch 2	If office_hours=true Always	Prompt: [cs0240_nm2_01] Sorry. If you'd like to try another confirmation number, press 1. If you're finished looking up claim	Re-Recognition:



		status, press 2. Or, to speak with someone about THIS application, press 0. If you're finished looking up claim status, press 1. Or, to speak with someone about this application, press 0.	
nomatch 2	Else ( <code>office_hours=false</code> )	<b>Prompt:</b> [cs0240_nm2_02] Sorry. To look up a claim with a different confirmation number, press 1. Otherwise, if you're finished looking up claim status, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <code>transfer_reason =error</code>	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	If <code>office_hours=true</code> Always	<b>Prompt:</b> [cs0240_ni1_01] You can say 'Different Number' or press 1, 'I'm Finished' or press 2, OR if you'd like to speak with someone say 'Agent' or press 0. If you're finished, say 'I'm Finished' or press 1. Otherwise, if you'd like to speak to someone about this claim, say 'Agent' or press 0.	<b>Re-Recognition:</b>
noinput 1	Else ( <code>office_hours=false</code> )	<b>Prompt:</b> [cs0240_ni1_02] If you'd like to look up a claim with a different confirmation number, say 'Different Number' or press 1. Otherwise, say 'I'm Finished' or press 2.	<b>Re-Recognition:</b>
noinput 2	If <code>office_hours=true</code> Always	<b>Prompt:</b> [cs0240_ni2_01] Sorry. To look up a claim with a different confirmation number, press 1. Otherwise, if you're finished looking up claim status, press 2. OR, if you'd like to speak with someone, press 0, and I'll get someone to help you. Sorry. If you're finished looking up claim status, press 1. OR, if you'd like to speak with someone, press 0, and I'll get someone to help you.	<b>Re-Recognition:</b>
noinput 2	Else ( <code>office_hours=false</code> )	<b>Prompt:</b> [cs0240_ni2_02] Sorry. To look up a claim with a different confirmation number, press 1. Otherwise, if you're finished looking up claim status, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> <code>transfer_reason =error</code>	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		

--	--
<b>Developer Notes</b>	
--	

**cs0250\_MultiClaimEnd\_DM**

**CustomContext Recognition** 

This is an end menu for callers that have more than one claim. They are given the options to hear the next claim, go to the main menu, or to look up another claim with a different confirmation number.

**Entering From**

[cs0230\\_RepeatStatus\\_DM](#)

**Initial Prompts**

Type	Condition	Name	Wording
initial	If office_hours=true	cs0250_ini_01	To hear the next claim on the list, say 'Next Claim.' To look up a different confirmation number, say 'Different Number.' If you'd like to speak to someone about THIS claim, say 'agent.' Or, if you're finished, just say 'I'm Finished.' To hear the next claim on the list, say 'Next Claim.' If you'd like to speak to someone about this claim, say 'agent.' Or, if you're finished, just say 'I'm Finished.'
initial	Else (office_hours=false)	cs0250_ini_02	To hear the next claim on the list, say 'Next Claim.' To look up a different confirmation number, say 'Different Number.' Or, if you're finished, just say 'I'm Finished.' To hear the next claim on the list, say 'Next Claim.' Or, if you're finished, just say 'I'm Finished.'

**Grammar**

Sample Expressions	DTMF	Reco Var/Option	Confirm
next [application claim status], next one	1	<cs_multi_claim_end_menu next_claim>	If Necessary
?i'm [finished done]	2	<cs_multi_claim_end_menu finished>	If Necessary
?i'm [finished done]	3	<cs_multi_claim_end_menu finished>	If Necessary
[different new] ?confirmation number	2	<cs_multi_claim_end_menu different_number>	If Necessary

**Actions**

Option	Condition	Action	Transition
different_number	Always	--	<b>goto:</b> cs0120_ConfirmationNumber_DM-DELETED
finished	Always	<b>Assign:</b> claims_transaction_status =success	--
^	^	<b>Prompt:</b> [cs0250_out_01] If you're done, feel free to hang up. Otherwise,...	<b>Return to calling dialog:</b> main [mm0520_ApplicationStatus_SD]
next_claim	If current_claim=1	<b>Assign:</b> current_claim =2	--
^	Else (current_claim=2)	<b>Assign:</b> current_claim =3	--
^	Always	<b>Prompt:</b> [cs0250_out_02]	<b>goto:</b> cs0210_WhichClaim_DM

		All right.	
<b>Confirmation Prompts</b>			
Option	Condition	Name	Wording
next_claim	Always	cs0250_cnf_ini_01	You'd like the status for the next claim application, right?
different_number	Always	cs0250_cnf_ini_02	You'd like to look up a different confirmation number, right?
finished	Always	cs0250_cnf_ini_03	You're done with looking up claim status, right?
<b>Confirmation Recovery Behavior</b>			
<a href="#">See 1.3 Global Confirmation</a>			
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	If <code>office_hours=true</code>	<b>Prompt:</b> [cs0250_nm1_01] Let's try again... You can say 'Next Claim' or press 1, 'Different Number' or press 2, 'I'm Finished' or press 3, OR say 'Agent' or press 0. <b>Let's try again... You can say 'Next Claim' or press 1, 'I'm Finished' or press 2, OR say 'Agent' or press 0.</b>	<b>Re-Recognition:</b>
nomatch 1	Else ( <code>office_hours=false</code> )	<b>Prompt:</b> [cs0250_nm1_02] Let's try again...You can say 'Next Claim' or press 1, 'Different Number' or press 2, OR say 'I'm Finished' or press 3. <b>Let's try again...You can say 'Next Claim' or press 1,OR say 'I'm Finished' or press 2.</b>	<b>Re-Recognition:</b>
nomatch 2	If <code>office_hours=true</code>	<b>Prompt:</b> [cs0250_nm2_01] Sorry. If you'd like to hear the status of the next claim, press 1. To look up a claim with a different confirmation number, press 2. If you're finished, press 3. Or, to speak with someone about THIS application, press 0. <b>Sorry. If you'd like to hear the status of the next claim, press 1. If you're finished, press 2. Or, to speak with someone about this application, press 0.</b>	<b>Re-Recognition:</b>
nomatch 2	Else ( <code>office_hours=false</code> )	<b>Prompt:</b> [cs0250_nm2_02] Sorry. If you'd like to hear the status of the next claim, press 1. To look up a claim with a different confirmation number, press 2. Or, if you're finished, press 3. <b>Sorry. If you'd like to hear the status of the next claim, press 1. Or, if you're finished, press 2.</b>	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <code>transfer_reason =error</code>	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	If <code>office_hours=true</code>	<b>Prompt:</b> [cs0250_ni1_01] You can say 'Next Claim' or press 1, 'Different Number' or press 2, 'I'm Finished' or press 3, OR say 'Agent'	<b>Re-Recognition:</b>

		or press 0. You can say 'Next Claim' or press 1, 'I'm Finished' or press 2, OR say 'Agent' or press 0.	
noinput 1	Else ( <a href="#">office_hours</a> =false)	<b>Prompt:</b> [cs0250_ni1_02] You can say 'Next Claim' or press 1, 'Different Number' or press 2, OR say 'I'm Finished' or press 3. You can say 'Next Claim' or press 1, OR say 'I'm Finished' or press 2.	<b>Re-Recognition:</b>
noinput 2	If <a href="#">office_hours</a> =true	<b>Prompt:</b> [cs0250_ni2_01] Sorry. To hear the status of the next claim, press 1. To look up a claim with a different confirmation number, press 2. If you're done with claim status, press 3. Or, to speak with someone about THIS claim application, press 0. Sorry. To hear the status of the next claim, press 1. If you're done with claim status, press 2. Or, to speak with someone about this claim application, press 0.	<b>Re-Recognition:</b>
noinput 2	Else ( <a href="#">office_hours</a> =false)	<b>Prompt:</b> [cs0250_ni2_02] Sorry. If you'd like to hear the status of the next claim, press 1. To look up a claim with a different confirmation number, press 2. Or, if you're finished, press 3. Sorry. If you'd like to hear the status of the next claim, press 1. Or, if you're finished, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--

**Commands: State-Specific Behavior**

[See 1.2 Global Commands](#)

**Commands: Confirmations**

[See 1.2 Global Commands](#)


**Config Parameters**

Parameter	Value
--	--

**Developer Notes**

--

**cs0260\_NoStatusEnd\_DM**

<b>CustomContext Recognition</b> 
<p>This state is for callers where 0 claims were returned by the backend. This state also is for callers who have heard the final claim application for a given confirmation number.</p> <p>NOTE: This state is currently unreachable because, while correct as designed, the backend is currently returning a generic '9999' error code in the event of 0 claims</p> <p><b>Entering From</b></p>


cs0200_ClaimsRetrieval_DB			
Initial Prompts			
Type	Condition		Wording
initial	If claims_transaction_status=no_application AND If office_hours=true		cs0260_ini_01 Now, to look up a different confirmation number, say 'Different Number.' To speak to someone about THIS claim, say 'Agent.' Or, if you're finished, just say 'I'm Finished.'
initial	Else		cs0260_ini_02 To look up a different confirmation number, say 'Different Number.' Or, if you're finished, just say 'I'm Finished.'
initial	Always		cs0260_ini_03 If you'd still like to speak to someone, say 'agent'. Or, if you're finished, just say 'I'm Finished.'
reprompt	(after repeat or disconfirmation)	If claims_transaction_status=no_application AND If office_hours=true	cs0260_ree_01 To look up a different confirmation number, say 'Different Number.' To speak to someone about THIS claim, say 'Agent.' Or, if you're finished, just say 'I'm Finished.' If you'd still like to speak to someone, say 'agent'. Or, if you're finished, just say 'I'm Finished.'
Grammar			
Sample Expressions	DTMF	Reco Var/Option	Confirm
{different new} ?confirmation number // different_number	1	<cs_no_status_end_menu different_number>	If Necessary
?i'm [finished done] // finished	1	<cs_no_status_end_menu finished>	If Necessary
?i'm [finished done] // finished	2	<cs_no_status_end_menu finished>	If Necessary
repeat, repeat that // repeat	9	<cs_no_status_end_menu repeat>	Never
Actions			
Option	Condition	Action	Transition
different_number	Always	--	goto: cs0120_ConfirmationNumber_D M-DELETED
finished	Always	Assign: claims_transaction_status =success	--
^	^	Prompt: [cs0260_out_01] If you're done, feel free to hang up. Otherwise,...	Return to calling dialog: main [mm0520_ApplicationStatus_SD]
repeat	Always	Prompt: [cs0260_out_02] Sure.	Re-Recognition: Reprompt
Confirmation Prompts			
Option	Condition	Name	Wording
different_number	Always	cs0260_cnf_ini_01	You'd like to look up a different confirmation number, right?
finished	Always	cs0260_cnf_ini_02	You're done with looking up claim status, right?
Confirmation Recovery Behavior			
<a href="#">See 1.3 Global Confirmation</a>			
Recovery Behavior			
Type	Condition	Action	Transition

nomatch 1	If <code>office_hours=true</code>	<b>Prompt:</b> [cs0260_nm1_01] Let's try again... You can say 'Different Number' or press 1, 'I'm Finished' or press 2, OR if you'd like to speak with someone say 'Agent' or press 0. If you're finished, say 'I'm Finished' or press 1. Otherwise, if you'd still like to speak to someone, say 'Agent' or press 0.	<b>Re-Recognition:</b>
nomatch 1	Else ( <code>office_hours=false</code> )	<b>Prompt:</b> [cs0260_nm1_02] Let's try again... You can say 'Different Number' or press 1, OR 'I'm Finished' or press 2. If you're finished, say 'I'm Finished' or press 1. If you're finished, say 'I'm Finished' or press 1.	<b>Re-Recognition:</b>
nomatch 2	If <code>office_hours=true</code>	<b>Prompt:</b> [cs0260_nm2_01] Sorry. To look up a claim with a different confirmation number, press 1. Otherwise, if you're finished looking up claim status, press 2. OR, if you'd like to speak with someone, press 0, and I'll get someone to help you. If you're finished, press 1. Otherwise, if you'd still like to speak to someone, press 0, and I'll get someone to help you.	<b>Re-Recognition:</b>
nomatch 2	Else ( <code>office_hours=false</code> )	<b>Prompt:</b> [cs0260_nm2_02] Sorry. To look up a claim with a different confirmation number, press 1. Otherwise, if you're finished looking up claim status, press 2. Sorry. If you're finished, press 1.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <code>transfer_reason =error</code>	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	If <code>office_hours=true</code>	<b>Prompt:</b> [cs0260_ni1_01] You can say 'Different Number' or press 1, 'I'm Finished' or press 2, OR if you'd like to speak with someone say 'Agent' or press 0. You can say 'I'm Finished' or press 1. OR , if you'd like to speak with someone say 'Agent' or press 0.	<b>Re-Recognition:</b>
noinput 1	Else ( <code>office_hours=false</code> )	<b>Prompt:</b> [cs0260_ni1_02] If you'd like to look up a claim with a different confirmation number, say 'Different Number' or press 1. Otherwise, say 'I'm Finished' or press 2. If you're finished, say 'I'm Finished' or press 1.	<b>Re-Recognition:</b>
noinput 2	If <code>office_hours=true</code>	<b>Prompt:</b> [cs0260_ni2_01] Sorry. To look up a claim with a different confirmation number, press 1. Otherwise, if you're finished looking up claim status, press 2. OR, if you'd like to speak with someone, press 0, and I'll get someone to help	<b>Re-Recognition:</b>

		you. Sorry. If you're finished, press 1. OR, if you'd like to speak with someone, press 0, and I'll get someone to help you.	
noinput 2	Else (office_hours=false)	<b>Prompt:</b> [cs0260_ni2_02] Sorry. If you'd like to try a different claim number, press 1. Otherwise, press 2. Sorry. If you're finished, press 1.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--

<b>Commands: State-Specific Behavior</b>	
<a href="#">See 1.2 Global Commands</a>	
<b>Commands: Disabled Globals</b>	
repeat	
<b>Commands: Confirmations</b>	
<a href="#">See 1.2 Global Commands</a>	
<b>Config Parameters</b>	
<b>Parameter</b>	<b>Value</b>
--	--
<b>Developer Notes</b>	
This state is currently unreachable because, while correct as designed, the backend is currently returning a generic '9999' error code in the event of 0 claims	

**cs0270\_MultiLastClaimEnd\_DM**

<b>CustomContext Recognition</b> 			
This is an end menu for callers that have more than one claim. They are given the options to hear the next claim, go to the main menu, or to look up another claim with a different confirmation number.			
<b>Entering From</b>			
<a href="#">cs0210_WhichClaim_DM</a> , <a href="#">cs0230_RepeatStatus_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	If office_hours=true	cs0270_ini_01	To hear those claims again, say 'Repeat Claims.' To look up a different confirmation number, say 'Different Number.' If you'd like to speak to someone about THIS claim, say 'agent.' Or, if you're finished, just say 'I'm Finished.' To hear those claims again, say 'Repeat Claims.' If you'd like to speak to someone about this claim, say 'agent.' Or, if you're finished, feel free to hang up.
initial	Else (office_hours=false)	cs0270_ini_02	To hear those claims again, say 'Repeat Claims.' To look up a different confirmation number, say 'Different Number.' Or, if you're finished, just say 'I'm Finished.' To hear those claims again, say 'Repeat Claims.' Or, if you're finished, feel free to hang up.
<b>Grammar</b>			

Sample Expressions	DTMF	Reco Var/Option	Confirm
repeat claims, repeat ?[this that]	1	<cs_multi_last_claim_end_menu repeat_claims>	If Necessary
?i'm [finished done]	2	<cs_multi_last_claim_end_menu finished>	If Necessary
?i'm [finished done]2	3	<cs_multi_last_claim_end_menu finished>	If Necessary
[different new] ?confirmation number	2	<cs_multi_last_claim_end_menu different_number>	If Necessary

Actions			
Option	Condition	Action	Transition
repeat_claims	Always	Assign: current_claim =0	--
^	^	Prompt: [cs0270_out_01] All right.	goto: cs0210_WhichClaim_DM
different_number	Always	--	goto: es0120_ConfirmationNumber_DM-DELETED
finished	Always	Assign: claims_transaction_status =success	--
^	^	Prompt: [cs0270_out_02] If you're done, feel free to hang up. Otherwise,...	Return to calling dialog: main [mm0520_ApplicationStatus_SD]

Confirmation Prompts			
Option	Condition	Name	Wording
repeat_claims	Always	cs0270_cnf_ini_01	You want to hear those claims again, right?
different_number	Always	cs0270_cnf_ini_02	You'd like to look up a different confirmation number, right?
finished	Always	cs0270_cnf_ini_03	You're done with looking up claim status, right?

**Confirmation Recovery Behavior**  
See 1.3 Global Confirmation

Recovery Behavior			
Type	Condition	Action	Transition
nomatch 1	If office_hours=true	Prompt: [cs0270_nm1_01] Let's try again... You can say 'Repeat Claims' or press 1, 'Different Number' or press 2, 'I'm Finished' or press 3, OR say 'Agent' or press 0. Let's try again... You can say 'Repeat Claims' or press 1, 'Agent' or press 0, or if you're finished, feel free to hang up.	Re-Recognition:
nomatch 1	Else (office_hours=false)	Prompt: [cs0270_nm1_02] Let's try again... You can say 'Repeat Claims' or press 1, 'Different Number' or press 2, OR say 'I'm Finished' or press 3. Let's try again... You can say 'Repeat Claims' or press 1, or if you're finished, feel free to hang up.	Re-Recognition:
nomatch 2	If office_hours=true	Prompt: [cs0270_nm2_01] Sorry. If you'd like to hear all of those	Re-Recognition:




		claims again, press 1. To look up a claim with a different confirmation number, press 2. If you're finished, press 3. Or, to speak with someone about THIS application, press 0. Sorry. If you'd like to hear all of those claims again, press 1. To speak with someone about this application, press 0. Otherwise, if you're finished, feel free to hang up.	
nomatch 2	Else ( <code>office_hours=false</code> )	<b>Prompt:</b> [cs0270_nm2_02] Sorry. If you'd like to hear all of those claims again, press 1. To look up a claim with a different confirmation number, press 2. Or, if you're finished, press 3. Sorry. If you'd like to hear all of those claims again, press 1. Otherwise, if you're finished, feel free to hang up.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <code>transfer_reason =error</code>	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	If <code>office_hours=true</code>	<b>Prompt:</b> [cs0270_ni1_01] You can say 'Repeat Claims' or press 1, 'Different Number' or press 2, 'I'm Finished' or press 3, OR say 'Agent' or press 0. You can say 'Repeat Claims' or press 1, 'Agent' or press 0, or if you're finished, feel free to hang up.	<b>Re-Recognition:</b>
noinput 1	Else ( <code>office_hours=false</code> )	<b>Prompt:</b> [cs0270_ni1_02] You can say 'Repeat Claims' or press 1, 'Different Number' or press 2, OR say 'I'm Finished' or press 3 You can say 'Repeat Claims' or press 1, or if you're finished, feel free to hang up.	<b>Re-Recognition:</b>
noinput 2	If <code>office_hours=true</code>	<b>Prompt:</b> [cs0270_ni2_01] Sorry. If you'd like to hear all of those claims again, press 1. To look up a claim with a different confirmation number, press 2. If you're done with claim status, press 3. Or, to speak with someone about THIS claim application, press 0. Sorry. If you'd like to hear all of those claims again, press 1. To speak with someone about this claim application, press 0. Otherwise, if you're finished, feel free to hang up.	<b>Re-Recognition:</b>
noinput 2	Else ( <code>office_hours=false</code> )	<b>Prompt:</b> [cs0270_ni2_02] Sorry. If you'd like to hear all of those claims again, press 1. To look up a claim with a different confirmation number, press 2. Or, if you're finished, press 3. Sorry. If you'd like to hear all of those claims again, press 1. Otherwise, if you're finished, feel free to hang up.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> <code>transfer_reason =error</code>	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01]	--

		Sorry, we seem to be having trouble.	
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
repeat			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
--			

## 2.6 DirectDeposit Dialog

The Direct Deposit application allows callers to update their direct deposit information.

### dd0100\_PingHost\_DB

Database Call 		
Pings the host database to ensure the host is available.		
<b>Entering From</b>		
<a href="#">mm0330_DirectDeposit_SD</a>		
<b>Input parameters</b>		
Parameter	Value	
processID	Which process to pass the request to. Values are: PING, AUTH, INFO, AUTHINFO, MI, ENDSSESSION, NONE.	
requestID	Unique 10 digit ID for the request. 10 zeros, if not used.	
timestamp	Transaction timestamp.	
version	Version of the xml schema used.	
<b>Output parameters</b>		
Variable	Description	
<a href="#">dd_statusCode</a>	Possible values that can be returned are: 0000=Success, 0150=System Failure-connected but failed for other reasons, 0151=System Failure, 0152=Off hour request, and 7777=Validation failure.	
<a href="#">dd_statusDescription</a>	Status code text description.	
<b>Actions</b>		
Condition	Action	Transition
If <a href="#">dd_statusCode</a> =0000 (success)	--	<b>goto:</b> <a href="#">dd0200_IntroMsg_PP</a>
Else (failure)	Always	<b>Assign:</b> <a href="#">dd_transaction_status</a> =failure
^	If <a href="#">dd_statusCode</a> =0152 (off hours request)	<b>Prompt:</b> [dd0100_out_01] Sorry, our system is undergoing routine maintenance and I'm unable to access your records at this time. Please try back in the morning. If you'd like to speak with someone...
^	Else	<b>Prompt:</b> [dd0100_out_02] Sorry, I'm having trouble getting access to your records...
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
--		

### dd0200\_IntroMsg\_PP

Simple Play Prompt 	
Plays an intro prompt.	
<b>Entering From</b>	
<a href="#">dd0100_PingHost_DB</a>	


<b>Actions</b> [Barge-in is OFF]		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Prompt:</b> [dd0200_out_01] To get started, I have a couple of questions...	<b>goto:</b> dd0220_ReceivingBenefits_DM
<b>Developer Notes</b>		
--		

**dd0220\_ReceivingBenefits\_DM**


<b>YesNo Recognition</b>				
Asks callers whether or not they are receiving benefits.				
<b>Entering From</b>				
dd0200_IntroMsg_PP				
<b>Initial Prompts</b>				
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>	
initial	Always	dd0220_ini_01	Are you receiving retirement, survivor, or disability benefits?	
<b>Grammar</b>				
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
yes, retirement, survivor, disability		1	<cd_receiving_benefits_yesno yes>	Never
no		2	<cd_receiving_benefits_yesno no>	Never
<b>Actions</b>				
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>	
yes	Always	--	<b>goto:</b> dd0260_CallingAboutSelf_DM	
no	Always	--	<b>goto:</b> dd0230_NotEligible_PP	
<b>Recovery Behavior</b>				
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>	
nomatch 1	Always	<b>Prompt:</b> [dd0220_nm1_01] Let's try again...ARE you receiving retirement, survivor, or disability benefits?	<b>Re-Recognition:</b>	
nomatch 2	^	<b>Prompt:</b> [dd0220_nm2_01] Sorry. If you're currently receiving retirement benefits, survivor benefits, or disability benefits, press 1. If you are NOT receiving any of those benefits, press 2.	<b>Re-Recognition:</b>	
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--	
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--	
noinput 1	^	<b>Prompt:</b> [dd0220_ni1_01] If you ARE receiving benefits for retirement, survivorship, or disability, say 'Yes' or press 1. If not, say 'No', or press 2.	<b>Re-Recognition:</b>	
noinput 2	^	<b>Prompt:</b> [dd0220_ni2_01]	<b>Re-Recognition:</b>	

		Sorry. If you're currently receiving retirement benefits, survivor benefits, or disability benefits, press 1. If you are NOT receiving any of those benefits, press 2.	
noinput 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
--			

**dd0230\_NotEligible\_PP**

<b>Simple Play Prompt</b> 		
Informs callers that they must be receiving benefits in order to set up direct deposits.		
<b>Entering From</b>		
<a href="#">dd0220_ReceivingBenefits_DM</a>		
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Assign:</b> <a href="#">dd_transaction_status</a> =not_eligible	--
^	<b>Prompt:</b> [dd0230_out_01] You can only set up direct deposit if you're already receiving Social Security retirement, disability, or survivor benefit payments. In other words, you can't set them up in advance, even with the help of an agent. Now, If you're finished, feel free to hang up. Otherwise, hold on and I'll take you back to the Main Menu...	<b>Return to calling dialog:</b> <a href="#">main [mm0330_DirectDeposit_SD]</a>
<b>Developer Notes</b>		
--		

**dd0260\_CallingAboutSelf\_DM**

<b>YesNo Recognition</b> 			
Asks callers whether or not they are calling about their own benefits (as opposed to someone else's).			
<b>Entering From</b>			
<a href="#">dd0220_ReceivingBenefits_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>

initial	Always	dd0260_ini_01	And, is this change for yourself?
reprompt	(after repeat)	dd0260_ree_01	Is the change you're calling about for your OWN benefit or payment?

**Grammar**

Sample Expressions	DTMF	Reco Var/Option	Confirm
yes, my own // yes	1	<cd_calling_about_self_yesno yes>	Never
no, not mine // no	2	<cd_calling_about_self_yesno no>	Never
repeat, repeat that // repeat	9	<cd_calling_about_self_yesno repeat>	Never

**Actions**


Option	Condition	Action	Transition
no	Always	<b>Assign:</b> dd_transaction_status =not_self	--
^	^	<b>Prompt:</b> [dd0260_out_01] Okay. To set up or change someone else's direct deposit, they'll need to be with you while you speak with an agent...	<b>Return to calling dialog:</b> main [mm0330_DirectDeposit_SD]
yes	Always	<b>Prompt:</b> [dd0260_out_02] All right.	<b>goto:</b> dd0300_KBAAuthentication_SD
repeat	Always	<b>Prompt:</b> [dd0260_out_03] Sure	<b>Re-Recognition:</b> Reprompt

**Recovery Behavior**


Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [dd0260_nm1_01] Let's try again... Is the change you're calling about for your OWN benefit or payment?	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [dd0260_nm2_01] Sorry. If you're calling about a change that affects the benefits or payments that YOU receive, press 1. If you're calling on behalf of someone else, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	<b>Prompt:</b> [dd0260_ni1_01] If the change you'd like to make is for your OWN benefit or payment, say 'Yes' or press 1. If you're calling for someone else, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [dd0260_ni2_01] Sorry. If you're calling about benefits of payments that YOU receive, press 1. If you're calling on behalf of someone else, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--

<b>Commands: State-Specific Behavior</b>	
<a href="#">See 1.2 Global Commands</a>	
<b>Commands: Disabled Globals</b>	
repeat	
<b>Commands: Confirmations</b>	
<a href="#">See 1.2 Global Commands</a>	
<b>Config Parameters</b>	
<b>Parameter</b>	<b>Value</b>
--	--
<b>Developer Notes</b>	
--	

### dd0300\_KBAAuthentication\_SD

<b>Subdialog Call</b> 		
Sub dialogue call to the Knowledge Based Authentication module to collect: SSN, name, DOB, POB, and last payment.		
<b>Entering From</b>		
<a href="#">dd0260_CallingAboutSelf_DM</a>		
<b>Dialog called</b>		
Proceed to initial node in: <a href="#">KnowledgeBasedAuthentication</a>		
<b>Input parameters</b>		
<b>Parameter</b>	<b>Value</b>	
--	--	
<b>Output parameters</b>		
<b>Variable</b>	<b>Subdialog Variable</b>	
--	--	
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If <a href="#">kba_transaction_status</a> =success	<b>Prompt:</b> [dd0300_out_01] Let's move on to your direct deposit information...	<b>goto:</b> <a href="#">dd0400_DDEffectiveASAP_DM</a>
Elseif <a href="#">kba_transaction_status</a> =account_blocked	<b>Assign:</b> <a href="#">dd_transaction_status</a> =failure	<b>Return to calling dialog:</b> <a href="#">main [mm0330_DirectDeposit_SD]</a>
Elseif <a href="#">kba_transaction_status</a> =attestation_declined	<b>Assign:</b> <a href="#">dd_transaction_status</a> =failure	<b>Return to calling dialog:</b> <a href="#">main [mm0330_DirectDeposit_SD]</a>
Else ( <a href="#">kba_transaction_status</a> =failure)	<b>Assign:</b> <a href="#">dd_transaction_status</a> =failure	<b>Return to calling dialog:</b> <a href="#">main [mm0330_DirectDeposit_SD]</a>
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
--		


**dd0400\_DDEffectiveASAP\_DM**

Date Recognition 			
Asks caller if they would like the direct deposit to be effective asap.			
<b>Entering From</b>			
dd0300_KBAAuthentication_SD			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	dd0400_ini_01	Would you like direct deposit to start as soon as possible?
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
yes, yeah	1	<cd_effective_asap_yesno >	Never
no	2	<cd_effective_asap_yesno >	Never
<b>Actions</b>			
Option	Condition	Action	Transition
no	Always	<b>Prompt:</b> [dd0400_out_01] Okay.	<b>goto:</b> dd0410_EffectiveMonth_DM
yes	Always	<b>Assign:</b> effective_month =<current_date>	--
^	^	<b>Prompt:</b> [dd0400_out_02] Okay.	<b>goto:</b> dd0430_AccountType_DM
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [dd0400_nm1_01] Let's try again...Would you like direct deposit to start as soon as possible?	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [dd0400_nm2_01] Sorry. If you want the direct deposit to take effect as soon as possible, press 1. Otherwise, press 2, and I'll get the month you would like them to go into effect.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	<b>Prompt:</b> [dd0400_ni1_01] If you want the direct deposit to take effect as soon as possible say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [dd0400_ni2_01] Sorry. If you want the direct deposit to take effect as soon as possible, press 1. Otherwise, press 2, and I'll get the month you would like them to go into effect.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--



<b>Commands: State-Specific Behavior</b>	
<a href="#">See 1.2 Global Commands</a>	
<b>Commands: Confirmations</b>	
<a href="#">See 1.2 Global Commands</a>	
<b>Config Parameters</b>	
<b>Parameter</b>	<b>Value</b>
--	--
<b>Developer Notes</b>	
--	

**dd0410\_EffectiveMonth\_DM**

<b>CustomContext Recognition</b> 			
After the caller indicates that they don't want their direct deposit to start as soon as possible, asks what month they want their direct deposit to take effect.			
<b>Entering From</b>			
<a href="#">dd0400_DDEffectiveASAP_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	dd0410_ini_01	What month would you like your direct deposit to start? You can choose...
initial	If current date = (january)	dd0410_ini_02	'February', 'March' or 'April.'
initial	Elseif current date = (february)	dd0410_ini_03	'March', 'April' or 'May.'
initial	Elseif current date = (march)	dd0410_ini_04	'April', 'May' or 'June.'
initial	Elseif current date = (april)	dd0410_ini_05	'May', 'June' or 'July.'
initial	Elseif current date = (may)	dd0410_ini_06	'June', 'July' or 'August.'
initial	Elseif current date = (june)	dd0410_ini_07	'July', 'August' or 'September.'
initial	Elseif current date = (july)	dd0410_ini_08	'August', 'September' or 'October.'
initial	Elseif current date = (august)	dd0410_ini_09	'September', 'October' or 'November.'
initial	Elseif current date = (september)	dd0410_ini_10	'October', 'November' or 'December.'
initial	Elseif current date = (october)	dd0410_ini_11	'November', 'December' or 'January.'
initial	Elseif current date = (november)	dd0410_ini_12	'December', 'January' or 'February.'
initial	Else (current date = (december))	dd0410_ini_13	'January', 'February' or 'March.'
<b>Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
January, February, March, April, May, June, July, August, September, October, November, December, this month, next month	1,2, 3	<cd_effective_month >	If Necessary
as soon as possible	--	<cd_effective_month soon_as_possible>	If Necessary
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
<month_1>	Always	Assign: effective_month =<current month + 1>	--

<month_2>	Always	<b>Assign:</b> effective_month =<current month + 2>	--
<month_3>	Always	<b>Assign:</b> effective_month =<current month + 3>	--
soon_as_possible	Always	<b>Assign:</b> effective_month =<current_date>	--
Always	Always	<b>Prompt:</b> [dd0410_out_01] Sure.	<b>goto:</b> dd0430_AccountType_DM

**Confirmation Prompts**

Option	Condition	Name	Wording
as soon as possible	--	dd0410_cnf_ini_1 4	You want deposits to start as soon as possible...
<month>	Always	dd0410_cnf_ini_1 3	You want deposits to start in...
january	Always	dd0410_cnf_ini_0 1	'January.'
february	Always	dd0410_cnf_ini_0 2	'February.'
march	Always	dd0410_cnf_ini_0 3	'March.'
april	Always	dd0410_cnf_ini_0 4	'April.'
may	Always	dd0410_cnf_ini_0 5	'May.'
june	Always	dd0410_cnf_ini_0 6	'June.'
july	Always	dd0410_cnf_ini_0 7	'July.'
august	Always	dd0410_cnf_ini_0 8	'August.'
september	Always	dd0410_cnf_ini_0 9	'September.'
october	Always	dd0410_cnf_ini_1 0	'October.'
november	Always	dd0410_cnf_ini_1 1	'November.'
december	Always	dd0410_cnf_ini_1 2	'December.'
--	Always	gl_cnf_ini_02	Right?

**Confirmation Recovery Behavior**

[See 1.3 Global Confirmation](#)

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [dd0410_nm1_01] Let's try again... You can say...	<b>Re-Recognition:</b>
nomatch 1	If current date = (january)	<b>Prompt:</b> [dd0410_nm1_02] 'February' or press 1, 'March' or press 2, OR 'April' or press 3.	<b>Re-Recognition:</b>
nomatch 1	If current date = (february)	<b>Prompt:</b> [dd0410_nm1_13]	<b>Re-Recognition:</b>

		'March' or press 1, 'April' or press 2, OR 'May' or press 3.	
nomatch 1	If current date = (march)	<b>Prompt:</b> [dd0410_nm1_12] 'April' or press 1, 'May' or press 2, OR 'June' or press 3.	<b>Re-Recognition:</b>
nomatch 1	If current date = (april)	<b>Prompt:</b> [dd0410_nm1_11] 'May' or press 1, 'June' or press 2, OR 'July' or press 3.	<b>Re-Recognition:</b>
nomatch 1	If current date = (may)	<b>Prompt:</b> [dd0410_nm1_10] 'June' or press 1, 'July' or press 2, OR 'August' or press 3.	<b>Re-Recognition:</b>
nomatch 1	If current date = (june)	<b>Prompt:</b> [dd0410_nm1_09] 'July' or press 1, 'August' or press 2, OR 'September' or press 3.	<b>Re-Recognition:</b>
nomatch 1	If current date = (july)	<b>Prompt:</b> [dd0410_nm1_08] 'August' or press 1, 'September' or press 2, OR 'October' or press 3.	<b>Re-Recognition:</b>
nomatch 1	If current date = (august)	<b>Prompt:</b> [dd0410_nm1_07] 'September' or press 1, 'October' or press 2, OR 'November' or press 3.	<b>Re-Recognition:</b>
nomatch 1	If current date = (september)	<b>Prompt:</b> [dd0410_nm1_06] 'October' or press 1, 'November' or press 2, OR 'December' or press 3.	<b>Re-Recognition:</b>
nomatch 1	If current date = (october)	<b>Prompt:</b> [dd0410_nm1_05] 'November' or press 1, 'December' or press 2, OR 'January' or press 3.	<b>Re-Recognition:</b>
nomatch 1	If current date = (november)	<b>Prompt:</b> [dd0410_nm1_04] 'December' or press 1, 'January' or press 2, OR 'February' or press 3.	<b>Re-Recognition:</b>
nomatch 1	Else (current date = (december))	<b>Prompt:</b> [dd0410_nm1_03] 'January' or press 1, 'February' or press 2, OR 'March' or press 3.	<b>Re-Recognition:</b>
nomatch 2	Always	<b>Prompt:</b> [dd0410_nm2_01] Sorry. To start direct deposit in...	<b>Re-Recognition:</b>
nomatch 2	If current date = (january)	<b>Prompt:</b> [dd0410_nm2_02] February press 1, March press 2, or for April, press 3.	<b>Re-Recognition:</b>
nomatch 2	If current date = (february)	<b>Prompt:</b> [dd0410_nm2_03] March press 1, April press 2, or for May, press 3.	<b>Re-Recognition:</b>
nomatch 2	If current date = (march)	<b>Prompt:</b> [dd0410_nm2_04] April press 1, May press 2, or for June, press 3.	<b>Re-Recognition:</b>
nomatch 2	If current date = (april)	<b>Prompt:</b> [dd0410_nm2_05] May press 1, June press 2, or for July, press 3.	<b>Re-Recognition:</b>
nomatch 2	If current date = (may)	<b>Prompt:</b> [dd0410_nm2_06] June press 1, July press 2, or for August, press 3.	<b>Re-Recognition:</b>
nomatch 2	If current date = (june)	<b>Prompt:</b> [dd0410_nm2_07] July press 1, August press 2, or for September, press 3.	<b>Re-Recognition:</b>
nomatch 2	If current date = (july)	<b>Prompt:</b> [dd0410_nm2_08] August press 1, September press 2, or for October, press 3.	<b>Re-Recognition:</b>

nomatch 2	If current date = (august)	<b>Prompt:</b> [dd0410_nm2_09] September press 1, October press 2, or for November, press 3.	<b>Re-Recognition:</b>
nomatch 2	If current date = (september)	<b>Prompt:</b> [dd0410_nm2_10] October press 1, November press 2, or for December, press 3.	<b>Re-Recognition:</b>
nomatch 2	If current date = (october)	<b>Prompt:</b> [dd0410_nm2_11] November press 1, December press 2, or for January, press 3.	<b>Re-Recognition:</b>
nomatch 2	If current date = (november)	<b>Prompt:</b> [dd0410_nm2_12] December press 1, January press 2, or for February, press 3.	<b>Re-Recognition:</b>
nomatch 2	Else (current date = (december))	<b>Prompt:</b> [dd0410_nm2_13] January press 1, February press 2, or for March, press 3.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <a href="#">effective_month</a> =<current month + 1>	--
nomatch 3	^	<b>Prompt:</b> [dd0410_nm3_01] Sorry, I'm having trouble. I'll go ahead and start them as soon as possible...	<b>goto:</b> <a href="#">dd0430_AccountType_DM</a>
noinput 1	Always	<b>Prompt:</b> [dd0410_ni1_01] You can say...	<b>Re-Recognition:</b>
noinput 1	If current date = (january)	<b>Prompt:</b> [dd0410_ni1_02] 'February' or press 1, 'March' or press 2, OR 'April' or press 3.	<b>Re-Recognition:</b>
noinput 1	If current date = (february)	<b>Prompt:</b> [dd0410_ni1_03] 'March' or press 1, 'April' or press 2, OR 'May' or press 3.	<b>Re-Recognition:</b>
noinput 1	If current date = (march)	<b>Prompt:</b> [dd0410_ni1_04] 'April' or press 1, 'May' or press 2, OR 'June' or press 3.	<b>Re-Recognition:</b>
noinput 1	If current date = (april)	<b>Prompt:</b> [dd0410_ni1_05] 'May' or press 1, 'June' or press 2, OR 'July' or press 3.	<b>Re-Recognition:</b>
noinput 1	If current date = (may)	<b>Prompt:</b> [dd0410_ni1_06] 'June' or press 1, 'July' or press 2, OR 'August' or press 3.	<b>Re-Recognition:</b>
noinput 1	If current date = (june)	<b>Prompt:</b> [dd0410_ni1_07] 'July' or press 1, 'August' or press 2, OR 'September' or press 3.	<b>Re-Recognition:</b>
noinput 1	If current date = (july)	<b>Prompt:</b> [dd0410_ni1_08] 'August' or press 1, 'September' or press 2, OR 'October' or press 3.	<b>Re-Recognition:</b>
noinput 1	If current date = (august)	<b>Prompt:</b> [dd0410_ni1_09] 'September' or press 1, 'October' or press 2, OR 'November' or press 3.	<b>Re-Recognition:</b>
noinput 1	If current date = (september)	<b>Prompt:</b> [dd0410_ni1_10] 'October' or press 1, 'November' or press 2, OR 'December' or press 3.	<b>Re-Recognition:</b>
noinput 1	If current date = (october)	<b>Prompt:</b> [dd0410_ni1_11] 'November' or press 1, 'December' or press 2, OR 'January' or press 3.	<b>Re-Recognition:</b>
noinput 1	If current date = (november)	<b>Prompt:</b> [dd0410_ni1_12] 'December' or press 1, 'January' or press 2, OR 'February' or press 3.	<b>Re-Recognition:</b>

noinput 1	Else (current date = (december))	<b>Prompt:</b> [dd0410_ni1_13] 'January' or press 1, 'February' or press 2, OR 'March' or press 3.	<b>Re-Recognition:</b>
noinput 2	Always	<b>Assign:</b> <code>effective_month =&lt;current month + 1&gt;</code>	--
noinput 2	^	<b>Prompt:</b> [dd0410_ni2_01] Let's move on. I'll go ahead and start them as soon as possible...	<b>goto:</b> <a href="#">dd0430_AccountType_DM</a>

**Commands: State-Specific Behavior**

[See 1.2 Global Commands](#)

**Commands: Confirmations**

[See 1.2 Global Commands](#)

**Config Parameters**

Parameter	Value
--	--

**Developer Notes**

Code must calculate the three specific months based on current date and SSA business practices. The prompt MonthChoices is then the concatenation of the first and second month in medial inflection, and the third month in final inflection. "One Step Correction" strategy should be available to the Caller (e.g., "No, February") -- This means both the collection grammar and the confirmation grammar are active during the confirmation phase. (This can be done as a parallel grammar.) The grammar that should be accepted includes "as soon as possible" (ASAP) and its synonyms, the three specific months calculated above, and any additional months between the current month and the first of the calculated months. For example, if a call is received toward the end of September, the valid months are October, November and December, but the grammar should include September, October, November, December, and the ASAP synonyms, and September and October should be mapped the same as ASAP. The current month is not prompted, but it should be recognized and handled the same as ASAP.

**dd0430\_AccountType\_DM**

**CustomContext Recognition** 

Asks callers for the type of account for direct deposit setup.

**Entering From**

[dd0400\\_DDEffectiveASAP\\_DM](#), [dd0410\\_EffectiveMonth\\_DM](#)

**Initial Prompts**

Type	Condition	Name	Wording
initial	Always	dd0430_ini_01	So, tell me the type of account you'd like to use: 'Checking,' 'Savings,' or 'Investment.' Or say 'I Don't Have One.'
reprompt	(after repeat or disconfirmation)	dd0430_ree_01	Tell me the type of account you'd like to use: 'Checking,' 'Savings,' or 'Investment.' Or say 'I Don't Have One.'

**Grammar**

Sample Expressions	DTMF	Reco Var/Option	Confirm
checking, checking account // checking	1	< <a href="#">cd_account_type_menu</a> checking>	If Necessary
savings, savings account // savings	2	< <a href="#">cd_account_type_menu</a> savings>	If Necessary
investment, investment account // investment	3	< <a href="#">cd_account_type_menu</a> investment>	If Necessary
i don't have one, i don't have an account	4	< <a href="#">cd_account_type_menu</a>	If Necessary

// dont_have		dont_have>	
repeat, repeat that // repeat	9	<cd_account_type_menu repeat>	Never

<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
checking	Always	<b>Assign:</b> bank_account_type =checking	--
^	^	<b>Prompt:</b> [dd0430_out_01] Okay.	<b>goto:</b> dd0440_CollectRoutingNumber_DM
dont_have	Always	<b>Assign:</b> dd_transaction_status =dont_have_info	--
^	^	<b>Prompt:</b> [dd0430_out_02] I'm afraid we can't go on if you don't have a bank account. Please call back as soon as you have one and I'll be glad to help you. For now I'll take you back to the main menu...	<b>Return to calling dialog:</b> main [mm0330_DirectDeposit_SD]
investment	Always	<b>Assign:</b> bank_account_type =investment	--
^	^	<b>Prompt:</b> [dd0430_out_03] Okay.	<b>goto:</b> dd0440_CollectRoutingNumber_DM
savings	Always	<b>Assign:</b> bank_account_type =savings	--
^	^	<b>Prompt:</b> [dd0430_out_04] Okay.	<b>goto:</b> dd0440_CollectRoutingNumber_DM
repeat	Always	<b>Prompt:</b> [dd0430_out_05] Sure.	<b>Re-Recognition:</b> Reprompt

<b>Confirmation Prompts</b>			
<b>Option</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
checking	Always	dd0430_cnf_ini_01	You'd like to set up direct deposits into a CHECKING account, right?
dont_have	Always	dd0430_cnf_ini_02	You don't have a checking, savings, or investment account for direct deposit, right?
investment	Always	dd0430_cnf_ini_03	You'd like to set up direct deposits into an INVESTMENT account, right?
savings	Always	dd0430_cnf_ini_04	You'd like to set up direct deposits into a SAVINGS account, right?

**Confirmation Recovery Behavior**

[See 1.3 Global Confirmation](#)

**Recovery Behavior**

<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [dd0430_nm1_01] Let's try again. You can say 'Checking' or press 1, 'Savings' or press 2, 'Investment' or 3, OR say 'I Don't Have One' or press 4.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [dd0430_nm2_01] Sorry. For direct deposit, you'll need a CHECKING, SAVINGS, or	<b>Re-Recognition:</b>

		INVESTMENT account (with a BANK ROUTING number and an ACCOUNT number) that belongs to YOU and from which you can withdraw funds. To set up direct deposit into a checking account, press 1. To set up a savings account, press 2. For an investment account, press 3. Or, if you don't have any of those types of bank accounts, press 4.	
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	<b>Prompt:</b> [dd0430_ni1_01] For direct deposit, you'll need a CHECKING, SAVINGS, or INVESTMENT account (with a BANK ROUTING number and an ACCOUNT number) that belongs to YOU and from which you can withdraw funds. To set up direct deposit into a checking account, say 'Checking' (or press 1). To set up a savings account, say 'Savings' (or 2). For an investment account, 'Investment' (or 3). Or, if you don't have any of those types of bank accounts, say 'I Don't Have One' or press 4.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [dd0430_ni2_01] Sorry. To set up direct deposit into a checking account, press 1. To set up a savings account, press 2. For an investment account, press 3. Or, if you don't have any of those types of bank accounts, press 4.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
repeat			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
--			

**dd0440\_CollectRoutingNumber\_DM**


<b>Digits Recognition</b>	
Asks callers for a nine-digit routing number.	

<b>Entering From</b>			
<a href="#">dd0430_AccountType_DM</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	dd0440_ini_01	Next, say or enter the 9-digit ROUTING number.
reprompt	(after repeat or disconfirmation)	dd0440_ree_01	Tell me the 9-digit routing number for your account, or enter it on your phone's keypad.
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
<routing number>	<9-digit string>	< <a href="#">cd_routing_number</a> <routing number>>	Always
i don't know, don't know	--	< <a href="#">cd_routing_number</a> dont_know>	If Necessary
repeat, repeat that	9	< <a href="#">cd_routing_number</a> repeat>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
<routing number>	Always	<b>Assign:</b> <a href="#">bank_routing_number</a> = <a href="#">&lt;routing number&gt;</a>	<b>goto:</b> <a href="#">dd0450_CollectAccountNumber_DM</a>
dont_know	Always	<b>Assign:</b> <a href="#">dd_transaction_status</a> = <a href="#">dont_know_info</a>	--
^	^	<b>Prompt:</b> [dd0440_out_01] I'm sorry, but without your bank routing number I won't be able to help you set up direct deposit. Please call back as soon as you have it and I'll be glad to help you. For now I'll take you back to the main menu...	<b>Return to calling dialog:</b> <a href="#">main</a> <a href="#">[mm0330_DirectDeposit_SD]</a>
repeat	Always	<b>Prompt:</b> [dd0440_out_02] Sure.	<b>Re-Recognition:</b> Reprompt
<b>Confirmation Prompts</b>			
Option	Condition	Name	Wording
<routing number>	Always	dd0440_cnf_ini_01	Just to confirm, the routing number is...
^	Always	dd0440_cnf_ini_02	...<routing number>.
^	Always	dd0440_cnf_ini_03	Right?
dont_know	Always	dd0440_cnf_ini_04	You don't know your banks routing number, is that right?
<b>Confirmation Recovery Behavior</b>			
<a href="#">See 1.3 Global Confirmation</a>			
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [dd0440_nm1_01] Let's try again. Say or enter your banks nine-digit routing number.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [dd0440_nm2_01] Sorry. In order to set up your direct	<b>Re-Recognition:</b>



		deposit I need your banks routing number. Please enter your banks nine digit routing number now.	
nomatch 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	<b>Prompt:</b> [dd0440_ni1_01] Say or enter the nine-digit routing number.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [dd0440_ni2_01] Sorry. In order to set up your direct deposit I need your banks routing number. Please enter your banks nine digit routing number now.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
repeat			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
--			

### dd0450\_CollectAccountNumber\_DM

<b>Digits Recognition</b>			
Asks callers for their bank account number. NOTE: the range of acceptable values for account number is 4-17 digits			
<b>Entering From</b>			
<a href="#">dd0440_CollectRoutingNumber_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	dd0450_ini_01	And what's your ACCOUNT number?
reprompt	(after repeat or disconfirmation)	dd0450_ree_01	Tell me your account number, or enter it on your phone's keypad.
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
<account number> // the range of acceptable values for account number is 4-17 digits		--	< <a href="#">cd_account_number</a> <account number>>
repeat, repeat that // repeat		9	< <a href="#">cd_account_number</a> repeat>
			<b>Confirm</b>
			Always
			Never

<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
<account number>	Always	<b>Assign:</b> bank_account_number =<account number>	--
^	^	<b>Prompt:</b> [dd0450_out_01] Great. Hold on while I submit this. (It may take a few seconds...)	<b>goto:</b> dd0460_SendDirectDepositInfo_DB
repeat	Always	<b>Prompt:</b> [dd0450_out_02] Sure.	<b>Re-Recognition:</b> Reprompt

<b>Confirmation Prompts</b>			
<b>Option</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
<account number>	Always	dd0450_cnf_ini_01	Your account number is...
^	Always	dd0450_cnf_ini_02	...<account number>.
--	Always	gl_cnf_ini_02	Right?

**Confirmation Recovery Behavior**

[See 1.3 Global Confirmation](#)

**Recovery Behavior**

<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [dd0450_nm1_01] Let's try again... Say or enter your bank account number one more time.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [dd0450_nm2_01] Sorry. You can find your account number on your bank statement or, if it's a checking account, at the bottom of your check, to the right of the routing number. Please enter your account number now.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	<b>Prompt:</b> [dd0450_ni1_01] Go ahead and say or enter your bank account number.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [dd0450_ni2_01] Sorry. You can find your account number on your bank statement or, if it's a checking account, at the bottom of your check, to the right of the routing number. Please enter your account number now.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--

**Commands: State-Specific Behavior**

[See 1.2 Global Commands](#)

**Commands: Disabled Globals**

repeat
--------

<b>Commands: Confirmations</b>	
<a href="#">See 1.2 Global Commands</a>	
<b>Config Parameters</b>	
<b>Parameter</b>	<b>Value</b>
--	--
<b>Developer Notes</b>	
--	

**dd0460\_SendDirectDepositInfo\_DB**

<b>Database Call</b>		
Sends direct deposit info to the backend database.		
<b>Entering From</b>		
<a href="#">dd0450_CollectAccountNumber_DM</a>		
<b>Input parameters</b>		
<b>Parameter</b>	<b>Value</b>	
processID	Which process to pass the request to. Values are: PING, AUTH, INFO, AUTHINFO, MI, ENDSSESSION, NONE.	
requestID	Unique 10 digit ID for the request. 10 zeros, if not used.	
timestamp	Transaction timestamp.	
version	Version of the xml schema used.	
actionType	--	
ui	Type of user, T for Telephone	
accountType	1 character account type. The available choices are C (for checking), S (for savings), and I (for investment).	
routingNumber	Bank routing number	
accountNumber	Account Number	
effective	2-digit string representing the effective month in the format MM. The months (MM) are in the range of 01 to 12	
ani	Caller's 10 digit ANI. All zeros if unavailable.	
<b>Output parameters</b>		
<b>Variable</b>	<b>Description</b>	
<a href="#">dd_statusCode</a>	Possible values that can be returned are: 0000=Success, 0001=Data is valid and processed and the user already has direct deposit, 0002=Data is valid and processed and the user does not have direct deposit, 0150=System Failure-connected but failed for other reasons, 0151=System Failure, 0152=Off hour request, 0508=Block Access, 7777=Validation failure, 8888=Not authenticated/authorized, and 9999=Data is invalid.	
<a href="#">dd_statusDescription</a>	Status code text description.	
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If success	Always	<b>Assign:</b> <a href="#">dd_transaction_status</a> =success --
^	^	<b>Prompt:</b> [dd0460_out_01] All set! Your direct deposit has been sent for processing which may take up to three --

		business days. As requested...	
^	If effective_month = <current_date>	<b>Prompt:</b> [dd0460_out_02] ...this change will be effective as soon as possible.	--
^	Else	<b>Prompt:</b> [dd0460_out_03] ...this change will go into effect in...	--
^	^	<b>Prompt:</b> [dd0460_out_04] <effective_month>	--
^	Always	<b>Prompt:</b> [dd0460_out_05] You will receive a confirmation letter in the mail. Now, if you're finished, feel free to hang up. Otherwise...	<b>Return to calling dialog:</b> <a href="#">main [mm0330_DirectDeposit_SD]</a>
Else (failure)	Always	<b>Assign:</b> dd_transaction_status =failure	--
^	If dd_statusCode=0152 (off hours request)	<b>Prompt:</b> [dd0460_out_06] Sorry, our system is undergoing routine maintenance and I'm unable to access your records at this time. Please try back in the morning. If you'd like to speak with someone...	<b>Return to calling dialog:</b> <a href="#">main [mm0330_DirectDeposit_SD]</a>
^	Else	<b>Prompt:</b> [dd0460_out_07] Sorry, but I'm having trouble processing this request.	<b>Return to calling dialog:</b> <a href="#">main [mm0330_DirectDeposit_SD]</a>
<b>Recovery Behavior</b>			
<a href="#">See 1.1 Global Recovery Behavior</a>			
<b>Developer Notes</b>			
--			


## 2.7 FieldOfficeLocator Dialog

This application provides Social Security field office and card center locations based on a zip code entered by the caller.

Spanish Notes:


- Spanish functionality is DTMF-only
- Please see the main Spanish application for global behavior
- If the Spanish application is transferring (e.g., due to max nomatch), the application will go to mm0400\_ProcessTransfer\_DS in the main Spanish application.

### f10100\_GetZipCode\_DM

CustomContext Recognition 			
Asks the caller for the zip code where they'd like to find a Social Security field office.			
<b>Entering From</b>			
f10120_OfficeLocationInfo_DM, f10125_CardCenterInfo_DM, f10140_ZipFailedFirstTimeMsg_PP, mm0320_FieldOfficeLocator_SD			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	If fol_zip_code_entry=first	f10100_ini_01	Go ahead and say or enter the five-digit zip code of the area where you want to find an office.
initial	Elseif fol_zip_code_entry=change	f10100_ini_02	What's the zip code?
initial	Elseif fol_zip_code_entry=sacramento	f10100_ini_03	What's the zip code for your home address?
initial	Else (fol_zip_code_entry=not_found):	f10100_ini_04	Go ahead and say or enter the five-digit zip code of the area where I should search.
reprompt	Always	f10100_ree_01	WHAT's the five-digit zip code?
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
<zip code>	--	<fol_zip_code_collection <zip code>>	If Necessary
I don't know, I'm not sure	--	<fol_zip_code_collection dont_know>	If Necessary
<b>Actions</b>			
Option	Condition	Action	Transition
<zip code>	--	<b>Assign:</b> fol_zip_code =<zip code>	--
^	--	<b>Prompt:</b> [f10100_out_09] Thanks.	<b>goto:</b> f10102_FindCCFromZip_DB
dont_know	--	<b>Assign:</b> fol_transaction_status =dont_know_zip	--
^	--	<b>Prompt:</b> [f10100_out_10] Okay.	<b>Return to calling dialog:</b> main [mm0320_FieldOfficeLocator_SD]
<b>Confirmation Prompts</b>			
Option	Condition	Name	Wording
<ssn>	Always	f10100_cnf_ini_01	That zip code is
^	Always	f10100_cnf_ini_02	<ssn>
^	Always	f10100_cnf_ini_03	Right?

dont_know	Always	f10100_cnf_ini_04	Sounds like you don't know the zip code, right?
<b>Confirmation Recovery Behavior</b>			
<a href="#">See 1.3 Global Confirmation</a>			
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [f10100_nm1_01] Let's try again... Please say the five-digit zip code where you'd like me to search like this: 1 2 3 0 0, or enter it on your keypad.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [f10100_nm2_01] Sorry. I need to know the zip code where you'd like me to search for a local Social Security office. Using your telephone keypad, enter the five-digit zip code now.	<b>Re-Recognition:</b>
noinput 1	^	<b>Prompt:</b> [f10100_ni1_01] Please say the five-digit zip code where you'd like me to search like this: 1 2 3 0 0, or enter it on your keypad.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [f10100_ni2_01] Sorry. I need to know the zip code where you'd like me to search for a local Social Security office. Using your telephone keypad, enter the five-digit zip code now.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
Parameter	Value		
--	--		
<b>Developer Notes</b>			
The Spanish application will never confirm.			


**f10102\_FindCCFromZip\_DB**

<b>Database Call</b> 
Database hit to retrieve the closest card center office based on the zip code the caller gave.
<b>Entering From</b>
<a href="#">f10100_GetZipCode_DM</a>

<b>Input parameters</b>				
<b>Parameter</b>		<b>Value</b>		
zipCode		The five digit zip code where the caller would like to search.		
<b>Output parameters</b>				
<b>Variable</b>		<b>Description</b>		
fl_hoursOfOperation		The field office hours of operation.		
fl_drivingDirections		Driving directions to the field office.		
fl_phoneNumber		The field office phone number.		
fl_serviceProvided		Services provided by the field office.		
fl_officeName		The name of the field office.		
fl_officeType		The type of field office.		
fl_officeTypeText		--		
fl_regionalOfficeNumber		--		
fl_officeOpenCloseSwitch		--		
fl_officeAddress		The field office's physical address.		
fl_addressType		--		
fl_streeAddressLine1		--		
fl_streetAddressLine2		--		
fl_streetAddressLine3		--		
fl_streetAddressLine4		--		
fl_city		--		
fl_state		--		
fl_zip5		--		
fl_zip4		--		
fl_officeTelephone		--		
fl_telephoneNumber		--		
fl_telephoneExtension		--		
fl_faxNumber		--		
fl_faxNumberExtension		--		
fl_fieldOfficeStateAndCountyCode		--		
fl_openAndCloseDayOfWeek		--		
fl_openingTime24HourTime		--		
fl_closingTime24HourTime		--		
fl_wrapperForGeneralDirectionLines		--		
fl_generalDirectionLine		--		
<b>Actions</b>				
<b>Condition</b>			<b>Action</b>	<b>Transition</b>
success	If card_center found	If ss_card_requested=true	--	goto: fl0125_CardCenterInfo_DM
^	^	Else	--	goto: fl0105_CardCenterNeededQuestion_DM

^	Else	--	<b>goto:</b> fl0135_FindFOFromZip_DB
failure		<b>Assign:</b> fol_transaction_status =failure	<b>Return to calling dialog:</b> main [mm0320_FieldOfficeLocator_SD]
<b>Recovery Behavior</b>			
See 1.1 Global Recovery Behavior			
<b>Developer Notes</b>			
--			


**fl0105\_CardCenterNeededQuestion\_DM**

CustomContext Recognition 			
Asks the caller if they need to get a Social Security card. If yes, they'll need to visit the card center instead of the field office in their area.			
<b>Entering From</b>			
fl0102_FindCCFromZip_DB			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	fl0105_ini_01	Do you need to get a Social Security card?
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
yes, yeah	1	<card_center_needed_yesno yes>	Never
no	2	<card_center_needed_yesno no>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
yes	Else (card_center =dptscc OR npscc OR lvscc OR oscc OR brooklyn OR queens OR minneapolis OR pscc)	<b>Prompt:</b> [fl0105_out_02] All right.	<b>goto:</b> fl0125_CardCenterInfo_DM
no	Always	--	--
^	^	--	<b>goto:</b> fl0135_FindFOFromZip_DB
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [fl0105_nm1_01] Let's try again...DO you need to get a Social Security card?	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [fl0105_nm2_01] Sorry. In order to direct you to the correct office, I need to know if you'll be getting a Social Security card. If you need a Social Security card, press 1. If not, press 2.	<b>Re-Recognition:</b>
noinput 1	^	<b>Prompt:</b> [fl0105_ni1_01] If you need to get a Social Security card say 'Yes' or press 1. If not, say 'No', or press 2.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [fl0105_ni2_01] Sorry. In order to direct you to the correct office, I need to know if you'll be getting a Social Security card. If you need a Social Security card,	<b>Re-Recognition:</b>



		press 1. If not, press 2.	
nomatch 3	Always	<b>Assign:</b> <code>transfer_reason =error</code>	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 3	Always	<b>Assign:</b> <code>transfer_reason =error</code>	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
--			

### fl0120\_OfficeLocationInfo\_DM

			<b>CustomContext Recognition</b> 
Plays back the address and phone number of the closest field office correlating to the zip code given and then gives the options to repeat, search another zip code, or return to the main menu (finished).			
<b>Entering From</b>			
<a href="#">fl0125_CardCenterInfo_DM</a> , <a href="#">fl0137_RetrieveOfficeDetails_DB</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	If <code>office_location_entry=first</code>	fl0120_ini_01	Okay, here's information for the servicing office in the zip code you gave me.
initial	Elseif <code>office_location_entry=from_card_center</code>	fl0120_ini_02	Okay, here's information for the local office in your zip code.
initial	Else ( <code>office_location_entry=reentry</code> )	fl0120_ini_03	Sure, here's that information again.
initial	Always	fl0120_ini_04	The street address is
initial	^	fl0120_ini_05	<ADDRLN_1> (plays silence instead of "Social Security")
initial	^	fl0120_ini_36	<ADDRLN_3>
initial	^	fl0120_ini_37	<ADDRLN_2>
initial	^	fl0120_ini_38	<ADDRLN_4>
initial	^	fl0120_ini_39	<CITY28>
initial	^	fl0120_ini_40	<ST>
initial	^	fl0120_ini_41	<ZIP5>
initial	^	fl0120_ini_06	<100ms silence>
initial	Begin hours playback	Note	[NOTE: If fo_hours_of_operation is NOT null, play the following hours prompts:]
initial	Always	fl0120_ini_07	The hours of operation are...

initial	^		f10120_ini_08	<100ms slience>
initial	^		Note	NOTE: Cycle through for all day ranges.
initial	If playing more than two consecutive weekdays with the same operational hours	If Weekdays are Monday through Friday	f10120_ini_17	Monday through Friday...
initial	^	Else	f10120_ini_18	<from_start_day_of_week_mid> (e.g., "Monday")
initial	^	^	f10120_ini_19	<100ms slience>
initial	^	^	f10120_ini_20	<to_end_day_of_week_comma> (e.g., "through Thursday")
initial	^	Always	f10120_ini_21	<100ms slience>
initial	Else If playing two weekdays with the same operational hours (consecutive or not) OR More than two non-consecutive weekdays with the same operational hours	If playing last set of hours when there is more than 1 set (e.g, not when we *only* say Monday and Friday from 9am-5pm)	f10120_ini_22	<and_start_day_of_week_mid> (e.g., "and monday")
initial	^	Else (Only one set of hours, OR not last set of hours OR Not last day in set)  (cycle through until the last day in the set, including the pause)	f10120_ini_23	<start_day_of_week_mid> (e.g., "Monday")
initial	^	Always	f10120_ini_24	<100ms slience>
initial	^	Always if last day in set	f10120_ini_25	<and_end_day_of_week_comma> (e.g., "and Friday")
initial	^	Always	f10120_ini_26	<100ms slience>
initial	Else (playing weekdays one by one with different operational hours)	If NOT playing the last single day of the week.  (cycle through until the last day in the set, including the pause)	f10120_ini_27	<start_day_of_week_mid> (e.g., "Saturday")
initial	^	^	f10120_ini_28	<100ms slience>
initial	^	If last single day of the week	f10120_ini_29	<and_start_day_of_week_mid> (e.g., "and Sunday")
initial	^	Always	f10120_ini_30	<100ms slience>
initial	If playing time	Always	f10120_ini_31	<from_time_mid> (e.g., "from 7am")
initial	^	^	f10120_ini_32	<100ms slience>
initial	^	^	f10120_ini_33	<to_time_fin> (e.g., to "7pm")
initial	^	^	f10120_ini_34	<100ms slience>
initial	If played closed time for last group or weekdays		f10120_ini_35	Except Federal holidays.
initial	^		f10120_ini_09	<100ms slience>
initial	End hours playback		Note	[NOTE: End hours playback]
initial	If fo_phone_number = undefined OR 18007721213 AND isPhasell = false		f10120_ini_10	There is no direct phone number for this office.

initial	^	f10120_ini_11	<100ms slience>
initial	Else	f10120_ini_12	And the phone number is
initial	^	f10120_ini_13	<fo phone number>
initial	^	f10120_ini_14	<100ms slience>
initial	If <a href="#">office_location_entry</a> ≠reentry	f10120_ini_15	To hear that again, say 'Repeat that.' Otherwise, to search in a DIFFERENT zip code, say 'Change Zip Code.' Or, if you're finished, just say 'I'm finished.'
initial	Else ( <a href="#">office_location_entry</a> =reentry)	f10120_ini_16	To search in a DIFFERENT zip code, say 'Change Zip Code.' Or, if you're finished, just say 'I'm finished.'
reprompt	If <a href="#">office_location_entry</a> ≠reentry	f10120_ree_01	My mistake. You can say 'Repeat That', 'Change Zip Code', or 'I'm Finished'.
reprompt	Else ( <a href="#">office_location_entry</a> =reentry)	f10120_ree_02	My mistake. You can say 'Change Zip Code' or 'I'm Finished'.

**Grammar**

Sample Expressions	DTMF	Reco Var/Option	Confirm
i'm finished, i'm done	En-us: 2,3; Es-us: 3	< <a href="#">office_location_info_menu@import</a> finished>	If Necessary
change zip code, different zip code	En-us: 1,2; Es-us: 2	< <a href="#">office_location_info_menu@import</a> change>	If Necessary
repeat, repeat that	En-us: 1; Es-us: 1	< <a href="#">office_location_info_menu@import</a> repeat>	Never

**Actions**

Option	Condition	Action	Transition
change	Always	<b>Assign:</b> <a href="#">fol_first_zip</a> =true	--
^	^	<b>Prompt:</b> [f10120_out_01] All right. Let's look somewhere else.	<b>goto:</b> <a href="#">f10100_GetZipCode_DM</a>
finished	Always	<b>Assign:</b> <a href="#">fol_transaction_status</a> =success	--
^	^	<b>Prompt:</b> [f10120_out_03] All right.	<b>Return to calling dialog:</b> <a href="#">main</a> <a href="#">[mm0320_FieldOfficeLocator_SD]</a>

**Confirmation Prompts**

Option	Condition	Name	Wording
change	Always	f10120_cnf_ini_02	You'd like to search a different zip code, right?
finished	Always	f10120_cnf_ini_03	You're finished, right?

**Confirmation Recovery Behavior**

[See 1.3 Global Confirmation](#)

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	If <a href="#">office_location_entry</a> =reentry //If this is not the first time through, e.g., after the caller says repeat	<b>Prompt:</b> [f10120_nm1_01] Let's try again. You can say 'Change Zip Code' or press 1, OR say 'I'm Finished', or press 2.	<b>Re-Recognition:</b>
nomatch 1	Else ( <a href="#">office_location_entry</a> ≠reentry) //If this is the first time through	<b>Prompt:</b> [f10120_nm1_02] Let's try again. You can say 'Repeat That' or press 1, 'Change Zip Code' or	<b>Re-Recognition:</b>

		2, OR say 'I'm Finished' or press 3.	
nomatch 2	If <a href="#">office_location_entry</a> =reentry //If this is not the first time through, e.g., after the caller says repeat	<b>Prompt:</b> [f10120_nm2_01] Sorry. To search for a local office using a different zip code, press 1. Or, if your finished, press 2.	<b>Re-Recognition:</b>
nomatch 2	Else ( <a href="#">office_location_entry</a> !=reentry) //If this is the first time through	<b>Prompt:</b> [f10120_nm2_02] Sorry. If you'd like to hear that information again, press 1. Otherwise, to search for a local office using a different zip code, press 2. Or, if your finished, press 3.	<b>Re-Recognition:</b>
noinput 1	If <a href="#">office_location_entry</a> =reentry //If this is not the first time through, e.g., after the caller says repeat	<b>Prompt:</b> [f10120_ni1_01] Sorry. You can say 'Change Zip Code' or press 1, OR say 'I'm Finished', or press 2.	<b>Re-Recognition:</b>
noinput 1	Else ( <a href="#">office_location_entry</a> !=reentry) //If this is the first time through	<b>Prompt:</b> [f10120_ni1_02] You can say 'Repeat That' or press 1, 'Change Zip Code' or 2, OR say 'I'm Finished' or press 3.	<b>Re-Recognition:</b>
noinput 2	If <a href="#">office_location_entry</a> =reentry //If this is not the first time through, e.g., after the caller says repeat	<b>Prompt:</b> [f10120_ni2_01] Sorry. To search for a local office using a different zip code, press 1. Or, if your finished, press 2.	<b>Re-Recognition:</b>
noinput 2	Else ( <a href="#">office_location_entry</a> !=reentry) //If this is the first time through	<b>Prompt:</b> [f10120_ni2_02] Sorry. If you'd like to hear that information again, press 1. Otherwise, to search for a local office using a different zip code, press 2. Or, if your finished, press 3.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
repeat	--	<b>Assign:</b> <a href="#">office_location_entry</a> =reentry	<b>Re-Recognition:</b> Reprompt
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Command</b>	<b>Confirm</b>
repeat that, repeat	9	repeat	Never
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
The Spanish application will never confirm. If phase II and if admin number (ADM) matches the business number (BUS) then don't read back the phone number.			

**f10125\_CardCenterInfo\_DM**

<b>CustomContext Recognition</b>				
<p>Callers that indicated they needed a new Social Security card are given the address and phone number of the nearest card center correlating to the zip code they entered. They are then given the options to repeat, find a field office, search another zip code, or return to the main menu (finished).</p>				
<b>Entering From</b>				
<p><a href="#">f10102_FindCCFromZip_DB</a>, <a href="#">f10105_CardCenterNeededQuestion_DM</a></p>				
<b>Initial Prompts</b>				
Type	Condition		Name	Wording
initial	If <a href="#">card_center_info_first_entry=true</a>	Else	f10125_ini_02	To apply for a new or replacement social security card, you'll need to visit the Card Center in your area, which is located at...
initial	Else ( <a href="#">card_center_info_first_entry=false</a> )	Else	f10125_ini_04	Sure. The Card Center is located at...
initial	Always		f10125_ini_05	<ADDRLN_1> (plays silence instead of "Social Security")
initial	^		f10125_ini_63	<ADDRLN_3>
initial	^		f10125_ini_64	<ADDRLN_2>
initial	^		f10125_ini_65	<ADDRLN_4>
initial	^		f10125_ini_66	<CITY28>
initial	^		f10125_ini_67	<ST>
initial	^		f10125_ini_68	<ZIP5>
initial	Begin hours playback		f10125_ini_06	[NOTE: If fo_hours_of_operation is NOT null, play the following hours prompts:]
initial	Always		f10125_ini_07	<100ms slience>
initial	^		f10125_ini_08	The hours of operation are...
initial	^		f10125_ini_09	<100ms slience>
initial	^		f10125_ini_10	NOTE: Cycle through for all day ranges.
initial	If playing more than two consecutive weekdays with the same operational hours	If Weekdays are Monday through Friday	f10125_ini_11	Monday through Friday...
initial	^		f10125_ini_12	<from_start_day_of_week_mid> (e.g., "Monday")
initial	^		f10125_ini_16	<100ms slience>
initial	^		f10125_ini_17	<to_end_day_of_week_comma> (e.g., "through Thursday")
initial	^		f10125_ini_18	<100ms silence>
initial	Else If playing two weekdays with the same operational hours (consecutive or not) OR More than two non-consecutive weekdays with the same operational hours	If playing last set of hours when there is more than 1 set (e.g, not when we *only* say Monday and Friday from 9am-5pm)	f10125_ini_19	<and_start_day_of_week_mid> (e.g., "and monday")

initial	^	Else (Only one set of hours, OR not last set of hours OR Not last day in set)  (cycle through until the last day in the set, including the pause)	f10125_ini_20	<start_day_of_week_mid> (e.g., "Monday")
initial	^	Always	f10125_ini_21	<100ms slience>
initial	^	Always if last day in set	f10125_ini_22	<and_end_day_of_week_comma> (e.g., "and Friday")
initial	^	Always	f10125_ini_23	<100ms silence>
initial	Else (playing weekdays one by one with different operational hours)	If NOT playing the last single day of the week.  (cycle through until the last day in the set, including the pause)	f10125_ini_26	<start_day_of_week_mid> (e.g., "Saturday")
initial	^	^	f10125_ini_27	<100ms slience>
initial	^	If last single day of the week	f10125_ini_28	<and_start_day_of_week_mid> (e.g., "and Sunday")
initial	^	Always	f10125_ini_29	<100ms slience>
initial	If playing time	Always	f10125_ini_30	<from_time_mid> (e.g., "from 7am")
initial	^	^	f10125_ini_31	<100ms slience>
initial	^	^	f10125_ini_32	<to_time_fin> (e.g., to "7pm")
initial	^	^	f10125_ini_33	<100ms slience>
initial	If played closed time for last group or weekdays		f10125_ini_34	Except Federal holidays.
initial	^		f10125_ini_35	<100ms slience>
initial	End hours playback		f10125_ini_36	[NOTE: End hours playback]
initial	If <a href="#">card_center_info_first_entry=true</a>		f10125_ini_24	To hear that again, say 'Repeat that.' Otherwise, for information about a local Social Security office, say 'Local Office.' To search in a DIFFERENT zip code, say 'Change Zip Code.' Or, if you're finished, just say 'I'm Finished.'
initial	Else ( <a href="#">card_center_info_first_entry=false</a> )		f10125_ini_25	Now, for information about a local Social Security office, say 'Local Office.' To search in a DIFFERENT zip code, say 'Change Zip Code.' Or, if you're finished, just say 'I'm Finished.'
reprompt	If <a href="#">card_center_info_first_entry=true</a>		f10125_ree_01	My mistake. You can say 'Repeat That', 'Local Office', 'Change Zip Code', or 'I'm Finished'.
reprompt	Else ( <a href="#">card_center_info_first_entry=false</a> )		f10125_ree_02	My mistake. You can say 'Local Office', 'Change Zip Code', or 'I'm Finished'.

**Grammar**

Sample Expressions	DTMF	Reco Var/Option	Confirm
change zip code, different zip code	En-us: 2,3; Es-us: 3	< <a href="#">card_center_location_info_menu @import</a> change>	If Necessary
i'm finished, i'm done	En-us: 3,4; Es-us: 4	< <a href="#">card_center_location_info_menu @import</a> finished>	If Necessary
local office, local Social Security office	En-us: 1,2; Es-us: 2	< <a href="#">card_center_location_info_menu @import</a> field_office>	If Necessary
repeat, repeat that	En-us:1; ES-us:1	< <a href="#">card_center_location_info_menu</a> >	Never

		@import repeat>	
<b>Actions</b>			
Option	Condition	Action	Transition
--	If <code>card_center_info_first_entry=true</code>	<b>Assign:</b> <code>card_center_info_first_entry=false</code>	--
change	Always	<b>Assign:</b> <code>fol_first_zip =true</code>	--
^	^	<b>Prompt:</b> [fl0125_out_01] All right. Let's look somewhere else.	<b>goto:</b> fl0100_GetZipCode_DM
finished	Always	<b>Assign:</b> <code>fol_transaction_status=success</code>	--
^	^	<b>Prompt:</b> [fl0125_out_03] All right.	<b>Return to calling dialog:</b> main [mm0320_FieldOfficeLocator_SD]
field_office	Always	<b>Assign:</b> <code>office_location_entry=from_card_center</code>	<b>goto:</b> fl0120_OfficeLocationInfo_DM
<b>Confirmation Prompts</b>			
Option	Condition	Name	Wording
field_office	Always	fl0125_cnf_ini_02	You'd like information about a local Social Security office in your area, right?
change	Always	fl0125_cnf_ini_03	You'd like to search a different zip code, right?
finished	Always	fl0125_cnf_ini_04	You're finished, right?
<b>Confirmation Recovery Behavior</b>			
<a href="#">See 1.3 Global Confirmation</a>			
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	If <code>card_center_info_first_entry=true</code> //If this is the first time through	<b>Prompt:</b> [fl0125_nm1_01] Let's try again. You can say 'Repeat That' or press 1. 'Local Office' or 2, 'Change Zip Code' or 3, OR say 'I'm Finished' or press 4.	<b>Re-Recognition:</b>
nomatch 1	Else ( <code>card_center_info_first_entry=false</code> ) //If this is not the first time through, e.g., after the caller says repeat	<b>Prompt:</b> [fl0125_nm1_02] Let's try again. You can say 'Local Office' or press 1, 'Change Zip Code' or press 2, OR say 'I'm Finished', or press 3.	<b>Re-Recognition:</b>
nomatch 2	If <code>card_center_info_first_entry=true</code> //If this is the first time through	<b>Prompt:</b> [fl0125_nm2_01] Sorry. For information about a local Social Security office in your area, press 1. To search using a different zip code, press 2. Or, if your finished, press 3.	<b>Re-Recognition:</b>
nomatch 2	Else ( <code>card_center_info_first_entry=false</code> ) //If this is not the first time through, e.g., after the caller says repeat	<b>Prompt:</b> [fl0125_nm2_02] Sorry. For information about a local Social Security office in your area, press 1. To search using a different zip code, press 2. Or, if your finished, press 3.	<b>Re-Recognition:</b>
noinput 1	If <code>card_center_info_first_entry=true</code> //If this is the first time through	<b>Prompt:</b> [fl0125_ni1_01] You can say 'Repeat That' or press 1, 'Local Office' or 2, 'Change Zip Code' or 3, OR say 'I'm Finished' or press 4.	<b>Re-Recognition:</b>

noinput 1	Else ( <code>card_center_info_first_entry=false</code> ) //If this is not the first time through, e.g., after the caller says repeat	<b>Prompt:</b> [fl0125_ni1_02] You can say 'Local Office' or press 1, 'Change Zip Code' or press 2, OR say 'I'm Finished', or press 3.	<b>Re-Recognition:</b>
noinput 2	If <code>card_center_info_first_entry=true</code> //If this is the first time through	<b>Prompt:</b> [fl0125_ni2_01] Sorry. If you'd like to hear that information again, press 1. Otherwise, for information about a local Social Security office in your area, press 2. To search using a different zip code, press 3. Or, if your finished, press 4.	<b>Re-Recognition:</b>
noinput 2	Else ( <code>card_center_info_first_entry=false</code> ) //If this is not the first time through, e.g., after the caller says repeat	<b>Prompt:</b> [fl0125_ni2_02] Sorry. For information about a local Social Security office in your area, press 1. To search using a different zip code, press 2. Or, if your finished, press 3.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <code>transfer_reason =error</code>	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 3	Always	<b>Assign:</b> <code>transfer_reason =error</code>	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--

**Commands: State-Specific Behavior**

Type	Condition	Action	Transition
repeat	--	<b>Prompt:</b> [fl0125_repeat_01] Sure.	<b>Re-Recognition:</b> Reprompt

**Commands: Confirmations**

[See 1.2 Global Commands](#)

**Commands: Grammar**

Sample Expressions	DTMF	Command	Confirm
repeat that, repeat	9	repeat	Never


**Config Parameters**

Parameter	Value
--	--

**Developer Notes**

The Spanish application will never confirm.

**fl0135\_FindFOFromZip\_DB**


Database Call 	
Database hit to retrieve the closest field office based on the zip code the caller gave.	
<b>Entering From</b>	
fl0102_FindCCFromZip_DB, fl0105_CardCenterNeededQuestion_DM	
<b>Input parameters</b>	
Parameter	Value
zipCode	The five digit zip code where the caller would like to search.




<b>Output parameters</b>			
<b>Variable</b>		<b>Description</b>	
fl_hoursOfOperation		The field office hours of operation.	
fl_drivingDirections		Driving directions to the field office.	
fl_phoneNumber		The field office phone number.	
fl_serviceProvided		Services provided by the field office.	
fl_officeName		The name of the field office.	
fl_officeType		The type of field office.	
fl_officeTypeText		--	
fl_regionalOfficeNumber		--	
fl_officeOpenCloseSwitch		--	
fl_officeAddress		The field office's physical address.	
fl_addressType		--	
fl_streeAddressLine1		--	
fl_streetAddressLine2		--	
fl_streetAddressLine3		--	
fl_streetAddressLine4		--	
fl_city		--	
fl_state		--	
fl_zip5		--	
fl_zip4		--	
fl_officeTelephone		--	
fl_telephoneNumber		--	
fl_telephoneExtension		--	
fl_faxNumber		--	
fl_faxNumberExtension		--	
fl_fieldOfficeStateAndCountyCode		--	
fl_openAndCloseDayOfWeek		--	
fl_openingTime24HourTime		--	
fl_closingTime24HourTime		--	
fl_wrapperForGeneralDirectionLines		--	
fl_generalDirectionLine		--	
<b>Actions</b>			
<b>Condition</b>		<b>Action</b>	<b>Transition</b>
success	If office found	<b>Assign:</b> office_location_entry =first	<b>goto:</b> fl0137_RetrieveOfficeDetails_DB
^	Elseif office NOT found AND fol_first_zip=true	<b>Assign:</b> fol_first_zip =false	<b>goto:</b> fl0140_ZipFailedFirstTimeMsg_PP
Else (office NOT found AND fol_first_zip=false)		--	<b>goto:</b> fl0150_NoFOMsg_PP
failure		<b>Assign:</b> fol_transaction_status =failure	<b>Return to calling dialog:</b> main [mm0320_FieldOfficeLocator_SD]
<b>Recovery Behavior</b>			

<a href="#">See 1.1 Global Recovery Behavior</a>
<b>Developer Notes</b>
If no field office is mapped to the zip code provided, we need to log the zipcode and send it to SSA


**fl0137\_RetrieveOfficeDetails\_DB**

<b>Database Call</b> 		
Database call to identify if the field office is Phase I or Phase II and transition accordingly.		
<b>Entering From</b>		
<a href="#">fl0135_FindFOFromZip_DB</a>		
<b>Input parameters</b>		
<b>Parameter</b>	<b>Value</b>	
zipCode	The five digit zip code where the caller would like to search.	
<b>Output parameters</b>		
<b>Variable</b>	<b>Description</b>	
<a href="#">isPhaseIIOffice</a>	Identifies if the office is phase I (false) or phase II (true).	
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	--	<a href="#">goto: fl0120_OfficeLocationInfo_DM</a>
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
--		

**fl0140\_ZipFailedFirstTimeMsg\_PP**

<b>Simple Play Prompt</b> 		
Informs the caller that a field office was not found (based on the zip code that was given), but we'll try searching again.		
<b>Entering From</b>		
<a href="#">fl0135_FindFOFromZip_DB</a>		
<b>Actions</b> [Barge-in is OFF]		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Assign:</b> <a href="#">fol_zip_code_entry</a> =not_found	--
^	<b>Prompt:</b> [fl0140_out_01] Hmm... I didn't find anything. Let's try this again.	<a href="#">goto: fl0100_GetZipCode_DM</a>
<b>Developer Notes</b>		
--		

**fl0150\_NoFOMsg\_PP**


<b>Simple Play Prompt</b> 	
Informs the caller that a field office was not found (based on the zip code given), before transferring the call to an agent.	
<b>Entering From</b>	

<a href="#">fl0135_FindFOFromZip_DB</a>		
<b>Actions</b> [Barge-in is OFF]		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Assign:</b> fol_transaction_status =failure	--
^	<b>Prompt:</b> [fl0150_out_01] I'm sorry, but I can't seem to find a local office for the zip code you gave me.....	<b>Return to calling dialog:</b> <a href="#">main [mm0320_FieldOfficeLocator_SD]</a>
<b>Developer Notes</b>		
--		

## 2.8 KnowledgeBasedAuthentication Dialog

Knowledge Based Authentication will authenticate the caller by asking them a series of questions regarding their identity.

### ka0100\_ElementsCheck\_DB

		Database Call	
checks backend to determine which data elements are required.			
<b>Entering From</b>			
bv0130_KBAAuthentication_SD, ca0300_KBAAuthentication_SD, cs0110_KBAAuthentication_SD, dd0300_KBAAuthentication_SD, mm3005_KBAAuthentication_SD, mr0130_KBAAuthentication_SD, rb0300_KBAAuthentication_SD			
<b>Input parameters</b>			
Parameter	Value		
applicationName	The application mapped to this DNIS		
<b>Output parameters</b>			
Variable	Description		
ka_collectSSN	Boolean to determine if the application requires the caller to authenticate the social security number.		
ka_collectName	Boolean to determine if the application requires the caller to authenticate the first name.		
ka_collectDateOfBirth	Boolean to determine if the application requires the caller to authenticate the date of birth.		
ka_collectPlaceOfBirth	Boolean to determine if the application requires the caller to authenticate the place of birth.		
ka_collectPlaceOfBirthCity	Boolean to determine if the application requires the caller to authenticate the city of birth.		
ka_collectMothersMaidenName	Boolean to determine if the application requires the caller to authenticate the mother's maiden name.		
ka_collectPaymentAmount	Boolean to determine if the application requires the caller to authenticate the payment amount.		
<b>Actions</b>			
Condition	Action	Transition	
success	If ka_collectSSN=true AND caller_ssn=NULL	--	goto: ka0105_AttestFlagCheck_DS
^	Elseif ka_collectName=true AND caller_first_name=NULL OR caller_last_name=NULL	--	goto: ka0105_AttestFlagCheck_DS
^	Elseif ka_collectDateOfBirth=true AND caller_dob=NULL	--	goto: ka0105_AttestFlagCheck_DS
^	Elseif ka_collectMothersMaidenName=true AND caller_maiden_name=NULL	--	goto: ka0105_AttestFlagCheck_DS
^	Elseif ka_collectPlaceOfBirth=true AND caller_pob=NULL	--	goto: ka0105_AttestFlagCheck_DS
^	Elseif ka_collectPlaceOfBirthCity=tr	--	goto: ka0105_AttestFlagCheck_DS

	ue AND caller_pob_city=NULL		
^	Elsif ka_collectPaymentAmount=true AND caller_last_payment=NULL	--	<b>goto:</b> ka0105_AttestFlagCheck_DS
^	Elsif no information needs to be collected AND last two tasks were TK99 and TKCS, back-to-back and in that order	<b>Assign:</b> kba_transaction_status =success	--
^	Elsif (no information needs to be collected)	<b>Assign:</b> kba_transaction_status =success	--
^	^	<b>Assign:</b> no_kba_info_needed =true	<b>goto:</b> ka0900_CheckingInfoMsg_PP
failure		<b>Assign:</b> kba_transaction_status =failure	<b>Return to calling dialog:</b> BenefitsVerification [bv0130_KBAAuthentication_SD] ChangeOfAddress [ca0300_KBAAuthentication_SD] ClaimStatusRequests [cs0110_KBAAuthentication_SD] DirectDeposit [dd0300_KBAAuthentication_SD] MedicareReplacementCard [mr0130_KBAAuthentication_SD] ReplacementBenefitStatement [rb0300_KBAAuthentication_SD] main [mm3005_KBAAuthentication_SD]

**Recovery Behavior**

[See 1.1 Global Recovery Behavior](#)

**Developer Notes**

The data elements that need to be collected for each app is as follows:

Screen Pop (abr = 2): SSN


Claim Status: SSN, DOB

BEVE, MRC, or ReplacementBenefitStatement: SSN, Name, DOB

COA, DD, or Screen Splash (abr = 3) need all data elements: SSN, Name, DOB, POB, Mother's Maiden, PaymentAmount


NOTE: if last two tasks were TK99 and TKCS, back-to-back and in that order, and if no further information needs to be collected, the call returns to the calling dialog. If, however, the last two tasks were NOT TK99 and TKCS (back-to-back and in that order) and no information is needed, the call will be transferred instead to ka0900\_CheckingInfoMsg\_PP

**ka0105\_AttestFlagCheck\_DS**


			<b>Decision</b> 
Checks whether the caller should hear the attestation, perjury, and O.M.B. messages and transitions accordingly.			
<b>Entering From</b>			
<a href="#">ka0100_ElementsCheck_DB</a>			
<b>Actions</b>			
<b>Condition</b>	<b>Action</b>	<b>Transition</b>	
If play_attestation_flag = true	--	<b>goto:</b> ka0110_AttestCheck_DS	
Elsif \\ if play_attestation_flag = false	If current_task=change_addresses OR direct_deposit	<b>Prompt:</b> [ka0105_out_01] Before I can access your records, I'll need to ask a question or two to verify who you are, including the EXACT dollar amount of	--

		your last benefit payment.	
^	Else	<b>Prompt:</b> [ka0105_out_02] Before I can access your records, I'll need to ask a question or two to verify who you are.	--
^	Always	--	<b>goto:</b> <a href="#">ka0300_SSNNNull_DS</a>
<b>Developer Notes</b>			
--			

**ka0110\_AttestCheck\_DS**


			<b>Decision</b> 
Determine transition based on whether or not the attestation message has been heard by the caller.			
<b>Entering From</b>			
<a href="#">ka0105_AttestFlagCheck_DS</a>			
<b>Actions</b>			
<b>Condition</b>	<b>Action</b>	<b>Transition</b>	
If <a href="#">attestation_heard</a> =false	--	<b>goto:</b> <a href="#">ka0200_PreAttestationMsg_PP</a>	
Elseif <a href="#">attestation_heard</a> =true	If <a href="#">current_task</a> = <a href="#">application_status</a> AND <a href="#">application_status_OMB_heard</a> =false	--	<b>goto:</b> <a href="#">ka0220_OMBNumber_PP</a>
^	Elseif <a href="#">current_task</a> = <a href="#">application_status</a> AND <a href="#">application_status_OMB_heard</a> =true	--	<b>goto:</b> <a href="#">ka0300_SSNNNull_DS</a>
^	Elseif <a href="#">current_task</a> != <a href="#">application_status</a> AND <a href="#">kba_OMB_heard</a> =false	--	<b>goto:</b> <a href="#">ka0220_OMBNumber_PP</a>
^	Else ( <a href="#">current_task</a> != <a href="#">application_status</a> AND <a href="#">kba_OMB_heard</a> =true)	--	<b>goto:</b> <a href="#">ka0300_SSNNNull_DS</a>
<b>Developer Notes</b>			
--			

**ka0200\_PreAttestationMsg\_PP**

			<b>Simple Play Prompt</b> 
Informs callers that they will be asked some questions.			
<b>Entering From</b>			
<a href="#">ka0110_AttestCheck_DS</a>			
<b>Actions</b> [Barge-in is OFF]			
<b>Condition</b>	<b>Action</b>	<b>Transition</b>	
If <a href="#">current_task</a> = <a href="#">change_address</a> OR <a href="#">direct_deposit</a>	<b>Prompt:</b> [ka0200_out_01] Before I can access your records, I'll need to ask a question or two to verify who you are, including the EXACT dollar amount of	--	

	your last benefit payment.	
Elseif current_task=screen_pop OR screen_splash	<b>Prompt:</b> [ka0200_out_02] I'm going to get someone to help you, but first I need to get some information.	--
Else	<b>Prompt:</b> [ka0200_out_03] Before I can access your records, I'll need to ask a question or two to verify who you are.	--
Always	--	<b>goto:</b> ka0210_AttestationQuestion_DM
<b>Developer Notes</b>		
--		

**ka0210\_AttestationQuestion\_DM**

		YesNo Recognition 	
Plays the attestation message and asks callers to agree.			
<b>Entering From</b>			
<a href="#">ka0200_PreAttestationMsg_PP</a>			
<b>Initial Prompts</b> [Barge-in is OFF]			
Type	Condition	Name	Wording
initial	If current_task=benefits_verification	ka0210_ini_01	Social Security is allowed to collect this information under the Social Security Act, and the collection meets the requirements of the Paperwork Reduction Act under O.M.B. number '0 9 6 0 0 5 9 6.' The whole process should take about 4 minutes.
initial	Elseif current_task=application_status	ka0210_ini_02	Social Security is allowed to collect this information under the Social Security Act, and the collection meets the requirements of the Paperwork Reduction Act under O.M.B. number '0 9 6 0 0 7 6 3.' The whole process should take about 2 minutes.
initial	Elseif current_task=change_address	ka0210_ini_03	Social Security is allowed to collect this information under the Social Security Act, and the collection meets the requirements of the Paperwork Reduction Act under O.M.B. number '0 9 6 0 0 5 9 6.' The whole process should take about 5 minutes.
initial	Elseif current_task=direct_deposit	ka0210_ini_04	Social Security is allowed to collect this information under the Social Security Act, and the collection meets the requirements of the Paperwork Reduction Act under O.M.B. number '0 9 6 0 0 5 9 6.' The whole process should take about 5 minutes.
initial	Elseif current_task=card_medicare	ka0210_ini_05	Social Security is allowed to collect this information under the Social Security Act, and the collection meets the requirements of the Paperwork Reduction Act under O.M.B. number '0 9 6 0 0 5 9 6.' The whole process should take about 4 minutes.
initial	Elseif current_task=screen_pop	ka0210_ini_06	Social Security is allowed to collect this information under the Social Security Act, and the collection meets the requirements of the Paperwork Reduction Act under O.M.B. number '0 9 6 0 0 7 9 0.' The whole process should take about one minute.
initial	Elseif current_task=screen_splash	ka0210_ini_07	Social Security is allowed to collect this information under the Social Security Act, and the collection meets the requirements of the Paperwork Reduction Act under O.M.B. number '0 9 6 0 0 5 9 6.' The whole process should take about 4 minutes.

initial	Else (current_task=benefits_statement)	ka0210_ini_08	Social Security is allowed to collect this information under the Social Security Act, and the collection meets the requirements of the Paperwork Reduction Act under O.M.B numbers 0 9 6 0 0 5 9 6 and 0 9 6 0 0 5 8 3. The whole process should take about 6 minutes.
initial	Always	ka0210_ini_09	<1000ms slience>
initial	^	ka0210_ini_10	To hear detailed information about the Privacy Act or Paperwork Reduction Act, say 'More Information.' Otherwise, say 'Continue.'

**Grammar**

Sample Expressions	DTMF	Reco Var/Option	Confirm
more information	1	<attestation_question more_information>	If Necessary
continue	2	<attestation_question continue>	Never

**Actions**

Option	Condition	Action	Transition
Always	If current_task=application_status	Assign: application_status_OMB_heard =true	--
^	Else (current_task!=application_status)	Assign: kba_OMB_heard =true	--
more_information	Always	--	goto: ka0225_WhichActDetails_DM
continue	Always	--	goto: ka0270_PerjuryMessage_DM

**Confirmation Prompts**

Option	Condition	Name	Wording
more_informa tion	Always	ka0210_cnf_ini_0 1	You want to hear more information on the Privacy Act or Paperwork Reduction Act, right?

**Confirmation Recovery Behavior**

[See 1.3 Global Confirmation](#)

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	Always	Prompt: [ka0210_nm1_01] Let's try again...You can say 'More Information' or press 1, OR say 'Continue', or press 2.	Re-Recognition:
nomatch 2	^	Prompt: [ka0210_nm2_01] Sorry. If you'd like to hear detailed information about the Privacy Act or Paperwork Reduction Act, press 1. Otherwise, press 2.	Re-Recognition:
nomatch 3	Always	Assign: transfer_reason =error	--
nomatch 3	Always	Prompt: [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	Prompt: [ka0210_ni1_01] If you'd like to hear more information about the Privacy Act or Paperwork Reduction Act say 'More Information' or press 1. Otherwise, say 'Continue' or press 2.	Re-Recognition:



noinput 2	^	<b>Prompt:</b> [ka0210_ni2_01] Sorry. If you'd like to hear detailed information about the Privacy Act or Paperwork Reduction Act, press 1. Otherwise, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--

**Commands: State-Specific Behavior**

[See 1.2 Global Commands](#)

**Commands: Confirmations**

[See 1.2 Global Commands](#)

**Config Parameters**

Parameter	Value
--	--

**Developer Notes**

Barge-in should be OFF.

**ka0220\_OMBNumber\_PP**

**Simple Play Prompt** 

Reads back the Office of Management and Budget (O.M.B.) clearance numbers and the process time for the requested application.

**Entering From**


[ka0110\\_AttestCheck\\_DS](#)

**Actions** [Barge-in is OFF]

Condition	Action	Transition
If current_task=benefits_verification	<b>Prompt:</b> [ka0220_out_01] So you know, this collection meets the requirements of the Paperwork Reduction Act under O.M.B. number '0 9 6 0 0 5 9 6.' The process should take about 4 minutes.	--
^	<b>Assign:</b> kba_OMB_heard =true	--
Elseif current_task=application_status	<b>Prompt:</b> [ka0220_out_02] So you know, this collection meets the requirements of the Paperwork Reduction Act under O.M.B. number '0 9 6 0 0 7 6 3.' The whole process should take about 2 minutes.	--
^	<b>Assign:</b> application_status_OMB_heard =true	--
Elseif current_task=change_address	<b>Prompt:</b> [ka0220_out_03] So you know, this collection meets the requirements of the Paperwork Reduction Act under O.M.B. number '0 9 6 0 0 5 9 6.' The process should take about 5 minutes.	--
^	<b>Assign:</b> kba_OMB_heard =true	--
Elseif current_task=direct_deposit	<b>Prompt:</b> [ka0220_out_04] So you know, this collection meets the requirements of the Paperwork Reduction Act under O.M.B. number '0 9 6 0 0 5 9 6.' The process should take about 5 minutes.	--

^	<b>Assign:</b> <a href="#">kba_OMB_heard</a> =true	--
Elseif current_task=card_medicare	<b>Prompt:</b> [ka0220_out_05] So you know, this collection meets the requirements of the Paperwork Reduction Act under O.M.B. number '0 9 6 0 0 5 9 6.' The process should take about 4 minutes.	--
^	<b>Assign:</b> <a href="#">kba_OMB_heard</a> =true	--
Elseif current_task=screen_pop	<b>Prompt:</b> [ka0220_out_06] So you know, this collection meets the requirements of the Paperwork Reduction Act under O.M.B. number '0 9 6 0 0 7 9 0.' The process should take about one minute.	--
^	<b>Assign:</b> <a href="#">kba_OMB_heard</a> =true	--
Elseif current_task=screen_splash	<b>Prompt:</b> [ka0220_out_07] So you know, this collection meets the requirements of the Paperwork Reduction Act under O.M.B. number '0 9 6 0 0 5 9 6.' The process should take about 4 minutes.	--
^	<b>Assign:</b> <a href="#">kba_OMB_heard</a> =true	--
Else (current_task=benefits_statement)	<b>Prompt:</b> [ka0220_out_08] So you know, this collection meets the requirements of the Paperwork Reduction Act under O.M.B. numbers 0 9 6 0 0 5 9 6 and 0 9 6 0 0 5 8 3. The process should take about 6 minutes.	--
^	<b>Assign:</b> <a href="#">kba_OMB_heard</a> =true	--
Always	--	<b>goto:</b> <a href="#">ka0300_SSNNull_DS</a>
<b>Developer Notes</b>		
<p>Prompt ka0220_out_06 should never actually be reached in this state because if they've already gone through kba once then the SSN should have already been collected and a caller with task = screen pop would not reach this state. Same with prompt ka0220_out_06 and second time through main menu because all other elements already collect SSN and DOB.</p>		

**ka0225\_WhichActDetails\_DM**

<b>CustomContext Recognition</b> 			
Disambiguates to determine if the caller wants to hear the Privacy Act, Paperwork Reduction Act, or both.			
<b>Entering From</b>			
<a href="#">ka0210_AttestationQuestion_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	ka0225_ini_01	Would you like to hear a detailed statement of the Privacy Act, Paperwork Reduction Act, both, or neither?
<b>Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
privacy act	1	< <a href="#">which_act_details</a> privacy_act>	If Necessary
paperwork reduction act	2	< <a href="#">which_act_details</a> paperwork_act>	If Necessary
both	3	< <a href="#">which_act_details</a> both>	If Necessary
neither	4	< <a href="#">which_act_details</a> neither>	If Necessary

<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
privacy_act	Always	<b>Prompt:</b> [ka0225_out_01] All right.	<b>goto:</b> ka0230_PrivacyActDetails_DM
paperwork_act	Always	<b>Prompt:</b> [ka0225_out_02] All right.	<b>goto:</b> ka0240_PaperworkActDetails_DM
both	Always	<b>Assign:</b> attestation_act_details =both	--
^	^	<b>Prompt:</b> [ka0225_out_03] All right. We'll start with the Privacy Act.	<b>goto:</b> ka0230_PrivacyActDetails_DM
neither	Always	<b>Prompt:</b> [ka0225_out_04] All right. Let's continue with the terms and conditions.	<b>goto:</b> ka0270_PerjuryMessage_DM

<b>Confirmation Prompts</b>			
<b>Option</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
privacy_act	Always	ka0225_cnf_ini_01	You'd like to hear details of the Privacy Act, right?
paperwork_act	Always	ka0225_cnf_ini_02	You'd like to hear details of the Paperwork Reduction Act, right?
both	Always	ka0225_cnf_ini_03	You want to hear the details of both, right?
neither	Always	ka0225_cnf_ini_04	You don't want to hear either, is that right?

**Confirmation Recovery Behavior**


[See 1.3 Global Confirmation](#)

**Recovery Behavior**

<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [ka0225_nm1_01] Let's try again...You can say 'Privacy Act' or press 1, 'Paperwork Reduction Act' press 2, 'Both' 3, OR 'Neither' 4.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [ka0225_nm2_01] Sorry. If you want to hear a detailed statement of the Privacy Act, press 1. To hear the Paperwork Reduction Act, press 2. To hear both, press 3. Or, if you don't want to hear either, press 4.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	<b>Prompt:</b> [ka0225_ni1_01] You can say 'Privacy Act' or press 1, 'Paperwork Reduction Act' press 2, 'Both' 3, OR 'Neither' 4.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [ka0225_ni2_01] Sorry. If you want to hear a detailed statement of the Privacy Act, press 1. To hear the Paperwork Reduction Act, press 2. To hear both, press 3. Or, if you don't want to hear either,	<b>Re-Recognition:</b>

		press 4.	
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
--			

**ka0230\_PrivacyActDetails\_DM**

<b>CustomContext Recognition</b>			
Plays the details of the Privacy Act, with the option to skip the message at anytime during the playback.			
<b>Entering From</b>			
<a href="#">ka0225_WhichActDetails_DM</a> , <a href="#">ka0250_PrivacyEndMenu_DM</a> , <a href="#">ka0260_PaperworkEndMenu_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	ka0230_ini_01	To skip to the end of the message, at any time press the star <*> key.
initial	^	ka0230_ini_02	<500ms slience>
initial	^	ka0230_ini_03	Privacy Act Statement.
initial	^	ka0230_ini_04	<500ms slience>
initial	^	ka0230_ini_05	Collection and Use of Personal Information.
initial	^	ka0230_ini_06	<500ms slience>
initial	^	ka0230_ini_07	<p>Sections 'two zero five A' and 'one one zero six' of the Social Security Act, as amended, authorize us to collect certain information to permit access to our automated telephone applications to report, use, or submit claims related information to us. You do not have to use our telephone services and your responses to the questions we ask are voluntary. Failure to provide the information, however, will prevent you from using our automated telephone services.</p> <p>Section 205 of the Social Security Act as amended, authorizes us to request and collect certain information about you for us to permit access to our automated telephone application system. The Privacy Act (5 U.S.C. § 552a(b)) permits us to disclose the information you provide to us in accordance with approved routine uses. You do not have to use our telephone services, and your responses to the questions we ask are voluntary. However, failure to provide the information will</p>

			prevent you from using our automated telephone services.
initial	^	ka0230_ini_08	<500ms slience>
initial	^	ka0230_ini_09	We rarely use the information you give us for any purpose other than to grant access to our automated telephone services and for claims related business transactions. However, we may use the information you give us for the administration and integrity of our programs. We may also disclose information to another person or to another agency in accordance with approved routine uses, which include, but are not limited to, the following: first, to comply with Federal laws requiring the release of information from Social Security records (e.g. to the Government Accountability Office and Department of Veterans Affairs); second, to facilitate statistical research, audit, or investigative activities necessary to assure the integrity and improvement of Social Security programs; third, to respond to a request on your behalf from a Congressional office or the Office of the President; and fourth, to other Federal agencies and our contractors, including external data sources, to assist us in efficiently administering our programs.
initial	^	ka0230_ini_10	<500ms slience>
initial	^	ka0230_ini_11	We may also use the information you give us in computer matching programs. Matching programs compare our records with records kept by other Federal, State, or local government agencies. We use the information from these programs to establish or verify a person's eligibility for federal-funded or administered benefit programs and for repayment of incorrect payments or delinquent debts under these programs.
initial	^	ka0230_ini_12	<500ms slience>
initial	^	ka0230_ini_13	A complete list of routine uses for this information is available in our Privacy Act System of Records Notice entitled, 'Claims Folder System number six zero dash zero zero eight nine.' Additional information regarding this information collection, routine uses of information, and other Social Security programs are available on our website at 'social security dot G O V' or at your local Social Security office.  Additional information regarding this system's collection of identity data elements, routine uses of information, and other Social Security programs are available on our Internet website, www.socialsecurity.gov, or at your local Social Security office.
initial	^	ka0230_ini_14	<500ms slience>
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
skip it, skip		1,*	<privacy_details skip_it>
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
skip_it	Always	--	goto: ka0250_PrivacyEndMenu_DM

<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [ka0230_nm1_01] If you're done listening to the message press the star (*) key. Otherwise... Under the Privacy Act Statement we collect facts needed to quickly identify who you are and provide the information you requested. Giving us these facts is voluntary. However, without them we may not be able to give you the information that you want. The Social Security Administration will not use the information for any other purpose.	<b>Re-Recognition:</b>
nomatch 2	Always	<b>Prompt:</b> [ka0230_nm2_01] Let's continue...	<b>goto:</b> <a href="#">ka0250_PrivacyEndMenu_DM</a>
noinput 1	Always	<b>Prompt:</b> [ka0230_ni1_01] Let's continue	<b>goto:</b> <a href="#">ka0250_PrivacyEndMenu_DM</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
StartOver			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
maxnoinputtotal	0		
<b>Developer Notes</b>			
10/30/2014 - This is now a DTMF only state. Override command grammars for start over and main menu. The star key no longer applies to either, but will allow caller to skip ahead to ka0250_PrivacyEndMenu_DM.			

**ka0240\_PaperworkActDetails\_DM**

<b>CustomContext Recognition</b>			
Plays the details of the Paperwork Reduction Act, with the option to skip the message at anytime during the playback.			
<b>Entering From</b>			
<a href="#">ka0225_WhichActDetails_DM</a> , <a href="#">ka0250_PrivacyEndMenu_DM</a> , <a href="#">ka0260_PaperworkEndMenu_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	ka0240_ini_01	To skip to the end of the message, at any time press the star <*> key.
initial	^	ka0240_ini_02	<500ms slience>
initial	^	ka0240_ini_03	Paperwork Reduction Act Statement:
initial	^	ka0240_ini_04	<500ms slience>
initial	^	ka0240_ini_05	This information collection meets the requirements of 44 U.S.C. Section three five zero seven, as amended by section 2 of the Paperwork Reduction

			Act of 1995. You do not need to answer these questions unless we present a valid Office of Management and Budget control number. Send comments relating to our time estimate to: SSA, 6401 Security Boulevard, Baltimore, Maryland 21235-6401.
initial	^	ka0240_ini_06	<500ms slience>
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
skip it, skip		1,*	<paperwork_details skip_it>
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
skip_it	Always	--	goto: ka0260_PaperworkEndMenu_D M
<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	--	<b>Prompt:</b> [ka0240_nm1_01] If you're done listening to the message press the star (*) key. Otherwise...The Paperwork Reduction Act Statement information collection meets the requirements of 44 U.S.C. Section three five zero seven, as amended by section 2 of the Paperwork Reduction Act of 1995. You do not need to answer these questions unless we present a valid Office of Management and Budget control number. Send comments relating to our time estimate to: SSA, 6401 Security Boulevard, Baltimore, Maryland 21235-6401.	<b>Re-Recognition:</b>
nomatch 2	--	<b>Prompt:</b> [ka0240_nm2_01] Let's continue...	goto: ka0260_PaperworkEndMenu_D M
noinput 1	Always	--	goto: ka0260_PaperworkEndMenu_D M
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
StartOver			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
maxnoinputtotal	0		
<b>Developer Notes</b>			
10/30/2014 - This is now a DTMF only state. Override command grammars for start over and main menu. The star key no longer applies to either, but will allow caller to skip ahead to			

ka0260\_PaperworkEndMenu\_DM.


**ka0250\_PrivacyEndMenu\_DM**

<b>CustomContext Recognition</b>			
After the Privacy Act details are heard this end menu gives the options to repeat, hear the Paperwork Reduction Act, or continue.			
<b>Entering From</b>			
<a href="#">ka0230_PrivacyActDetails_DM</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	If <a href="#">attestation_act_details</a> = both	ka0250_ini_01	To hear that again, say 'Repeat That.' To go ahead and hear the 'Paperwork Reduction' Act now, say 'Paperwork.' Otherwise, say 'Continue.'
initial	Else	ka0250_ini_02	To hear that again, say 'Repeat That.' To hear the 'Paperwork Reduction' Act now, say 'Paperwork.' Otherwise, say 'Continue.'
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
repeat that, repeat	1	< <a href="#">privacy_end_menu</a> repeat>	If Necessary
paperwork reduction act	2	< <a href="#">privacy_end_menu</a> paperwork_act>	If Necessary
continue	3	< <a href="#">privacy_end_menu</a> continue>	If Necessary
<b>Actions</b>			
Option	Condition	Action	Transition
continue	Always	--	<b>goto:</b> <a href="#">ka0270_PerjuryMessage_DM</a>
paperwork_act	Always	--	<b>goto:</b> <a href="#">ka0240_PaperworkActDetails_DM</a>
<b>Confirmation Prompts</b>			
Option	Condition	Name	Wording
repeat	Always	ka0250_cnf_ini_01	You want to hear the Privacy Act details again, right?
paperwork_act	Always	ka0250_cnf_ini_02	You'd like to hear details of the Paperwork Reduction Act, right?
continue	Always	ka0250_cnf_ini_03	You want to continue, right?
<b>Confirmation Recovery Behavior</b>			
<a href="#">See 1.3 Global Confirmation</a>			
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [ka0250_nm1_01] Let's try again... You can say 'Repeat That' or press 1, 'Paperwork Reduction Act' or press 2, OR say 'Continue' or press 3.	<b>Re-Recognition:</b>
nomatch 2	Always	<b>Prompt:</b> [ka0250_nm2_01] Let's keep going...	<b>goto:</b> <a href="#">ka0270_PerjuryMessage_DM</a>




noinput 1	Always	<b>Prompt:</b> [ka0250_ni1_01] Let's keep going...	<b>goto:</b> <a href="#">ka0270_PerjuryMessage_DM</a>
<b>Commands: State-Specific Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
repeat	--	<b>Prompt:</b> [ka0250_repeat_01] Sure.	<b>goto:</b> <a href="#">ka0230_PrivacyActDetails_DM</a>
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
--			

**ka0260\_PaperworkEndMenu\_DM**

<b>CustomContext Recognition</b> 			
After the Paperwork Reduction Act details are heard this end menu gives the options to repeat, hear the Privacy Act, or continue.			
<b>Entering From</b>			
<a href="#">ka0240_PaperworkActDetails_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	ka0260_ini_01	To hear that again, say 'Repeat That.' To hear the 'Privacy' Act, say 'Privacy.' Otherwise, say 'Continue.'
<b>Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
repeat that, repeat	1	< <a href="#">paperwork_end_menu</a> repeat>	If Necessary
privacy act	2	< <a href="#">paperwork_end_menu</a> privacy_act>	If Necessary
continue	3	< <a href="#">paperwork_end_menu</a> continue>	If Necessary
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
continue	--	--	<b>goto:</b> <a href="#">ka0270_PerjuryMessage_DM</a>
privacy	--	--	<b>goto:</b> <a href="#">ka0230_PrivacyActDetails_DM</a>
<b>Confirmation Prompts</b>			
<b>Option</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
repeat	Always	ka0260_cnf_ini_01	You want to hear the Paperwork Reduction Act details again, right?
privacy_act	Always	ka0260_cnf_ini_02	You'd like to hear details of the Privacy Act, right?
continue	Always	ka0260_cnf_ini_03	You want to continue, right?

<b>Confirmation Recovery Behavior</b>			
<a href="#">See 1.3 Global Confirmation</a>			
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [ka0260_nm1_01] Let's try again... You can say 'Repeat That' or press 1, 'Privacy Act' or press 2, OR say 'Continue' or press 3.	<b>Re-Recognition:</b>
nomatch 2	Always	<b>Prompt:</b> [ka0260_nm2_01] Let's keep going...	<b>goto:</b> <a href="#">ka0270_PerjuryMessage_DM</a>
noinput 1	Always	<b>Prompt:</b> [ka0260_ni1_01] Let's keep going...	<b>goto:</b> <a href="#">ka0270_PerjuryMessage_DM</a>
<b>Commands: State-Specific Behavior</b>			
Type	Condition	Action	Transition
repeat	--	<b>Prompt:</b> [ka0260_repeat_01] Sure.	<b>goto:</b> <a href="#">ka0240_PaperworkActDetails_DM</a>
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
Parameter	Value		
--	--		
<b>Developer Notes</b>			
--			

### ka0270\_PerjuryMessage\_DM

<b>YesNo Recognition</b> 			
Plays the perjury disclaimer to the caller and verifies they understand and agree to the terms.			
<b>Entering From</b>			
<a href="#">ka0210_AttestationQuestion_DM</a> , <a href="#">ka0225_WhichActDetails_DM</a> , <a href="#">ka0250_PrivacyEndMenu_DM</a> , <a href="#">ka0260_PaperworkEndMenu_DM</a>			
<b>Initial Prompts</b> [Barge-in is OFF]			
Type	Condition	Name	Wording
initial	Always	ka0270_ini_01	Please note that any person who makes a false representation in an effort to alter or obtain information from the Social Security Administration may be punished by a fine or imprisonment, or both. Do you understand and agree to these terms?
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
yes	1	< <a href="#">perjury_message_yesno</a> yes>	Never
no	2	< <a href="#">perjury_message_yesno</a> no>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
yes	Always	<b>Assign:</b> <a href="#">attestation_confirmed</a> =true	--

^	^	<b>Prompt:</b> [ka0270_out_01] Alright, thanks. Let's keep going.	<b>goto:</b> ka0300_SSNNull_DS
no	Always	<b>Assign:</b> attestation_confirmed =declined	--
^	^	<b>Assign:</b> kba_transaction_status =attestation_declined	--
^	^	<b>Prompt:</b> [ka0270_out_02] Without your agreement, I won't be able to help you with anything that requires access to personal information.	<b>Return to calling dialog:</b> <a href="#">BenefitsVerification</a> <a href="#">[bv0130_KBAAuthentication_SD]</a> <a href="#">ChangeOfAddress</a> <a href="#">[ca0300_KBAAuthentication_SD]</a> <a href="#">ClaimStatusRequests</a> <a href="#">[cs0110_KBAAuthentication_SD]</a> <a href="#">DirectDeposit</a> <a href="#">[dd0300_KBAAuthentication_SD]</a> <a href="#">MedicareReplacementCard</a> <a href="#">[mr0130_KBAAuthentication_SD]</a> <a href="#">ReplacementBenefitStatement</a> <a href="#">[rb0300_KBAAuthentication_SD]</a> main <a href="#">[mm3005_KBAAuthentication_SD]</a>

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [ka0270_nm1_01] Let's try again...Do you understand and agree to these terms?	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [ka0270_nm2_01] Sorry. To hear the terms again, press 9. If you DO understand and agree to the terms, press 1. If you DON'T understand or agree to them, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	<b>Prompt:</b> [ka0270_ni1_01] If you DO understand and agree to the terms, say 'Yes' or press 1. If you DON'T understand or agree to them, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [ka0270_ni2_01] Sorry. To hear the terms again, press 9. If you understand and agree to the terms, press 1. If you DON'T understand or agree to them, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--

**Commands: State-Specific Behavior**

[See 1.2 Global Commands](#)

**Commands: Confirmations**


[See 1.2 Global Commands](#)

**Config Parameters**


Parameter	Value
-----------	-------

--	--
<b>Developer Notes</b>	
Barge-in should be OFF.	

**ka0300\_SSNNNull\_DS**

<b>Decision</b> 		
Determines transition, based on the value of the caller_ssn variable.		
<b>Entering From</b>		
ka0105_AttestFlagCheck_DS, ka0110_AttestCheck_DS, ka0220_OMBNumber_PP, ka0270_PerjuryMessage_DM		
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If ka_collectSSN=true	If caller_ssn=NULL	--
^	Else (caller_ssn!=NULL)	--
Else	Always	--
<b>Developer Notes</b>		
--		

**ka0310\_GetSSN\_DM**

<b>SocialSecurity Recognition</b> 			
Collects the caller's Social Security number.			
<b>Entering From</b>			
ka0300_SSNNNull_DS			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	If current_task=screen_pop	ka0310_ini_01	Please say your Social Security Number, one digit at a time.
initial	Else (current_task!=screen_pop)	ka0310_ini_02	First, please say your Social Security number, one digit at a time.
reprompt	(after repeat or disconfirmation)	ka0310_ree_01	Tell me your Social Security number or enter it on your phone's keypad.
<b>Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
[9-digits]	[9-digits]	<get_ssn <ssn>>	Always
repeat, repeat that // repeat	9	<get_ssn repeat>	Never
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
[9-digit string]	Always	<b>Assign:</b> caller_ssn =<ssn>	--
^	^	<b>Prompt:</b> [ka0310_out_01] Thanks.	<b>goto:</b> ka0320_NameNull_DS
repeat	Always	<b>Prompt:</b> [ka0310_out_02] Sure.	<b>Re-Recognition:</b> Reprompt
<b>Confirmation Prompts</b>			

Option	Condition	Name	Wording
ssn	--	ka0310_cnf_ini_01	Just to make sure, your Social Security number is...
--	--	ka0310_cnf_ini_02	[ssn]
--	Always	gl_cnf_ini_02	Right?

**Confirmation Recovery Behavior**

[See 1.3 Global Confirmation](#)

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [ka0310_nm1_01] Let's try again... Please say or enter your nine-digit Social Security number, one digit at a time.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [ka0310_nm2_01] Sorry. Please enter the nine digits of your Social Security number now.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	<b>Prompt:</b> [ka0310_ni1_01] Please key-in or say your nine-digit Social Security number, like this: five six seven, eight nine, zero one two three.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [ka0310_ni2_01] Sorry. Please enter the nine digits of your Social Security number now.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--

**Commands: State-Specific Behavior**

[See 1.2 Global Commands](#)

**Commands: Disabled Globals**

repeat

**Commands: Confirmations**

[See 1.2 Global Commands](#)


**Config Parameters**

Parameter	Value
--	--

**Developer Notes**

--

**ka0320\_NameNull\_DS**

<b>Decision</b> 
Determines transition, based on the value of the caller_first_name variable.

<b>Entering From</b>		
ka0300_SSNNull_DS, ka0310_GetSSN_DM		
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If ka_collectName=true	<b>Comment:</b> In practice, if the caller reaches this state, kba_collectName will ALWAYS be true; the Else condition is included in the interest of completeness	--
^	If caller_first_name=NULL	-- goto: ka0325_TNRSLocation_DS
^	Else (caller_first_name= =NULL)	-- goto: ka0500_DOBNull_DS
Else	Always	-- goto: ka0500_DOBNull_DS
<b>Developer Notes</b>		
--		

**ka0325\_TNRSLocation\_DS**


<b>Decision</b>		◇
This decision state determines if the TNRS database hit will be done before or after the first name collection.		
<b>Entering From</b>		
ka0320_NameNull_DS		
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If tnrs_db_upfront = false	--	goto: ka0330_SetCallerNameParameters_DS
Else (If tnrs_db_upfront = true)	--	goto: ka0350_TNRS_DB
<b>Developer Notes</b>		
--		

**ka0330\_SetCallerNameParameters\_DS**

<b>Decision</b>		◇
Sets parameter values that are needed by the NameOSDM dialog.		
<b>Entering From</b>		
ka0325_TNRSLocation_DS, ka0350_TNRS_DB, ka0352_CollectFullName_DS, ka0355_TNRSGetName_DM		
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Comment:</b> set parameters before entering NameOSDM	--
^	<b>Assign:</b> collectname_alwaysaskspelling = 'FALSE'	--
^	<b>Assign:</b> collectname_confirmationapologyprompt = 'default_name_confirmationapology'	--
^	<b>Assign:</b> collectname_entryprompt = 'default_name_entryprompt_firstname_lastname'	--


^	<b>Assign:</b> collectname_exitfailureprompt =default_name_exitfailureprompt'	--
^	<b>Assign:</b> collectname_exitsuccessprompt =default_name_exitsuccessprompt'	--
^	<b>Assign:</b> collectname_firstnamehighconfidencelevel ='tbd' (default =0.85f)	--
^	<b>Assign:</b> collectname_lastnamehighconfidencelevel ='tbd' (default = 0.875f)	--
^	<b>Assign:</b> collectname_maxcorrections =1	--
^	<b>Assign:</b> collectname_maxnoinputtotal =2	--
^	<b>Assign:</b> collectname_maxnomatchestotal =2	--
^	<b>Assign:</b> collectname_names_to_collect ='FIRST_LAST'	--
^	<b>Assign:</b> collectname_overallconfirmation ='ALWAYS'	--
^	<b>Assign:</b> collectname_spellingonly ='FALSE'	--
^	<b>Assign:</b> name_collect_task =caller	--
^	--	<b>goto:</b> ka0340_GetCallerName_SD
<b>Developer Notes</b>		
--		

**ka0340\_GetCallerName\_SD**

<b>Subdialog Call</b> 			
Calls the NameOSDM module.			
<b>Entering From</b>			
<a href="#">ka0330_SetCallerNameParameters_DS</a>			
<b>Dialog called</b>			
Proceed to initial node in: <a href="#">NameOSDM</a>			
<b>Input parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Output parameters</b>			
<b>Variable</b>	<b>Subdialog Variable</b>		
--	--		
<b>Actions</b>			
<b>Condition</b>	<b>Action</b>	<b>Transition</b>	
If name_status=success	Always	<b>Assign:</b> caller_first_name =<first name>	--
^	^	<b>Assign:</b> caller_last_name =<last name>	--
^	If tnrs_checked = true and caller_first_name = tnrsfirstname and (caller_last_name =	--	<b>goto:</b> ka0500_DOBNull_DS

	tnrslastname or <a href="#">caller_last_name</a> = tnrsottherlastname)		
^	Else	--	<b>goto:</b> <a href="#">ka0400_AltNameNull_DS</a>
Else (name_status=failure)	If transfer_reason=error	<b>Assign:</b> <a href="#">kba_transaction_status</a> =failure	<b>Return to calling dialog:</b> <a href="#">BenefitsVerification</a> <a href="#">[bv0130_KBAAuthentication_SD]</a> <a href="#">ChangeOfAddress</a> <a href="#">[ca0300_KBAAuthentication_SD]</a> <a href="#">ClaimStatusRequests</a> <a href="#">[cs0110_KBAAuthentication_SD]</a> <a href="#">DirectDeposit</a> <a href="#">[dd0300_KBAAuthentication_SD]</a> <a href="#">MedicareReplacementCard</a> <a href="#">[mr0130_KBAAuthentication_SD]</a> <a href="#">ReplacementBenefitStatement</a> <a href="#">[rb0300_KBAAuthentication_SD]</a> main [ <a href="#">mm3005_KBAAuthentication_SD</a> ]
^	ELSE IF transfer_reason =error AND tnrs_checked=false	<b>Assign:</b> <a href="#">name_status</a> =Undefined	<b>goto:</b> <a href="#">ka0350_TNRS_DB</a>
^	ELSE (transfer_reason =error AND tnrs_checked=true)	<b>Comment:</b> If TNRS DB hit fails, the call proceeds to the NameOSDM and attempts the match.	--
^	^	<b>Assign:</b> <a href="#">name_status</a> =Undefined	<b>goto:</b> <a href="#">ka0360_SetCallerNameRetryParameters_DS</a>
<b>Recovery Behavior</b>			
<a href="#">See 1.1 Global Recovery Behavior</a>			
<b>Developer Notes</b>			
--			


### ka0350\_TNRS\_DB

Database Call 	
Accesses the TNRS DB if name collection fails	
<b>Entering From</b>	
<a href="#">ka0325_TNRSLocation_DS</a> , <a href="#">ka0340_GetCallerName_SD</a>	
<b>Input parameters</b>	
Parameter	Value
wsse:Username	Username
wsse:Password	Password
wsse:Nonce	--
wsu:Created	Transaction creation timestamp.
wsu:Expired	Transaction expiration timestamp.
ssn	9 digis SSN
associatedAppID	8 Characters max. Application ID calling the service.
ani	10 digit caller ANI. If unavailable, value should be 10 zeros.
<b>Output parameters</b>	




Variable		Description
tnrs_statusCode		Possible values that can be returned are: 0000=Success, 0151=System Failure, or 9999=Unsuccessful.
tnrs_firstName		First name, max length 10
tnrs_lastName		Last name, max length 13
tnrs_otherLastName		Other last name, max length 13
Actions		
Condition	Action	Transition
Always	<b>Assign:</b> tnrs_checked =true	--
If tnrs_statusCode=0000 (success)	If tnrs_db_upfront = false	-- <b>goto:</b> ka0360_SetCallerNameRetryParameters_DS
^	Else (If tnrs_db_upfront = true)	-- <b>goto:</b> ka0352_CollectFullName_DS
Else	If tnrs_db_upfront = false	<b>Comment:</b> If tnrs_db_upfront=false, then this condition can only be reached if the initial Say and Spell collection in NameOSDM has failed <b>goto:</b> ka0360_SetCallerNameRetryParameters_DS
^	Else (If tnrs_db_upfront = true)	<b>Comment:</b> If TNRS DB hit fails, the call proceeds to the NameOSDM and attempts the match. <b>goto:</b> ka0330_SetCallerNameParameters_DS
Recovery Behavior		
See 1.1 Global Recovery Behavior		
Developer Notes		
If last name matches on 'alternative' name we can accept it but we need to pass both last and alternative name to backend		

### ka0352\_CollectFullName\_DS

Decision 	
Determines if using the TNRS grammar (true) or if using NameOSDM (false).	
Entering From	
ka0350_TNRS_DB	
Actions	
Condition	Action
If collect_full_name=true	-- <b>goto:</b> ka0355_TNRSGetName_DM
Else (if collect_full_name=false)	-- <b>goto:</b> ka0330_SetCallerNameParameters_DS
Developer Notes	
--	


### ka0355\_TNRSGetName\_DM

CustomContext Recognition 	
If tnrs_db_upfront = true, this DM gathers the caller's first and last name together.	
Entering From	
ka0352_CollectFullName_DS	
Initial Prompts	

Type	Condition	Name	Wording	
initial	Always	ka0355_ini_01	Now, tell me your full name, first then last.	
reprompt	(after repeat)	ka0355_ree_01	Please tell me your full name, both first and last.	
<b>Grammar</b>				
Sample Expressions		DTMF	Reco Var/Option	Confirm
<name>		--	<TNRS_get_name <name>>	Never
repeat, repeat that // repeat		9	<TNRS_get_name repeat>	Never
<b>Actions</b>				
Option	Condition	Action	Transition	
<name>	Always	Assign: caller_first_name =<caller's first name>	--	
^	^	Assign: caller_last_name =<caller's last name>	--	
^	^	Prompt: [ka0355_out_01] Thanks.	--	
^	If caller_first_name = trnsfirstname and (caller_last_name = trnslastname or caller_last_name = trnsotherlastname)	--	goto: ka0500_DOBNull_DS	
^	Else	--	goto: ka0400_AltNameNull_DS	
repeat	Always	Prompt: [ka0355_out_02] Sure.	Re-Recognition: Reprompt	
<b>Recovery Behavior</b>				
Type	Condition	Action	Transition	
nomatch 1	Always	Prompt: [ka0355_nm1_01] Let's try again... Please tell me your first AND last name.	Re-Recognition:	
nomatch 2	Always	Assign: name_collect_counter =increment+1	--	
nomatch 2	^	Prompt: [ka0355_nm2_01] Sorry.	goto: ka0330_SetCallerNameParameters_DS	
noinput 1	Always	Prompt: [ka0355_ni1_01] Please tell me your first AND last name.	Re-Recognition:	
noinput 2	Always	Assign: name_collect_counter =increment+1	--	
noinput 2	^	--	goto: ka0330_SetCallerNameParameters_DS	
<b>Commands: State-Specific Behavior</b>				
<a href="#">See 1.2 Global Commands</a>				
<b>Commands: Disabled Globals</b>				
repeat				
<b>Commands: Confirmations</b>				
<a href="#">See 1.2 Global Commands</a>				
<b>Config Parameters</b>				


Parameter	Value
--	--
<b>Developer Notes</b>	
NOTE that, TNRS returns the caller's name on the basis of SSN, then a grammar is constructed that allows the caller to match against the name from the DB	

**ka0360\_SetCallerNameRetryParameters\_DS**


Decision 		
Sets parameter values that are needed by the NameOSDM dialog.		
<b>Entering From</b>		
ka0340_GetCallerName_SD, ka0350_TNRS_DB		
<b>Actions</b>		
Condition	Action	Transition
Always	<b>Comment:</b> set parameters before entering NameOSDM	--
^	<b>Assign:</b> collectname_alwaysaskspelling = 'FALSE'	--
^	<b>Assign:</b> collectname_confirmationapologyprompt = 'default_name_confirmationapology'	--
^	<b>Assign:</b> collectname_entryprompt = 'post_tnrs_entryprompt'	--
^	<b>Assign:</b> collectname_exitfailureprompt = 'default_name_exitfailureprompt'	--
^	<b>Assign:</b> collectname_exitsuccessprompt = 'default_name_exitsuccessprompt'	--
^	<b>Assign:</b> collectname_firstnamehighconfidencelevel = 'tbd' (default = 0.85f)	--
^	<b>Assign:</b> collectname_lastnamehighconfidencelevel = 'tbd' (default = 0.875f)	--
^	<b>Assign:</b> collectname_maxcorrections = 1	--
^	<b>Assign:</b> collectname_maxnoinputtotal = 2	--
^	<b>Assign:</b> collectname_maxnomatchestotal = 2	--
If caller_first_name = NULL	<b>Assign:</b> collectname_names_to_collect = 'FIRST_LAST'	--
Else	<b>Assign:</b> collectname_names_to_collect = 'LAST'	--
^	<b>Assign:</b> collectname_overallconfirmation = 'ALWAYS'	--
IF name_collect_counter=1	<b>Assign:</b> collectname_spellingonly = 'FALSE'	--
ELSE (name_collect_counter>1)	<b>Assign:</b> collectname_spellingonly = 'TRUE'	--
Always	<b>Assign:</b> name_collect_task = caller	--
^	--	<b>goto:</b> ka0370_GetCallerNameRetry_SD

<b>Developer Notes</b>
--


**ka0370\_GetCallerNameRetry\_SD**

<b>Subdialog Call</b> 			
Calls the NameOSDM module.			
<b>Entering From</b>			
<a href="#">ka0360_SetCallerNameRetryParameters_DS</a>			
<b>Dialog called</b>			
Proceed to initial node in: <a href="#">NameOSDM</a>			
<b>Input parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Output parameters</b>			
<b>Variable</b>	<b>Subdialog Variable</b>		
--	--		
<b>Actions</b>			
<b>Condition</b>	<b>Action</b>	<b>Transition</b>	
If name_status=success	Always	<b>Assign:</b> <a href="#">caller_first_name</a> =<first name>	--
^		<b>Assign:</b> <a href="#">caller_last_name</a> =<last name>	--
^	If <a href="#">tnrs_checked</a> = true and <a href="#">caller_first_name</a> = <a href="#">tnrsfirstname</a> and ( <a href="#">caller_last_name</a> = <a href="#">tnrslastname</a> or <a href="#">caller_last_name</a> = <a href="#">tnrsotherlastname</a> )	--	<b>goto:</b> <a href="#">ka0500_DOBNull_DS</a>
^	Else	--	<b>goto:</b> <a href="#">ka0400_AltNameNull_DS</a>
Else (name_status=failure)	Always	<b>Assign:</b> <a href="#">kba_transaction_status</a> =failure	<b>Return to calling dialog:</b> <a href="#">BenefitsVerification</a> <a href="#">[bv0130_KBAAuthentication_SD]</a> <a href="#">ChangeOfAddress</a> <a href="#">[ca0300_KBAAuthentication_SD]</a> <a href="#">ClaimStatusRequests</a> <a href="#">[cs0110_KBAAuthentication_SD]</a> <a href="#">DirectDeposit</a> <a href="#">[dd0300_KBAAuthentication_SD]</a> <a href="#">MedicareReplacementCard</a> <a href="#">[mr0130_KBAAuthentication_SD]</a> <a href="#">ReplacementBenefitStatement</a> <a href="#">[rb0300_KBAAuthentication_SD]</a> <a href="#">main</a> <a href="#">[mm3005_KBAAuthentication_SD]</a>
<b>Recovery Behavior</b>			
<a href="#">See 1.1 Global Recovery Behavior</a>			
<b>Developer Notes</b>			
--			

**ka0400\_AltNameNull\_DS**


Decision 		
Determines transition, based on the value of the caller_alternative_name variable.		
<b>Entering From</b>		
ka0340_GetCallerName_SD, ka0355_TNRSGetName_DM, ka0370_GetCallerNameRetry_SD		
<b>Actions</b>		
Condition	Action	Transition
If caller_alternative_name=NULL	--	goto: ka0410_AltNameQuestion_DM
Elseif (caller_alternative_name!=NULL)	--	goto: ka0500_DOBNull_DS
<b>Developer Notes</b>		
--		

**ka0410\_AltNameQuestion\_DM**

YesNo Recognition 			
Asks callers whether or not they have an alternative last name.			
<b>Entering From</b>			
ka0400_AltNameNull_DS			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	ka0410_ini_01	Some people have ANOTHER last name that might be listed under their social security number (a professional or maiden name, for example). Do you have another last name, please say YES or NO.
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
yes ?(i do)	1	<alt_name_yesno yes>	Never
no ?(i don't)	2	<alt_name_yesno no>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
no	Always	Assign: caller_alternative_name =none	--
^	^	Prompt: [ka0410_out_01] Alright.	goto: ka0500_DOBNull_DS
yes	Always	--	goto: ka0420_SetAlternativeNameParameters_DS
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	Prompt: [ka0410_nm1_01] Let's try again...Do you have another last name, please say YES or NO.	Re-Recognition:
nomatch 2	^	Prompt: [ka0410_nm2_01] Sorry. If you DO have another last name that might be associated with your social security number, press 1.	Re-Recognition:


		If you DON'T have another last name, press 2.	
nomatch 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	<b>Prompt:</b> [ka0410_ni1_01] If you DO have another last name that might be associated with your social security number, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [ka0410_ni2_01] Sorry. If you have another last name, such as a professional or maiden name that might be associated with your social security number, press 1. If you DON'T have another last name, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
--			

### ka0420\_SetAlternativeNameParameters\_DS

<b>Decision</b> 		
Sets parameter values that are needed by the NameOSDM dialog.		
<b>Entering From</b>		
<a href="#">ka0410_AltNameQuestion_DM</a> , <a href="#">ka0440_TNRSAlt_DB</a>		
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If spell_name=true	<b>Comment:</b> set 'spell' parameter before entering NameOSDM	--
Always	<b>Comment:</b> set parameters before entering NameOSDM	--
^	<b>Assign:</b> <a href="#">collectname_alwaysaskspelling</a> ='FALSE'	--
^	<b>Assign:</b> <a href="#">collectname_confirmationapologyprompt</a> ='default_name_confirmationapology'	--
^	<b>Assign:</b> <a href="#">collectname_entryprompt</a> ='alt_name_entryprompt'	--


^	<b>Assign:</b> collectname_exitfailureprompt =default_name_exitfailureprompt'	--
^	<b>Assign:</b> collectname_exitsuccessprompt =default_name_exitsuccessprompt'	--
^	<b>Assign:</b> collectname_firstnamehighconfidencelevel ='tbd' (default =0.85f)	--
^	<b>Assign:</b> collectname_lastnamehighconfidencelevel ='tbd' (default = 0.875f)	--
^	<b>Assign:</b> collectname_maxcorrections =1	--
^	<b>Assign:</b> collectname_maxnoinputtotal =2	--
^	<b>Assign:</b> collectname_maxnomatchestotal =2	--
^	<b>Assign:</b> collectname_names_to_collect ='LAST'	--
^	<b>Assign:</b> collectname_overallconfirmation ='ALWAYS'	--
^	<b>Assign:</b> collectname_spellingonly ='FALSE'	--
Always	<b>Assign:</b> name_collect_task =alternative	--
^	--	<b>goto:</b> ka0430_GetAlternativeName_SD
<b>Developer Notes</b>		
--		

**ka0430\_GetAlternativeName\_SD**

<b>Subdialog Call</b> 		
Calls the NameOSDM module.		
<b>Entering From</b>		
<a href="#">ka0420_SetAlternativeNameParameters_DS</a>		
<b>Dialog called</b>		
Proceed to initial node in: <a href="#">NameOSDM</a>		
<b>Input parameters</b>		
<b>Parameter</b>	<b>Value</b>	
--	--	
<b>Output parameters</b>		
<b>Variable</b>	<b>Subdialog Variable</b>	
--	--	
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If name_status=success	<b>Assign:</b> caller_alternative_name =<name>	<b>goto:</b> ka0500_DOBNull_DS
Else (name_status=failure) If transfer_reason=error	--	<b>goto:</b> ka0500_DOBNull_DS
^	ELSE IF transfer_reason =error AND trns_checked=false	<b>Assign:</b> name_status =Undefined <b>goto:</b> ka0440_TNRSAlt_DB

^	ELSE (transfer_reason= =error AND tnrs_checked=true)	<b>Comment:</b> If TNRS DB hit fails, the call proceeds to the NameOSDM and attempts the match.	--
^	^	<b>Assign:</b> name_status =Undefined	<b>goto:</b> <a href="#">ka0450_SetAlternativeNameRetryParameters_DS</a>
<b>Recovery Behavior</b>			
<a href="#">See 1.1 Global Recovery Behavior</a>			
<b>Developer Notes</b>			
--			


**ka0440\_TNRSAlt\_DB**

<b>Database Call</b>		
Accesses the TNRS DB if alternative name collection fails		
<b>Entering From</b>		
<a href="#">ka0430_GetAlternativeName_SD</a>		
<b>Input parameters</b>		
<b>Parameter</b>	<b>Value</b>	
wsse:Username	Username	
wsse>Password	Password	
wsse:Nonce	--	
wsu:Created	Transaction creation timestamp.	
wsu:Expired	Transaction expiration timestamp.	
ssn	9 digis SSN	
associatedAppID	8 Characters max. Application ID calling the service.	
ani	10 digit caller ANI. If unavailable, value should be 10 zeros.	
<b>Output parameters</b>		
<b>Variable</b>	<b>Description</b>	
<a href="#">tnrs_statusCode</a>	Possible values that can be returned are: 0000=Success, 0151=System Failure, or 9999=Unsuccessful.	
<a href="#">tnrs_firstName</a>	First name, max length 10	
<a href="#">tnrs_lastName</a>	Last name, max length 13	
<a href="#">tnrs_otherLastName</a>	Other last name, max length 13	
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Assign:</b> tnrs_checked =true	--
If tnrs_statusCode=0000 (success)	--	<b>goto:</b> <a href="#">ka0450_SetAlternativeNameRetryParameters_DS</a>
Else	<b>Comment:</b> If TNRS DB hit fails, the call proceeds to the NameOSDM and reattempts the match.	<b>goto:</b> <a href="#">ka0420_SetAlternativeNameParameters_DS</a>
<b>Recovery Behavior</b>		



<a href="#">See 1.1 Global Recovery Behavior</a>
<b>Developer Notes</b>
NOTE: added 050312

### ka0450\_SetAlternativeNameRetryParameters\_DS

Decision 		
Sets parameter values that are needed by the NameOSDM dialog (for alternative name).		
<b>Entering From</b>		
<a href="#">ka0430_GetAlternativeName_SD</a> , <a href="#">ka0440_TNRSAlt_DB</a>		
<b>Actions</b>		
Condition	Action	Transition
Always	<b>Comment:</b> set parameters before entering NameOSDM	--
^	<b>Assign:</b> <a href="#">collectname_alwaysaskspelling</a> = 'FALSE'	--
^	<b>Assign:</b> <a href="#">collectname_confirmationapologyprompt</a> = 'default_name_confirmationapology'	--
^	<b>Assign:</b> <a href="#">collectname_entryprompt</a> = 'post_tnrs_entryprompt'	--
^	<b>Assign:</b> <a href="#">collectname_exitfailureprompt</a> = 'default_name_exitfailureprompt'	--
^	<b>Assign:</b> <a href="#">collectname_exitsuccessprompt</a> = 'default_name_exitsuccessprompt'	--
^	<b>Assign:</b> <a href="#">collectname_lastnamehighconfidencelevel</a> = 'tbd' (default = 0.875f)	--
^	<b>Assign:</b> <a href="#">collectname_maxcorrections</a> = 1	--
^	<b>Assign:</b> <a href="#">collectname_maxnoinputtotal</a> = 2	--
^	<b>Assign:</b> <a href="#">collectname_maxnomatchestotal</a> = 2	--
^	<b>Assign:</b> <a href="#">collectname_names_to_collect</a> = 'LAST'	--
^	<b>Assign:</b> <a href="#">collectname_overallconfirmation</a> = 'ALWAYS'	--
IF name_collect_counter=1	<b>Assign:</b> <a href="#">collectname_spellingonly</a> = 'FALSE'	--
ELSE (name_collect_counter>1)	<b>Assign:</b> <a href="#">collectname_spellingonly</a> = 'TRUE'	--
Always	<b>Assign:</b> <a href="#">name_collect_task</a> = alternative	--
^	--	<b>goto:</b> <a href="#">ka0460_GetAlternativeNameRetry_SD</a>
<b>Developer Notes</b>		
NOTE: added 050312		

### ka0460\_GetAlternativeNameRetry\_SD

<b>Subdialog Call</b> 
---

Calls the NameOSDM module.

**Entering From**

[ka0450\\_SetAlternativeNameRetryParameters\\_DS](#)

**Dialog called**

Proceed to initial node in: [NameOSDM](#)

**Input parameters**

Parameter	Value
--	--

**Output parameters**

Variable	Subdialog Variable
--	--

**Actions**

Condition	Action	Transition
If name_status=success	Always	<b>Assign:</b> caller_alternative_name =<name>--
Always	^	<b>goto:</b> ka0500_DOBNull_DS


**Recovery Behavior**

[See 1.1 Global Recovery Behavior](#)

**Developer Notes**

NOTE: added 050312

**ka0500\_DOBNull\_DS**

			Decision 
Determines transition, based on the value of the caller_dob variable.			
<b>Entering From</b>			
<a href="#">ka0320_NameNull_DS</a> , <a href="#">ka0340_GetCallerName_SD</a> , <a href="#">ka0355_TNRGetName_DM</a> , <a href="#">ka0370_GetCallerNameRetry_SD</a> , <a href="#">ka0400_AltNameNull_DS</a> , <a href="#">ka0410_AltNameQuestion_DM</a> , <a href="#">ka0430_GetAlternativeName_SD</a> , <a href="#">ka0460_GetAlternativeNameRetry_SD</a>			
<b>Actions</b>			
Condition	Action	Transition	
If ka_collectDateOfBirth=true	If caller_dob=NULL	--	<b>goto:</b> ka0510_GetDOB_DM
^	Else (caller_dob!=NULL)	--	<b>goto:</b> ka0600_MaidenNameNull_DS
Else (ka_collectDateOfBirth=false)	Always	--	<b>goto:</b> ka0600_MaidenNameNull_DS
<b>Developer Notes</b>			
--			


**ka0510\_GetDOB\_DM**

		Date Recognition 
Collects caller's date of birth.		
<b>Entering From</b>		


<a href="#">ka0500_DOBNull_DS</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	ka0510_ini_01	Now, what's your date of birth?
reprompt	Else (after repeat or disconfirmation)	ka0510_ree_01	Please say or enter the month, day, and year you were born. For example, say 'May fifth, 1945' or enter '0 5 0 5 1 9 4 5.'
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
may fifth 1937, may five 1937, 5 may 1937, fifth of may 1937 // valid date formats are MMDDYY (6-digit) and MMDDYYYY (8-digit)	<6 or 8 digit string>	< <a href="#">get_dob</a> dob>	Always
<b>Actions</b>			
Option	Condition	Action	Transition
dob	--	<b>Assign:</b> <a href="#">caller_dob</a> =<date>	--
^	--	<b>Prompt:</b> [ka0510_out_01] Thank you.	<b>goto:</b> <a href="#">ka0600_MaidenNameNull_DS</a>
<b>Confirmation Prompts</b>			
Option	Condition	Name	Wording
--	--	ka0510_cnf_ini_01	That was...
dob	--	ka0510_cnf_ini_02	[dob]
--	Always	gl_cnf_ini_02	Right?
<b>Confirmation Recovery Behavior</b>			
<a href="#">See 1.3 Global Confirmation</a>			
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [ka0510_nm1_01] Let's try again... Please say the month, day, and year that you were born, or enter it on your keypad. For example, if you were born on 'May fifth 1945', you'd enter' zero 5 zero 5 1 9 4 5.'	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [ka0510_nm2_01] Sorry. Please enter your birth date using two digits for the month, two for the day, and four digits for the year. For example, if you were born on 'November second 1942', you'd enter' 1 1 zero 2 1 9 4 2.'	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	<b>Prompt:</b> [ka0510_ni1_01] Please say the month, day, and year that you were born, or enter it on your keypad. For example, if you were born on 'May fifth 1945', you'd enter' zero 5 zero 5 1 9 4 5.'	<b>Re-Recognition:</b>

noinput 2	^	<b>Prompt:</b> [ka0510_ni2_01] Sorry. Please enter your birth date using two digits for the month, two for the day, and four digits for the year. For example, if you were born on 'November second 1942', you'd enter '1 1 zero 2 1 9 4 2.'	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
NOTE: the grammar will accept a rolling 115 year range - projecteing into the past (i.e. back) - relative to the current date NOTE: valid date formats are MMDDYY (6-digit) and MMDDYYYY (8-digit)			

### ka0600\_MaidenNameNull\_DS


<b>Decision</b> 		
Determines transition, based on the value of the maiden_name variable.		
<b>Entering From</b>		
<a href="#">ka0500_DOBNull_DS</a> , <a href="#">ka0510_GetDOB_DM</a>		
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If ka_collectMothersMaidenName=true	If caller_maiden_name=NULL	-- <b>goto:</b> <a href="#">ka0610_SetMaidenNameParameters_DS</a>
^	Else (caller_maiden_name!=NULL)	-- <b>goto:</b> <a href="#">ka0700_POBNull_DS</a>
Else (ka_collectMothersMaidenName=false)	Always	-- <b>goto:</b> <a href="#">ka0700_POBNull_DS</a>
<b>Developer Notes</b>		
--		

### ka0610\_SetMaidenNameParameters\_DS

<b>Decision</b> 	
Sets parameter values that are needed by the NameOSDM dialog.	
<b>Entering From</b>	
<a href="#">ka0600_MaidenNameNull_DS</a>	
<b>Actions</b>	

Condition	Action	Transition
If spell_name=true	<b>Comment:</b> set 'spell' parameter before entering NameOSDM	--
Always	<b>Comment:</b> set parameters before entering NameOSDM	--
^	<b>Assign:</b> collectname_alwaysaskspelling = 'FALSE'	--
^	<b>Assign:</b> collectname_confirmationapologyprompt = 'default_name_confirmationapology'	--
^	<b>Assign:</b> collectname_entryprompt = 'maiden_name_entryprompt'	--
^	<b>Assign:</b> collectname_exitfailureprompt = 'default_name_exitfailureprompt'	--
^	<b>Assign:</b> collectname_exitsuccessprompt = 'default_name_exitsuccessprompt'	--
^	<b>Assign:</b> collectname_firstnamehighconfidencelevel = 'tbd' (default = 0.85f)	--
^	<b>Assign:</b> collectname_lastnamehighconfidencelevel = 'tbd' (default = 0.875f)	--
^	<b>Assign:</b> collectname_maxcorrections = 1	--
^	<b>Assign:</b> collectname_maxnoinputtotal = 2	--
^	<b>Assign:</b> collectname_maxnomatchestotal = 2	--
^	<b>Assign:</b> collectname_names_to_collect = 'LAST'	--
^	<b>Assign:</b> collectname_overallconfirmation = 'ALWAYS'	--
^	<b>Assign:</b> collectname_spellingonly = 'FALSE'	--
Always	<b>Assign:</b> name_collect_task = maiden	--
^	--	<b>goto:</b> ka0620_GetMaidenName_SD
<b>Developer Notes</b>		
--		

**ka0620\_GetMaidenName\_SD**

Subdialog Call 	
Calls the NameOSDM module.	
<b>Entering From</b>	
ka0610_SetMaidenNameParameters_DS	
<b>Dialog called</b>	
Proceed to initial node in: <a href="#">NameOSDM</a>	
<b>Input parameters</b>	
Parameter	Value
--	--

<b>Output parameters</b>		
<b>Variable</b>	<b>Subdialog Variable</b>	
--	--	
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If name_status=success	<b>Assign:</b> caller_maiden_name =<name>	<b>goto:</b> ka0700_POBNull_DS
Else (name_status=failure)	<b>Assign:</b> kba_transaction_status =failure	<b>Return to calling dialog:</b> BenefitsVerification [bv0130_KBAAuthentication_SD] ChangeOfAddress [ca0300_KBAAuthentication_SD] ClaimStatusRequests [cs0110_KBAAuthentication_SD] DirectDeposit [dd0300_KBAAuthentication_SD] MedicareReplacementCard [mr0130_KBAAuthentication_SD] ReplacementBenefitStatement [rb0300_KBAAuthentication_SD] main [mm3005_KBAAuthentication_SD]
<b>Recovery Behavior</b>		
See 1.1 Global Recovery Behavior		
<b>Developer Notes</b>		
--		

**ka0700\_POBNull\_DS**

			<b>Decision</b>
Determines transition, based on the value of the pob_needed variable.			
<b>Entering From</b>			
ka0600_MaidenNameNull_DS, ka0620_GetMaidenName_SD			
<b>Actions</b>			
<b>Condition</b>	<b>Action</b>	<b>Transition</b>	
If ka_collectPlaceOfBirth=true	If caller_pob=NULL	--	<b>goto:</b> ka0710_GetPlaceOfBirth_DM
^	Else (caller_pob =NULL)	--	<b>goto:</b> ka0720_POBCityNull_DS
Else (ka_collectPlaceOfBirth=false)	Always	--	<b>goto:</b> ka0720_POBCityNull_DS
<b>Developer Notes</b>			
--			

**ka0710\_GetPlaceOfBirth\_DM**

		<b>CustomContext Recognition</b>
Collects the state or U.S. territory where the caller was born.		
<b>Entering From</b>		
ka0700_POBNull_DS		

<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	ka0710_ini_01	Now tell me the U.S. STATE or TERRITORY where you were born. If you were born somewhere else, just say 'Other.'
reprompt	(after repeat or disconfirmation)	ka0710_ree_01	Tell me the U.S. STATE or TERRITORY where you were born or, if you were born somewhere else, say 'Other.'
<b>Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
alaska	n/a	<get_pob ak>	Always
alabama	n/a	<get_pob al>	Always
arkansas	n/a	<get_pob ar>	Always
[american] samoa	n/a	<get_pob as>	Always
arizona	n/a	<get_pob ar>	Always
armed forces africa	n/a	<get_pob af_af>	Always
armed forces americas	n/a	<get_pob af_am>	Always
armed forces canada	n/a	<get_pob af_ca>	Always
armed forces europe	n/a	<get_pob af_eu>	Always
armed forces middle east	n/a	<get_pob af_me>	Always
armed forces pacific	n/a	<get_pob af_pa>	Always
california	n/a	<get_pob ca>	Always
colorado	n/a	<get_pob co>	Always
connecticut	n/a	<get_pob ct>	Always
delaware	n/a	<get_pob de>	Always
[the] district of columbia, washington d c	n/a	<get_pob dc>	Always
florida	n/a	<get_pob fl>	Always
georgia	n/a	<get_pob ga>	Always
guam	n/a	<get_pob gu>	Always
hawaii	n/a	<get_pob hi>	Always
idaho	n/a	<get_pob id>	Always
illinois	n/a	<get_pob il>	Always
indiana	n/a	<get_pob in>	Always
iowa	n/a	<get_pob ia>	Always
kansas	n/a	<get_pob ks>	Always
kentucky	n/a	<get_pob ky>	Always
louisiana	n/a	<get_pob la>	Always
maine	n/a	<get_pob me>	Always
[the] marshall islands	n/a	<get_pob mh>	Always
maryland	n/a	<get_pob md>	Always
massachusetts	n/a	<get_pob ma>	Always
michigan	n/a	<get_pob mi>	Always

minnesota	n/a	<get_pob mn>	Always
missouri	n/a	<get_pob mo>	Always
mississippi	n/a	<get_pob ms>	Always
montana	n/a	<get_pob mt>	Always
nebraska	n/a	<get_pob ne>	Always
nevada	n/a	<get_pob nv>	Always
new hampshire	n/a	<get_pob nh>	Always
new jersey	n/a	<get_pob nj>	Always
new mexico	n/a	<get_pob nm>	Always
new york	n/a	<get_pob ny>	Always
north carolina	n/a	<get_pob nc>	Always
north dakota	n/a	<get_pob nd>	Always
[the] [northern] marianas islands	n/a	<get_pob mp>	Always
ohio	n/a	<get_pob oh>	Always
oklahoma	n/a	<get_pob ok>	Always
oregon	n/a	<get_pob or>	Always
palau	n/a	<get_pob pw>	Always
pennsylvania	n/a	<get_pob pa>	Always
puerto rico	n/a	<get_pob pr>	Always
rhode island	n/a	<get_pob ri>	Always
south carolina	n/a	<get_pob sc>	Always
south dakota	n/a	<get_pob sd>	Always
tennessee	n/a	<get_pob tn>	Always
texas	n/a	<get_pob tx>	Always
utah	n/a	<get_pob ut>	Always
vermont	n/a	<get_pob vt>	Always
[the] virgin islands	n/a	<get_pob vi>	Always
virginia	n/a	<get_pob va>	Always
washington	n/a	<get_pob wa>	Always
west virginia	n/a	<get_pob wv>	Always
wisconsin	n/a	<get_pob wi>	Always
wyoming	n/a	<get_pob wy>	Always
other, neither, none of them, none of those, ?(i was born) [(somewhere else) (out side the united states)]	n/a	<get_pob other>	Always
?(US) state	n/a	<get_pob state>	Never
?(US) territory	n/a	<get_pob territory>	Never
repeat, repeat that // repeat	9	<get_pob repeat>	Never
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
<state territory>	Always	Assign: caller_pob =<state territory>	--



^	^	<b>Prompt:</b> [ka0710_out_01] Thanks.	<b>goto:</b> ka0720_POBCityNull_DS
other	Always	<b>Assign:</b> caller_pob =other	--
^	^	<b>Prompt:</b> [ka0710_out_02] Okay, thanks.	<b>goto:</b> ka0800_LastPaymentNull_DS
state	Always	<b>Prompt:</b> [ka0710_out_03] What state were you born in?	<b>Re-Recognition:</b>
territory	Always	<b>Prompt:</b> [ka0710_out_04] What territory were you born in?	<b>Re-Recognition:</b>
repeat	Always	<b>Prompt:</b> [ka0710_out_05] Sure.	<b>Re-Recognition:</b> Reprompt

**Confirmation Prompts**

<b>Option</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
<state territory>	Always	ka0710_cnf_ini_01	You were born in...
af_af	Always	ka0710_cnf_ini_02_af_af	Armed Forces Africa
af_am	Always	ka0710_cnf_ini_02_af_am	Armed forces Americas
af_ca	Always	ka0710_cnf_ini_02_af_ca	Armed Forces Canada
af_ca	Always	ka0710_cnf_ini_02	Armed Forces Canada
af_eu	Always	ka0710_cnf_ini_02_af_eu	Armed forces Europe
af_me	Always	ka0710_cnf_ini_02_af_me	Armed Forces Middle East
af_pa	Always	ka0710_cnf_ini_02_af_pa	Armed Forces Pacific
ak	Always	ka0710_cnf_ini_02_ak	Alaska
al	Always	ka0710_cnf_ini_02_al	Alabama
ar	Always	ka0710_cnf_ini_02_ar	Arkansas
as	Always	ka0710_cnf_ini_02_as	American Samoa
az	Always	ka0710_cnf_ini_02_az	Arizona
ca	Always	ka0710_cnf_ini_02_ca	California
co	Always	ka0710_cnf_ini_02_co	Colorado
ct	Always	ka0710_cnf_ini_02_ct	Connecticut
dc	Always	ka0710_cnf_ini_02_dc	the District of Columbia
de	Always	ka0710_cnf_ini_02_de	Delaware
fl	Always	ka0710_cnf_ini_0	Florida

		2_fl	
ga	Always	ka0710_cnf_ini_0 2_ga	Georgia
gu	Always	ka0710_cnf_ini_0 2_gu	Guam
hi	Always	ka0710_cnf_ini_0 2_hi	Hawaii
ia	Always	ka0710_cnf_ini_0 2_ia	Iowa
id	Always	ka0710_cnf_ini_0 2_id	Idaho
il	Always	ka0710_cnf_ini_0 2_il	Illinois
in	Always	ka0710_cnf_ini_0 2_in	Indiana
ks	Always	ka0710_cnf_ini_0 2_ks	Kansas
ky	Always	ka0710_cnf_ini_0 2_ky	Kentucky
la	Always	ka0710_cnf_ini_0 2_la	Louisiana
ma	Always	ka0710_cnf_ini_0 2_ma	Massachusetts
md	Always	ka0710_cnf_ini_0 2_md	Maryland
me	Always	ka0710_cnf_ini_0 2_me	Maine
mh	Always	ka0710_cnf_ini_0 2_mh	the Marshall Islands
mi	Always	ka0710_cnf_ini_0 2_mi	Michigan
mn	Always	ka0710_cnf_ini_0 2_mn	Minnesota
mo	Always	ka0710_cnf_ini_0 2_mo	Missouri
mp	Always	ka0710_cnf_ini_0 2_mp	the Northern Marianas Islands
ms	Always	ka0710_cnf_ini_0 2_ms	Mississippi
mt	Always	ka0710_cnf_ini_0 2_mt	Montana
nc	Always	ka0710_cnf_ini_0 2_nc	North Carolina
nd	Always	ka0710_cnf_ini_0 2_nd	North Dakota
ne	Always	ka0710_cnf_ini_0 2_ne	Nebraska
nh	Always	ka0710_cnf_ini_0 2_nh	New Hampshire
nj	Always	ka0710_cnf_ini_0 2_nj	New Jersey

nm	Always	ka0710_cnf_ini_02_nm	New Mexico
nv	Always	ka0710_cnf_ini_02_nv	Nevada
ny	Always	ka0710_cnf_ini_02_ny	New York
oh	Always	ka0710_cnf_ini_02_oh	Ohio
ok	Always	ka0710_cnf_ini_02_ok	Oklahoma
or	Always	ka0710_cnf_ini_02_or	Oregon
pa	Always	ka0710_cnf_ini_02_pa	Pennsylvania
pr	Always	ka0710_cnf_ini_02_pr	Puerto Rico
pw	Always	ka0710_cnf_ini_02_pw	Palau
ri	Always	ka0710_cnf_ini_02_ri	Rhode Island
sc	Always	ka0710_cnf_ini_02_sc	South Carolina
sd	Always	ka0710_cnf_ini_02_sd	South Dakota
tn	Always	ka0710_cnf_ini_02_tn	Tennessee
tx	Always	ka0710_cnf_ini_02_tx	Texas
ut	Always	ka0710_cnf_ini_02_ut	Utah
va	Always	ka0710_cnf_ini_02_va	Virginia
vi	Always	ka0710_cnf_ini_02_vi	the Virgin Islands
vt	Always	ka0710_cnf_ini_02_vt	Vermont
wa	Always	ka0710_cnf_ini_02_wa	Washington
wi	Always	ka0710_cnf_ini_02_wi	Wisconsin
wv	Always	ka0710_cnf_ini_02_wv	West Virginia
wy	Always	ka0710_cnf_ini_02_wy	Wyoming
other	Always	ka0710_cnf_ini_03	So you were NOT born in the United States or in a U.S. territory.
--	Always	gl_cnf_ini_02	Right?

### **Confirmation Recovery Behavior**

[See 1.3 Global Confirmation](#)

### **Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [ka0710_nm1_01] Let's try again... Please say the name of the U.S. state or territory where you were born. Or say, 'somewhere else'.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [ka0710_nm2_01] Sorry. If you were NOT born in the U.S. or one of its territories, say 'somewhere else'. Otherwise, tell me the name of the state or territory where you were born.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	<b>Prompt:</b> [ka0710_ni1_01] If you were born in a U.S. state or territory, tell me which one. Otherwise, say 'somewhere else'.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [ka0710_ni2_01] Sorry. If you were NOT born in the U.S. or one of its territories, say 'somewhere else'. Otherwise, tell me the name of the state or territory where you were born.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--

**Commands: State-Specific Behavior**

[See 1.2 Global Commands](#)

**Commands: Disabled Globals**

repeat

**Commands: Confirmations**

[See 1.2 Global Commands](#)


**Config Parameters**

Parameter	Value
--	--

**Developer Notes**


--

**ka0720\_POBCityNull\_DS**

<b>Decision</b> 		
Determines transition, based on the value of the pob_needed variable.		
<b>Entering From</b>		
ka0700_POBNull_DS, ka0710_GetPlaceOfBirth_DM		
<b>Actions</b>		
Condition	Action	Transition
If ka_collectPlaceOfBirthCity	If caller_pob_city=NULL	--
		goto: ka0730_GetPOBCity_DM


=true			
^	Else (caller_pob_city =NULL)	--	goto: ka0800_LastPaymentNull_DS
Else (ka_collectPlaceOfBirthCity=false)	Always	--	goto: ka0800_LastPaymentNull_DS
<b>Developer Notes</b>			
--			

**ka0730\_GetPOBCity\_DM**

CustomContext Recognition 			
Collects caller's city of birth.			
<b>Entering From</b>			
<a href="#">ka0720_POBCityNull_DS</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	ka0730_ini_01	Now, tell me the name of the city where you were born.
reprompt	Always	ka0730_ree_01	What's the name of the city where you were born?
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
kansas city,los angeles,camden,rohnert park //any valid city name	n/a	<result pob_city>	If Necessary
<b>Actions</b>			
Option	Condition	Action	Transition
<city>	Always	Prompt: [ka0730_out_01] Thanks.	--
^	^	Assign: caller_pob_city =<city>	goto: ka0800_LastPaymentNull_DS
<b>Confirmation Prompts</b>			
Option	Condition	Name	Wording
pob_city	Always	ka0730_cnf_ini_01	That was...
^	^	TTS Prompt : [dynamic]	{pob_city / final / example= Denver}
^	^	ka0730_cnf_ini_02	Right?
<b>Confirmation Recovery Behavior</b>			
<a href="#">See 1.3 Global Confirmation</a>			
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	Prompt: [ka0730_nm1_01] Let's try again. Please say the name of the city where you were born.	Re-Recognition:
nomatch 2	Always	Prompt: [ka0730_nm2_01] Sorry. Please tell me the full name of	Re-Recognition:

		the city where you were born. You can say things like 'Madison' or 'Bakersfield'.	
nomatch 3	Always	<b>Assign:</b> <code>transfer_reason =error</code>	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	Always	<b>Prompt:</b> [ka0730_ni1_01] Let's try again. Please say the name of the city where you were born.	<b>Re-Recognition:</b>
noinput 2	Always	<b>Prompt:</b> [ka0730_ni2_01] Sorry. Please tell me the full name of the city where you were born. You can say things like 'Madison' or 'Bakersfield'.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> <code>transfer_reason =error</code>	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
--			

**ka0800\_LastPaymentNull\_DS**

			<b>Decision</b> 
Determines transition based on the value of the last_payment_needed variable.			
<b>Entering From</b>			
<a href="#">ka0710_GetPlaceOfBirth_DM</a> , <a href="#">ka0720_POBCityNull_DS</a> , <a href="#">ka0730_GetPOBCity_DM</a>			
<b>Actions</b>			
<b>Condition</b>		<b>Action</b>	<b>Transition</b>
If current_task=screen_pop	Always	--	<b>goto:</b> <a href="#">ka0830_ScreenPopSplashReturn_PP</a>
Elseif current_task=screen_splash		--	<b>goto:</b> <a href="#">ka0900_CheckingInfoMsg_PP</a>
Elseif ka_collectPaymentAmount =true	If caller_last_payment=NULL	--	<b>goto:</b> <a href="#">ka0810_GetLastPaymentAmount_DM</a>
^	Else (caller_last_payment= =NULL )	--	<b>goto:</b> <a href="#">ka0900_CheckingInfoMsg_PP</a>
Else (ka_collectPaymentAmount=false)	Always	--	<b>goto:</b> <a href="#">ka0900_CheckingInfoMsg_PP</a>
<b>Developer Notes</b>			

--

**ka0810\_GetLastPaymentAmount\_DM**

<b>Currency Recognition</b>			
Asks callers for the amount of the last benefit check that they received.			
<b>Entering From</b>			
<a href="#">ka0800_LastPaymentNull_DS</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	ka0810_ini_01	Last question - what was the amount of your last benefit check?
reprompt	(after repeat or disconfirmation)	ka0810_ree_01	What was the amount of your last benefit check?
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
three hundred twenty six dollars and eighty two cents // range - from \$0.01 to \$9,999.00	3 2 6 * 8 2	<get_last_payment_amount last_payment_amount>	Always
i don't know, i don't remember	1	<get_last_payment_amount dont_know>	If Necessary
repeat, repeat that	9	<get_last_payment_amount repeat>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
last_payment_amount	Always	Assign: caller_last_payment =<amount>	--
^	^	--	goto: <a href="#">ka0900_CheckingInfoMsg_PP</a>
dont_know	Always	Assign: caller_last_payment =dont_know	goto: <a href="#">ka0820_CantProceedMsg_PP</a>
repeat	Always	Prompt: [ka0810_out_01] Sure.	Re-Recognition: Reprompt
<b>Confirmation Prompts</b>			
Option	Condition	Name	Wording
last_payment_amount	--	ka0810_cnf_ini_01	Just to make sure, the amount was...
^	--	ka0810_cnf_ini_02	[last_payment_amount]
dont_know	--	ka0810_cnf_ini_03	You don't know the amount of your last benefit check.
--	Always	gl_cnf_ini_02	Right?
<b>Confirmation Recovery Behavior</b>			
<a href="#">See 1.3 Global Confirmation</a>			
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	Prompt: [ka0810_nm1_01] Let's try again... Please say the exact amount of your last benefit check or enter it on your phone, using the 'star'	Re-Recognition:

		key for the decimal point. For example, if you received 'one hundred seventy five dollars and ten cents,' you'd press '1 7 5 star 1 zero.'	
nomatch 2	^	<b>Prompt:</b> [ka0810_nm2_01] Sorry. If you don't know the exact amount of your last payment, press 1. Otherwise, tell me the amount, in dollars AND cents, or enter it on your keypad. For example, if you received 'two hundred thirty five dollars and no cents,' you'd press '2 3 5 star zero zero.'	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	<b>Prompt:</b> [ka0810_ni1_01] Please say the exact amount of your last benefit check or enter it on your phone, using the 'star' key for the decimal point. For example, if you received 'one hundred seventy five dollars and ten cents,' you'd press '1 7 5 star 1 zero.'	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [ka0810_ni2_01] Sorry. If you don't know the exact amount of your last payment, press 1. Otherwise, tell me the amount, in dollars AND cents, or enter it on your keypad. For example, if you received 'two hundred thirty five dollars and no cents,' you'd press '2 3 5 star zero zero.'	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
repeat			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
The grammar shall accept a minimum of \$0.00 and a maximum of \$9,999.00. NOTE: grammar range revised - upper limit changed fro \$99,000 to \$9,999			

**ka0820\_CantProceedMsg\_PP**

<b>Simple Play Prompt</b>	:))
Tells callers that the IVR cannot help them without a check amount.	




<b>Entering From</b>		
ka0810_GetLastPaymentAmount_DM		
<b>Actions</b> [Barge-in is OFF]		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Assign:</b> kba_transaction_status =failure	--
^	<b>Prompt:</b> [ka0820_out_01] Without the amount of your last payment I can't help you.	<b>Return to calling dialog:</b> BenefitsVerification [bv0130_KBAAuthentication_SD] ChangeOfAddress [ca0300_KBAAuthentication_SD] ClaimStatusRequests [cs0110_KBAAuthentication_SD] DirectDeposit [dd0300_KBAAuthentication_SD] MedicareReplacementCard [mr0130_KBAAuthentication_SD] ReplacementBenefitStatement [rb0300_KBAAuthentication_SD] main [mm3005_KBAAuthentication_SD]
<b>Developer Notes</b>		
--		

**ka0830\_ScreenPopSplashReturn\_PP**


		<b>Simple Play Prompt</b> :))
Determines route of caller based on if current task is screen splash or screen pop.		
<b>Entering From</b>		
ka0800_LastPaymentNull_DS, ka0905_ScreenSplashKB_DB		
<b>Actions</b> [Barge-in is OFF]		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If current_task=screen_pop	--	<b>Return to calling dialog:</b> BenefitsVerification [bv0130_KBAAuthentication_SD] ChangeOfAddress [ca0300_KBAAuthentication_SD] ClaimStatusRequests [cs0110_KBAAuthentication_SD] DirectDeposit [dd0300_KBAAuthentication_SD] MedicareReplacementCard [mr0130_KBAAuthentication_SD] ReplacementBenefitStatement [rb0300_KBAAuthentication_SD] main [mm3005_KBAAuthentication_SD]
Else (current_task=screen_splash)	<b>Prompt:</b> [ka0830_out_01] We're all set.	<b>Return to calling dialog:</b> BenefitsVerification [bv0130_KBAAuthentication_SD] ChangeOfAddress [ca0300_KBAAuthentication_SD] ClaimStatusRequests [cs0110_KBAAuthentication_SD] DirectDeposit [dd0300_KBAAuthentication_SD] MedicareReplacementCard [mr0130_KBAAuthentication_SD] ReplacementBenefitStatement

		[rb0300_KBAAuthentication_SD] main [mm3005_KBAAuthentication_SD]
<b>Developer Notes</b>		
--		

**ka0900\_CheckingInfoMsg\_PP**

<b>Simple Play Prompt</b> 		
Tells callers that there may be a delay (while the backend database is accessed).		
<b>Entering From</b>		
ka0100_ElementsCheck_DB, ka0800_LastPaymentNull_DS, ka0810_GetLastPaymentAmount_DM		
<b>Actions</b> [Barge-in is OFF]		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If <code>current_task=screen_splash</code>	<b>Prompt:</b> [ka0900_out_01] Please hold on...	<b>goto:</b> ka0905_ScreenSplashKB_DB
Else	If <code>current_task=card_medicare</code> <b>Prompt:</b> [ka0900_out_03] I've got everything I need. Hold on while I submit this...	--
^	Elseif <code>no_kba_info_needed = false</code> <b>Prompt:</b> [ka0900_out_02] Please hold on while I look this up. It may take a few seconds...	--
^	Else ( <code>no_kba_info_needed = true</code> ) <b>Prompt:</b> [ka0900_out_04] Please hold on for just a second...	--
^	Always	<b>goto:</b> ka0910_QueryKB_DB
<b>Developer Notes</b>		
--		

**ka0905\_ScreenSplashKB\_DB**

<b>Database Call</b> 	
Submits query to backend database to verify authentication data for screen splash.	
<b>Entering From</b>	
ka0900_CheckingInfoMsg_PP	
<b>Input parameters</b>	
<b>Parameter</b>	<b>Value</b>
processID	Which process to pass the request to. Values are: PING, AUTH, INFO, AUTHINFO, MI, ENDSSESSION, NONE.
requestID	Unique 10 digit ID for the request. 10 zeros, if not used.
timestamp	Transaction timestamp.
version	Version of the xml schema used.
<b>Output parameters</b>	
<b>Variable</b>	<b>Description</b>
ss_statusCode	Possible values that can be returned are: 0000=Success, 0150=System Failure-connected but failed for other reasons, 0151=System Failure, 0152=Off hour request, and 7777=Validation failure.
ss_statusDescription	Status code text description

<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	--	<b>goto:</b> <a href="#">ka0830_ScreenPopSplashReturn_PP</a>
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
--		

### ka0910\_QueryKB\_DB

<b>Database Call</b>	
Submits query to backend database to verify authentication data.	
<b>Entering From</b>	
<a href="#">ka0900_CheckingInfoMsg_PP</a>	
<b>Input parameters</b>	
<b>Parameter</b>	<b>Value</b>
processID	Which process to pass the request to. Values are: PING, AUTH, INFO, AUTHINFO, MI, ENDSSESSION, NONE.
requestID	Unique 10 digit ID for the request. 10 zeros, if not used.
timestamp	Transaction timestamp.
version	Version of the xml schema used.
actionType	--
ui	Type of user, T for Telephone
ssn	9 digit Social Security Number
firstName	15 character First Name, upper case
lastName	20 character Last Name, upper case
otherLastName	Other last name, max length 20
dobMonth	Month of Birth in the format of MM
dobDay	Day of Birth in the format of DD
dobYear	Year of Birth in the format of CCYY
attemptedAppID	Application making the request, 8 characters max.
mothersMaidenName	Mothers maiden name, 20 characters max, upper case
placeOfBirth	2 character state abbreviation for birth place. FF for foreign born.
placeOfBirthCity	name of city
currentPassword	7 digit password
bornInUS	Y or N
paymentAmount	Payment amount, right justified, zero padded to 4 digits. For example, for \$234.00, send 0234
wagesSsn	9 digit SSN for wage earner if caller is not the wage earner
Ani	Caller's 10 digit ANI. All zeros if unavailable.
<b>Output parameters</b>	
<b>Variable</b>	<b>Description</b>

<p>ka_statusCode</p>	<p>Possible values that can be returned are: 0000=Success, 0001 = Data is valid and processed and the user already has direct deposit, 0002 = Data is valid and processed and the user does not have direct deposit, 0108=cannot match the information provided (unable to authenticate), 0150=System Failure-connected but failed for other reasons, 0151=System Failure, 0152=Off hour request, 0226=Survivor is not a spouse, parent or child on MBR, 0508=Block Access, 1111=Application is in off season (Dec. 15-Jan. 31), 7777=Validation failure, 8888=Not authenticated/authorized, 9999=Data Invalid, 2000 = authentication pass but SSN not receiving benefits, 2001/2002 = authentication pass but SSN is ineligible to use IVR, 2003 = authentication pass but SSN has pending changes.</p>
<p>ka_statusDescription</p>	<p>Status code text description</p>
<p>ka_firstNameMbr</p>	<p>MBR authentication status for first name: 01 = Element verified, 02 = Element on database-not verified, 03 = Element not on database, 04 = Unable to access database, 05 = Element not received</p>
<p>ka_firstNameSsr</p>	<p>SSR authentication status for first name: 01 = Element verified, 02 = Element on database-not verified, 03 = Element not on database, 04 = Unable to access database, 05 = Element not received</p>
<p>ka_firstNameNumi</p>	<p>Numident authentication status for first name: 01 = Element verified, 02 = Element on database-not verified, 03 = Element not on database, 04 = Unable to access database, 05 = Element not received</p>
<p>ka_lastNameMbr</p>	<p>MBR authentication status for last name: 01 = Element verified, 02 = Element on database-not verified, 03 = Element not on database, 04 = Unable to access database, 05 = Element not received</p>
<p>ka_lastNameSsr</p>	<p>SSR authentication status for last name: 01 = Element verified, 02 = Element on database-not verified, 03 = Element not on database, 04 = Unable to access database, 05 = Element not received</p>
<p>ka_lastNameNumi</p>	<p>Numident authentication status for last name: 01 = Element verified, 02 = Element on database-not verified, 03 = Element not on database, 04 = Unable to access database, 05 = Element not received</p>
<p>ka_dobMbr</p>	<p>MBR authentication status for date of birth: 01 = Element verified, 02 = Element on database-not verified, 03 = Element not on database, 04 = Unable to access database, 05 = Element not received, 06 = Non numeric DOB received, 07 = Non numeric DOB on database.</p>
<p>ka_dobSsr</p>	<p>SSR authentication status for date of birth: 01 = Element verified, 02 = Element on database-not verified, 03 = Element not on database, 04 = Unable to access database, 05 = Element not received, 06 = Non numeric DOB received, 07 = Non numeric DOB on database.</p>
<p>ka_dobNumi</p>	<p>Numident authentication status for date of birth: 01 = Element verified, 02 = Element on database-not verified, 03 = Element not on database, 04 = Unable to access database, 05 = Element not received, 06 = Non numeric DOB received, 07 = Non numeric DOB on database.</p>
<p>ka_mothersMaidenNameNumi</p>	<p>Numident authentication status for mothers maiden name: 01 = Element verified, 02 = Element on database-not verified, 03 = Element not on database, 04 = Unable to access database, 05 = Element not received</p>
<p>ka_placeOfBirthNumi</p>	<p>Numident authentication status for mothers maiden name: 01 = Element verified, 02 = Element on database-not verified, 03 = Element not on database, 04 = Unable to access database, 05 = Element not received</p>
<p>ka_nhSsnFirstName</p>	<p>9 digit Social Security Number (SSN). This tag will be returned when the user's first name is verified using an SSN other than the SSN entered.</p>
<p>ka_bicFirstName</p>	<p>1 or 2-digit alpha or alpha-numeric string representing the Beneficiary Identification Code (BIC). This tag will be returned when the user's first name is verified using an SSN other than the SSN entered.</p>
<p>ka_nhSsnLastName</p>	<p>9 digit Social Security Number (SSN). This tag will be returned when the user's last name is verified using an SSN other than the SSN entered.</p>

<a href="#">ka_bicLastName</a>	1 or 2-digit alpha or alpha-numeric string representing the BIC. This tag will be returned when the user's last name is verified using an SSN other than the SSN entered.
<a href="#">ka_nhSsnDob</a>	9 digit Social Security Number (SSN). This tag will be returned when the user's date of birth is verified using an SSN other than the SSN entered.
<a href="#">ka_bicDob</a>	1 or 2-digit alpha or alpha-numeric string representing the BIC. This tag will be returned when the user's date of birth is verified using an SSN other than the SSN entered.
<a href="#">ka_lastAuthenticatedDate</a>	The date account was last authenticated (specific to TKBV/TCOA service)
<a href="#">ka_multipleAddresses</a>	Indicates whether caller has multiple addresses on file (specific to TKBV/TCOA service)  Y or N

**Actions**

<b>Condition</b>		<b>Action</b>	<b>Transition</b>
ALWAYS	^	<b>Assign:</b> <a href="#">no_kba_info_needed</a> =false	--
If success	If <a href="#">current_task</a> = change_address If <a href="#">ka_multipleAddresses</a> =Y //pass and multiple addresses on record	<b>Assign:</b> <a href="#">kba_transaction_status</a> =success_multiple_address	<b>goto:</b> <a href="#">ka0915_PlayLastAccessDate_PP</a>
^	^ Else //ka_multipleAddresses=N	<b>Assign:</b> <a href="#">kba_transaction_status</a> =success	<b>goto:</b> <a href="#">ka0915_PlayLastAccessDate_PP</a>
^	Else //different task	<b>Assign:</b> <a href="#">kba_transaction_status</a> =success	<b>goto:</b> <a href="#">ka0920_SuccessMsg_PP</a>
Else (failure)	If <a href="#">ka_statusCode</a> =2000	<b>Assign:</b> <a href="#">kba_transaction_status</a> =coa_no_benefits	<b>goto:</b> <a href="#">ka0915_PlayLastAccessDate_PP</a>
^	Else if <a href="#">ka_statusCode</a> 2001 OR 2002 //pass but SSN ineligible to use IVR	<b>Assign:</b> <a href="#">kba_transaction_status</a> =coa_not_eligible	--
^	^	<b>Prompt:</b> [ka0915_out_03] You'll need to speak with an agent to continue.	<b>goto:</b> <a href="#">ka0915_PlayLastAccessDate_PP</a>
^	Else if <a href="#">ka_statusCode</a> =2003 //pass but SSN has pending changes	<b>Assign:</b> <a href="#">kba_transaction_status</a> =coa_pending_changes	<b>goto:</b> <a href="#">ka0915_PlayLastAccessDate_PP</a>
^	If <a href="#">ka_statusCode</a> =0108	--	<b>goto:</b> <a href="#">ka0930_FailureMsg_PP</a>
^	If <a href="#">ka_statusCode</a> =0508	--	<b>goto:</b> <a href="#">ka0940_AccountBlockedMsg_PP</a>
^	If <a href="#">ka_statusCode</a> =0152	<b>Assign:</b> <a href="#">kba_transaction_status</a> =failure	--
^	^	<b>Prompt:</b> [ka0910_out_01] Sorry, our system is undergoing routine maintenance and I'm unable to access your records at this time. Please try back in the morning. If you'd like to speak with someone...	<b>Return to calling dialog:</b> <a href="#">BenefitsVerification</a> <a href="#">[bv0130_KBAAuthentication_SD]</a> <a href="#">ChangeOfAddress</a> <a href="#">[ca0300_KBAAuthentication_SD]</a> <a href="#">ClaimStatusRequests</a> <a href="#">[cs0110_KBAAuthentication_SD]</a> <a href="#">DirectDeposit</a> <a href="#">[dd0300_KBAAuthentication_SD]</a> <a href="#">MedicareReplacementCard</a> <a href="#">[mr0130_KBAAuthentication_SD]</a>

			ReplacementBenefitStatement [rb0300_KBAAuthentication_SD] main [mm3005_KBAAuthentication_SD]
^	Else	<b>Assign:</b> kba_transaction_status =failure	--
^	^	<b>Prompt:</b> [ka0910_out_02] Sorry, I'm having trouble getting access to your records...	<b>Return to calling dialog:</b> BenefitsVerification [bv0130_KBAAuthentication_SD] ChangeOfAddress [ca0300_KBAAuthentication_SD] ClaimStatusRequests [cs0110_KBAAuthentication_SD] DirectDeposit [dd0300_KBAAuthentication_SD] MedicareReplacementCard [mr0130_KBAAuthentication_SD] ReplacementBenefitStatement [rb0300_KBAAuthentication_SD] main [mm3005_KBAAuthentication_SD]
<b>Recovery Behavior</b>			
<a href="#">See 1.1 Global Recovery Behavior</a>			
<b>Developer Notes</b>			
--			

**ka0915\_PlayLastAccessDate\_PP**

			<b>Play Prompt</b> :))
Plays the last date the caller accessed their account.			
<b>Entering From</b>			
ka0910_QueryKB_DB			
<b>Actions</b>			
<b>Condition</b>		<b>Action</b>	<b>Transition</b>
If account was last accessed today	If kba_transaction_status =coa_pending_changes	<b>Prompt:</b> [ka0915_out_01] It looks like you currently have changes pending. The last time you accessed your account was earlier today, on...	--
^	Else if kba_transaction_status =success OR success_multiple_address	<b>Prompt:</b> [ka0915_out_02] Alright, we're all set. Just so you know, the last time you accessed your account was earlier today, on...	--
^	Else	<b>Prompt:</b> [ka0915_out_03] Just so you know, the last time you accessed your account was earlier today, on...	--
Else if account was last accessed yesterday	If kba_transaction_status =coa_pending_changes	<b>Prompt:</b> [ka0915_out_04] It looks like you currently have changes pending. The last time you accessed your account was yesterday, on...	--
^	Else if kba_transaction_status =success OR success_multiple_address	<b>Prompt:</b> [ka0915_out_05] Alright, we're all set. Just so you know, last time you accessed your account was yesterday, on...	--
^	Else	<b>Prompt:</b> [ka0915_out_06] Just so you know, the last time you accessed your account was yesterday, on...	--

Else // account was last accessed on earlier date	If <code>kba_transaction_status =coa_pending_changes</code>	<b>Prompt:</b> [ka0915_out_07] It looks like you currently have changes pending. The last time you accessed your account was on...	--
^	Else if <code>kba_transaction_status =success OR success_multiple_address</code>	<b>Prompt:</b> [ka0915_out_08] Alright, we're all set. Just so you know, the last time you accessed your account was on...	--
^	Else	<b>Prompt:</b> [ka0915_out_09] Just so you know, the last time you accessed your account was on...	--
Always		<b>Prompt:</b> [dynamic] {ka_lastAuthenticatedDate / final / CPR=date / example= June twentieth two thousand nineteen}	<b>Return to calling dialog:</b> BenefitsVerification [bv0130_KBAAuthentication_SD] ChangeOfAddress [ca0300_KBAAuthentication_SD] ClaimStatusRequests [cs0110_KBAAuthentication_SD] DirectDeposit [dd0300_KBAAuthentication_SD] MedicareReplacementCard [mr0130_KBAAuthentication_SD] ReplacementBenefitStatement [rb0300_KBAAuthentication_SD] main [mm3005_KBAAuthentication_SD]
<b>Developer Notes</b>			
--			

**ka0920\_SuccessMsg\_PP**

<b>Simple Play Prompt</b> :))		
Conveys to callers that the information they have provided matched what is in the backend database.		
<b>Entering From</b>		
ka0910_QueryKB_DB		
<b>Actions</b> [Barge-in is OFF]		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Assign:</b> <code>kba_transaction_status =success</code>	--
If <code>current_task=benefits_verification</code>	--	<b>Return to calling dialog:</b> BenefitsVerification [bv0130_KBAAuthentication_SD] ChangeOfAddress [ca0300_KBAAuthentication_SD] ClaimStatusRequests [cs0110_KBAAuthentication_SD] DirectDeposit [dd0300_KBAAuthentication_SD] MedicareReplacementCard [mr0130_KBAAuthentication_SD] ReplacementBenefitStatement [rb0300_KBAAuthentication_SD] main [mm3005_KBAAuthentication_SD]
Else	<b>Prompt:</b> [ka0920_out_01] All right. We're all set.	<b>Return to calling dialog:</b> BenefitsVerification [bv0130_KBAAuthentication_SD] ChangeOfAddress [ca0300_KBAAuthentication_SD] ClaimStatusRequests

		<a href="#">[cs0110_KBAAuthentication_SD]</a> <a href="#">DirectDeposit</a> <a href="#">[dd0300_KBAAuthentication_SD]</a> <a href="#">MedicareReplacementCard</a> <a href="#">[mr0130_KBAAuthentication_SD]</a> <a href="#">ReplacementBenefitStatement</a> <a href="#">[rb0300_KBAAuthentication_SD]</a> <a href="#">main [mm3005_KBAAuthentication_SD]</a>
<b>Developer Notes</b>		
--		

**ka0930\_FailureMsg\_PP**

<b>Simple Play Prompt</b> :))		
Tells callers some of the information they have provided did not match what is in the backend database.		
<b>Entering From</b>		
<a href="#">ka0910_QueryKB_DB</a>		
<b>Actions</b> [Barge-in is OFF]		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Assign:</b> <a href="#">kba_transaction_status</a> =failure	--
^	<b>Prompt:</b> [ka0930_out_01] Sorry, I'm having trouble processing this...	<b>Return to calling dialog:</b> <a href="#">BenefitsVerification</a> <a href="#">[bv0130_KBAAuthentication_SD]</a> <a href="#">ChangeOfAddress</a> <a href="#">[ca0300_KBAAuthentication_SD]</a> <a href="#">ClaimStatusRequests</a> <a href="#">[cs0110_KBAAuthentication_SD]</a> <a href="#">DirectDeposit</a> <a href="#">[dd0300_KBAAuthentication_SD]</a> <a href="#">MedicareReplacementCard</a> <a href="#">[mr0130_KBAAuthentication_SD]</a> <a href="#">ReplacementBenefitStatement</a> <a href="#">[rb0300_KBAAuthentication_SD]</a> <a href="#">main [mm3005_KBAAuthentication_SD]</a>
<b>Developer Notes</b>		
--		

**ka0940\_AccountBlockedMsg\_PP**

<b>Simple Play Prompt</b> :))		
Tells callers that there is a block on access to their account via IVR and web.		
<b>Entering From</b>		
<a href="#">ka0910_QueryKB_DB</a>		
<b>Actions</b> [Barge-in is OFF]		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Assign:</b> <a href="#">kba_transaction_status</a> =account_blocked	--
^	<b>Prompt:</b> [ka0940_out_01] According to our records, you asked that this automated system and our website block access to your account, so you'll need to speak to someone. By the way, if you want to unblock your account, the	<b>Return to calling dialog:</b> <a href="#">BenefitsVerification</a> <a href="#">[bv0130_KBAAuthentication_SD]</a> <a href="#">ChangeOfAddress</a> <a href="#">[ca0300_KBAAuthentication_SD]</a> <a href="#">ClaimStatusRequests</a>




	agent can help you do that as well.	<a href="#">[cs0110_KBAAuthentication_SD]</a> <a href="#">DirectDeposit</a> <a href="#">[dd0300_KBAAuthentication_SD]</a> <a href="#">MedicareReplacementCard</a> <a href="#">[mr0130_KBAAuthentication_SD]</a> <a href="#">ReplacementBenefitStatement</a> <a href="#">[rb0300_KBAAuthentication_SD]</a> <a href="#">main [mm3005_KBAAuthentication_SD]</a>
<b>Developer Notes</b>		
--		

## 2.9 MedicareReplacementCard Dialog

This application allows callers who are currently enrolled in Medicare to order a replacement Medicare Card.

### mr0100\_PingHost\_DB

<b>Database Call</b>		
Pings the host database to ensure the host is available.		
<b>Entering From</b>		
<a href="#">mm0565_MRC_SD</a>		
<b>Input parameters</b>		
Parameter	Value	
processID	Which process to pass the request to. Values are: PING, AUTH, INFO, AUTHINFO, MI, ENDSSESSION, NONE.	
requestID	Unique 10 digit ID for the request. 10 zeros, if not used.	
timestamp	Transaction timestamp.	
version	Version of the xml schema used.	
<b>Output parameters</b>		
Variable	Description	
<a href="#">mr_statusCode</a>	Determines if the backend system is available. Possible values that can be returned are: 0000=Success, 0150=System Failure-connected but failed for other reasons, 0151=System Failure, 0152=Off hour request, and 7777=Validation failure.	
<a href="#">mr_statusDescription</a>	Status code text description.	
<b>Actions</b>		
Condition	Action	Transition
If <a href="#">mr_statusCode</a> =0000 (success)	--	<b>goto:</b> <a href="#">mr0130_KBAAuthentication_SD</a>
Else (failure)	Always	<b>Assign:</b> <a href="#">mrc_transaction_status</a> =failure
^	If <a href="#">mr_statusCode</a> =0152 (off hours request)	<b>Prompt:</b> [mr0100_out_01] Sorry, our system is undergoing routine maintenance and I'm unable to access your records at this time. Please try back in the morning. If you'd like to speak with someone...
^	Else	<b>Prompt:</b> [mr0100_out_02] Sorry, I'm having trouble getting access to your records...
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
--		

### mr0130\_KBAAuthentication\_SD

<b>Subdialog Call</b>		
Sub dialogue call to 'Knowledge Based Authentication'.		
<b>Entering From</b>		

<a href="#">mr0100_PingHost_DB</a>		
<b>Dialog called</b>		
Proceed to initial node in: <a href="#">KnowledgeBasedAuthentication</a>		
<b>Input parameters</b>		
<b>Parameter</b>	<b>Value</b>	
--	--	
<b>Output parameters</b>		
<b>Variable</b>	<b>Subdialog Variable</b>	
--	--	
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If <a href="#">kba_transaction_status</a> =success	--	goto: <a href="#">mr0210_MRCSuccess_PP</a>
Elseif <a href="#">kba_transaction_status</a> =account_blocked	Assign: <a href="#">mrc_transaction_status</a> =failure	Return to calling dialog: <a href="#">main [mm0565_MRC_SD]</a>
Elseif <a href="#">kba_transaction_status</a> =attestation_declined	Assign: <a href="#">mrc_transaction_status</a> =failure	Return to calling dialog: <a href="#">main [mm0565_MRC_SD]</a>
Else ( <a href="#">kba_transaction_status</a> =failure)	Assign: <a href="#">mrc_transaction_status</a> =failure	Return to calling dialog: <a href="#">main [mm0565_MRC_SD]</a>
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
The request for the replacement medicare card is processed in authentication ( <a href="#">ka0910_QueryKB_DB</a> ).		

### mr0210\_MRCSuccess\_PP

<b>Simple Play Prompt</b> :))		
Informs the caller how long it will take to receive the request and that it was submitted successfully.		
<b>Entering From</b>		
<a href="#">mr0130_KBAAuthentication_SD</a>		
<b>Actions</b> [Barge-in is OFF]		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Prompt:</b> [ <a href="#">mr0210_out_01</a> ] You should receive your Replacement Medicare Card in the mail within four weeks.	goto: <a href="#">mr0220_TransactionEnd_PP</a>
<b>Developer Notes</b>		
--		

### mr0220\_TransactionEnd\_PP


<b>Simple Play Prompt</b> :))		
Gives the caller the option to hang up if they're finished.		
<b>Entering From</b>		
<a href="#">mr0210_MRCSuccess_PP</a>		
<b>Actions</b>		

<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	<b>Assign:</b> <a href="#">mrc_transaction_status</a> =success	--
^	<b>Prompt:</b> [mr0220_out_01] If you're finished, feel free to hang up. Otherwise,...	<b>Return to calling dialog:</b> <a href="#">main [mm0565_MRC_SD]</a>
<b>Developer Notes</b>		
--		


## 2.10 NameOSDM Dialog

This module collects a name from the caller (first, last, alternate, and/or mother's maiden name).

### na0110\_PlayEntryPrompt\_PP

		Simple Play Prompt 	
Plays an introduction message letting the caller know what name will be collected [first].			
<b>Entering From</b>			
<a href="#">ka0340_GetCallerName_SD</a> , <a href="#">ka0370_GetCallerNameRetry_SD</a> , <a href="#">ka0430_GetAlternativeName_SD</a> , <a href="#">ka0460_GetAlternativeNameRetry_SD</a> , <a href="#">ka0620_GetMaidenName_SD</a>			
<b>Actions</b> [Barge-in is OFF]			
Condition		Action	Transition
Always		<b>Assign:</b> name_collect_counter =increment+1	--
If names_to_collect == 'FIRST' or 'FIRST_LAST'	entryprompt == 'default_name_entryprompt_firstname_lastname'	<b>Prompt:</b> [na0110_out_01] Now...	--
^	entryprompt == 'post_tnrs_entryprompt'	<b>Prompt:</b> [na0110_out_02] Let's try this...	--
^	spelling_only == 'false'	--	<b>goto:</b> na0120_SayAndSpellFirst_DM
^	spelling_only == 'true'	--	<b>goto:</b> na0140_SpellFirst_DM
Else (names_to_collect == 'LAST' or 'LAST_FIRST')	entryprompt == 'default_name_entryprompt_firstname_lastname'	<b>Prompt:</b> [na0110_out_03] Now...	--
^	entryprompt == 'post_tnrs_entryprompt'	<b>Prompt:</b> [na0110_out_04] Let's try this again.	--
^	entryprompt == 'alt_name_entryprompt'	<b>Prompt:</b> [na0110_out_05] Okay.	--
^	entryprompt == 'maiden_name_entryprompt'	<b>Prompt:</b> [na0110_out_06] Next...	--
^	IF spelling_only == 'false'	--	<b>goto:</b> na0130_SayAndSpellLast_DM
^	ELSE (spelling_only == 'true')	--	<b>goto:</b> na0150_SpellLast_DM
<b>Developer Notes</b>			
Disable barge-in Check configuration for setting of entryprompt parameter			

### na0120\_SayAndSpellFirst\_DM

		CustomContext Recognition 	
Asks the caller to say and spell their first name.			
<b>Entering From</b>			
<a href="#">na0110_PlayEntryPrompt_PP</a> , <a href="#">na0200_ConfirmName_DM</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	na0120_ini_01	Please say, then spell, just your first name. For

			example, if your first name was Robin, you'd say "Robin: R O B I N." Go ahead.
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
robin r o b i n // if name matches generic say and spell grammar		n/a	<sayandspellfirst <name>>
robin r o b i n // if name provided matched grammar compiled from TNRS		n/a	<sayandspellfirst_tnrs <name_tnrs>
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
<name>	Always	<b>Prompt:</b> [na0120_out_01] All right.	<b>goto:</b> na0130_SayAndSpellLast_DM
<name_tnrs>	Always	<b>Prompt:</b> [na0120_out_02] All right.	<b>goto:</b> na0130_SayAndSpellLast_DM
<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	If tnrs_checked=false	<b>Comment:</b> exit with flag to indicate that first name was being collected (this will be used when returning to the NameOSDM)	--
nomatch 1	^	<b>Assign:</b> name_status =failure	<b>Return to calling dialog:</b> KnowledgeBasedAuthentication [ka0340_GetCallerName_SD] KnowledgeBasedAuthentication [ka0370_GetCallerNameRetry_SD] KnowledgeBasedAuthentication [ka0430_GetAlternativeName_SD] KnowledgeBasedAuthentication [ka0460_GetAlternativeNameRetry_SD] KnowledgeBasedAuthentication [ka0620_GetMaidenName_SD]
nomatch 1	Else (tnrs_checked=true)	<b>Prompt:</b> [na0120_nm1_01] Let's try again... please SAY, then SPELL, your first name like this - 'John, J O H N.' Go ahead.	<b>Re-Recognition:</b>
nomatch 2	If tnrs_checked=false	<b>Comment:</b> exit with flag to indicate that first name was being collected (this will be used when returning to the NameOSDM)	--
nomatch 2	^	<b>Assign:</b> name_status =failure	<b>Return to calling dialog:</b> KnowledgeBasedAuthentication [ka0340_GetCallerName_SD] KnowledgeBasedAuthentication [ka0370_GetCallerNameRetry_SD] KnowledgeBasedAuthentication [ka0430_GetAlternativeName_SD] KnowledgeBasedAuthentication [ka0460_GetAlternativeNameRetry_SD] KnowledgeBasedAuthentication [ka0620_GetMaidenName_SD]

nomatch 2	Else	<b>Assign:</b> collectname_spellingonly =true	--
nomatch 2	^	<b>Prompt:</b> [na0120_nm2_01] Let's try this a different way...	<b>goto:</b> na0140_SpellFirst_DM
noinput 1	Always	<b>Prompt:</b> [na0120_ni1_01] In order to look at your account, I need you to say, then spell, your first name. For example, if your name was 'Nick,' you'd say 'Nick, N I C K.' So, go ahead and say, then spell just your FIRST name.	<b>Re-Recognition:</b>
noinput 2	If <code>tnrs_checked=false</code>	<b>Comment:</b> exit with flag to indicate that first name was being collected (this will be used when returning to the NameOSDM)	--
noinput 2	^	<b>Assign:</b> name_status =failure	<b>Return to calling dialog:</b> KnowledgeBasedAuthentication [ka0340_GetCallerName_SD] KnowledgeBasedAuthentication [ka0370_GetCallerNameRetry_SD] KnowledgeBasedAuthentication [ka0430_GetAlternativeName_SD] KnowledgeBasedAuthentication [ka0460_GetAlternativeNameRetry_SD] KnowledgeBasedAuthentication [ka0620_GetMaidenName_SD]
noinput 2	Else	<b>Assign:</b> collectname_spellingonly =true	--
noinput 2	^	<b>Prompt:</b> [na0120_ni2_01] Let's try this a different way...	<b>goto:</b> na0140_SpellFirst_DM

**Commands: State-Specific Behavior**

[See 1.2 Global Commands](#)

**Commands: Confirmations**

[See 1.2 Global Commands](#)

**Config Parameters**

Parameter	Value
--	--

**Developer Notes**

--

**na0130\_SayAndSpellLast\_DM**

**CustomContext Recognition** 

If name\_collect\_task=called, asks the caller to say and spell their last name. If name\_collect\_task=alternative, collects caller's other name. If name\_collect\_task=maiden, collects caller's mother's maiden name.

**Entering From**

[na0110\\_PlayEntryPrompt\\_PP](#), [na0120\\_SayAndSpellFirst\\_DM](#), [na0200\\_ConfirmName\\_DM](#)

**Initial Prompts**

Type	Condition	Name	Wording
------	-----------	------	---------

initial	If name_collect_task=caller	na0130_ini_01	Now please say, then spell, just your last name. For example, if your last name was O'Brien, you'd say "O'Brien: O apostrophe B R I E N." Go ahead.
initial	Else if name_collect_task=alternative	na0130_ini_02	Please say, then spell, your OTHER LAST NAME.
initial	Else (name_collect_task=maiden)	na0130_ini_03	Please say, then spell, your mother's MAIDEN NAME.

**Grammar**

Sample Expressions	DTMF	Reco Var/Option	Confirm
kusack K U S A C K // if name matches generic say and spell grammar	n/a	<sayandspelllast <name>>	Never
kusack K U S A C K // if name provided matched grammar compiled from TNRS	n/a	<sayandspelllast_tnrs <name_tnrs>>	Never
I don't know, I don't have one, none // this option is available ONLY when name_collect_task=alternative	n/a	<alt_name_sayandspelllast none>	If Necessary

**Actions**

Option	Condition	Action	Transition
<name>	Always	<b>Prompt:</b> [na0130_out_01] Thanks.	<b>goto:</b> na0200_ConfirmName_DM
<name_tnrs>	Always	--	<b>goto:</b> na0210_ExitSuccessPrompts_PP
none	Always	<b>Assign:</b> name_status =success	--
^	^	<b>Prompt:</b> [na0130_out_02] No problem.	<b>Return to calling dialog:</b> KnowledgeBasedAuthentication [ka0340_GetCallerName_SD] KnowledgeBasedAuthentication [ka0370_GetCallerNameRetry_SD] KnowledgeBasedAuthentication [ka0430_GetAlternativeName_SD] KnowledgeBasedAuthentication [ka0460_GetAlternativeNameRetry_SD] KnowledgeBasedAuthentication [ka0620_GetMaidenName_SD]

**Confirmation Prompts**

Option	Condition	Name	Wording
none	--	na0130_cnf_ini_01	You don't have another last name.
--	Always	gl_cnf_ini_02	Right?

**Confirmation Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	--	<b>Prompt:</b> [na0130_cnf_nm1_01] Sorry, I didn't catch that. Please say "yes," or "no".	<b>Re-Recognition:</b> Reprompt
nomatch 2	--	<b>Prompt:</b> [na0130_cnf_nm2_01] Sorry, I still didn't catch that. If 'yes' press one, otherwise press two.	<b>Re-Recognition:</b> Reprompt
nomatch 3	--	--	--
noinput 1	--	<b>Prompt:</b> [na0130_cnf_ni1_01]	<b>Re-Recognition:</b> Reprompt



			Sorry, I didn't hear you. I need to know if I got your name right. Please say "yes" or "no".	
noinput 2	--		<b>Prompt:</b> [na0130_cnf_ni2_01] Sorry, I still didn't hear you. I need to know if I got your name right. Please say "yes" or "no".	<b>Re-Recognition:</b> Reprompt
noinput 3	--		--	--
noinput 1	--		--	<b>Re-Recognition:</b> Reprompt
noinput 2	--		<b>Prompt:</b> [gl_cnf_ni2_01] Sorry.	<b>Re-Recognition:</b> Reprompt
noinput 3	--		<b>Prompt:</b> [gl_cnf_ni3_01] Sorry, we seem to be having trouble.	<b>event:</b> <a href="#">event.conf.noinput</a> <b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
nomatch 1	--		<b>Prompt:</b> [gl_cnf_nm1_01] Sorry. Please say 'yes' or 'no.'	<b>Re-Recognition:</b> Reprompt
nomatch 2	--		<b>Prompt:</b> [gl_cnf_nm2_01] Sorry. Please say 'yes' or 'no.'	<b>Re-Recognition:</b> Reprompt
nomatch 3	--		<b>Prompt:</b> [gl_cnf_nm3_01] Sorry, we seem to be having trouble.	<b>event:</b> <a href="#">event.conf.nomatch</a> <b>goto:</b> <a href="#">mm3000_ABRStatus_DS</a>
<b>Recovery Behavior</b>				
<b>Type</b>	<b>Condition</b>		<b>Action</b>	<b>Transition</b>
nomatch 1	If <a href="#">tnrs_checked</a> =false AND <a href="#">name_collect_task</a> =caller OR alternative		<b>Comment:</b> exit with flag to indicate that first name was being collected (this will be used when returning to the NameOSDM)	--
nomatch 1	^		<b>Assign:</b> <a href="#">name_status</a> =failure	<b>Return to calling dialog:</b> <a href="#">KnowledgeBasedAuthentication [ka0340_GetCallerName_SD]</a> <a href="#">KnowledgeBasedAuthentication [ka0370_GetCallerNameRetry_SD]</a> <a href="#">KnowledgeBasedAuthentication [ka0430_GetAlternativeName_SD]</a> <a href="#">KnowledgeBasedAuthentication [ka0460_GetAlternativeNameRetry_SD]</a> <a href="#">KnowledgeBasedAuthentication [ka0620_GetMaidenName_SD]</a>
nomatch 1	Else	If <a href="#">name_collect_task</a> =caller	<b>Prompt:</b> [na0130_nm1_01] Let's try again... please SAY, then SPELL, your last name like this - 'O'Brien: O apostrophe B R I E N.' Go ahead.	<b>Re-Recognition:</b>
nomatch 1	^	If <a href="#">name_collect_task</a> =alternative	<b>Prompt:</b> [na0130_nm1_02] If you DON'T HAVE another last name, say 'I don't have one.' Otherwise, let's try again... please SAY, then SPELL, your other last name like this - 'O'Brien: O apostrophe B R I E N.' Go ahead.	<b>Re-Recognition:</b>
nomatch 1	^	Else ( <a href="#">name_collect_task</a> =maiden)	<b>Prompt:</b> [na0130_nm1_03] Let's try again... please SAY, then SPELL, your mother's maiden last name like this - 'O'Brien: O apostrophe B R I E N.' Go ahead.	<b>Re-Recognition:</b>

nomatch 2	Always	<b>Assign:</b> <a href="#">collectname_spellingonly</a> =true	--
nomatch 2	^	<b>Prompt:</b> [na0130_nm2_01] Let's try this a different way...	<b>goto:</b> <a href="#">na0150_SpellLast_DM</a>
noinput 1	If <a href="#">name_collect_task</a> =caller	<b>Prompt:</b> [na0130_ni1_01] In order to look at your account, I need you to say, then spell, your last name. For example, if your name was 'O'Brien,' you'd say 'O'Brien: O apostrophe B R I E N.' So, go ahead and say, then spell just your LAST name.	<b>Re-Recognition:</b>
noinput 1	Else if <a href="#">name_collect_task</a> =alternative	<b>Prompt:</b> [na0130_ni1_02] If you DON'T HAVE another last name, say 'I don't have one.' Otherwise, I need you to say, then spell, your OTHER last name. For example, if your name was 'O'Brien,' you'd say 'O'Brien: O apostrophe B R I E N.' So, go ahead and say, then spell just your other LAST name.	<b>Re-Recognition:</b>
noinput 1	Else ( <a href="#">name_collect_task</a> =maiden)	<b>Prompt:</b> [na0130_ni1_03] In order to look at your account, I need you to say, then spell, your mother's maiden name. For example, if her maiden name was 'O'Brien,' you'd say 'O'Brien: O apostrophe B R I E N.' So, go ahead and say, then spell just your mother's maiden LAST name.	<b>Re-Recognition:</b>
noinput 2	If <a href="#">tnrs_checked</a> =false AND <a href="#">name_collect_task</a> =caller OR alternative	<b>Comment:</b> exit with flag to indicate that first name was being collected (this will be used when returning to the NameOSDM)	--
noinput 2	^	<b>Assign:</b> <a href="#">name_status</a> =failure	<b>Return to calling dialog:</b> <a href="#">KnowledgeBasedAuthentication [ka0340_GetCallerName_SD]</a> <a href="#">KnowledgeBasedAuthentication [ka0370_GetCallerNameRetry_SD]</a> <a href="#">KnowledgeBasedAuthentication [ka0430_GetAlternativeName_SD]</a> <a href="#">KnowledgeBasedAuthentication [ka0460_GetAlternativeNameRetry_SD]</a> <a href="#">KnowledgeBasedAuthentication [ka0620_GetMaidenName_SD]</a>
noinput 2	Else	<b>Assign:</b> <a href="#">collectname_spellingonly</a> =true	--
noinput 2	^	<b>Prompt:</b> [na0130_ni2_01] Let's try this a different way...	<b>goto:</b> <a href="#">na0150_SpellLast_DM</a>

**Commands: State-Specific Behavior**

[See 1.2 Global Commands](#)

**Commands: Confirmations**


[See 1.2 Global Commands](#)

**Config Parameters**

Parameter	Value
-----------	-------

--	--
<b>Developer Notes</b>	
ADDED 'none' option to be used ONLY when name_collect_task=alternative. Created new grammar 'alt_name_sayandspelllast' to handle the 'none' option, though if it is better to simply insinuate it in existing grammar we can revise.	

**na0140\_SpellFirst\_DM**

CustomContext Recognition 			
Asks the caller to just spell their first name.			
<b>Entering From</b>			
na0110_PlayEntryPrompt_PP, na0120_SayAndSpellFirst_DM, na0200_ConfirmName_DM			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	na0140_ini_01	This time, just SPELL your first name for me.
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
R O B I N // if name matches generic say and spell grammar	n/a	<spellfirst <name>>	Never
R O B I N // if name provided matched grammar compiled from TNRS	n/a	<spellfirst_tnrs <name_tnrs>>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
--	--	<b>Comment:</b> If the caller has errored out of say and spell, we will continue, for last name collection, with spell only	--
<name>	Always	<b>Prompt:</b> [na0140_out_01] All right.	<b>goto:</b> na0150_SpellLast_DM
<name_tnrs>	Always	<b>Prompt:</b> [na0140_out_02] All right.	<b>goto:</b> na0150_SpellLast_DM
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [na0140_nm1_01] Let's try again... Go ahead and spell your first name for me again.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [na0140_nm2_01] Sorry. Please spell your first name one more time. For example, if your name was Robin, you'd say "R O B I N."	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	^	<b>Assign:</b> name_status =failure	--
nomatch 3	^	<b>Prompt:</b> [na0140_nm3_01] Sorry, we seem to be having trouble.	<b>Return to calling dialog:</b> KnowledgeBasedAuthentication [ka0340_GetCallerName_SD] KnowledgeBasedAuthentication [ka0370_GetCallerNameRetry_SD] KnowledgeBasedAuthentication

			[ka0430_GetAlternativeName_SD] KnowledgeBasedAuthentication [ka0460_GetAlternativeNameRetry_SD] KnowledgeBasedAuthentication [ka0620_GetMaidenName_SD]
noinput 1	Always	<b>Prompt:</b> [na0140_ni1_01] Go ahead and spell your first name for me, like this - 'R O B I N.'	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [na0140_ni2_01] Sorry. Please spell your first name one more time. For example, if your name was Robin, you'd say "R O B I N."	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> <code>transfer_reason</code> =error	--
noinput 3	^	<b>Assign:</b> <code>name_status</code> =failure	--
noinput 3	^	<b>Prompt:</b> [na0140_ni3_01] Sorry, we seem to be having trouble.	<b>Return to calling dialog:</b> KnowledgeBasedAuthentication [ka0340_GetCallerName_SD] KnowledgeBasedAuthentication [ka0370_GetCallerNameRetry_SD] KnowledgeBasedAuthentication [ka0430_GetAlternativeName_SD] KnowledgeBasedAuthentication [ka0460_GetAlternativeNameRetry_SD] KnowledgeBasedAuthentication [ka0620_GetMaidenName_SD]

**Commands: State-Specific Behavior**

[See 1.2 Global Commands](#)

**Commands: Confirmations**

[See 1.2 Global Commands](#)


**Config Parameters**

Parameter	Value
--	--

**Developer Notes**

--

**na0150\_SpellLast\_DM**

CustomContext Recognition 			
If name_collect_task=caller, asks the caller to spell their last name. If name_collect_task=alternative, collects caller's alternative last name or, if name_collect_task=maiden, collects caller's mother's maiden name.			
<b>Entering From</b>			
<a href="#">na0110_PlayEntryPrompt_PP</a> , <a href="#">na0130_SayAndSpellLast_DM</a> , <a href="#">na0140_SpellFirst_DM</a> , <a href="#">na0200_ConfirmName_DM</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	If name_collect_task=caller	If entering from na0110__PlayEntryPrompt_P	na0150_ini_01 This time, just SPELL your last name for me.

		P		
initial	^	Else	na0150_ini_02	Now spell just your LAST name.
initial	Elseif name_collect_task=alternative	Always	na0150_ini_03	This time, just SPELL your other last name for me.
initial	Else (name_collect_task=maiden)	Always	na0150_ini_04	This time, just SPELL your mother's maiden last name for me.

**Grammar**

Sample Expressions	DTMF	Reco Var/Option	Confirm
S M I T H // if name matches generic say and spell grammar	n/a	<spelllast <name>>	Never
S M I T H // if name provided matched grammar compiled from TNRS	n/a	<spelllast_tnrs <name_tnrs>>	Never

**Actions**

Option	Condition	Action	Transition
<name>	Always	<b>Prompt:</b> [na0150_out_01] Thanks.	<b>goto:</b> <a href="#">na0200_ConfirmName_DM</a>
<name_tnrs>	Always	--	<b>goto:</b> <a href="#">na0210_ExitSuccessPrompts_PP</a>

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	If name_collect_task=caller	<b>Prompt:</b> [na0150_nm1_01] Let's try again... Go ahead and spell your last name for me again.	<b>Re-Recognition:</b>
nomatch 1	Elseif name_collect_task=alternative	<b>Prompt:</b> [na0150_nm1_02] Let's try again... Go ahead and spell your other last name for me again.	<b>Re-Recognition:</b>
nomatch 1	Else (name_collect_task=maiden)	<b>Prompt:</b> [na0150_nm1_03] Let's try again... Go ahead and spell your mother's maiden last name for me again.	<b>Re-Recognition:</b>
nomatch 2	If name_collect_task=caller	<b>Prompt:</b> [na0150_nm2_01] Sorry. Please spell your last name one more time. For example, if your name was Smith, you'd say 'S M I T H.'	<b>Re-Recognition:</b>
nomatch 2	Elseif name_collect_task=alternative	<b>Prompt:</b> [na0150_nm2_02] Sorry. Please spell your other last name one more time. For example, if your name was Smith, you'd say 'S M I T H.'	<b>Re-Recognition:</b>
nomatch 2	Else (name_collect_task=maiden)	<b>Prompt:</b> [na0150_nm2_03] Sorry. Please spell your mother's maiden name one more time. For example, if her name was Smith, you'd say 'S M I T H.'	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	^	<b>Assign:</b> name_status =failure	--
nomatch 3	^	<b>Prompt:</b> [na0150_nm3_01] Sorry, we seem to be having trouble.	<b>Return to calling dialog:</b> <a href="#">KnowledgeBasedAuthentication</a>

			[ka0340_GetCallerName_SD] KnowledgeBasedAuthentication [ka0370_GetCallerNameRetry_SD] KnowledgeBasedAuthentication [ka0430_GetAlternativeName_SD] KnowledgeBasedAuthentication [ka0460_GetAlternativeNameRetry_SD] KnowledgeBasedAuthentication [ka0620_GetMaidenName_SD]
noinput 1	If name_collect_task=caller	<b>Prompt:</b> [na0150_ni1_01] Go ahead and spell your last name for me, like this - 'S M I T H.'	<b>Re-Recognition:</b>
noinput 1	Elseif name_collect_task=alternative	<b>Prompt:</b> [na0150_ni1_02] Go ahead and spell your other last name for me, like this - 'S M I T H.'	<b>Re-Recognition:</b>
noinput 1	Else (name_collect_task=maiden)	<b>Prompt:</b> [na0150_ni1_03] Go ahead and spell your mother's maiden last name for me, like this - 'S M I T H.'	<b>Re-Recognition:</b>
noinput 2	If name_collect_task=caller	<b>Prompt:</b> [na0150_ni2_01] Sorry. Please spell your last name one more time. For example, if your name was Smith, you'd say 'S M I T H.'	<b>Re-Recognition:</b>
noinput 2	Elseif name_collect_task=alternative	<b>Prompt:</b> [na0150_ni2_02] Sorry. Please spell your other last name one more time. For example, if your name was Smith, you'd say 'S M I T H.'	<b>Re-Recognition:</b>
noinput 2	Else (name_collect_task=maiden)	<b>Prompt:</b> [na0150_ni2_03] Sorry. Please spell your mother's maiden name one more time. For example, if her name was Smith, you'd say 'S M I T H.'	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	^	<b>Assign:</b> name_status =failure	--
noinput 3	^	<b>Prompt:</b> [na0150_ni3_01] Sorry, we seem to be having trouble.	<b>Return to calling dialog:</b> KnowledgeBasedAuthentication [ka0340_GetCallerName_SD] KnowledgeBasedAuthentication [ka0370_GetCallerNameRetry_SD] KnowledgeBasedAuthentication [ka0430_GetAlternativeName_SD] KnowledgeBasedAuthentication [ka0460_GetAlternativeNameRetry_SD] KnowledgeBasedAuthentication [ka0620_GetMaidenName_SD]
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			

<b>Config Parameters</b>	
<b>Parameter</b>	<b>Value</b>
--	--
<b>Developer Notes</b>	
--	

**na0200\_ConfirmName\_DM**

<b>YesNo Recognition</b>	
--------------------------	---

Asks the caller to confirm the name collected is correct.

**Entering From**

[na0130\\_SayAndSpellLast\\_DM](#), [na0150\\_SpellLast\\_DM](#)

**Initial Prompts** [Barge-in is OFF]

<b>Type</b>	<b>Condition</b>		<b>Name</b>	<b>Wording</b>
initial	Always		na0200_ini_01	Let me read that back.
initial	name_collect_task=caller and names_to_collect == 'FIRST'	collectname_spelling_only == 'false'	na0200_ini_02	Your first name is
initial	^	^	TTS Prompt : [na0200_ini_03]	{ firstname /medial /say-as=other }
initial	^	^	na0200_ini_04	...spelled:
initial	^	^	TTS Prompt : [na0200_ini_05]	{ firstnamespelling /final /say_as=alpha num }
initial	^	collectname_spelling_only == 'true'	na0200_ini_06	Your first name is spelled...
initial	^	^	TTS Prompt : [na0200_ini_07]	{ firstnamespelling /final /say_as=alpha num }
initial	name_collect_task=caller and names_to_collect == 'FIRST'	collectname_spelling_only == 'false'	na0200_ini_08	And last name:
initial	^	^	TTS Prompt : [na0200_ini_09]	{ lastname /medial /say-as=other }
initial	^	^	na0200_ini_10	...spelled:
initial	^	^	TTS Prompt : [na0200_ini_11]	{ lastnamespelling /final /say_as=alpha num }
initial	^	collectname_spelling_only == 'true'	na0200_ini_12	And last name spelled...
initial	^	^	TTS Prompt : [na0200_ini_13]	{ lastnamespelling /final /say_as=alpha num }
initial	names_to_collect == 'LAST' AND name_collect_task=alternative	collectname_spelling_only == 'false'	na0200_ini_14	Your other last name is
initial	^	^	TTS Prompt : [na0200_ini_15]	{ lastname /medial /say-as=other }
initial	^	^	na0200_ini_16	...spelled:
initial	^	^	TTS Prompt : [na0200_ini_17]	{ lastnamespelling /final /say_as=alpha num }

initial	^	collectname_spelling_only == 'true'	na0200_ini_18	Your other last name is spelled...
initial	^		TTS Prompt : [na0200_ini_19]	{ lastnamespelling /final /say_as=alpha num }
initial	names_to_collect == 'LAST' AND name_collect_task=maiden	collectname_spelling_only == 'false'	na0200_ini_20	Your mother's maiden name is
initial	^	^	TTS Prompt : [na0200_ini_21]	{ lastname /medial /say-as=other }
initial	^	^	na0200_ini_22	...spelled:
initial	^	^	TTS Prompt : [na0200_ini_23]	{ lastnamespelling /final /say_as=alpha num }
initial	^	collectname_spelling_only == 'true'	na0200_ini_24	Your mother's maiden name is spelled...
initial	^	^	TTS Prompt : [na0200_ini_25]	{ lastnamespelling /final /say_as=alpha num }
initial	Always		na0200_ini_26	Did I get that right, please say YES or NO?

**Grammar**

Sample Expressions	DTMF	Reco Var/Option	Confirm
yes	1	<confirmname yes>	Never
no	2	<confirmname no>	Never
repeat, hear it again, spell the name again, spell it again	3	<confirmname repeat>	Never

**Actions**

Option	Condition	Action	Transition
yes	--	Assign: name_disconfirm_counter =0	goto: na0210_ExitSuccessPrompts_PP
no	IF name_disconfirm_counter=0	Always Assign: name_disconfirm_counter =increment+1	--
^	^	IF name_collect_task=caller OR alternative AND tnrs_checked=false	Assign: name_status =failure --
^	^	^	Prompt: [na0200_out_05] My mistake.  Return to calling dialog: <a href="#">KnowledgeBasedAuthentication [ka0340_GetCallerName_SD]</a> <a href="#">KnowledgeBasedAuthentication [ka0370_GetCallerNameRetry_SD]</a> <a href="#">KnowledgeBasedAuthentication [ka0430_GetAlternativeName_SD]</a> <a href="#">KnowledgeBasedAuthentication [ka0460_GetAlternativeNameRetry_SD]</a> <a href="#">KnowledgeBasedAuthentication [ka0620_GetMaidenName_SD]</a>
^	^	ELSE IF name_collect_task=caller AND	Assign: name_collect_counter =increment+1 --



		tnrs_checked=true AND name_collect_counter=1		
^	^	^	<b>Prompt:</b> [na0200_out_02] My mistake. Let's try again...	<b>goto:</b> na0120_SayAndSpellFirst_DM
^	^	ELSE IF name_collect_task =caller AND name_collect_counter=1	<b>Assign:</b> name_collect_counter =increment+1	--
^	^	^	<b>Prompt:</b> [na0200_out_02] My mistake. Let's try again...	<b>goto:</b> na0130_SayAndSpellLast_DM
^	^	ELSE IF name_collect_task=caller AND tnrs_checked=true AND name_collect_counter=2	<b>Assign:</b> name_collect_counter =increment+1	--
^	^	^	<b>Assign:</b> collectname_spellingonly =true	--
^	^	^	<b>Prompt:</b> [na0200_out_02] My mistake. Let's try again...	<b>goto:</b> na0140_SpellFirst_DM
^	^	ELSE IF name_collect_task =caller AND name_collect_counter=2	<b>Assign:</b> name_collect_counter =increment+1	--
^	^	^	<b>Assign:</b> collectname_spellingonly =true	--
^	^	^	<b>Prompt:</b> [na0200_out_02] My mistake. Let's try again...	<b>goto:</b> na0150_SpellLast_DM
^	^	ELSE (name_collect_counter=3)	--	<b>goto:</b> na0220_ConfirmationApology_PP
^	ELSE IF name_disconfirm_counter=1	Always	<b>Assign:</b> name_disconfirm_counter =increment+1	--
^	^	^	<b>Assign:</b> collectname_spellingonly =true	--
^	^	IF name_collect_task=caller AND name_collect_counter=2	<b>Assign:</b> collectname_spellingonly =true	--
^	^	^	<b>Prompt:</b> [na0200_out_03] Sorry. Let's try again...	<b>goto:</b> na0140_SpellFirst_DM
^	^	ELSE IF name_collect_task =caller AND name_collect_counter=2	<b>Assign:</b> collectname_spellingonly =true	--
^	^	^	<b>Prompt:</b> [na0200_out_03] Sorry. Let's try again...	<b>goto:</b> na0150_SpellLast_DM
^	^	ELSE	--	<b>goto:</b>

		(name_collect_counter=3)		na0220_ConfirmationApology_P P
^	ELSE (name_disconfirm_counter>1)	Always	--	goto: na0220_ConfirmationApology_P P
repeat	--		<b>Prompt:</b> [na0200_out_01] Sure	<b>Re-Recognition:</b> Reprompt

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	If name_collect_task=caller	collectname_spelling_only == 'false' <b>Prompt:</b> [na0200_nm1_01] Sorry. I heard the first name...	--
nomatch 1	^	<b>TTS Prompt:</b> [na0200_nm1_02] { firstname /medial /say-as=other }	--
nomatch 1	^	<b>Prompt:</b> [na0200_nm1_03] ... spelled...	--
nomatch 1	^	<b>TTS Prompt:</b> [na0200_nm1_04] { firstnamespelling /final /say_as=alpha num }	--
nomatch 1	^	<b>Prompt:</b> [na0200_nm1_05] ... and the last name...	--
nomatch 1	^	<b>TTS Prompt:</b> [na0200_nm1_06] { lastname /medial /say-as=other }	--
nomatch 1	^	<b>Prompt:</b> [na0200_nm1_03] ... spelled...	--
nomatch 1	^	<b>TTS Prompt:</b> [na0200_nm1_08] { lastnamespelling /final /say_as=alpha num }	--
nomatch 1	^	collectname_spelling_only == 'true' <b>Prompt:</b> [na0200_nm1_07] Sorry. I heard the first name spelled...	--
nomatch 1	^	<b>TTS Prompt:</b> [na0200_nm1_10] { firstnamespelling /final /say_as=alpha num }	--
nomatch 1	^	<b>Prompt:</b> [na0200_nm1_05] ... and the last name...	--
nomatch 1	^	<b>TTS Prompt:</b> [na0200_nm1_12] { lastnamespelling /final /say_as=alpha num }	--
nomatch 1	^	Always <b>Prompt:</b> [na0200_nm1_09] Did I get that right?	<b>Re-Recognition:</b>
nomatch 1	Else (name_collect_task=maiden or alternative)	collectname_spelling_only == 'false' <b>Prompt:</b> [na0200_nm1_11] Sorry. The name I heard was...	--
nomatch 1	^	<b>TTS Prompt:</b> [na0200_nm1_15] { lastname /medial /say-as=other }	--
nomatch 1	^	<b>Prompt:</b> [na0200_nm1_03] ... spelled...	--
nomatch 1	^	<b>TTS Prompt:</b> [na0200_nm1_17] { lastnamespelling /final /say_as=alpha num }	--
nomatch 1	^	collectname_spelling_only == 'true' <b>Prompt:</b> [na0200_nm1_13] Sorry. The name I heard was	--

			spelled...	
nomatch 1	^	^	<b>TTS Prompt:</b> [na0200_nm1_19] { lastnamespelling /final /say_as=alpha num }	--
nomatch 1	^	Always	<b>Prompt:</b> [na0200_nm1_09] Did I get that right?	<b>Re-Recognition:</b>
nomatch 2	If <a href="#">name_collect_task</a> =caller OR alternative		<b>Prompt:</b> [na0200_nm2_01] Sorry. If I got your name right, press 1. If I got it WRONG, press 2. Or, to hear the name I got AGAIN, press 3.	<b>Re-Recognition:</b>
nomatch 2	Else ( <a href="#">name_collect_task</a> =maiden)		<b>Prompt:</b> [na0200_nm2_02] Sorry. If I got your mother's maiden name right, press 1. If I got it WRONG, press 2. Or, to hear the name I got AGAIN, press 3.	<b>Re-Recognition:</b>
nomatch 3	Always		<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	^		<b>Assign:</b> <a href="#">name_status</a> =failure	--
nomatch 3	^		<b>Prompt:</b> [na0200_nm3_01] Sorry, we seem to be having trouble.	<b>Return to calling dialog:</b> <a href="#">KnowledgeBasedAuthentication [ka0340_GetCallerName_SD]</a> <a href="#">KnowledgeBasedAuthentication [ka0370_GetCallerNameRetry_SD]</a> <a href="#">KnowledgeBasedAuthentication [ka0430_GetAlternativeName_SD]</a> <a href="#">KnowledgeBasedAuthentication [ka0460_GetAlternativeNameRetry_SD]</a> <a href="#">KnowledgeBasedAuthentication [ka0620_GetMaidenName_SD]</a>
noinput 1	If <a href="#">name_collect_task</a> =caller	<a href="#">collectname_spelling_only</a> == 'false'	<b>Prompt:</b> [na0200_ni1_01] Sorry. I heard the first name...	--
noinput 1	^		<b>TTS Prompt:</b> [na0200_ni1_02] { firstname /medial /say-as=other }	--
noinput 1	^		<b>Prompt:</b> [na0200_ni1_03] ... spelled...	--
noinput 1	^		<b>TTS Prompt:</b> [na0200_ni1_04] { firstnamespelling /final /say_as=alpha num }	--
noinput 1	^		<b>Prompt:</b> [na0200_ni1_05] ... and the last name...	--
noinput 1	^		<b>TTS Prompt:</b> [na0200_ni1_06] { lastname /medial /say-as=other }	--
noinput 1	^		<b>Prompt:</b> [na0200_ni1_03] ... spelled...	--
noinput 1	^		<b>TTS Prompt:</b> [na0200_ni1_08] { lastnamespelling /final /say_as=alpha num }	--
noinput 1	^		<b>Prompt:</b> [na0200_ni1_07] Sorry. I heard the first name spelled...	--
noinput 1	^		<b>TTS Prompt:</b> [na0200_ni1_10] { firstnamespelling /final /say_as=alpha num }	--

noinput 1	^	^	<b>Prompt:</b> [na0200_ni1_05] ... and the last name...	--
noinput 1	^	^	<b>TTS Prompt:</b> [na0200_ni1_12] { lastnamespelling /final /say_as=alpha num }	--
noinput 1	^	Always	<b>Prompt:</b> [na0200_ni1_09] Did I get that right?	<b>Re-Recognition:</b>
noinput 1	Else (name_collect_task=maiden or alternative)	collectname_spelling_only == 'false'	<b>Prompt:</b> [na0200_ni1_11] Sorry. The name I heard was...	--
noinput 1	^	^	<b>TTS Prompt:</b> [na0200_ni1_15] { lastname /medial /say-as=other }	--
noinput 1	^	^	<b>Prompt:</b> [na0200_ni1_03] ... spelled...	--
noinput 1	^	^	<b>TTS Prompt:</b> [na0200_ni1_17] { lastnamespelling /final /say_as=alpha num }	--
noinput 1	^	collectname_spelling_only == 'true'	<b>Prompt:</b> [na0200_ni1_13] Sorry. The name I heard was spelled...	--
noinput 1	^	^	<b>TTS Prompt:</b> [na0200_ni1_19] { lastnamespelling /final /say_as=alpha num }	--
noinput 1	^	Always	<b>Prompt:</b> [na0200_ni1_09] Did I get that right?	<b>Re-Recognition:</b>
noinput 2	If name_collect_task=caller OR alternative		<b>Prompt:</b> [na0200_ni2_01] Sorry. If I got your name right, press 1. If I got it WRONG, press 2. Or, to hear the name I got AGAIN, press 3.	<b>Re-Recognition:</b>
noinput 2	Else (name_collect_task=maiden)		<b>Prompt:</b> [na0200_ni2_02] Sorry. If I got your mother's maiden name right, press 1. If I got it WRONG, press 2. Or, to hear the name I got AGAIN, press 3.	<b>Re-Recognition:</b>
noinput 3	Always		<b>Assign:</b> transfer_reason =error	--
noinput 3	^		<b>Assign:</b> name_status =failure	--
noinput 3	^		<b>Prompt:</b> [na0200_ni3_01] Sorry, we seem to be having trouble.	<b>Return to calling dialog:</b> <a href="#">KnowledgeBasedAuthentication [ka0340_GetCallerName_SD]</a> <a href="#">KnowledgeBasedAuthentication [ka0370_GetCallerNameRetry_SD]</a> <a href="#">KnowledgeBasedAuthentication [ka0430_GetAlternativeName_SD]</a> <a href="#">KnowledgeBasedAuthentication [ka0460_GetAlternativeNameRetry_SD]</a> <a href="#">KnowledgeBasedAuthentication [ka0620_GetMaidenName_SD]</a>
<b>Commands: State-Specific Behavior</b>				
<a href="#">See 1.2 Global Commands</a>				
<b>Commands: Disabled Globals</b>				
repeat				

<b>Commands: Confirmations</b>	
See 1.2 Global Commands	
<b>Config Parameters</b>	
Parameter	Value
--	--
<b>Developer Notes</b>	
Barge-in turned off!!!	

### na0210\_ExitSuccessPrompts\_PP

<b>Simple Play Prompt</b> :))		
Informs the caller that the name was successfully collected.		
<b>Entering From</b>		
na0130_SayAndSpellLast_DM, na0150_SpellLast_DM, na0200_ConfirmName_DM		
<b>Actions</b> [Barge-in is OFF]		
Condition	Action	Transition
Always	<b>Assign:</b> name_status =success	--
^	<b>Prompt:</b> [na0210_out_01] Great. Thanks.	<b>Return to calling dialog:</b> KnowledgeBasedAuthentication [ka0340_GetCallerName_SD] KnowledgeBasedAuthentication [ka0370_GetCallerNameRetry_SD] KnowledgeBasedAuthentication [ka0430_GetAlternativeName_SD] KnowledgeBasedAuthentication [ka0460_GetAlternativeNameRetry_SD] KnowledgeBasedAuthentication [ka0620_GetMaidenName_SD]
<b>Developer Notes</b>		
--		

### na0220\_ConfirmationApology\_PP


<b>Simple Play Prompt</b> :))		
Plays an apology message to the caller.		
<b>Entering From</b>		
na0200_ConfirmName_DM		
<b>Actions</b> [Barge-in is OFF]		
Condition	Action	Transition
IF name_collect_task=alternative	<b>Assign:</b> name_status =failure	--
^	<b>Assign:</b> transfer_reason =error	--
^	<b>Prompt:</b> [na0220_out_01] Sorry about that.	<b>Return to calling dialog:</b> KnowledgeBasedAuthentication [ka0340_GetCallerName_SD] KnowledgeBasedAuthentication [ka0370_GetCallerNameRetry_SD] KnowledgeBasedAuthentication [ka0430_GetAlternativeName_SD] KnowledgeBasedAuthentication

		[ka0460_GetAlternativeNameRetry_SD] KnowledgeBasedAuthentication [ka0620_GetMaidenName_SD]
ELSEIF name_collect_task=maiden	<b>Assign:</b> name_status =failure	--
^	<b>Assign:</b> transfer_reason =error	--
^	<b>Prompt:</b> [na0220_out_01] Sorry about that.	<b>Return to calling dialog:</b> KnowledgeBasedAuthentication [ka0340_GetCallerName_SD] KnowledgeBasedAuthentication [ka0370_GetCallerNameRetry_SD] KnowledgeBasedAuthentication [ka0430_GetAlternativeName_SD] KnowledgeBasedAuthentication [ka0460_GetAlternativeNameRetry_SD] KnowledgeBasedAuthentication [ka0620_GetMaidenName_SD]
ELSE	<b>Assign:</b> name_status =failure	--
^	<b>Assign:</b> transfer_reason =error	--
^	<b>Prompt:</b> [na0220_out_01] Sorry about that.	<b>Return to calling dialog:</b> KnowledgeBasedAuthentication [ka0340_GetCallerName_SD] KnowledgeBasedAuthentication [ka0370_GetCallerNameRetry_SD] KnowledgeBasedAuthentication [ka0430_GetAlternativeName_SD] KnowledgeBasedAuthentication [ka0460_GetAlternativeNameRetry_SD] KnowledgeBasedAuthentication [ka0620_GetMaidenName_SD]
<b>Developer Notes</b>		
--		


### 2.11 ReplacementBenefitStatement Dialog

This application allows callers to request a replacement 1099 from the previous year.

#### rb0100\_MySSAWebsite\_PP

Simple Play Prompt 		
Created new play prompt to encourage callers to use the MySSA website to request their 1099/1042 statements.		
<b>Entering From</b>		
mm0530_BenefitsStatement_SD		
<b>Actions</b> [Barge-in is OFF]		
Condition	Action	Transition
Always	<b>Prompt:</b> [rb0100_out_01] Did you know you can view, print, save or request a copy of your SSA-1099 or SSA-1042S by going online and using your MySSA account? Go to www dot Social Security dot GOV and click on my Social Security.	<b>goto:</b> rb0110_CurrentYearQuestion_DM
<b>Developer Notes</b>		
Barge-in turned off!		

#### rb0110\_CurrentYearQuestion\_DM


CustomContext Recognition 			
Determines what year the caller wants the replacement 1099 for.			
<b>Entering From</b>			
rb0100_MySSAWebsite_PP			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	rb0110_ini_01	Are you calling to get a replacement '1099' for the...
initial	If current date is Dec 15-31	rb0110_ini_02	<current_year>
initial	Else current date is NOT Dec 15-31	rb0110_ini_03	<current_year_minus_one>
initial	Always	rb0110_ini_04	...tax year?
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
yes, yeah	1	<current_year_question_yesno yes>	Never
no	2	<current_year_question_yesno no>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
yes	If <current_date> is between Dec 15 and Jan 31	--	<b>goto:</b> rb0130_1099JanuaryEnd_DM
^	Else	<b>Prompt:</b> [rb0110_out_01] All right.	<b>goto:</b> rb0200_PingHost_DB
no	Always	<b>Assign:</b> benefits_statement_transaction_statu	--

			s =previous_year	
^	^		<b>Prompt:</b> [rb0110_out_02] To get a '1099' for a previous year you'll need to speak with an agent.	<b>Return to calling dialog:</b> <a href="#">main</a> <a href="#">[mm0530_BenefitsStatement_S D]</a>
<b>Recovery Behavior</b>				
<b>Type</b>	<b>Condition</b>		<b>Action</b>	<b>Transition</b>
nomatch 1	Always		<b>Prompt:</b> [rb0110_nm1_01] Let's try again... ARE you calling to get a replacement 1099 for the...	--
nomatch 1	If current date is Dec 15-31		<b>Prompt:</b> [rb0110_nm1_02] <current_year>	--
nomatch 1	Else if current date is NOT Dec 15 - 31		<b>Prompt:</b> [rb0110_nm1_03] <current_year_minus_one>	--
nomatch 1	Always		<b>Prompt:</b> [rb0110_nm1_04] ...tax year?	<b>Re-Recognition:</b>
nomatch 2	^	Always	<b>Prompt:</b> [rb0110_nm2_01] Sorry. If you'd like a replacement 1099 for the...	--
nomatch 2	^	If current date is Dec 15-31	<b>Prompt:</b> [rb0110_nm2_02] <current_year>	--
nomatch 2	^	Else if current date is NOT Dec 15 - 31	<b>Prompt:</b> [rb0110_nm2_03] <current_year_minus_one>	--
nomatch 2	^	Always	<b>Prompt:</b> [rb0110_nm2_04] ...tax year, press 1. For any OTHER year, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always		<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	Always		<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	Always		<b>Prompt:</b> [rb0110_ni1_01] If you're calling to get a replacement 1099 for the...	--
noinput 1	If current date is Dec 15-31		<b>Prompt:</b> [rb0110_ni1_02] <current_year>	--
noinput 1	Else if current date is NOT Dec 15 - 31		<b>Prompt:</b> [rb0110_ni1_03] <current_year_minus_one>	--
noinput 1	Always		<b>Prompt:</b> [rb0110_ni1_04] ...tax year, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	Always		<b>Prompt:</b> [rb0110_ni2_01] Sorry. If you'd like a replacement 1099 for the...	--
noinput 2	If current date is Dec 15-31		<b>Prompt:</b> [rb0110_ni2_02] <current_year>	--
noinput 2	Else if current date is NOT Dec 15 - 31		<b>Prompt:</b> [rb0110_ni2_03] <current_year_minus_one>	--
noinput 2	Always		<b>Prompt:</b> [rb0110_ni2_04] ...tax year, press 1. For any OTHER year, press 2.	<b>Re-Recognition:</b>
noinput 3	Always		<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
noinput 3	Always		<b>Prompt:</b> [gl_ni3_01]	--



	Sorry, we seem to be having trouble.
<b>Commands: State-Specific Behavior</b>	
<a href="#">See 1.2 Global Commands</a>	
<b>Commands: Confirmations</b>	
<a href="#">See 1.2 Global Commands</a>	
<b>Config Parameters</b>	
<b>Parameter</b>	<b>Value</b>
--	--
<b>Developer Notes</b>	
--	

**rb0130\_1099JanuaryEnd\_DM**

CustomContext Recognition 			
Advises the caller to continue to wait until the end of January for their 1099.			
<b>Entering From</b>			
<a href="#">rb0110_CurrentYearQuestion_DM</a> , <a href="#">rb0200_PingHost_DB</a> , <a href="#">rb0400_SendStatement_DB</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	rb0130_ini_01	Social Security beneficiaries will receive their '1099' statement in the mail by the end of January showing benefits, they received in
initial	If current date is Dec 15-31	rb0130_ini_02	<current year>
initial	Else	rb0130_ini_03	<current year minus 1>
initial	^	rb0130_ini_04	<500ms slience>
initial	^	rb0130_ini_05	Would you like to hear that again?
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
no	2	< <a href="#">replacement_statement_end_men</a> u no>	Never
yes	1	< <a href="#">replacement_statement_end_men</a> u yes>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
no	Always	<b>Assign:</b> <a href="#">benefits_statement_transaction_statu</a> s =success	--
^	^	<b>Prompt:</b> [rb0130_out_01] Okay.	<b>Return to calling dialog:</b> <a href="#">main</a> <a href="#">[mm0530_BenefitsStatement_S</a> <a href="#">D]</a>
yes	Always	<b>Prompt:</b> [rb0130_out_02] Sure.	<b>Re-Recognition:</b> Reprompt
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition

nomatch 1	Always	<b>Prompt:</b> [rb0130_nm1_01] Let's try again... Would you like to hear that again?	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [rb0130_nm2_01] Sorry. To hear about when you can expect your 1099 again, press 1.Otherwise, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	<b>Prompt:</b> [rb0130_ni1_01] If you'd like to hear when you expect to receive your 1099 again, say 'yes' or press 1. If not, say 'no' or press 2.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [rb0130_ni2_01] Sorry. To hear about when you can expect your 1099 again, press 1.Otherwise, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--

**Commands: State-Specific Behavior**

[See 1.2 Global Commands](#)

**Commands: Confirmations**

[See 1.2 Global Commands](#)


**Config Parameters**

Parameter	Value
--	--

**Developer Notes**


--

**rb0200\_PingHost\_DB**

Database Call 	
Pings the host database to ensure the host is available.	
<b>Entering From</b>	
<a href="#">rb0110_CurrentYearQuestion_DM</a>	
<b>Input parameters</b>	
Parameter	Value
processID	Which process to pass the request to. Values are: PING, AUTH, INFO, AUTHINFO, MI, ENDSSESSION, NONE.
requestID	Unique 10 digit ID for the request. 10 zeros, if not used.
timestamp	Transaction timestamp.
version	Version of the xml schema used.
<b>Output parameters</b>	
Variable	Description
<a href="#">rb_statusCode</a>	Possible values that can be returned are: 0000=Success, 0151=System


		Failure, 0152=Off hour request, 1111=Application is in off season (Dec. 15-Jan. 31) and 7777=Validation failure.	
<a href="#">rb_statusDescription</a>		Status code text description	
<b>Actions</b>			
<b>Condition</b>		<b>Action</b>	<b>Transition</b>
If <a href="#">rb_statusCode</a> =0000 (success)		--	<b>goto:</b> <a href="#">rb0300_KBAAuthentication_SD</a>
If <a href="#">rb_statusCode</a> =1111 (off season)		--	<b>goto:</b> <a href="#">rb0130_1099JanuaryEnd_DM</a>
Else (failure)	Always	<b>Assign:</b> <a href="#">benefits_statement_transaction_status</a> =failure	--
^	If <a href="#">rb_statusCode</a> =0152 (off hours request)	<b>Prompt:</b> [rb0200_out_01] Sorry, our system is undergoing routine maintenance and I'm unable to access your records at this time. Please try back in the morning. If you'd like to speak with someone...	<b>Return to calling dialog:</b> <a href="#">main [mm0530_BenefitsStatement_SD]</a>
^	Else	<b>Prompt:</b> [rb0200_out_02] Sorry, I'm having trouble getting access to our records...	<b>Return to calling dialog:</b> <a href="#">main [mm0530_BenefitsStatement_SD]</a>
<b>Recovery Behavior</b>			
<a href="#">See 1.1 Global Recovery Behavior</a>			
<b>Developer Notes</b>			
--			

**rb0300\_KBAAuthentication\_SD**

<b>Subdialog Call</b> 		
Sub dialogue call to Knowledge Based Authentication to collect the caller's SSN, first name, last name, other name, and DOB.		
<b>Entering From</b>		
<a href="#">rb0200_PingHost_DB</a>		
<b>Dialog called</b>		
Proceed to initial node in: <a href="#">KnowledgeBasedAuthentication</a>		
<b>Input parameters</b>		
<b>Parameter</b>	<b>Value</b>	
--	--	
<b>Output parameters</b>		
<b>Variable</b>	<b>Subdialog Variable</b>	
--	--	
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If <a href="#">kba_transaction_status</a> =success	--	<b>goto:</b> <a href="#">rb0310_FormForSelf_DM</a>
Elseif <a href="#">kba_transaction_status</a> =account_blocked	<b>Assign:</b> <a href="#">benefits_statement_transaction_status</a> =failure	<b>Return to calling dialog:</b> <a href="#">main [mm0530_BenefitsStatement_SD]</a>
Elseif <a href="#">kba_transaction_status</a> =attestation_declined	<b>Assign:</b> <a href="#">benefits_statement_transaction_status</a> =failure	<b>Return to calling dialog:</b> <a href="#">main [mm0530_BenefitsStatement_SD]</a>


Else (kba_transaction_status=failure)	<b>Assign:</b> benefits_statement_transaction_status =failure	<b>Return to calling dialog:</b> main [mm0530_BenefitsStatement_SD]
<b>Recovery Behavior</b>		
See 1.1 Global Recovery Behavior		
<b>Developer Notes</b>		
--		

**rb0310\_FormForSelf\_DM**

CustomContext Recognition 				
Asks the caller if they are calling for their own replacement 1099.				
<b>Entering From</b>				
rb0300_KBAAuthentication_SD				
<b>Initial Prompts</b>				
Type	Condition	Name	Wording	
initial	Always	rb0310_ini_01	Do you need a replacement 1099 for YOURSELF?	
reprompt	Always	rb0310_ree_01	Are you calling to get a replacement 1099 for yourself?	
<b>Grammar</b>				
Sample Expressions		DTMF	Reco Var/Option	Confirm
no, ?for [someone somebody] else		2	<form_for_self_yesno no>	Never
yes, yeah, (for myself)		1	<form_for_self_yesno yes>	Never
<b>Actions</b>				
Option	Condition	Action	Transition	
no	Always	--	goto: rb0320_PersonLiving_DM	
yes	Always	<b>Prompt:</b> [rb0310_out_01] Just a moment while I process your request...	goto: rb0400_SendStatement_DB	
<b>Recovery Behavior</b>				
Type	Condition	Action	Transition	
nomatch 1	Always	<b>Prompt:</b> [rb0310_nm1_01] Let's try again... Is the replacement 1099 for YOURSELF?	Re-Recognition:	
nomatch 2	^	<b>Prompt:</b> [rb0310_nm2_01] Sorry. If the replacement 1099 is for YOU, press 1. If it's for someone else, press 2.	Re-Recognition:	
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--	
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--	
noinput 1	^	<b>Prompt:</b> [rb0310_ni1_01] If you need a replacement 1099 for yourself say 'Yes' or press 1. Otherwise, say 'No' or press 2.	Re-Recognition:	
noinput 2	^	<b>Prompt:</b> [rb0310_ni2_01] Sorry. If the replacement 1099 is for YOU, press 1. If it's for someone	Re-Recognition:	

		else, press 2.	
noinput 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
--			

### rb0320\_PersonLiving\_DM

CustomContext Recognition 			
Asks the caller if the replacement 1099 is for a person that is alive, after the caller said that the replacement 1099 was for someone else.			
<b>Entering From</b>			
<a href="#">rb0310_FormForSelf_DM</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	rb0320_ini_01	Is the person it's for LIVING?
reprompt	(after repeat or disconfirmation)	rb0320_ree_01	Is the replacement 1099 for a person who's LIVING?
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
no, (?they're [dead deceased (not [alive living])])	2	< <a href="#">person_living_ynsno</a> no>	Never
yes, yeah, (?they're [living alive])	1	< <a href="#">person_living_ynsno</a> yes>	Never
repeat, repeat that	9	< <a href="#">person_living_ynsno</a> repeat>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
no	Always	<b>Assign:</b> <a href="#">replacement_statement_deceased</a> =true	--
^	^	<b>Prompt:</b> [rb0320_out_01] Okay.	<b>goto:</b> <a href="#">rb0330_DeceasedSocial_DM</a>
yes	Always	<b>Assign:</b> <a href="#">benefits_statement_transaction_statuses</a> =replacement	--
^	^	<b>Prompt:</b> [rb0320_out_02] To request a statement for someone else you'll need to speak to an agent.	<b>Return to calling dialog:</b> <a href="#">main</a> <a href="#">[mm0530_BenefitsStatement_SD]</a>
repeat	Always	<b>Prompt:</b> [rb0320_out_03] Sure.	<b>Re-Recognition:</b> Reprompt

<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [rb0320_nm1_01] Let's try again...Is the person who needs the 1099 ALIVE?	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [rb0320_nm2_01] Sorry. If the replacement 1099 is for a person that's LIVING, press 1. If the person's DECEASED, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	<b>Prompt:</b> [rb0320_ni1_01] If the replacement 1099 is for someone that is alive, say 'Yes' or press 1. Otherwise, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [rb0320_ni2_01] Sorry. If the replacement 1099 is for a person that's LIVING, press 1. If the person's DECEASED, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
repeat			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
--			

**rb0330\_DeceasedSocial\_DM**

<b>CustomContext Recognition</b>			
Asks for the deceased person's Social Security number after the caller indicated they are requesting the replacement 1099 for someone that is not alive.			
<b>Entering From</b>			
<a href="#">rb0320_PersonLiving_DM</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	rb0330_ini_01	Please tell me the deceased person's Social Security number, or enter it on your keypad.
<b>Grammar</b>			

<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
i don't know it		1	<deceased_ssn_collection dont_know>	Always
<ssn>		--	<deceased_ssn_collection <ssn>>	Always
<b>Actions</b>				
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>	
<ssn>	Always	<b>Prompt:</b> [rb0330_out_01] Great. Just a moment while I process your request...	<b>goto:</b> rb0400_SendStatement_DB	
dont_know	Always	<b>Assign:</b> benefits_statement_transaction_statuses =replacement	--	
^	^	<b>Prompt:</b> [rb0330_out_02] If you don't know the Social Security number, you'll need to speak with an agent.	<b>Return to calling dialog:</b> main [mm0530_BenefitsStatement_S D]	
<b>Confirmation Prompts</b>				
<b>Option</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>	
<ssn>	Always	rb0330_cnf_ini_01	Just to confirm, that Social Security number is...	
^	Always	rb0330_cnf_ini_02	<ssn>	
^	Always	rb0330_cnf_ini_03	Right?	
dont_know	Always	rb0330_cnf_ini_04	Sounds like you don't know their Social Security number. Is that right?	
<b>Confirmation Recovery Behavior</b>				
<a href="#">See 1.3 Global Confirmation</a>				
<b>Recovery Behavior</b>				
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>	
nomatch 1	Always	<b>Prompt:</b> [rb0330_nm1_01] Let's try again... Please say or enter the nine-digit Social Security number, one digit at a time, or say 'I Don't Know' or press 1.	<b>Re-Recognition:</b>	
nomatch 2	^	<b>Prompt:</b> [rb0330_nm2_01] Sorry. Enter the deceased person's nine digit Social Security number on your keypad or, if you don't know it, press 1.	<b>Re-Recognition:</b>	
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--	
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--	
noinput 1	^	<b>Prompt:</b> [rb0330_ni1_01] If you don't KNOW the person's Social Security number, say 'I Don't Know' or press 1. Otherwise, say or enter the nine-digit Social Security number, one digit at a time.	<b>Re-Recognition:</b>	
noinput 2	^	<b>Prompt:</b> [rb0330_ni2_01] Sorry. Enter the deceased person's nine digit Social Security number on your keypad or, if you don't know it, press 1.	<b>Re-Recognition:</b>	

noinput 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
--			

### rb0400\_SendStatement\_DB

Database Call		
Database hit to process the replacement 1099 request.		
<b>Entering From</b>		
<a href="#">rb0310_FormForSelf_DM</a> , <a href="#">rb0330_DeceasedSocial_DM</a>		
<b>Input parameters</b>		
<b>Parameter</b>	<b>Value</b>	
processID	Which process to pass the request to. Values are: PING, AUTH, INFO, AUTHINFO, MI, ENDSSESSION, NONE.	
requestID	Unique 10 digit ID for the request. 10 zeros, if not used.	
timestamp	Transaction timestamp.	
version	Version of the xml schema used.	
actionType	--	
ui	Type of user, T for Telephone	
deceasedSSN	The deceased individual's SSN. Sent only if the caller is requesting a replacement form on the behalf of a deceased person, 9 digits.	
ani	Caller's 10 digit ANI. All zeros if unavailable.	
<b>Output parameters</b>		
<b>Variable</b>	<b>Description</b>	
<a href="#">rb_statusCode</a>	Possible values that can be returned are: 0000=Success, 0108= Cannot match the information provided (unable to authenticate), 0151=System Failure, 0152=Off hour request, 0226=Survivor is not a spouse, parent or child on MBR, 0508=Block Access, 1111=Application is in off season (Dec. 15-Jan. 31), 7777=Validation failure, 8888=Not authenticated/authorized, and 9999=Data is Invalid.	
<a href="#">rb_statusDescription</a>	Status code text description	
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always ( <a href="#">rb_statusCode</a> =0000)	<b>Prompt:</b> [rb0400_out_01] All set!	<b>goto:</b> <a href="#">rb0410_SuccessMsg_PP</a>
If <a href="#">rb_statusCode</a> =0226	<b>Prompt:</b> [rb0400_out_02]	<b>goto:</b> <a href="#">rb0420_NoRelationshipEnd_DM</a>



	Sorry...	
If <code>rb_statusCode=1111</code>	--	<b>goto:</b> <a href="#">rb0130_1099JanuaryEnd_DM</a>
If <code>rb_statusCode=0152</code> (off hours request)	<b>Assign:</b> <code>benefits_statement_transaction_status=failure</code>	--
^	<b>Prompt:</b> [rb0400_out_03] Sorry, our system is undergoing routine maintenance and I'm unable to access your records at this time. Please try back in the morning. If you'd like to speak with someone...	<b>Return to calling dialog:</b> <a href="#">main [mm0530_BenefitsStatement_SD]</a>
Else	<b>Assign:</b> <code>benefits_statement_transaction_status=failure</code>	--
^	<b>Prompt:</b> [rb0400_out_04] I'm having trouble submitting your request...	<b>Return to calling dialog:</b> <a href="#">main [mm0530_BenefitsStatement_SD]</a>
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
--		

**rb0410\_SuccessMsg\_PP**

<b>Simple Play Prompt</b> :))		
Informs the caller the replacement 1099 was processed successfully and when it should be expected.		
<b>Entering From</b>		
<a href="#">rb0400_SendStatement_DB</a> , <a href="#">rb0440_BenefitsStatementEndMenu_DM</a>		
<b>Actions</b> [Barge-in is OFF]		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If <code>replacement_statement_deceased=true</code>	<b>Prompt:</b> [rb0410_out_01] The deceased's replacement 1099 for	--
Else ( <code>replacement_statement_deceased=false</code> )	<b>Prompt:</b> [rb0410_out_02] Your replacement 1099 for	--
Always	<b>Prompt:</b> [rb0410_out_03] <current year minus one>	--
If <code>replacement_statement_deceased=true</code>	<b>Prompt:</b> [rb0410_out_04] will be sent to YOUR address on record. If you live in the United States or a U.S. territory, you should receive it by	--
Else	<b>Prompt:</b> [rb0410_out_05] will be sent to the address we have on record for you. If you live in the United States or a U.S. territory, you should receive it by	--
Always	<b>Prompt:</b> [rb0410_out_06] <current date + 14 days>	--
^	<b>Prompt:</b> [rb0410_out_07] Otherwise, if you live outside the United States, you should receive it by	--
^	<b>Prompt:</b> [rb0410_out_08]	--


	<current date + 40 days>	
^	<b>Prompt:</b> [rb0410_out_09] If you haven't received it by then, please call us back.	<b>goto:</b> <a href="#">rb0440_BenefitsStatementEndMenu_DM</a>
<b>Developer Notes</b>		
--		

**rb0420\_NoRelationshipEnd\_DM**

<b>CustomContext Recognition</b>			
Upon a relationship mismatch (of caller and deceased person) the caller will be told they need to contact a Social Security field office and be given the option to locate an office in their area.			
<b>Entering From</b>			
<a href="#">rb0400_SendStatement_DB</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	rb0420_ini_01	You'll need to submit your request in writing to a Social Security field office. Would you like to find an office now?
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
yes, yeah	1	< <a href="#">no_relationship_end_menu</a> yes>	Never
no, no thanks	2	< <a href="#">no_relationship_end_menu</a> no>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
yes	Always	<b>Assign:</b> <a href="#">benefits_statement_transaction_statuses</a> =field_office	--
^	^	<b>Prompt:</b> [rb0420_out_01] Okay.	<b>Return to calling dialog:</b> <a href="#">main</a> <a href="#">[mm0530_BenefitsStatement_SD]</a>
no	Always	<b>Assign:</b> <a href="#">benefits_statement_transaction_statuses</a> =success	--
^	^	<b>Prompt:</b> [rb0420_out_02] Okay.	<b>Return to calling dialog:</b> <a href="#">main</a> <a href="#">[mm0530_BenefitsStatement_SD]</a>
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [rb0420_nm1_01] Let's try again... Do you want to find a Social Security field office now?	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [rb0420_nm2_01] Sorry. You'll need to submit your request for a replacement 1099 in writing to a Social Security field office. To find the mailing address of an office in your area, press 1. For help with anything else, press 2.	<b>Re-Recognition:</b>

nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	^	<b>Prompt:</b> [rb0420_ni1_01] Let's try again... Do you want to find a Social Security field office now?	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [rb0420_ni2_01] Sorry. You'll need to submit your request for a replacement 1099 in writing to a Social Security field office. To find the mailing address of an office in your area, press 1. For help with anything else, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			
--			

**rb0440\_BenefitsStatementEndMenu\_DM**

<b>CustomContext Recognition</b> 			
Caller is given the option to hear the success message again.			
<b>Entering From</b>			
<a href="#">rb0410_SuccessMsg_PP</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	rb0440_ini_01	Now, would you like to hear that again?
reprompt	(after repeat)	rb0440_ree_01	Would you like to hear that again?
<b>Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
yes	1	<benefits_statement_end_menu yes>	Never
no	2	<benefits_statement_end_menu no>	Never
repeat, repeat that	9	<benefits_statement_end_menu repeat>	Never
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
no	Always	<b>Assign:</b>	--


		<a href="#">benefits_statement_transaction_status =success</a>	
^	^	<b>Prompt:</b> [rb0440_out_01] All right.	<b>Return to calling dialog:</b> <a href="#">main</a> <a href="#">[mm0530_BenefitsStatement_SD]</a>
yes	Always	<b>Prompt:</b> [rb0440_out_02] Sure.	<b>goto:</b> <a href="#">rb0410_SuccessMsg_PP</a>
repeat	Always	<b>Prompt:</b> [rb0440_out_03] Sure.	<b>Re-Recognition:</b> Reprompt
<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	Always	<b>Prompt:</b> [rb0440_nm1_01] Let's try again... Would you like to hear when you can expect to receive the 1099 AGAIN?	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [rb0440_nm2_01] Sorry. I've processed your request for a replacement 1099. If you'd like to hear the details about when to expect it in the mail AGAIN, press 1. Otherwise, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <a href="#">benefits_statement_transaction_status =success</a>	--
nomatch 3	^	<b>Prompt:</b> [rb0440_nm3_01] Sorry. Let's keep going...	<b>Return to calling dialog:</b> <a href="#">main</a> <a href="#">[mm0530_BenefitsStatement_SD]</a>
noinput 1	Always	<b>Prompt:</b> [rb0440_ni1_01] If you'd like to hear when you can expect to receive the replacement 1099 AGAIN, say 'yes' or press 1. If not, say 'no' or press 2.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [rb0440_ni2_01] Sorry. I've processed your request for a replacement 1099. If you'd like to hear the details about when to expect it in the mail AGAIN, press 1. Otherwise, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> <a href="#">benefits_statement_transaction_status =success</a>	--
noinput 3	^	<b>Prompt:</b> [rb0440_ni3_01] Let's keep going...	<b>Return to calling dialog:</b> <a href="#">main</a> <a href="#">[mm0530_BenefitsStatement_SD]</a>
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
repeat			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			

<b>Config Parameters</b>	
<b>Parameter</b>	<b>Value</b>
__Maxnoinputs	0
<b>Developer Notes</b>	
--	


## 2.12 Transcription Dialog

This application allows callers to order Social Security forms (SS-5, SSA-1020, and SSA-7004) and pamphlets.

### tr0105\_PlayTransIntro\_PP


Simple Play Prompt 		
Plays an introduction and prepares the caller for the information that will need to be collected in subsequent states (message is specific to caller's task, specified before entering this module).		
NOTE: Barge-In is DISABLED in this state.		
<b>Entering From</b>		
mm0550_Transcription_SD		
<b>Actions</b> [Barge-in is OFF]		
Condition	Action	Transition
If <code>current_task=transcription_pamphlet</code>	<b>Prompt:</b> [tr0105_out_01] There are several pamphlet topics to choose from. I'll take you through the list and you can select the ones you want. To skip ahead to the next topic, just say 'Skip Topic'. To hear it again, say 'Repeat That.' And, at any time, you can say 'I'm Done' and I'll take you back to the Main Menu.	<b>goto:</b> tr0310_UnderstandingSS_DM
Elseif <code>current_task=transcription_ss5</code>	<b>Prompt:</b> [tr0105_out_02] To begin, we'll need to get the address that the form will be mailed to.	<b>goto:</b> tr0110_ReverseANILookup_DB
Elseif <code>current_task=transcription_7004</code>	<b>Prompt:</b> [tr0105_out_03] To request a Social Security Statement, or to calculate your benefits using a different estimate of future earnings, you'll need to fill out form 'S S A 7004.' We can send you the form in the mail. To do that, I need to get some information from you first.	<b>goto:</b> tr0110_ReverseANILookup_DB
Else ( <code>current_task=transcription_1020</code> )	<b>Prompt:</b> [tr0105_out_04] To do that, I need to get some information from you first.	<b>goto:</b> tr0110_ReverseANILookup_DB
<b>Developer Notes</b>		
--		

### tr0110\_ReverseANILookup\_DB

Database Call 	
Database hit to determine if address can be found using the ANI.	
<b>Entering From</b>	
tr0105_PlayTransIntro_PP, tr0550_ConcludeChoices_PP	
<b>Input parameters</b>	
Parameter	Value
ani	--
<b>Output parameters</b>	
Variable	Description

tr_firstName	--
tr_lastName	--
tr_streetAddress	--
tr_city	--
tr_state	--
tr_zipCode	--
<b>Actions</b>	
<b>Condition</b>	<b>Action</b>
If address_returned=true	--
Else if address_returned=false	--
<b>Recovery Behavior</b>	
See 1.1 Global Recovery Behavior	
<b>Developer Notes</b>	
--	

**tr0120\_ConfirmAddress\_DM**

<b>CustomContext Recognition</b> 				
If address was found in the previous state, the caller is provided the address associated with the ANI and asked if this is where they would like their form/pamphlet to go.				
<b>Entering From</b>				
tr0110_ReverseANILookup_DB				
<b>Initial Prompts</b>				
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>	
initial	Always	tr0120_ini_01	It looks like the address for this telephone number is...	
initial	^	TTS Prompt : [tr0120_ini_02]	[street address only]	
initial	^	tr0120_ini_03	<1000ms slience>	
initial	If current_task=transcription_pamphlet	If pamphlet_get_number=1	tr0120_ini_04	Is that where you'd like me to send your pamphlet?
initial	^	Else	tr0120_ini_05	Is that where you'd like me to send your pamphlets?
initial	Else		tr0120_ini_06	Is that where you'd like me to send your form?
<b>Grammar</b>				
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>	
yes	1	<tr_confirm_address_yesno yes>	Never	
no, (somewhere else), (different address)	2	<tr_confirm_address_yesno no>	Never	
<b>Actions</b>				
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>	
no	Always	<b>Prompt:</b> [tr0120_out_01] Okay.	<b>goto:</b> tr0130_SetAddressParameters_DS	
yes	Always	<b>Assign:</b> transcription_address =[address]	--	

^	If <code>current_task=transcription_pamphlet</code>		<b>Prompt:</b> [tr0120_out_02] Okay. Just a moment while I submit this request....	<b>goto:</b> tr0210_SubmitRequest_DB
^	Else		--	<b>goto:</b> tr0200_AskHowManyForms_DM
<b>Recovery Behavior</b>				
<b>Type</b>	<b>Condition</b>		<b>Action</b>	<b>Transition</b>
nomatch 1	If <code>current_task=transcription_pamphlet</code>	If <code>pamphlet_get_number=1</code>	<b>Prompt:</b> [tr0120_nm1_01] Let's try again... IS where you'd like me to send the pamphlet?	<b>Re-Recognition:</b>
nomatch 1	^	Else	<b>Prompt:</b> [tr0120_nm1_02] Let's try again... IS where you'd like me to send the pamphlets?	<b>Re-Recognition:</b>
nomatch 1	Else	Always	<b>Prompt:</b> [tr0120_nm1_03] Let's try again... IS where you'd like me to send the form?	<b>Re-Recognition:</b>
nomatch 2	Always		<b>Prompt:</b> [tr0120_nm2_01] Sorry. The address for this telephone number is...	<b>Re-Recognition:</b>
nomatch 2	^		<b>Prompt:</b> [tr0120_nm2_02] <address>	<b>Re-Recognition:</b>
nomatch 2	^		<b>Prompt:</b> [tr0120_nm2_03] If that's where you'd like me to send your order, press 1. Otherwise, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always		<b>Assign:</b> <code>transfer_reason =error</code>	--
nomatch 3	Always		<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	If <code>current_task=transcription_pamphlet</code>	If <code>pamphlet_get_number=1</code>	<b>Prompt:</b> [tr0120_ni1_01] If that's the address where you'd like me to send the pamphlet, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 1	^	Else	<b>Prompt:</b> [tr0120_ni1_02] If that's the address where you'd like me to send the pamphlets, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 1	Else	Always	<b>Prompt:</b> [tr0120_ni1_03] If that's the address where you'd like me to send the form, say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	Always		<b>Prompt:</b> [tr0120_ni2_01] Sorry. The address for this telephone number is...	<b>Re-Recognition:</b>
noinput 2	^		<b>Prompt:</b> [tr0120_ni2_02] <address>	<b>Re-Recognition:</b>
noinput 2	^		<b>Prompt:</b> [tr0120_ni2_03] If that's where you'd like me to send your order, press 1. Otherwise, press 2.	<b>Re-Recognition:</b>
noinput 3	Always		<b>Assign:</b> <code>transfer_reason =error</code>	--
noinput 3	Always		<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>				



[See 1.2 Global Commands](#)

**Commands: Confirmations**

[See 1.2 Global Commands](#)

**Config Parameters**


Parameter	Value
--	--

**Developer Notes**

NOTE: when confirming the address, we read back the street address only - e.g. 123 main street - excluding city, state, and zip code

NOTE: per usability recommendation ID#14, TTS address read-back should be slowed down slightly for clarity

**tr0130\_SetAddressParameters\_DS**


Decision 		
Sets parameter values that are needed by the AddressOSDM dialog.		
<b>Entering From</b>		
<a href="#">tr0110_ReverseANILookup_DB</a> , <a href="#">tr0120_ConfirmAddress_DM</a>		
<b>Actions</b>		
Condition	Action	Transition
Always	<b>Comment:</b> set parameters before entering AddressOSDM	--
^	<b>Assign:</b> <a href="#">collectaddress_entryprompt</a> = 'empty'	--
^	<b>Assign:</b> <a href="#">collectaddress_collectedzipcode</a> = 'FALSE'	--
^	<b>Assign:</b> <a href="#">collectaddress_overallconfirmation</a> = 'ALWAYS'	--
^	<b>Assign:</b> <a href="#">collectaddress_collectfortranscription</a> = 'FALSE'	--
^	<b>Assign:</b> <a href="#">collectaddress_ziplookuperrorprompt</a> = default_address_ziplookuperrorprompt	--
^	<b>Assign:</b> <a href="#">collectaddress_citystatelookuperrorprompt</a> = default_address_citystatelookuperrorprompt	--
^	<b>Assign:</b> <a href="#">collectaddress_exitsuccessprompt</a> = default_address_exitsuccessprompt	--
^	--	<b>goto:</b> <a href="#">tr0140_AddressOSDM_SD</a>
<b>Developer Notes</b>		
--		

**tr0140\_AddressOSDM\_SD**

Subdialog Call 

Sub dialogue call to the AddressOSDM to collect the caller's address.			
<b>Entering From</b>			
<a href="#">tr0130_SetAddressParameters_DS</a>			
<b>Dialog called</b>			
Proceed to initial node in: <a href="#">AddressOSDM</a>			
<b>Input parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Output parameters</b>			
<b>Variable</b>		<b>Subdialog Variable</b>	
--		--	
<b>Actions</b>			
<b>Condition</b>		<b>Action</b>	<b>Transition</b>
Success	Always	<b>Assign:</b> <a href="#">transcription_address</a> =[address]	--
^	If <a href="#">current_task</a> = <a href="#">transcription_pa</a> <a href="#">mphlet</a>	--	<b>goto:</b> <a href="#">tr0210_SubmitRequest_DB</a>
^	Else	--	<b>goto:</b> <a href="#">tr0200_AskHowManyForms_DM</a>
Failure		<b>Assign:</b> <a href="#">transcription_transaction_status</a> =failure	--
^		<b>Prompt:</b> [tr0140_out_01] I won't be able to go on without your address.	<b>Return to calling dialog:</b> <a href="#">main</a> [ <a href="#">mm0550_Transcription_SD</a> ]
<b>Recovery Behavior</b>			
<a href="#">See 1.1 Global Recovery Behavior</a>			
<b>Developer Notes</b>			
--			

### tr0200\_AskHowManyForms\_DM

<b>CustomContext Recognition</b> 			
Asks the caller how many forms they would like sent to them. They can not order more than 10 forms.			
<b>Entering From</b>			
<a href="#">tr0120_ConfirmAddress_DM</a> , <a href="#">tr0140_AddressOSDM_SD</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	tr0200_ini_01	And how many copies of the form would you like?
reprompt	(after repeat or disconfirmation)	tr0200_ree_01	HOW many forms would you like?
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
?(i want) nine ?copies ?please		9	< <a href="#">tr_how_many_forms_menu</a> 9>
?(i want) eight ?copies ?please		8	< <a href="#">tr_how_many_forms_menu</a> 8>
?(i want) seven ?copies ?please		7	< <a href="#">tr_how_many_forms_menu</a> 7>
			<b>Confirm</b>
			If Necessary
			If Necessary
			If Necessary

?(i want) six ?copies ?please	6	<tr_how_many_forms_menu 6>	If Necessary
?(i want) five ?copies ?please	5	<tr_how_many_forms_menu 5>	If Necessary
?(i want) four ?copies ?please	4	<tr_how_many_forms_menu 4>	If Necessary
?(i want) three ?copies ?please	3	<tr_how_many_forms_menu 3>	If Necessary
?(i want) two ?copies ?please	2	<tr_how_many_forms_menu 2>	If Necessary
?(i want) ?just one ?copy ?please	1	<tr_how_many_forms_menu 1>	If Necessary
?(i want) [eleven twelve thirteen fourteen fifteen] ?copies ?please	11, 12, 13, 14, 15	<tr_how_many_forms_menu >	Never
?(i want) ten ?copies ?please	10	<tr_how_many_forms_menu 10>	If Necessary
repeat, repeat that	--	<tr_how_many_forms_menu repeat>	Never

**Actions**

Option	Condition	Action	Transition
over_10 (11, 12, 13, 14, or 15)	Always	<b>Assign:</b> transcription_form_quantity =10	--
^	^	<b>Prompt:</b> [tr0200_out_01] The most I can send is ten copies, but I'll go ahead and send the maximum. Just a moment while I submit this request...	<b>goto:</b> tr0210_SubmitRequest_DB
Else (<number> under_10)	Always	<b>Assign:</b> transcription_form_quantity =<number>	--
^	^	<b>Prompt:</b> [tr0200_out_02] Okay, just a moment while I submit that request...	<b>goto:</b> tr0210_SubmitRequest_DB
repeat	Always	<b>Prompt:</b> [tr0200_out_03] Sure.	<b>Re-Recognition:</b> Reprompt

**Confirmation Prompts**

Option	Condition	Name	Wording
<number>	Always	tr0200_cnf_ini_01	You'd like us to send...
^	^	tr0200_cnf_ini_02	[number_forms]
^	If >1	tr0200_cnf_ini_03	... copies. Right?
^	Else (= 1)	tr0200_cnf_ini_04	... copy. Right?

**Confirmation Recovery Behavior**


[See 1.3 Global Confirmation](#)

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	Always	<b>Prompt:</b> [tr0200_nm1_01] Let's try again... The most I can send it ten copies. Please say or enter the number of copies you'd like me to send you.	<b>Re-Recognition:</b>
nomatch 2	^	<b>Prompt:</b> [tr0200_nm2_01] Sorry. I can send you up to 10 copies of the form. Enter the number of copies you'd like on your keypad.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--

noinput 1	^	<b>Prompt:</b> [tr0200_ni1_01] The most I can send is ten copies. Please say or enter the number of copies you'd like me to send you.	<b>Re-Recognition:</b>
noinput 2	^	<b>Prompt:</b> [tr0200_ni2_01] Sorry. I can send you up to 10 copies of the form. Enter the number of copies you'd like on your keypad.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
repeat			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
The grammar is constrained to only accept 11 through 15 as 'over_10'; anything else will get an error and hear no match 1.			

### tr0210\_SubmitRequest\_DB


<b>Database Call</b> 		
Database call to submit form/pamphlet request.		
<b>Entering From</b>		
tr0120_ConfirmAddress_DM, tr0140_AddressOSDM_SD, tr0200_AskHowManyForms_DM		
<b>Input parameters</b>		
<b>Parameter</b>		<b>Value</b>
--		--
<b>Output parameters</b>		
<b>Variable</b>		<b>Description</b>
--		--
<b>Actions</b>		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Success	<b>Prompt:</b> [tr0210_out_01] All set!	<b>goto:</b> tr0220_SuccessMsg_PP
Failure	--	<b>goto:</b> tr0240_FailureMsg_PP
<b>Recovery Behavior</b>		
<a href="#">See 1.1 Global Recovery Behavior</a>		
<b>Developer Notes</b>		
--		

**tr0220\_SuccessMsg\_PP**


Simple Play Prompt <span style="float: right;">:))</span>		
Informs the caller that their order was successful and gives an estimate of when they should receive their forms or pamphlets.		
<b>Entering From</b>		
tr0210_SubmitRequest_DB		
<b>Actions</b> [Barge-in is OFF]		
Condition	Action	Transition
Always	<b>Assign:</b> transcription_transaction_status =success	--
If <code>current_task=transcription_pamphlet</code>	If <code>pamphlet_get_number=1</code> <b>Prompt:</b> [tr0220_out_01] I've put your order through and you should receive the pamphlet:	--
^	Else ( <code>pamphlet_get_number&gt;1</code> ) <b>Prompt:</b> [tr0220_out_02] I've put your order through and you should receive the pamphlets:	--
^	If <code>pamphlet_get_understanding_ss=true</code> <b>Prompt:</b> [tr0220_out_03] Understanding Social Security	--
^	If <code>pamphlet_get_retirement_benefits=true</code> <b>Prompt:</b> [tr0220_out_04] Retirement Benefits	--
^	If <code>pamphlet_get_disability_benefits=true</code> <b>Prompt:</b> [tr0220_out_05] Disability Benefits	--
^	If <code>pamphlet_get_survivor_benefits=true</code> <b>Prompt:</b> [tr0220_out_06] Survivor Benefits	--
^	If <code>pamphlet_get_work_affects_benefits=true</code> <b>Prompt:</b> [tr0220_out_07] How Work Affects Benefits	--
^	If <code>pamphlet_get_disabled_children_benefits=true</code> <b>Prompt:</b> [tr0220_out_08] Benefits For Children With Disabilities	--
^	If <code>pamphlet_get_woman_ss=true</code> <b>Prompt:</b> [tr0220_out_09] What Every Woman Should Know About Social Security	--
^	Always <b>Prompt:</b> [tr0220_out_10] ... in the mail within 2 weeks. Now, if you're finished, feel free to hang up. Otherwise...	--
Else	Always <b>Prompt:</b> [tr0220_out_11] I've put this through and you should receive form...	--
^	Elseif <code>current_task=transcription_ss5</code> <b>Prompt:</b> [tr0220_out_12] ...S S 5...	--
^	Elseif <code>current_task=transcription_7004</code> <b>Prompt:</b> [tr0220_out_13] ...S S A 7 0 0 4...	--
^	Else ( <code>current_task=transcription_1020</code> ) <b>Prompt:</b> [tr0220_out_14] ...S S A 1 0 2 0...	--

^	Always	<b>Prompt:</b> [tr0220_out_15] ...along with instructions, in the mail within 2 weeks. Now, if you're finished, feel free to hang up. Otherwise,...	--
Always		--	<b>Return to calling dialog:</b> <a href="#">main [mm0550_Transcription_SD]</a>
<b>Developer Notes</b>			
--			

### tr0240\_FailureMsg\_PP

Simple Play Prompt 		
Informs the caller that their request was not processed before transferring to an agent.		
<b>Entering From</b>		
<a href="#">tr0210_SubmitRequest_DB</a>		
<b>Actions</b> [Barge-in is OFF]		
Condition	Action	Transition
Always	<b>Assign:</b> <a href="#">transcription_transaction_status</a> =failure	--
^	<b>Prompt:</b> [tr0240_out_01] Sorry. I wasn't able to process your request.	<b>Return to calling dialog:</b> <a href="#">main [mm0550_Transcription_SD]</a>
<b>Developer Notes</b>		
--		

### tr0310\_UnderstandingSS\_DM

YesNo Recognition 			
Asks the caller if they want the 'Understanding Social Security' pamphlet.			
<b>Entering From</b>			
<a href="#">tr0105_PlayTransIntro_PP</a> , <a href="#">tr0545_PamphletCheck_DS</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	tr0310_ini_01	Now, to get started, do you want the pamphlet on 'Understanding Social Security'?
reprompt	(after repeat or disconfirmation or if <a href="#">pamphlets_first_time</a> = false)	tr0310_ree_01	Do you want the pamphlet on 'Understanding Social Security'?
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
yes	1	< <a href="#">tr_get_pamphlet_menu</a> yes>	Never
no	2	< <a href="#">tr_get_pamphlet_menu</a> no>	Never
skip	3	< <a href="#">tr_get_pamphlet_menu</a> skip>	If Necessary
i'm finished, i'm done	4	< <a href="#">tr_get_pamphlet_menu</a> finished>	If Necessary
repeat, repeat that	9	< <a href="#">tr_get_pamphlet_menu</a> repeat>	Never
<b>Actions</b>			
Option	Condition	Action	Transition

Always	--	<b>Assign:</b> <a href="#">next_pamphlet</a> = <a href="#">retirement_benefits</a>	--
no	If <a href="#">pamphlets_first_time</a> =true	--	<b>goto:</b> <a href="#">tr0320_RetirementBenefits_DM</a>
^	Else	<b>Prompt:</b> [tr0310_out_01] Okay.	<b>goto:</b> <a href="#">tr0540_MoreChoices_DM</a>
yes	Always	<b>Assign:</b> <a href="#">pamphlet_get_understanding_ss</a> =true	--
^	^	<b>Assign:</b> <a href="#">pamphlet_get_number</a> =increment+1	--
^	^	<b>Prompt:</b> [tr0310_out_02] All right.	<b>goto:</b> <a href="#">tr0540_MoreChoices_DM</a>
skip	Always	--	<b>goto:</b> <a href="#">tr0320_RetirementBenefits_DM</a>
finished	Always	<b>Assign:</b> <a href="#">pamphlet_finished</a> =true	--
^	^	<b>Prompt:</b> [tr0310_out_03] Okay.	<b>goto:</b> <a href="#">tr0550_ConcludeChoices_PP</a>
repeat	Always	<b>Prompt:</b> [tr0310_out_04] Sure.	<b>Re-Recognition:</b> Reprompt

**Confirmation Prompts**

Option	Condition	Name	Wording
skip	Always	tr0310_cnf_ini_01	You'd like to skip to the next topic, right?
finished	Always	tr0310_cnf_ini_02	Sounds like you're finished. Is that right?

**Confirmation Recovery Behavior**


[See 1.3 Global Confirmation](#)

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	--	<b>Prompt:</b> [tr0310_nm1_01] Let's try again... Do you want the pamphlet on 'Understanding Social Security?'	<b>Re-Recognition:</b>
nomatch 2	--	<b>Prompt:</b> [tr0310_nm2_01] Sorry. If you'd like me to send the pamphlet about 'Understanding Social Security', press 1. If not, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	--	<b>Prompt:</b> [tr0310_ni1_01] If you want the pamphlet on 'Understanding Social Security', say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	--	<b>Prompt:</b> [tr0310_ni2_01] Sorry. If you'd like me to send the pamphlet about 'Understanding Social Security', press 1. If not, press .	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> <a href="#">transfer_reason</a> =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01]	--

Sorry, we seem to be having trouble.	
<b>Commands: State-Specific Behavior</b>	
<a href="#">See 1.2 Global Commands</a>	
<b>Commands: Disabled Globals</b>	
repeat	
<b>Commands: Confirmations</b>	
<a href="#">See 1.2 Global Commands</a>	
<b>Config Parameters</b>	
<b>Parameter</b>	<b>Value</b>
--	--
<b>Developer Notes</b>	
--	

**tr0320\_RetirementBenefits\_DM**

<b>YesNo Recognition</b> 			
Asks the caller if they want the 'Retirement Benefits' pamphlet.			
<b>Entering From</b>			
<a href="#">tr0310_UnderstandingSS_DM</a> , <a href="#">tr0545_PamphletCheck_DS</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	tr0320_ini_01	Next, do you want the pamphlet on 'Retirement Benefits'?
reprompt	(after repeat or disconfirmation or if <a href="#">pamphlets_first_time</a> = false)	tr0320_ree_01	Do you want the pamphlet on 'Retirement Benefits'?
<b>Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
yes	1	< <a href="#">tr_get_pamphlet_menu</a> yes>	Never
no	2	< <a href="#">tr_get_pamphlet_menu</a> no>	Never
skip	3	< <a href="#">tr_get_pamphlet_menu</a> skip>	If Necessary
i'm finished, i'm done	4	< <a href="#">tr_get_pamphlet_menu</a> finished>	If Necessary
repeat, repeat that	9	< <a href="#">tr_get_pamphlet_menu</a> repeat>	Never
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	--	<b>Assign:</b> <a href="#">next_pamphlet</a> = <a href="#">disability_benefits</a>	--
no	If <a href="#">pamphlets_first_time</a> =true	--	<b>goto:</b> <a href="#">tr0330_DisabilityBenefits_DM</a>
^	Else	<b>Prompt:</b> [tr0320_out_01] Okay.	<b>goto:</b> <a href="#">tr0540_MoreChoices_DM</a>
yes	Always	<b>Assign:</b> <a href="#">pamphlet_get_retirement_benefits</a> =true	--
^	^	<b>Assign:</b> <a href="#">pamphlet_get_number</a>	--



		=increment=1	
^	^	<b>Prompt:</b> [tr0320_out_02] All right.	<b>goto:</b> tr0540_MoreChoices_DM
skip	Always	--	<b>goto:</b> tr0330_DisabilityBenefits_DM
finished	Always	<b>Assign:</b> pamphlet_finished =true	--
^	^	<b>Prompt:</b> [tr0320_out_03] Okay.	<b>goto:</b> tr0550_ConcludeChoices_PP
repeat	Always	<b>Prompt:</b> [tr0320_out_04] Sure.	<b>Re-Recognition:</b> Reprompt

**Confirmation Prompts**

Option	Condition	Name	Wording
skip	Always	tr0320_cnf_ini_01	You'd like to skip to the next topic, right?
finished	Always	tr0320_cnf_ini_02	Sounds like you're finished. Is that right?

**Confirmation Recovery Behavior**

[See 1.3 Global Confirmation](#)

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	--	<b>Prompt:</b> [tr0320_nm1_01] Let's try again... Do you want the pamphlet on 'Retirement Benefits?'	<b>Re-Recognition:</b>
nomatch 2	--	<b>Prompt:</b> [tr0320_nm2_01] Sorry. If you'd like me to send the pamphlet about 'Retirement Benefits,' press 1. If not, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	--	<b>Prompt:</b> [tr0320_ni1_01] If you want the pamphlet on 'Retirement Benefits,' say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	--	<b>Prompt:</b> [tr0320_ni2_01] Sorry. If you'd like me to send the pamphlet about 'Retirement Benefits,' press 1. If not, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--

**Commands: State-Specific Behavior**

[See 1.2 Global Commands](#)

**Commands: Disabled Globals**

repeat

**Commands: Confirmations**

[See 1.2 Global Commands](#)

**Config Parameters**

Parameter	Value
-----------	-------

--	--
<b>Developer Notes</b>	
--	

**tr0330\_DisabilityBenefits\_DM**

<b>YesNo Recognition</b>	
--------------------------	---

Asks the caller if they want the 'Disability Benefits' pamphlet.

**Entering From**

[tr0320\\_RetirementBenefits\\_DM](#)

**Initial Prompts**

Type	Condition	Name	Wording
initial	Always	tr0330_ini_01	Do you want the pamphlet on 'Disability Benefits?'
reprompt	(after repeat or disconfirmation or if <a href="#">pamphlets_first_time</a> = false)	tr0330_ree_01	Do you want the pamphlet on 'Disability Benefits?'

**Grammar**

Sample Expressions	DTMF	Reco Var/Option	Confirm
yes	1	< <a href="#">tr_get_pamphlet_menu</a> yes>	Never
no	2	< <a href="#">tr_get_pamphlet_menu</a> no>	Never
skip	3	< <a href="#">tr_get_pamphlet_menu</a> skip>	If Necessary
i'm finished, i'm done	4	< <a href="#">tr_get_pamphlet_menu</a> finished>	If Necessary
repeat, repeat that	9	< <a href="#">tr_get_pamphlet_menu</a> repeat>	Never

**Actions**


Option	Condition	Action	Transition
Always	--	<b>Assign:</b> <a href="#">next_pamphlet</a> =survivor_benefits	--
no	If <a href="#">pamphlets_first_time</a> =true	--	<b>goto:</b> <a href="#">tr0340_SurvivorBenefits_DM</a>
^	Else	<b>Prompt:</b> [tr0330_out_01] Okay.	<b>goto:</b> <a href="#">tr0540_MoreChoices_DM</a>
yes	Always	<b>Assign:</b> <a href="#">pamphlet_get_disability_benefits</a> =true	--
^	^	<b>Assign:</b> <a href="#">pamphlet_get_number</a> =increment+1	--
^	^	<b>Prompt:</b> [tr0330_out_02] All right.	<b>goto:</b> <a href="#">tr0540_MoreChoices_DM</a>
skip	Always	--	<b>goto:</b> <a href="#">tr0340_SurvivorBenefits_DM</a>
finished	Always	<b>Assign:</b> <a href="#">pamphlet_finished</a> =true	--
^	^	<b>Prompt:</b> [tr0330_out_03] Okay.	<b>goto:</b> <a href="#">tr0550_ConcludeChoices_PP</a>
repeat	Always	<b>Prompt:</b> [tr0330_out_04] Sure.	<b>Re-Recognition:</b> Reprompt Sure.

**Confirmation Prompts**

Option	Condition	Name	Wording
--------	-----------	------	---------

skip	Always	tr0330_cnf_ini_01	You'd like to skip to the next topic, right?
finished	Always	tr0330_cnf_ini_02	Sounds like you're finished. Is that right?
<b>Confirmation Recovery Behavior</b>			
<a href="#">See 1.3 Global Confirmation</a>			
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	--	<b>Prompt:</b> [tr0330_nm1_01] Let's try again... Do you want the pamphlet on 'Disability Benefits?'	<b>Re-Recognition:</b>
nomatch 2	--	<b>Prompt:</b> [tr0330_nm2_01] Sorry. If you'd like me to send the pamphlet about 'Disability Benefits,' press 1. If not, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	--	<b>Prompt:</b> [tr0330_ni1_01] If you want the pamphlet on 'Disability Benefits,' say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	--	<b>Prompt:</b> [tr0330_ni2_01] Sorry. If you'd like me to send the pamphlet about 'Disability Benefits,' press 1. If not, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
repeat			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
Parameter	Value		
--	--		
<b>Developer Notes</b>			
--			

**tr0340\_SurvivorBenefits\_DM**

<b>YesNo Recognition</b>	
Asks the caller if they want the 'Survivor's Benefits' pamphlet.	
<b>Entering From</b>	
<a href="#">tr0330_DisabilityBenefits_DM</a> , <a href="#">tr0545_PamphletCheck_DS</a>	
<b>Initial Prompts</b>	

Type	Condition	Name	Wording
initial	Always	tr0340_ini_01	Next, Do you want the pamphlet on 'Survivor's Benefits?'
reprompt	(after repeat or disconfirmation or if <a href="#">pamphlets_first_time</a> = false)	tr0340_ree_01	Do you want the pamphlet on 'Survivor's Benefits?'

**Grammar**

Sample Expressions	DTMF	Reco Var/Option	Confirm
yes	1	<tr_get_pamphlet_menu yes>	Never
no	2	<tr_get_pamphlet_menu no>	Never
skip	3	<tr_get_pamphlet_menu skip>	If Necessary
i'm finished, i'm done	4	<tr_get_pamphlet_menu finished>	If Necessary
repeat, repeat that	9	<tr_get_pamphlet_menu repeat>	Never

**Actions**

Option	Condition	Action	Transition
Always	--	<b>Assign:</b> <a href="#">next_pamphlet</a> =work_affects_benefits	--
no	If <a href="#">pamphlets_first_time</a> =true	--	<b>goto:</b> <a href="#">tr0410_WorkAffectsBenefits_DM</a>
^	Else	<b>Prompt:</b> [tr0340_out_01] Okay.	<b>goto:</b> <a href="#">tr0540_MoreChoices_DM</a>
yes	Always	<b>Assign:</b> <a href="#">pamphlet_get_survivor_benefits</a> =true	--
^	^	<b>Assign:</b> <a href="#">pamphlet_get_number</a> =increment+1	--
^	^	<b>Prompt:</b> [tr0340_out_02] All right.	<b>goto:</b> <a href="#">tr0540_MoreChoices_DM</a>
skip	Always	--	<b>goto:</b> <a href="#">tr0410_WorkAffectsBenefits_DM</a>
finished	Always	<b>Assign:</b> <a href="#">pamphlet_finished</a> =true	--
^	^	<b>Prompt:</b> [tr0340_out_03] Okay.	<b>goto:</b> <a href="#">tr0550_ConcludeChoices_PP</a>
repeat	Always	<b>Prompt:</b> [tr0340_out_04] Sure.	<b>Re-Recognition:</b> Reprompt

**Confirmation Prompts**

Option	Condition	Name	Wording
skip	Always	tr0340_cnf_ini_01	You'd like to skip to the next topic, right?
finished	Always	tr0340_cnf_ini_02	Sounds like you're finished. Is that right?

**Confirmation Recovery Behavior**


[See 1.3 Global Confirmation](#)

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	--	<b>Prompt:</b> [tr0340_nm1_01] Let's try again... Do you want the pamphlet on 'Survivor Benefits?'	<b>Re-Recognition:</b>
nomatch 2	--	<b>Prompt:</b> [tr0340_nm2_01] Sorry. If you'd like me to send the	<b>Re-Recognition:</b>

		pamphlet about 'Survivor Benefits,' press 1. If not, press 2.	
nomatch 3	Always	<b>Assign:</b> <code>transfer_reason =error</code>	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	--	<b>Prompt:</b> [tr0340_ni1_01] If you want the pamphlet on 'Survivor Benefits,' say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	--	<b>Prompt:</b> [tr0340_ni2_01] Sorry. If you'd like me to send the pamphlet about 'Survivor Benefits,' press 1. If not, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> <code>transfer_reason =error</code>	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
repeat			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
--			


**tr0410\_WorkAffectsBenefits\_DM**

<b>YesNo Recognition</b>			
Asks the caller if they want the 'How Work Affects Benefits' pamphlet.			
<b>Entering From</b>			
<a href="#">tr0340_SurvivorBenefits_DM</a> , <a href="#">tr0545_PamphletCheck_DS</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	tr0410_ini_01	Do you want the pamphlet on 'How Work Affects Benefits'?
reprompt	(after repeat or disconfirmation or if <a href="#">pamphlets_first_time</a> = false)	tr0410_ree_01	Do you want the pamphlet on 'How Work Affects Benefits'?
<b>Grammar</b>			
<b>Sample Expressions</b>		<b>DTMF</b>	<b>Reco Var/Option</b>
yes		1	< <a href="#">tr_get_pamphlet_menu</a> yes>
no		2	< <a href="#">tr_get_pamphlet_menu</a> no>
skip		3	< <a href="#">tr_get_pamphlet_menu</a> skip>
			<b>Confirm</b>
			Never
			Never
			If Necessary

i'm finished, i'm done	4	<tr_get_pamphlet_menu finished>	If Necessary
repeat, repeat that	9	<tr_get_pamphlet_menu repeat>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
Always	--	<b>Assign:</b> next_pamphlet =disabled_children_benefits	--
no	If pamphlets_first_time=true	--	<b>goto:</b> tr0420_DisabledChildrenBenefits_DM
^	Else	<b>Prompt:</b> [tr0410_out_01] Okay.	<b>goto:</b> tr0540_MoreChoices_DM
yes	Always	<b>Assign:</b> pamphlet_get_work_affects_benefits =true	--
^	^	<b>Assign:</b> pamphlet_get_number =increment+1	--
^	^	<b>Prompt:</b> [tr0410_out_02] All right.	<b>goto:</b> tr0540_MoreChoices_DM
skip	Always	--	<b>goto:</b> tr0420_DisabledChildrenBenefits_DM
finished	Always	<b>Assign:</b> pamphlet_finished =true	--
^	^	<b>Prompt:</b> [tr0410_out_03] Okay.	<b>goto:</b> tr0550_ConcludeChoices_PP
repeat	Always	<b>Prompt:</b> [tr0410_out_04] Sure.	<b>Re-Recognition:</b> Reprompt
<b>Confirmation Prompts</b>			
Option	Condition	Name	Wording
skip	Always	tr0410_cnf_ini_01	You'd like to skip to the next topic, right?
finished	Always	tr0410_cnf_ini_02	Sounds like you're finished. Is that right?
<b>Confirmation Recovery Behavior</b>			
<a href="#">See 1.3 Global Confirmation</a>			
<b>Recovery Behavior</b>			
Type	Condition	Action	Transition
nomatch 1	--	<b>Prompt:</b> [tr0410_nm1_01] Let's try again... Do you want the pamphlet on 'How Work Affects Benefits?'	<b>Re-Recognition:</b>
nomatch 2	--	<b>Prompt:</b> [tr0410_nm2_01] Sorry. If you'd like me to send the pamphlet about 'How Work Affects Benefits,' press 1. If not, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	--	<b>Prompt:</b> [tr0410_ni1_01] If you want the pamphlet on 'How Work Affects Benefits,' say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>

noinput 2	--	<b>Prompt:</b> [tr0410_ni2_01] Sorry. If you'd like me to send the pamphlet about 'How Work Affects Benefits,' press 1. If not, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
repeat			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>		<b>Value</b>	
--		--	
<b>Developer Notes</b>			
--			

**tr0420\_DisabledChildrenBenefits\_DM**

<b>YesNo Recognition</b> 			
Asks the caller if they want the 'Benefits for Children with Disabilities' pamphlet.			
<b>Entering From</b>			
<a href="#">tr0410_WorkAffectsBenefits_DM</a> , <a href="#">tr0545_PamphletCheck_DS</a>			
<b>Initial Prompts</b>			
<b>Type</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
initial	Always	tr0420_ini_01	Next. Do you want the pamphlet on 'Benefits for Children with Disabilities'?
reprompt	(after repeat or disconfirmation or if <a href="#">pamphlets_first_time</a> = false)	tr0420_ree_01	Do you want the pamphlet on 'Benefits for Children with Disabilities'?
<b>Grammar</b>			
<b>Sample Expressions</b>	<b>DTMF</b>	<b>Reco Var/Option</b>	<b>Confirm</b>
yes	1	< <a href="#">tr_get_pamphlet_menu</a> yes>	Never
no	2	< <a href="#">tr_get_pamphlet_menu</a> no>	Never
skip	3	< <a href="#">tr_get_pamphlet_menu</a> skip>	If Necessary
i'm finished, i'm done	4	< <a href="#">tr_get_pamphlet_menu</a> finished>	If Necessary
repeat, repeat that	9	< <a href="#">tr_get_pamphlet_menu</a> repeat>	Never
<b>Actions</b>			
<b>Option</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
Always	--	<b>Assign:</b> next_pamphlet =woman_ss	--
no	If <a href="#">pamphlets_first_time</a> =true	--	<b>goto:</b> <a href="#">tr0430_WomanSS_DM</a>
^	Else	<b>Prompt:</b> [tr0420_out_01] Okay.	<b>goto:</b> <a href="#">tr0540_MoreChoices_DM</a>

yes	Always	<b>Assign:</b> pamphlet_get_disabled_children_benefits =true	--
^	^	<b>Assign:</b> pamphlet_get_number =increment+1	--
^	^	<b>Prompt:</b> [tr0420_out_02] All right.	<b>goto:</b> tr0540_MoreChoices_DM
skip	Always	--	<b>goto:</b> tr0430_WomanSS_DM
finished	Always	<b>Assign:</b> pamphlet_finished =true	--
^	^	<b>Prompt:</b> [tr0420_out_03] Okay.	<b>goto:</b> tr0550_ConcludeChoices_PP
repeat	Always	<b>Prompt:</b> [tr0420_out_04] Sure.	<b>Re-Recognition:</b> Reprompt

**Confirmation Prompts**

Option	Condition	Name	Wording
skip	Always	tr0420_cnf_ini_01	You'd like to skip to the next topic, right?
finished	Always	tr0420_cnf_ini_02	Sounds like you're finished. Is that right?

**Confirmation Recovery Behavior**

[See 1.3 Global Confirmation](#)

**Recovery Behavior**

Type	Condition	Action	Transition
nomatch 1	--	<b>Prompt:</b> [tr0420_nm1_01] Let's try again... Do you want the pamphlet on 'Benefits for Children with Disabilities?'	<b>Re-Recognition:</b>
nomatch 2	--	<b>Prompt:</b> [tr0420_nm2_01] Sorry. If you'd like me to send the pamphlet about 'Benefits for Children with Disabilities,' press 1. If not, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	--	<b>Prompt:</b> [tr0420_ni1_01] If you want the pamphlet on 'Benefits for Children with Disabilities,' say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	--	<b>Prompt:</b> [tr0420_ni2_01] Sorry. If you'd like me to send the pamphlet about 'Benefits for Children with Disabilities,' press 1. If not, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--

**Commands: State-Specific Behavior**


[See 1.2 Global Commands](#)

**Commands: Disabled Globals**



repeat	
<b>Commands: Confirmations</b>	
<a href="#">See 1.2 Global Commands</a>	
<b>Config Parameters</b>	
Parameter	Value
--	--
<b>Developer Notes</b>	
--	

**tr0430\_WomanSS\_DM**

<b>YesNo Recognition</b> 			
Asks the caller if they want the 'What Every Woman Should Know about Social Security' pamphlet.			
<b>Entering From</b>			
<a href="#">tr0420_DisabledChildrenBenefits_DM</a> , <a href="#">tr0545_PamphletCheck_DS</a>			
<b>Initial Prompts</b>			
Type	Condition	Name	Wording
initial	Always	tr0430_ini_01	Do you want the pamphlet on 'What Every Woman Should Know About Social Security'?
reprompt	(after repeat or disconfirmation or if <a href="#">pamphlets_first_time</a> = false)	tr0430_ree_01	Do you want the pamphlet on 'What Every Woman Should Know About Social Security'?
<b>Grammar</b>			
Sample Expressions	DTMF	Reco Var/Option	Confirm
yes	1	< <a href="#">tr_get_pamphlet_menu</a> yes>	Never
no	2	< <a href="#">tr_get_pamphlet_menu</a> no>	Never
skip	3	< <a href="#">tr_get_pamphlet_menu</a> skip>	If Necessary
i'm finished, i'm done	4	< <a href="#">tr_get_pamphlet_menu</a> finished>	If Necessary
repeat, repeat that	9	< <a href="#">tr_get_pamphlet_menu</a> repeat>	Never
<b>Actions</b>			
Option	Condition	Action	Transition
Always	--	<b>Assign:</b> <a href="#">next_pamphlet</a> = <a href="#">understanding_ss</a>	--
^	--	<b>Assign:</b> <a href="#">pamphlets_first_time</a> =false	--
no	Always	<b>Prompt:</b> [tr0430_out_01] Okay.	<b>goto:</b> <a href="#">tr0540_MoreChoices_DM</a>
yes	Always	<b>Assign:</b> <a href="#">pamphlet_get_woman_ss</a> =true	--
^	^	<b>Assign:</b> <a href="#">pamphlet_get_number</a> =increment+1	--
^	If <a href="#">pamphlet_get_number</a> =7	<b>Prompt:</b> [tr0430_out_02] All right. That's all the pamphlets I have to offer.	<b>goto:</b> <a href="#">tr0550_ConcludeChoices_PP</a>
^	Else	<b>Prompt:</b> [tr0430_out_03] All right.	<b>goto:</b> <a href="#">tr0540_MoreChoices_DM</a>
skip	Always	--	<b>goto:</b> <a href="#">tr0540_MoreChoices_DM</a>

finished	Always	<b>Assign:</b> pamphlet_finished =true	--
^	^	<b>Prompt:</b> [tr0430_out_04] Okay.	<b>goto:</b> tr0550_ConcludeChoices_PP
repeat	Always	<b>Prompt:</b> [tr0430_out_05] Sure.	<b>Re-Recognition:</b> Reprompt
<b>Confirmation Prompts</b>			
<b>Option</b>	<b>Condition</b>	<b>Name</b>	<b>Wording</b>
skip	Always	tr0430_cnf_ini_01	You'd like to skip to the next topic, right?
finished	Always	tr0430_cnf_ini_02	Sounds like you're finished. Is that right?
<b>Confirmation Recovery Behavior</b>			
<a href="#">See 1.3 Global Confirmation</a>			
<b>Recovery Behavior</b>			
<b>Type</b>	<b>Condition</b>	<b>Action</b>	<b>Transition</b>
nomatch 1	--	<b>Prompt:</b> [tr0430_nm1_01] Let's try again... Do you want the pamphlet on 'What Every Woman Should Know About Social Security?'	<b>Re-Recognition:</b>
nomatch 2	--	<b>Prompt:</b> [tr0430_nm2_01] Sorry. If you'd like me to send the pamphlet about 'What Every Woman Should Know About Social Security,' press 1. If not, press 2.	<b>Re-Recognition:</b>
nomatch 3	Always	<b>Assign:</b> transfer_reason =error	--
nomatch 3	Always	<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.	--
noinput 1	--	<b>Prompt:</b> [tr0430_ni1_01] If you want the pamphlet on 'What Every Woman Should Know About Social Security,' say 'Yes' or press 1. If not, say 'No' or press 2.	<b>Re-Recognition:</b>
noinput 2	--	<b>Prompt:</b> [tr0430_ni2_01] Sorry. If you'd like me to send the pamphlet about 'What Every Woman Should Know About Social Security,' press 1. If not, press 2.	<b>Re-Recognition:</b>
noinput 3	Always	<b>Assign:</b> transfer_reason =error	--
noinput 3	Always	<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.	--
<b>Commands: State-Specific Behavior</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Commands: Disabled Globals</b>			
repeat			
<b>Commands: Confirmations</b>			
<a href="#">See 1.2 Global Commands</a>			
<b>Config Parameters</b>			
<b>Parameter</b>	<b>Value</b>		
--	--		
<b>Developer Notes</b>			

--

**tr0540\_MoreChoices\_DM**

**YesNo Recognition** 

If the caller enters this state after all pamphlet options have been given they will be asked if they want to hear all of their choices again. If the caller enters this state after indicating that they want to order a pamphlet then they will be asked if they want to hear more pamphlet options before collecting their address.

**Entering From**

tr0310\_UnderstandingSS\_DM, tr0320\_RetirementBenefits\_DM, tr0330\_DisabilityBenefits\_DM, tr0340\_SurvivorBenefits\_DM, tr0410\_WorkAffectsBenefits\_DM, tr0420\_DisabledChildrenBenefits\_DM, tr0430\_WomanSS\_DM

**Initial Prompts**

Type	Condition		Name	Wording
initial	If next_pamphlet=understanding_ss	If pamphlet_get_number=0	tr0540_ini_01	That was the last one. Would you like to hear those choices again?
initial	^	Else (pamphlet_get_number>0)	tr0540_ini_02	Before I get your mailing address, would you like to hear the choices again?
initial	Else	If pamphlet_get_number=0	tr0540_ini_03	Would you like to hear more choices?
initial	^	Else (pamphlet_get_number>0)	tr0540_ini_04	Before I get your mailing address, would you like to hear more choices?
reprompt	(after repeat)	If next_pamphlet=understanding_ss	tr0540_ree_01	Would you like to hear those choices again?
reprompt	^	Else	tr0540_ree_02	Would you like to hear more choices?

**Grammar**

Sample Expressions	DTMF	Reco Var/Option	Confirm
yes, ([more other] choices)	1	<tr_pamphlet_more_choices_yes o yes>	Never
no	2	<tr_pamphlet_more_choices_yes o no>	Never
repeat, repeat that	9	<tr_pamphlet_more_choices_yes o repeat>	Never


**Actions**

Option	Condition	Action	Transition
no	Always	Assign: pamphlet_finished =true	--
^	If pamphlet_get_number=0	Assign: transcription_transaction_status =success	--
^	^	Prompt: [tr0540_out_01] No problem. In that case, if you're finished, feel free to hang up. Otherwise,...	Return to calling dialog: main [mm0550_Transcription_SD]
^	Else	Prompt: [tr0540_out_02] All right.	goto: tr0550_ConcludeChoices_PP
yes	If pamphlet_get_number = 7	Prompt: [tr0540_out_04] That's all the pamphlets I have to offer.	goto: tr0550_ConcludeChoices_PP
^	Else	--	goto:

			<a href="#">tr0545_PamphletCheck_DS</a>
repeat	Always		<b>Prompt:</b> [tr0540_out_03] Sure. <b>Re-Recognition:</b> Reprompt
<b>Recovery Behavior</b>			
Type	Condition		Action
nomatch 1	If <a href="#">next_pamphlet</a> =understanding_ss		<b>Prompt:</b> [tr0540_nm1_01] Let's try again... Would you like to hear those choices again?
nomatch 1	Else		<b>Prompt:</b> [tr0540_nm1_02] Let's try again... Would you like to hear more choices?
nomatch 2	If <a href="#">next_pamphlet</a> =understanding_ss	If <a href="#">pamphlet_get_number</a> =0	<b>Prompt:</b> [tr0540_nm2_01] Sorry. That was the last pamphlet I had to offer. If you'd like to hear all of the choices again, press 1. Otherwise, press 2.
nomatch 2	^	Else ( <a href="#">pamphlet_get_number</a> >0)	<b>Prompt:</b> [tr0540_nm2_02] Sorry. If you're interested in receiving more pamphlets and you'd like to hear the choices again, press 1. Otherwise, press 2.
nomatch 2	Else		<b>Prompt:</b> [tr0540_nm2_03] Sorry. If you're interested in receiving more pamphlets and you'd like to hear more choices, press 1. Otherwise, press 2.
nomatch 3	Always		<b>Assign:</b> <a href="#">transfer_reason</a> =error
nomatch 3	Always		<b>Prompt:</b> [gl_nm3_01] Sorry, we seem to be having trouble.
noinput 1	If <a href="#">next_pamphlet</a> =understanding_ss		<b>Prompt:</b> [tr0540_ni1_01] If you'd like to hear those choices again, say 'Yes' or press 1. Otherwise, say 'No' or press 2.
noinput 1	Else		<b>Prompt:</b> [tr0540_ni1_02] If you'd like to hear more choices, say 'Yes' or press 1. If not, say 'No' or press 2.
noinput 2	If <a href="#">next_pamphlet</a> =understanding_ss	If <a href="#">pamphlet_get_number</a> =0	<b>Prompt:</b> [tr0540_ni2_01] Sorry. That was the last pamphlet I had to offer. If you'd like to hear all of the choices again, press 1. Otherwise, press 2.
noinput 2	^	Else ( <a href="#">pamphlet_get_number</a> >0)	<b>Prompt:</b> [tr0540_ni2_02] Sorry. If you're interested in receiving more pamphlets and you'd like to hear the choices again, press 1. Otherwise, press 2.
noinput 2	Else		<b>Prompt:</b> [tr0540_ni2_03] Sorry. If you're interested in receiving more pamphlets and you'd like to hear more choices, press 1. Otherwise, press 2.
noinput 3	Always		<b>Assign:</b> <a href="#">transfer_reason</a> =error
noinput 3	Always		<b>Prompt:</b> [gl_ni3_01] Sorry, we seem to be having trouble.

<b>Commands: State-Specific Behavior</b>	
See 1.2 Global Commands	
<b>Commands: Disabled Globals</b>	
repeat	
<b>Commands: Confirmations</b>	
See 1.2 Global Commands	
<b>Config Parameters</b>	
<b>Parameter</b>	<b>Value</b>
--	--
<b>Developer Notes</b>	
--	

**tr0545\_PamphletCheck\_DS**

			<b>Decision</b> 
Determines which pamphlet needs to be spoken next based on the last pamphlet heard and which pamphlet's have already been ordered.			
<b>Entering From</b>			
tr0540_MoreChoices_DM, tr0545_PamphletCheck_DS			
<b>Actions</b>			
<b>Condition</b>	<b>Action</b>	<b>Transition</b>	
If <code>next_pamphlet=understanding_ss</code>	If <code>pamphlet_get_understanding_ss=false</code>	--	<b>goto:</b> tr0310_UnderstandingSS_DM
^	Else (if <code>pamphlet_get_understanding = true</code> )	<b>Assign:</b> <code>next_pamphlet=retirement_benefits</code>	<b>goto:</b> tr0545_PamphletCheck_DS
Elseif <code>next_pamphlet=retirement_benefits</code>	If <code>pamphlet_get_retirement_benefits=false</code>	--	<b>goto:</b> tr0320_RetirementBenefits_DM
^	Else (if <code>pamphlet_get_retirement_benefits = true</code> )	<b>Assign:</b> <code>next_pamphlet=disability_benefits</code>	<b>goto:</b> tr0545_PamphletCheck_DS
Elseif <code>next_pamphlet=disability_benefits</code>	If <code>pamphlet_get_disability_benefits=false</code>	--	<b>goto:</b> tr0310_UnderstandingSS_DM
^	Else (if <code>pamphlet_get_disability_benefits = true</code> )	<b>Assign:</b> <code>next_pamphlet=survivor_benefits</code>	<b>goto:</b> tr0545_PamphletCheck_DS
Elseif <code>next_pamphlet=survivor_benefits</code>	If <code>pamphlet_get_survivor_benefits=false</code>	--	<b>goto:</b> tr0340_SurvivorBenefits_DM
^	Else (if <code>pamphlet_get_survivor_benefits = true</code> )	<b>Assign:</b> <code>next_pamphlet=work_affects_benefits</code>	<b>goto:</b> tr0545_PamphletCheck_DS
Elseif <code>next_pamphlet=work_affects_benefits</code>	If <code>pamphlet_get_work_affects_benefits=false</code>	--	<b>goto:</b> tr0410_WorkAffectsBenefits_DM
^	Else (if <code>pamphlet_get_work_affects_benefits = true</code> )	<b>Assign:</b> <code>next_pamphlet=disabled_children_benefits</code>	<b>goto:</b> tr0545_PamphletCheck_DS

	s_benefits = true)		
Elseif next_pamphlet=disabled_c hildren_benefits	If pamphlet_get_disabled_ch ildren_benefits=false	--	goto: tr0420_DisabledChildrenBenefits_DM
^	Else (if pamphlet_get_disabled_ch ildren_benefits = true)	Assign: next_pamphlet =woman_ss	goto: tr0545_PamphletCheck_DS
Elseif next_pamphlet=woman_ss	If pamphlet_get_woman_ss = false	--	goto: tr0430_WomanSS_DM
^	Else (if pamphlet_get_woman_ss = true)	Assign: next_pamphlet =understanding_ss	goto: tr0545_PamphletCheck_DS
<b>Developer Notes</b>			
--			

**tr0550\_ConcludeChoices\_PP**

<b>Simple Play Prompt</b> :))		
Thanks the caller for their order and prepares the caller for address collection.		
<b>Entering From</b>		
tr0310_UnderstandingSS_DM, tr0320_RetirementBenefits_DM, tr0330_DisabilityBenefits_DM, tr0340_SurvivorBenefits_DM, tr0410_WorkAffectsBenefits_DM, tr0420_DisabledChildrenBenefits_DM, tr0430_WomanSS_DM, tr0540_MoreChoices_DM		
<b>Actions</b> [Barge-in is OFF]		
<b>Condition</b>	<b>Action</b>	<b>Transition</b>
If pamphlet_get_number = 0	<b>Prompt:</b> [tr0550_out_02] If you're finished, feel free to hang up. Otherwise ...	<b>Return to calling dialog:</b> main [mm0550_Transcription_SD]
Else	<b>Prompt:</b> [tr0550_out_01] Thanks for your order. Now, let's get your address...	goto: tr0110_ReverseANILookup_DB
<b>Developer Notes</b>		
--		

## Appendix A: Variable Table

### Variables

Variable Name	Description	Possible Values	Initial Value	Type	Configurable
abr	'Agent Busy Rate,' determines agent routing logic: 0==default, 1=no agents, 2==screen pop, 3==screen splash, 4==immediate transfer	0, 1, 2, 3, 4	Undefined	--	N
aca_active	toggle - set by administrator - to control whether the ACA menus are on or off	true, false	Undefined	--	N
activeFlag1	indicator that determines if emergency message 1 is active or not	true, false	Undefined	--	N
activeFlag2	indicator that determines if emergency message 2 is active or not	true, false	Undefined	--	N
activeFlag3	indicator that determines if emergency message 3 is active or not	true, false	Undefined	--	N
address_returned	Determines if an address is returned from the reverse ANI lookup (true=it was returned and false=it was not returned)	--	Undefined	boolean (true/false)	N
alternative_name_needed	indicates whether or not the alternative name needs to be collected	true, false	true	--	N
application_status_OMB_heard	tracks whether the OMB number for application_status has or has not been heard	true, false	false	--	N
applicationtag	variable passed from OCO for transfer routing	order_ssn_card, earnings_statement	Undefined	--	N
attestation_confirmed	indicates whether the perjury message (in attestation flow) has been confirmed (yes), declined (declined), or not yet heard (no)	true, false, declined	true	--	N
attestation_heard	tracks whether the attestation message (including OMB #, estimated time, etc) has been heard	true, false	true	--	N
backoff_menu_go_back	tracks whether caller said 'go back' in backoff other options menu	true, false	true	--	N
bank_account_number	holds the caller's bank account number	<account number>	Undefined	--	N
bank_account_type	indicates what type of the account the caller wants to use for direct deposit	checking, savings, investment	Undefined	--	N
bank_routing_number	holds the caller's bank routing number	<routing number>	Undefined	--	N
benefits_statement_OMB_heard	tracks whether the OMB number for benefits statement has or has not been heard	true, false	false	--	N

benefits_statement_transaction_status	indicates status of the replacement benefits statement (1099) dialog	success, failure, replacement, field_office	Undefined	--	N
beve_transaction_status	indicates the status of the task in the benefits verification dialog	success, failure, change_address	Undefined	--	N
bevemrc_OMB_heard	tracks whether the OMB number for bevemrc has or has not been heard	true, false	false	--	N
broadcastName	--	--	Undefined	--	N
broadcastPrompt1	name of emergency broadcast wav file	--	Undefined	--	N
broadcastPrompt2	name of emergency broadcast wav file	--	Undefined	--	N
broadcastPrompt3	name of emergency broadcast wav file	--	Undefined	--	N
bv_statusCode	Variable returned determines if the host backend system is available.	0000, 0001, 0004, 0108, 0150, 0151, 0152, 0508, 7777, 9999	Undefined	string	N
bv_statusDescription	Status code text description for Benefits Verification.	--	Undefined	string	N
ca_statusCode	Variable returned determines if the host backend system is available.	0000, 0150, 0151, 0152, 7777, 0226, 0508, 1111, 8888	Undefined	string	N
ca_statusDescription	Status code text description for Change of Address and Direct Deposit.	--	Undefined	string	N
caller_alternative_name	holds the caller's collected alternative name	<name>	Undefined	--	N
caller_dob	holds the caller's collected date of birth	<date>	Undefined	--	N
caller_first_name	holds the caller's collected first name	<name>	Undefined	--	N
caller_last_name	holds the caller's collected last name	<name>	Undefined	--	N
caller_last_payment	holds the caller's collected last payment amount	<amount>, dont_know	Undefined	--	N
caller_maiden_name	holds the caller's collected mother's maiden name	<name>	Undefined	--	N
caller_pob	holds the caller's collected place of birth (state or US territory)	<state territory>, other	Undefined	--	N
caller_pob_city	--	--	Undefined	--	N
caller_ssn	holds the caller's collected Social Security number	<ssn>	Undefined	--	N
card_action	indicates whether the caller needs a new or replacement card	new, replacement	Undefined	--	N
card_center	indicates which card center is covered by a particular recognized zip code in FOL	dtpssc, npssc, lvssc, minneapolis, brooklyn, queens, ssscc, osscc, none	Undefined	--	N
card_center_info_first_entry	indicates whether this is the first entry into the card center information state	true, false	Undefined	--	N



card_type	indicates what type of card the caller is interested in	social_security, medicare, both	Undefined	--	N
ccs	Variable passed from ICM - Call Center Status: open = 0, closed = 1, holiday = 2, emergency = 4	open, closed, holiday, emergency	Undefined	--	N
cd_statusCode	Variable returned determines if the host backend system is available.	0000, 0150, 0151, 0152, 7777, 0226, 0508, 1111, 8888	Undefined	string	N
cd_statusDescription	Status code text description for Change of Address and Direct Deposit.	--	Undefined	string	N
change_what	indicates what stored information the caller wants to change	address, phone, both	Undefined	--	N
citystate_collectaddresses_zipcode	holds the zip code for address collection	--	Undefined	--	N
claims_transaction_status	indicates the status of the task in the claims status dialog	success, failure, no_confirmation_number, no_application	Undefined	--	N
coa_active	Identifies if the caller should be allowed to reach the change of address module (true) or not (false)	true, false	false	boolean (true/false)	N
coa_transaction_status	indicates status of the task in the change address dialog	success, failure, receiving_ssi, not_eligible, non_resident, not_self, no_zip	Undefined	--	N
coadd_OMB_heard	tracks whether the OMB number for coadd has or has not been heard	true, false	false	--	N
colaBroadcastPrompt	The name of the cost of living adjustment broadcast wav file	--	Undefined	--	N
colaMsgEndTime	end time when cost of living adjustment broadcast message should be played	--	Undefined	--	N
colaMsgStartTime	start time when cola broadcast message should be played	--	Undefined	--	N
colaSsiPaymentDate	Supplemental Security Income payments date	--	Undefined	--	N
colaSsPaymentDate	Social Security payments date	--	Undefined	--	N
collect_full_name	if true, collect full name (using TNRS grammar); if false, use NameOSDM	true, false	Undefined	--	N
collectaddress_citystate_lookuperrorprompt	indicates prompt to play	--	Undefined	--	N
collectaddress_collectdzipcode	indicates whether to collect zip code first in Address	true, false	Undefined	--	N
collectaddress_collectf ortranscription	indicates whether to collect recording fro transcription	true, false	Undefined	--	N
collectaddress_corrections_counter	tracks the number of corrections made in address collection	0, 1, 2, 3, 4, 5	0	--	N
collectaddress_entryprompt	indicates prompt to play?	--	Undefined	--	Y
collectaddress_exit_reason	indicates reason for exiting the Address collection dialog	failure	Undefined	--	N

collectaddress_exitsuccessprompt	indicates the prompt to play	--	Undefined	--	N
collectaddress_overallconfirmation	indicates whether or not to confirm	always, if_necessary, never	Undefined	--	N
collectaddress_ziplookuperrorprompt	indicates prompt to play	--	Undefined	--	N
collectCurrentAddress	Indicates whether system is collecting current address or new address from caller in address collection flow.	true, false	Undefined	boolean (true/false)	N
collectname_alwaysaskspelling	indicates whether to always ask for name spelling	true, false	Undefined	--	Y
collectname_confirmationapologyprompt	indicates prompt to play	--	Undefined	--	N
collectname_entryprompt	indicates prompt to play	--	Undefined	--	N
collectname_exitfailureprompt	indicates prompt to play	--	Undefined	--	Y
collectname_exitsuccessprompt	indicates prompt to play	--	Undefined	--	N
collectname_firstnamehighconfidencelevel	first name high confidence threshold	--	Undefined	--	N
collectname_lastnamehighconfidencelevel	last name high confidence threshold	--	Undefined	--	N
collectname_maxcorrections	maximum number of corrections (based on disconfirmation) to allow	--	Undefined	--	N
collectname_maxnoinputtotal	indicates maximum noinputs in Name dialog	--	Undefined	--	N
collectname_maxnomatchestotal	maximum nomatches allowed	--	Undefined	--	N
collectname_names_to_collect	indicates names to collect (las, first, etc)	--	Undefined	--	N
collectname_overallconfirmation	indicates whether to confirm (always, never, if_necessary)	--	Undefined	--	N
collectname_spellingonly	indicates whether to use spelling only to collect name	--	Undefined	--	N
confirmation_number	holds the collected confirmation number	--	Undefined	--	N
confirmation_number_first_entry	indicates whether this is the first time confirmation number collection is attempted	true, false	Undefined	--	N
cs_age	Proof of age pending.	--	Undefined	string	N
cs_ammendedApp	Amended application pending.	--	Undefined	string	N
cs_attorneyRep	Proof of attorney representation pending.	--	Undefined	double (decimal number)	N
cs_cause	Proof of good cause for filing late appeal request pending.	--	Undefined	string	N
cs_citizen	Proof of citizenship pending.	--	Undefined	string	N
cs_claimantNameChange	Proof of claimant name change pending.	--	Undefined	string	N

cs_claimStatus	1 character status: A=Adjudicated or P=Pending.	--	Undefined	string	N
cs_claimType	2 character claim type.	--	Undefined	string	N
cs_death	Proof of death pending.	--	Undefined	string	N
cs_earnings	Proof of earnings pending.	--	Undefined	string	N
cs_endStateRenal	Proof of End Stage Renal Disease pending.	--	Undefined	string	N
cs_fedRevDec	Claim status pending issue: As of today's date, a decision has not been made on your request for Federal Reviewing Official Review.	--	Undefined	string	N
cs_fedRevReq	Request for Federal Reviewing Official Review pending.	--	Undefined	string	N
cs_foreignBenefits	Application for benefits under a U.S. International Social Security agreement pending.	--	Undefined	string	N
cs_hearingRequest	Request for hearing pending.	--	Undefined	string	N
cs_inOHA	Claim status issue: As of today's date, the Office of Disability Adjudication and Review has not made a decision on your appeal request.	--	Undefined	string	N
cs_lawfulPresence	Proof of lawful presence pending.	--	Undefined	string	N
cs_marriage	Proof of marriage pending.	--	Undefined	string	N
cs_medicalHearing	Medical information for your hearing request (Form SSA-3441) pending.	--	Undefined	string	N
cs_medicalRecon	Medical information for your reconsideration request (Form SSA-3441) pending.	--	Undefined	string	N
cs_military	Proof of military service pending.	--	Undefined	string	N
cs_nhNameChange	Proof of number holder name change pending.	--	Undefined	string	N
cs_pendingIssues	Y (if issues pending other than <toDDS1>, <reconDecReq1>, <fedRevDec1>, or <inOHA1>)	--	Undefined	string	N
cs_reconDecReq	Claim status pending issue: As of today's date, a decision has not been made on your reconsideration request.	--	Undefined	string	N
cs_reconRequest	Request for reconsideration pending.	--	Undefined	string	N
cs_relationship	Proof of relationship pending.	--	Undefined	string	N
cs_schoolAttend	Proof of full-time school attendance pending.	--	Undefined	string	N
cs_specialWage	Proof of special wages pending.	--	Undefined	string	N
cs_statusCode	Variable returned determines if the host backend system is available.	0000, 0150, 0151, 0152, 7777, 0226, 0508, 1111, 8888	Undefined	string	N
cs_statusDescription	Status code text description for	--	Undefined	string	N

	Claims Status.				
cs_storneyRep	Proof of attorney representation pending.	--	Undefined	string	N
cs_support	Proof that you provided at least one-half support to your parents pending.	--	Undefined	string	N
cs_toDDS	Claim status pending issue: The Disability Determination Service in your state is processing the medical portion of your claim.	--	Undefined	string	N
current_claim	indicates which of the three claims returned by the DB is currently being addressed	1, 2, 3	Undefined	--	N
current_intent	holds the caller's intent at any given time	--	Undefined	--	N
current_task	keeps track of the current task	change_address, checks, direct_deposit, field_office_locator, application_status, transcription_ss5, late_payment, transcription_pamphlet, benefits_statement, transcription_7004, transcription_1020, social_security_replacement_card, aca_info, myssa_helpdesk	Undefined	--	N
dd_statusCode	--	--	Undefined	--	N
dd_statusDescription	--	--	Undefined	--	N
dd_transaction_status	indicates the status of the task in the first deposit dialog	success, failure, receiving_ssi, not_eligible, non_resident, not_self, dont_know_info	Undefined	--	N
direct_deposit_active	Identifies if the caller should be allowed to reach the direct deposit module (true) or not (false)	true, false	false	boolean (true/false)	N
dob_needed	indicates whether we need to collect the caller's date of birth	true, false	true	--	N
effective_date	keeps track of the date when change is supposed to take place	<date>	Undefined	--	N
effective_month	indicates the monthly when direct deposit should start	<month>	Undefined	--	N
endTime1	time when emergency broadcast message 1 should be played	<time>	Undefined	--	N
endTime2	time when emergency broadcast message 2 should be played	<time>	Undefined	--	N
endTime3	time when emergency broadcast message 3 should be played	<time>	Undefined	--	N
final_intent	holds the caller's ultimate task intent	--	Undefined	--	N
first_entry	indicates whether the caller is entering state for the first time	true, false	Undefined	boolean (true/false)	N
fl_addressType	--	--	Undefined	string	N
fl_city	--	--	Undefined	string	N

fl_closingTime24HourTime	--	--	Undefined	string	N
fl_drivingDirections	Driving directions to the field office.	--	Undefined	string	N
fl_faxNumber	--	--	Undefined	string	N
fl_faxNumberExtension	--	--	Undefined	string	N
fl_fieldOfficeStateAndCountyCode	--	--	Undefined	string	N
fl_generalDirectionLine	--	--	Undefined	string	N
fl_hoursOfOperation	The field office hours of operation.	--	Undefined	--	N
fl_officeAddress	The field office's physical address.	--	Undefined	string	N
fl_officeName	The name of the field office.	--	Undefined	string	N
fl_officeOpenCloseSwitch	--	--	Undefined	string	N
fl_officeTelephone	--	--	Undefined	string	N
fl_officeType	The type of field office.	--	Undefined	string	N
fl_officeTypeText	--	--	Undefined	string	N
fl_openAndCloseDayOfWeek	--	--	Undefined	string	N
fl_openingTime24HourTime	--	--	Undefined	string	N
fl_phoneNumber	The field office phone number.	--	Undefined	string	N
fl_regionalOfficeNumber	--	--	Undefined	string	N
fl_serviceProvided	Services provided by the field office.	--	Undefined	string	N
fl_state	--	--	Undefined	string	N
fl_streetAddressLine1	--	--	Undefined	string	N
fl_streetAddressLine2	--	--	Undefined	string	N
fl_streetAddressLine3	--	--	Undefined	string	N
fl_streetAddressLine4	--	--	Undefined	string	N
fl_telephoneExtension	--	--	Undefined	string	N
fl_telephoneNumber	--	--	Undefined	string	N
fl_wrapperForGeneralDirections	--	--	Undefined	string	N
fl_zip4	--	--	Undefined	string	N
fl_zip5	--	--	Undefined	string	N
fol_cardcenter_directions	Determines if the caller asked for card center directions	--	Undefined	boolean (true/false)	N
fol_first_zip	indicates whether this is the first zip code searched by the caller	true, false	Undefined	--	N
fol_transaction_status	indicates the status of the task in the field office locator dialog	success, failure, dont_know_zip	Undefined	--	N
fol_zip_code	holds the zip code in which field offices should be found	<zip code>	Undefined	--	N

fol_zip_code_entry	tracks the status of entry to zip code collection	first, change, not_found	Undefined	--	N
form_7004_delivery	toggle that indicates whether, due to budgetary constraints, 7004 forms will (true) or will not (false) be delivered	true, false	Undefined	--	N
initial_abr_transfer	set outside IVR, determines whether abr 'immediate transfer' is toggled on (true) or off (false)	true, false	true	--	N
isPhaseIIOffice	Identifies if the office is phase I (false) or phase II (true).	true, false	Undefined	boolean (true/false)	N
isResidentAddress	indicates whether new address is caller's resident address	--	Undefined	--	N
isSkillTransfer	Variable is defaulted to false. It will be passed to ICM to assist with call routing.	true, false	false	boolean (true/false)	N
ka_bicDob	1 or 2-digit alpha or alpha-numeric string representing the BIC. This tag will be returned when the user's date of birth is verified using an SSN other than the SSN entered.	--	Undefined	string	N
ka_bicFirstName	1 or 2-digit alpha or alpha-numeric string representing the Beneficiary Identification Code (BIC). This tag will be returned when the user's first name is verified using an SSN other than the SSN entered.	--	Undefined	string	N
ka_bicLastName	1 or 2-digit alpha or alpha-numeric string representing the BIC. This tag will be returned when the user's last name is verified using an SSN other than the SSN entered.	--	Undefined	string	N
ka_collectDateOfBirth	Boolean to determine if the application requires the caller to authenticate the date of birth.	true, false	Undefined	boolean (true/false)	N
ka_collectMothersMaidenName	Boolean to determine if the application requires the caller to authenticate the mother's maiden name.	true, false	Undefined	string	N
ka_collectName	Boolean to determine if the application requires the caller to authenticate the first name.	true, false	Undefined	boolean (true/false)	N
ka_collectPaymentAmount	Boolean to determine if the application requires the caller to authenticate the payment amount.	true, false	Undefined	boolean (true/false)	N
ka_collectPlaceOfBirth	Boolean to determine if the application requires the caller to authenticate the place of birth.	true, false	Undefined	boolean (true/false)	N
ka_collectPlaceOfBirthCity	--	--	Undefined	--	N
ka_collectSSN	Boolean to determine if the application requires the caller to authenticate the social security number.	true, false	Undefined	boolean (true/false)	N

ka_dobMbr	--	01, 02, 03, 04, 05, 06, 07	Undefined	string	N
ka_dobNumi	--	01, 02, 03, 04, 05, 06, 07	Undefined	string	N
ka_dobSsr	--	01, 02, 03, 04, 05, 06, 07	Undefined	string	N
ka_firstNameMbr	MBR authentication status for first name: 01 = Element verified, 02 = Element on database-not verified, 03 = Element not on database, 04 = Unable to access database, 05 = Element not received	01, 02, 03, 04, 05	Undefined	string	N
ka_firstNameNumi	Numident authentication status for first name.	01, 02, 03, 04, 05	Undefined	string	N
ka_firstNameSsr	SSR authentication status for first name.	01, 02, 03, 04, 05	Undefined	string	N
ka_lastAuthenticatedDate	time stamp indicating the date account was last authenticated (specific to TKBV/TCOA service)	--	Undefined	--	N
ka_lastNameMbr	MBR authentication status for last name.	01, 02, 03, 04, 05	Undefined	string	N
ka_lastNameNumi	Numident authentication status for last name.	01, 02, 03, 04, 05	Undefined	string	N
ka_lastNameSsr	SSR authentication status for last name.	01, 02, 03, 04, 05	Undefined	string	N
ka_mothersMaidenNameNumi	Numident authentication status for mothers maiden name.	01, 02, 03, 04, 05	Undefined	string	N
ka_multipleAddresses	Indicates whether caller has multiple addresses on file	true, false	Undefined	boolean (true/false)	N
ka_nhSsnDob	9 digit Social Security Number (SSN). This tag will be returned when the user's date of birth is verified using an SSN other than the SSN entered.	--	Undefined	string	N
ka_nhSsnFirstName	9 digit Social Security Number (SSN). This tag will be returned when the user's first name is verified using an SSN other than the SSN entered.	--	Undefined	string	N
ka_nhSsnLastName	9 digit Social Security Number (SSN). This tag will be returned when the user's last name is verified using an SSN other than the SSN entered.	--	Undefined	string	N
ka_placeOfBirthNumi	Numident authentication status for mothers maiden name.	01, 02, 03, 04, 05	Undefined	string	N
ka_statusCode	Variable returned determines if the host backend system is available.	0000, 0150, 0151, 0152, 0226, 0508, 1111, 7777, 8888	Undefined	string	N
ka_statusDescription	Status code text description for Benefits Verification.	--	Undefined	string	N
kba_OMB_heard	tracks whether the OMB number for kba (right now, used for everything BUT claim status) has or has not been heard	true, false	false	--	N
kba_transaction_status	indicates the status of the task in the KBA dialog	success, failure, account_blocked,	Undefined	--	N

		attestation_declined			
language	--	--	Undefined	--	N
last_payment_needed	indicates whether we need to collect the caller's last payment amount	true, false	true	--	N
maiden_name_needed	indicates whether we need to collect the caller's mother's maiden name	true, false	Undefined	--	N
missingAddressCollected	--	--	Undefined	--	N
mm_statusCode	Variable returned determines if the host backend system is available.	0000, 0150, 0151, 0152, 7777	Undefined	--	N
mm_statusDescription	Status code text description for Benefits Verification.	--	Undefined	--	N
mr_statusCode	Variable returned determines if the host backend system is available.	0000, 0150, 0151, 0152, 7777	Undefined	string	N
mr_statusDescription	Status code text description for Medicare Replacement Card.	--	Undefined	string	N
mrc_transaction_status	indicates status of the task in the medicare replacement card dialog	success, failure, change_address	Undefined	--	N
myss_helpdesk_active	toggle - set by administrator - to control whether My SS Helpdesk is on or off	true, false	Undefined	--	N
name_collect_counter	keeps track of the number of times the caller has attempted name collection	0, 1, 2, 3	0	--	N
name_collect_task	indicates the type of name being collected - 'caller' = caller's first and last names; 'alternative' = caller's alternative name (if any); 'maiden' = mother's maiden name	caller, alternative, maiden	Undefined	--	N
name_disconfirm_counter	keeps track of how many times a particular name has been DISCONFIRMED by the caller	0, 1, 2	0	--	N
name_status	indicates the status - success or failure - of name collection	success, failure	Undefined	--	N
next_pamphlet	indicates the next pamphlet on the list in the Transcription dialog allowing caller's to choose pamphlets by title	understanding_ss, retirement_benefits, disability_benefits, survivor_benefits, work_affects_benefits, disabled_children_benefits, woman_ss	Undefined	--	N
no_kba_info_needed	keeps track of whether any information needed to be collected for purposes of prompting in ka0900	true, false	false	--	N
non_national_transfer	for OCO transfers, controls OCO-specific prompting	true, false	true	--	N
num_claims	indicates the number of claims returned by the DB	1, 2, 3	Undefined	--	N



office_hours	'true' means the offices are open, 'false' means they're closed	true, false	Undefined	--	N
office_location_entry	indicates the origin of a call to the Field Office Locator dialog	first, from_card_center, reentry	Undefined	--	N
pamphlet_finished	indicates whether the caller has indicated they are finished choosing pamphlets	true, false	true	--	N
pamphlet_get_disability_benefits	indicates whether the caller wants the receive the pamphlet	true, false	false	--	N
pamphlet_get_disabled_children_benefits	pamphlet_get_understanding_ss	true, false	false	--	N
pamphlet_get_number	indicates the number of different pamphlets the caller has requested	0, 1, 2, 3, 4, 5, 6, 7	Undefined	--	N
pamphlet_get_retirement_benefits	indicates whether the caller wants the receive the pamphlet	true, false	false	--	N
pamphlet_get_survivor_benefits	indicates whether the caller wants the receive the pamphlet	true, false	false	--	N
pamphlet_get_understanding_ss	indicates whether the caller wants the receive the pamphlet	true, false	false	--	N
pamphlet_get_woman_ss	pamphlet_get_understanding_ss	true, false	false	--	N
pamphlet_get_work_affects_benefits	indicates whether the caller wants the receive the pamphlet	true, false	false	--	N
pamphlets_first_time	tracks whether this is the first or second time through the list	true, false	Undefined	--	N
payment_method	indicates how the caller is expecting to receive their payment	mail, direct_deposit	Undefined	--	N
phone_type	indicates what type of phone the caller wants to change	home, work, mobile, attorney, other	Undefined	--	N
play_attestation_flag	Identifies if the attestation /OMB /perjury messages need to be heard. Y = true and N = false	true, false	Undefined	boolean (true/false)	N
pob_needed	indicates whether we need to collect the caller's place of birth	true, false	true	--	N
rb_statusCode	Variable returned determines if the host backend system is available.	0000, 0150, 0151, 0152, 0226, 0508, 1111, 7777, 8888	Undefined	string	N
rb_statusDescription	Status code text description for Replacement 1099.	--	Undefined	string	N
replacement_statement_deceased	indicates whether the replacement 1099 requested is for a deceased person	true, false	true	--	N
speak_freely_active	toggle - set by administrator - to control whether NLU is on or off	true, false	Undefined	--	N
spell_name	indicates whether name collection should be attempted using spell-only	true, false	true	--	N
ss_card_requested	keeps track of whether the caller has requested a social security card	true, false	true	--	N
ss_statusCode	--	0000, 0150, 0151, 0152, 7777	Undefined	--	N

ss_statusDescription	--	--	Undefined	--	N
startTime1	start time when emergency broadcast message 1 should be played	<time>	Undefined	--	N
startTime2	start time when emergency broadcast message 2 should be played	<time>	Undefined	--	N
startTime3	start time when emergency broadcast message 3 should be played	<time>	Undefined	--	N
status_collectaddress_zipcode	indicates whether zip code is a valid, USPS zip code	valid	Undefined	--	N
statusDescription	--	--	Undefined	--	N
taxActiveFlag	indicator to determine if the tax information broadcast message is active or not	--	Undefined	--	N
taxBroadcastPrompt	The name of the tax information broadcast wav file	--	Undefined	--	N
tnrs_checked	keeps track of whether or not the TNRS database has been checked	true, false	false	--	N
tnrs_db_upfront	Determines if the TNRS database should be called prior to (true), or after (false), the first name collection.	true, false	Undefined	boolean (true/false)	N
tnrs_firstName	First name, max length 10	--	Undefined	string	N
tnrs_lastName	Last name, max length 13	--	Undefined	string	N
tnrs_otherLastName	Other last name, max length 13	--	Undefined	string	N
tnrs_statusCode	Variable returned determines if the host backend system is available.	0000, 0151, 9999	Undefined	string	N
tr_city	--	--	Undefined	string	N
tr_firstName	--	--	Undefined	string	N
tr_lastName	--	--	Undefined	string	N
tr_state	--	--	Undefined	string	N
tr_streetAddress	--	--	Undefined	string	N
tr_zipCode	--	--	Undefined	string	N
transcription_address	holds the collected address to which material should be sent from the Transcription dialog	--	Undefined	--	N
transcription_form_quantity	holds the number of forms requested by the caller	--	Undefined	--	N
transcription_transaction_status	indicates the status of the task in the Transcription dialog	success, failure	Undefined	--	N
transfer_reason	indicates the reason for caller transfer	error, failure	Undefined	--	N

### Recognition Variables

Variable Name	Description	Possible Values	Initial Value	Type	Configurable
1100_zip@CollectAddr	--	zip	Undefined	--	N

ess_ZipCode					
1300_cmd@CollectAddress_ZipCode	--	help	Undefined	--	N
1300_street@CollectAddress_ZipCode	--	poboxnumber, ruralroutenumber, streetnamenumber	Undefined	--	N
1350_apartment@CollectAddress_ZipCode	--	apt_<number>, bldg_<number>, fl_<number>, msc_<number>, no_apt, ste_<number>, unit_<number>	Undefined	--	N
1500_cmd@CollectAddress_ZipCode	--	help	Undefined	--	N
1500_yesno@CollectAddress_ZipCode	--	yes, no	Undefined	--	N
address_disambig_menu	Identifies what the caller chooses in the address disambiguation menu (update personal address or find a SS office)	office, update_address	Undefined	ECMAScript object	N
alt_name_sayandspellast	grammar addendum to allow for a 'none' option for alternate name collection ONLY	none	Undefined	--	N
alt_name_yesno	--	no, yes	Undefined	--	N
application_status_yesno	--	no, yes	Undefined	--	N
ask_partd_enrolled_yesno	--	no, repeat, yes	Undefined	--	N
attestation_act_details	--	--	Undefined	--	N
attestation_question	--	continue, more_information	Undefined	--	N
backoff_main_menu	--	application_status, cards, medicare, office_locations, other_options, repeat, Spanish, update	Undefined	--	N
backoff_other_options_menu	--	application, benefits_statement, direct_deposit, go_back, proof_of_income, repeat, something_else	Undefined	--	N
benefits_application_menu	--	medicare, prescription, repeat, social_security, something_else	Undefined	--	N
benefits_earnings_menu	--	benefits_statement, proof_of_income, something_else	Undefined	--	N
benefits_menu	--	application_status, apply, direct_deposit, other_options, payment	Undefined	--	N
benefits_other_options_menu	--	earnings_statement, forms, pamphlets, proof_of_income, repeat, something_else, update	Undefined	--	N
benefits_statement_ended_menu	--	no, repeat, yes	Undefined	--	N
benefits_update_information_menu	--	address, direct_deposit, name, something_else	Undefined	--	N
card_center_location_info_menu	--	change, directions, field_office, finished, repeat	Undefined	--	N
card_center_location_i	--	change, field_office, finished,	Undefined	--	N

nfo_menu@import		repeat			
card_center_location_info_menu@import	--	change, field_office, finished, repeat	Undefined	--	N
card_center_location_info_menu@import	--	change, field_office, finished, repeat	Undefined	--	N
card_center_location_info_menu@import	--	change, field_office, finished, repeat	Undefined	--	N
card_center_needed_yesno	--	no, yes	Undefined	--	N
card_menu_medicare	--	new_card, replacement_card, something_else	Undefined	--	N
card_menu_social_security	--	new_card, replacement_card, something_else, update	Undefined	--	N
cards_update_information_menu	--	address, both, name, something_else	Undefined	--	N
cd_account_number	--	<account number>, repeat	Undefined	--	N
cd_account_type_menu	--	checking, dont_have, investment, repeat, savings	Undefined	--	N
cd_calling_about_self_yesno	--	no, repeat, yes	Undefined	--	N
cd_effective_asap_yesno	--	no, yes	Undefined	--	N
cd_effective_date_menu	--	<effective_date>	Undefined	--	N
cd_effective_month	--	april, august, december, february, january, july, june, march, may, november, october, september, soon_as_possible	Undefined	--	N
cd_not_eligible_menu	--	more_information	Undefined	--	N
cd_phone_number	--	phone_number, repeat	Undefined	--	N
cd_phone_type_menu	--	attorney, cell, home, something_else, work	Undefined	--	N
cd_receiving_benefits_yesno	--	no, yes	Undefined	--	N
cd_routing_number	--	<routing number>, dont_know, repeat	Undefined	--	N
cd_type_of_change_menu	--	address, both, phone	Undefined	--	N
check_late_yesno	--	no, yes	Undefined	--	N
checks_repeat_yesno	--	no, repeat, yes	Undefined	--	N
citizenship_msg_yesno	--	no, yes	Undefined	--	N
citizenship_question_yesno	--	no, yes	Undefined	--	N
cityState@CollectAddress_ZipCode	--	--	Undefined	--	N
cola_msg_yesno	--	no, yes	Undefined	--	N
colaActiveFlag	indicator to determine if the message is active or not	--	Undefined	--	N
colaPremiumAmount	cola medicare part b premium amount	--	Undefined	--	N

colaRate	cost-of-living adjustment rate	--	Undefined	--	N
colaYear	the cost of living adjustment year	--	Undefined	--	N
collectaddress_apartment_number	--	--	Undefined	--	N
collectaddress_confirm_address	--	yes, no	Undefined	--	N
collectaddress_street_address	--	--	Undefined	--	N
collectaddress_zip	holds collected zip code for address collection	zip	Undefined	--	N
confirmname	--	no, repeat, yes	Undefined	--	N
corrections@CollectAddress_ZipCode	--	--	Undefined	--	N
coupleResourceMax	--	--	Undefined	--	N
cs_multi_claim_end_menu	--	different_number, finished, next_claim	Undefined	--	N
cs_multi_last_claim_end_menu	--	different_number, finished, repeat_claims	Undefined	--	N
cs_no_status_end_menu	--	different_number, finished, repeat	Undefined	--	N
cs_one_claim_end_menu	--	different_number, finished	Undefined	--	N
cs_repeat_status_yesno	--	no, yes	Undefined	--	N
cs_which_claim_yesno	--	no, yes	Undefined	--	N
current_date	today's date	--	Undefined	--	N
current_year_question_yesno	--	no, yes	Undefined	--	N
deceased_ssn_collection	--	<ssn>, dont_know	Undefined	--	N
disability_disambig_menu	Identifies what the caller chooses in the disability disambiguation menu (apply for benefits, claim status, or benefit check)	apply, check, claim_status, else	Undefined	ECMAScript object	N
earnings_menu	--	benefits_statement, earnings_statement, proof_of_income, something_else	Undefined	--	N
employment_disambig_menu_yesno	Identifies if the caller needs a copy of their work history (yes) or not (no)	no, yes	Undefined	boolean (true/false)	N
ExitReason@CollectAddress_ZipCode	--	Failure, Success	Undefined	--	N
firstMonth	first month of scheduled payment delivery dates	--	Undefined	--	N
firstMonth.firstPaymentDate	--	--	Undefined	--	N
firstMonth.fourthPaymentDate	--	--	Undefined	--	N
firstMonth.secondPaymentDate	--	--	Undefined	--	N

firstMonth.ssiPaymentDate	--	--	Undefined	--	N
firstMonth.thirdPaymentDate	--	--	Undefined	--	N
fol_physicalzipquestion_yesno	If a Sacramento zip code is entered in FOL determines if the zip code is for the caller's physical address.	no, repeat, yes	Undefined	boolean (true/false)	N
fol_zip_code_collection	--	<zip code>, dont_know	Undefined	--	N
form_for_self_yesno	--	no, yes	Undefined	--	N
forms_general_menu	--	benefits_statement, earnings_statement, proof_of_income, something_else	Undefined	--	N
future_benefits_menu	--	order_form, other_questions, repeat	Undefined	--	N
future_benefits_yesno	--	no, yes	Undefined	--	N
get_confirmation_number	--	<confirmation number>, dont_have, more_information, repeat	Undefined	--	N
get_dob	--	dob	Undefined	--	N
get_form_menu	--	main_menu, office, order_form, website	Undefined	--	N
get_last_payment_amount	--	dont_know, last_payment_amount, repeat	Undefined	--	N
get_pob	--	af_af, af_am, af_ca, af_eu, af_me, af_pa, ak, al, ar, as, az, ca, co, ct, dc, de, fl, ga, gu, hi, ia, id, il, in, ks, ky, la, ma, md, me, mh, mi, mn, mo, mp, ms, mt, nc, nd, ne, nh, nj, nm, nv, ny, oh, ok, or, other, pa, pr, pw, repeat, ri, sc, sd, state, territory, tn, tx, ut, va, vi, vt, wa, wi, wv, wy	Undefined	--	N
get_ssn	--	<ssn>, repeat	Undefined	--	N
help_with_drug_costs_yesno	--	no, yes	Undefined	--	N
individualResourceMax	--	--	Undefined	--	N
internet_address_menu	--	details, problem, repeat	Undefined	--	N
internet_information_yesno	--	no, yes	Undefined	--	N
language_selection	--	spanish	Undefined	--	N
late_payment_exit_yesno	--	no, yes	Undefined	--	N
late_payment_menu	--	direct_deposit, mail, not_sure, repeat	Undefined	--	N
main_menu	--	1099_benefits_statement, aca_info, address_general, agent, benefits_application, benefits_general, benefits_other, benefits_verification, cards_general, change_of_address, checks,	Undefined	--	N

		<p>citizenship_general, claims_status_general, claims_status_new, cost_of_living_adjustment, direct_deposit, disability_application, disability_benefits_general, earnings_statement, employment_general, field_office_locator, forms_general, general, internet_general, main_menu, medicare, medicare_replacement_card, myssa_helpdesk, name_or_address_verify, payment_late, repeat, replacement_general, representative_payee, retirement_application, social_security_application, social_security_card_general, social_security_number_verification, social_security_replacement_card, spanish, ssi_application, supplemental_security_income, survivor_application, tax_general, transcription_pamphlets, transfer_appeal_new, transfer_appointment, transfer_back_payment, transfer_balance, transfer_benefits_problem, transfer_billing, transfer_birth, transfer_cancel, transfer_case_change, transfer_check_deductions, transfer_check_replacement, transfer_child_support, transfer_circuit_breaker, transfer_claims_medicare, transfer_claims_new, transfer_college, transfer_complaint, transfer_death, transfer_debit_card, transfer_dependent, transfer_disability, transfer_divorce, transfer_earnings_general, transfer_eligibility, transfer_employment_change, transfer_fax, transfer_food_stamps, transfer_forms_w2, transfer_fraud, transfer_housing, transfer_insurance, transfer_legal, transfer_letter, transfer_license, transfer_loans, transfer_marriage, transfer_military_service, transfer_password, transfer_payment_amount, transfer_payment_arrangement, transfer_payment_over, transfer_payment_stop,</p>			
--	--	---	--	--	--

		transfer_pension, transfer_refund, transfer_retirement, transfer_return_call, transfer_ssi_change, transfer_tax_withholding, update_information			
medicare_apply_menu	--	no, yes	Undefined	--	N
medicare_enroll_msg_ yesno	--	no, yes	Undefined	--	N
medicare_information_ yesno	--	no, yes	Undefined	--	N
medicare_subsidy_ms g_ yesno	--	no, yes	Undefined	--	N
no_relationship_end_m enu	--	no, yes	Undefined	--	N
not_eligible_details_ ye sno	--	no, yes	Undefined	--	N
office_directions_menu	--	change, finished, repeat	Undefined	--	N
office_location_info_m enu	--	change, directions, finished, repeat	Undefined	--	N
office_location_info_m enu@import	--	change, finished, repeat	Undefined	--	N
office_location_info_m enu@import	--	change, finished, repeat	Undefined	--	N
office_location_info_m enu@import	--	change, finished, repeat	Undefined	--	N
office_location_info_m enu@import	--	change, finished, repeat	Undefined	--	N
order_drug_help_form_ yesno	--	no, yes	Undefined	--	N
paperwork_details	--	skip_it	Undefined	--	N
paperwork_end_menu	--	continue, privacy_act, repeat	Undefined	--	N
payee_become_menu	--	finished, office, payee_options, repeat	Undefined	--	N
payee_change_menu	--	office, payee_options, repeat	Undefined	--	N
payee_misuse_menu	--	finished, payee_options, repeat	Undefined	--	N
payee_program_menu	--	payee_options, repeat	Undefined	--	N
perjury_message_ yesno	Determines if the caller agrees to the perjury message.	no, yes	Undefined	boolean (true/false)	N
person_living_ yesno	--	no, repeat, yes	Undefined	--	N
privacy_details	--	skip_it	Undefined	--	N
privacy_end_menu	--	continue, paperwork_act, repeat	Undefined	--	N
receiving_benefits_ yesno	--	no, yes	Undefined	--	N
remove_phone_menu	--	change, remove	Undefined	--	N
rep_payee_menu	--	become, change, misuse, program, report, something_else	Undefined	--	N
replacement_disambig _menu	Identifies what the caller chooses in the replacement	1099, card, else	Undefined	ECMAScript object	N



	disambiguation menu (1099, card, something_else)				
replacement_medicare_card_yesno	--	no, yes	Undefined	--	N
replacement_statement_end_menu	--	no, yes	Undefined	--	N
result	generic recognition variable	no, yes, pob_city, continue, insurance, repeat, help, main_menu	Undefined	--	N
sayandspellfirst	--	<name>	Undefined	--	N
sayandspellfirst_tnrs	grammar compiled from tnrs hit	<name_tnrs)	Undefined	--	N
sayandspelllast	--	<name>	Undefined	--	N
sayandspelllast_tnrs	grammar compiled from tnrs hit	<name_tnrs>	Undefined	--	N
sayandspelllastalternate	an alternate say and spell last name grammar with the addition of the 'dont_know' option	<name>, none	Undefined	--	N
secondMonth	second month of scheduled payment delivery dates	--	Undefined	--	N
secondMonth.firstPaymentDate	--	--	Undefined	--	N
secondMonth.fourthPaymentDate	--	--	Undefined	--	N
secondMonth.secondPaymentDate	--	--	Undefined	--	N
secondMonth.ssiPaymentDate	--	--	Undefined	--	N
secondMonth.thirdPaymentDate	--	--	Undefined	--	N
social_security_card_menu	--	documents, get_form, help_with_form, office, repeat, something_else, submit_form	Undefined	--	N
spellfirst	--	<name>	Undefined	--	N
spellfirst_tnrs	grammar compiled from tnrs hit	<name_tnrs>	Undefined	--	N
spelllast	--	<name>	Undefined	--	N
spelllast_tnrs	grammar compiled from tnrs hit	<name_tnrs>	Undefined	--	N
ss5verify_msg_yesno	--	no, yes	Undefined	--	N
ssColaPaymentDate	COLA social security payment date	--	Undefined	--	N
ssi_menu	--	apply, citizenship, problem, repeat	Undefined	--	N
ssiColaPaymentDate	COLA SSI payment date	--	Undefined	--	N
ssn_verify_menu	Identifies the caller option in the Social Security verification menu.	finished, office, repeat	Undefined	ECMAScript object	N
Status@CollectAddresses_ZipCode	--	Valid	Undefined	--	N
submit_form_yesno	--	no, yes	Undefined	--	N
supporting_documents_final_yesno	--	no, yes	Undefined	--	N
supporting_documents	menu of options for supporting	finished, keep_going, repeat	Undefined	--	N

_nonfinal_menu	dox message, NOT last message				
taxAmount1SelfEmp	self-employed minimum net profit amount	--	Undefined	--	N
taxAmount2MaxTax	maximum taxable amount	--	Undefined	--	N
taxAmount3MaxSs	maximum Social Security tax withheld	--	Undefined	--	N
taxes_msd_yesno	--	no, yes	Undefined	--	N
taxMsgEndTime	end time when tax information broadcast message should be played	--	Undefined	--	N
taxMsgStartTime	start time when tax information broadcast message should be played	--	Undefined	--	N
taxRate1ContEe	contribution rate for employees	--	Undefined	--	N
taxRate2ConSelfEmp	--	--	Undefined	--	N
taxRate3SsTax	Social Security tax rate	--	Undefined	--	N
taxRate4MedTax	Medicare tax rate	--	Undefined	--	N
taxYear	--	--	Undefined	--	N
TNRS_get_name	grammar, constructed from TNRS DB hit, collects caller's full name	<name>, repeat	Undefined	--	N
tr_confirm_address_yesno	--	no, yes	Undefined	--	N
tr_get_pamphlet_menu	--	finished, no, repeat, skip, yes	Undefined	--	N
tr_how_many_forms_menu	--	1, 10, 11, 12, 13, 14, 15, 2, 3, 4, 5, 6, 7, 8, 9, repeat	Undefined	--	N
tr_pamphlet_more_choices_yesno	--	no, repeat, yes	Undefined	--	N
web_instructions_yesno	--	no, yes	Undefined	--	N
which_act_details	--	both, neither, paperwork_act, privacy_act	Undefined	--	N
which_card_menu	--	both, medicare, social_security, something_else	Undefined	--	N

## Appendix B: Grammar Mapping Table

### main

Node Name	Recognition Variable	Possible Values	Key	Grammar Slot
mm0110_LanguageSelection_DM	language_selection	spanish	result	dm_root
mm0120_RecordingMsg_DM	language_selection	spanish	result	dm_root
mm0171_ACAMainMenu_DM	result	insurance, continue	result	dm_root
mm0173_ACAWrapMenu_DM	result	repeat, continue	result	dm_root
mm0181_MySSMainMenu_DM	result	help, continue	result	dm_root
mm0184_MySSWrapMenu_DM	result	repeat, main_menu	result	dm_root

M				
mm0210_SFMainMenu_DM	main_menu	address_general, benefits_application, claims_status_general, transfer_appeal_new, benefits_general, transfer_appointment, transfer_back_payment, transfer_balance, transfer_benefits_problem, transfer_birth, transfer_cancel, cards_general, medicare_replacement_card, social_security_card_general, change_of_address, checks, transfer_case_change, transfer_check_replacement, transfer_ssi_change, cost_of_living_adjustment, general, transfer_check_deductions, transfer_child_support, transfer_circuit_breaker, transfer_claims_medicare, transfer_college, transfer_complaint, transfer_death, transfer_debit_card, direct_deposit, disability_benefits_general, earnings_statement, transfer_dependent, transfer_disability, transfer_divorce, transfer_earnings_general, 1099_benefits_statement, employment_general, field_office_locator, forms_general, transfer_eligibility, transfer_employment_change, transfer_fax, transfer_food_stamps, transfer_fraud, transfer_housing, internet_general, medicare, payment_late, tax_general, transcription_pamphlets, transfer_insurance, transfer_legal, transfer_letter, transfer_license, transfer_loans, transfer_marriage, agent, benefits_verification, claims_status_new, name_or_address_verify, transfer_military_service, transfer_password, transfer_payment_amount, transfer_payment_arrangement, transfer_payment_over, transfer_payment_stop, transfer_pension, replacement_general, representative_payee, social_security_number_verification, supplemental_security_income, transfer_refund, transfer_retirement, transfer_return_call, transfer_tax_withholding, spanish, transfer_forms_w2, update_information, transfer_claims_new, citizenship_general, transfer_billing, repeat, main_menu, social_security_application, disability_application, retirement_application, ssi_application, survivor_application, social_security_replacement_card, aca_info, myssa_helpdesk, benefits_other	result	dm_root
mm0303_AskRepeatCola_DM	cola_msg_yesno	no, yes	result	dm_root
mm0327_ExpressCallService_DM	result	yes, no	result	dm_root
mm0329_AnythingElse_DM	result	yes, no	result	dm_root
mm0420_AddressVerifyMsg_DM	ss5verify_msg_yesno	no, yes	result1	dm_root
mm0430_AddressDisambig_DM	address_disambig_menu	office, update_address	result	dm_root
mm0450_EmploymentDisambig_DM	employment_disambig_menu_yesno	no, yes	result	dm_root
mm0460_SSNVerification_DM	ssn_verify_menu	office, finished, repeat	result	dm_root
mm0440_DisabilityDisambig_DM	disability_disambig_menu	apply, check, claim_status, else	result	dm_root
mm0470_ReplacementDisambig_DM	replacement_disambig_menu	1099, card, else	result	dm_root

big_DM	menu			
mm0410_AskRepeatTaxes_DM	cola_msg_yesno	no, yes	result	dm_root
mm0600_BackoffMainMenu_DM	backoff_main_menu	cards, medicare, application_status, office_locations, other_options, update, repeat, Spanish	result	dm_root
mm0610_BackoffOtherOptionsMenu_DM	backoff_other_options_menu	application, benefits_statement, direct_deposit, proof_of_income, something_else, go_back, repeat	result	dm_root
mm0700_Benefits_DM	benefits_menu	apply, application_status, direct_deposit, payment, other_options	result	dm_root
mm0800_BenefitsApplicationMenu_DM	benefits_application_menu	medicare, social_security, something_else, repeat, prescription	result	dm_root
mm0810_ApplicationStatusQuestion_DM	application_status_yesno	no, yes	result	dm_root
mm0900_BenefitsMoreOptions_DM	benefits_other_options_menu	something_else, update, earnings_statement, forms, pamphlets, proof_of_income, repeat	result	dm_root
mm0910_UpdatePersonalInformation_DM	benefits_update_information_menu	address, name, something_else, direct_deposit	result	dm_root
mm1100_SocialSecurityCardsMenu_DM	card_menu_social_security	new_card, replacement_card, something_else, update	result	dm_root
mm1110_UpdatePersonalInformation_DM	cards_update_information_menu	address, name, something_else, both	result	dm_root
mm1105_MedicareCardsMenu_DM	card_menu_medicare	new_card, replacement_card, something_else	result	dm_root
mm1210_InternetAddress_DM	internet_address_menu	details, problem, repeat	result	dm_root
mm1220_InternetInformation_DM	internet_information_yesno	no, yes	result	dm_root
mm1300_WhichCard_DM	which_card_menu	both, medicare, social_security, something_else	result1	dm_root
mm1430_SocialSecurityCardMenu_DM	social_security_card_menu	documents, get_form, help_with_form, submit_form, office, something_else, repeat	result	dm_root
mm1500_CitizenshipQuestion_DM	citizenship_question_yesno	no, yes	result	dm_root
mm1520_GetForm_DM	get_form_menu	office, order_form, main_menu, website	result	dm_root
mm1510_CitizenDocumentsMsgPart1_DM	supporting_documents_final_menu	finished, keep_going, repeat	result	dm_root
mm1512_CitizenDocumentsMsgPart2_DM	supporting_documents_final_yesno	no, yes	result	dm_root
mm1515_NonCitizenDocumentsMsgPart1_DM	supporting_documents_final_menu	finished, keep_going, repeat	result	dm_root
mm1517_NonCitizenDocumentsMsgPart2_DM	supporting_documents_final_menu	finished, keep_going, repeat	result	dm_root
mm1519_NonCitizenDocumentsMsgPart3_DM	supporting_documents_final_yesno	no, yes	result	dm_root
mm1530_WebsiteInstructions_DM	web_instructions_yesno	no, yes	result	dm_root
mm1600_SubmitForm_DM	submit_form_yesno	no, yes	result	dm_root
mm1700_MedicareApplyMenu_DM	medicare_apply_menu	no, yes	result	dm_root
mm1720_MedicareEnrollMsg	medicare_enroll_msg_yesno	no, yes	result	dm_root

DM	sno			
mm1730_MedicareDrugQuestion_DM	medicare_information_yesno	no, yes	result	dm_root
mm1740_MedicareSubsidyMsg_DM	medicare_subsidy_msg_yesno	no, yes	result1	dm_root
mm1750_AskPartD_DM	ask_partd_enrolled_yesno	no, yes, repeat	result	dm_root
mm1760_HelpWithDrugCosts_DM	help_with_drug_costs_yesno	no, yes	result	dm_root
mm1710_ReplacementCardQuestion_DM	replacement_medicare_card_yesno	no, yes	result	dm_root
mm1770_OrderDrugFormQuestion_DM	order_drug_help_form_yesno	no, yes	result	dm_root
mm1800_SSIMenu_DM	ssi_menu	apply, citizenship, problem, repeat	result	dm_root
mm1810_CitizenshipMsg_DM	citizenship_msg_yesno	no, yes	result	dm_root
mm1905_Checks_DM	checks_repeat_yesno	no, yes, repeat	result	dm_root
mm1910_LatePaymentMenu_DM	late_payment_menu	direct_deposit, mail, not_sure, repeat	result	dm_root
mm1940_LatePaymentExit_DM	late_payment_exit_yesno	no, yes	result	dm_root
mm1900_ReceivingBenefits_DM	receiving_benefits_yesno	no, yes	result	dm_root
mm1907_LatePaymentQuestion_DM	check_late_yesno	no, yes	result1	dm_root
mm2000_ReceivingBenefits_DM	receiving_benefits_yesno	no, yes	result	dm_root
mm2010_BenefitsEarnings_DM	benefits_earnings_menu	benefits_statement, proof_of_income, something_else	result	dm_root
mm2030_OtherQuestions_DM	future_benefits_yesno	no, yes	result	dm_root
mm2040_FutureBenefits_DM	future_benefits_menu	order_form, other_questions, repeat	result	dm_root
mm2100_RepPayeeMenu_DM	rep_payee_menu	become, change, misuse, program, report, something_else	result	dm_root
mm2110_ProgramMsg_DM	payee_program_menu	payee_options, repeat	result	dm_root
mm2120_ChangeMsg_DM	payee_change_menu	office, payee_options, repeat	result	dm_root
mm2200_BecomePayee_DM	payee_become_menu	office, payee_options, finished, repeat	result	dm_root
mm2210_PayeeMisuse_DM	payee_misuse_menu	payee_options, finished, repeat	result	dm_root
mm2300_FormsGeneral_DM	forms_general_menu	benefits_statement, proof_of_income, earnings_statement, something_else	result	dm_root
mm2400_EarningsMenu_DM	earnings_menu	proof_of_income, something_else, benefits_statement, earnings_statement	result	dm_root

AddressOSDM

<b>Node Name</b>	<b>Recognition Variable</b>	<b>Possible Values</b>	<b>Key</b>	<b>Grammar Slot</b>
ad0110_zipcode_DM	collectaddress_zip	zip	zip	dm_root
ad0140_FullAddress_DM	1300_street@CollectAddress_ZipCode	ruralroutenumber, streetnamenumber, poboxnumber	street	dm_root
ad0150_SecondaryAddress_DM	1350_apartment@CollectAddress_ZipCode	no_apt, apt_<number>, bldg_<number>, fl_<number>, msc_<number>, ste_<number>	apartment	dm_root

		unit_<number>		
ad0200_ConfirmFull_DM	collectaddress_confirm_address	no, yes	yesno	dm_root

### BenefitsVerification

Node Name	Recognition Variable	Possible Values	Key	Grammar Slot
--	--	--	--	--

### ChangeOfAddress

Node Name	Recognition Variable	Possible Values	Key	Grammar Slot
ca0220_ReceivingBenefits_DM	cd_receiving_benefits_yesno	no, yes	result	dm_root
ca0260_CallingAboutSelf_DM	cd_calling_about_self_yesno	no, yes, repeat	result	dm_root
ca0230_NotEligible_DM	cd_not_eligible_menu	more_information	result	dm_root
ca0240_NotEligibleDetails_DM	not_eligible_details_yesno	no, yes	result	dm_root
ca0270_COAEffectiveASAP_DM	cd_effective_asap_yesno	no, yes	result	dm_root
ca0310_TypeOfChange_DM	cd_type_of_change_menu	address, both, phone	result	dm_root
ca0315_ConfirmChangeAllRecords_DM	result	yes, no	result	dm_root
ca0350_ConfirmIfResidentAddress_DM	result	yes, no	result	dm_root
ca0410_TypeOfPhone_DM	cd_phone_type_menu	attorney, home, cell, something_else, work	result	dm_root
ca0420_CollectPhoneNumber_DM	cd_phone_number	phone_number, repeat	result	dm_root
ca0435_EffectiveDate_DM	cd_effective_date_menu	<effective_date>	result	dm_root
ca0400_RemoveOrChangePhone_DM	remove_phone_menu	change, remove	result	dm_root

### ClaimStatusRequests

Node Name	Recognition Variable	Possible Values	Key	Grammar Slot
cs0120_ConfirmationNumber_DM-DELETED	get_confirmation_number	<confirmation number>, dont_have, more_information, repeat	result	dm_root
cs0210_WhichClaim_DM	cs_which_claim_yesno	no, yes	result	dm_root
cs0240_OneClaimEnd_DM	cs_one_claim_end_menu	different_number, finished	result	dm_root
cs0250_MultiClaimEnd_DM	cs_multi_claim_end_menu	different_number, finished, next_claim	result	dm_root
cs0230_RepeatStatus_DM	cs_repeat_status_yesno	no, yes	result	dm_root
cs0260_NoStatusEnd_DM	cs_no_status_end_menu	different_number, finished, repeat	result	dm_root
cs0270_MultiLastClaimEnd_DM	cs_multi_last_claim_end_menu	different_number, finished, repeat_claims	result	dm_root

### DirectDeposit

Node Name	Recognition Variable	Possible Values	Key	Grammar Slot
-----------	----------------------	-----------------	-----	--------------

dd0220_ReceivingBenefits_DM	cd_receiving_benefits_yesno	no, yes	result	dm_root
dd0260_CallingAboutSelf_DM	cd_calling_about_self_yesno	no, yes, repeat	result	dm_root
dd0430_AccountType_DM	cd_account_type_menu	checking, dont_have, investment, savings, repeat	result	dm_root
dd0410_EffectiveMonth_DM	cd_effective_month	april, august, december, february, january, july, june, march, may, november, october, september, soon_as_possible	result	dm_root
dd0440_CollectRoutingNumber_DM	cd_routing_number	<routing number>, dont_know, repeat	result	dm_root
dd0450_CollectAccountNumber_DM	cd_account_number	<account number>, repeat	result	dm_root
dd0400_DDEffectiveASAP_DM	cd_effective_asap_yesno	no, yes	result	dm_root

### FieldOfficeLocator

Node Name	Recognition Variable	Possible Values	Key	Grammar Slot
fl0100_GetZipCode_DM	fol_zip_code_collection	<zip code>, dont_know	result	dm_root
fl0120_OfficeLocationInfo_DM	office_location_info_menu@import	change, finished, repeat	result	dm_root
fl0105_CardCenterNeededQuestion_DM	card_center_needed_yesno	no, yes	result	dm_root
fl0125_CardCenterInfo_DM	card_center_location_info_menu@import	change, finished, field_office, repeat	result	dm_root

### KnowledgeBasedAuthentication

Node Name	Recognition Variable	Possible Values	Key	Grammar Slot
ka0210_AttestationQuestion_DM	attestation_question	continue, more_information	result	dm_root
ka0225_WhichActDetails_DM	which_act_details	both, paperwork_act, privacy_act, neither	result	dm_root
ka0230_PrivacyActDetails_DM	privacy_details	skip_it	result	dm_root
ka0240_PaperworkActDetails_DM	paperwork_details	skip_it	result	dm_root
ka0250_PrivacyEndMenu_DM	privacy_end_menu	continue, paperwork_act, repeat	result	dm_root
ka0260_PaperworkEndMenu_DM	paperwork_end_menu	continue, privacy_act, repeat	result	dm_root
ka0270_PerjuryMessage_DM	perjury_message_yesno	no, yes	result	dm_root
ka0310_GetSSN_DM	get_ssn	<ssn>, repeat	result	dm_root
ka0355_TNRSGetName_DM	TNRS_get_name	<name>, repeat	result	dm_root
ka0410_AltNameQuestion_DM	alt_name_yesno	no, yes	result	dm_root
ka0510_GetDOB_DM	get_dob	dob	result	dm_root
ka0710_GetPlaceOfBirth_DM	get_pob	other, state, territory, ak, al, as, az, af_af, af_am, af_ca, af_eu, af_me, af_pa, ar, ca, co, ct, dc, de, fl, ga, gu, hi, ia, id, il, in, ks, ky, la, ma, md, me, mh, mi, mn, mo, mp, ms, mt, nc, nd, ne, nh, nj, nm, nv, ny, oh, ok, or, pa, pr, pw, ri, sc, sd, tn, tx, ut, va, vi, vt, wa, wi, wv, wy, repeat	result	dm_root
ka0730_GetPOBCity_DM	result	pob_city	result	dm_root

ka0810_GetLastPaymentAmount_DM	get_last_payment_amount	last_payment_amount, dont_know, repeat	result	dm_root
--------------------------------	-------------------------	--	--------	---------

### MedicareReplacementCard

Node Name	Recognition Variable	Possible Values	Key	Grammar Slot
--	--	--	--	--

### NameOSDM

Node Name	Recognition Variable	Possible Values	Key	Grammar Slot
na0120_SayAndSpellFirst_DM	sayandspellfirst	<name>	result	dm_root
na0120_SayAndSpellFirst_DM	sayandspellfirst_tnrs	<name_tnrs>	result1	dm_slot1
na0130_SayAndSpellLast_DM	sayandspelllast	<name>	result	dm_root
na0130_SayAndSpellLast_DM	sayandspelllast_tnrs	<name_tnrs>	result1	dm_slot1
na0130_SayAndSpellLast_DM	alt_name_sayandspellast	none	result2	dm_slot2
na0140_SpellFirst_DM	spellfirst	<name>	result	dm_root
na0140_SpellFirst_DM	spellfirst_tnrs	<name_tnrs>	result1	dm_slot1
na0150_SpellLast_DM	spelllast	<name>	result	dm_root
na0150_SpellLast_DM	spelllast_tnrs	<name_tnrs>	result1	dm_slot1
na0200_ConfirmName_DM	confirmname	no, yes, repeat	result	dm_root

### ReplacementBenefitStatement

Node Name	Recognition Variable	Possible Values	Key	Grammar Slot
rb0130_1099JanuaryEnd_DM	replacement_statement_end_menu	no, yes	result	dm_root
rb0110_CurrentYearQuestion_DM	current_year_question_yesno	no, yes	result	dm_root
rb0310_FormForSelf_DM	form_for_self_yesno	no, yes	result	dm_root
rb0320_PersonLiving_DM	person_living_yesno	no, yes, repeat	result	dm_root
rb0330_DeceasedSocial_DM	deceased_ssn_collection	<ssn>, dont_know	result	dm_root
rb0420_NoRelationshipEnd_DM	no_relationship_end_menu	no, yes	result	dm_root
rb0440_BenefitsStatementEndMenu_DM	benefits_statement_end_menu	no, yes, repeat	result	dm_root

### Transcription

Node Name	Recognition Variable	Possible Values	Key	Grammar Slot
tr0120_ConfirmAddress_DM	tr_confirm_address_yesno	no, yes	result	dm_root
tr0200_AskHowManyForms_DM	tr_how_many_forms_menu	1, 10, 11, 12, 13, 14, 15, 2, 3, 4, 5, 6, 7, 8, 9, repeat	result	dm_root
tr0310_UnderstandingSS_DM	tr_get_pamphlet_menu	no, yes, finished, skip, repeat	result	dm_root
tr0320_RetirementBenefits_DM	tr_get_pamphlet_menu	finished, no, skip, yes, repeat	result1	dm_root



tr0330_DisabilityBenefits_DM	tr_get_pamphlet_menu	finished, no, skip, yes, repeat	result1	dm_root
tr0340_SurvivorBenefits_DM	tr_get_pamphlet_menu	finished, no, skip, yes, repeat	result1	dm_root
tr0420_DisabledChildrenBenefits_DM	tr_get_pamphlet_menu	finished, no, skip, yes, repeat	result1	dm_root
tr0430_WomanSS_DM	tr_get_pamphlet_menu	finished, no, skip, yes, repeat	result1	dm_root
tr0410_WorkAffectsBenefits_DM	tr_get_pamphlet_menu	finished, no, skip, yes, repeat	result1	dm_root
tr0540_MoreChoices_DM	tr_pamphlet_more_choices_yesno	no, yes, repeat	result	dm_root