Disclaimer: The information is subject to change based upon what is finalized in the Calender Year 2021 Physician Fee Schedule Final Rule for the Quality Payment Program. If needed, this document will be updated to what is finalized in the final rule and reposted accordingly.

The QCDR Measure Submission Template should ONLY be filled out by QCDRs who meet the 2020 definition of a QCDR, are self-nominating as a QCDR for 2021, and wish to submit QCDR measures for CMS consideration.

A QCDR may submit a maximum of 30 QCDR measures for review and approval by CMS consideration for reporting.

Complete the fields for each proposed 2021 MIPS Performance Period QCDR Measure, (Note: If you do not own the measure, please provide your information in all unchaded columns.) Please ensure that the QCDR measure specifications are checked for grammar and typographical errors before submission.

Please follow these steps when completing the QCDR Measure Submission Template:

1. Open the QCDR Measure Submission Template and save it with your organization's name (i.e., 2021 QCDR Measure Submission_QCDRName_WX).

Please update the version number, when an updated CQDR Measure Submission Template is uploated or attached.

2. Navigate to the "CCDR information" tab. For existing QCDRs in good standing, please update row 5 (Self-Nomination toket #) and row 6 (Expected number of QCDR measures to be submitted to be entered by QCDR). For new QCDRs, enter information for all the rows except for row 4 (QCDR weator of QCDR measures to be submitted to be entered by QCDR). For new QCDRs, enter information for all the rows except for row 4 (QCDR Vendor II) and the same of QCDR vendor III) and the same of QCDR vendor III

A. Under or states the 2012 CODR Measure Sobrission Template to your organization's 2012 Self-Monitoring Phases rose that the 2013 CODR Measure Sobrission Template does not meet be noticed and of the proposed CPDP measures to be uploated or stateshor by your organization's 2013 Self-Monitoring to the proposed CPDP measures to be uploated or stateshor by your organization's 2013 Self-Monitoring to Possible CPDP measures to the uploated or stateshor by your organization's 2013 Self-Monitoring to Possible CPDP measures to the proposed stateshor an updated 2012 CODR Measure Submission Template with additional C/CDR measures prior to the end of the 2012 Self-Monitoring product which next as I Self-Monitoring to Possible Possible CPDP no September 101.

<u>A</u>	Column Header PIMMS Tracking ID (PIMMS USE ONLY)	Required/Optional?	Instructions/Notes This is a unique ID that is used for PIMMS tracking purposes and internal use o
В	Input Row Completeness	N/A	Provides the status of "Complete" or "Incomplete" for each row. "Incomplete" wi display if all of the REQUIRED fields have not been populated for a given entry.
<u>c</u>	Error Messages for Required Fields	N/A	display it all of the REQUIRED helds have not been populated for a given entry. Provides the user with an error message(s) regarding missing REQUIRED information for each entry. Also, missing REQUIRED information for each entry have the cell highlighted in red after five REQUIRED fields have been populated the template for the specific proposed measure.
D	Measure ID: Measure Title (Reference only)	N/A	This is a locked autofilled cell that gives a reference point of Measure ID and
E	Measure Ready for PIMMS	Required	Measure Title. Indicate if the given entry is "Ready for PIMMS Team Review", a "Work in
	Review?		Indicate if the given entry is "Ready for PIMMS Team Review", a "Work in Progress" or "Withdrawn". Entries with a "Work in Progress" status will not be reviewed until the status is updated to "Ready for PIMMS Team Review".
E	Do you own this measure?	Required	Enter "Fes", "No" or "Co-owned by Z or more QCDRs" for this field. By selectin No" you are attesting that you do not own or co-own the measure and currently have the appropriate documentation (i.e., email, letter) giving your organization permission from the QCDR measure owner/steward to see the QCDR measure open Documentation in support permission will be verified. Please provide information all unshaded columns. Pleasa note that the QCDR who owns the measure he an active and approved QCDR for the given self-nomination period.
G	If you answered "No" or "Co- owned by 2 or more QCDRs", please indicate the approved owner or co-owners	Optional	Provide the name of the active and approved QCDR(s) that own or co-own the QCDR measure. Example: XXX QCDR
Н	Program Submission Status	Required	Select the measure submission status from the drop down list that describes th measure submitted for review. (New or existing measure with without changes) you select Existing Approved COEM Reasure With No Changes, all cells that should not be changed will be shaded. Please ONLY update the cells that ar unshaded.
1	If this is a previously CMS approved measure, please provide the CMS assigned measure ID	Required	Please enter the most recent CMS assigned QCDR measure ID if the QCDR measure was included in any MIPS performance period as an approved measu Enter "NA" if not applicable. Please do NOT self-assign a QCDR measure ID. CMS is responsible for assigning QCDR measure IDs.
ī	If existing measure with changes, please indicate what has changed to the existing measure	Optional	Provide a detailed explanation of what changes were made to the measure. Example: Denominator exclusion added
K	Can the measure be benchmarked against the previous performance period data?	Optional	Enter "Yes" or "No" to indicate if the benchmark from prior years is able to be used for comparison.
L	If applicable, please provide details why the previous benchmark can or cannot be used	Optional	Provide details regarding why the previous benchmark can or cannot be used in esponse to the changes to the existing measure. Example: The improvement addition to the numerator will make this measure a Outcome measure and therefore cannot be compared to the measure from last year.
М	Measure Title	Required	Provide the measure title, which should begin with a clinical condition of focus, followed by a brief description of action. Example: Preventive Care and Screening: Screening for Depression and Follo Up Plan.
N	Measure Description	Required	Describe the measure in full detail. Example: Percentage of patients aged 12 years and older screened for depres on the date of the encounter using an age appropriate standardized depressior screening tool AND if positive, a follow-up plan is documented on the date of th positive screen.
Ω	Denominator	Required	Describe the eligible patient population to be counted to meet the measures' inclusion requirements. Example: All patients aged 12 years and older at the beginning of the measurement period with at least one eligible encounter during the measureme period.
Р	Numerator	Required	The clinical action that meets the requirements of the measure. Example: Patients screened for depression on the date of the encounter using age appropriate standardized tool AND, if positive, a follow-up plan is documen on the date of the positive screen.
Q	Denominator Exclusions	Required	An exclusion is anything that would remove the patient, procedure, or unit of measurement from the denominator. Enter "No" if not applicable. Example: Women who had a bilateral mastectomy or who have a history of a bilateral mastectomy or for whom there is evidence of a right and a left unilater mastectomy.
B	Denominator Exceptions	Required	Allow for the exercise of clinical judgement. Applied after the numerator calcula and only if the numerator conditions are not met. Enter "N/A" if not applicable. Example: Medical Reason(s): Patient is in an urgent or emergent situation where time is of the condition of the
			Medical reason(s): Palent is in an urgent or emergent situation where time is it he essence and to delay treatment would jeopardize the patient's health status OR status where the patient's functional capacity or motivation to improve may impact the accuracy of results of standardized depression assessment tools. Fe example: certain court appointed cases or cases of delirium.
S	Numerator Exclusions	Required	An exclusion is anything that would remove the patient, procedure, or unit of
			measurement from the numerator, bylically used in ratio or inverse proportional measures. Applied before the numerator calculation. Enter "NA" if not applicable Example: if the number of central line blood stream infections per 1,000 cathertodays were to exclude infections with a specific bacterium, that bacterium would isted as a numerator exclusion.
I	Primary Data Source Used for Abstraction	Required	indicate the primary data source used for the measure. This may include but is mixed to administrative claims data, Reshifty discharge data, chronic condition of susrebuse (CCW), claims, CROWNWeb, EHR center relevant parts, Hybrid, IR PAI, LTCH CARE data set National Healthcare, Safely Network (NH-SN), CAST, CL, paper medical record, Prescription Drug Event Data Elements, PROMIS, second review, Registry (enter which Registry), Survey, Other (describe source)
П	If applicable, please enter additional information regarding the data source used	Optional	Provide additional information when "Registry" and/or "Other" is selected. Example: ABC Registry You may list additional data sources used in addition to the primary data source
Y	NQF ID Number (if applicable)	Optional	Provide the assigned NQF ID number, if the submitted QCDR measure fully ali with the NQF endorsed version of the measure. If no NQF ID number, enter 00 Example: 0418
W	High Priority Measure?	Required	Enter "Yes" or "No" to indicate if the measure is a high priority measure.
X Y	High Priority Type Measure Type	Required Required	Indicate the high priority measure type. Select which measure type applies to the measure.
Z AA	NQS Domain Care Setting	Required Required	Select which NOS domain applies to the measure.
00	Care Setting	requirea	Select which care setting is included within the measure. If multiple care setting apply, select the option "Multiple Care Settings" and enter them in the next cell
AB	If Multiple Care Settings selected, list Care Settings here	Optional	If "Multiple Care Settings" was selected, enter all Care Settings that apply.
AC	Includes Telehealth?	Required	Please answer "Yes" or "No" if the QCDR measure's denominator includes services provided via telehealth. (Please review the quality action to ensure that
AD	Which Meaningful Measure Area	Required	s appropriate via telehealth.) Select ONLY one Meaningful Measure Area that best applies to the measure.
_	applies to this measure?		
AE	Meaningful Measure Area	Required	Provide a rationale for the selected Meaningful Measure Area for the QCDR

<u>AF</u>	Column Header Inverse Measure	Required/Optional Required	Indicate if the measure is an inverse measure. This is a measure where a lower calculated performance rate for this type of measure would indicate better clinical care or control. The "Performance Not Met" numerator option for an inverse measure is the representation of the better clinical quality or control. Submitting
			that numerator option will produce a performance rate that trends closer to 0%, as quality increases.
AG	Proportional Measure	Required	Indicate if the measure is a proportional measure. This is a measure where the score is derived by thirding the number of cases that meet a cretion for quality (the numerator) by the number of eligible cases within a given time frame (the denominator). The numerator cases are a subsect of the denominator cases (e.g., percentage of eligible women with a mammogram performed in the last year).
<u>AH</u>	Continuous Variable Measure	Required	Indicate if the measure is a continuous variable measure. This is a measure where a measure score in which each individual value for the measure can fall anywhere shorts a continuous scale and can be apprepated using a variety of methods such about a continuous scale and can be apprepated using a variety of welfacts such aggregates the time in minutes from a case presenting with chest pain to the time of administration of thromobylosis.
			CMS encourages QCDRs to construct the numerators to be proportional by establishing an expected benchmark based on guidelines or national performance data. Applying MIP'S scoring methodoly tals proven to be challenging for non- class. Applying MIP'S scoring methodoly tals proven to be challenging for non- based on a mathematical analysis very unpredictable.
AL	Ratio Measure	Required	Indicate if the measure is a ratio measure. This is a measure where a score that may have a value of zero or greater that is derived by dividing a court of one type of data by a court of another type of data. The key to the derification of a ratio is that lines who develop infection divided by the number of central line days). Rates closer to 1 represent the expected outcome.
Al	If Continuous Variable and/or Ratio is chosen, what is the range of the score(s)?	Optional	Please provide a defined range of performance. If it is not a continuous variable and/or ratio measure, enter "N/A". Example: 0-250 minutes
AK	Number of performance rates to be calculated and submitted	Required	Indicate the number of performance rates submitted for the measure. If only one is calculated, enter ${\bf 1}^{\rm L}$.
AL	Performance Rate Description(s)	Optional	Provide a brief description for each performance rate to be calculated and submitted. Lichmitted. 1) Overal Percentage for patients (aged 5-50 years) with well-controlled asthman, without elevated risk of exacerbation (2) Percentage for patients (aged 5-50 years) with well-controlled asthman, without elevated risk of exacerbation (2) Percentage of pediatric patients (aged 5-17 years) with well-controlled asthman, without elevated risk of exacerbation (3) Percentage of adult patients (aged 18-50 years) with well-controlled asthman, without elevated risk of exacerbation (3) Asthman well-controlled gubmit the most recent specified asthman control tool (5) Asthman well-controlled (submit the most recent specified asthman control tool result) for patients 18 to 50 with Asthman (5) Patient not at elevated risk of exacerbation for patients 5 to 17 with Asthma (7) Patient not at elevated risk of exacerbation for patients 18 to 50 with Asthma
<u>AM</u>	Indicate an Overall Performance Rate	Required	Specify which of the submitted rates will represent an overall performance rate for the measure or how an overall performance rate could be calculated based on the measure or how an overall performance rate could be calculated based on the control of the calculated based on the control of the calculated based on the
AN AQ	Risk-Adjusted Status? If risk-adjusted, indicate which	Required Required	Indicate if the measure is risk-adjusted. Indicate the score that is risk-adjusted for the measure.
AP	score is risk-adjusted is the QCDR Measure able to be abstracted?	Required	Please attest that the measure element can be abstracted and is feasible. If borrowing the measure, it is expected that the ability to abstract the data according to the QCDR measure owner's specifications is a condition of self-nominating the QCDR measure. Withdrawing of the QCDR measure during an active performance period is not acceptable.
AQ	Was the QCDR measure tested at the individual clinician level?	Optional	Enter "Yes" or "No" to indicate if the QCDR measure was tested at the individual clinician level.
AR AS	Validity Testing Summary Feasibility Testing Summary	Optional Optional	Provide validity testing summary if available. Provide feasibility testing summary if available.
<u>AT</u> AU	Reliability Testing Summary Describe Link to Cost Measure/Improvement Activity	Optional Required	Provide reliability testing summary if available. Describe the into the between the CCDR measure, cost measure, and an improvement activity. Please document 'no link identified', if there is no link to a cost measure an improvement activity, in cases where a QCDR measure does not have a clear link to a cost measure and an improvement activity, we work of consider exceptions and considerations.
			and considerations.
AV	Clinical Recommendation Statement	Required	Provide a concise statement regarding the clinical recommendation for this QCDR measure including the current clinical guideline from which the measure is derived. Example: Adolescent Recommendation (12-18 years) The USPSTF recommends screening for MDD in adolescents and 12 to 18
AW		Required Required	Provide a concise statement regarding the clinical recommendation for this QCDR measure including the current clinical guideline from which the measure is derived. Example: Adolescent Recommendation (12-18 years) The USPSTF recommends screening for MDD in adolescents and 12 to 18
	Provide the rationale for the QCDR measure Provide measure performance data (# months data collected, performance range, and number of clinicians or groups)	Required Optional	Provide a concine statement regarding the clinical recommendation for the CCCR measure including the current clinical guideline from which the measure is derived. Example: Adolescent Recommendation (12-18) years. The USPSTE recommends screening for MDD in adolescents aged 12 to 18 years. Screening should be implemented with adequate systems in place to ensure recommendation? (Sut. A. and USPSTE, 2016, p. 360). Provide a concine statement regarding the rationals for the CCCDR measure. Example: Adolescents with adjustment of the CCCDR measure. Example: A concine statement regarding the rationals for the CCCDR measure. Example: A concine size in concine and concined with higher clinical statement of the CCCDR measure. Example: A concine size in concine size in the concine (Pratt. Example: A concine size in the concine (Pratt. Example: A concine size in the concine size in the concine (Pratt. Example: A concine size in the concine siz
AW	Provide the rationale for the QCDR measure Provide measure performance that (if months data collected, average performance rate, performance rate, and months and a collected average performance rate, and mumber and a collected average and mumber and a collected average and mumber and a collected average average and a collected average average and a collected average average average average and a collected average average average average and a collected average average average average avera	Required	Provide a concise statement regarding the clinical recommendation for this OCDR measure including the current directal guidatine from which the measure is derived. Example: Adolescent Recommendation (12-18) wasn? The USPSTE recommends screening for MDD in adolescents aged 12 to 18 wasn. Screening should be implemented with adequate systems in place to ensure accurate diagnosis, effective treatment, and appropriate follow-up (8 excemimendation) (suc. A and USPSTE, 2018, p. 390). Provide a concise statement regarding the rationale for the QCDR measure. Example: Depression is a serious medical liliness associated with higher rates of chronic disease increased health care utilization, and impared functioning (Part. Story) 2014, 2014 U.S. survey data indicate that 2.8 million (11-48) adolescents 15.7 million (548) adults aged 16 or offer had at least one MDE in the past year, with 10.2 million adults (4.3%) having one MDE with severe impairment in the past year (Center for Behavioral Health Statistics and Quality, 2015). Please provide the if of months the data was collected, average performance rate, performance rate 75%, average 5289%, 1212 months. Average performance rate 75%, page 5289%, 122 months. Average perform
AW AX	Provide the rationale for the CCDR measure Provide measure performance data (# months data collected, performance range, and number of clinicians or groups) if applicable, provide the study citation to support performance	Required Optional	Provide a conclus statement regarding the clinical recommendation for the OCDR measure including the current clinical guideline from which the measure is derived. Example: Adolescent Recommendation (12-18) years. The USPSTF recommends screening for MDD in adolescents aged 12 to 18 years. Screening should be implemented with adequate systems in place to ensure recommendation? (Sut. A. and USPSTF, 2016, p. 360). Provide a conclus statement regarding the rationals for the CCDD measure. Example: Adolescents are sensitive to the conclusion of the CCDD measure. Example consists is a single model although some conclusion of the CCDD measure. Example conclusion in the CCDD measure. Example: A conclusion of the CCDD measure. Example: 12 months. Average performance and PSNs. Angle S2-89%, 112 Clinicians submitting data. Provide the study citation for the measure to support the performance gap. Claricians submitting data. Provider (CPCP) serve are as the first walkable or whin 5 years. Example: Negative outcomes associated with depression make. Example: Negative outcomes associated with depression make. Example: Negative outcomes associated with depression make a control of CCDR measure fails to recognize up to 59% of depression patients (Borner, 2010, p. 948). If a CCDR measure fails to recognize up to 59% of depression patients (Borner, 2010, p. 948). Facility Development of an evid
AAX AX	Provide the rationale for the QCDR measure Provide measure performance from the provide measure performance rate, performance gap for the measure If applicable, provide the study clatation to support performance gap for the measure If applicable, provide a Participation Plant of QCDR measure has low adoption by clinicans.	Required Optional Optional	Provide a concine statement regarding the clinical recommendation for the CCDR measure including the current clinical guideline from which the measure is derived. Example: Adolescent Recommendation (12-18) years) The USPSTF recommends screening for MDD in adolescentral guideline for the provide of the control of the provide of the control of the c
AX AX AX	Provide the rationale for the QCDR measure performance data (# months data collected, average performance rate, performance range, and number of clinicians or groups) If applicable, provide the study gap for the measure If applicable, provide a Penticipation of the measure and a pentilicians or the pentilicians of the measure and a pentilicians or the pentilicians of the pentilic	Required Optional Optional	Provide a concise statement regarding the clinical recommendation for the OCDR measure including the current clinical guideline from which the measure is derived. Example: Adolescent Recommendation (12-18) years. The USPSTF recommends screening for MDD in adolescents aged 12 to 18 years. Screening should be implemented with adequate systems in place to ensure several policy of the provide a concise statement regarding the rationale for the QCDR measure. Provide a concise statement regarding the rationale for the QCDR measure. Provide a concise statement regarding the rationale for the QCDR measure. Provide a concise statement regarding the rationale for the QCDR measure. Provide a concise statement regarding the rationale for the QCDR measure. Provide a concise statement regarding the rationale for the QCDR measure. Provide a concise statement regarding the rationale for the QCDR measure. Provide 12 to 17 had a major depressive episode (MDE) in the past year and that 15 / million (6 Mgs) adults aged 16 or offer that at least one MDE in the past year. Year (Center for Behavioral Health Statistics and Quality, 2015). Please provide the # of months the data was collected, average performance rate, performance range and the number of eligible clinicans and/or Tilks submitting that provide the study citation for the measure to support the performance gap. Cationicans submitting data. Provide the study citation for the measure to support the performance gap. Cationicans submitting data. Provide the study citation for the measure to support the performance gap. Cationics submitting data. Provide the study citation for the measure to support the performance gap. Tall years and that the past years are considered with depression make it crucial to screen note to telepital and the depression in steal with super-formance performance performan
AX AY	Provide the rationale for the QCDR measure Provide measure performance data (# months data collected, performance range, and number of clinicians or groups) if applicable, provide the study citation to support performance gap for the measure if applicable, provide and provide the study citation to support performance gap for the measure if applicable, provide and provide the study citation to support performance gap for the measure if applicable, provide and provide the study citation to support performance gap for the measure has low adoption by clinicians Preference indicate applicable specially/speciallies Preferred measure published circual category	Required Optional Optional Optional	Provide a concise statement regarding the directal recommendation for the OCDR measure including the current directal guideline from which the measure is derived. Example: Adolescent Recommendation (12-18) years. The USPSTF recommends screening for MDD in adolescents aged 12 to 18 years. Screening should be implemented with adequate systems in place to ensure years. Screening should be implemented with adequate systems in place to ensure recommendation)* (Sui, A. and USPSTF, 2016, p. 360). Provide a concise statement regarding the rationale for the QCDR measure. Example: Depression is a serious medical filtress associated with higher rates of Strody 2014, 2014 U.S. survey data includes the 12-8 limit of 11.4 why adolescents aged 12 to 17 had a major depressive episode (MDE) in the past year and that 157 million (6-8%) adults aged 15 or offer had at least one MDE in the past year, year (Center for Behavioral Health Statistics and Qualley, 2015). Please provide the 6 of months the data was collected, average performance rate, year (Center for Behavioral Health Statistics and Qualley, 2015). Please provide the 6 of months the data was collected, average performance rate, performance range and the number of eligible clinicians and/or Tilks submitting the measure within your self-commation. Clinicians submitting data Provide the study datation for the measure to support the performance gap. Clinicians submitting data Provide the study datation for the measure to support the performance gap. Clinicians submitting data Provide the study datation for the measure to support the performance gap. Clinicians submitting data Provide the study datation for the measure to support the performance gap. Clinicians submitting data. Provide the study datation for the measure to support the performance gap. Clinicians submitting data. Provide the study datation for the measure to support the performance gap continued to the provide of the performance gap of the performance gap of the performance gap of the performance gap
AX AX AX BBA	Provide the rationale for the QCDR measure performance data (# months data collected, average performance rate, performa	Required Optional Optional Optional Required Required	Provide a concine statement regarding the clinical recommendation for this CCDR measure including the current clinical guideline from which the measure is derived. Example: Adolescent Recommendation (12-18) wasn? The USPSTF recommends screening for MDD in adolescentral aged 21 to 13 million (12-18) wasn? The USPSTF recommends screening for MDD in adolescentral aged 21 to 13 million (12-18) wasn. The USPSTF recommends screening for MDD in adolescentral aged 21 to 13 million (12-18) wasn. Provide a coraciae statement regarding the rationals for the QCDR measure. Example: Depression is a serious medical threat secondaried with higher rates of chronic disease increased health care utilization, and impaired functioning (Pratt. Torky 2016, 2014 U.S. survey detail inclinate that 2.8 million (11-18) adolescents aged 12 to 17 had a major depressive epicode (MDE) in the past year and that with 10.2 million adults (4.5%) having one MDE with severe impairment in the past year (Certer for Behavioral Health Statistics and Quality, 2015). Please provide the 8 of months the data was collected, average performance rate, perfor
AAY AZ BBA BBC	Provide the rationale for the QCDR measure Provide measure performance data (# months data collected, awerage performance rate, months data collected, awerage performance rate, awerage performance rate, award of clinicains or groups) If applicable, provide the study citation to support performance gap for the measure If applicable, provide a Participation Plan if QCDR measure has low adoption by clinicains Please indicate applicable specially specialities Preferred measure published clinical category QCDR Notes	Required Optional Optional Optional Required Required Required	Provide a concise statement regarding the clinical recommendation for this CCCR measure including the current dirical guideline from which the measure is derived. Example: Adolescent Recommendation (12-18) wars. The USPSTF recommends screening for MIDD in adolescents aged 12 to 18 years. Screening should be implemented with indequate systems in place to ensure recommendation? (Sut. A. and USPSTF, 2016, p. 360). Provide a concise statement regarding the rationals for the CCCDF measure. Example: Operations in a serior medical flores associated with higher class of chronic disease increased health care utilization, and implanted increases accounted with higher class of chronic disease increased health care utilization, and implanted increases and chronic disease increased health care utilization, and implanted increases and the complex operation of the complex operation operation operation of the complex operation
AX AX AX BA BB	Provide the rationale for the QCDR measure Provide measure performance are as a construction of the provide measure performance rate, performance gap for the measure If applicable, provide the study clatation to support performance gap for the measure Practication to support performance gap for the measure has low adoption by circical performance and performance indicates and pe	Required Optional Optional Optional Required Required Required N/A	Provide a concise statement regarding the directal recommendation for this CCDR measure including the current clinical guideline from which the measure is derived Example: Adolescent Recommendation (12-18) wars. The USPSTF recommends screening for MID in adolescents aged 12 to 18 wars. Screening should be implemented with adequate systems in place to ensure a place and the place of the place

Please enter QCDR information in cells B3 through B6.

QCDR Information Fields	QCDR Information Entries	Instructions/Notes
QCDR Organization Name:		To be completed by the QCDR.
QCDR Vendor ID (if applicable):		To be completed by the QCDR, if a Vendor ID has been assigned.
Self-Nomination ticket #:		To be completed by the QCDR, once a self-nomination ticket is available in the QPP Self-Nomination Portal.
Expected number of QCDR measures to be submitted (to be entered by QCDR):		To be completed by the QCDR. Should include the number of QCDR measures the QCDR plans to submit for the 2021 self-nomination period.
Total number of QCDR measures entered in 2021 QCDR Measure Submission Template:	0	For reference only. Count allows check against expected number of QCDR measures to be submitted.
Total number of QCDR measures "Ready for PIMMS Review" status in 2021 QCDR Measure Submission Template:	0	For reference only. Allows confirmation that all expected QCDR measures are ready for PIMMS review at time of submission.
Total number of QCDR measures in "Work in Progress" status in 2021 QCDR Measure Submission Template:	0	For reference only. Allows confirmation that all expected QCDR measures are no longer in a work in progress status at time of submission.
Total number of QCDR measures in missing required information:	0	For reference only. Allows confirmation of the number of QCDR measures missing required information.

				for 2021	instructions tab	Column Title changed for 2021	Column Title changed for 2021
PIMMS Tracking	Input Row Com	Error Messages for Requi	Measure ID: Measure Title (Re	Measure Ready for PIN	Do you own this meas	If you answered "No" or "Co-owned by 2	Program Submission Status*
	Complete	Empty Row					

Complete Empty Row

If this is a previously CMS approv	If existing measure with changes, please indicate what has	Can the measure be be	If applicable, please provide details why the previous bench

Measure Title*	Measure Description*	Denominator*	Numerator*

Column Title changed for 2021

Denominator Exclusions*	Denominator Exceptions*	Numerator Exclusions*	Primary Data Source Used for

New for 2021

If applicable, please enter additional information regard	NOE ID Number/if	High Priority M	High Drigrity Type*	Meacure Type*	NOS Domain*	Cara Sattings	If Multiple Care Settings colected lie

New for 2021

Includes Telehealth?*	Which Meaningful Measure Area ar	Meaningful Measure Area Pationale*	Inverse Measur	Proportional M	Continuous Va	Patio Measure	If Continuous Variable and/or Patio is

	Column Title changed for 2021				New for 2021	New for 2021
Number of performanPerformance Rate De	escriptidindicate an Overall PerforRi	isk-Adjusted St	If risk-adjusted, indicate which s	Is the QCDR Measure able to	Was the QCDR measure tes	Validity Testing Summary

New for 2021	New for 2021	New for 2021		
Feasibility Testing Summary	Reliability Testing Summary	Describe Link to Cost Measure/Improvement	Clinical Recommendation Statement	Provide the rationale for the OCDR measure

Column Title changed for 2021 New for 2021

Provide measure performance data (# months data collected	If applicable, provide the study citation to support performa	If applicable, provide a Participation Plan if QCDR measure

Please indicate applicable specialty/sPreferred measure published clinicalOCDR Notes				

CMS OCDP Measure Feedback	Vendor OCDP Measure Pesnonse	OCDP Measure Reconsideration Meeting Summary	Final CMS Measure Decision

2021 Excel Template:

PIMMS Tracking ID (PIMMS USE ONLY)

Input Row Completeness

Error Messages for Required Fields

Measure ID: Measure Title (Reference only)

Measure Ready for PIMMS Review?*

Do you own this measure?*

If you answered "No" or "Co-owned by 2 or more QCDRs", please indicate the approved owner or co-owners

Program Submission Status*

If this is a previously CMS approved measure, please provide the CMS assigned measure ID*

If existing measure with changes, please indicate what has changed to the existing measure

Can the measure be benchmarked against the previous performance period data?

If applicable, please provide details why the previous benchmark can or cannot be used

Measure Title*

Measure Description*

Denominator*

Numerator*

Denominator Exclusions*

Denominator Exceptions*

Numerator Exclusions*

Primary Data Source Used for Abstraction*

If applicable, please enter additional information regarding the data source used

NQF ID Number

(if applicable)

High Priority Measure?*

High Priority Type*

Measure Type*

NQS Domain*

Care Setting*

If Multiple Care Settings selected, list Care Settings here

Includes Telehealth?*

Which Meaningful Measure Area applies to this measure?*

Meaningful Measure Area Rationale*

Inverse Measure*

Proportional Measure*

Continuous Variable Measure*

Ratio Measure*

If Continuous Variable and/or Ratio is chosen, what is the range of the score(s)?

Number of performance rates to be calculated and submitted*

Performance Rate Description(s)

Indicate an Overall Performance Rate*

Risk-Adjusted Status?*

If risk-adjusted, indicate which score is risk-adjusted

Is the QCDR Measure able to be abstracted?*

Was the QCDR measure tested at the individual clinician level?

Validity Testing Summary

Feasibility Testing Summary

Reliability Testing Summary

Describe Link to Cost Measure/Improvement Activity*

Clinical Recommendation Statement*

Provide the rationale for the QCDR measure*

Provide measure performance data (# months data collected, average performance rate, performance range, and number of clinicians or groups)

If applicable, provide the study citation to support performance gap for the measure

If applicable, provide a Participation Plan if QCDR measure has low adoption by clinicians

Please indicate applicable specialty/specialties*

Preferred measure published clinical category*

QCDR Notes

CMS QCDR Measure Feedback

Vendor QCDR Measure Response

QCDR Measure Reconsideration Meeting Summary

Final CMS Measure Decision

2022 Webform Template Value

N/A

N/A

N/A