

Form Approved OMB No. 0920-0666 Exp. Date: 12/31/22 www.cdc.gov/nhsn

### **Urinary Tract Infection (UTI) for LTCF**

Page 1 of 4	*required for saving						
*Facility ID:	Event #:						
*Resident ID:							
Medicare number (or comparable railroad insurance number):							
Resident Name, Last: First:	V						
*Gender: M F Other	*Date of Birth: / /						
Ethnicity (specify):	Race (specify):						
*Date of First Admission to Facility: / /	*Date of Current Admission to Facility: / /						
*Event Type: <b>UTI</b> *Resident Care Location:	*Date of Event: /_/						
*Primary Resident Service Type: (check one)							
☐ Long-term general nursing ☐ Long-term dementia							
☐ Skilled nursing/Short-term rehab (subacute) ☐ Vent	ilator 📙 Bariatric 📙 Hospice/Palliative						
*Has resident been transferred from an acute care facility to your	facility in the past 4 weeks? $\square$ Yes $\square$ No						
If Yes, date of last transfer from acute care to your facility:							
If Yes, did the resident have an indwelling urinary catheter at the	ne time of transfer to your facility? $\square$ Yes $\square$ No						
*Indwelling Urinary Catheter status at time of event onset (check of	one):						
$\square$ In place $\square$ Removed within last 2 calendar days	☐ Not in place						
If indwelling urinary catheter status in place or removed with	in last 2 calendar days:						
Indicate site where indwelling urinary catheter was Inserted (check one):							
Date of indwelling urinary catheter Insertion:/_/							
If indwelling urinary catheter not in place, was another urinary	v device type present at the time of event onset? □Yes □No						
If Yes, other device type: Suprapubic External female)	drainage (male or Intermittent straight catheter						
Event Details							
*Specify Criteria Used: (check all that apply)							
Signs & Symptoms	<u>Laboratory &amp; Diagnostic</u>						
Fever: Single temperature ≥ 37.8°C (>100°F), or > 37.2°C (>99 repeated occasions, or an increase of >1.1°C (>2°F) over base	,						
☐ Rigors ☐ New onset hypotension	Positive urine culture with no more than 2						
$\square$ New onset confusion/functional decline	species of microorganisms, at least one of						
Acute pain, swelling, or tenderness of the testes, epididymis, or prostate	which is a bacterium of $\geq 10^5$ CFU/ml						
prostate	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -						
☐ Acute dysuria ☐ Purulent drainage at catheter insert	Leukocytosis (>10,000 cells/mm³), or Left shift (> 6% or 1,500 bands/mm³)						
Acute dysuria  Purulent drainage at catheter insering New and/or marked increase in (check all that apply)	(> 6% or 1,500 bands/mm³)						
	(> 6% or 1,500 bands/mm³)  Positive blood culture with at least 1 matching						
New and/or marked increase in (check all that apply)	(> 6% or 1,500 bands/mm³)  Positive blood culture with at least 1 matching						
New and/or marked increase in (check all that apply)  Urgency Costovertebral angle pain or tender Suprapubic tenderness Incontinence Visible (gross) hematuria	(> 6% or 1,500 bands/mm³)  Positive blood culture with at least 1 matching organism in urine culture						
New and/or marked increase in (check all that apply)  Urgency Costovertebral angle pain or tender Suprapubic tenderness Incontinence Visible (gross) hematuria  *Specific Event (Check one): Auto-populated in NHSN application	(> 6% or 1,500 bands/mm³)  Positive blood culture with at least 1 matching organism in urine culture						
New and/or marked increase in (check all that apply)  Urgency Costovertebral angle pain or tender Suprapubic tenderness Incontinence Visible (gross) hematuria  *Specific Event (Check one): Auto-populated in NHSN application Symptomatic UTI (SUTI) Symptomatic CA-UTI (CA	(> 6% or 1,500 bands/mm³)  Positive blood culture with at least 1 matching organism in urine culture  A-SUTI)  Asymptomatic Bacteremic UTI (ABUTI)						
New and/or marked increase in (check all that apply)  Urgency Costovertebral angle pain or tender Suprapubic tenderness Incontinence Visible (gross) hematuria  *Specific Event (Check one): Auto-populated in NHSN application	(> 6% or 1,500 bands/mm³)  Positive blood culture with at least 1 matching organism in urine culture						

Assurance of Confidentiality: The voluntarily provided information obtained in this surveillance system that would permit identification of any individual or institution is collected with a guarantee that it will be held in strict confidence, will be used only for the purposes stated, and will not otherwise be disclosed or released without the consent of the individual, or the institution in accordance with Sections 304, 306 and 308(d) of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)).

Public reporting burden of this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS D-74, Atlanta, GA 30333, ATTN: PRA (0920-0666). CDC 57.140 (Front) v9.5





# **Urinary Tract Infection (UTI) for LTCF**

Page 2 of 4

Pathogen #	Gram-positive Org	ganisms									
π	Staphylococcus coagulase-negative (specify species if available):		CEFOX/OX SRN		VANC SIRN						
		Enterococcus faecium  Enterococcus faecalis		DAPTO GENTHL S S-DD I NS R N S R N		GENTHL <sup>§</sup>	LNZ	VANC			
	Enterococcus					SRN	SIRN	SIRN	SIRN		
	Enterococcus (Only those not id level)		the species								
	Staphylococcus aureus	CIPRO/LEVO/MOXI SIRN				<mark>CEFTAR</mark> S S-DD I R N	CLIND DAPTO SIRN SNSN		<b>DOXY/MINO</b> SIRN		
		<b>GENT</b> SIRN		<b>LNZ</b> SRN	<b>RIF</b> SIRN	<b>TETRA</b> SIRN	<b>TMZ</b> SIRN	<b>VANC</b> SIRN			
Pathogen #	Gram-negative Or	ganisms									
	Proteus mirabilis	AMP SIRN	AMOX SIRN	CEFUR SIRN	CEFTRX SIRN	<b>CEFIX</b> SIRN	CIPRO SIRN	<b>LEVO</b> SIRN	ERTA/IM SIRN	I/MERO	
	Acinetobacter (specify species)	<b>AMK</b> SIRN	<b>AMPSUL</b> SIRN	CEFTAZ/CI SIRN	EFOT/CEFTR	ex	<b>CEFEP</b> SIRN		CIPRO/L SIRN	EVO	
		COL/PB SRN	<b>DORI/MERO</b> SIRN	DOXY/ MIN SIRN	0	<b>GENT</b> SIRN	IMI SIRN	<b>PIPTAZ</b> SIRN	<b>TMZ</b> SIRN	<b>TOBRA</b> SIRN	
	Escherichia coli	AMK SIRN	AMP SIRN	AMPSUL/A SIRN	MXCLV	<b>AZT</b> SIRN	<b>CEFAZ</b> SIRN	<b>CEFTAZ</b> SIRN	CEFOT/C SIRN	EFTRX	
		CEFEP S I/S- DD R N	<b>CEFTAVI</b> S R N	<b>CEFUR</b> SIRN	<b>CEFTOTA</b> SIRN	Z	CIPRO/LEV SIRN	O/MOXI	COL/ PB <sup>†</sup> I R N		
		DORI / IMI / MEDRO SIRN				<b>ERTA</b> SIRN				MERVAB SIRN	
		<b>NIT</b> SIRN	<b>PIPTAZ</b> SIRN	<b>TIG</b> SIRN	<b>TMZ</b> SIRN	<b>TOBRA</b> SIRN					
	Enterobacter (consists)	<b>AMK</b> SIRN	<b>AZT</b> SIRN	<b>CEFTAZ</b> SIRN	CEFOT/CE SIRN	EFTRX	CEFEP S I/S-DD R	<b>CEFTAVI</b> S R N	CEFTOTA SIRN	ΑZ	
	(specify species)	CIPRO/LEVO/MOXI SIRN		COL/PB <sup>†</sup> I R N	<b>DORI/IMI/I</b> S I R N	MERO	N <b>DOXY/MINO/TETRA</b> S I R N		<b>ERTA</b> SIRN		
		IMIREL SIRN	MERVAB SIRN	<b>NIT</b> SIRN	<b>PIPTAZ</b> SIRN	<b>TIG</b> SIRN	TMZ SIR N	<b>TOBRA</b> SIRN			
	Klebsiella pneumonia	<b>AMK</b> SIRN	AMPSUL/AMX SIRN	CLV	<b>AZT</b> SIRN	<b>CEFAZ</b> SIRN	<b>CEFTAZ</b> SIRN	CEFOT / CEFTRX	<b>CEFEP</b> S I/S-DD	R N	
	Klebsiella	CEFTAVI CEFTOTAZ SRN SIRN		CIPRO/ COL/PB LEVO/ IRN MOXI			<b>DORI/IMI/MERO</b> SIRN		<b>DOXY/MINO/TETRA</b> S I R N		
	oxytoca	<b>GENT</b> SIRN	<b>IMIREL</b> SIRN	SIRN MERVAB SIRN	<b>NIT</b> SIRN	<b>PIPTAZ</b> SIRN	<b>TIG</b> SIRN	<b>TMZ</b> SIRN	<b>TOBRA</b> SIRN		
	Klebsiella										



### **Urinary Tract Infection (UTI) for LTCF**

### Page 3 of

Pathogen #	Gram-negative Organisms (continued)											
	Pseudomonas aeruginosa	AMK SIRN	<b>AZT</b> SIRN	SIRN	CEFEP SIRN		<b>CEFTAVI</b> SRN	_	SIR N		CIPRO/LEVO SIRN	
acragea		COL/PB SIRN	DORI/IMI/N SIRN	MERO	GENT SIRN		PIPTAZ SIRN					
Pathogen #	Other Organism	ns										
	Organism 1 (specify)	Drug 1 S I R N	Drug 2 S I R N	Drug 3 S I R N	Drug 4 S I R N	Drug 5 S I R N	Drug 6 S I R N	Drug 7 S I R N		 lg 8 R N	Drug 9 S I R N	
	Organism 1 (specify)	Drug 1 S I R N	Drug 2 S I R N	Drug 3 S I R N	Drug 4 S I R N	Drug 5 S I R N	Drug 6 S I R N	Drug 7 S I R N		ug 8 R N	Drug 9 S I R N	
	Organism 1 (specify)	Drug 1 S I R N	Drug 2 S I R N	Drug 3 S I R N	Drug 4 S I R N	Drug 5 S I R N	Drug 6	Drug 7		ıg 8 R N	Drug 9 S I R N	

#### **Result Codes**

 $S = Susceptible \ I = Intermediate \ R = Resistant \ NS = Non-susceptible \ S-DD = Susceptible-dose dependent \ N = Not tested$ 

<sup>&</sup>lt;sup>†</sup> Clinical breakpoints are based on CLSI M100-ED30:2020, Intermediate MIC ≤ 2 and Resistant MIC ≥ 4

Drug Codes:					
AMK = amikacin	CEFTAR = ceftaroline	GENTHL = gentamicin –high level test	PB = polymyxin B		
AMP = ampicillin	CEFTAVI = ceftazidime/avibactam	IMI = imipenem	PIPTAZ = piperacillin/tazobactam		
AMPSUL = ampicillin/sulbactam	CEFTOTAZ = ceftolozane/tazobactam	IMIREL = imipenem/relebactam	RIF = rifampin		
AMXCLV = amoxicillin/clavulanic acid	CEFTRX = ceftriaxone	LEVO = levofloxacin	TETRA = tetracycline		
ANID = anidulafungin	CIPRO = ciprofloxacin	LNZ = linezolid	TIG = tigecycline		
AZT = aztreonam	CLIND = clindamycin	MERO = meropenem	TMZ = trimethoprim/sulfamethoxazole		
CASPO = caspofungin	COL = colistin	MERVAB = meropenem/vaborbactam	TOBRA = tobramycin		
CEFAZ= cefazolin	DAPTO = daptomycin	METH = methicillin	VANC = vancomycin		
CEFEP = cefepime	DORI = doripenem	MICA = micafungin	VORI = voriconazole		
CEFIX = cefixime	DOXY = doxycycline	MINO = minocycline			
CEFOT = cefotaxime	ERTA = ertapenem	MOXI = moxifloxacin			
CEFOX= cefoxitin	FLUCO = fluconazole	NIT = nitrofurantoin			
CEFTAZ = ceftazidime	GENT = gentamicin	OX = oxacillin			

 $<sup>\</sup>S$  GENTHL results: S = Susceptible/Synergistic and R = Resistant/Not Synergistic





# **Urinary Tract Infection (UTI) for LTCF**

Pane 4 of	
Custom Fields	
Custom Fields Label	Label
<u> </u>	
<del></del>	
<u> </u>	
Commonto	
Comments	