

Confirmation of HLA Typing

Registry Use Only Sequence Number: Date Received:	Public Burden Statement: An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The OMB control number for this project is 0915-0310. Public reporting burden for this collection of information, in combination with the IDM Form 2004 and HCT Infusion Form 2006, is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to HRSA Reports Clearance Officer, 5600 Fishers Lane Room 14N39, Rockville, Maryland, 20857.
CIBMTR Center Number:	
Event date: / /	
YYYY MM DD	
Product Identifiers:	
Registry donor ID:	
Non-NMDP cord blood unit ID:	
GRID:	_ _
ISBT DIN:	
Registry or UCB Bank ID:	
Donor DOB: YYYY / MM / DD	
Donor Age:	d)
Donor Sex	

OMB No: 0915-0310

CIBMTR Center Number:	CIBMTR Research ID:	
Donor/Cord Blood Unit Identification		
	NMDP allogeneic or syngeneic donors or recipients d through the NMDP, then report HLA typing on the a	
A separate copy of this form should be o	completed for each non-NMDP donor, recipient, or co	ord blood unit.
1. Specify the person for whom this typing is being done		
HLA Typing by DNA Technology		
2. Was documentation submitted to the	CIBMTR? (e.g. lab report)	☐ Yes ☐ No
HLA Alleles Defined by DNA Technology typing or Sequence Based (SBT) typing.	(e.g., Sequence Specific Oligonucleotide Probe (SS	SOP) typing, Sequence Specific Primer (SSP)
	a single allele, combinations of alleles (allele string his reason, the number of digits, as well as the num	
Transcribe the information onto the form	mbination of numbers and letters on the typing report as directly as possible. The letters are called allele possible alleles at a locus. The same allele combin 01:02, DRB1*01:01/02, or DRB1*01:AB).	codes, and will be 1 or more characters in
	th locus, unless the individual is presumed homozy, le designation in the first box, and the second allele ank.	
Class I		
3. Locus A		
☐ Known ———————————————————————————————————	4. First A* allele designations	
	Second A* allele designations	
5. Locus B		
☐ Known	6. First B* allele designations	
	Second B* allele designations	
7. Locus C		
☐ Known ☐ Unknown	8. First C* allele designations	
	Second C* allele designations	

CIBMTR Center Number:	CIBMTR Research ID:
Class II	
9. Locus DRB1 ☐ Known ☐ Unknown	10. First DRB1* allele designations
	Second DRB1* allele designations
Class II (Optional)	
Please provide the optional allele infor	mation if it is available from your laboratory
11. Locus DRB3 ☐ Known ☐ Unknown	12. First DRB3* allele designations
	Second DRB3* allele designations
13. Locus DRB4	
Unknown	14. First DRB4* allele designations
	Second DRB4* allele designations
15. Locus DRB5	
☐ Known ← ► ► ☐ Unknown	16. First DRB5* allele designations
	Second DRB5* allele designations
17. Locus DQB1	
☐ Known — ▶	18. First DQB1* allele designations
	Second DQB1* allele designations

CIBMTR Center Number:	CIBMTR Research ID:
19. Locus DPB1	
Unknown	20. First DPB1* allele designations
	Second DPB1* allele designations
21. Locus DQA1	
☐ Known	22. First DQA1* allele designations
	Second DQA1* allele designations
23. Locus DPA1	
☐ Known — → ☐ Unknown	24. First DPA1* allele designations
	Second DPA1* allele designations
Antigens Defined by Serologic Typing	
Use the following lists when reporting H typing for a known split antigen.	ILA-A and B antigens. Report broad antigens only when your laboratory was not able to confirm
Instructions for the use of the "X" Antig	en Specificity for Typing By Serology
"unknown but known to be different from th assumed to be the same as the other antig specificity, the "X" or "blank" is assumed to	d "X" antigen specificity: AX, BX, CX, DRX, DPX, and DQX. At this time an "X" specificity is defined as the other antigen at that locus." This is different from a blank specificity, which is defined as "unknown but ten at that locus." When comparisons between recipient and donor antigens involve an "X" or "blank" be homozygous for the antigen reported at the locus. In other words, the search algorithm treats typings me manner as known homozygous typings.
A Antigens	
25. Number of antigens provided	
One - Go to question 26, then co	ontinue with question 28
☐ Two - Go to questions 26-27	
	26. Specificity – 1st antigen
	□ A1
	☐ A2 ☐ A203
	☐ A210
	☐ A3

CIBMTR Center Number:	CIBMTR Research ID:
	☐ A9 ☐ A10
	☐ A11
	☐ A19
	☐ A23(9) ☐ A24(9)
	☐ A24(9) ☐ A2403
	☐ A25(10)
	☐ A26(10)
	☐ A28
	☐ A29(19)
	☐ A30(19)
	☐ A31(19)
	☐ A32(19)
	A33(19)
	☐ A34(10)
	☐ A36
	☐ A43
	☐ A66(10)
	☐ A68(28)
	☐ A69(28)
	☐ A74(19)
	☐ A80
	□ AX
	27. Specificity – 2nd antigen
	□ A1
	□ A2
	☐ A203
	☐ A210
	□ A3
	A9
	☐ A10
	☐ A11
	☐ A19
	☐ A23(9)
	☐ A24(9)
	☐ A2403
	☐ A25(10)
	☐ A26(10)
	☐ A28
	☐ A29(19)
	☐ A30(19)

CIBMTR Center Number:	CIBMTR Research ID:
B Antigens 28. Number of antigens provided One - Go to question 29, then co	□ A31(19) □ A32(19) □ A33(10) □ A36 □ A43 □ A66(10) □ A68(28) □ A74(19) □ A80 □ AX
☐ Two - Go to questions 29-30	munue with question 31
	29. Specificity – 1st antigen B5

CIBMTR Center Number:	CIBINITR Research ID:
□ B44(1	
□ B45(1 □ B46	2)
□ B47 □ B48	
	4)
□ B49(2 □ B50(2	
☐ B50(2	
☐ B51(3	
□ B5102	
□ B52(5	
□ B53	
□ B54(2	2)
□ B55(2	
□ B56(2	
□ B57(1	
☐ B58(1	
□ B59	
☐ B60(4	0)
☐ B61(4	
☐ B62(1	
☐ B63(1	
☐ B64(1	
☐ B65(1	4)
□ B67	
□ B70	
☐ B71(7	
☐ B72(7	0)
□ B73	
☐ B75(1	
☐ B76(1	
☐ B77(1	5)
□ B78	
□ B81	
☐ B82	
□вх	
30. Specificity	y − 2nd antigen
□ B5	
□ B7	
☐ B703	
□ B8	
□ B12	

CIBMTR Center Number:	CIBMTR Research ID:	
	☐ B13	
	☐ B14	
	☐ B15	
	☐ B16	
	☐ B17	
	☐ B18	
	☐ B21 —	
	☐ B22 —	
	☐ B27	
	☐ B2708	
	☐ B35	
	☐ B37	
	☐ B38(16)	
	☐ B39(16)	
	☐ B3901 ☐ B3902	
	☐ B40	
	☐ B4005	
	☐ B41	
	☐ B42	
	☐ B44(12)	
	☐ B45(12)	
	□ B46	
	□ B47	
	□ B48	
	☐ B49(21)	
	☐ B50(21)	
	☐ B51(5)	
	☐ B5102	
	☐ B5103	
	☐ B52(5)	
	☐ B53	
	☐ B54(22)	
	☐ B55(22)	
	☐ B56(22)	
	☐ B57(17)	
	☐ B58(17)	
	☐ B59	
	☐ B60(40)	
	☐ B61(40)	
	☐ B62(15)	
	☐ B63(15)	
	☐ B64(14)	
	☐ B65(14)	

CIBINITR Center Number:	CIBMTR Research ID:
	B67 B70 B71(70) B72(70) B73 B75(15) B76(15) B77(15) B78 B81 B82 BX
Optional Antigen Reporting	
Antigens Defined by Serologic Typing	antigen information if it is available from your laboratory.
C Antigens	
31. Number of antigens provided:	
One - Go to question 32, then c	continue with question 34
☐ Two - Go to questions 32-33	
	32. Specificity – 1st antigen Cw1 Cw2 Cw3 Cw4 Cw5 Cw6 Cw7 Cw8 Cw8 Cw9(w3) Cw10(w3)
	33. Specificity – 2nd antigen Cw1 Cw2 Cw3 Cw4 Cw5 Cw6

JBMTR Center Number:	CIBINTR Research ID:	
	☐ Cw7 ☐ Cw8 ☐ Cw9(w3) ☐ Cw10(w3) ☐ CX	
Bw Specificity		
34. Specificity Bw4 present?35. Specificity Bw6 present?		□ N
DR Antigens		
36. Number of antigens provided ☐ One - Go to question 37, then ☐ Two - Go to questions 37-38	continue with question 39	
	37. Specificity – 1st antigen DR1 DR103 DR2 DR3 DR4 DR5 DR6 DR7 DR8 DR9 DR100 DR11(5) DR12(5) DR13(6) DR14(6) DR1403 DR1404 DR15(2) DR16(2) DR17(3) DR18(3) DRX	
	38. Specificity – 2nd antigen ☐ DR1 ☐ DR103 ☐ DR2	

CIBMTR Center Number:	· —— ——	CIBINITR Researc	 	
	☐ DR3 ☐ DR4 ☐ DR5 ☐ DR6 ☐ DR7 ☐ DR8 ☐ DR9 ☐ DR10 ☐ DR11(5) ☐ DR12(5) ☐ DR13(6) ☐ DR14(6) ☐ DR1403 ☐ DR1404 ☐ DR15(2) ☐ DR16(2) ☐ DR17(3) ☐ DR18(3) ☐ DRX			
DR51 Antigen				
39. Specificity DR51 present?			Yes	☐ No
DR52 Antigen				
40. Specificity DR52 present?			☐ Yes	☐ No
DR53 Antigen				
41. Specificity DR53 present?			☐ Yes	□No
DQ Antigens				
42. Number of antigens provided ☐ One - Go to question 43, then co	ntinue with auestion 45			
☐ Two - Go to questions 43-44	manue wan question 40			
	43. Specificity – 1st a DQ1 DQ2 DQ3 DQ4 DQ5(1) DQ6(1) DQ7(3) DQ8(3)	ntigen		

CIBMTR Center Number:	CIBMTR Research ID:
	□ DQ9(3) □ DQX 44. Specificity – 2nd antigen □ DQ1 □ DQ2 □ DQ3 □ DQ3 □ DQ4 □ DQ5(1) □ DQ6(1) □ DQ7(3) □ DQ7(3) □ DQ8(3) □ DQ9(3) □ DQX
DP Antigens	
45. Number of antigens provided ☐ One - Go to question 46, then co ☐ Two - Go to questions 46-47	entinue with signature line
	46. Specificity – 1st antigen DPw1 DPw2 DPw3 DPw4 DPw5 DPw6 DPX
	47. Specificity – 2nd antigen DPw1 DPw2 DPw3 DPw4 DPw5 DPw6 DPX
First Name (person completing form):	
Last Name:	
E-mail address:	
Date://	