

TABLE 1. Patient Characteristics for Intervention and Standard-of-Care Groups by Clinic to Decrease Falls

Data source: Electronic Health Record

Characteristic	Full STEADI n (%)	PT arm n (%)	Clinic A		Full STEADI n (%)
			Medication Arm n (%)	Control n (%)	
Sex					
Female					
Male					
Race					
Black					
White					
Asian					
Other					
Unknown					
Ethnicity					
Non-Hispanic					
Hispanic					
Unknown					
Age categories					
65-69					
70-74					
75-79					
80+					
Insurance Type					
Private					
Public					
Uninsured or unknown					
Identified as High Risk					
High Risk					

Clinic B

PT arm n (%)	Medication Arm n (%)	Control n (%)
-----------------	-------------------------	------------------

TABLE 2. Selected Process Measures for STEADI Control and Treatment Groups across 2 Clinical Implementations
 Data sources: Electronic Health Record, Patient Survey Information

	Full STEADI Arm n (%)	PT Arm n (%)	Clir
Screening Assessment information			
STEADI Fall Risk Screener			
Determined at Risk and Study Eligible			
Risk Ascertainment Performed			
Timed Up and Go Test			
30 Second Chair Stand			
4 Stage Balance Test			
Visual Acuity			
Postural dizziness/postural hypotension			
Medication Review			
Falls History			
Foot and Footwear Check			
Assessing Comorbidities			
Home Health Hazards			
Day of Service Interventions			
Referral to Community Programs			
Change in Dosage or Type of Medication			
Referral to Physical Therapy Provider			
Referral to Eye Health Provider			
Referral/Same Day Management of Hypotension			
Referral/Same Day Management of Foot and Footwear Problems			
Patient Self Reported Process Indicators			
Patient accessed community based services			
Patient changed their medication			
Patient visited a physical therapist			
Patient visited an eye health provider			
Patient reported improvements in hypotension			
Patient reported new footwear and or foot health			
Patient reported modifications of their home			
Clinically observed Process Indicators			
Elimination of benzodiazapine prescription			
Elimination of opioid prescription			
Reduced dosage of benzodiazapine, opioid, or both			
Other medication modification			
Observed physical therapist visit			
Observed eye health provider visit			
Clinically documented improvement in hypotension			

tion Sites

inic A

Medication Arm
n (%)

Control
n (%)

Full STEADI Arm
n (%)

PT Arm
n (%)

Clinic B

Medication Arm n (%)	Control n (%)
-------------------------	------------------

TABLE 3. Estimated Adjusted Risk Ratio and 95% Confidence Interval of Risk of Falls Compared With Standard-of-Data sources: Electronic Health Record, patient survey information on falls

Testing group	Full STEADI Arm ARR (95% CI)	PT Arm ARR (95% CI)	Medication Arm ARR (95% CI)
Control	Reference	Reference	Reference
Treatment			
Patient characteristics			
Sex			
Female			
Male			
Race			
Black			
White			
Asian			
Other			
Unknown			
Ethnicity			
Non-Hispanic			
Hispanic			
Unknown			
Median household income of ZIP code of residence*			
<\$30,000			
\$30,000-\$49,999			
\$50,000-\$69,999			
\$70,000-\$99,999			
>=\$100,000			
Unknown			
Age categories			
65-69			
70-74			
75-79			
80-84			
85-89			
90+			
Insurance Type			
Private			
Public			
Uninsured or unknown			

ARR=Adjusted Risk Ratio

·Care Testing by intervention type and Patient Characteristics

TABLE 4. Estimated Adjusted Risk Ratio and 95% Confidence Interval of Risk of Falls for Patients With
 Data source: Statistical analyses on information reported in Tables 1 and 2

Patient characteristics	Full STEADI ARR (95% CI)	PT Arm ARR (95% CI)	Medication Arm ARR (95% CI)
Sex			
Female	Reference	Reference	Reference
Male			
Race			
Black			
White	Reference	Reference	Reference
Asian			
Other			
Unknown			
Ethnicity			
Non-Hispanic	Reference	Reference	Reference
Hispanic			
Unknown			
Median household income of ZIP code of residence*			
<\$30,000			
\$30,000-\$49,999			
\$50,000-\$69,999	Reference	Reference	Reference
\$70,000-\$99,999			
>=\$100,000			
Unknown			
Age categories			
65-69			
70-74			
75-79			
80-84			
85-89			
90+			
Insurance Type			
Private	Reference	Reference	Reference
Public			
Uninsured or unknown			

ARR=Adjusted Risk Ratio

in the Intervention Group

TABLE 5. Number of Patients, and Number of Patients Who Fell
 Data sources: Electronic Health Record, Patient Survey

	Patients Screened	Patients at High Risk	Patients Who Received at Least One Risk Modification	Patients Who Complied with at Least One Risk Modification
	n (%)	n (%)	n (%)	n (%)
Study Arm				
Full STEADI				
Treatment				
PT Arm				
Medication Arm				
Control				

Patients who fell Total Falls

n (%)

n (%)