

TODAY'S DATE

M M D D Y Y

Your confidential ID number is the first two letters of your FIRST name, the first two letters of your LAST name, the MONTH of your birth, and the DAY of your birth.

FN	FN	LN	LN	M	M	D	D

CONFIDENTIAL IDENTIFIER

Intensive Post-Course Evaluation

Public reporting burden of this collection of information is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0920-0995).

very unsatisfied ①

very unsatisfied ②

very unsatisfied ③

very unsatisfied ④

strongly disagree ①

S1. How satisfied were you with your overall learning experience?

② ③ ④ ⑤ very satisfied

S2. How satisfied were you with the quality of the content?

② ③ ④ ⑤ very satisfied

S3. How satisfied were you with the trainer(s)?

② ③ ④ ⑤ very satisfied

S4. How satisfied were you with the teaching methods?

② ③ ④ ⑤ very satisfied

A1. The training is relevant to my work.

② ③ ④ ⑤ Strongly agree

A2. The training will improve the way I do my work.

strongly disagree ① ② ③ ④ ⑤ Strongly agree

CE3. Were the learning objectives for this training met?

- Yes
- No

K1bef. How much did you know about the topics covered in this session BEFORE this training?

no knowledge ① ② ③ ④ ⑤ all the knowledge

K1aft. How much do you know AFTER the training?

no knowledge ② ③ ④ ⑤ all the knowledge

SK1bef. How confident were you in your ability to perform the practices taught in this session, BEFORE this training?

Not at all confident ② ③ ④ ⑤ Very confident

SK1aft. How confident are you AFTER the training?

Not at all confident ② ③ ④ ⑤ Very confident

A3. I will use what I learned in this training in my work.

strongly disagree ① ② ③ ④ ⑤ Strongly agree

A5. As a result of information presented, do you intend to make changes in your practice or at your worksite setting?

- Yes
- No
- Not my job
- Other reason (please specify) _____

A5a. If yes, please list at least one intended change. _____

	As a result of the information presented do you intend to...	Yes	No	I already do this
SGCH1	Use the CDC STD Treatment Guidelines in your practice?	1	0	2
SGCH2	Download the CDC STD Treatment Guidelines app?	1	0	2
SGCH3	Use the STD Treatment Guidelines wall chart or pocket guide?	1	0	2
SGCH4	Send a consult to the STD Clinical Consultation Network? www.stdccn.org	1	0	2

	As a result of the information presented do you intend to... (Select 'Not Applicable' if the training did not cover the content area listed)	Yes	No	I already do this	N/A
SGCH5	Increase the proportion of your sexually active asymptomatic female patients under age 25 screened annually for urogenital chlamydia and gonorrhea?	1	0	2	3
SGCH6	Increase the proportion of your male patients who have sex with men screened for syphilis, gonorrhea, and chlamydia at least annually?	1	0	2	3
SGCH7	Use CDC-recommended antibiotic therapy to treat uncomplicated gonorrhea?	1	0	2	3
SGCH8	Recommend rescreening in 3 months following a gonorrhea, chlamydia or trichomonas diagnosis?	1	0	2	3

S5. What could improve this training? _____

S6. What would make the training more useful for your practice or job? _____

S7. What additional topic(s) would you like to be covered in future trainings? _____

CE1 Do you believe this training was influenced by commercial interests?

- Yes
- No

CE2 Was the training evidence-based?

- Yes
- No

The following questions ask you to rate your confidence providing STD care in six main categories.

Your responses will help us understand if the training is helpful for your practice.

CHLAMYDIA

LOC1bef How confident were you in your ability to describe how chlamydia infections present clinically, BEFORE the training?

not at all confident ① ② ③ ④ ⑤ very confident

LOC1aft How confident are you AFTER the training?

not at all confident ○ ○ ○ ○ ○ very confident

LOC2bef How confident were you in your ability to describe the current CDC screening recommendations for chlamydia, including extra-genital screening BEFORE the training?

not at all confident ○ ○ ○ ○ ○ very confident

LOC2aft How confident are you AFTER the training?

not at all confident ○ ○ ○ ○ ○ very confident

LOC3bef How confident were you in your ability to obtain or instruct patients to collect the recommended specimens from indicated sites to diagnose chlamydia BEFORE the training?

not at all confident ① ② ③ ④ ⑤ very confident 77 NA

LOC3aft How confident are you AFTER the training?

not at all confident ○ ○ ○ ○ ○ very confident ○ NA

LOC4bef How confident were you in your ability to treat patients diagnosed with chlamydia and related anogenital syndromes based on the most current CDC treatment recommendations BEFORE the training?

not at all confident ○ ○ ○ ○ ○ very confident ○ NA

LOC4aft How confident are you AFTER the training?

not at all confident ○ ○ ○ ○ ○ very confident ○ NA

PPC1bef Approximately what % of sexually active asymptomatic female patients under age 25 did you screen annually for chlamydia BEFORE this training?

0% 1-25% 26-50% 51-75% 76-90% >91% NA
① ② ③ ④ ⑤ ⑥ 77

PPC1aft What % do you intend to screen AFTER the training?

0% 1-25% 26-50% 51-75% 76-90% >91% NA
○ ○ ○ ○ ○ ○ ○

PPC2bef Approximately what % of pregnant patients under age 25 did you screen for chlamydia BEFORE this training?

0% 1-25% 26-50% 51-75% 76-90% >91% NA
○ ○ ○ ○ ○ ○ ○

PPC2aft What % do you intend to screen AFTER the training?

0% 1-25% 26-50% 51-75% 76-90% >91% NA
○ ○ ○ ○ ○ ○ ○

GONORRHEA

LOG1bef How confident were you in your ability to describe how gonorrhea infections present clinically BEFORE this training?

not at all confident very confident

LOG1aft How confident are you AFTER the training?

not at all confident very confident

LOG2bef How confident were you in your ability to describe the current CDC screening recommendations for gonorrhea, including extra-genital screening BEFORE this training?

not at all confident very confident

LOG2aft How confident are you AFTER the training?

not at all confident very confident

LOG3bef How confident were you in your ability to obtain or direct patients to collect the recommended specimens from indicated sites to diagnose gonorrhea BEFORE this training?

not at all confident ① ② ③ ④ ⑤ very confident 77 NA

LOG3aft How confident are you AFTER the training?

not at all confident very confident NA

LOG4bef How confident were you in your ability to treat patients with gonorrhea according to current CDC recommendations in light of antibiotic resistance in *N. gonorrhoeae* BEFORE this training?

not at all confident very confident NA

LOG4aft How confident are you AFTER the training?

not at all confident very confident NA

PPG1bef Approximately what % of sexually active asymptomatic female patients under 25 did you screen annually for gonorrhea BEFORE this training?

0% 1-25% 26-50% 51-75% 76-90% >91% NA
① ② ③ ④ ⑤ ⑥ 77

PPG1aft What % do you intend to screen AFTER the training?

0% 1-25% 26-50% 51-75% 76-90% >91% NA

PPG2bef Approximately what % of pregnant patients under age 25 did you screen for gonorrhea BEFORE this training?

0% 1-25% 26-50% 51-75% 76-90% >91% NA

PPG2aft What % do you intend to screen AFTER the training?

0% 1-25% 26-50% 51-75% 76-90% >91% NA

PPG3bef Approximately what % of sexually active male patients who have sex with men did you screen annually for urogenital and extragenital gonorrhea and chlamydia BEFORE this training?

0% 1-25% 26-50% 51-75% 76-90% >91% NA

PPG3aft What % do you intend to screen AFTER the training?

0% 1-25% 26-50% 51-75% 76-90% >91% NA

SYPHILIS

LOS1bef How confident were you in your ability to identify the stages of syphilis based on their clinical manifestations BEFORE this training?

not at all confident very confident

LOS1aft How confident are you AFTER the training?

not at all confident very confident

LOS2bef How confident were you in your ability to describe current CDC screening recommendations for syphilis BEFORE this training?

not at all confident very confident

LOS2aft How confident are you AFTER the training?

not at all confident very confident

LOS3bef How confident were you in your ability to order and interpret the CDC recommended serologic tests to diagnose syphilis BEFORE this training?

not at all confident ① ② ③ ④ ⑤ very confident 77 NA

LOS3aft How confident are you AFTER the training?

not at all confident very confident NA

LOS4bef How confident were you in your ability to clinically manage patients diagnosed with syphilis based on CDC treatment, follow-up, and partner management recommendations BEFORE this training?

not at all confident very confident NA

LOS4aft How confident are you AFTER the training?

not at all confident very confident NA

PPS1bef Approximately what % of your male patients who have sex with men did you screen at least once a year for syphilis BEFORE this training?

0% 1-25% 26-50% 51-75% 76-90% >91% NA

PPS1aft What % do you intend to screen AFTER the training?

0% 1-25% 26-50% 51-75% 76-90% >91% NA

PPS2bef Approximately what % of your pregnant patients did you screen for syphilis BEFORE this training?

0% 1-25% 26-50% 51-75% 76-90% >91% NA

PPS2aft What % do you intend to screen AFTER the training?

0% 1-25% 26-50% 51-75% 76-90% >91% NA

PPS3bef Approximately what % of your patients recently diagnosed with syphilis did you test for HIV BEFORE this training?

0% 1-25% 26-50% 51-75% 76-90% >91% NA

PS3aft What % do you intend to screen AFTER the training?
 0% 1-25% 26-50% 51-75% 76-90% >91% NA

HUMAN PAPILLOMAVIRUS (HPV)

LOHPV1bef How confident were you in your ability to describe the pathogenesis of genital HPV and identify it clinically BEFORE this training?

not at all confident very confident

LOHPV1aft How confident are you AFTER the training?

not at all confident very confident

LOHPV2bef How confident were you in your ability to describe the national cervical cancer screening recommendations, including HPV testing, BEFORE this training?

not at all confident very confident

LOHPV2aft How confident are you AFTER the training?

not at all confident very confident

LOHPV3bef How confident were you in your ability to treat genital warts BEFORE the training?

not at all confident ① ② ③ ④ ⑤ very confident 77 NA

LOHPV3aft How confident are you AFTER the training?

not at all confident very confident NA

LOHPV4bef How confident were you in your ability to describe CDC/ACIP recommendations for HPV vaccination BEFORE this training?

not at all confident very confident

LOHPV4aft How confident are you AFTER the training?

not at all confident very confident

PPHPV1bef With approximately what % of your non-vaccinated female patients ages 11 through 26 did you discuss HPV vaccination during a preventive health visit BEFORE this training?

0% 1-25% 26-50% 51-75% 76-90% >91% NA

PPHPV1aft With what % do you intend to discuss this AFTER the training?

0% 1-25% 26-50% 51-75% 76-90% >91% NA

PPHPV2bef With approximately what % of your non-vaccinated male patients ages 11 through 21 did you discuss HPV vaccination during a preventive health visit BEFORE this training?

0% 1-25% 26-50% 51-75% 76-90% >91% NA

PPHPV2aft With what % do you intend to discuss this AFTER the training?

0% 1-25% 26-50% 51-75% 76-90% >91% NA

PPHPV3bef With approximately what % of your non-vaccinated male patients age 26 or under who have sex with

men or are HIV+ did you discuss HPV vaccination during a preventive health visit BEFORE this training?

0% 1-25% 26-50% 51-75% 76-90% >91% NA

PPHPV3aft With what % do you intend to discuss this AFTER the training?

0% 1-25% 26-50% 51-75% 76-90% >91% NA

CONDUCTING A SEXUAL HISTORY

LOSH1bef How confident were you in your ability to describe the major components (5 P's) of a routine sexual history BEFORE this training?

not at all confident very confident

LOSH1aft How confident are you AFTER the training?

not at all confident very confident

LOSH2bef How confident were you in your ability to demonstrate respectful, non-judgmental communication skills to discuss sexual practices, sexual risks, and risk reduction strategies with patients BEFORE this training?

not at all confident ① ② ③ ④ ⑤ very confident 77 NA

LOSH2aft How confident are you AFTER the training?

not at all confident very confident NA

PPSH1bef For approximately what % of patients older than 15 seeing you for a preventive health visit did you take a sexual history that asks about behaviors that could put them at risk of getting or transmitting an STD BEFORE this training?

0% 1-25% 26-50% 51-75% 76-90% >91% NA

PPSH1aft What % do you intend to ask about risk behaviors AFTER the training?

0% 1-25% 26-50% 51-75% 76-90% >91% NA

PPSH2bef For approximately what % of patients older than 15 seeing you for a preventive health visit did you take a sexual history that asked whether they had oral, vaginal, or anal sex BEFORE this training?

0% 1-25% 26-50% 51-75% 76-90% >91% NA

PPSH2aft What % do you intend to ask whether they had oral, vaginal, or anal sex AFTER the training?

0% 1-25% 26-50% 51-75% 76-90% >91% NA

EXPEDITED PARTNER THERAPY

EPT As a result of the information presented do you intend to provide Expedited Partner Therapy (EPT) to heterosexual partners of those diagnosed with gonorrhea and/or chlamydia?

① Yes

- Ⓐ No
- Ⓑ Not applicable to my practice or job
- Ⓒ Not allowed in my state/practice
- Ⓓ My practice/worksites is in the planning stages to offer EPT
- Ⓔ My practice/worksites already offers EPT
- Ⓕ EPT was not discussed

SKILLS

SK2bef How confident were you in your ability to list the steps in the appropriate order for conducting an STD-oriented male genital exam BEFORE this training?

not at all confident very confident

SK2aft How confident are you AFTER the training?

not at all confident very confident

SK3bef How confident were you in your ability to identify the testis, epididymis and spermatic cord by palpation BEFORE this training?

not at all confident very confident

SK3aft How confident are you AFTER the training?

not at all confident very confident

SK4bef How confident were you in your ability to use or direct patients to use the correct techniques to obtain STD test specimens for male patients BEFORE this training?

not at all confident very confident

SK4aft How confident are you AFTER the training?

not at all confident very confident

SK5bef How confident were you in your ability to list the steps in the appropriate order for conducting an STD-oriented female genital exam BEFORE this training?

not at all confident very confident

SK5aft How confident are you AFTER the training?

not at all confident very confident

SK6bef How confident were you in your ability to palpate the uterus and adnexa by bimanual exam BEFORE this training?

not at all confident very confident

SK6aft How confident are you AFTER the training?

not at all confident very confident

SK7bef How confident were you in your ability to use or direct patients to use the correct techniques to obtain STD test specimens for female patients BEFORE this training?

not at all confident very confident

SK7aft How confident are you AFTER the training?

not at all confident very confident