



Data Items by Diagnosis Year 1995-2020

| Item # | Record ID and Demographic Section—(Name and [Number]) | Required Status 1995–2020 | New | Footnote |
|--------|---|------------------------------|-----|--------------------|
| 10 | Record Type | Yes | | |
| 20 | Patient ID Number (unique) | Yes | | |
| 40 | Registry ID | Yes | | |
| 50 | NAACCR Record Version | Yes | | |
| 80 | Address at Dx—State | Yes | | |
| 89 | County at DX Analysis | Yes | | |
| 90 | County at Dx Reported | Yes | | 1 |
| 95 | County at Dx GeoCode 2000 | Yes | | |
| 96 | County at Dx GeoCode 2010 | Yes | | |
| 3310 | Rural-Urban Continuum/Beale Code 2003 | Yes | | 1 |
| 3312 | Rural-Urban Continuum/Beale Code 2013 | Yes | | 1 |
| 100 | Address at Dx—Postal Code | Yes | | |
| 130 | Census Tract 2000 | Yes | | 2 |
| 135 | Census Tract 2010 | Yes | | 2 |
| 145 | Census Tract Poverty Indicator | Yes | | 19 |
| 365 | Census Tr Certainty 2000 | Yes | | 2 |
| 367 | Census Tr Certainty 2010 | Yes | | 2 |
| 160 | Race 1 | Yes | | |
| 161 | Race 2 | Yes | | |
| 162 | Race 3 | Yes | | |
| 163 | Race 4 | Yes | | |
| 164 | Race 5 | Yes | | |
| 190 | Spanish/Hispanic Origin | Yes | | |
| 191 | NHIA Derived Hisp Origin | Yes | | 3 |
| 192 | IHS Link | Yes | | 4 |
| 193 | Race--NAPIIA | Yes | | 3 |
| 220 | Sex | Yes | | |
| 230 | Age at Diagnosis | Yes | | |
| 240 | Date of Birth | Yes | | |
| 241 | Date of Birth Flag | Yes | | |
| 252 | Birthplace State | Yes | | |
| 254 | Birthplace Country | Yes | | |
| Item # | Cancer Identification Section—(Name and [Number]) | Required Status 1995–2020 | | |
| 380 | Sequence Number—Central | Yes | | |
| 390 | Date of Diagnosis | Yes | | |
| 391 | Date of Diagnosis Flag | Yes | | |
| 400 | Primary Site | Yes | | |
| 410 | Laterality | Yes | | |
| 440 | Grade | Yes | | |

| | | | | |
|------|--------------------------|--------------|--|--------------------|
| 3843 | Grade Clinical | Yes | | 24 |
| 3844 | Grade Pathological | Yes | | 24 |
| 3845 | Grade Post Therapy | Yes | | 24 |
| 490 | Diagnostic Confirmation | Yes | | |
| 500 | Type of Reporting Source | Yes | | |
| 501 | Casefinding Source | As available | | 18 |
| 522 | Histologic Type ICD-O-3 | Yes | | 5 |
| 523 | Behavior Code ICD-O-3 | Yes | | 5 |
| 630 | Primary Payer at DX | As available | | |
| 2152 | CoC Accredited Flag | Yes | | 24 |

| Treatment First Course Section—(Name and [Number]) | | Required Status 1995–2020 | | |
|--|--------------------------------------|------------------------------|--|-------------------|
| Item # | | | | |
| 1260 | Date of Initial Rx—SEER | Yes | | 6 |
| 1261 | Date of Initial Rx Flag | Yes | | 6 |
| 1270 | Date of 1st Crs Rx—COC | Yes | | 6 |
| 1271 | Date of 1st Crs Rx Flag | Yes | | 6 |
| 3170 | RX Date Mst Defn Srg | Yes | | 7 |
| 3171 | RX Date Mst Defn Srg Flag | Yes | | 7 |
| 1200 | RX Date Surgery | Yes | | 7 |
| 1201 | RX Date Surgery Flag | Yes | | 7 |
| 1290 | Rx Summ—Surg Primary Site | Yes | | 7 |
| 1292 | Rx Summ—Scope Reg LN Sur | Yes | | 7 |
| 1294 | Rx Summ—Surg Oth Reg/Dis | Yes | | 7 |
| 1340 | Reason for No Surgery | Yes | | 7 |
| 1210 | RX Date Radiation | Yes | | 7 |
| 1211 | RX Date Radiation Flag | Yes | | 7 |
| 1360 | RX Summ—Radiation | As available | | 7 |
| 1380 | RX Summ—Surg/Rad Seq | Yes | | 7 |
| 1430 | Reason for No Radiation | Yes | | 7 |
| 1220 | RX Date Chemo | Yes | | 7 |
| 1221 | RX Date Chemo Flag | Yes | | 7 |
| 1390 | Rx Summ—Chemo | Yes | | 7 |
| 1230 | RX Date Hormone | Yes | | 7 |
| 1231 | RX Date Hormone Flag | Yes | | 7 |
| 1400 | Rx Summ—Hormone | Yes | | 7 |
| 1240 | RX Date BRM | Yes | | 7 |
| 1241 | RX Date BRM Flag | Yes | | 7 |
| 1410 | Rx Summ—BRM | Yes | | 7 |
| 1250 | RX Date Other | Yes | | 7 |
| 1251 | RX Date Other Flag | Yes | | 7 |
| 1420 | Rx Summ—Other | Yes | | 7 |
| 1506 | Phase I Radiation Treatment Modality | Yes | | 7 |
| 1570 | Rad—Regional Rx Modality | Yes | | 7 |
| 1639 | RX Summ—Systemic/Sur Seq | Yes | | 7 |
| 3250 | RX Summ--Transplant/Endocr | Yes | | 7 |
| 1285 | RX Summ--Treatment Status | Yes | | 7 |

| Stage/Prognostic Factors Section—(Name and [Number]) | | Required Status 1995–2020 | | |
|--|--|------------------------------|--|--|
| Item # | | | | |

| 820 | Regional Nodes Positive | Yes | | 17 |
|--|---|---------------------------|------------|--------------------|
| 830 | Regional Nodes Examined | Yes | | 17 |
| 759 | SEER Summary Stage 2000 | Yes | | 8 |
| 760 | SEER Summary Stage 1977 | Yes | | 8 |
| 764 | SEER Summary Stage 2018 | Yes | | 8 |
| 756 | Tumor Size Summary | Yes | | 9 |
| 995 | AJCC ID | Yes | NEW | 24 |
| 2800 | CS Tumor Size | Yes | | 9 |
| 2810 | CS Extension | Yes | | 12 |
| | CS Site-Specific Factor 1 for: | | | |
| | C50 (breast) | Yes | | 11 |
| | C70.0-C70.9, C71.0-C71.9, C72.0-C72.9, C75.1-C75.3 (brain, CNS) | Yes | | 20 |
| 2880 | C619 (prostate) | As available | | |
| 2890 | CS Site-Specific Factor 2 for C50 (breast) | Yes | | 11 |
| 2862 | CS Site-Specific Factor 8 for C619 (prostate) | As available | | |
| 2864 | CS Site-Specific Factor 10 for C619 (prostate) | As available | | |
| 2869 | CS Site-Specific Factor 15 for breast (C50) | Yes | | 21 |
| | | | | 12 |
| 3020 | Derived SS2000 | Yes | | 16 |
| 3769 | Over-ride CS 20 | Yes | | 16 |
| 3800 | Schema ID | Yes | | 24 |
| 3816 | Brain Molecular Markers | Yes | | 24 |
| 3817 | Breslow Tumor Thickness | Yes | NEW | 24 |
| 3827 | Estrogen Receptor Summary | Yes | | 24 |
| 3855 | HER2 Overall Summary | Yes | | 24 |
| 3915 | Progesterone Receptor Summary | Yes | | 24 |
| 3920 | PSA (Prostatic Specific Antigen) Lab Value | Yes | | 24 |
| 3926 | Schema Discriminator 1 | Yes | | 24 |
| 3927 | Schema Discriminator 2 | Yes | | 24 |
| Follow-Up/Recurrence/Death Section—(Name and [Number]) | | Required Status 1995–2020 | | |
| Item # | | | | |
| 1750 | Date of Last Contact | Yes | | |
| 1751 | Date of Last Contact Flag | Yes | | |
| 1760 | Vital Status | Yes | | |
| 1762 | Vital Status Recode | As available | | |
| 1775 | Record Number Recode | Yes | | |
| 1782 | Surv-Date Active Followup | As available | | 22 |
| 1783 | Surv-Flag Active Followup | As available | | 22 |
| 1784 | Survival Months Active Followup | As available | | 22 |
| 1785 | Surv-Date Presumed Alive | As available | | 22 |
| 1786 | Surv-Flag Presumed Alive | As available | | 22 |
| 1787 | Survival Months Presumed Alive | As available | | 22 |
| 1788 | Surv-Date Dx Recode | As available | | |
| 1790 | Follow-Up Source | As available | | 14 |
| 1791 | Follow-Up Source Central | As available | | 14 |
| 1910 | Cause of Death | Yes | | |
| 1914 | SEER Cause-Specific COD | As available | | |

| 1915 | SEER Other COD | As available | | |
|---|--|---------------------------|------------|--------------------|
| 1920 | ICD Revision Number | As available | | |
| Over-Rides/Conversion/System Admin. Section—(Name and [Number]) | | Required Status 1995–2020 | | |
| Item # | | | | |
| 1990 | Over-Ride Age/Site/Morph | Yes | | |
| 2000 | Over-Ride SeqNo/DxConf | Yes | | |
| 2010 | Over-Ride Site/Lat/Sequence Number | Yes | | |
| 2020 | Over-Ride Surg/Dxconf | Yes | | |
| 2030 | Over-Ride Site/Type | Yes | | |
| 2040 | Over-Ride Histology | Yes | | |
| 2050 | Over-Ride Report Source | Yes | | |
| 2060 | Over-Ride Ill-define Site | Yes | | |
| 2070 | Over-Ride Leuk, Lymphoma | Yes | | |
| 2071 | Over-Ride Site/Behavior | Yes | | |
| 2074 | Over-Ride Site/Lat/Morph | Yes | | |
| NPCR Site-Specific Field | | Required Status 1995–2020 | | |
| Item # | | | | |
| 9980 | EDP MDE Link | Yes | | 15 |
| 9981 | EDP MDE Link Date | Yes | | 15 |
| 9960 | Height | As available | | 13 |
| 9961 | Weight | As available | | 13 |
| 9965 | Tobacco Use Cigarettes | As available | | 13 |
| 9966 | Tobacco Use Smoke | As available | | 13 |
| 9967 | Tobacco Use Smokeless | As available | | 13 |
| 9968 | Tobacco Use NOS | As available | | 13 |
| 9990 | IHS Purchased/Referred Care Delivery Area (PRCDA) | Yes | | 23 |
| 9991 | Urban Indian Health Organization (UIHO) | Yes | | 23 |
| 9405 | 2018-2019 Congressional Districts (tract-based) | Yes | NEW | 23 |
| 9993 | EPHT Sub-County Areas (tract-based) | Yes | NEW | 23 |

NOTE 1: Code “999” for unknown and invalid. Do not include cases with code “998” in the submission file. **If State law** precludes the registry from identifying specific counties on a file of individual records, recode all valid county codes to “000” and convert county codes to the derived Rural Urban Continuum variables. **The Rural Urban Continuum variables are required only if County at Dx Reported is not submitted.** See Submission Specifications document for more details.

| | | | | |
|---|---------------------------------------|-----|--|--|
| 90 | County at Dx Reported | Yes | | |
| 3310 | Rural-Urban Continuum/Beale Code 2003 | Yes | | |
| 3312 | Rural-Urban Continuum/Beale Code 2013 | Yes | | |
| NOTE 2: Census Tract 2000 [130] is recommended for reportable cases diagnosed in 1998-2002 and required for reportable cases diagnosed in 2003-2009. Census Tract 2010 [135] is required for reportable cases diagnosed in 2010 and later. | | | | |
| 130 | Census Tract 2000 | Yes | | |
| 135 | Census Tract 2010 | Yes | | |
| 365 | Census Tr Certainty 2000 | Yes | | |
| 367 | Census Tr Certainty 2010 | Yes | | |

| | | | | |
|--|---------------------------|--------------|--------------------------------|------------------------------------|
| NOTE 3: Report the results from the NAACCR*Prep Program. See the Submission Specifications document and/or Attachment 1 for more details. Please note that code 9, unknown, is not a valid code for the NHIA data item. | | | | |
| 191 | NHIA Derived Hisp Origin | Yes | | |
| 193 | Race--NAPIIA | Yes | | |
| NOTE 4: Report the results of cases submitted for IHS linkage using codes 0 or 1. See the Submission Specifications document for further details. | | | | |
| 192 | IHS Link | Yes | | |
| NOTE 5: For reportable cases diagnosed in 2001 or later, data are to be coded using the ICD-O-3 manual and submitted with these original ICD-O-3 values. For reportable cases diagnosed before 2001, data are to be coded using the ICD-O-2 manual. Prior to submission, convert these ICD-O-2 codes to ICD-O-3 codes. | | | | |
| 522 | Histologic Type ICD-O-3 | Yes | | |
| 523 | Behavior Code ICD-O-3 | Yes | | |
| NOTE 6: For cases diagnoses 2006 and later, submit either the SEER or COC field; for reportable cases diagnosed prior to 2006, submit as available. | | | | |
| 1260 | Date of Initial Rx—SEER | Yes | | |
| 1261 | Date of Initial Rx Flag | Yes | | |
| 1270 | Date of 1st Crs Rx—COC | Yes | | |
| 1271 | Date of 1st Crs Rx Flag | Yes | | |
| NOTE 7: For reportable cases diagnosed outside the requirements specified below, submit as available. Report the following treatment information for diagnosis years and primary sites as indicated below. Pay close attention to the varying years. Generally, treatment dates begin with diagnosis year 2011 while treatment modalities, other than surgery related, begin with diagnosis year 2010. CCRs should consolidate all treatment data before submission to CDC. | | | Diagnosis Year Required | Primary Site(s) |
| 1285 | RX Summ--Treatment Status | Yes | 2010+ | All sites |
| 3170 | RX Date Mst Defn Srg | Yes | 2015+ | All sites |
| 3171 | RX Date Mst Defn Srg Flag | Yes | 2015+ | All sites |
| 1200 | RX Date Surgery | Yes | 2011+ | All sites |
| 1201 | RX Date Surgery Flag | Yes | 2011+ | All sites |
| 1290 | Rx Summ—Surg Primary Site | Yes | 2001+ | All sites |
| 1292 | Rx Summ—Scope Reg LN Sur | Yes | 2001+ | All sites |
| 1294 | Rx Summ—Surg Oth Reg/Dis | Yes | 2001+ | All sites |
| 1340 | Reason for No Surgery | Yes | 2001+ | All sites |
| 1210 | RX Date Radiation | Yes | 2011-2014 2015+ | Breast, Colon, Rectum All Sites |
| 1211 | Rx Date Radiation Flag | Yes | 2011-2014 2015+ | Breast, Colon, Rectum All Sites |
| 1360 | RX Summ—Radiation | As available | 2010-2014 2015-2017 | Breast, Colon, Rectum All sites |
| 1380 | RX Summ—Surg/Rad Seq | Yes | 2010-2014 2015+ | Breast, Colon, Rectum All sites |
| 1430 | Reason for No Radiation | Yes | 2011-2014 2015+ | Breast, Colon, Rectum All Sites |
| 1220 | RX Date Chemo | Yes | 2011-2014 2015+ | Breast, Colon, Rectum All Sites |

| | | | | |
|---|---|-----|------------------------|------------------------------------|
| 1221 | RX Date Chemo Flag | Yes | 2011-2014 2015+ | Breast, Colon, Rectum All Sites |
| 1390 | Rx Summ—Chemo | Yes | 2010-2014 2015+ | Breast, Colon, Rectum All sites |
| 1230 | RX Date Hormone | Yes | 2011-2014 2015+ | Breast, Colon, Rectum All Sites |
| 1231 | RX Date Hormone Flag | Yes | 2011-2014 2015+ | Breast, Colon, Rectum All Sites |
| 1400 | Rx Summ—Hormone | Yes | 2010-2014 2015+ | Breast, Colon, Rectum All sites |
| 1240 | RX Date BRM | Yes | 2011-2014 2015+ | Breast, Colon, Rectum All Sites |
| 1241 | RX Date BRM Flag | Yes | 2011-2014 2015+ | Breast, Colon, Rectum All Sites |
| 1410 | Rx Summ—BRM | Yes | 2010-2014 2015+ | Breast, Colon, Rectum All sites |
| 1250 | RX Date Other | Yes | 2011-2014 2015+ | Breast, Colon, Rectum All Sites |
| 1251 | RX Date Other Flag | Yes | 2011-2014 2015+ | Breast, Colon, Rectum All Sites |
| 1420 | Rx Summ—Other | Yes | 2010-2014 2015+ | Breast, Colon, Rectum All sites |
| 1506 | Phase I Radiation Treatment Modality | Yes | 2018+ | All sites |
| 1570 | Rad—Regional Rx Modality | Yes | 2010-2014 2015-2017 | Breast, Colon, Rectum All sites |
| 1639 | RX Summ—Systemic/Sur Seq | Yes | 2010-2014 2015+ | Breast, Colon, Rectum All sites |
| 3250 | RX Summ--Transplant/Endocr | Yes | 2010-2014 2015+ | Breast, Colon, Rectum All sites |
| NOTE 8: For reportable cases diagnosed 1995-2000, code using SEER Summary Staging Guide 1977. For reportable cases diagnosed in 2001-2003 and 2016-2017, code using SEER Summary Staging Manual 2000. Report Summary Stage 2000 as available for diagnosis years 2004-2015. For reportable cases diagnosed in 2018 and later, code using | | | | |
| 759 | SEER Summary Stage 2000 | Yes | | |
| 760 | SEER Summary Stage 1977 | Yes | | |
| 764 | SEER Summary Stage 2018 | Yes | | |
| NOTE 9: For reportable cases diagnosed 2008-2015, CS Tumor Size [2800] is required. For cases diagnosed 2004-2007, submit as available. Tumor Size Summary [756] is required to be submitted for reportable cases diagnosed 2016 and forward. | | | | |
| 756 | Tumor Size Summary | Yes | | |
| 2800 | CS Tumor Size | Yes | | |
| NOTE 10: Required to be submitted for reportable cases diagnosed 2010-2015. Submit as available for reportable cases diagnosed 2004-2009. | | | | |
| 2880 | CS Site-Specific Factor 1 for | | | |
| | C34 (lung) | Yes | | |
| | C692 with 9510/3, 9511/3, 9512/3, 9513/3 (retinoblastoma) | Yes | | |
| NOTE 11: Required to be submitted for reportable cases diagnosed 2010-2017. Submit SSF 1 and SSF 2 as available for reportable cases diagnosed 2004-2009. | | | | |
| 2880 | CS Site-Specific Factor 1 for C50 (breast) | Yes | | |

| | | | | |
|---|---|--------------|--|--|
| 2890 | CS Site-Specific Factor 2 for C50 (breast) | Yes | | |
| NOTE 12: Required to be submitted for reportable cases diagnosed 2004-2015. | | | | |
| 2810 | CS Extension | Yes | | |
| 3020 | Derived SS2000 | Yes | | |
| NOTE 13: For reportable cases diagnosed 2004 and later, submit the Height, Weight, and Tobacco data items as available and in the appropriate locations for the NAACCR Record layout version specified in the 2021 NPCR-CSS Submission Specifications. | | | | |
| 9960 | Height | As available | | |
| 9961 | Weight | As available | | |
| 9965 | Tobacco Use Cigarettes | As available | | |
| 9966 | Tobacco Use Smoke | As available | | |
| 9967 | Tobacco Use Smokeless | As available | | |
| 9968 | Tobacco Use NOS | As available | | |
| [1791] is required. For cases diagnosed 1995-2006, Follow-Up Source [1790] submit as available. | | | | |
| 1790 | Follow-Up Source | As available | | |
| 1791 | Follow-Up Source Central | Yes | | |
| NOTE 15: For linkage results of reportable breast, cervical, and colorectal cancer cases. Report the EDP MDE Link Variable and EDP MDE Link Date in the appropriate locations for the NAACCR Record layout version specified in the 2021 NPCR-CSS Submission Specifications. | | | | |
| 9980 | EDP MDE Link | Yes | | |
| 9981 | EDP MDE Link Date | Yes | | |
| NOTE 16: Over-Ride CS 20 [3769] is designated as a flag to identify cases directly coded using SEER Summary Stage 2000 [759]. Use code 1 to indicate when SEER Summary Stage 2000 is directly coded, rather than derived using the Collaborative Staging Data Collection System. Otherwise, "Over-Ride CS 20" must be blank. | | | | |
| 3769 | Over-ride CS 20 | Yes | | |
| 3020 | Derived SS2000 | Yes | | |
| NOTE 17: For reportable COLORECTAL CANCER CASES ONLY; submit Regional Nodes Positive [820] and Regional Nodes Examined [830] as available for diagnosis years 1995-2011. For diagnosis year 2012 and later, Regional Nodes Positive [820] and Regional Nodes Examined [830] are required for all sites . | | | | |
| 820 | Regional Nodes Positive | Yes | | |
| 830 | Regional Nodes Examined | Yes | | |
| NOTE 18: For reportable cases diagnosed 2012 forward, submit as available. | | | | |
| 501 | Casefinding Source | As available | | |
| NOTE 19: Required to be submitted for reportable cases diagnosed 2014 and forward. Submit as available for reportable cases diagnosed prior to 2014. | | | | |
| 145 | Census Tract Poverty Indicator | Yes | | |
| NOTE 20: Required to be submitted for reportable cases diagnosed 2011-2017. Submit as available for reportable cases diagnosed 2004-2010. | | | | |
| 2880 | CS Site-Specific Factor 1 for C70.0-C70.9, C71.0-C71.9, C72.0-C72.9, C75.1-C75.3 (brain, CNS) | Yes | | |
| NOTE 21: Required to be submitted for reportable cases diagnosed 2011-2017. Submit as available for reportable cases diagnosed 2010. | | | | |
| 2869 | CS Site-Specific Factor 15 for breast (C50) | Yes | | |

| | | | | |
|--|---|--------------|--|--|
| NOTE 22: Submit Active Follow-up data items only if active follow-up is conducted on all cases. Submit Presumed Alive data items only if linkage with the NDI is conducted and match results included in the submission file. | | | | |
| 1782 | Surv-Date Active Followup | As available | | |
| 1783 | Surv-Flag Active Followup | | | |
| 1784 | Survival Months Active Follow-up | | | |
| 1785 | Surv-Date Presumed Alive | | | |
| 1786 | Surv-Flag Presumed Alive | | | |
| 1787 | Survival Months Presumed Alive | | | |
| NOTE 23: Report the results derived using NAACCR*Prep in the appropriate locations for the NAACCR Record layout version specified in the 2021 NPCR-CSS Submission | | | | |
| 9990 | IHS Purchased/Referred Care Delivery Area (PRCDA) | Yes | | |
| 9991 | Urban Indian Health Organization (UIHO) | Yes | | |
| | 2018-2019 Congressional Districts (tract-based) | Yes | | |
| | EPHT Sub-County Areas (tract-based) | Yes | | |
| NOTE 24: Required to be submitted for reportable cases diagnosed 2018 and forward. | | | | |
| 995 | AJCC ID | Yes | | |
| 2152 | CoC Accredited Flag | Yes | | |
| 3800 | Schema ID | Yes | | |
| 3816 | Brain Molecular markers | Yes | | |
| 3817 | Breslow Tumor Thickness | Yes | | |
| 3827 | Estrogen Receptor Summary | Yes | | |
| 3843 | Grade Clinical | Yes | | |
| 3844 | Grade Pathological | Yes | | |
| 3845 | Grade Post Therapy | Yes | | |
| 3855 | HER2 Overall Summary | Yes | | |
| 3915 | Progesterone Receptor Summary | Yes | | |
| 3920 | PSA (Prostatic Specific Antigen) Lab Value | Yes | | |
| 3926 | Schema Discriminator 1 | Yes | | |
| 3927 | Schema Discriminator 2 | Yes | | |