

**Notice** – CDC estimates the average public reporting burden for this collection of information as 22 minutes per response, including the time for reviewing instructions, searching existing data/information sources, gathering and maintaining the data/information needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road, MS D-74, Atlanta, GA 30333; ATTN: PRA (0920-0214).

**Assurance of Confidentiality** – We take your privacy very seriously. All information that relates to or describes identifiable characteristics of individuals, a practice, or an establishment will be used only for statistical purposes. NCHS staff, contractors, and agents will not disclose or release responses in identifiable form without the consent of the individual or establishment in accordance with section 308(d) of the Public Health Service Act (42 U.S.C. 242m) and the Confidential Information Protection and Statistical Efficiency Act (Title III of the Foundations for Evidence-Based Policymaking Act of 2018 (Pub. L. No. 115-435, 132 Stat. 5529 § 302)). In accordance with CIPSEA, every NCHS employee, contractor, and agent has taken an oath and is subject to a jail term of up to five years, a fine of up to \$250,000, or both if he or she willfully discloses ANY identifiable information about you.

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	HHSTAT_C=1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>The next questions are about ^SCNAME.</b> * Enter the line number of the person to whom you are speaking. * If Sample Child respondent refuses to participate enter CTRL-R.
<b>Response:</b>	01. ^ALIASNAME[1] 02. ^ALIASNAME[2] 03. ^ALIASNAME[3] 04. ^ALIASNAME[4] 05. ^ALIASNAME[5] 06. ^ALIASNAME[6] 07. ^ALIASNAME[7] 08. ^ALIASNAME[8] 09. ^ALIASNAME[9] 10. ^ALIASNAME[10] 11. ^ALIASNAME[11] 12. ^ALIASNAME[12] 13. ^ALIASNAME[13] 14. ^ALIASNAME[14] 15. ^ALIASNAME[15] 16. ^ALIASNAME[16] 17. ^ALIASNAME[17] 18. ^ALIASNAME[18] 19. ^ALIASNAME[19] 20. ^ALIASNAME[20] 21. ^ALIASNAME[21] 22. ^ALIASNAME[22] 23. ^ALIASNAME[23]

	24. ^ALIASNAME[24] 25. ^ALIASNAME[25] RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<RF> if CBSTAT_A=1[goto BCK.THANKS_CB] else if OUTCOME=215 [goto BCK.THANKS_INSUF] else [goto BCK.THANKS_SUF] If CURRES_C not in Roster.FAM.KNOWSC [goto KNOAVAIL_C] Else if CURRES_C ne LNO_HHRESP AND CURRES_C in Roster.FAM.KNOWSC [goto AVAIL_C] Else if CURRES_C = LNO_HHRESP AND CURRES_C in Roster.FAM.KNOWSC AND CURRES_C not in Roster.bREL.bPerson[PX_C].PARENTS[goto RELTIV_C] Else if CURRES_C = LNO_HHRESP AND CURRES_C in Roster.FAM.KNOWSC AND CURRES_C in Roster.bREL.bPerson[PX_C].PARENTS[goto VFYALL_C]

Question ID: VFY.0060.00.1                      Variable name: KNOAVAIL\_C                      Interview module: VFY(Child.VFY)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	(NOT(CURRES_C IN Roster.FAM.KNOWSC) OR  (CURRES_C IN Roster.FAM.KNOWSC AND CURRES_C IN NOTKNOW_C AND KnowSC_Count > 1)  OR (NewResp_Flg = 1))
<b>Universe Description:</b>	Sample Children 0-17 and at least one knowledgeable person is still eligible for selection and speaking to the initial respondent and they are not knowledgeable OR speaking to a new respondent
<b>Question Text:</b>	^KNOAVAIL_C_fill * Enter the line number of available respondent from list or press F9 to set up a callback if no one is available or refused. ^KNOAVAIL_C_fill_2
<b>Response:</b>	

	<p>01. ^ALIASNAME[1]  02. ^ALIASNAME[2]  03. ^ALIASNAME[3]  04. ^ALIASNAME[4]  05. ^ALIASNAME[5]  06. ^ALIASNAME[6]  07. ^ALIASNAME[7]  08. ^ALIASNAME[8]  09. ^ALIASNAME[9]  10. ^ALIASNAME[10]  11. ^ALIASNAME[11]  12. ^ALIASNAME[12]  13. ^ALIASNAME[13]  14. ^ALIASNAME[14]  15. ^ALIASNAME[15]  16. ^ALIASNAME[16]  17. ^ALIASNAME[17]  18. ^ALIASNAME[18]  19. ^ALIASNAME[19]  20. ^ALIASNAME[20]  21. ^ALIASNAME[21]  22. ^ALIASNAME[22]  23. ^ALIASNAME[23]  24. ^ALIASNAME[24]  25. ^ALIASNAME[25]  RF: Refused</p>
<p><b>Fills:</b></p>	<p>^KNOAVAIL_C_fill      If (KnowSC_Count = ActiveNotKnow_Count)  fill : "** If there are no other knowledgeable people to  select then press the end key."  ELSE  fill : "I have recorded that ^KNOWSC ^areis_c  knowledgeable about and responsible for  ^SCNAME's health care. ^WHOIS currently available  and willing to answer these questions?"</p> <p>^KNOAVAIL_C_fill_2      If (ActiveNotKnow_Count &gt; 0)  fill : "** People listed in gray have said that they are  not knowledgeable about the SC. If you incorrectly  set someone as not knowledgeable then you may  select that person and continue the interview."</p>

<b>Skip Instructions:</b>	<01-25> [goto INTMODE_C] <RF> if CBSTAT_A=1[goto BCK.THANKS_CB] else if OUTCOME=215 [goto BCK.THANKS_INSUF] else [goto BCK.THANKS_SUF] <F9> [goto bCallback.ARRANGE_CALLBACK]
---------------------------	---

**Question ID:** VFY.0080.00.1      **Variable name:** INTMODE\_C      **Interview module:** VFY(Child.VFY)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	HHSTAT_C=1 and KNOAVAIL_C in (1-25)
<b>Universe Description:</b>	Sample Children 0-17 and interviewer is speaking to a new respondent
<b>Question Text:</b>	◆How are you contacting ^KNOAVAIL_C?
<b>Response:</b>	1. Personal visit 2. Telephone
<b>Fills:</b>	^KNOAVAIL_C      Display name of person whose line number was selected at KNOAVAIL_C
<b>Skip Instructions:</b>	<1> if HHRESPSC_FLG ne 1 [goto AVAIL_C] else if HHRESPSC_FLG=1 and LNO_SCRESP not in Roster.bREL.bPerson[PX_C].PARENTS[goto RELTIV_C] else [goto VFYALL_C] <2> [goto TINTRO_C]

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
<b>Universe:</b>	HHSTAT_C=1 and INTMODE_C=2	
<b>Universe Description:</b>	Sample Children 0-17 and interviewer is conducting a telephone interview with new respondent	
<b>Question Text:</b>	<p><b>Hello, my name is</b> * <a href="#">say your name</a>). I'm calling from the U.S. Census Bureau. <b>We are conducting the National Health Interview Survey on behalf of the National Center for Health Statistics, part of the Centers for Disease Control and Prevention (CDC). This is a nationwide survey about the health of both adults and children. I have some information from ^HHRESP. ^HHSEX told me that you would be a good person to talk to about the health of ^SCNAME.</b> * <a href="#">Read if necessary</a>: I believe I am calling you on a cell phone. <b>Before we continue, I have to ask: Are you currently driving a vehicle?</b> * <a href="#">Even if the respondent is using a hands-free device while driving, you must enter '1'</a>.</p>	
<b>Response:</b>	DK: Don't Know RF: Refused	
<b>Fills:</b>	^HHRESP	Display the name of the person selected at Roster.HHC.HHRESPAVAIL
	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^HHSEX	If GEN.SEX_FINAL[LNO_HHRESP]=1, fill: He elseif GEN.SEX_FINAL[LNO_HHRESP]=2, fill: She elseif GEN.SEX_FINAL[LNO_HHRESP] in (DK,RF), fill: They
<b>Skip Instructions:</b>	<1,RF,DK> [goto ATTN_C] <2> [goto LETTER_C]	

<b>Question ID:</b> VFY.0100.00.1	<b>Variable name:</b> ATTN_C	<b>Interview module:</b> VFY(Child.VFY)
-----------------------------------	------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	TINTRO_C=1
<b>Universe Description:</b>	Sample Children 0-17 and interviewer is conducting a telephone interview with new respondent who is driving
<b>Question Text:</b>	<b>For your safety, we will call you back at another time. ♦ Enter 1 to continue.</b>
<b>Response:</b>	
<b>Skip Instructions:</b>	<1> [goto bCallback.CB_POSSIBLE]

<b>Question ID:</b> VFY.0110.00.1	<b>Variable name:</b> LETTER_C	<b>Interview module:</b> VFY(Child.VFY)
-----------------------------------	--------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	TINTRO_C=2
<b>Universe Description:</b>	Sample Children 0-17 and interviewer is conducting a telephone interview with new respondent who is not driving
<b>Question Text:</b>	♦ <b>If sample child respondent is a new respondent read question below, otherwise enter 1 ♦ Read if necessary:</b> A letter describing the National Health Interview Survey was sent to your home recently. Do you remember seeing the letter?
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto S_INTRO_C]

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	TINTRO_C=2
<b>Universe Description:</b>	Sample Children 0-17 and interviewer is conducting a telephone interview with new respondent who is not driving
<b>Question Text:</b>	?[F1] ♦ If sample child respondent is a new respondent read question below, otherwise enter 1 ♦ Read if necessary: There are a few things I need to cover before we continue. I'd like you to know that taking part in this survey is voluntary. You may choose not to answer any questions you don't wish to answer, or end the interview at any time without penalty. We are required by Federal law to develop and follow strict procedures to protect the confidentiality of your information and use your answers only for statistical purposes. I can describe these laws if you wish. Except for the National Center for Health Statistics and Census Bureau employees and specially designated agents, no one can see your answers until all information that could identify you and/or your family has been removed. Only after that will your data be made available to researchers. For most children, the survey will take less than ^SCTIME minutes. I'd like to continue now unless you have any questions. ♦ If respondent asks for more information about the privacy laws, press F1.
<b>Response:</b>	
<b>Fills:</b>	^SCTIME                      If ASTAT=1 and SAMEFAM_FLG=1, fill: 20 Else, fill: 30
<b>Skip Instructions:</b>	<1> if HHRESPSC_FLG ne 1 [goto AVAIL_C] else if HHRESPSC_FLG=1 and LNO_SCRESP not in Roster.bREL.bPerson[PX_C].PARENTS[goto RELTIV_C] else [goto VFYALL_C]



<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	((CURRES_C ne LNO_HHRESP AND CURRES_C in Roster.FAM.KNOWSC AND KNOAVAIL_C = EMPTY) OR (KNOAVAIL_C in (1-25) AND KNOAVAIL_C ne LNO_HHRESP AND TINTRO_C not in (1,DK,RF)))
<b>Universe Description:</b>	Sample Children 0-17 and at least one knowledgeable person is still eligible for section AND initial respondent wasn't the HH Resp and is knowledgeable OR picked a new respondent and respondent is not driving
<b>Question Text:</b>	<b>I have recorded that you are knowledgeable about and responsible for ^SCNAME's health care. Is that correct?</b>
<b>Response:</b>	1. Yes 2. No RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1>if (LNO_SCRESP not in Roster.bREL.bPerson[PX_C].PARENTS) {respondent is not a parent} [goto RELTIV_C] Else If Roster.tblName.bPerson[PX_C].ONOFFCAMPUS in (1,RF,DK) {Sample Child is on campus} [goto VFYONCAMP_C] Else [goto VFYALL_C] <2> if KNOAVAIL_Count gt 0 [goto KNOAVAIL_C] Else [goto NOMORE_C] <RF> if CBSTAT_A=1[goto BCK.THANKS_CB] else if OUTCOME=215 [goto BCK.THANKS_INSUF] else [goto BCK.THANKS_SUF]

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	CURRES_C ne RF AND KNOAVAIL_Count gt 0 AND KNOAVAIL_C ne RF AND TINTRO_C not in (1,DK,RF) AND AVAIL_C ne RF AND AVAIL_C ne 2 AND LNO_SCRESP not in Roster.bREL.bPerson[PX_C].PARENTS
<b>Universe Description:</b>	Sample Children 0-17 where the current respondent has not refused AND at least one person is knowledgeable about and responsible for the sample child AND the respondent is not driving while on the telephone AND the respondent has not refused or said he/she is not available AND the respondent was not identified as a parent in the roster section
<b>Question Text:</b>	<b>What is your relationship to ^SCNAME?</b>
<b>Response:</b>	<ol style="list-style-type: none"> <li>1. Parent (Biological, adoptive, or step)</li> <li>2. Grandparent</li> <li>3. Aunt/Uncle</li> <li>4. Brother/Sister</li> <li>5. Other relative</li> <li>6. Legal guardian</li> <li>7. Foster parent</li> <li>8. Other non-relative</li> <li>9. Spouse or partner</li> </ol> DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1

<b>Skip Instructions:</b>	<9> [goto ERR_RELTIV_C] <4,5,8,RF,DK> [goto VFYRESP_C] <1,2,3,6,7> if Roster.tbINAME.bPerson.[PX.C].ONOFFCAMPUS IN (1,RF,DK) and HHRESPSC_FLG ne 1 [goto VFYONCAMP_C] Else [goto VFYALL_C]
---------------------------	---

**Check Name: ERR\_RELTIV\_C**

<b>Text:</b>	{signal ERR_RELTIV_C} The spouse or partner of the Sample Child cannot answer questions about him/her.
<b>Hard / Soft Edit:</b>	Soft
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	RELTIV_C=9
<b>Skip Instructions:</b>	If KNOAVAIL_Count gt 0 [goto KNOAVAIL_C] else [goto NOMORE_C]

**Question ID: VFY.0180.00.1      Variable name: VFYRESP\_C      Interview module: VFY(Child.VFY)**

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	RELTIV_C IN (4,5,8,RF,DK)
<b>Universe Description:</b>	Sample Children 0-17 where person identified as Child respondent is Brother/Sister, Other Relative, Other Non-relative, refused or don't know
<b>Question Text:</b>	<b>To confirm, are you RESPONSIBLE FOR ^SCNAME's health care?</b>
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<2,RF,DK>if KNOAVAIL_Count > 0 [goto KNOAVAIL_C] else [goto NOMORE_C] <1> if Roster.tblName.bPerson[PX_C].ONOFFCAMPUS in (1,RF,DK) [goto VFYONCAMP_C] Else [goto VFYALL_C]

Question ID: VFY.0190.00.1                      Variable name: VFYONCAMP\_C                      Interview module: VFY(Child.VFY)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	AVAIL_C=1    and    Roster.HHC.tblNAME.bPerson.ONOFFCAMPUS    in (1,RF,DK) and HHRESPSC_FLG ne 1 and (RELATIV_C ne 9)
<b>Universe Description:</b>	A person who is knowledgeable or responsible for the sample child's health is available and the Sample Child is living in on-campus housing and the Sample Child respondent is not the household respondent and the Sample Child's spouse or partner is not the respondent
<b>Question Text:</b>	<b>I want to confirm some information. Does ^SCNAME live in on-campus housing or off-campus housing?</b> ♦ <a href="#">Read if necessary</a> : On-campus housing includes residence halls and dorms where students live together. It also includes buildings that are owned, leased, or managed by the school. Fraternities and sororities are on-campus housing.
<b>Response:</b>	1. On campus 2. Off campus DK: Don't Know RF: Refused

<b>Fills:</b>	^SCNAME	Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,RF,DK> [goto VFYALL_C] <2> [goto NOMORE_C]	

**Question ID:** VFY.0200.00.1      **Variable name:** VFYALL\_C      **Interview module:** VFY(Child.VFY)

**Inherited Universe:** GEN.PX\_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP\_C gt 0 and NOFAMSC ne 1

**Universe:** KNOAVAIL\_Count gt 0 AND KNOAVAIL\_C ne RF AND TINTRO\_C not in (1,DK,RF) AND AVAIL\_C ne RF AND VFYONCAMP\_C ne 2 AND (RELTIV\_C ne 9)

**Universe Description:** Sample Children 0-17 where a person who is knowledgeable or responsible for the sample child's health has been identified and that knowledgeable person has not refused and the Sample Child lives on campus or refused or don't know and the Sample Child's spouse or partner is not the respondent

**Question Text:** ♦ Please verify the following information about the sample child before proceeding: I have recorded ^childvsex, ^AGE\_C, ^NATORG\_C, and ^RACE\_C. Would you like to make any changes to this ^additionalinfo\_C? ^RACEVRBATvalue\_C ♦ If respondent "refuses" or says "don't know", enter "2" for "no."

**Response:** 1. Yes  
2. No

**Fills:** ^NATORG\_C      If NATO\_FINAL=1 fill: "^SCNAME is of Hispanic or Latino Origin"  
If NATO\_FINAL=2 fill: "^SCNAME is not of Hispanic or Latino Origin"  
If NATO\_FINAL=DK fill: "whether ^SCNAME is of Hispanic or Latino Origin is not known"  
If NATO\_FINAL=RF fill: "information about whether ^SCNAME is of Hispanic or Latino Origin was not provided"

^childvsex      If SEX\_FINAL=1, fill: "^SCNAME is male"  
If SEX\_FINAL=2, fill: "^SCNAME is female"  
If SEX\_FINAL=DK, fill: "^SCNAME's sex is not known"  
If SEX\_FINAL=RF,fill: "^SCNAME's sex was not provided"

^AGE\_C      If AGE\_FINAL NE ('RF', 'DK'), fill: "^SCNAME is

^AGENO\_C ^AGETP\_C old"  
 If AGE\_FINAL IN ('RF', 'DK'), fill: "^SCNAME is under 18"

^RACE\_C  
 If GEN.RACE\_FINAL[PX\_C].RACE\_FINAL NE 'RF' OR 'DK', fill: "^SCNAME is^RACEFILLAND\_C."  
 IfGEN.RACE\_FINAL[PX\_C].RACE\_FINAL='DK', fill: ^SCNAME's race is not known"  
 IfGEN.RACE\_FINAL[PX\_C].RACE\_FINAL='RF', fill: ^SCNAME's race was not provided"

^additionalinfo\_C See attachment for fill instructions

^RACEVRBATvalue\_C IF GEN.HHRESPSC\_FLG ne 1 and GEN.RACE\_FINAL[PX\_C].RACE\_VRBAT\_FINAL ne (empty,RF,DK), fill "\*" If respondent wants information on which other race ^SCNAME is listed as, say ^RACE\_VRBAT."

	<p>^additionalinfo_C See attachment for fill instructions</p> <p>^RACEVRBATvalue_C IF GEN.HHRESPSC_FLG ne 1 and GEN.RACE_FINAL[PX_C].RACE_VRBAT_FINAL ne (empty,RF,DK), fill "*" If respondent wants information on which other race ^SCNAME is listed as, say ^RACE_VRBAT."</p>
<p><b>Skip Instructions:</b></p>	<p>&lt;1&gt; [goto VFYDEM_C]          &lt;2&gt; if GEN.SEX_FINAL[PX_C] IN (RF,DK) [goto SEXGUESS_C]          elseif NATO_FINAL=1 [goto HISPTYPE_C]          elseif RACE_FINAL=6 [goto PITYPE_C]          elseif RACE_FINAL=7 [goto ASIANTYPE_C]          elseif RACE_FINAL=8 [goto RACEOTHER_C]          else [goto BMONTH_C]</p>

**Question ID:** VFY.0210.00.1      **Variable name:** VFYDEM\_C      **Interview module:** VFY(Child.VFY)

<p><b>Inherited Universe:</b></p>	<p>GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1</p>
<p><b>Universe:</b></p>	<p>VFYALL_C=1</p>
<p><b>Universe Description:</b></p>	<p>Sample children 0-17 would like to change demographic information</p>
<p><b>Question Text:</b></p>	<p>• <b>Read if necessary:</b> What should I change? • <b>Enter all that apply, separate with commas.</b></p>

**Response:**

	1. Sex 2. Age 3. Hispanic or Latino Origin 4. Race DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	If 1 NOT IN VFYDEM_C and GEN.SEX_FINAL[PX_C] IN (DK,RF) [goto SEXGUESS_C] elseif 1 IN VFYDEM_C [goto NEWSEX_C] elseif 2 IN VFYDEM_C [goto NEWAGENO_C] elseif 3 IN VFYDEM_C [goto NEWNATORG_C] elseif 4 IN VFYDEM_C [goto NEWRACE_C] <RF,DK> If GEN.SEX_FINAL[PX_C] IN (DK,RF) [goto SEXGUESS_C]  elseif NATO_FINAL=1 [goto HISPTYPE_C] elseif RACE_FINAL=6 [goto PITYPE_C] elseif RACE_FINAL=7 [goto ASIANTYPE_C] elseif RACE_FINAL=8 [goto RACEOTHER_C] else [goto BMONTH_C]

**Question ID:** VFY.0220.00.1      **Variable name:** NEWSEX\_C      **Interview module:** VFY(Child.VFY)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	1 IN VFYDEM_C
<b>Universe Description:</b>	Respondent said sample child's sex is not correct
<b>Question Text:</b>	<b>Is ^SCNAME male or female?</b>
<b>Response:</b>	1. Male 2. Female DK: Don't Know RF: Refused

<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	if GEN.SEX_FINAL[PX_C]=RF,DK and NEWSEX_C=RF,DK [goto SEXGUESS_C] elseif 2 IN VFYDEM_C [goto NEWAGENO_C] elseif 3 IN VFYDEM_C [goto NEWNATORG_C] elseif 4 IN VFYDEM_C [goto NEWRACE_C] elseif NATO_FINAL=1 [goto HISPTYPE_C] elseif RACE_FINAL=6 [goto PITYPE_C] elseif RACE_FINAL=7 [goto ASIANTYPE_C] elseif RACE_FINAL=8 [goto RACEOTHER_C] else [goto BMONTH_C]

Question ID: VFY.0230.00.1                      Variable name: SEXGUESS\_C                      Interview module: VFY(Child.VFY)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	GEN.SEX_FINAL[PX_C] IN (DK,RF) and (VFYDEM_C NOT IN 1 or (VFYDEM_C=1 and NEWSEX_C IN (RF,DK))) and (RELTIV_C ne 9)
<b>Universe Description:</b>	Sample children for whom there is no sex provided by the household respondent and did not give a sex when asked to verify information and the Sample Child's spouse or partner is not the respondent
<b>Question Text:</b>	*Enter your best guess of ^SCNAME's sex
<b>Response:</b>	1.        Male 2.        Female
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2> if 2 IN VFYDEM_C [goto NEWAGENO_C] elseif 3 IN VFYDEM_C [goto NEWNATORG_C] elseif 4 IN VFYDEM_C [goto NEWRACE_C] elseif NATO_FINAL=1 [goto HISPTYPE_C] elseif RACE_FINAL=6 [goto PITYPE_C] elseif RACE_FINAL=7 [goto ASIANTYPE_C] elseif RACE_FINAL=8 [goto RACEOTHER_C] else [goto BMONTH_C]



Question ID: VFY.0240.01.1

Variable name: NEWAGENO\_C

Interview module: VFY(Child.VFY)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	2 IN VFYDEM_C
<b>Universe Description:</b>	Sample Children 0-17 whose age is not correct
<b>Question Text:</b>	◆ 1 of 2 How old is ^SCNAME? ◆ Enter number for age.
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	goto [NEWAGETP_C]

Question ID: VFY.0240.02.1

Variable name: NEWAGETP\_C

Interview module: VFY(Child.VFY)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	NEWAGENO_C=001-120
<b>Universe Description:</b>	Valid number entered at NEWAGENO_C
<b>Question Text:</b>	◆ 2 of 2 ◆ Enter number for age time period.
<b>Response:</b>	1. Day(s) 2. Week(s) 3. Month(s) 4. Year(s)

<b>Skip Instructions:</b>	<1,2,3,4> if 3 IN VFYDEM_C [goto NEWNATORG_C] elseif 4 IN VFYDEM_C [goto NEWRACE_C] elseif NATO_FINAL=1 [goto HISPTYPE_C] elseif RACE_FINAL=6 [goto PITYPE_C] elseif RACE_FINAL=7 [goto ASIANTYPE_C] elseif RACE_FINAL=8 [goto RACEOTHER_C] else [goto BMONTH_C]
---------------------------	--

**Question ID:** VFY.0260.00.1      **Variable name:** NEWNATORG\_C      **Interview module:** VFY(Child.VFY)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	3 IN VFYDEM_C
<b>Universe Description:</b>	Sample Children 0-17 whose Hispanic Origin is not correct
<b>Question Text:</b>	<b>Is ^SCNAME Hispanic or Latino?</b>
<b>Response:</b>	1.        Yes 2.        No DK:      Don't Know RF:      Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> if 4 IN VFYDEM_C [goto NEWRACE_C] elseif NATO_FINAL=1 [goto HISPTYPE_C] elseif RACE_FINAL=6 [goto PITYPE_C] elseif RACE_FINAL=7 [goto ASIANTYPE_C] elseif RACE_FINAL=8 [goto RACEOTHER_C] else [goto BMONTH_C]

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	4 IN VFYDEM_C
<b>Universe Description:</b>	Sample Children 0-17 whose race is not correct
<b>Question Text:</b>	<b>What race or races is ^SCNAME? Please select 1 or more of these categories: White, Black, African American, American Indian, Alaska Native, Native Hawaiian, Pacific Islander, Asian, or some other race? Enter all that apply, separate with commas.</b>
<b>Response:</b>	<ol style="list-style-type: none"> <li>1. White</li> <li>2. Black/African American</li> <li>3. American Indian</li> <li>4. Alaska Native</li> <li>5. Native Hawaiian</li> <li>6. Pacific Islander</li> <li>7. Asian</li> <li>8. Some other race</li> </ol> DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	if NATO_FINAL=1 [goto HISPTYPE_C] elseif RACE_FINAL=6 [goto PITYPE_C] elseif RACE_FINAL=7 [goto ASIANTYPE_C] elseif RACE_FINAL=8 [goto RACEOTHER_C] else [goto BMONTH_C]

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	GEN.NATO_FINAL[PX_C]=1 and (KNOAVAIL_Count gt 0 AND KNOAVAIL_C ne RF AND TINTRO_C not in (1,DK,RF) AND AVAIL_C ne RF AND VFYONCAMP_C ne 2 AND (RELTIV_C ne 9))
<b>Universe Description:</b>	Sample Children 0-17 are of Hispanic Origin and a person who is knowledgeable or responsible for the sample child's health has been identified and that knowledgeable person has not refused and the Sample Child lives on campus or refused or don't know and the Sample Child's spouse or partner is not the respondent
<b>Question Text:</b>	<b>What is ^SCNAME's Hispanic or Latino ancestry or origin, such as Mexican, Mexican American, ^CHICANOA, Central or South American, Puerto Rican, Cuban, Dominican (Republic), or Other Hispanic, ^LATINOA, or Spanish -- and if ^SCNAME has more than one, tell me all of them. ♦ Enter all that apply, separate with commas.</b>
<b>Response:</b>	<ol style="list-style-type: none"> <li>1. Mexican, Mexican American, or Chicano(a)</li> <li>2. Central American</li> <li>3. South American</li> <li>4. Puerto Rican (Boricua)</li> <li>5. Cuban</li> <li>6. Dominican (Republic)</li> <li>7. Other Hispanic, Latino(a), or Spanish (specify)</li> </ol> DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^CHICANOA                    If SEX_FINAL = 1 fill: "Chicano" if SEX_FINAL = 2,DK,RF fill "Chicano or Chicana"  ^LATINOA                      If SEX_FINAL= 1 fill: "Latino" if SEX_FINAL = 2,DK,RF fill "Latino or Latina"

<b>Skip Instructions:</b>	<pre> &lt;7&gt; [goto HISPOTHER_C] &lt;1-6,RF,DK&gt; if GEN.RACE_FINAL[PX_C]=6 [goto PITYPE_C] elseif GEN.RACE_FINAL[PX_C]=7 [goto ASIANTYPE_C] elseif GEN.RACE_FINAL[PX_C]=8 and (NEWRACE_C=8 or (HHRESPSC_FLG ne 1 and RACE_SP[PX_C] in (ZZ,RF,DK))) [goto RACEOTHER_C] else [goto BMONTH_C] </pre>
---------------------------	---

Question ID: VFY.0290.00.1      Variable name: HISPOTHER\_C      Interview module: VFY(Child.VFY)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	HISPTYPE_C=7
<b>Universe Description:</b>	Sample Child is of Other Hispanic Origin
<b>Question Text:</b>	<p><b>?[F1] What is ^SCNAME's Hispanic or Latino ancestry or origin? If ^SCNAME has more than one, tell me all of them.</b> Start typing and then select from list. If Hispanic or Latino ancestry is not on the list, type "ZZ" and enter verbatim. If any of the following are mentioned, backup to previous screen and correct the entry. Mexican Mexican American Chicano/Chicana Central American (REFER TO HELP SCREEN) South American (REFER TO HELP SCREEN) Puerto Rican (Boricua) Cuban/Cuban American Dominican (Republic) ♦ If respondent provides more than one other Hispanic or Latino ancestry or origin, select 'ZZ' from the lookup table. At the next question, enter ALL the other Hispanic or Latino ancestries or origins in the verbatim field.</p>
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME      Fill ALIAS of HHSTAT_C=1

<b>Skip Instructions:</b>	<pre> &lt;ZZ&gt; [goto HISPVRBAT_C] &lt;lookup table selection,RF,DK&gt; if GEN.RACE_FINAL[PX_C]=6 [goto PITYPE_C] elseif GEN.RACE_FINAL[PX_C]=7 [goto ASIANTYPE_C] elseif GEN.RACE_FINAL[PX_C]=8 and (NEWRACE_C=8 or (GEN.HHRESPSC_FLG ne 1 and Roster.HHC.RACE_SP[PX_C] in (ZZ,RF,DK))) [goto RACEOTHER_C] else [goto BMONTH_C] </pre>
---------------------------	--

**Question ID:** VFY.0300.00.1      **Variable name:** HISPVRBAT\_C      **Interview module:** VFY(Child.VFY)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	HISPOTHER_C=ZZ
<b>Universe Description:</b>	Sample Child 0-17 where some other Hispanic Ancestry is reported and this is not chosen from the picklist
<b>Question Text:</b>	<p>✦ <a href="#">Read if necessary</a>: What is ^SCNAME's Hispanic or Latino ancestry or origin? If ^SCNAME has more than one, tell me all of them.</p>
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<pre> &lt;allow 80,RF,DK&gt; if GEN.RACE_FINAL[PX_C]=6 [goto PITYPE_C] elseif GEN.RACE_FINAL[PX_C]=7 [goto ASIANTYPE_C] elseif GEN.RACE_FINAL[PX_C]=8 and (NEWRACE_C=8 or (GEN.HHRESPSC_FLG ne 1 and Roster.HHC.RACE_SP[PX_C] in (ZZ,RF,DK))) [goto RACEOTHER_C] else [goto BMONTH_C] </pre>

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	GEN.RACE_FINAL[PX_C]=6 and (KNOAVAIL_Count gt 0 AND KNOAVAIL_C ne RF AND TINTRO_C not in (1,DK,RF) AND AVAIL_C ne RF AND VFYONCAMP_C ne 2 AND (RELTIV_C ne 9))
<b>Universe Description:</b>	Sample children 0-17 identified as Pacific Islanders and a person who is knowledgeable or responsible for the sample child's health has been identified and that knowledgeable person has not refused and the Sample Child lives on campus or refused or don't know and the Sample Child's spouse or partner is not the respondent
<b>Question Text:</b>	<b>I have recorded that ^SCNAME is Pacific Islander. What specific ethnic group or groups is ^SCNAME-- such as Guamanian or Chamorro, Samoan, or other Pacific Islander? If ^SCNAME is more than one, tell me all of them. <a href="#">Enter all that apply, separate with comma</a></b>
<b>Response:</b>	<ul style="list-style-type: none"> <li>1. Guamanian or Chamorro</li> <li>2. Samoan</li> <li>3. Other Pacific Islander</li> <li>DK: Don't Know</li> <li>RF: Refused</li> </ul>
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<pre> &lt;3&gt; [goto PIOTHER_C] &lt;1,2,RF,DK&gt; if GEN.RACE_FINAL[PX_C]=7 [goto ASIANTYPE_C] elseif GEN.RACE_FINAL[PX_C]=8 and (NEWRACE_C=8 or (GEN.HHRESPSC_FLG ne 1 and Roster.HHC.RACE_SP[PX_C] in (ZZ,RF,DK))) [goto RACEOTHER_C] else [goto BMONTH_C] </pre>

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	PITYPE_C=3
<b>Universe Description:</b>	Sample Child who is "Other Pacific Islander"
<b>Question Text:</b>	<p>◆ <b>Read if necessary:</b> I have recorded that ^SCNAME is Pacific Islander. What specific ethnic group or groups is ^SCNAME? If ^SCNAME is more than one, tell me all of them. ◆ <b>Start typing and then select from list.</b> If Pacific Islander ethnic group is not on the list, type "ZZ" and enter verbatim. ◆ <b>If respondent provides more than one ethnic group, select 'ZZ' from the lookup table.</b> At the next question, enter ALL the ethnic groups in the verbatim field.</p>
<b>Response:</b>	<p>DK: Don't Know RF: Refused</p>
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<p>&lt;ZZ&gt; [goto PIVRBAT_C] &lt;lookup table selection, RF, DK&gt; if GEN.RACE_FINAL[PX_C]=7 [goto ASIANTYPE_C] elseif GEN.RACE_FINAL[PX_C]=8 and (NEWRACE_C=8 or (GEN.HHRESPSC_FLG ne 1 and Roster.HHC.RACE_SP[PX_C] in (ZZ,RF,DK))) [goto RACEOTHER_C] else [goto BMONTH_C]</p>



Question ID: VFY.0330.00.1

Variable name: PIVRBAT\_C

Interview module: VFY(Child.VFY)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	PIOTHER_C=ZZ
<b>Universe Description:</b>	Sample Child are some other group of Pacific Islander and this is not chosen from the picklist
<b>Question Text:</b>	<a href="#">Read if necessary:</a> I have recorded that ^SCNAME is Pacific Islander. What specific ethnic group or groups is ^SCNAME? If ^SCNAME is more than one, tell me all of them.
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<allow 80,RF,DK> if GEN.RACE_FINAL[PX_C]=7 [goto ASIANTYPE_C] elseif GEN.RACE_FINAL[PX_C]=8 and (NEWRACE_C=8 or (GEN.HHRESPSC_FLG ne 1 and Roster.HHC.RACE_SP[PX_C] in (ZZ,RF,DK))) [goto RACEOTHER_C] else [goto BMONTH_C]

Question ID: VFY.0340.00.1

Variable name: ASIANTYPE\_C

Interview module: VFY(Child.VFY)

**Inherited Universe:** GEN.PX\_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP\_C gt 0 and NOFAMSC ne 1

**Universe:** GEN.RACE\_FINAL[PX\_C]=7 and (KNOAVAIL\_Count gt 0 AND KNOAVAIL\_C ne RF AND TINTRO\_C not in (1,DK,RF) AND AVAIL\_C ne RF AND VFYONCAMP\_C ne 2 AND (RELTIV\_C ne 9))

**Universe Description:** Sample Children 0-17 identified as Asian and a person who is knowledgeable or responsible for the sample child's health has been identified and that knowledgeable person has not refused and the Sample Child lives on campus or refused or don't know and the Sample Child's spouse or partner is not the respondent

**Question Text:** I have recorded that ^SCNAME is Asian. What specific ethnic group or groups is ^SCNAME-- such as Asian Indian, Chinese, Filipino, Japanese, Korean, Vietnamese, or Other Asian? If ^SCNAME is more than one, tell me all of them.  
[Enter all that apply, separate with commas.](#)

<b>Response:</b>	1. Asian Indian 2. Chinese 3. Filipino 4. Japanese 5. Korean 6. Vietnamese 7. Other Asian DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<7> [goto ASIANOTHER_C] <1-6,RF,DK> elseif GEN.RACE_FINAL[PX_C]=8      and      (NEWRACE_C=8      or (GEN.HHRESPSC_FLG ne 1 and Roster.HHC.RACE_SP[PX_C] in (ZZ,RF,DK))) [goto RACEOTHER_C] else [goto BMONTH_C]

Question ID: VFY.0350.00.1                      Variable name: ASIANOTHER\_C                      Interview module: VFY(Child.VFY)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	ASIANTYPE_C=7
<b>Universe Description:</b>	Sample Child who is "other Asian"
<b>Question Text:</b>	<b>What is ^SCNAME's specific Asian ethnic group or groups? If ^SCNAME has more than one, tell me all of them.</b> Start typing and then select from list. If Asian ethnic group is not on the list, type "ZZ" and enter verbatim. If any of the following are mentioned, backup to previous screen and correct the entry. (Asian) Indian Chinese Filipino Japanese Korean Vietnamese • If respondent provides more than one ethnic group, select 'ZZ' from the lookup table. At the next question, enter ALL the ethnic groups in the verbatim field.
<b>Response:</b>	DK: Don't Know RF: Refused

<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<ZZ> [goto ASIANVRBAT_C] <lookup table selection,RF,DK> if      GEN.RACE_FINAL[PX_C]=8              and              (NEWRACE_C=8              or (NEWRACE_C=EMPTY              and              GEN.HHRESPSC_FLG              ne              1              and ROSTER.HHC.RACE_SP[PX_C] IN (ZZ,RF,DK))) [goto RACEOTHER_C] else [goto BMONTH_C]

**Question ID: VFY.0360.00.1                      Variable name: ASIANVRBAT\_C                      Interview module: VFY(Child.VFY)**

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	ASIANOTHER_C=ZZ
<b>Universe Description:</b>	Sample Child is some other ethnic group of Asian and this is not chosen from the picklist
<b>Question Text:</b>	<a href="#">Read if necessary:</a> What is ^SCNAME's specific Asian ethnic group or groups? If ^SCNAME has more than one, tell me all of them.
<b>Response:</b>	DK:      Don't Know RF:      Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<allow 80,RF,DK> if      GEN.RACE_FINAL[PX_C]=8              and              (NEWRACE_C=8              or (NEWRACE_C=EMPTY              and              GEN.HHRESPSC_FLG              ne              1              and ROSTER.HHC.RACE_SP[PX_C] IN (ZZ,RF,DK))) [goto RACEOTHER_C] else [goto BMONTH_C]

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	(KNOAVAIL_Count gt 0 AND KNOAVAIL_C ne RF AND TINTRO_C not in (1,DK,RF) AND AVAIL_C ne RF AND VFYONCAMP_C ne 2 AND (RELTIV_C ne 9)) and(NEWRACE_C=8 or (NEWRACE_C=EMPTY and GEN.HHRESPSC_FLG ne 1 and ROSTER.HHC.RACE_SP[PX_C] IN (ZZ,RF,DK)))
<b>Universe Description:</b>	Sample Child's race was changed to "some other race" in verification section or where the Sample Child respondent is not the Household respondent and were identified by the household respondent as being "some other race" not on the roster other race picklist and a person who is knowledgeable or responsible for the sample child's health has been identified and that knowledgeable person has not refused and the Sample Child lives on campus or refused or don't know and the Sample Child's spouse or partner is not the respondent
<b>Question Text:</b>	<b>What other race or races is ^SCNAME?</b> Start typing and then select from list. If race is not on the list, type "ZZ" and enter verbatim. ♦ If respondent provides more than one other race, select 'ZZ' from the lookup table. At the next question, enter ALL the other races in the verbatim field.
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<ZZ> [goto RACEVRBAT_C] <lookup table selection, RF,DK> [goto BMONTH_C]

Question ID: VFY.0380.00.1

Variable name: RACEVRBAT\_C

Interview module: VFY(Child.VFY)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	RACEOTHER_C=ZZ
<b>Universe Description:</b>	Sample Child's race was change to include "some other race" in verification section or where the Sample Child respondent is not the Household respondent and were identified by the household respondent as being "some other race" not on the roster other race picklist and the Sample Child Respondent did not select it from the Sample Adult other race picklist.
<b>Question Text:</b>	<a href="#">Read if necessary:</a> What other race or races is ^SCNAME?
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<verbatim,RF,DK> [goto BMONTH_C]

Question ID: VFY.0410.01.1

Variable name: BMONTH\_C

Interview module: VFY(Child.VFY)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	(RELTIV_C IN (1,2,3,6,7) OR VFYRESP_C = 1 OR (PCNT18UP_C gt 1 and (KNOAVAIL_C IN Roster.bREL.bPerson[PX_C].PARENTS)) and DOB_COUNT_C LT 2 and (RELTIV_C ne 9)
<b>Universe Description:</b>	A person who is knowledgeable or responsible for the sample child's health is available or there is only one parent over 18 and no other adults in the child's family or there are more than two adults and one of them is a parent who was identified as available at AVAIL_C AND date of birth was verified as incorrect fewer than 2 times and the Sample Child's spouse or partner is not the respondent
<b>Question Text:</b>	◆ 1 of 3 What is ^SCNAME's date of birth? Please give month, day, and year for the date of birth. ◆ <a href="#">Enter month of birth.</a>
<b>Response:</b>	

	1. January 2. February 3. March 4. April 5. May 6. June 7. July 8. August 9. September 10. October 11. November 12. December DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-12,RF,DK> [goto BDAY_C]

Question ID: VFY.0410.02.1                      Variable name: BDAY\_C                      Interview module: VFY(Child.VFY)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	(RELTIV_C = 1, 2, 3, 6, 7 OR VFYRESP_C = 1 OR (PCNT18UP_C gt 1 and (AVAIL_C IN Roster.bREL.bPerson[PX_C].PARENTS)) and DOB_COUNT_C LT 2 and (RELTIV_C ne 9)
<b>Universe Description:</b>	A person who is knowledgeable or responsible for the sample child's health is available or there is only one parent over 18 and no other adults in the child's family or there are more than two adults and one of them is a parent who was identified as available at AVAIL_C AND date of birth was verified as incorrect fewer than 2 times and the Sample Child's spouse or partner is not the respondent
<b>Question Text:</b>	◆ 2 of 3 ◆ Enter day of birth.
<b>Response:</b>	DK: Don't Know RF: Refused

<b>Skip Instructions:</b>	<1-31,RF,DK> Only allow valid days for month entered. if days not valid [goto ERR_BDAY_C] else [goto BYEAR_C]
---------------------------	--

**Check Name: ERR\_BDAY\_C**

<b>Text:</b>	{check ERR_BDAY_C} * ^BDAY_C is not a valid day for ^BMONTH_C.
<b>Hard / Soft Edit:</b>	Hard
<b>Fills:</b>	^BDAY_C                      Fill value from Child.VFY.BDAY_C ^BMONTH_C                      Fill value from Child.VFY.BMONTH_C
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	Invalid dates for the month entered

**Question ID: VFY.0410.03.1                      Variable name: BYEAR\_C                      Interview module: VFY(Child.VFY)**

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	(RELTIV_C = 1, 2, 3, 6, 7 OR VFYRESP_C = 1 OR (PCNT18UP_C gt 1 and (AVAIL_C IN Roster.bREL.bPerson[PX_C].PARENTS)) and DOB_COUNT_C LT 2 and (RELTIV_C ne 9)
<b>Universe Description:</b>	A person who is knowledgeable or responsible for the sample child's health is available or there is only one parent over 18 and no other adults in the child's family or there are more than two adults and one of them is a parent who was identified as available at AVAIL_C AND date of birth was verified as incorrect fewer than 2 times and the Sample Child's spouse or partner is not the respondent
<b>Question Text:</b>	* 3 of 3 * Enter year of birth.
<b>Response:</b>	DK:      Don't Know RF:      Refused

<b>Skip Instructions:</b>	<p>&lt;1900-current year,RF,DK&gt;</p> <p>if (BYEAR_C gt current year) or (BYEAR_C=current year and BMONTH_C gt current month) or (BYEAR_C=current year and BMONTH_C=current month and BDAY_C gt current day) [goto ERR_BYEAR_C]</p> <p>elseif BDAY_C=29 and BMONTH_C=2 and (BYEAR=2000 or BYEAR_C/4 remainder ne 0) [goto ERR_BDAYLEAP_C]</p> <p>elseif AGETEMP_C in (RF,DK) AND BYEAR_C in (RF,DK) [goto NOMORE_C]</p> <p>elseif ((BYEAR_C not IN (RF,DK) and AGETEMP_C not IN (RF,DK) and AGETEMP_C ne AGE_CALC_C) AND (AGETEMP_C not IN (RF,DK) and AGETEMP_C ne AGE_CALCMINUS1_C)) and DOB_COUNT_C ne 1 [goto VFYDOB_C]</p> <p>elseif (AGETEMP_C eq AGE_CALC_C or AGE_CALCMINUS1_C) or DOB_COUNT_C=1  if AGE_FINAL ge 18 [goto NOMORE_C]  else [goto next section]</p>
---------------------------	---

**Check Name: ERR\_BDAYLEAP\_C**

<b>Text:</b>	{check ERR_BDAYLEAP_C} * ^BDAY_C is not a valid day for ^BMONTH_C.
<b>Hard / Soft Edit:</b>	Hard
<b>Fills:</b>	^BDAY_C                      Fill value from Child.VFY.BDAY_C ^BMONTH_C                      Fill value from Child.VFY.BMONTH_C
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	Invalid dates for the leap year



**Check Name: ERR\_BYEAR\_C**

<b>Text:</b>	{check ERR_BYEAR_C} * Future date invalid.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	(BYEAR_C>current year) or (BYEAR_C=current year and BMONTH_C>current month) or (BYEAR_C=current year and BMONTH_C=current month and BDAY_C>current day)
<b>Universe Description:</b>	Birthday is in the future

**Question ID: VFY.0430.00.1**

**Variable name: VFYDOB\_C**

**Interview module: VFY(Child.VFY)**

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	((BYEAR_C not IN (DK,RF) and AGETEMP_C not IN (DK,RF) and AGETEMP_C ne AGE_CALC_C) AND (AGETEMP_C not IN (DK,RF) and AGETEMP_C ne AGE_CALCMINUS1_C)) and DOB_COUNT_C ne 1 and (RELTIV_C ne 9)
<b>Universe Description:</b>	Sample Children whose age provided in either HHC or NEWAGE_C does not match either age calculated from date of birth information and the Sample Child's spouse or partner is not the respondent
<b>Question Text:</b>	<b>There is a difference between the age the computer calculated from ^SCNAME's date of birth of ^AGEDOB_C fill and the age I had previously recorded of ^TEMPAGE_C. I recorded ^SCNAME's ^dateofbirth_C</b>
<b>Response:</b>	1. Yes

	<p>2. No  DK: Don't Know  RF: Refused</p>
<b>Fills:</b>	<p><b>^AGEDOB_C_fill</b> Fill one age calculated from AGE_CALC_C as "(age) year(s) old"  Fill two ages calculated from AGE_CALC_C and AGE_CALCMINUS1_C as "(age) or (age) year(s) old"  If AGE_CALC_C or AGE_CALCMINUS1_C is equal to 0, then display as "less than 1"</p> <p><b>^TEMPAGE_C</b> fill value of AGETEMP_C as "(age) year(s) old"  If AGETEMP_C is equal to 0, then display as "less than 1"</p> <p><b>^SCNAME</b> Fill ALIAS of HHSTAT_C=1</p> <p><b>^dateofbirth_C</b> If BDAY_C, BMONTH_C and BYEAR_C are all valid, fill: "date of birth as ^BMONTH_C ^BDAY_C, ^BYEAR_C, is that correct?"  If only BMONTH_C and BYEAR_C are valid, fill: "date of birth as ^BMONTH_C ^BYEAR_C, is that correct?"  If only BDAY_C and BYEAR_C are valid, fill: "year of birth as ^BYEAR_C, is that correct?"  If only BYEAR_C is valid, fill: "year of birth as ^BYEAR_C, is that correct?"</p>
<b>Skip Instructions:</b>	<p>&lt;1,RF,DK&gt; if GEN.AGE_FINAL[PX_C] ge 18 [goto NOMORE_C]  else [goto next section]</p> <p>&lt;2&gt; if DOB_COUNT_C le 1 [goto BMONTH_C]  elseif GEN.AGE_FINAL[PX_C] ge 18 [goto NOMORE_C]  else [goto next section]</p>

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	GEN.AGE_FINAL[PX_C] GT 17 or GEN.AGE_FINAL[PX_C] in (RF,DK) or VFYONCAMP_C=2 OR (KNOAVAIL_Count = 0)
<b>Universe Description:</b>	Sample child whose age is now over 17 or whose age is refused or don't know or who lives off-campus or there is no knowledgeable sample child respondent
<b>Question Text:</b>	<p>◆ ^SCNAME no longer meets the requirements to be sample child for this family. End this interview and begin the Sample Adult Interview. If there is no Sample Adult or the Sample Adult interview has been completed, EXIT ^auxNoMore <b>Not everyone in our survey is asked all questions. I have all the information that I need from you about ^SCNAME.</b> ◆ Enter '1' to continue.</p>
<b>Response:</b>	1. Enter 1 to Continue
<b>Fills:</b>	<p>^SCNAME                      Fill ALIAS of HHSTAT_C=1</p> <p>^auxNoMore                      IF KNOAVAIL_Count = 0,fill "*" If there is still a knowledgeable respondent available, back up and select that person."</p>
<b>Skip Instructions:</b>	If there is a callback set for Sample Adult [goto BCK.THANKS_CB] else if GEN.OUTCOME IN 215 [goto BCK.THANKS_INSUF] else [goto BCK.THANKS_SUF]

Question ID: HIS.0010.00.1

Variable name: PHSTAT\_C

Interview module: HIS(Child.HIS)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>Would you say ^SCNAME's health in general is excellent, very good, good, fair, or poor?</b>
<b>Response:</b>	1. Excellent 2. Very Good 3. Good 4. Fair 5. Poor DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-5,RF,DK> [goto next section]

Question ID: LS1.0010.00.3

Variable name: LSATIS11\_C

Interview module: LS1(Child.LS1)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL=12-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL=12-17))
<b>Universe Description:</b>	Sample Children 12-17
<b>Question Text:</b>	<b>Using a scale of 0 to 10, where 0 means "very dissatisfied" and 10 means "very satisfied", how do you think ^SCNAME feels about ^his/her_C life as a whole these days?</b>
<b>Response:</b>	DK: Don't Know RF: Refused

<b>Fills:</b>	^SCNAME  ^hisher_C	Fill ALIAS of HHSTAT_C=1  if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
<b>Skip Instructions:</b>	<0-10,RF,DK> [goto next section]	

<b>Question ID:</b> AST.0010.00.1	<b>Variable name:</b> ASTINTRO_C	<b>Interview module:</b> AST(Child.AST)
-----------------------------------	----------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>Now I am going to ask you about certain medical conditions.</b> <a href="#">Enter '1' to continue.</a>
<b>Response:</b>	1. Enter 1 to Continue
<b>Skip Instructions:</b>	<1> [goto ASEV_C]

<b>Question ID:</b> AST.0020.00.1	<b>Variable name:</b> ASEV_C	<b>Interview module:</b> AST(Child.AST)
-----------------------------------	------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>Has a doctor or other health professional EVER told you that ^SCNAME had asthma?</b>
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto ASTILL_C] <2,RF,DK> [goto next section]

Question ID: AST.0030.00.1

Variable name: ASTILL\_C

Interview module: AST(Child.AST)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	ASEV_C=1
<b>Universe Description:</b>	Sample Children 0-17 who were ever told they have asthma
<b>Question Text:</b>	<b>Does ^SCNAME still have asthma?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto ASAT12M_C]

Question ID: AST.0040.00.1

Variable name: ASAT12M\_C

Interview module: AST(Child.AST)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	ASEV_C=1
<b>Universe Description:</b>	Sample Children 0-17 who were ever told they had asthma
<b>Question Text:</b>	<b>During the past 12 months, has ^SCNAME had an episode of asthma or an asthma attack?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto ASER12M_C]

Question ID: AST.0050.00.1

Variable name: ASER12M\_C

Interview module: AST(Child.AST)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	ASEV_C=1
<b>Universe Description:</b>	Sample Children 0-17 who were ever told they had asthma
<b>Question Text:</b>	<b>During the past 12 months, did ^SCNAME have to visit an emergency room or urgent care center because of ^hisher_C asthma?</b>
<b>Response:</b>	1. Yes

	2. No DK: Don't Know RF: Refused
<b>Fills:</b>	<p>^SCNAME                      Fill ALIAS of HHSTAT_C=1</p> <p>^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his";  else if GEN.SEX_FINAL[PX_C]=2 fill "her";  else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill  "their"</p>
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto next section]

**Question ID:** DIB.0010.00.1                      **Variable name:** PREDIB\_C                      **Interview module:** DIB(Child.DIB)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample children 0-17
<b>Question Text:</b>	<b>Has a doctor or other health professional EVER told you that ^SCNAME had prediabetes or borderline diabetes?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto DIBEV_C]



Question ID: DIB.0020.00.1

Variable name: DIBEV\_C

Interview module: DIB(Child.DIB)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>^NOTPRED a doctor or other health professional EVER told you that ^SCNAME had diabetes?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^NOTPRED If PREDIB_C=1: "Not including prediabetes, has" If PREDIB_C IN ('2','DK','RF'): "Has"  ^SCNAME Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto next section]

Question ID: DLD.0010.00.1

Variable name: ADHDEV\_C

Interview module: DLD(Child.DLD)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	GEN.AGE_FINAL[PX_C] ge 2 and GEN.AGE_FINAL[PX_C] le 17
<b>Universe Description:</b>	Sample Children 2-17
<b>Question Text:</b>	<b>Has a doctor or other health professional ever told you that ^SCNAME had Attention-Deficit/Hyperactivity Disorder or ADHD or Attention-Deficit Disorder or ADD? ♦ Read if necessary:</b> Health professionals can include school psychologists and school nurses.
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto ADHDNW_C] <2,RF,DK> [goto IDEV1_C]

**Question ID: DLD.0020.00.1                      Variable name: ADHDNW\_C                      Interview module: DLD(Child.DLD)**

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	ADHDEV_C=1            and            GEN.AGE_FINAL[PX_C]            ge            2            and GEN.AGE_FINAL[PX_C] le 17
<b>Universe Description:</b>	Sample Children 2-17 who had an ADHD diagnosis
<b>Question Text:</b>	<b>Does ^SCNAME currently have Attention-Deficit/Hyperactivity Disorder or ADHD or Attention-Deficit Disorder or ADD?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto IDEV1_C]

Question ID: DLD.0030.00.1

Variable name: IDEV1\_C

Interview module: DLD(Child.DLD)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>Has a doctor or other health professional ever told you that ^SCNAME had an intellectual disability, previously known as mental retardation?</b> * <a href="#">Read if necessary</a> : Health professionals can include school psychologists and school nurses.
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto IDNW1_C] <2,RF,DK> [goto ASDEV_C] if GEN.AGE_FINAL[PX_C] ge 2 and GEN.AGE_FINAL[PX_C] le 17, else [goto DDEV_C]

Question ID: DLD.0040.00.1

Variable name: IDNW1\_C

Interview module: DLD(Child.DLD)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	IDEV1_C=1
<b>Universe Description:</b>	Sample Children 0-17 who had an intellectual disability diagnosis
<b>Question Text:</b>	<b>Does ^SCNAME currently have an intellectual disability, previously known as mental retardation?</b>
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> if GEN.AGE_FINAL[PX_C] ge 2 and GEN.AGE_FINAL[PX_C] le 17 [goto ASDEV_C] else [goto DDEV_C]

<b>Question ID:</b> DLD.0050.00.1	<b>Variable name:</b> ASDEV_C	<b>Interview module:</b> DLD(Child.DLD)
-----------------------------------	-------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	GEN.AGE_FINAL[PX_C] ge 2 and GEN.AGE_FINAL[PX_C] le 17
<b>Universe Description:</b>	Sample Children 2-17
<b>Question Text:</b>	<b>Has a doctor or other health professional ever told you that ^SCNAME had Autism, Asperger's disorder, pervasive developmental disorder, or autism spectrum disorder?</b> * <a href="#">Read if necessary:</a> Health professionals can include school psychologists and school nurses.
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto ASDNW_C] <2,RF,DK> [goto DDEV_C]

Question ID: DLD.0060.00.1

Variable name: ASDNW\_C

Interview module: DLD(Child.DLD)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	ASDEV_C=1 and GEN.AGE_FINAL[PX_C] ge 2 and GEN.AGE_FINAL[PX_C] le 17
<b>Universe Description:</b>	Sample Children 2-17 who had an autism spectrum disorder diagnosis
<b>Question Text:</b>	<b>Does ^SCNAME currently have Autism, Asperger's disorder, pervasive developmental disorder, or autism spectrum disorder?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto DDEV_C]

Question ID: DLD.0070.00.1

Variable name: DDEV\_C

Interview module: DLD(Child.DLD)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>^NOTEVER a doctor or other health professional ever told you that ^SCNAME had any other developmental delay?</b> ♦ <b>Read if necessary:</b> Health professionals can include school psychologists and school nurses. ♦ <b>Read if necessary:</b> Developmental delays are significant delays in a child's development. Examples include cognitive, motor, speech, social, emotional and behavioral delays.
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^NOTEVER      If ADHDEV_C ne 1 AND IDEV1_C ne 1 and ASDEV_C ne 1 fill: "Has" If ADHDEV_C=1 AND IDEV1_C ne 1 and ASDEV_C ne 1 fill: "Not including ADHD, has" If ADHDEV_C ne 1 AND IDEV1_C=1 and ASDEV_C ne 1 fill: "Not including an intellectual disability, has" If ADHDEV_C ne 1 AND IDEV1_C ne 1 and ASDEV_C=1 fill: "Not including autism spectrum disorder, has" If ADHDEV_C=1 AND IDEV1_C=1 and ASDEV_C ne fill: "Not including ADHD or an intellectual disability, has" If ADHDEV_C=1 AND IDEV1_C ne 1 and ASDEV_C=1 fill: "Not including ADHD or autism spectrum disorder, has" If ADHDEV_C ne 1 AND IDEV1_C=1 and ASDEV_C=1 fill: "Not including an intellectual disability or autism spectrum disorder, has" If ADHDEV_C=1 AND IDEV1_C=1 and ASDEV_C=1 fill: "Not including ADHD, an intellectual disability or autism spectrum disorder, has"  ^SCNAME      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto DDNW_C] <2,RF,DK> if GEN.AGE_FINAL[PX_C] ge 2 and GEN.AGE_FINAL[PX_C] le 17 [goto LDEV_C] else [goto next section]

Question ID: DLD.0080.00.1

Variable name: DDNW\_C

Interview module: DLD(Child.DLD)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	DDEV_C=1
<b>Universe Description:</b>	Sample Children 0-17 who had any other developmental delay diagnosis
<b>Question Text:</b>	<b>Does ^SCNAME still have this other developmental delay?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> if GEN.AGE_FINAL[PX_C] ge 2 and GEN.AGE_FINAL[PX_C] le 17 [goto LDEV_C] else [goto next section]

Question ID: DLD.0090.00.1

Variable name: LDEV\_C

Interview module: DLD(Child.DLD)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	GEN.AGE_FINAL[PX_C] ge 2 and GEN.AGE_FINAL[PX_C] le 17
<b>Universe Description:</b>	Sample Children 2-17
<b>Question Text:</b>	<b>Has a representative from a school or a health professional ever told you that ^SCNAME had a learning disability?</b>
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto LDNW_C] <2,RF,DK> [goto next section]

Question ID: DLD.0100.00.1

Variable name: LDNW\_C

Interview module: DLD(Child.DLD)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	LDEV_C=1 and GEN.AGE_FINAL[PX_C] ge 2 and GEN.AGE_FINAL[PX_C] le 17
<b>Universe Description:</b>	Sample Children 2-17 who had a learning disability diagnosis
<b>Question Text:</b>	<b>Does ^SCNAME currently have a learning disability?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto next section]



<b>Inherited Universe:</b>	(GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017))
<b>Universe Description:</b>	Sample Children 10-17
<b>Question Text:</b>	<b>How tall is ^SCNAME without shoes?</b> * Enter feet. * If the child's height is given in inches, press '0' at feet and enter the measure in inches (36 inches maximum). * Enter 'M' to record metric measurements.
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	if HEIGHTFT_C ne <0-7,RF,DK,M> [goto ERR1_HEIGHTFT_C] <0-7> [goto HEIGHTIN_C] <RF,DK> [goto WEIGHTLB_C] <M> [goto HEIGHTM_C]

## Check Name: ERR1\_HEIGHTFT\_C

<b>Text:</b>	{check ERR1_HEIGHTFT_C} * Only 0-7, Don't know/Refused, or M allowed in this field. * Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	(GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017))
<b>Universe:</b>	HEIGHTFT_C not IN (0-7,RF,DK,M)
<b>Universe Description:</b>	Height is not 0ft-7ft, Refused, Don't know, or Metric

<b>Inherited Universe:</b>	(GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017))
<b>Universe:</b>	HEIGHTFT_C=0-7
<b>Universe Description:</b>	Sample Children 10-17 whose height in feet is 0-7
<b>Question Text:</b>	◆ Enter inches. ◆ Enter '0' if exactly ^HEIGHTFT_C feet tall.
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Fills:</b>	^HEIGHTFT_C fill value from HEIGHTFT_C
<b>Skip Instructions:</b>	If (HEIGHTFT_C=0) and (HEIGHTIN_C=0) [goto ERR1_HEIGHTIN_C] elseif HEIGHTFT_C=1-7 and HEIGHTIN_C ge 12 [goto ERR2_HEIGHTIN_C] elseif (GEN.SEX_FINAL=1 and (GEN.AGE_FINAL=010 and (CHTINCH_C lt 50 or CHTINCH_C gt 60)) or (GEN.AGE_FINAL=011 and (CHTINCH_C lt 52 or CHTINCH_C gt 62)) or (GEN.AGE_FINAL=012 and (CHTINCH_C lt 53 or CHTINCH_C gt 64)) or (GEN.AGE_FINAL=013 and (CHTINCH_C lt 56 or CHTINCH_C gt 67)) or (GEN.AGE_FINAL=014 and (CHTINCH_C lt 58 or CHTINCH_C gt 70)) or (GEN.AGE_FINAL=015 and (CHTINCH_C lt 61 or CHTINCH_C gt 72)) or (GEN.AGE_FINAL=016 and (CHTINCH_C lt 63 or CHTINCH_C gt 74)) or (GEN.AGE_FINAL=017 and (CHTINCH_C lt 63 or CHTINCH_C gt 74))) or (GEN.SEX_FINAL=2 and (GEN.AGE_FINAL=010 and (CHTINCH_C lt 50 or CHTINCH_C gt 60)) or (GEN.AGE_FINAL=011 and (CHTINCH_C lt 51 or CHTINCH_C gt 62)) or (GEN.AGE_FINAL=012 and (CHTINCH_C lt 54 or CHTINCH_C gt 65)) or (GEN.AGE_FINAL=013 and (CHTINCH_C lt 57 or CHTINCH_C gt 67)) or (GEN.AGE_FINAL=014 and (CHTINCH_C lt 58 or CHTINCH_C gt 68)) or (GEN.AGE_FINAL=015 and (CHTINCH_C lt 59 or CHTINCH_C gt 69)) or (GEN.AGE_FINAL=016 and (CHTINCH_C lt 59 or CHTINCH_C gt 69)) or (GEN.AGE_FINAL=017 and (CHTINCH_C lt 59 or CHTINCH_C gt 69))) [goto ERR3_HEIGHTIN_C] else <0-36,RF,DK> [goto WEIGHTLB_C]

**Check Name: ERR1\_HEIGHTIN\_C**

<b>Text:</b>	{check ERR1_HEIGHTIN_C} * Must enter an answer in at least the inches item. * Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	(GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017))
<b>Universe:</b>	(HEIGHTFT_C IN (0)) and (HEIGHTIN_C IN (0))
<b>Universe Description:</b>	Height in feet and height in inches are 0

**Check Name: ERR2\_HEIGHTIN\_C**

<b>Text:</b>	{check ERR2_HEIGHTIN_C} * Number of inches exceeds maximum allowed. * Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	(GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017))
<b>Universe:</b>	HEIGHTFT_C IN (1-7) and HEIGHTIN_C ge 12
<b>Universe Description:</b>	Height in feet is 1-7 and height in inches is greater than or equal to 12

**Check Name: ERR3\_HEIGHTIN\_C**

<b>Text:</b>	{signal ERR3_HEIGHTIN_C} * Please verify that the height was entered correctly. Probe only if necessary.
<b>Hard / Soft Edit:</b>	Soft
<b>Inherited Universe:</b>	(GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017))
<b>Universe:</b>	(GEN.SEX_FINAL=1 and (GEN.AGE_FINAL=010 and (CHTINCH_C lt 50 or CHTINCH_C gt 60)) or (GEN.AGE_FINAL=011 and (CHTINCH_C lt 52 or CHTINCH_C gt 62)) or (GEN.AGE_FINAL=012 and (CHTINCH_C lt 53 or CHTINCH_C gt 64)) or (GEN.AGE_FINAL=013 and (CHTINCH_C lt 56 or CHTINCH_C gt 67)) or (GEN.AGE_FINAL=014 and (CHTINCH_C lt 58 or CHTINCH_C gt 70)) or (GEN.AGE_FINAL=015 and (CHTINCH_C lt 61 or CHTINCH_C gt 72)) or (GEN.AGE_FINAL=016 and (CHTINCH_C lt 63 or CHTINCH_C gt 74)) or (GEN.AGE_FINAL=017 and (CHTINCH_C lt 63 or CHTINCH_C gt 74))) or (GEN.SEX_FINAL=2 and (GEN.AGE_FINAL=010 and (CHTINCH_C lt 50 or CHTINCH_C gt 60)) or (GEN.AGE_FINAL=011 and (CHTINCH_C lt 51 or CHTINCH_C gt 62)) or (GEN.AGE_FINAL=012 and (CHTINCH_C lt 54 or CHTINCH_C gt 65)) or (GEN.AGE_FINAL=013 and (CHTINCH_C lt 57 or CHTINCH_C gt 67)) or (GEN.AGE_FINAL=014 and (CHTINCH_C lt 58 or CHTINCH_C gt 68)) or (GEN.AGE_FINAL=015 and (CHTINCH_C lt 59 or CHTINCH_C gt 69)) or (GEN.AGE_FINAL=016 and (CHTINCH_C lt 59 or CHTINCH_C gt 69)) or (GEN.AGE_FINAL=017 and (CHTINCH_C lt 59 or CHTINCH_C gt 69)))
<b>Universe Description:</b>	Height in inches is out of usual range for sex and age

<b>Question ID:</b> BMI.0010.04.2	<b>Variable name:</b> HEIGHTM_C	<b>Interview module:</b> BMI(Child.BMI)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	(GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017))
<b>Universe:</b>	HEIGHTFT_C=M
<b>Universe Description:</b>	Sample Children 10-17 whose current height will be entered in metric
<b>Question Text:</b>	<b>How tall is ^SCNAME without shoes?</b> * Enter height in metric. * If the child's height is given in centimeters, press '0' at meters and enter the measure in centimeters (241 centimeters maximum).
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<0-2> [goto HEIGHTCM_C] <RF,DK> [goto WEIGHTLB_C]

<b>Question ID:</b> BMI.0010.05.2	<b>Variable name:</b> HEIGHTCM_C	<b>Interview module:</b> BMI(Child.BMI)
-----------------------------------	----------------------------------	---

<b>Inherited Universe:</b>	(GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017))
<b>Universe:</b>	HEIGHTM_C IN (0,1,2)
<b>Universe Description:</b>	Sample Children 10-17 whose height will be entered in metric, and who entered 0-2 for height in meters
<b>Question Text:</b>	* Enter height in centimeters.
<b>Response:</b>	DK: Don't Know RF: Refused

<b>Skip Instructions:</b>	<p>If (HEIGHTM_C IN (0)) and (HEIGHTCM_C IN (0)) [goto ERR1_HEIGHTCM_C]</p> <p>elseif (HEIGHTM_C=2 and HEIGHTCM_C gt 41) or (HEIGHTM_C=1 and HEIGHTCM_C gt 141) [goto ERR2_HEIGHTCM_C]</p> <p>elseif (GEN.SEX_FINAL=1 and  (GEN.AGE_FINAL=010 and (CHTCM_C lt 127 or CHTCM_C gt 152)) or  (GEN.AGE_FINAL=011 and (CHTCM_C lt 131 or CHTCM_C gt 157)) or  (GEN.AGE_FINAL=012 and (CHTCM_C lt 136 or CHTCM_C gt 164)) or  (GEN.AGE_FINAL=013 and (CHTCM_C lt 142 or CHTCM_C gt 171)) or  (GEN.AGE_FINAL=014 and (CHTCM_C lt 149 or CHTCM_C gt 179)) or  (GEN.AGE_FINAL=015 and (CHTCM_C lt 155 or CHTCM_C gt 184)) or  (GEN.AGE_FINAL=016 and (CHTCM_C lt 159 or CHTCM_C gt 187)) or  (GEN.AGE_FINAL=017 and (CHTCM_C lt 161 or CHTCM_C gt 189))) or</p> <p>(GEN.SEX_FINAL=2 and  (GEN.AGE_FINAL=010 and (CHTCM_C lt 126 or CHTCM_C gt 151)) or  (GEN.AGE_FINAL=011 and (CHTCM_C lt 131 or CHTCM_C gt 158)) or  (GEN.AGE_FINAL=012 and (CHTCM_C lt 137 or CHTCM_C gt 165)) or  (GEN.AGE_FINAL=013 and (CHTCM_C lt 144 or CHTCM_C gt 170)) or  (GEN.AGE_FINAL=014 and (CHTCM_C lt 148 or CHTCM_C gt 173)) or  (GEN.AGE_FINAL=015 and (CHTCM_C lt 150 or CHTCM_C gt 174)) or  (GEN.AGE_FINAL=016 and (CHTCM_C lt 150 or CHTCM_C gt 175)) or  (GEN.AGE_FINAL=017 and (CHTCM_C lt 151 or CHTCM_C gt 175))) [goto ERR3_HEIGHTCM_C]</p> <p>&lt;0-241,RK,DK&gt; [goto WEIGHTLB_C]</p>
---------------------------	--

**Check Name: ERR1\_HEIGHTCM\_C**

<b>Text:</b>	{check ERR1_HEIGHTCM_C} * Must enter an answer at least in centimeters item. * Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	(GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017))
<b>Universe:</b>	(HEIGHTM_C IN (0)) and (HEIGHTCM_C IN (0))
<b>Universe Description:</b>	Height in meters and height in centimeters are 0

Check Name: ERR2\_HEIGHTCM\_C

<b>Text:</b>	{check ERR2_HEIGHTCM_C} ♦ Total height exceeds maximum allowed. ♦ Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	(GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017))
<b>Universe:</b>	(HEIGHTM_C=2 and HEIGHTCM_C gt 41) or (HEIGHTM_C=1 and HEIGHTCM_C gt 141)
<b>Universe Description:</b>	Height is 2 meters and greater than 41 centimeters or height is 1 meter and greater than 141 centimeters.

Check Name: ERR3\_HEIGHTCM\_C

**Text:** {signal ERR3\_HEIGHTCM\_C} ♦ Please verify that the height was entered correctly.  
Probe only if necessary.

**Hard / Soft Edit:** Soft

**Inherited Universe:** (GEN.AGE\_FINAL ge 010 and GEN.AGE\_FINAL le 017) AND  
((GEN.PX\_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and  
PCNT ge 2 and PCNT18UP\_C gt 0 and NOFAMSC ne 1) AND  
(GEN.AGE\_FINAL ge 010 and GEN.AGE\_FINAL le 017))

**Universe:** (GEN.SEX\_FINAL=1 and  
(GEN.AGE\_FINAL=010 and (CHTCM\_C lt 127 or CHTCM\_C gt 152)) or  
(GEN.AGE\_FINAL=011 and (CHTCM\_C lt 131 or CHTCM\_C gt 157)) or  
(GEN.AGE\_FINAL=012 and (CHTCM\_C lt 136 or CHTCM\_C gt 164)) or  
(GEN.AGE\_FINAL=013 and (CHTCM\_C lt 142 or CHTCM\_C gt 171)) or  
(GEN.AGE\_FINAL=014 and (CHTCM\_C lt 149 or CHTCM\_C gt 179)) or  
(GEN.AGE\_FINAL=015 and (CHTCM\_C lt 155 or CHTCM\_C gt 184)) or  
(GEN.AGE\_FINAL=016 and (CHTCM\_C lt 159 or CHTCM\_C gt 187)) or  
(GEN.AGE\_FINAL=017 and (CHTCM\_C lt 161 or CHTCM\_C gt 189))) or  
  
(GEN.SEX\_FINAL=2 and  
(GEN.AGE\_FINAL=010 and (CHTCM\_C lt 126 or CHTCM\_C gt 151)) or  
(GEN.AGE\_FINAL=011 and (CHTCM\_C lt 131 or CHTCM\_C gt 158)) or  
(GEN.AGE\_FINAL=012 and (CHTCM\_C lt 137 or CHTCM\_C gt 165)) or  
(GEN.AGE\_FINAL=013 and (CHTCM\_C lt 144 or CHTCM\_C gt 170)) or

(GEN.AGE\_FINAL=014 and (CHTCM\_C lt 148 or CHTCM\_C gt 173)) or  
 (GEN.AGE\_FINAL=015 and (CHTCM\_C lt 150 or CHTCM\_C gt 174)) or  
 (GEN.AGE\_FINAL=016 and (CHTCM\_C lt 150 or CHTCM\_C gt 175)) or  
 (GEN.AGE\_FINAL=017 and (CHTCM\_C lt 151 or CHTCM\_C gt 175)))

**Universe Description:** Height in centimeters is out of usual range for sex and age

Question ID: BMI.0020.01.2	Variable name: WEIGHTLB_C	Interview module: BMI(Child.BMI)
<b>Inherited Universe:</b>	(GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017))	
<b>Universe Description:</b>	Sample Children 10-17	
<b>Question Text:</b>	<b>How much does ^SCNAME weigh now?</b> * Enter 'M' to record metric measurements. * Enter '500' if 500 pounds or more.	
<b>Response:</b>	DK: Don't Know RF: Refused	

**Fills:** ^SCNAME                      Fill ALIAS of HHSTAT\_C=1

**Skip Instructions:** if WEIGHTLB\_C lt 1 or WEIGHTLB\_C gt 500 [goto ERR1\_WEIGHTLB\_C]  
 elseif (GEN.SEX\_FINAL=1 and  
 (GEN.AGE\_FINAL=010 and (WEIGHTLB\_C lt 53 or WEIGHTLB\_C gt 109)) or  
 (GEN.AGE\_FINAL=011 and (WEIGHTLB\_C lt 59 or WEIGHTLB\_C gt 124)) or  
  
 (GEN.AGE\_FINAL=012 and (WEIGHTLB\_C lt 65 or WEIGHTLB\_C gt 140)) or  
 (GEN.AGE\_FINAL=013 and (WEIGHTLB\_C lt 73 or WEIGHTLB\_C gt 155)) or  
 (GEN.AGE\_FINAL=014 and (WEIGHTLB\_C lt 82 or WEIGHTLB\_C gt 170)) or  
 (GEN.AGE\_FINAL=015 and (WEIGHTLB\_C lt 92 or WEIGHTLB\_C gt 184)) or  
 (GEN.AGE\_FINAL=016 and (WEIGHTLB\_C lt 101 or WEIGHTLB\_C gt 196))  
 or  
 (GEN.AGE\_FINAL=017 and (WEIGHTLB\_C lt 109 or WEIGHTLB\_C gt 207)))  
 or  
 (GEN.SEX\_FINAL=2 and  
 (GEN.AGE\_FINAL=010 and (WEIGHTLB\_C lt 53 or WEIGHTLB\_C gt 113)) or  
 (GEN.AGE\_FINAL=011 and (WEIGHTLB\_C lt 59 or WEIGHTLB\_C gt 129)) or  
 (GEN.AGE\_FINAL=012 and (WEIGHTLB\_C lt 66 or WEIGHTLB\_C gt 145)) or  
 (GEN.AGE\_FINAL=013 and (WEIGHTLB\_C lt 74 or WEIGHTLB\_C gt 160)) or  
 (GEN.AGE\_FINAL=014 and (WEIGHTLB\_C lt 81 or WEIGHTLB\_C gt 171)) or  
 (GEN.AGE\_FINAL=015 and (WEIGHTLB\_C lt 87 or WEIGHTLB\_C gt 180)) or  
 (GEN.AGE\_FINAL=016 and (WEIGHTLB\_C lt 92 or WEIGHTLB\_C gt 186)) or



(GEN.AGE\_FINAL=017 and (WEIGHTLB\_C lt 96 or WEIGHTLB\_C gt 190)))  
 [goto ERR2\_WEIGHTLB\_C]  
 <1-500,RF,DK> [goto next section]  
 <M> [goto WEIGHTKG\_C]

**Check Name: ERR1\_WEIGHTLB\_C**

<b>Text:</b>	{check ERR1_WEIGHTLB_C} * Weight is out of range (1-500). * Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	(GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017))
<b>Universe:</b>	(WEIGHTLB_C lt 1 or WEIGHTLB_C gt 500) or or WEIGHTLB_C not IN (M,DK,RF)
<b>Universe Description:</b>	Weight in pounds is less than 1 or greater than 500 or weight in pounds is not M, don't know, or refused

**Check Name: ERR2\_WEIGHTLB\_C**

**Text:** {signal ERR2\_WEIGHTLB\_C} \* Please verify that the weight was entered correctly.  
 Probe only if necessary.

**Hard / Soft Edit:** Soft

**Inherited Universe:** (GEN.AGE\_FINAL ge 010 and GEN.AGE\_FINAL le 017) AND  
 ((GEN.PX\_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and  
 PCNT ge 2 and PCNT18UP\_C gt 0 and NOFAMSC ne 1) AND  
 (GEN.AGE\_FINAL ge 010 and GEN.AGE\_FINAL le 017))

**Universe:** (GEN.SEX\_FINAL=1 and  
 (GEN.AGE\_FINAL=010 and (WEIGHTLB\_C lt 53 or WEIGHTLB\_C gt 109)) or  
 (GEN.AGE\_FINAL=011 and (WEIGHTLB\_C lt 59 or WEIGHTLB\_C gt 124)) or  
 (GEN.AGE\_FINAL=012 and (WEIGHTLB\_C lt 65 or WEIGHTLB\_C gt 140)) or  
 (GEN.AGE\_FINAL=013 and (WEIGHTLB\_C lt 73 or WEIGHTLB\_C gt 155)) or  
 (GEN.AGE\_FINAL=014 and (WEIGHTLB\_C lt 82 or WEIGHTLB\_C gt 170)) or  
 (GEN.AGE\_FINAL=015 and (WEIGHTLB\_C lt 92 or WEIGHTLB\_C gt 184)) or  
 (GEN.AGE\_FINAL=016 and (WEIGHTLB\_C lt 101 or WEIGHTLB\_C gt 196))  
 or  
 (GEN.AGE\_FINAL=017 and (WEIGHTLB\_C lt 109 or WEIGHTLB\_C gt 207)))

or  
 (GEN.SEX\_FINAL=2 and  
 (GEN.AGE\_FINAL=010 and (WEIGHTLB\_C lt 53 or WEIGHTLB\_C gt 113)) or  
 (GEN.AGE\_FINAL=011 and (WEIGHTLB\_C lt 59 or WEIGHTLB\_C gt 129)) or  
 (GEN.AGE\_FINAL=012 and (WEIGHTLB\_C lt 66 or WEIGHTLB\_C gt 145)) or  
 (GEN.AGE\_FINAL=013 and (WEIGHTLB\_C lt 74 or WEIGHTLB\_C gt 160)) or  
 (GEN.AGE\_FINAL=014 and (WEIGHTLB\_C lt 81 or WEIGHTLB\_C gt 171)) or  
 (GEN.AGE\_FINAL=015 and (WEIGHTLB\_C lt 87 or WEIGHTLB\_C gt 180)) or  
 (GEN.AGE\_FINAL=016 and (WEIGHTLB\_C lt 92 or WEIGHTLB\_C gt 186)) or  
 (GEN.AGE\_FINAL=017 and (WEIGHTLB\_C lt 96 or WEIGHTLB\_C gt 190)))

**Universe Description:** Weight in pounds is out of usual range for sex and age

Question ID: BMI.0020.02.2	Variable name: WEIGHTKG_C	Interview module: BMI(Child.BMI)
<b>Inherited Universe:</b>	(GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017))	
<b>Universe:</b>	WEIGHTLB_C=M	
<b>Universe Description:</b>	Sample Children 10-17 whose weight will be entered in metric	
<b>Question Text:</b>	<b>How much does ^SCNAME weigh now?</b> ♦ Enter weight in kilograms. ♦ Enter '226' if 226 kilograms or more.	

**Response:** DK: Don't Know  
 RF: Refused

**Fills:** ^SCNAME                      Fill ALIAS of HHSTAT\_C=1

**Skip Instructions:** if WEIGHTKG\_C lt 1 or WEIGHTKG\_C gt 226 [goto ERR1\_WEIGHTKG\_C]  
 elseif (GEN.SEX\_FINAL=1 and  
 (GEN.AGE\_FINAL=010 and (WEIGHTKG\_C lt 24 or WEIGHTKG\_C gt 49)) or  
 (GEN.AGE\_FINAL=011 and (WEIGHTKG\_C lt 27 or WEIGHTKG\_C gt 56)) or  
 (GEN.AGE\_FINAL=012 and (WEIGHTKG\_C lt 29 or WEIGHTKG\_C gt 63)) or  
 (GEN.AGE\_FINAL=013 and (WEIGHTKG\_C lt 33 or WEIGHTKG\_C gt 70)) or  
 (GEN.AGE\_FINAL=014 and (WEIGHTKG\_C lt 37 or WEIGHTKG\_C gt 77)) or  
 (GEN.AGE\_FINAL=015 and (WEIGHTKG\_C lt 42 or WEIGHTKG\_C gt 83)) or  
 (GEN.AGE\_FINAL=016 and (WEIGHTKG\_C lt 46 or WEIGHTKG\_C gt 89)) or  
 (GEN.AGE\_FINAL=017 and (WEIGHTKG\_C lt 49 or WEIGHTKG\_C gt 94))) or  
 (GEN.SEX\_FINAL=2 and  
 (GEN.AGE\_FINAL=010 and (WEIGHTKG\_C lt 24 or WEIGHTKG\_C gt 51)) or  
 (GEN.AGE\_FINAL=011 and (WEIGHTKG\_C lt 27 or WEIGHTKG\_C gt 59)) or

(GEN.AGE\_FINAL=012 and (WEIGHTKG\_C lt 30 or WEIGHTKG\_C gt 66)) or  
 (GEN.AGE\_FINAL=013 and (WEIGHTKG\_C lt 33 or WEIGHTKG\_C gt 72)) or  
 (GEN.AGE\_FINAL=014 and (WEIGHTKG\_C lt 37 or WEIGHTKG\_C gt 78)) or  
 (GEN.AGE\_FINAL=015 and (WEIGHTKG\_C lt 40 or WEIGHTKG\_C gt 82)) or  
 (GEN.AGE\_FINAL=016 and (WEIGHTKG\_C lt 42 or WEIGHTKG\_C gt 84)) or  
 (GEN.AGE\_FINAL=017 and (WEIGHTKG\_C lt 43 or WEIGHTKG\_C gt 86)))  
 [goto ERR2\_WEIGHTKG\_C]  
 <1-226,RF,DK> [goto next section]

**Check Name: ERR1\_WEIGHTKG\_C**

<b>Text:</b>	{check ERR1_WEIGHTKG_C} * Weight is out of range (1-226). * Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	(GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL ge 010 and GEN.AGE_FINAL le 017))
<b>Universe:</b>	WEIGHTKG_C lt 1 or WEIGHTKG_C gt 226
<b>Universe Description:</b>	Weight in kilograms is less than 1 or greater than 226

**Check Name: ERR2\_WEIGHTKG\_C**

**Text:** {signal ERR2\_WEIGHTKG\_C} \* Please verify that the weight was entered correctly.  
 Probe only if necessary.

**Hard / Soft Edit:** Soft

**Inherited Universe:** (GEN.AGE\_FINAL ge 010 and GEN.AGE\_FINAL le 017) AND  
 ((GEN.PX\_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and  
 PCNT ge 2 and PCNT18UP\_C gt 0 and NOFAMSC ne 1) AND  
 (GEN.AGE\_FINAL ge 010 and GEN.AGE\_FINAL le 017))

**Universe:** (GEN.SEX\_FINAL=1 and  
 (GEN.AGE\_FINAL=010 and (WEIGHTKG\_C lt 24 or WEIGHTKG\_C gt 49)) or  
 (GEN.AGE\_FINAL=011 and (WEIGHTKG\_C lt 27 or WEIGHTKG\_C gt 56)) or  
 (GEN.AGE\_FINAL=012 and (WEIGHTKG\_C lt 29 or WEIGHTKG\_C gt 63)) or  
 (GEN.AGE\_FINAL=013 and (WEIGHTKG\_C lt 33 or WEIGHTKG\_C gt 70)) or  
 (GEN.AGE\_FINAL=014 and (WEIGHTKG\_C lt 37 or WEIGHTKG\_C gt 77)) or  
 (GEN.AGE\_FINAL=015 and (WEIGHTKG\_C lt 42 or WEIGHTKG\_C gt 83)) or  
 (GEN.AGE\_FINAL=016 and (WEIGHTKG\_C lt 46 or WEIGHTKG\_C gt 89)) or

(GEN.AGE\_FINAL=017 and (WEIGHTKG\_C lt 49 or WEIGHTKG\_C gt 94))) or  
 (GEN.SEX\_FINAL=2 and  
 (GEN.AGE\_FINAL=010 and (WEIGHTKG\_C lt 24 or WEIGHTKG\_C gt 51)) or  
 (GEN.AGE\_FINAL=011 and (WEIGHTKG\_C lt 27 or WEIGHTKG\_C gt 59)) or  
 (GEN.AGE\_FINAL=012 and (WEIGHTKG\_C lt 30 or WEIGHTKG\_C gt 66)) or  
 (GEN.AGE\_FINAL=013 and (WEIGHTKG\_C lt 33 or WEIGHTKG\_C gt 72)) or  
 (GEN.AGE\_FINAL=014 and (WEIGHTKG\_C lt 37 or WEIGHTKG\_C gt 78)) or  
 (GEN.AGE\_FINAL=015 and (WEIGHTKG\_C lt 40 or WEIGHTKG\_C gt 82)) or  
 (GEN.AGE\_FINAL=016 and (WEIGHTKG\_C lt 42 or WEIGHTKG\_C gt 84)) or  
 (GEN.AGE\_FINAL=017 and (WEIGHTKG\_C lt 43 or WEIGHTKG\_C gt 86)))

**Universe Description:** Weight in kilograms is out of usual range for sex and age

Question ID: VIS.0010.00.1	Variable name: VISINTRO_C	Interview module: VIS(Child.VIS)
<b>Inherited Universe:</b>	(GEN.AGE_FINAL ge 2 and GEN.AGE_FINAL le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL ge 2 and GEN.AGE_FINAL le 17))	
<b>Universe Description:</b>	Sample Children 2-17	
<b>Question Text:</b>	<b>I would like to ask you some questions about difficulties ^SCNAME may have.</b> <a href="#">Enter '1' to continue.</a>	
<b>Response:</b>	1. Enter 1 to Continue	
<b>Fills:</b>	^SCNAME Fill ALIAS of HHSTAT_C=1	
<b>Skip Instructions:</b>	<1> [goto WEARGLSS_C]	

Question ID: VIS.0020.00.1

Variable name: WEARGLSS\_C

Interview module: VIS(Child.VIS)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL ge 2 and GEN.AGE_FINAL le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL ge 2 and GEN.AGE_FINAL le 17))
<b>Universe Description:</b>	Sample Children 2-17
<b>Question Text:</b>	<b>Does ^SCNAME wear glasses ^CONTACTS?</b> ♦ <a href="#">Read if necessary</a> : Persons who wear glasses to read or to do other occasional tasks should answer yes to this question.
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^CONTACTS If AGE=5-17 fill "or contact lenses"  ^SCNAME Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto VISIONDF_C]

Question ID: VIS.0030.00.1

Variable name: VISIONDF\_C

Interview module: VIS(Child.VIS)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL ge 2 and GEN.AGE_FINAL le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL ge 2 and GEN.AGE_FINAL le 17))
<b>Universe Description:</b>	Sample Children 2-17
<b>Question Text:</b>	<b>^GLASSCONTACT ^SCNAME have difficulty seeing? Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?</b>
<b>Response:</b>	

	1. No difficulty 2. Some difficulty 3. A lot of difficulty 4. Cannot do at all DK: Don't Know RF: Refused
<b>Fills:</b>	^GLASSCONTACT If WEARGLSS_C=1 fill "When wearing glasses ^CONTACTS does" else if WEARGLSS_C ne 1 "Does"  ^SCNAME Fill ALIAS of HHSTAT_C=1  ^heshe_C If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto next section]

Question ID: HEA.0010.00.1

Variable name: HEARAID\_C

Interview module: HEA(Child.HEA)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL ge 2 and GEN.AGE_FINAL le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL ge 2 and GEN.AGE_FINAL le 17))
<b>Universe Description:</b>	Sample Children 2-17
<b>Question Text:</b>	<b>Does ^SCNAME use a hearing aid?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused

<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto HEARINGDF_C]

**Question ID: HEA.0020.00.1                      Variable name: HEARINGDF\_C                      Interview module: HEA(Child.HEA)**

<b>Inherited Universe:</b>	(GEN.AGE_FINAL ge 2 and GEN.AGE_FINAL le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL ge 2 and GEN.AGE_FINAL le 17))
<b>Universe Description:</b>	Sample Children 2-17
<b>Question Text:</b>	<b>^USEHRAID_C ^SCNAME have difficulty hearing sounds like people's voices or music? Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?</b>
<b>Response:</b>	1.        No difficulty 2.        Some difficulty 3.        A lot of difficulty 4.        Cannot do at all DK:      Don't Know RF:      Refused
<b>Fills:</b>	^USEHRAID_C                      If HEARAID_C=1 fill "When using ^hisher_C hearing aid(s) does " else fill "Does "  ^SCNAME                              Fill ALIAS of HHSTAT_C=1  ^heshe_C                              If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"

<b>Skip Instructions:</b>	<1-4,RF,DK> [goto next section]
---------------------------	---------------------------------

<b>Question ID:</b> MOB.0010.00.1	<b>Variable name:</b> EQUIP_C	<b>Interview module:</b> MOB(Child.MOB)
-----------------------------------	-------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	GEN.AGE_FINAL[PX_C] ge 2 and GEN.AGE_FINAL[PX_C] le 17
<b>Universe Description:</b>	Sample Children 2-17
<b>Question Text:</b>	<b>Does ^SCNAME use any equipment or receive assistance for walking?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> if GEN.AGE_FINAL[PX_C]=2-4 [goto NOEQWLKDF_C] else if GEN.AGE_FINAL[PX_C] ge 5 [goto NOEQWLK100_C] <2,RF,DK> if GEN.AGE_FINAL[PX_C]=2-4 [goto WLKDF_C] else if GEN.AGE_FINAL[PX_C] ge 5 [goto WLK100_C]

<b>Question ID:</b> MOB.0020.00.1	<b>Variable name:</b> NOEQWLKDF_C	<b>Interview module:</b> MOB(Child.MOB)
-----------------------------------	-----------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	EQUIP_C=1 and GEN.AGE_FINAL[PX_C] IN (2,3,4)
<b>Universe Description:</b>	Sample Children 2-4 who use equipment or assistance for walking
<b>Question Text:</b>	<b>Without using ^hisher_C equipment or assistance, does ^SCNAME have difficulty walking? Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?</b>
<b>Response:</b>	



	1. No difficulty 2. Some difficulty 3. A lot of difficulty 4. Cannot do at all DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"  ^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto EQWLKDF_C]

Question ID: MOB.0030.00.1	Variable name: EQWLKDF_C	Interview module: MOB(Child.MOB)
----------------------------	--------------------------	----------------------------------

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	EQUIP_C=1 and GEN.AGE_FINAL[PX_C] IN (2,3,4)
<b>Universe Description:</b>	Sample Children 2-4 who use equipment or assistance for walking
<b>Question Text:</b>	<b>When using ^hisher_C equipment or assistance, does ^SCNAME have difficulty walking?</b> ♦ <b>Read if necessary:</b> Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?
<b>Response:</b>	1. No difficulty

	2. Some difficulty 3. A lot of difficulty 4. Cannot do at all DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hishe_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"  ^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto next section]

Question ID: MOB.0040.00.1                      Variable name: WLKDF\_C                      Interview module: MOB(Child.MOB)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	EQUIP_C IN (2,RF,DK) and GEN.AGE_FINAL[PX_C] IN (2,3,4)
<b>Universe Description:</b>	Sample Children 2-4 who do not use equipment or assistance for walking or Refused or Don't Know
<b>Question Text:</b>	<b>Compared with children of the same age, does ^SCNAME have difficulty walking? Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?</b>
<b>Response:</b>	1. No difficulty

	2. Some difficulty 3. A lot of difficulty 4. Cannot do at all DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto next section]

Question ID: MOB.0050.00.1                      Variable name: NOEQWLK100\_C                      Interview module: MOB(Child.MOB)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	EQUIP_C=1 and GEN.AGE_FINAL[PX_C] ge 5 and GEN.AGE_FINAL[PX_C] le 17
<b>Universe Description:</b>	Sample Children 5-17 who use equipment or assistance for walking
<b>Question Text:</b>	<b>WITHOUT USING ^hisher_C equipment or assistance, does ^SCNAME have difficulty walking 100 yards on level ground? That would be about the length of 1 football field or 1 city block. Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?</b>
<b>Response:</b>	1. No difficulty 2. Some difficulty 3. A lot of difficulty 4. Cannot do at all DK: Don't Know RF: Refused

<b>Fills:</b>	<p>^SCNAME                      Fill ALIAS of HHSTAT_C=1</p> <p>^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"</p> <p>^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"</p>
<b>Skip Instructions:</b>	<p>&lt;1-3,RF,DK&gt; [goto NOEQWLK13M_C] &lt;4&gt; [goto EQWLK100_C]</p>

Question ID: MOB.0060.00.1                      Variable name: NOEQWLK13M\_C                      Interview module: MOB(Child.MOB)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	NOEQWLK100_C IN (1,2,3,RF,DK) and GEN.AGE_FINAL[PX_C] ge 5 and GEN.AGE_FINAL[PX_C] le 17
<b>Universe Description:</b>	Sample Children 5-17 who use equipment or assistance for walking and have no, some or a lot difficulty walking 100 yards when not using their equipment/assistance or Refused or Don't Know
<b>Question Text:</b>	<p><b>WITHOUT USING ^hisher_C equipment or assistance, does ^SCNAME have difficulty walking a third of a mile on level ground? That would be about the length of 5 football fields or 5 city blocks. ♦Read if necessary:</b> Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?</p>
<b>Response:</b>	<p>1.            No difficulty</p> <p>2.            Some difficulty</p>

	3. A lot of difficulty 4. Cannot do at all DK: Don't Know RF: Refused
<b>Fills:</b>	<p>^SCNAME                      Fill ALIAS of HHSTAT_C=1</p> <p>^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"</p> <p>^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"</p>
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto EQWLK100_C]

Question ID: MOB.0070.00.1

Variable name: EQWLK100\_C

Interview module: MOB(Child.MOB)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	EQUIP_C=1 and GEN.AGE_FINAL[PX_C] ge 5 and GEN.AGE_FINAL[PX_C] le 17
<b>Universe Description:</b>	Sample Children 5-17 who use equipment or assistance for walking.
<b>Question Text:</b>	<b>WHEN USING ^hisher_C equipment or assistance, does ^SCNAME have difficulty walking 100 yards on level ground? That would be about the length of 1 football field or 1 city block. ♦Read if necessary:</b> Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?
<b>Response:</b>	1. No difficulty

	2. Some difficulty 3. A lot of difficulty 4. Cannot do at all DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hishe_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"  ^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto EQWLK13M_C] <4> [goto next section]

Question ID: MOB.0080.00.1                      Variable name: EQWLK13M\_C                      Interview module: MOB(Child.MOB)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	EQWLK100_C IN (1,2,3,RF,DK) and GEN.AGE_FINAL[PX_C] ge 5 and GEN.AGE_FINAL[PX_C] le 17
<b>Universe Description:</b>	Sample Children 5-17 who use equipment or assistance for walking and have no, some or a lot of difficulty walking 100 yards when using their equipment/assistance or Refused or Don't Know
<b>Question Text:</b>	<b>WHEN USING ^hishe_C equipment or assistance, does ^SCNAME have difficulty walking a third of a mile on level ground? That would be about the length of 5 football fields or 5 city blocks.</b> ♦ <b>Read if necessary:</b> Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?
<b>Response:</b>	

	1. No difficulty 2. Some difficulty 3. A lot of difficulty 4. Cannot do at all DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hishe_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"  ^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto next section]

**Question ID: MOB.0090.00.1                      Variable name: WLK100\_C                      Interview module: MOB(Child.MOB)**

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	EQUIP_C=2,RF,DK    and    GEN.AGE_FINAL[PX_C]    ge    5    and GEN.AGE_FINAL[PX_C] le 17
<b>Universe Description:</b>	Sample Children 5-17 who do not use equipment or assistance for walking or Refused or Don't Know
<b>Question Text:</b>	<b>Compared with children of the same age, does ^SCNAME have difficulty walking 100 yards on level ground? That would be about the length of 1 football field or 1 city block. Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?</b>
<b>Response:</b>	

	1. No difficulty 2. Some difficulty 3. A lot of difficulty 4. Cannot do at all DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto WLK13M_C] <4> [goto next section]

Question ID: MOB.0100.00.1                      Variable name: WLK13M\_C                      Interview module: MOB(Child.MOB)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	WLK100_C IN (1,2,3,RF,DK) and GEN.AGE_FINAL[PX_C] ge 5 and GEN.AGE_FINAL[PX_C] le 17
<b>Universe Description:</b>	Sample Children 5-17 who do not use equipment or assistance for walking and have no difficulty, some difficulty, or a lot of difficulty walking 100 yards or Refused or Don't Know
<b>Question Text:</b>	<b>Compared with children of the same age, does ^SCNAME have difficulty walking a third of a mile on level ground? That would be about the length of 5 football fields or 5 city blocks. ♦Read if necessary:</b> Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?
<b>Response:</b>	1. No difficulty



	2. Some difficulty 3. A lot of difficulty 4. Cannot do at all DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto next section]

Question ID: UPP.0010.00.1                      Variable name: PICKUPDF\_C                      Interview module: UPP(Child.UPP)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	GEN.AGE_FINAL[PX_C] IN (2,3,4)
<b>Universe Description:</b>	Sample Children 2-4
<b>Question Text:</b>	<b>Compared with children of the same age, does ^SCNAME have difficulty picking up small objects with ^hisher_C hands?</b> ♦ <i>Read if necessary:</i> Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?
<b>Response:</b>	1. No difficulty 2. Some difficulty 3. A lot of difficulty 4. Cannot do at all DK: Don't Know RF: Refused

<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hishe_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"  ^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto next section]

Question ID: UPP.0020.00.1                      Variable name: SELFCAREDF\_C                      Interview module: UPP(Child.UPP)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	GEN.AGE_FINAL[PX_C] ge 5 and GEN.AGE_FINAL[PX_C] le 17
<b>Universe Description:</b>	Sample Children 5-17
<b>Question Text:</b>	<b>Does ^SCNAME have difficulty with self care, such as eating or dressing? *</b> <a href="#">Read if necessary:</a> Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?
<b>Response:</b>	1.            No difficulty 2.            Some difficulty 3.            A lot of difficulty 4.            Cannot do at all DK:         Don't Know RF:         Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"

<b>Skip Instructions:</b>	<1-4,RF,DK> [goto next section]
---------------------------	---------------------------------

Question ID: COM.0010.00.1      Variable name: UNDRSTYOU\_C      Interview module: COM(Child.COM)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
<b>Universe:</b>	GEN.AGE_FINAL[PX_C] IN (2,3,4)	
<b>Universe Description:</b>	Sample Children 2-4	
<b>Question Text:</b>	<b>Does ^SCNAME have difficulty understanding you?</b> ♦ <b>Read if necessary:</b> Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?	
<b>Response:</b>	1.        No difficulty 2.        Some difficulty 3.        A lot of difficulty 4.        Cannot do at all DK:      Don't Know RF:      Refused	
<b>Fills:</b>	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^heshe_C	If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto UNDRSTCHD_C]	

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	GEN.AGE_FINAL[PX_C] IN (2,3,4)
<b>Universe Description:</b>	Sample Children 2-4
<b>Question Text:</b>	<b>When ^SCNAME speaks, do you have difficulty understanding ^himherthem_C?</b> ♦ <b>Read if necessary:</b> Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?
<b>Response:</b>	1. No difficulty 2. Some difficulty 3. A lot of difficulty 4. Cannot do at all DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^himherthem_C              if GEN.SEX_FINAL[PX_C]=1 fill "him"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "them"  ^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto next section]



<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	GEN.AGE_FINAL[PX_C] ge 5 and GEN.AGE_FINAL[PX_C] le 17
<b>Universe Description:</b>	Sample Children 5-17
<b>Question Text:</b>	<b>When ^SCNAME speaks, ^doesheshedothey_C have difficulty being understood by people outside of this household? ♦Read if necessary:</b> Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?
<b>Response:</b>	<ul style="list-style-type: none"> <li>1. No difficulty</li> <li>2. Some difficulty</li> <li>3. A lot of difficulty</li> <li>4. Cannot do at all</li> <li>DK: Don't Know</li> <li>RF: Refused</li> </ul>
<b>Fills:</b>	<p>^SCNAME                      Fill ALIAS of HHSTAT_C=1</p> <p>^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he"  else if GEN.SEX_FINAL[PX_C]=2 fill "she"  else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"</p> <p>^doesheshedothey_C      If SEX=1 fill: "does he"  If SEX=2 fill: "does she"  If SEX IN ('RF','DK') fill: "do they"</p>
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto next section]

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	GEN.AGE_FINAL[PX_C] ge 2 and GEN.AGE_FINAL[PX_C] le 17
<b>Universe Description:</b>	Sample Children 2-17
<b>Question Text:</b>	<b>Compared with children of the same age, does ^SCNAME have difficulty learning things?</b> ♦ <a href="#">Read if necessary</a> : Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?
<b>Response:</b>	1. No difficulty 2. Some difficulty 3. A lot of difficulty 4. Cannot do at all DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto REMEMBERDF_C]

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	GEN.AGE_FINAL[PX_C] ge 5 and GEN.AGE_FINAL[PX_C] le 17
<b>Universe Description:</b>	Sample Children 5-17
<b>Question Text:</b>	<b>Compared with children of the same age, does ^SCNAME have difficulty remembering things?</b> ♦ <a href="#">Read if necessary</a> : Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?
<b>Response:</b>	

	1. No difficulty 2. Some difficulty 3. A lot of difficulty 4. Cannot do at all DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto next section]

**Question ID: ANX.0010.00.1                      Variable name: ANXFREQ\_C                      Interview module: ANX(Child.ANX)**

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 5 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 5 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe Description:</b>	Sample Children 5-17
<b>Question Text:</b>	<b>How often does ^SCNAME seem very anxious, nervous, or worried? Would you say: daily, weekly, monthly, a few times a year, or never?</b>
<b>Response:</b>	1. Daily 2. Weekly 3. Monthly 4. A few times a year 5. Never DK: Don't Know RF: Refused



<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-5,RF,DK> [goto next section]

**Question ID: DEP.0010.00.1                      Variable name: DEPFREQ\_C                      Interview module: DEP(Child.DEP)**

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 5 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 5 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe Description:</b>	Sample Children 5-17
<b>Question Text:</b>	<b>How often does ^SCNAME seem very sad or depressed? Would you say: daily, weekly, monthly, a few times a year, or never?</b>
<b>Response:</b>	1.        Daily 2.        Weekly 3.        Monthly 4.        A few times a year 5.        Never DK:      Don't Know RF:      Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-5,RF,DK> [goto next section]

Question ID: BEH.0010.00.1

Variable name: BEHDFPLYG\_C

Interview module: BEH(Child.BEH)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	GEN.AGE_FINAL[PX_C] IN (2,3,4)
<b>Universe Description:</b>	Sample Children 2-4
<b>Question Text:</b>	<b>Compared with children of the same age, does ^SCNAME have difficulty playing? Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?</b>
<b>Response:</b>	1. No difficulty 2. Some difficulty 3. A lot of difficulty 4. Cannot do at all DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto BEHKBHYG_C]

Question ID: BEH.0020.00.1

Variable name: BEHKBHYG\_C

Interview module: BEH(Child.BEH)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	GEN.AGE_FINAL[PX_C] IN (2,3,4)
<b>Universe Description:</b>	Sample Children 2-4
<b>Question Text:</b>	<b>Compared with children of the same age, how much does ^SCNAME kick, bite, or hit other children or adults? Would you say: not at all, the same or less, more, or a lot more?</b>
<b>Response:</b>	

	1. Not at all 2. The same or less 3. More 4. A lot more DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto next section]

Question ID: BEH.0030.00.1	Variable name: BEHDFCNTR_C	Interview module: BEH(Child.BEH)
----------------------------	----------------------------	----------------------------------

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	GEN.AGE_FINAL[PX_C] ge 5 and GEN.AGE_FINAL[PX_C] le 17
<b>Universe Description:</b>	Sample Children 5-17
<b>Question Text:</b>	<b>Compared with children of the same age, does ^SCNAME have difficulty controlling ^hisher_C behavior?</b> <a href="#">Read if necessary:</a> Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?
<b>Response:</b>	1. No difficulty 2. Some difficulty 3. A lot of difficulty 4. Cannot do at all DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"  ^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"

<b>Skip Instructions:</b>	<1-4,RF,DK> [goto BEHDFFCSC_C]
---------------------------	--------------------------------

<b>Question ID:</b> BEH.0040.00.1	<b>Variable name:</b> BEHDFFCSC_C	<b>Interview module:</b> BEH(Child.BEH)
-----------------------------------	-----------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1							
<b>Universe:</b>	GEN.AGE_FINAL[PX_C] ge 5 and GEN.AGE_FINAL[PX_C] le 17							
<b>Universe Description:</b>	Sample Children 5-17							
<b>Question Text:</b>	<p><b>Does ^SCNAME have difficulty concentrating on an activity that ^heshe_C enjoy^s doing?</b> ♦<b>Read if necessary:</b> Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?</p>							
<b>Response:</b>	<ul style="list-style-type: none"> <li>1. No difficulty</li> <li>2. Some difficulty</li> <li>3. A lot of difficulty</li> <li>4. Cannot do at all</li> <li>DK: Don't Know</li> <li>RF: Refused</li> </ul>							
<b>Fills:</b>	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%; vertical-align: top;">^SCNAME</td> <td>Fill ALIAS of HHSTAT_C=1</td> </tr> <tr> <td style="vertical-align: top;">^heshe_C</td> <td>If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"</td> </tr> <tr> <td style="vertical-align: top;">^s</td> <td>if SEX_FINAL[PX_C]=1,2 fill "s" else fill blank</td> </tr> </table>		^SCNAME	Fill ALIAS of HHSTAT_C=1	^heshe_C	If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"	^s	if SEX_FINAL[PX_C]=1,2 fill "s" else fill blank
^SCNAME	Fill ALIAS of HHSTAT_C=1							
^heshe_C	If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"							
^s	if SEX_FINAL[PX_C]=1,2 fill "s" else fill blank							
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto BEHDFCHG_C]							

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
<b>Universe:</b>	GEN.AGE_FINAL[PX_C] ge 5 and GEN.AGE_FINAL[PX_C] le 17	
<b>Universe Description:</b>	Sample Children 5-17	
<b>Question Text:</b>	<p><b>Does ^SCNAME have difficulty accepting changes in ^hishe_C routine? *</b></p> <p><b>Read if necessary:</b> Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?</p>	
<b>Response:</b>	<p>1. No difficulty</p> <p>2. Some difficulty</p> <p>3. A lot of difficulty</p> <p>4. Cannot do at all</p> <p>DK: Don't Know</p> <p>RF: Refused</p>	
<b>Fills:</b>	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^hishe_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
	^heshe_C	If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto BEHDFMKFR_C]	

Question ID: BEH.0060.00.1

Variable name: BEHDFMKFR\_C

Interview module: BEH(Child.BEH)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
<b>Universe:</b>	GEN.AGE_FINAL[PX_C] ge 5 and GEN.AGE_FINAL[PX_C] le 17	
<b>Universe Description:</b>	Sample Children 5-17	
<b>Question Text:</b>	<b>Does ^SCNAME have difficulty making friends?</b> ♦ <b>Read if necessary:</b> Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?	
<b>Response:</b>	1. No difficulty 2. Some difficulty 3. A lot of difficulty 4. Cannot do at all DK: Don't Know RF: Refused	
<b>Fills:</b>	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^heshe_C	If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto next section]	

Question ID: BSC.0010.00.1

Variable name: BSCINTRO\_C

Interview module: BSC(Child.BSC)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] lt 2) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] lt 2))	
<b>Universe Description:</b>	Sample Children under 2 years	
<b>Question Text:</b>	♦ <b>The following statements are not to be read to the respondent. They are displayed and included here for legal reasons.</b> ♦ The Baby Pediatric Symptom Checklist is part of the larger Survey of Well-being of Young Children, copyrighted by Tufts Medical Center. For more information go to <a href="https://www.floatinghospital.org/The-Survey-of-Wellbeing-of-Young-Children/Overview.aspx">https://www.floatinghospital.org/The-Survey-of-Wellbeing-of-Young-Children/Overview.aspx</a> ♦ Enter '1' to continue.	
<b>Response:</b>		

	1. Enter 1 to Continue
<b>Skip Instructions:</b>	<1> [goto BSCNWPPL_C]

Question ID: BSC.0020.00.1	Variable name: BSCNWPPL_C	Interview module: BSC(Child.BSC)
----------------------------	---------------------------	----------------------------------

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] lt 2) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] lt 2))
<b>Universe Description:</b>	Sample Children with Age under 2 years
<b>Question Text:</b>	<b>These next questions are about ^SCNAME's behavior. Think about what you would expect of other children the same age, and tell me how much each statement applies to ^SCNAME. Does ^SCNAME have a hard time being with new people? Would you say not at all, somewhat, or very much?</b>
<b>Response:</b>	1. Not at all 2. Somewhat 3. Very much DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto BSCNWPLCS_C]

Question ID: BSC.0030.00.1	Variable name: BSCNWPLCS_C	Interview module: BSC(Child.BSC)
----------------------------	----------------------------	----------------------------------

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] lt 2) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] lt 2))
<b>Universe Description:</b>	Sample Children with Age under 2 years
<b>Question Text:</b>	<b>Does ^SCNAME have a hard time in new places? Would you say not at all, somewhat, or very much?</b>
<b>Response:</b>	

	1. Not at all 2. Somewhat 3. Very much DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto BSCCHG_C]

Question ID: BSC.0040.00.1                      Variable name: BSCCHG\_C                      Interview module: BSC(Child.BSC)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] lt 2) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] lt 2))
<b>Universe Description:</b>	Sample Children with Age under 2 years
<b>Question Text:</b>	<b>Does ^SCNAME have a hard time with change?</b> * <a href="#">Read if necessary:</a> Would you say not at all, somewhat, or very much?
<b>Response:</b>	1. Not at all 2. Somewhat 3. Very much DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto BSCHLOPPL_C]



Question ID: BSC.0050.00.1

Variable name: BSCHLOPPL\_C

Interview module: BSC(Child.BSC)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] lt 2) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] lt 2))
<b>Universe Description:</b>	Sample Children with Age under 2 years
<b>Question Text:</b>	<b>Does ^SCNAME mind being held by other people?</b> <a href="#">Read if necessary:</a> Would you say not at all, somewhat, or very much?
<b>Response:</b>	1. Not at all 2. Somewhat 3. Very much DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto BSCCRYALT_C]

Question ID: BSC.0060.00.1

Variable name: BSCCRYALT\_C

Interview module: BSC(Child.BSC)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] lt 2) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] lt 2))
<b>Universe Description:</b>	Sample Children with Age under 2 years
<b>Question Text:</b>	<b>Does ^SCNAME cry a lot?</b> <a href="#">Read if necessary:</a> Would you say not at all, somewhat, or very much?
<b>Response:</b>	

Response:

	1. Not at all 2. Somewhat 3. Very much DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto BSCCLMDWN_C]

Question ID: BSC.0070.00.1                      Variable name: BSCCLMDWN\_C                      Interview module: BSC(Child.BSC)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] lt 2) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] lt 2))
<b>Universe Description:</b>	Sample Children with Age under 2 years
<b>Question Text:</b>	<b>Does ^SCNAME have a hard time calming down?</b> * <a href="#">Read if necessary:</a> Would you say not at all, somewhat, or very much?
<b>Response:</b>	1. Not at all 2. Somewhat 3. Very much DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto BSCFUSSY_C]

Question ID: BSC.0080.00.1

Variable name: BSCFUSSY\_C

Interview module: BSC(Child.BSC)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] lt 2) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] lt 2))
<b>Universe Description:</b>	Sample Children with Age under 2 years
<b>Question Text:</b>	<b>Is ^SCNAME fussy or irritable?</b> <a href="#">Read if necessary:</a> Would you say not at all, somewhat, or very much?
<b>Response:</b>	1. Not at all 2. Somewhat 3. Very much DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto BSCSTHE_C]

Question ID: BSC.0090.00.1

Variable name: BSCSTHE\_C

Interview module: BSC(Child.BSC)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] lt 2) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] lt 2))
<b>Universe Description:</b>	Sample Children with Age under 2 years
<b>Question Text:</b>	<b>Is it hard to comfort ^SCNAME?</b> <a href="#">Read if necessary:</a> Would you say not at all, somewhat, or very much?
<b>Response:</b>	

Response:

	1. Not at all 2. Somewhat 3. Very much DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto BSCSCHD_C]

Question ID: BSC.0100.00.1

Variable name: BSCSCHD\_C

Interview module: BSC(Child.BSC)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] lt 2) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] lt 2))
<b>Universe Description:</b>	Sample Children with Age under 2 years
<b>Question Text:</b>	<b>Is it hard to keep ^SCNAME on a schedule or routine?</b> * <a href="#">Read if necessary:</a> Would you say not at all, somewhat, or very much?
<b>Response:</b>	1. Not at all 2. Somewhat 3. Very much DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto BSCPTSLP_C]

Question ID: BSC.0110.00.1

Variable name: BSCPTSLP\_C

Interview module: BSC(Child.BSC)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] lt 2) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] lt 2))
<b>Universe Description:</b>	Sample Children with Age under 2 years
<b>Question Text:</b>	<b>Is it hard to put ^SCNAME to sleep?</b> * <a href="#">Read if necessary:</a> Would you say not at all, somewhat, or very much?
<b>Response:</b>	1. Not at all 2. Somewhat 3. Very much DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto BSCSTYSLP_C]

Question ID: BSC.0120.00.1

Variable name: BSCSTYSLP\_C

Interview module: BSC(Child.BSC)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] lt 2) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] lt 2))
<b>Universe Description:</b>	Sample Children with Age under 2 years
<b>Question Text:</b>	<b>Does ^SCNAME have trouble staying asleep?</b> * <a href="#">Read if necessary:</a> Would you say not at all, somewhat, or very much?
<b>Response:</b>	

Response:

	1. Not at all 2. Somewhat 3. Very much DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto BSCPRLKSL_C]

**Question ID: BSC.0130.00.1                      Variable name: BSCPRLKSL\_C                      Interview module: BSC(Child.BSC)**

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] lt 2) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] lt 2))
<b>Universe Description:</b>	Sample Children with Age under 2 years
<b>Question Text:</b>	<b>Is it hard for ^youmembersoffamily to get enough sleep because of ^SCNAME?</b> ♦ <b>Read if necessary:</b> Would you say not at all, somewhat, or very much?
<b>Response:</b>	1. Not at all 2. Somewhat 3. Very much DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^youmembersoffamily      If PCNT='2' fill "you" elsefill "members of your family"
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto next section]

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	GEN.AGE_FINAL[PX_C] ge 5 and GEN.AGE_FINAL[PX_C] le 17
<b>Universe Description:</b>	Sample Children 5-17
<b>Question Text:</b>	<b>During the past 12 months, about how many days of school did ^SCNAME miss because ^HeShe_C had an illness, injury, or disability? * Enter '996' if child did not go to school in the past 12 months.</b>
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^HeShe_C                      If SEX_FINAL_C=1 fill "He" else if SEX_FINAL_C=2 fill "She" elseif SEX_FINAL_C=blank: fill "They"
<b>Skip Instructions:</b>	<0-99,996,RF,DK> [goto SCHSPEDEV_C] <100-365> [goto ERR1_SCHEDYSMSS_C] <366-995> [goto ERR2_SCHEDYSMSS_C]

## Check Name: ERR1\_SCHEDYSMSS\_C

<b>Text:</b>	{signal ERR1_SCHEDYSMSS_C} ^SCHEDYSMSS_C is an unusually large number, did ^SCNAME miss ^SCHEDYSMSS_C days of school because of illness, injury, or disability? * Please verify.
<b>Hard / Soft Edit:</b>	Soft
<b>Fills:</b>	^SCHEDYSMSS_C              Fill value from SCHEDYSMSS_C  ^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	SCHEDYSMSS_C=100-365

<b>Universe Description:</b>	Sample child missed 100 to 365 days of school
------------------------------	---

**Check Name: ERR2\_SCHDYSMSS\_C**

<b>Text:</b>	{check ERR2_SCHDYSMSS_C} * "366-995" days not allowed in this field.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	SCHDYSMSS_C=366-995
<b>Universe Description:</b>	Sample children who missed 366 to 995 days of school

**Question ID: SCH.0020.00.1**

**Variable name: SCHSPEDEV\_C**

**Interview module: SCH(Child.SCH)**

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>Has ^SCNAME ever had a special education or early intervention plan, such as an Individualized Education Plan, an IEP, or an Individualized Family Service Plan, an IFSP?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1



<b>Skip Instructions:</b>	<1> [goto SCHSPED_C] <2,RF,DK> [goto next section]
---------------------------	---

<b>Question ID:</b> SCH.0030.00.1	<b>Variable name:</b> SCHSPED_C	<b>Interview module:</b> SCH(Child.SCH)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	SCHSPEDEV_C=1
<b>Universe Description:</b>	Sample Children 0-17 who ever received special education services
<b>Question Text:</b>	<b>Does ^SCNAME currently have a special education or early intervention plan?</b> * <a href="#">Read if necessary:</a> Consider special education or early intervention plans received during the past school year.
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto SCHSPEDEM_C] <2,RF,DK> [goto next section]

<b>Question ID:</b> SCH.0040.00.1	<b>Variable name:</b> SCHSPEDEM_C	<b>Interview module:</b> SCH(Child.SCH)
-----------------------------------	-----------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	SCHSPED_C=1
<b>Universe Description:</b>	Sample Children 0-17 who have received services in the past 12 months
<b>Question Text:</b>	<b>Does ^SCNAME receive these services to help with ^hisher_C emotions, concentration, behavior, or mental health?</b>
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto next section]

Question ID: INS.0010.00.1	Variable name: HICOV_C	Interview module: INS(Child.INS)
----------------------------	------------------------	----------------------------------

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>?[F1] The next questions are about health insurance. Include health insurance obtained through employment or purchased directly as well as government programs like Medicare, Medicaid, and the Children's Health Insurance Program that provide medical care or help pay medical bills. Is ^SCNAME covered by any kind of health insurance or some other kind of health care plan?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1

<b>Skip Instructions:</b>	<1,R,D> [goto HIKIND_C] <2> [goto MCAIDPRB_C]
---------------------------	--

<b>Question ID:</b> INS.0020.00.1	<b>Variable name:</b> HIKIND_C	<b>Interview module:</b> INS(Child.INS)
-----------------------------------	--------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	HICOV_C IN (1,RF,DK)
<b>Universe Description:</b>	Sample Children 0-17 covered by any kind of health insurance or health care coverage or refused/don't know if they have insurance or health care coverage.
<b>Question Text:</b>	<p><b>?[F1] What kinds of health insurance or health care coverage does ^SCNAME have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, state-sponsored health plan, or an other government program?</b></p> <p>◆ Enter all that apply, separate with commas.</p>
<b>Response:</b>	<ol style="list-style-type: none"> <li>1. Private health insurance</li> <li>2. Medicare (including Medicare Advantage)</li> <li>3. Medicare supplement (Medigap)</li> <li>4. Medicaid</li> <li>5. Children's Health Insurance Program (CHIP)</li> <li>6. Military related health care: TRICARE (CHAMPUS) / VA health care / CHAMP-VA</li> <li>7. Indian Health Service</li> <li>8. State-sponsored health plan</li> <li>9. Other government program</li> <li>10. No coverage of any type</li> </ol> <p>DK: Don't Know RF: Refused</p>

<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	if > 1 answer selected and (<10> in HIKIND_C) [goto ERR1_HIKIND_C] else if HIKIND_C=RF,DK or (<10> in HIKIND_C) [goto MCAIDPRB_C] else [goto SINCOVDE_C]

**Check Name: ERR1\_HIKIND\_C**

<b>Text:</b>	{check ERR1_HIKIND_C} *Cannot mark "no coverage of any kind" and another type. Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	if more than 1 answer selected at HIKIND_C and (<10> in HIKIND_C)

**Question ID: INS.0030.00.1**

**Variable name: MCAIDPRB\_C**

**Interview module: INS(Child.INS)**

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	HIKIND_C IN (10,RF,DK)
<b>Universe Description:</b>	Sample Children 0-17 who have indicated they are uninsured, refused, or don't know if they are insured
<b>Question Text:</b>	?[F1] There is a program called Medicaid that pays for health care for persons in need. ^STATEMA Is ^SCNAME covered by Medicaid?
<b>Response:</b>	1.        Yes

	2. No DK: Don't Know RF: Refused
<b>Fills:</b>	<p>^STATEMA if STMEDICAID ne empty, fill: "In ^STATENAME it is alsocalled ^STMEDICAID." else fill: blank</p> <p>^SCNAME Fill ALIAS of HHSTAT_C=1</p>
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto SINCOVDE_C]

**Question ID: INS.0040.00.1**      **Variable name: SINCOVDE\_C**      **Interview module: INS(Child.INS)**

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	?[F1] ^INADDITIONIS ^SCNAME covered by a SEPARATE plan that only pays for dental services?
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	<p>^SCNAME Fill ALIAS of HHSTAT_C=1</p> <p>^INADDITIONIS If (HIKIND_C=1-9 or MCAIDPRB_C=1), fill "In addition to ^HITYPECNOSS, is" else fill "Is"</p>
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto SINCOVVS_C]

Question ID: INS.0050.00.1

Variable name: SINCOVVS\_C

Interview module: INS(Child.INS)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	?[F1] Is ^SCNAME covered by a SEPARATE plan that only pays for vision services?
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto SINCOVRX_C]

Question ID: INS.0060.00.1

Variable name: SINCOVRX\_C

Interview module: INS(Child.INS)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	?[F1] Is ^SCNAME covered by a SEPARATE plan that only pays for prescriptions?
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused

<b>Fills:</b>	^SCNAME	Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto HICHANGE_C]	

Question ID: INS.0070.00.1      Variable name: HICHANGE\_C      Interview module: INS(Child.INS)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
<b>Universe Description:</b>	Sample Children 0-17	
<b>Question Text:</b>	?[F1] I have recorded ^SCNAME is ^COVEREDC. Is this correct?	
<b>Response:</b>	1.      Yes 2.      No DK:     Don't Know RF:     Refused	
<b>Fills:</b>	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^COVEREDC	if HIKIND_C=10,R,D and MCAIDPRB_C=2,R,D and SINCOVDE_C=2,R,D and SINCOVVS_C=2,R,D and SINCOVRX_C=2,R,D fill: "not covered by health insurance" else fill: "covered by ^HITYPEC"
<b>Skip Instructions:</b>	<1,RF,DK> if 2 in HIKIND_C [goto MCPART_C] else if 4 in HIKIND_C or MCAIDPRB_C=1 [goto MACHMN_C] else if 1 in HIKIND_C [goto SET_INSPRI_FLAG] else if 3 in HIKIND_C [goto SET_INSPRI_FLAG] else if 5 in HIKIND_C [goto CHNAME_C] else if 8 in HIKIND_C [goto OPNAME_C] else if 9 in HIKIND_C [goto OGNAME_C] else if 6 in HIKIND_C [goto MILSPC_C] else if 7 in HIKIND_C [goto HINOTYR_C] else if 10 in HIKIND_C and MCAIDPRB_C IN (2,RF,DK) [goto HILAST_C] else [goto FINISH_C] <2> [goto ERR1_HICHANGE_C]	

**Check Name: ERR1\_HICHANGE\_C**

<b>Text:</b>	{check ERR1_HICHANGE_C} * Press enter to go back to HIKIND_C and update coverage.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	HICHANGE_C=2

**Question ID: INS.0080.00.1**

**Variable name: MCPART\_C**

**Interview module: INS(Child.INS)**

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	2 IN HIKIND_C
<b>Universe Description:</b>	Sample Children 0-17 with Medicare
<b>Question Text:</b>	?[F1] What type of Medicare coverage does ^SCNAME have? Is it Part A - hospital insurance, Part B - medical insurance, or both?
<b>Response:</b>	1. Part A- hospital only 2. Part B- medical only 3. Both Part A and Part B DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<2,3,RF,DK> [goto MCCHOICE_C] <1> [goto MCPARTD_C]



Question ID: INS.0090.00.1

Variable name: MCCHOICE\_C

Interview module: INS(Child.INS)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	02 IN HIKIND_C AND MCPART_C IN (2,3,RF,DK)
<b>Universe Description:</b>	Sample Children 0-17 with Medicare part B only or both parts A and B
<b>Question Text:</b>	?[F1] Is ^SCNAME enrolled in a Medicare Advantage plan?
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto MCHMO_C]

Question ID: INS.0100.00.1

Variable name: MCHMO\_C

Interview module: INS(Child.INS)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	02 IN HIKIND_C AND MCPART_C IN (2,3,RF,DK)
<b>Universe Description:</b>	Sample Children 0-17 with Medicare part B only or both parts A and B
<b>Question Text:</b>	?[F1] Is ^SCNAME under a Medicare managed care arrangement, such as an HMO, that is, a Health Maintenance Organization?
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused

<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto MCANAME_C] <2,RF,DK> if MCCHOICE_C=1 [goto MCANAME_C] else if MCCHOICE_C=2,RF,DK, [goto MCPARTD_C]

<b>Question ID:</b> INS.0110.00.1	<b>Variable name:</b> MCANAME_C	<b>Interview module:</b> INS(Child.INS)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	MCCHOICE_C=1 or MCHMO_C=1
<b>Universe Description:</b>	Sample Children 0-17 with a Medicare Advantage plan or a Medicare managed care arrangement
<b>Question Text:</b>	?[F1] What is the name of ^SCNAME's Medicare Advantage or Medicare HMO plan?
<b>Response:</b>	DK:     Don't Know RF:     Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<verbatim, RF, DK> [goto MCDNCOV_C]

<b>Question ID:</b> INS.0111.00.1	<b>Variable name:</b> MCDNCOV_C	<b>Interview module:</b> INS(Child.INS)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	MCCHOICE_C=1 or MCHMO_C=1
<b>Universe Description:</b>	Sample Children 0-17 with a Medicare Advantage plan or a Medicare managed care arrangement
<b>Question Text:</b>	?[F1] Does ^MEDADVNAME_C pay for any of the costs for dental care?
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^MEDADVNAME_C If MCANAME_C has value, fill value of MCANAME_C If MCANAME_C is DK/RF, fill: "this Medicare Advantage or Medicare HMO plan"
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto MCVSCOV_C]

<b>Question ID:</b> INS.0112.00.1	<b>Variable name:</b> MCVSCOV_C	<b>Interview module:</b> INS(Child.INS)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	MCCHOICE_A=1 or MCHMO_A=1
<b>Universe Description:</b>	Sample Children 0-17 with a Medicare Advantage plan or a Medicare managed care arrangement
<b>Question Text:</b>	<b>?[F1] Does ^MEDADVNAME_C pay for any of the costs for routine vision care, such as glasses and contact lenses?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^MEDADVNAME_C If MCANAME_C has value, fill value of MCANAME_C If MCANAME_C is DK/RF, fill: "this Medicare Advantage or Medicare HMO plan"

<b>Skip Instructions:</b>	<1,2,RF,DK> [goto MCPARTD_C]
---------------------------	------------------------------

<b>Question ID:</b> INS.0120.00.1	<b>Variable name:</b> MCPARTD_C	<b>Interview module:</b> INS(Child.INS)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	2 IN HIKIND_C
<b>Universe Description:</b>	Sample Children 0-17 with Medicare
<b>Question Text:</b>	?[F1] Is ^SCNAME enrolled in Medicare Part D, also known as the Medicare Prescription Drug Plan?
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> if 4 in HIKIND_C or MCAIDPRB_C=1[goto MACHMN_C] else if 1 in HIKIND_C [goto SET_INSPRI_FLAG] else if 3 in HIKIND_C [goto SET_INSPRI_FLAG] else if 5 in HIKIND_C [goto CHNAME_C] else if 8 in HIKIND_C [goto OPNAME_C] else if 9 in HIKIND_C [goto OGNAME_C] else if 6 in HIKIND_C [goto MILSPC_C] else [goto HINOTYR_C]

Question ID: INS.0130.00.1

Variable name: MACHMN\_C

Interview module: INS(Child.INS)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	4 IN HIKIND_C or MCAIDPRB_C=1
<b>Universe Description:</b>	Sample Children 0-17 with Medicaid coverage
<b>Question Text:</b>	?[F1] The next questions are about Medicaid coverage. What is the name of ^SCNAME's Medicaid health plan?
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<allow 80, RF, DK> [goto MAXCHNG_C]

Question ID: INS.0140.00.1

Variable name: MAXCHNG\_C

Interview module: INS(Child.INS)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	4 IN HIKIND_C or MCAIDPRB_C=1
<b>Universe Description:</b>	Sample Children 0-17 with Medicaid coverage
<b>Question Text:</b>	?[F1] Was ^SCNAME's Medicaid obtained through Healthcare.gov or the ^MARKETPLACE?
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused

<p><b>Fills:</b></p>	<p>^SCNAME</p> <p>^MARKETPLACE</p>	<p>Fill ALIAS of HHSTAT_C=1</p> <p>If no state specified below, fill "Health Insurance Marketplace"</p> <p>If state specified below fill:</p> <p>If CA then fill "Health Insurance Marketplace, such as Covered California"</p> <p>If CO then fill "Health Insurance Marketplace, such as Connect for Health Colorado"</p> <p>If CT then fill "Health Insurance Marketplace, such as Access Health CT"</p> <p>If DC then fill "Health Insurance Marketplace, such as DC Health Link"</p> <p>If ID then fill "Health Insurance Marketplace, such as Your Health Idaho"</p> <p>If MA then fill "Health Insurance Marketplace, such as Massachusetts Health Connector"</p> <p>If MD then fill "Health Insurance Marketplace, such as Maryland Health Connection"</p> <p>If MN then fill "Health Insurance Marketplace, such as MNSure"</p> <p>If NJ then fill "Health Insurance Marketplace, such as GetCoveredNJ"</p> <p>If NV then fill "Health Insurance Marketplace, such as Nevada Health Link"</p> <p>If NY then fill "Health Insurance Marketplace, such as NY State of Health"</p> <p>If PA then fill "Health Insurance Marketplace, such as Pennie"</p> <p>If RI then fill "Health Insurance Marketplace, such as HealthSource RI"</p> <p>If VT then fill "Health Insurance Marketplace, such as Vermont Health Connect"</p> <p>If WA then fill "Health Insurance Marketplace, such as Washington Health Plan Finder"</p>
----------------------	------------------------------------	---

<b>Skip Instructions:</b>	<1,2,RF,DK> [goto MAPREM_C]
---------------------------	-----------------------------

<b>Question ID:</b> INS.0150.00.1	<b>Variable name:</b> MAPREM_C	<b>Interview module:</b> INS(Child.INS)
-----------------------------------	--------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	4 IN HIKIND_C or MCAIDPRB_C=1
<b>Universe Description:</b>	Sample Children 0-17 with Medicaid coverage
<b>Question Text:</b>	<b>?[F1] A health insurance premium is the amount ^SCNAME or a family member pays each month for health care coverage. Does ^SCNAME or a family member pay a premium for this Medicaid plan?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto MADEDUC_C]

<b>Question ID:</b> INS.0160.00.1	<b>Variable name:</b> MADEDUC_C	<b>Interview module:</b> INS(Child.INS)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	4 IN HIKIND_C or MCAIDPRB_C=1
<b>Universe Description:</b>	Sample Children 0-17 with Medicaid coverage
<b>Question Text:</b>	<b>?[F1] A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does ^SCNAME's Medicaid plan have an annual deductible? * Read if necessary: A deductible is different from a copay (copayment).</b>
<b>Response:</b>	

**Response:**

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto MAHDHP_C] <2,RF,DK> if 1 in HIKIND_C [goto SET_INSPRI_FLAG] else if 3 in HIKIND_C [goto SET_INSPRI_FLAG] else if 5 in HIKIND_C [goto CHNAME_C] else if 8 in HIKIND_C [goto OPNAME_C] else if 9 in HIKIND_C [goto OGNAME_C] else if 6 in HIKIND_C [goto MILSPC_C] else [goto HINOTYR_C]

**Question ID: INS.0170.00.1                      Variable name: MAHDHP\_C                      Interview module: INS(Child.INS)**

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	MADEDUC_C=1
<b>Universe Description:</b>	Sample Children 0-17 with Medicaid coverage who have a deductible
<b>Question Text:</b>	<b>?[F1] Is the annual deductible for medical care for this plan less than ^HDHPDED or ^HDHPDED or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible amounts here.</b>
<b>Response:</b>	1. Less than ^HDHPDED 2. ^HDHPDED or more DK: Don't Know RF: Refused



<b>Fills:</b>	^HDHPDED                      Fill: \$1,400
<b>Skip Instructions:</b>	<1,2,RF,DK> if 1 in HIKIND_C [goto SET_INSPRI_FLAG] else if 3 in HIKIND_C [goto SET_INSPRI_FLAG] else if 5 in HIKIND_C [goto CHNAME_C] else if 8 in HIKIND_C [goto OPNAME_C] else if 9 in HIKIND_C [goto OGNAME_C] else if 6 in HIKIND_C [goto MILSPC_C] else [goto HINOTYR_C]

Question ID: INS.0260.00.1	Variable name: PLANNAME1_C	Interview module: INS(Child.INS)
----------------------------	----------------------------	----------------------------------

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	INSPRI1_FLG1_C=1 and INSPRI1_FLG2_C=1 and INSPRI1_FLG3_C=1 and GEN.INSPRI_FLG=1                      and                      GEN.SAMEFAM_FLG=1                      and Adult.INS.PLANNAME1_A=empty
<b>Universe Description:</b>	Sample Children 0-17 with private health insurance coverage, where the Sample Adult interview has already been conducted, the Sample Adult is in the same family, and the Sample Adult also had private health insurance, and the first private plan is not self only coverage, a plan name was not don't know or refused, and the source and who pays for the coverage is not don't know or refused.
<b>Question Text:</b>	<b>Earlier I recorded that ^YOUSANAME ^WEREWAS covered by ^HIPNAM1_A. Is ^SCNAME covered by this same plan as ^YOUSANAME?</b>
<b>Response:</b>	1.            Yes 2.            No DK:        Don't Know RF:        Refused

<b>Fills:</b>	<p>^YOUSANAME      If GEN.SARESPSC_FLG=1, fill "you" else fill "^SANAME"</p> <p>^HIPNAM1_A      Fill value from Adult.INS.HIPNAM1_A</p> <p>^SCNAME          Fill ALIAS of HHSTAT_C=1</p> <p>^WEREWAS        If SARESPSC_FLG=1, fill "were", else "was"</p>
<b>Skip Instructions:</b>	<p>&lt;1&gt; if Adult.INS.bPlan[1].POLHLD_A ne 1 [goto POLHLDA1_C], if INSPRI2_FLG2_C=1 and INSPRI2_FLG3_C=1 and INSPRI2_FLG4_C=1 and INSPRI2_FLG5_C=1 [goto PLANNAME2_C] else [goto MORPLAN_C] &lt;2,RF,DK&gt; if INSPRI2_FLG2_C=1 and INSPRI2_FLG3_C=1 and INSPRI2_FLG4_C=1 and INSPRI2_FLG5_C=1 [goto PLANNAME2_C] else [goto HIPNAM1_C]</p>

Question ID: INS.0270.00.1

Variable name: POLHLDA1\_C

Interview module: INS(Child.INS)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	PLANNAME1_C=1 and Adult.INS.bPlan[1].POLHLD_A=2,RF,DK
<b>Universe Description:</b>	Sample Children 0-17 with a shared private health plan with the Sample Adult, where the Sample Adult is not the policyholder for their first private plan or refused or don't know.
<b>Question Text:</b>	<b>?[F1] Health insurance plans are usually obtained in one person's name even if other family members are covered by that plan. That person is called the policyholder. Is ^SCNAME the policyholder for ^HIPNAM1_A?</b>
<b>Response:</b>	<p>1.      Yes</p> <p>2.      No</p> <p>DK:    Don't Know</p> <p>RF:    Refused</p>

<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^HIPNAM1_A                    Fill value from Adult.INS.HIPNAM1_A
<b>Skip Instructions:</b>	<1,2,RF,DK> if INSPRI2_FLG2_C=1 and INSPRI2_FLG3_C=1 and INSPRI2_FLG4_C=1 and INSPRI2_FLG5_C=1 [goto PLANNAME2_C] else [goto MORPLAN_C]

**Question ID: INS.0280.00.1                      Variable name: PLANNAME2\_C                      Interview module: INS(Child.INS)**

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	INSPRI2_FLG2_C=1 and INSPRI2_FLG3_C=1 and INSPRI2_FLG4_C=1 and INSPRI2_FLG5_C=1 and GEN.INSPRI_FLG=1 and GEN.SAMEFAM_FLG=1 and Adult.INS.PLANNAME2_A=empty
<b>Universe Description:</b>	Sample Children 0-17 with private health insurance coverage, where the Sample Adult interview has already been conducted, the Sample Adult is in the same family, and the Sample Adult also had private health insurance, and listed two plans. The second private plan is not self only coverage, a plan name was not don't know or refused, and the source and who pays for the coverage is not don't know or refused.
<b>Question Text:</b>	<b>Earlier I recorded that ^YOUSANAME ^WEREWAS covered by a second plan ^HIPNAM2_A. Is ^SCNAME covered by this same plan as ^YOUSANAME?</b>
<b>Response:</b>	1.        Yes 2.        No DK:      Don't Know RF:      Refused
<b>Fills:</b>	^YOUSANAME                    If GEN.SARESPSC_FLG=1, fill "you" else fill "^SANAME"  ^HIPNAM2_A                    Fill value from Adult.INS.HIPNAM2_A  ^SCNAME                        Fill ALIAS of HHSTAT_C=1  ^WEREWAS                      If SARESPSC_FLG=1, fill "were", else "was"

<b>Skip Instructions:</b>	<1> if Adult.INS.bPlan[2].POLHLD_A ne 1 [goto POLHLDA2_C], else if PLANNAME1_C IN(2,RF,DK) [goto MORPLAN_C] else if 5 in HIKIND_C [goto CHNAME_C] else if 8 in HIKIND_C [goto OPNAME_C] else if 9 in HIKIND_C [goto OGNAME_C] else if 6 in HIKIND_C [goto MILSPC_C] else [goto HINOTYR_C] <2,RF,DK> if PLANNAME1_C IN (2,RF,DK,empty) [goto HIPNAM1_C] else [goto MORPLAN_C]
---------------------------	--

<b>Question ID:</b> INS.0290.00.1	<b>Variable name:</b> POLHLDA2_C	<b>Interview module:</b> INS(Child.INS)
-----------------------------------	----------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	PLANNAME2_C=1 and Adult.INS.bPlan[2].POLHLD_A=2,RF,DK
<b>Universe Description:</b>	Sample Children 0-17 with a shared private health plan with the Sample Adult, where the adult is not the policyholder for their second private plan or refused or don't know
<b>Question Text:</b>	?[F1] * Read if necessary: Health insurance plans are usually obtained in one person's name even if other family members are covered by that plan. That person is called the policyholder. <b>Is ^SCNAME the policyholder for ^HIPNAM2_A?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^HIPNAM2_A                    Fill value from Adult.INS.HIPNAM2_A

<b>Skip Instructions:</b>	<1,2,RF,DK> if PLANNAME1_C IN(2,RF,DK,empty) [goto MORPLAN_C] else if 5 in HIKIND_C [goto CHNAME_C] else if 8 in HIKIND_C [goto OPNAME_C] else if 9 in HIKIND_C [goto OGNAME_C] else if 6 in HIKIND_C [goto MILSPC_C] else [goto HINOTYR_C]
---------------------------	--

<b>Question ID:</b> INS.0300.00.1	<b>Variable name:</b> HIPNAM1_C	<b>Interview module:</b> INS(Child.INS)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	(3 in HIKIND_C) or (1 in HIKIND_C and ((PLANNAME1_C IN(2,RF,DK,empty)) and (PLANNAME2_C IN (2,RF,DK,empty))))
<b>Universe Description:</b>	Sample Children 0-17 enrolled in a Medigap plan or private health insurance and the sample child did not share or refused or did not know if they shared or did not have a value for both of the two listed private plans for the sample adult
<b>Question Text:</b>	<b>?[F1] It is important that we record the complete and accurate name of each private health insurance plan. What is the COMPLETE name of ^SCNAME's plan? Do NOT include plans that only provide extra cash while in the hospital or plans that pay for only one type of service such as long term care, accidents, or dental care. *Read if necessary:</b> Do you have a health plan card or something with the plan name on it?
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<allow 80,RF,DK> [goto MORPLAN_C]

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	HIPNAM1_C ne empty or ((PLANNAME1_C=1 and PLANNAME2_C=2,RF,DK,empty) or (PLANNAME1_C=2,RF,DK,empty and PLANNAME2_C=1))
<b>Universe Description:</b>	Sample Children 0-17 enrolled in a private health plan where the name of the plan was given or don't know or refused or the sample child only shared one private plan with the Sample Adult
<b>Question Text:</b>	?[F1] Is ^SCNAME covered by any other private health insurance plans?
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto HIPNAM2_C] <2,RF,DK> if (PLANNAME1_C = 1 or PLANNAME2_C = 1) then if 5 in HIKIND_C [goto CHNAME_C] else if 8 in HIKIND_C [goto OPNAME_C] else if 9 in HIKIND_C [goto OGNAME_C] else if 6 in HIKIND_C [goto MILSPC_C] else [goto HINOTYR_C]  else [goto bPlan[1].POLHLD_C]

<b>Question ID:</b> INS.0320.00.1	<b>Variable name:</b> HIPNAM2_C	<b>Interview module:</b> INS(Child.INS)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	MORPLAN_C=1
<b>Universe Description:</b>	Sample Children 0-17 with a second private health insurance plan
<b>Question Text:</b>	?[F1] <b>What is the name of that private health insurance plan?</b> * Read if necessary: Do you have a health plan card or something with the plan name on it?
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<allow 80,RF,DK> [goto bPlan[1].POLHLD_C]

<b>Question ID:</b> INS.0340.00.1	<b>Variable name:</b> POLHLD_C	<b>Interview module:</b> INS(Child.INS.bPlan)
-----------------------------------	--------------------------------	---

<b>Inherited Universe:</b>	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty))
<b>Universe Description:</b>	Sample Children 0-17 with private health insurance coverage where a plan name was given or refused or don't know.
<b>Question Text:</b>	?[F1] <b>I am going to ask you some questions about ^FIRSTPLANC. Health insurance plans are usually obtained in one person's name even if other family members are covered by that plan. That person is called the policyholder. Is ^SCNAME the policyholder for ^THISPLANC?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused

	<p><b>Fills:</b></p> <p>^FIRSTPLANC      If PlanNum = 1 then                                           if HIPNAM1_C IN (RF,DK) AND                                           HIPNAM2_C=empty fill: "this plan"                                           elseif HIPNAM1_C IN (RF,DK) fill: "this first plan"                                           else fill: "this ^HIPNAM1_C plan"                                           if PlanNum = 2 then                                           if HIPNAM2_C IN (RF,DK) fill: "this second plan"                                           else fill: "this ^HIPNAM2_C plan"</p> <p>^SCNAME              Fill ALIAS of HHSTAT_C=1</p> <p>^THISPLANC        if PlanNum=1 then                                           if HIPNAM1_C IN('RF','DK') fill: "this plan"                                           Else fill: "^HIPNAM1_C"                                           if PlanNum=2 then                                           if HIPNAM2_C IN('RF','DK') fill: "this plan"                                           Else fill: "^HIPNAM2_C"</p>
<p><b>Skip Instructions:</b></p>	<p>&lt;1,RF,DK&gt; [goto PRPLCOV_C]          &lt;2&gt; [goto PLNWRK_C]</p>

**Question ID:** INS.0350.00.1      **Variable name:** PRPLCOV\_C      **Interview module:** INS(Child.INS.bPlan)

<p><b>Inherited Universe:</b></p>	<p>(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND          ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and          PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND          (HIPNAM1_C NE empty or HIPNAM2_C NE empty))</p>
<p><b>Universe:</b></p>	<p>POLHLD_C=1,RF,DK</p>
<p><b>Universe Description:</b></p>	<p>Sample Children 0-17 with private health insurance coverage where a plan name was given or refused or don't know and where the Sample Child is the policyholder or refused or don't know.</p>
<p><b>Question Text:</b></p>	<p><b>Does this plan cover someone other than ^SCNAME?</b></p>

**Response:**



	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto PLNWRK_C]

Question ID: INS.0360.00.1	Variable name: PLNWRK_C	Interview module: INS(Child.INS.bPlan)
----------------------------	-------------------------	--

<b>Inherited Universe:</b>	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty))
<b>Universe Description:</b>	Sample Children with private health insurance coverage where a plan name was given or refused or don't know.
<b>Question Text:</b>	<b>?[F1] Which one of these categories best describes how this plan was obtained? Was it obtained through an employer or union, purchased directly, obtained through Healthcare.gov or the Affordable Care Act, also known as Obamacare, obtained through a state or local government or community program or obtained in some other way?</b>
<b>Response:</b>	1. Through an employer, union, or professional association 2. Purchased directly 3. Through Healthcare.gov or the Affordable Care Act, also known as Obamacare 4. Through a state or local government or community program 5. Other DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<1,3> [goto PLNPAY_C] <2,4,RF,DK> [goto PLNEXCHG_C] <5> [goto PLNWKSP_C]

Question ID: INS.0370.00.1

Variable name: PLNWKSP\_C

Interview module: INS(Child.INS.bPlan)

<b>Inherited Universe:</b>	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty))
<b>Universe:</b>	PLNWRK_C=5
<b>Universe Description:</b>	Sample Children 0-17 with private health insurance coverage where a plan name was given or refused or don't know and private health insurance coverage was obtained from an other source
<b>Question Text:</b>	* <b>Read if necessary:</b> How was this plan obtained?
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<allow 80,RF,DK> [goto PLNEXCHG_C]

Question ID: INS.0380.00.1

Variable name: PLNEXCHG\_C

Interview module: INS(Child.INS.bPlan)

<b>Inherited Universe:</b>	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty))
<b>Universe:</b>	PLNWRK_C IN (2,4,5,RF,DK)
<b>Universe Description:</b>	Sample Children 0-17 with private health insurance coverage where a plan name was given or refused or don't know and who have private coverage that is directly purchased, or obtained through a state, local, government or community program, or obtained another way, or refused/don't know how obtained
<b>Question Text:</b>	?[F1] Was the plan obtained through Healthcare.gov or the ^MARKETPLACE?
<b>Response:</b>	

	<p>1. Yes  2. No  DK: Don't Know  RF: Refused</p>
<p><b>Fills:</b></p>	<p>^MARKETPLACE</p> <p>If no state specified below, fill "Health Insurance Marketplace"  If state specified below fill:</p> <p>If CA then fill "Health Insurance Marketplace, such as Covered California"  If CO then fill "Health Insurance Marketplace, such as Connect for Health Colorado"  If CT then fill "Health Insurance Marketplace, such as Access Health CT"  If DC then fill "Health Insurance Marketplace, such as DC Health Link"  If ID then fill "Health Insurance Marketplace, such as Your Health Idaho"  If MA then fill "Health Insurance Marketplace, such as Massachusetts Health Connector"  If MD then fill "Health Insurance Marketplace, such as Maryland Health Connection"  If MN then fill "Health Insurance Marketplace, such as MNsure"  If NJ then fill "Health Insurance Marketplace, such as GetCoveredNJ"  If NV then fill "Health Insurance Marketplace, such as Nevada Health Link"  If NY then fill "Health Insurance Marketplace, such as NY State of Health"  If PA then fill "Health Insurance Marketplace, such as Pennie"  If RI then fill "Health Insurance Marketplace, such as HealthSource RI"  If VT then fill "Health Insurance Marketplace, such as Vermont Health Connect"  If WA then fill "Health Insurance Marketplace, such as Washington Health Plan Finder"</p>

<b>Skip Instructions:</b>	<1,2,RF,DK> [goto PLNPAY_C]
---------------------------	-----------------------------

<b>Question ID:</b> INS.0390.00.1	<b>Variable name:</b> PLNPAY_C	<b>Interview module:</b> INS(Child.INS.bPlan)
-----------------------------------	--------------------------------	---

<b>Inherited Universe:</b>	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty))
<b>Universe Description:</b>	Sample Children 0-17 with private health insurance coverage where a plan name was given or refused or don't know and were enrolled in a private health plan where a plan name was given or refused or don't know.
<b>Question Text:</b>	<b>Who pays for this health insurance plan?</b> * Enter all that apply, separate with commas.
<b>Response:</b>	1. ^SCNAME or family (living in the household) 2. Employer or union 3. Someone outside the household 4. Medicare 5. Medicaid 6. Other government program DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<1-6,RF,DK> if 1 IN PLNPAY_C [goto HICOSTN_C] else [goto PRDEDUC_C]

<b>Question ID:</b> INS.0400.01.1	<b>Variable name:</b> HICOSTN_C	<b>Interview module:</b> INS(Child.INS.bPlan)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty))
<b>Universe:</b>	1 IN PLNPAY_C
<b>Universe Description:</b>	Sample Children 0-17 with private health insurance coverage where a plan name was given or refused or don't know who paid for by self or family
<b>Question Text:</b>	?[F1] How much does ^SCNAME's family currently spend for health insurance premiums for ^FIRSTPLANC? Please include payroll deductions for premiums.
<b>Response:</b>	DK: Don't Know RF: Refused



<b>Inherited Universe:</b>	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty))
<b>Universe:</b>	HICOSTN_C IN (1-99995)
<b>Universe Description:</b>	Sample Children 0-17 with private health insurance coverage where a plan name was given or refused or don't know who gave a premium amount.
<b>Question Text:</b>	?[F1] ♦ Enter time period for premium payments.
<b>Response:</b>	<ol style="list-style-type: none"> <li>1. Once a week</li> <li>2. Once every 2 weeks</li> <li>3. Once a month</li> <li>4. Twice a month</li> <li>5. Every two months</li> <li>6. Quarterly (every 3 months)</li> <li>7. Once a year</li> <li>8. Twice a year</li> </ol> DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<1-8,RF,DK> [goto PRDEDUC_C]

<b>Inherited Universe:</b>	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty))
<b>Universe Description:</b>	Sample Children 0-17 with private health insurance plans where a plan name was given or refused or don't know.
<b>Question Text:</b>	?[F1] <b>A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does this health plan have an annual deductible?</b> ♦ Read if necessary: A deductible is different from a copay (copayment).
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<1> [goto PRHDHP_C] <2,RF,DK> [goto INTROCOV_C]

Question ID: INS.0420.00.1      Variable name: PRHDHP\_C      Interview module: INS(Child.INS.bPlan)

<b>Inherited Universe:</b>	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty))
<b>Universe:</b>	PRDEDUC_C=1
<b>Universe Description:</b>	Sample Children 0-17 with private health insurance coverage where a plan name was given or refused or don't know with a deductible.
<b>Question Text:</b>	<b>?[F1] Is the ^FAM_C annual deductible for medical care for this plan less than ^HDHPAMT_C, or ^HDHPAMT_C or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible amounts here.</b>
<b>Response:</b>	1. Less than ^HDHPAMT_C 2. ^HDHPAMT_C or more DK: Don't Know RF: Refused
<b>Fills:</b>	^HDHPAMT_C      if POLHLD_C=2 or PRPLCOV_C=1, fill "HDHPDED_family" Else fill"HDHPDED"  ^FAM_C            if POLHLD_C=2 or PRPLCOV_C=1, fill 'family'. Else no fill.

<b>Skip Instructions:</b>	<1> [goto INTROCOV_C] <2,RF,DK> [goto HSAHRA_C]
---------------------------	--

<b>Question ID:</b> INS.0430.00.1	<b>Variable name:</b> HSAHRA_C	<b>Interview module:</b> INS(Child.INS.bPlan)
-----------------------------------	--------------------------------	---

<b>Inherited Universe:</b>	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty))
<b>Universe:</b>	PRHDHP_C=2,RF,DK
<b>Universe Description:</b>	Sample Children 0-17 with private health insurance coverage where a plan name was given or refused or don't know with a high deductible
<b>Question Text:</b>	<b>There are special accounts or funds that can be used to pay for medical expenses, sometimes referred to as Health Savings Accounts or HSAs, Health Reimbursement Accounts or HRAs, Personal Care accounts, Personal Medical funds, or Choice funds. These are DIFFERENT from Flexible Spending Accounts or FSAs. Is there one of these accounts or funds with this plan?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto INTROCOV_C]

<b>Question ID:</b> INS.0435.00.1	<b>Variable name:</b> INTROCOV_C	<b>Interview module:</b> INS(Child.INS.bPlan)
-----------------------------------	----------------------------------	---

<b>Inherited Universe:</b>	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty))
<b>Universe Description:</b>	Sample Children 0-17 with private health insurance coverage where a plan name was given or refused or don't know
<b>Question Text:</b>	<b>The next three questions are about services ^FIRSTPLANC may cover. <a href="#">Enter '1'</a> to continue.</b>
<b>Response:</b>	



	1. Enter 1 to Continue
<b>Fills:</b>	<code>^FIRSTPLANC</code> If PlanNum = 1 then if HIPNAM1_C IN (RF,DK) AND HIPNAM2_C=empty fill: "this plan" elseif HIPNAM1_C IN (RF,DK) fill: "this first plan" else fill: "this ^HIPNAM1_C plan" if PlanNum = 2 then if HIPNAM2_C IN (RF,DK) fill: "this second plan" else fill: "this ^HIPNAM2_C plan"
<b>Skip Instructions:</b>	<1> [goto PRRXCOV_C]

Question ID: INS.0440.00.1      Variable name: PRRXCOV\_C      Interview module: INS(Child.INS.bPlan)

<b>Inherited Universe:</b>	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTUnder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty))
<b>Universe Description:</b>	Sample Children 0-17 with private health insurance coverage where the name of the plan was given or refused or don't know.
<b>Question Text:</b>	<b>Does ^FIRSTPLANC pay for any of the costs for medications prescribed by a doctor?</b> * <a href="#">Read if necessary</a> : Even if ^SCNAME has not used this benefit, please answer if this plan would cover at least some of the costs if ^SCNAME were prescribed medications.
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	<code>^FIRSTPLANC</code> If PlanNum = 1 then if HIPNAM1_C IN (RF,DK) AND HIPNAM2_C=empty fill: "this plan" elseif HIPNAM1_C IN (RF,DK) fill: "this first plan" else fill: "this ^HIPNAM1_C plan" if PlanNum = 2 then if HIPNAM2_C IN (RF,DK) fill: "this second plan" else fill: "this ^HIPNAM2_C plan"  <code>^SCNAME</code> Fill ALIAS of HHSTAT_C=1

<b>Skip Instructions:</b>	<1,2,RF,DK> [goto PRDNCOV_C]
---------------------------	------------------------------

<b>Question ID:</b> INS.0450.00.1	<b>Variable name:</b> PRDNCOV_C	<b>Interview module:</b> INS(Child.INS.bPlan)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty))
<b>Universe Description:</b>	Sample Children 0-17 with private health insurance coverage where the plan name was given or refused or don't know.
<b>Question Text:</b>	<b>Does ^FIRSTPLANC pay for any of the costs for dental care? *</b> <a href="#">Read if necessary</a> : Even if ^SCNAME has not used this benefit, please answer if this plan would cover at least some of the costs if ^SCNAME did have dental care.
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	<p>^FIRSTPLANC      If PlanNum = 1 then                           if HIPNAM1_C IN (RF,DK) AND                           HIPNAM2_C=empty fill: "this plan"                           elseif HIPNAM1_C IN (RF,DK) fill: "this first plan"                           else fill: "this ^HIPNAM1_C plan"</p> <p>if PlanNum = 2 then if HIPNAM2_C IN (RF,DK) fill: "this second plan" else fill: "this ^HIPNAM2_C plan"</p> <p>^SCNAME            Fill ALIAS of HHSTAT_C=1</p>
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto PRVSCOV_C]

<b>Inherited Universe:</b>	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty))
<b>Universe Description:</b>	Sample Children 0-17 with private health insurance coverage where a plan name was given or refused or don't know.
<b>Question Text:</b>	<b>Does ^FIRSTPLANC pay for any of the costs for routine vision care, such as glasses and contact lenses?</b> * <b>Read if necessary:</b> Even if ^SCNAME has not used this benefit, please answer if this plan would cover at least some of the costs if ^SCNAME did have vision care.
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	<p>^FIRSTPLANC      If PlanNum = 1 then                          if HIPNAM1_C IN (RF,DK) AND                          HIPNAM2_C=empty fill: "this plan"                          elseif HIPNAM1_C IN (RF,DK) fill: "this first plan"                          else fill: "this ^HIPNAM1_C plan"</p> <p>if PlanNum = 2 then if HIPNAM2_C IN (RF,DK) fill: "this second plan" else fill: "this ^HIPNAM2_C plan"</p> <p>^SCNAME              Fill ALIAS of HHSTAT_C=1</p>
<b>Skip Instructions:</b>	<1,2,RF,DK> If there is another plan [goto bPlan for next plan] else if 5 in HIKIND_C [goto CHNAME_C] else if 8 in HIKIND_C [goto OPNAME_C] else if 9 in HIKIND_C [goto OGNAME_C] else if 6 in HIKIND_C [goto MILSPC_C] else [goto HINOTYR_C]

Question ID: INS.0470.00.1

Variable name: CHNAME\_C

Interview module: INS(Child.INS)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	05 IN HIKIND_C
<b>Universe Description:</b>	Sample Children 0-17 with a CHIP plan
<b>Question Text:</b>	?[F1] Earlier I recorded that ^SCNAME is covered by the Children's Health Insurance Program or CHIP. What is the name of the plan?
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<allow 80,RF,DK> [goto CHXCHNG_C]

Question ID: INS.0480.00.1

Variable name: CHXCHNG\_C

Interview module: INS(Child.INS)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	05 IN HIKIND_C
<b>Universe Description:</b>	Sample Children 0-17 with a CHIP plan
<b>Question Text:</b>	?[F1] Was ^SCNAME's CHIP plan obtained through Healthcare.gov or the ^MARKETPLACE?
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused

<b>Fills:</b>	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^MARKETPLACE	<p>If no state specified below, fill "Health Insurance Marketplace"</p> <p>If state specified below fill:</p> <p>If CA then fill "Health Insurance Marketplace, such as Covered California"</p> <p>If CO then fill "Health Insurance Marketplace, such as Connect for Health Colorado"</p> <p>If CT then fill "Health Insurance Marketplace, such as Access Health CT"</p> <p>If DC then fill "Health Insurance Marketplace, such as DC Health Link"</p> <p>If ID then fill "Health Insurance Marketplace, such as Your Health Idaho"</p> <p>If MA then fill "Health Insurance Marketplace, such as Massachusetts Health Connector"</p> <p>If MD then fill "Health Insurance Marketplace, such as Maryland Health Connection"</p> <p>If MN then fill "Health Insurance Marketplace, such as MNsure"</p> <p>If NJ then fill "Health Insurance Marketplace, such as GetCoveredNJ"</p> <p>If NV then fill "Health Insurance Marketplace, such as Nevada Health Link"</p> <p>If NY then fill "Health Insurance Marketplace, such as NY State of Health"</p> <p>If PA then fill "Health Insurance Marketplace, such as Pennie"</p> <p>If RI then fill "Health Insurance Marketplace, such as HealthSource RI"</p> <p>If VT then fill "Health Insurance Marketplace, such as Vermont Health Connect"</p> <p>If WA then fill "Health Insurance Marketplace, such as Washington Health Plan Finder"</p>

<b>Skip Instructions:</b>	<1,2,RF,DK> [goto CHPREM_C]
---------------------------	-----------------------------

<b>Question ID:</b> INS.0490.00.1	<b>Variable name:</b> CHPREM_C	<b>Interview module:</b> INS(Child.INS)
-----------------------------------	--------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	05 IN HIKIND_C
<b>Universe Description:</b>	Sample Children 0-17 with a CHIP plan
<b>Question Text:</b>	<b>[F1] A health insurance premium is the amount ^SCNAME or a family member pays each month for health care coverage. Does ^SCNAME or a family member pay a premium for this CHIP plan?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto CHDEDUC_C]

<b>Question ID:</b> INS.0500.00.1	<b>Variable name:</b> CHDEDUC_C	<b>Interview module:</b> INS(Child.INS)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	5 IN HIKIND_C
<b>Universe Description:</b>	Sample Children 0-17 with a CHIP plan
<b>Question Text:</b>	<b>[F1] A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does ^SCNAME's CHIP plan have an annual deductible? * Read if necessary: A deductible is different from a copay (copayment).</b>
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto CHHDHP_C] <2,RF,DK> if 8 in HIKIND_C [goto OPNAME_C] else if 9 in HIKIND_C [goto OGNAME_C] else if 6 in HIKIND_C [goto MILSPC_C] else [goto HINOTYR_C]

**Question ID:** INS.0510.00.1                      **Variable name:** CHHDHP\_C                      **Interview module:** INS(Child.INS)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	5 IN HIKIND_C and CHDEDUC_C=1
<b>Universe Description:</b>	Sample Children with a CHIP plan who have a deductible
<b>Question Text:</b>	<b>?[F1] Is the annual deductible for medical care for this plan less than ^HDHPDED or ^HDHPDED or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible amounts here.</b>
<b>Response:</b>	1. Less than ^HDHPDED 2. ^HDHPDED or more DK: Don't Know RF: Refused
<b>Fills:</b>	^HDHPDED                      Fill: \$1,400

<b>Skip Instructions:</b>	<1,2,RF,DK> if 8 in HIKIND_C [goto OPNAME_C] else if 9 in HIKIND_C [goto OGNAMNAME_C] else if 6 in HIKIND_C [goto MILSPC_C] else [goto HINOTYR_C]
---------------------------	--

<b>Question ID:</b> INS.0520.00.1	<b>Variable name:</b> OPNAME_C	<b>Interview module:</b> INS(Child.INS)
-----------------------------------	--------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	8 IN HIKIND_C
<b>Universe Description:</b>	Sample Children 0-17 with a state-sponsored plan
<b>Question Text:</b>	?[F1] Earlier I recorded that ^SCNAME is covered by a state-sponsored plan. What is the name of the plan?
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<verbatim,RF,DK> [goto OPXCHNG_C]

<b>Question ID:</b> INS.0530.00.1	<b>Variable name:</b> OPXCHNG_C	<b>Interview module:</b> INS(Child.INS)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	8 IN HIKIND_C
<b>Universe Description:</b>	Sample Children 0-17 with a state-sponsored plan
<b>Question Text:</b>	?[F1] Was ^SCNAME's state-sponsored plan obtained through Healthcare.gov or the ^MARKETPLACE?
<b>Response:</b>	



	<p>1. Yes  2. No  DK: Don't Know  RF: Refused</p>
<p><b>Fills:</b></p>	<p>^SCNAME                      Fill ALIAS of HHSTAT_C=1</p> <p>^MARKETPLACE                If no state specified below, fill "Health Insurance Marketplace"  If state specified below fill:</p> <p>    If CA then fill "Health Insurance Marketplace, such as Covered California"      If CO then fill "Health Insurance Marketplace, such as Connect for Health Colorado"      If CT then fill "Health Insurance Marketplace, such as Access Health CT"      If DC then fill "Health Insurance Marketplace, such as DC Health Link"      If ID then fill "Health Insurance Marketplace, such as Your Health Idaho"      If MA then fill "Health Insurance Marketplace, such as Massachusetts Health Connector"      If MD then fill "Health Insurance Marketplace, such as Maryland Health Connection"      If MN then fill "Health Insurance Marketplace, such as MNSure"      If NJ then fill "Health Insurance Marketplace, such as GetCoveredNJ"      If NV then fill "Health Insurance Marketplace, such as Nevada Health Link"      If NY then fill "Health Insurance Marketplace, such as NY State of Health"      If PA then fill "Health Insurance Marketplace, such as Pennie"      If RI then fill "Health Insurance Marketplace, such as HealthSource RI"      If VT then fill "Health Insurance Marketplace, such as Vermont Health Connect"      If WA then fill "Health Insurance Marketplace, such as Washington Health Plan Finder"</p>

<b>Skip Instructions:</b>	<1,2,RF,DK> [goto OPPREM_C]
---------------------------	-----------------------------

<b>Question ID:</b> INS.0540.00.1	<b>Variable name:</b> OPPREM_C	<b>Interview module:</b> INS(Child.INS)
-----------------------------------	--------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	8 IN HIKIND_C
<b>Universe Description:</b>	Sample Children 0-17 with a state-sponsored plan
<b>Question Text:</b>	<b>?[F1] A health insurance premium is the amount ^SCNAME or a family member pays each month for health care coverage. Does ^SCNAME or a family member pay a premium for this state-sponsored plan?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto OPDEDUC_C]

<b>Question ID:</b> INS.0550.00.1	<b>Variable name:</b> OPDEDUC_C	<b>Interview module:</b> INS(Child.INS)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	8 IN HIKIND_C
<b>Universe Description:</b>	Sample Children 0-17 with a state-sponsored plan
<b>Question Text:</b>	<b>?[F1] A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does ^SCNAME's state-sponsored plan have an annual deductible? * <a href="#">Read if necessary</a>: A deductible is different from a copay (copayment).</b>
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1>[goto OPHDHP_C] <2,RF,DK> if 9 in HIKIND_C [goto OGNAME_C] else if 6 in HIKIND_C [goto MILSPC_C] else [goto HINOTYR_C]

Question ID: INS.0560.00.1	Variable name: OPHDHP_C	Interview module: INS(Child.INS)
----------------------------	-------------------------	----------------------------------

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	8 IN HIKIND_C and OPDEDUC_C=1
<b>Universe Description:</b>	Sample Children 0-17 with a state-sponsored plan with a deductible
<b>Question Text:</b>	<b>?[F1] Is the annual deductible for medical care for this plan less than ^HDHPDED or ^HDHPDED or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible amounts here.</b>
<b>Response:</b>	1. Less than ^HDHPDED 2. ^HDHPDED or more DK: Don't Know RF: Refused
<b>Fills:</b>	^HDHPDED                      Fill: \$1,400
<b>Skip Instructions:</b>	<1,2,RF,DK> if 9 in HIKIND_C [goto OGNAME_C] else if 6 in HIKIND_C [goto MILSPC_C] else [goto HINOTYR_C]

Question ID: INS.0570.00.1

Variable name: OGNAME\_C

Interview module: INS(Child.INS)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	9 IN HIKIND_C
<b>Universe Description:</b>	Sample Children 0-17 who have an other government plan
<b>Question Text:</b>	?[F1] Earlier I recorded that ^SCNAME is covered by an other government program. What is the name of the plan?
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<allow 80,RF,DK> [goto OGXCHNG_C]

Question ID: INS.0580.00.1

Variable name: OGXCHNG\_C

Interview module: INS(Child.INS)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	9 IN HIKIND_C
<b>Universe Description:</b>	Sample Children 0-17 who have an other government plan
<b>Question Text:</b>	?[F1] Was ^SCNAME's other government plan obtained through Healthcare.gov or the ^MARKETPLACE?
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused

<p><b>Fills:</b></p>	<p>^MARKETPLACE</p> <p>If no state specified below, fill "Health Insurance Marketplace"</p> <p>If state specified below fill:</p> <p>If CA then fill "Health Insurance Marketplace, such as Covered California"</p> <p>If CO then fill "Health Insurance Marketplace, such as Connect for Health Colorado"</p> <p>If CT then fill "Health Insurance Marketplace, such as Access Health CT"</p> <p>If DC then fill "Health Insurance Marketplace, such as DC Health Link"</p> <p>If ID then fill "Health Insurance Marketplace, such as Your Health Idaho"</p> <p>If MA then fill "Health Insurance Marketplace, such as Massachusetts Health Connector"</p> <p>If MD then fill "Health Insurance Marketplace, such as Maryland Health Connection"</p> <p>If MN then fill "Health Insurance Marketplace, such as MNSure"</p> <p>If NJ then fill "Health Insurance Marketplace, such as GetCoveredNJ"</p> <p>If NV then fill "Health Insurance Marketplace, such as Nevada Health Link"</p> <p>If NY then fill "Health Insurance Marketplace, such as NY State of Health"</p> <p>If PA then fill "Health Insurance Marketplace, such as Pennie"</p> <p>If RI then fill "Health Insurance Marketplace, such as HealthSource RI"</p> <p>If VT then fill "Health Insurance Marketplace, such as Vermont Health Connect"</p> <p>If WA then fill "Health Insurance Marketplace, such as Washington Health Plan Finder"</p> <p>^SCNAME</p> <p>Fill ALIAS of HHSTAT_C=1</p>
----------------------	---

<b>Skip Instructions:</b>	<1,2,RF,DK> [goto OGPREM_C]
---------------------------	-----------------------------

<b>Question ID:</b> INS.0590.00.1	<b>Variable name:</b> OGPREM_C	<b>Interview module:</b> INS(Child.INS)
-----------------------------------	--------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	9 IN HIKIND_C
<b>Universe Description:</b>	Sample Children 0-17 who have an other government plan
<b>Question Text:</b>	?[F1] A health insurance premium is the amount ^SCNAME or a family member pays each month for health care coverage. Does ^SCNAME or a family member pay a premium for this other government plan?
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto OGDEDUC_C]

<b>Question ID:</b> INS.0600.00.1	<b>Variable name:</b> OGDEDUC_C	<b>Interview module:</b> INS(Child.INS)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	9 IN HIKIND_C
<b>Universe Description:</b>	Sample Children 0-17 with an other government plan
<b>Question Text:</b>	?[F1] A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does ^SCNAME's other government plan have an annual deductible? * <a href="#">Read if necessary</a> : A deductible is different from a copay (copayment).
<b>Response:</b>	

**Response:**

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto OGDHP_C] <2,RF,DK> if 6 in HIKIND_C [goto MILSPC_C] else [goto HINOTYR_C]

Question ID: INS.0610.00.1	Variable name: OGDHP_C	Interview module: INS(Child.INS)
----------------------------	------------------------	----------------------------------

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	9 IN HIKIND_C and OGDEDUC_C=1
<b>Universe Description:</b>	Sample Children 0-17 with an other government plan with a deductible
<b>Question Text:</b>	<b>?[F1] Is the annual deductible for medical care for this plan less than ^HDHPDED or ^HDHPDED or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible amounts here.</b>
<b>Response:</b>	1. Less than ^HDHPDED 2. ^HDHPDED or more DK: Don't Know RF: Refused
<b>Fills:</b>	^HDHPDED                      Fill: \$1,400
<b>Skip Instructions:</b>	<1,2,RF,DK> if 6 in HIKIND_C [goto MILSPC_C] else [goto HINOTYR_C]

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
<b>Universe:</b>	6 IN HIKIND_C	
<b>Universe Description:</b>	Sample Children 0-17 with military related health care	
<b>Question Text:</b>	<p>[F1] Earlier I recorded that ^SCNAME is covered by military related health care. What types of military related health care ^areisSEX_C ^heshe_C covered by? * Enter all that apply, separate with commas.</p>	
<b>Response:</b>	<p>2. TRICARE (CHAMPUS)  3. CHAMP-VA (do not include CHAMPUS)  DK: Don't Know  RF: Refused</p>	
<b>Fills:</b>	^heshe_C	If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^areisSEX_C	if GEN.SEX_FINAL[PX_C] in (1,2) fill: "is" elseif GEN.SEX_FINAL[PX_C] in (DK,RF) fill: "are"
<b>Skip Instructions:</b>	<2-3,RF,DK> [goto HINOTYR_C]	



<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	10 IN HIKIND_C and MCAIDPRB_C IN (2,RF,DK)
<b>Universe Description:</b>	Sample Children 0-17 without known health insurance and answered no, refused or don't know to the Medicaid probe.
<b>Question Text:</b>	<b>How long has it been since ^SCNAME last had health care coverage that paid for doctor's visits or hospital stays?</b>
<b>Response:</b>	<ul style="list-style-type: none"> <li>0. Never</li> <li>1. Within the past year (anytime less than 12 months ago)</li> <li>2. Within the last 2 years (1 year but less than 2 years ago)</li> <li>3. Within the last 3 years (2 years but less than 3 years ago)</li> <li>4. Within the last 5 years (3 years but less than 5 years ago)</li> <li>5. Within the last 10 years (5 years but less than 10 years ago)</li> <li>6. 10 years ago or more</li> <li>DK: Don't Know</li> <li>RF: Refused</li> </ul>
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<ul style="list-style-type: none"> <li>&lt;1&gt; [goto HILASTMY_C]</li> <li>&lt;2,3&gt; [goto HISTOPJOB_C]</li> <li>&lt;4,5,6,0,RF,DK&gt; [goto RSNHICOST_C]</li> </ul>

**Check Name: ERR1\_HILAST\_C**

<b>Text:</b>	{check ERR1_HILAST_C} Years since last health coverage exceedchild's age. Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	(AGE_FINAL = 0 and HILAST_C in (2,3,4,5,6)) or (AGE_FINAL = 1 and HILAST_C in (3,4,5,6)) or (AGE_FINAL = 2 and HILAST_C in (4,5,6)) or (AGE_FINAL in (3,4) and HILAST_C in (5,6)) or (AGE_FINAL in (5,6,7,8,9) and HILAST_C in (6))

Question ID: INS.0640.00.1

Variable name: HILASTMY\_C

Interview module: INS(Child.INS)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	HILAST_C=1
<b>Universe Description:</b>	Sample Children 0-17 without known health insurance who last had insurance at some time within the last 12 months
<b>Question Text:</b>	<b>In the past 12 months, how many months was ^SCNAME without coverage? *</b> If less than 1 month, enter '1'.
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1

<b>Skip Instructions:</b>	<1-12,RF,DK> [goto HISTOPJOB_C]
---------------------------	---------------------------------

<b>Question ID:</b> INS.0650.00.1	<b>Variable name:</b> HISTOPJOB_C	<b>Interview module:</b> INS(Child.INS)
-----------------------------------	-----------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
<b>Universe:</b>	HILAST_C IN (1,2,3)	
<b>Universe Description:</b>	Sample Children 0-17 who have been uninsured for less than 3 years	
<b>Question Text:</b>	<p>?[F1] Think about the last time that ^SCNAME did have health care coverage. I am going to read a list of reasons why someone might no longer be enrolled in coverage. Please tell me, yes or no, if this is a reason why ^SCNAME is no longer enrolled in ^hisher_C last health care plan. The policyholder retired, lost a job, or changed employer?</p>	
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused	
<b>Fills:</b>	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^hisher_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto HISTOPMISS_C]	

Question ID: INS.0660.00.1

Variable name: HISTOPMISS\_C

Interview module: INS(Child.INS)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
<b>Universe:</b>	HILAST_C IN (1,2,3)	
<b>Universe Description:</b>	Sample Children 0-17 who have been uninsured for less than 3 years	
<b>Question Text:</b>	* <b>Read if necessary:</b> Is ^SCNAME no longer enrolled in ^hisher_C last health care plan because... <b>A deadline was missed for signing up or paying for ^hisher_C coverage?</b>	
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused	
<b>Fills:</b>	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^hisher_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto HISTOPAGE_C]	

Question ID: INS.0670.00.1

Variable name: HISTOPAGE\_C

Interview module: INS(Child.INS)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
<b>Universe:</b>	HILAST_C IN (1,2,3)	
<b>Universe Description:</b>	Sample Children 0-17 who have been uninsured for less than 3 years	
<b>Question Text:</b>	* <b>Read if necessary:</b> Is ^SCNAME no longer enrolled in ^hisher_C last health care plan because... <b>^HeShe_C became ineligible because of ^hisher_C age or because ^heshe_C left school?</b>	
<b>Response:</b>		

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"  ^HeShe_C                      If SEX_FINAL_C=1 fill "He" else if SEX_FINAL_C=2 fill "She" elseif SEX_FINAL_C=blank: fill "They"  ^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto HISTOPCOST_C]

Question ID: INS.0680.00.1                      Variable name: HISTOPCOST\_C                      Interview module: INS(Child.INS)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	HILAST_C IN (1,2,3)
<b>Universe Description:</b>	Sample Children 0-17 who have been uninsured for less than 3 years
<b>Question Text:</b>	<a href="#">Read if necessary:</a> Is ^SCNAME no longer enrolled in ^hisher_C last health care plan because... <b>The cost for the coverage increased?</b>
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto HISTOPELIG_C]

Question ID: INS.0690.00.1                      Variable name: HISTOPELIG\_C                      Interview module: INS(Child.INS)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	HILAST_C IN (1,2,3)
<b>Universe Description:</b>	Sample Children 0-17 who have been uninsured for less than 3 years
<b>Question Text:</b>	?[F1] * Read if necessary: Is ^SCNAME no longer enrolled in ^hisher_C last health care plan because... ^HeShe_C had Medicaid, CHIP, or other public coverage, but ^werewas_C no longer eligible?
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"  ^HeShe_C                      If SEX_FINAL_C=1 fill "He" else if SEX_FINAL_C=2 fill "She" elseif SEX_FINAL_C=blank: fill "They"  ^werewas_C                      If SEX_FINAL_C=1,2 fill "was" else if SEX_FINAL_C=DK, RF fill "were"

<b>Skip Instructions:</b>	<1,2,RF,DK> [goto RSNHICOST_C]
---------------------------	--------------------------------

<b>Question ID:</b> INS.0700.00.1	<b>Variable name:</b> RSNHICOST_C	<b>Interview module:</b> INS(Child.INS)
-----------------------------------	-----------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	10 IN HIKIND_C and (MCAIDPRB_C IN (2,RF,DK))
<b>Universe Description:</b>	Sample Children 0-17 without known health insurance and answered no, refused or don't know to the Medicaid probe.
<b>Question Text:</b>	<b>^INSREASONS_C Is ^SCNAME currently uninsured because coverage is not affordable?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^INSREASONS_C      If HILAST_C=0,4,5,6,RF,DK, fill: "There are many reasons why people do not have health insurance coverage." If HILAST_C=1,2,3, fill: "We just discussed reasons you lost coverage, now I am going to ask you some questions about why ^SCNAME hasn't obtained coverage."  ^SCNAME              Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto RSNHIWANT_C]

Question ID: INS.0710.00.1

Variable name: RSNHIWANT\_C

Interview module: INS(Child.INS)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	10 IN HIKIND_C and (MCAIDPRB_C IN (2,RF,DK))
<b>Universe Description:</b>	Sample Children 0-17 without known health insurance and answered no, refused or don't know to the Medicaid probe.
<b>Question Text:</b>	<b>There are other reasons that people do not have health insurance coverage. ^PLUSCOSTC ^SCNAME currently uninsured because... ..your family does not need or want coverage for ^SCNAME?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^PLUSCOSTC if REASNHICOST_C = 1 then fill "In addition to cost, is" Else fill "Is"  ^SCNAME Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto RSNHIELIG_C]

Question ID: INS.0720.00.1

Variable name: RSNHIELIG\_C

Interview module: INS(Child.INS)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	10 IN HIKIND_C and (MCAIDPRB_C IN (2,RF,DK))
<b>Universe Description:</b>	Sample Children 0-17 without known health insurance and answered no, refused or don't know to the Medicaid probe
<b>Question Text:</b>	♦ <b>Read if necessary:</b> There are other reasons that people do not have health insurance coverage. ^PLUSCOSTC ^SCNAME currently uninsured because... ..^heshe_C ^areisSEX_C not eligible for coverage?
<b>Response:</b>	



	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^PLUSCOSTC      if REASNHCOST_C = 1 then fill "In addition to cost, is" Else fill "Is"  ^SCNAME          Fill ALIAS of HHSTAT_C=1  ^heshe_C          If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"  ^areisSEX_C      if GEN.SEX_FINAL[PX_C] in (1,2) fill: "is" elseif GEN.SEX_FINAL[PX_C] in (DK,RF) fill: "are"
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto RSNHICONF_C]

**Question ID:** INS.0730.00.1      **Variable name:** RSNHICONF\_C      **Interview module:** INS(Child.INS)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	10 IN HIKIND_C and (MCAIDPRB_C IN (2,RF,DK) )
<b>Universe Description:</b>	Sample Children 0-17 without known health insurance and answered no, refused or don't know to the Medicaid probe
<b>Question Text:</b>	* <b>Read if necessary:</b> There are other reasons that people do not have health insurance coverage. ^PLUSCOSTC ^SCNAME currently uninsured because... <b>...the process of signing up for coverage for ^SCNAME is too difficult or confusing?</b>
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^PLUSCOSTC      if REASNHICOST_C = 1 then fill "In addition to cost, is" Else fill "Is"  ^SCNAME            Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto RSNHIMEET_C]

Question ID: INS.0740.00.1      Variable name: RSNHIMEET\_C      Interview module: INS(Child.INS)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	10 IN HIKIND_C and (MCAIDPRB_C IN (2,RF,DK))
<b>Universe Description:</b>	Sample Children 0-17 without known health insurance and answered no, refused or don't know to the Medicaid probe
<b>Question Text:</b>	♦ <b>Read if necessary:</b> There are other reasons that people do not have health insurance coverage. ^PLUSCOSTC ^SCNAME currently uninsured because... <b>...your family cannot find a plan that meets ^SCNAME's needs?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME            Fill ALIAS of HHSTAT_C=1  ^PLUSCOSTC      if REASNHICOST_C = 1 then fill "In addition to cost, is" Else fill "Is"

<b>Skip Instructions:</b>	<1,2,RF,DK> [goto RSNHIWAIT_C]
---------------------------	--------------------------------

<b>Question ID:</b> INS.0750.00.1	<b>Variable name:</b> RSNHIWAIT_C	<b>Interview module:</b> INS(Child.INS)
-----------------------------------	-----------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	10 IN HIKIND_C and (MCAIDPRB_C IN (2,RF,DK))
<b>Universe Description:</b>	Sample Children 0-17 without known health insurance and answered no, refused or don't know to the Medicaid probe
<b>Question Text:</b>	* <b>Read if necessary:</b> There are other reasons that people do not have health insurance coverage. ^PLUSCOSTC ^SCNAME currently uninsured because... <b>...you applied for coverage for ^SCNAME but it has not started yet?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^PLUSCOSTC if REASNHICOST_C = 1 then fill "In addition to cost, is" Else fill "Is"  ^SCNAME Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto RSNHIOTH_C]

Question ID: INS.0760.00.1

Variable name: RSNHIOTH\_C

Interview module: INS(Child.INS)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	10 IN HIKIND_C and (MCAIDPRB_C IN (2,RF,DK))
<b>Universe Description:</b>	Sample Children 0-17 without known health insurance and answered no, refused or don't know to the Medicaid probe
<b>Question Text:</b>	<b>Is there another reason that ^SCNAME currently does not have health insurance coverage?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto RSNHIOTHSP_C] <2,RF,DK> [goto FINISH_C]

Question ID: INS.0770.00.1

Variable name: RSNHIOTHSP\_C

Interview module: INS(Child.INS)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	RSNHIOTH_C=1
<b>Universe Description:</b>	Sample Children 0-17 who have another reason for not having coverage
<b>Question Text:</b>	<b>What is the other reason for not having coverage?</b>
<b>Response:</b>	DK: Don't Know RF: Refused

<b>Skip Instructions:</b>	<allow 80,RF,DK> [goto FINISH_C]
---------------------------	----------------------------------

<b>Question ID:</b> INS.0780.00.1	<b>Variable name:</b> HINOTYR_C	<b>Interview module:</b> INS(Child.INS)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	HIKIND_C IN (1-9) or MCAIDPRB_C=1
<b>Universe Description:</b>	Sample Children 0-17 with known health insurance coverage or responded yes to the medicaid probe
<b>Question Text:</b>	<b>In the past 12 months, was there any time when ^SCNAME did NOT have ANY health insurance or coverage?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto HINOTMYR_C] <2,RF,DK> [goto FINISH_C]

<b>Question ID:</b> INS.0790.00.1	<b>Variable name:</b> HINOTMYR_C	<b>Interview module:</b> INS(Child.INS)
-----------------------------------	----------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	HIKIND_C IN (1-9) or (MCAIDPRB_C=1) and HINOTYR_C=1
<b>Universe Description:</b>	Sample Children 0-17 with known health insurance coverage and did not have health insurance for some period of time in the past 12 months
<b>Question Text:</b>	<b>In the past 12 months, about how many months was ^SCNAME without coverage? * If less than 1 month, enter '1'.</b>
<b>Response:</b>	DK: Don't Know RF: Refused

<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-12,RF,DK> [goto FINISH_C]

<b>Question ID:</b> INS.0800.00.1	<b>Variable name:</b> FINISH_C	<b>Interview module:</b> INS(Child.INS)
-----------------------------------	--------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	✦ The Sample Child health insurance section is now complete. ✦ Enter '1' to continue.
<b>Response:</b>	1.            Enter 1 to Continue
<b>Skip Instructions:</b>	<1> [goto next section]

<b>Question ID:</b> PAY.0010.00.1	<b>Variable name:</b> PAYINTRO_C	<b>Interview module:</b> PAY(Child.PAY)
-----------------------------------	----------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	(SAMEFAM_FLG=1 and PAY_FLG_A=blank) or (SAMEFAM_FLG=1 and PAY_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)
<b>Universe Description:</b>	Sample Children 0-17 living in same family as the Sample Adult when the PAY section of the Sample Adult has not been completed or Sample Children living in same family as Sample Adult when the Sample Child respondent is not the Sample Adult and the Sample Adult answered don't or refused to PAYBLL12M_A and PAYNOBLLNW_A or Sample children living in different families than the Sample Adult.
<b>Question Text:</b>	<b>?[F1] Now I am going to ask you about your family's medical bills. Include bills for doctors, dentists, hospitals, therapists, medication, equipment, and nursing home or home care. ✦ Enter '1' to continue.</b>
<b>Response:</b>	

	1. Enter 1 to Continue
<b>Skip Instructions:</b>	<1> [goto PAYBILL12M_C]

Question ID: PAY.0020.00.1	Variable name: PAYBLL12M_C	Interview module: PAY(Child.PAY)
----------------------------	----------------------------	----------------------------------

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	(SAMEFAM_FLG=1 and PAY_FLG_A=blank) or (SAMEFAM_FLG=1 and PAY_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)
<b>Universe Description:</b>	Sample Children 0-17 living in same family as the Sample Adult when the PAY section of the Sample Adult has not been completed or Sample Children living in same family as Sample Adult when the Sample Child respondent is not the Sample Adult and the Sample Adult answered don't or refused to PAYBILL12M_A and PAYNOBLLNW_A or Sample children living in different families than the Sample Adult.
<b>Question Text:</b>	<b>?[F1] In the past 12 months did anyone in your family have problems paying or were unable to pay any medical bills? ♦ Read if necessary:</b> Include bills for doctors, dentists, hospitals, therapists, medication, equipment, nursing home or home care.
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<1,RF,DK> [goto PAYNOBLLNW_C] <2> [goto PAYWORRY_C]

Question ID: PAY.0030.00.1

Variable name: PAYNOBLLNW\_C

Interview module: PAY(Child.PAY)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	((SAMEFAM_FLG=1 and PAY_FLG_A=blank) or (SAMEFAM_FLG=1 and PAY_FLG_A=2 and SARESPSC_FLG ne 1)) or ((SAMEFAM_FLG ne 1) and PAYBLL12M_C IN (1,RF,DK))
<b>Universe Description:</b>	Sample Children 0-17 who said someone in their family had trouble paying bills and Sample Adult and Sample Child are in the same family and Sample Adult PAY section has not been completed OR the Sample Child and Sample Adult are not in the same family AND said anyone in their family had problems paying medical bills in the past 12 months or refused or didn't know if they had problems paying medical bills.
<b>Question Text:</b>	<b>Does anyone in your family currently have any medical bills that you are unable to pay at all?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto PAYWORRY_C]

Question ID: PAY.0040.00.1

Variable name: PAYWORRY\_C

Interview module: PAY(Child.PAY)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>If ^SCNAME gets sick or has an accident, how worried are you that your family will be able to pay ^hisher_C medical bills? Are you very worried, somewhat worried, or not at all worried?</b>
<b>Response:</b>	



	1. Very worried 2. Somewhat worried 3. Not at all worried DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto next section]

**Question ID:** CVL.0010.00.4                      **Variable name:** CVDINTRO\_C                      **Interview module:** CVL(Child.CVL)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>The next set of questions are about coronavirus or COVID-19. * <a href="#">Enter '1' to continue.</a></b>
<b>Response:</b>	1. Enter 1 to Continue
<b>Skip Instructions:</b>	<1> [goto CVDDIAG_C]

Question ID: CVL.0020.00.4

Variable name: CVDDIAG\_C

Interview module: CVL(Child.CVL)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>Has a doctor or other health professional ever told you that ^SCNAME had or likely had coronavirus or COVID-19?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto POSTEST_C]

Question ID: CVL.0030.00.4

Variable name: POSTEST\_C

Interview module: CVL(Child.CVL)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>Did ^SCNAME ever take a test that showed ^heshe_C had coronavirus or COVID-19? ♦ <a href="#">Read if necessary:</a></b> Testing includes antibody or blood tests as well as other forms of testing for COVID-19, such as a nasal swabbing or throat swabbing.
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused

<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1> [goto CVDSEV_C] <2,RF,DK> if CVDDIAG_C=1 [goto CVDSEV_C] elseif CVDDIAG_C=2,RF,DK [goto next section]

**Question ID: CVL.0040.00.4                      Variable name: CVDSEV\_C                      Interview module: CVL(Child.CVL)**

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	CVDDIAG_C=1 or POSTEST_C=1
<b>Universe Description:</b>	Sample Children 0-17 who have been told by a doctor or other health professional that they had or likely had coronavirus or COVID-19 or tested positive for COVID-19
<b>Question Text:</b>	<b>How would you describe ^SCNAME's coronavirus symptoms when they were at their worst? Would you say no symptoms, mild symptoms, moderate symptoms, or severe symptoms?</b>
<b>Response:</b>	1.        No symptoms 2.        Mild symptoms 3.        Moderate symptoms 4.        Severe symptoms DK:      Don't Know RF:      Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1

<b>Skip Instructions:</b>	<1> [goto next section] <2-4,RF,DK> [goto LONGCVD_C]
---------------------------	---

Question ID: CVL.0050.00.4      Variable name: LONGCVD\_C      Interview module: CVL(Child.CVL)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	CVDSEV_C IN (2-4,RF,DK)
<b>Universe Description:</b>	Sample Children 0-17 with mild, moderate, or severe symptoms when at their worst or refused or didn't know the severity of their symptoms
<b>Question Text:</b>	<b>Did ^SCNAME have any symptoms lasting 3 months or longer that ^heshe_C did not have prior to having coronavirus or COVID-19? ♦ Read if necessary:</b> Long term conditions may be a side effect of COVID-19, rather than caused by the virus itself. ♦ Read if necessary: Long term symptoms may include tiredness or fatigue, difficulty thinking, concentrating, forgetfulness or memory problems, sometimes referred to as "brain fog," difficulty breathing or shortness of breath, joint or muscle pain, fast-beating or pounding heart (also known as heart palpitations), chest pain, dizziness on standing, depression, anxiety or mood changes.
<b>Response:</b>	1.      Yes 2.      No DK:     Don't Know RF:     Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto SYMPNOW_C]â€œ

Question ID: CVL.0060.00.4

Variable name: SYMPNOW\_C

Interview module: CVL(Child.CVL)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	CVDSEV_C IN (2-4,RF,DK)
<b>Universe Description:</b>	Sample Children 0-17 with mild, moderate, or severe symptoms when at their worst or refused or didn't know the severity of their symptoms
<b>Question Text:</b>	<b>Does ^SCNAME have symptoms NOW?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto next section]

Question ID: DNC.0010.00.2

Variable name: DNCINTRO\_C

Interview module: DNC(Child.DNC)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 1 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 1 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe Description:</b>	Sample children 1-17
<b>Question Text:</b>	<b>These next questions ask about ^SCNAME's dental care. ♦ Enter '1' to continue.</b>
<b>Response:</b>	1. Enter 1 to Continue

<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto DENPREV_C]

**Question ID: DNC.0020.00.2                      Variable name: DENPREV\_C                      Interview module: DNC(Child.DNC)**

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 1 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 1 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe Description:</b>	Sample Children 1-17
<b>Question Text:</b>	<b>About how long has it been since ^SCNAME last had a dental examination or cleaning?</b> ♦ <a href="#">Read if necessary</a> : Include cleanings from all types of dental care providers such as dentists, orthodontists, oral surgeons, dental hygienists, and all other dental specialists.
<b>Response:</b>	0.            Never 1.            Within the past year (anytime less than 12 months ago) 2.            Within the last 2 years (1 year but less than 2 years ago) 3.            Within the last 3 years (2 years but less than 3 years ago) 4.            Within the last 5 years (3 years but less than 5 years ago) 5.            Within the last 10 years (5 years but less than 10 years ago) 6.            10 years ago or more DK:         Don't Know RF:         Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<0-6,RF,DK> [goto DENDL12M_C]

**Check Name: ERR1\_DENPREV\_C**

<b>Text:</b>	{check ERR1_DENPREV_C} Years since last dental cleaning exceedchild's age. Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 1 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 1 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe:</b>	(AGE_FINAL = 0 and DENPREV_C in (2,3,4,5,6)) or (AGE_FINAL = 1 and DENPREV_C in (3,4,5,6)) or (AGE_FINAL = 2 and DENPREV_C in (4,5,6)) or (AGE_FINAL in (3,4) and DENPREV_C in (5,6)) or (AGE_FINAL in (5,6,7,8,9) and DENPREV_C in (6))

**Question ID: DNC.0030.00.2**

**Variable name: DENDL12M\_C**

**Interview module: DNC(Child.DNC)**

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 1 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 1 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe Description:</b>	Sample Children 1-17
<b>Question Text:</b>	<b>During the past 12 months, has ^SCNAME been DELAYED in getting dental care because of the cost?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused

<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto DENNG12M_C]

<b>Question ID:</b> DNC.0040.00.2	<b>Variable name:</b> DENNG12M_C	<b>Interview module:</b> DNC(Child.DNC)
-----------------------------------	----------------------------------	---

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 1 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 1 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe Description:</b>	Sample Children 1-17
<b>Question Text:</b>	<b>During the past 12 months, was there any time when ^SCNAME needed dental care, but DID NOT GET IT because of the cost?</b>
<b>Response:</b>	1.        Yes 2.        No DK:      Don't Know RF:      Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto next section]

<b>Question ID:</b> UTZ.0010.00.1	<b>Variable name:</b> UTZINTRO_C	<b>Interview module:</b> UTZ(Child.UTZ)
-----------------------------------	----------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	^UTZINTRO2_C * <a href="#">Enter '1' to continue.</a>
<b>Response:</b>	



	1. Enter 1 to Continue
<b>Fills:</b>	^UTZINTRO2_C If AGE LT 1 fill "I would like to ask you about ^SCNAME's health care." else fill "Now, I would like to ask you about ^SCNAME's health care, not including dental care."
<b>Skip Instructions:</b>	<1> [goto LASTDR_C]

Question ID: UTZ.0020.00.1      Variable name: LASTDR\_C      Interview module: UTZ(Child.UTZ)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>About how long has it been since ^SCNAME last saw a doctor or other health professional about ^hisher_C health?</b> * <a href="#">Read if necessary</a> : Include doctors seen while a patient in a hospital. * <a href="#">Read if necessary</a> : Do not include dental care.
<b>Response:</b>	0. Never 1. Within the past year (anytime less than 12 months ago) 2. Within the last 2 years (1 year but less than 2 years ago) 3. Within the last 3 years (2 years but less than 3 years ago) 4. Within the last 5 years (3 years but less than 5 years ago) 5. Within the last 10 years (5 years but less than 10 years ago) 6. 10 years ago or more DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME      Fill ALIAS of HHSTAT_C=1  ^hisher_C      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"

<b>Skip Instructions:</b>	<1-6> if GEN.AGE_FINAL[PX_C] ge 0 and GEN.AGE_FINAL[PX_C] le 11 [goto WELLNESS_C] <1-6> if GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17 [goto TIMEALONE_C] <0,RF,DK> [goto USUALPL_C]
---------------------------	--

**Check Name: ERR1\_LASTDR\_C**

<b>Text:</b>	{check ERR1_LASTDR_C} Years since last saw a doctor exceedchild's age. Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	(AGE_FINAL = 0 and LASTDR_C in (2,3,4,5,6)) or (AGE_FINAL = 1 and LASTDR_C in (3,4,5,6)) or (AGE_FINAL = 2 and LASTDR_C in (4,5,6)) or (AGE_FINAL in (3,4) and LASTDR_C in (5,6)) or (AGE_FINAL in (5,6,7,8,9) and LASTDR_C in (6))

**Question ID: UTZ.0030.00.4      Variable name: TIMEALONE\_C      Interview module: UTZ(Child.UTZ)**

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	LASTDR_C in (1,2,3,4,5,6) and GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17
<b>Universe Description:</b>	Sample children 12-17 who saw a doctor
<b>Question Text:</b>	<b>At their last medical care visit, did ^SCNAME have a chance to speak with a doctor or other health professional privately, without you or another caregiver in the room?</b>
<b>Response:</b>	



<b>Skip Instructions:</b>	<1> [goto USUALPL_C] <2,RF,DK> [goto WELLVIS_C]
---------------------------	--

<b>Question ID:</b> UTZ.0050.00.1	<b>Variable name:</b> WELLVIS_C	<b>Interview module:</b> UTZ(Child.UTZ)
-----------------------------------	---------------------------------	---

**Inherited Universe:** GEN.PX\_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP\_C gt 0 and NOFAMSC ne 1

**Universe:** WELLNESS\_C in (2,RF,DK)

**Universe Description:** Sample Children 0-17 who did not have a baby/child visit, physical, or general purpose check-up, or who don't know or refused.

**Question Text:** **About how long has it been since ^SCNAME last saw a doctor or other health professional for a well ^babychild visit, physical, or general purpose check-up?**  
 ♦ **Read if necessary:** This kind of visit typically includes: height and weight measurements, vaccinations, and vision or hearing checks. The doctor or other health professional may also discuss topics related to ^SCNAME's health such as ^hisher\_C growth and development, diet and exercise, safety, and sleep patterns. These visits are usually scheduled in advance and occur when ^hesheistheyare\_C not sick. ♦ **Read if necessary:** If a wellness exam was combined with a sick care visit, include this visit. ♦ **Read if necessary:** An obstetrician/gynecologist (OB/GYN) may perform this visit.

- Response:**
- 0. Never
  - 1. Within the past year (anytime less than 12 months ago)
  - 2. Within the last 2 years (1 year but less than 2 years ago)
  - 3. Within the last 3 years (2 years but less than 3 years ago)
  - 4. Within the last 5 years (3 years but less than 5 years ago)
  - 5. Within the last 10 years (5 years but less than 10 years ago)
  - 6. 10 years ago or more
  - DK: Don't Know
  - RF: Refused

<b>Fills:</b>	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^babychild	If AGE LE 2 fill "baby"; else if AGE GE 3 or AGE IN ('DK','RF') fill "child"
	^hisher_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
	^hesheistheyare_C	If SEX_FINAL_C=1 fill: "he is" If SEX_FINAL_C=2 fill: "she is"

	If SEX_FINAL_C=blank fill: "they are"
<b>Skip Instructions:</b>	<0,RF,DK> [goto USUALPL_C] <1-6> if 0<=GEN.AGE_FINAL<=11 [goto USUALPL_C] <1-6> if 12<=GEN.AGE_FINAL<=17 [goto PTIMEALONE_C]

**Check Name: ERR1\_WELLVIS\_C**

<b>Text:</b>	{check ERR1_WELLVIS_C} Years since wellness visit exceedchild's age. Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	(AGE_FINAL = 0 and WELLVIS_C in (2,3,4,5,6)) or (AGE_FINAL = 1 and WELLVIS_C in (3,4,5,6)) or (AGE_FINAL = 2 and WELLVIS_C in (4,5,6)) or (AGE_FINAL in (3,4) and WELLVIS_C in (5,6)) or (AGE_FINAL in (5,6,7,8,9) and WELLVIS_C in (6))

**Question ID: UTZ.0060.00.4      Variable name: PTIMEALONE\_C      Interview module: UTZ(Child.UTZ)**

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	WELLVIS_C IN (1,2,3,4,5,6) and GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17
<b>Universe Description:</b>	Sample children 12-17 who had a wellness visit, but whose most recent visit was not a wellness visit
<b>Question Text:</b>	<b>At their last well-child visit, physical, or general purpose check-up did ^SCNAME have a chance to speak with a doctor or other health professional privately, without you or another caregiver in the room?</b>
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto USUALPL_C]

Question ID: UTZ.0080.00.1	Variable name: USUALPL_C	Interview module: UTZ(Child.UTZ)
----------------------------	--------------------------	----------------------------------

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>Is there a place that ^SCNAME USUALLY goes to if ^hesheistheyare_C sick and needs health care?</b>
<b>Response:</b>	1. Yes 2. There is NO place 3. There is MORE THAN ONE place DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hesheistheyare_C        If SEX_FINAL_C=1 fill: "he is" If SEX_FINAL_C=2 fill: "she is" If SEX_FINAL_C=blank fill: "they are"
<b>Skip Instructions:</b>	<1,3,RF,DK> [goto USPLKIND_C] <2> If GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17 [goto PERSDOC_C] Else if GEN.AGE_FINAL[PX_C] ge 0 and GEN.AGE_FINAL[PX_C] le 11 [goto URGENT12M_C]

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
<b>Universe:</b>	USUALPL_C IN (1,3,RF,DK)	
<b>Universe Description:</b>	Sample Children 0-17 with 1+ usual place of care or who don't know or refused to answer if they have a usual place of care	
<b>Question Text:</b>	<p><b>What kind of place ^isitgomostoften - a doctor's office or health center; an urgent care center, a clinic in a drug store or grocery store; a hospital emergency room; or some other place? ♦ Read if necessary:</b> A doctor's office or health center is a place where ^heshe_C see^s the same doctor or the same group of doctors every visit, where you usually need to make an appointment ahead of time, and where ^hisher_C medical records are on file. ♦ <b>Read if necessary:</b> Urgent care centers, and clinics in a drug store or grocery store are places where you do not need to make an appointment ahead of time, and do not usually see the same health care provider at each visit.</p>	
<b>Response:</b>	<ol style="list-style-type: none"> <li>1. A doctor's office or health center</li> <li>2. Urgent care center or clinic in a drug store or grocery store</li> <li>3. Hospital emergency room</li> <li>4. Some other place</li> <li>5. Does not go to one place most often</li> </ol> <p>DK: Don't Know RF: Refused</p>	
<b>Fills:</b>	^isitgomostoften	If USUALPL_C=1, fill: "is it" else fill: "^doesheshedothey go to most often"
	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^heshe_C	If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
	^s	if SEX_FINAL[PX_C]=1,2 fill "s" else fill blank
	^hisher_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"

<b>Skip Instructions:</b>	<1-5,RF,DK> if 0<=GEN.AGE_FINAL<=11 [goto URGENT12M_C] <1-5,RF,DK> if 12<=GEN.AGE_FINAL<=17 [goto PERSDOC_C]
---------------------------	---

<b>Question ID:</b> UTZ.0100.00.4	<b>Variable name:</b> PERSDOC_C	<b>Interview module:</b> UTZ(Child.UTZ)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17
<b>Universe Description:</b>	Sample Children 12-17
<b>Question Text:</b>	<b>Do you have one or more persons you think of as ^SCNAME's personal doctor or nurse?</b> *Read if necessary: A personal doctor or nurse is a health professional who knows ^SCNAME well and is familiar with ^hisher_C health history. This can be a general doctor, a pediatrician, a specialist doctor, a nurse practitioner, or a physician assistant.
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto URGENT12M_C]



<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
<b>Universe Description:</b>	Sample Children 0-17	
<b>Question Text:</b>	<p><b>During the past 12 months, how many times has ^SCNAME gone to an urgent care center or clinic in a drug store or grocery store about ^hisher_C health? *</b></p> <p><b>Enter '96' if number is 96 or greater. * Read if necessary:</b> Urgent care centers and clinics in drug stores or grocery stores are places where you do not need to make an appointment ahead of time, and do not usually see the same health care provider at each visit. * <b>Read if necessary:</b> This is different from a hospital emergency room.</p>	
<b>Response:</b>	DK: Don't Know RF: Refused	
<b>Fills:</b>	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^hisher_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
<b>Skip Instructions:</b>	<0-39,RF,DK> [goto EMERGE12M_C] <40-96> [goto ERR1_URGENT12M_C]	

## Check Name: ERR1\_URGENT12M\_C

**Text:** {signal ERR1\_URGENT12M\_C} ^URGENT12M\_C is an unusually large number. Did ^SCNAME visit an urgent care center or clinic in a drug store or grocery store about ^hishertheir health ^URGENT12M\_C times in the past 12 months? \* Please verify.

Hard / Soft Edit: Soft

<b>Fills:</b>	^URGENT12M_C	fill value from URGENT12M_C
	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^hishertheir	If GEN.SEX_FINAL=1 fill "<span class="question_text">his</span>";  else if GEN.SEX_FINAL=2 fill "<span class="question_text">her</span>";  else if GEN.SEX_FINAL IN (DK, RF) fill "<span

class="question\_text">their</span>"

**Inherited Universe:** GEN.PX\_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP\_C gt 0 and NOFAMSC ne 1

**Universe:** URGENT12M\_C=40-96

**Universe Description:** Sample child reported going to urgent care 40-96 times

Question ID: UTZ.0120.00.1	Variable name: EMERGE12M_C	Interview module: UTZ(Child.UTZ)
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
<b>Universe Description:</b>	Sample Children 0-17	
<b>Question Text:</b>	<b>During the past 12 months, how many times has ^SCNAME gone to a hospital emergency room about ^hisher_C health?</b> * <b>Read if necessary:</b> This includes emergency room visits that resulted in a hospital admission. * <b>Enter '96' if number is 96 or more.</b>	
<b>Response:</b>	DK: Don't Know RF: Refused	
<b>Fills:</b>	^SCNAME Fill ALIAS of HHSTAT_C=1  ^hisher_C if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill	
	"their"	
<b>Skip Instructions:</b>	<0-39,RF,DK> if GEN.AGE_FINAL GE 001 [goto HOSPONGT_C] else [goto MEDDL12M_C] <40-96> [goto ERR1_EMERGE12M_C]	

**Check Name: ERR1\_EMERGE12M\_C**

<b>Text:</b>	<a href="#">{signal ERR1_EMERGE12M_C}</a> ^EMERGE12M_C is an unusually large number. Did ^SCNAME visit a hospital emergency room about ^hishertheir health ^EMERGE12M_C times in the past 12 months? ♦Please verify.		
<b>Hard / Soft Edit:</b>	Soft		
<b>Fills:</b>	^EMERGE12M_C	Fill value from Child.UTZ.EMERGE12M_C	
	^SCNAME	Fill ALIAS of HHSTAT_C=1	
	^hishertheir	If GEN.SEX_FINAL=1 fill "<span class="question_text">his</span>"; else if GEN.SEX_FINAL=2 fill "<span class="question_text">her</span>"; else if GEN.SEX_FINAL IN (DK, RF) fill "<span class="question_text">their</span>"	
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
<b>Universe:</b>	EMERGE12M_C=40-96		
<b>Universe Description:</b>	Sample child reported going to ER 40-96 times		

Question ID: UTZ.0130.00.1

Variable name: HOSPONGT\_C

Interview module: UTZ(Child.UTZ)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	GEN.AGE_FINAL[PX_C] GE '001' and GEN.AGE_FINAL[PX_C] LE '017'
<b>Universe Description:</b>	Sample Children 1-17
<b>Question Text:</b>	<b>During the past 12 months, has ^SCNAME been hospitalized overnight? ^PAST12MER_C</b>
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^PAST12MER_C                If ((EMERGE12M_C GE '01' and EMERGE12M_C LE '96') or EMERGE12M_C='RF','DK'): Fill: "Do not include an overnight stay in the emergency room."
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto MEDDL12M_C]

Question ID: UTZ.0140.00.1                      Variable name: MEDDL12M\_C                      Interview module: UTZ(Child.UTZ)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>During the past 12 months, has medical care BEEN DELAYED for ^SCNAME because of the cost?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto MEDNG12M_C]

Question ID: UTZ.0150.00.1

Variable name: MEDNG12M\_C

Interview module: UTZ(Child.UTZ)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>During the past 12 months, was there any time when ^SCNAME needed medical care, but DID NOT GET IT because of the cost?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto next section]

Question ID: TLH.0010.00.4

Variable name: VIRAPP12M\_C

Interview module: TLH(Child.TLH)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>During the past 12 months, has ^SCNAME had an appointment with a doctor, nurse, or other health professional by video or by phone?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused

<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto next section]

<b>Question ID: PMD.0010.00.1</b>	<b>Variable name: RX12M_C</b>	<b>Interview module: PMD(Child.PMD)</b>
-----------------------------------	-------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>At any time in the past 12 months, did ^SCNAME take prescription medication?</b>
<b>Response:</b>	1.        Yes 2.        No DK:      Don't Know RF:      Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto RXDL12M_C] <2,RF,DK> [goto RXDG12M_C]

<b>Question ID: PMD.0020.00.1</b>	<b>Variable name: RXDL12M_C</b>	<b>Interview module: PMD(Child.PMD)</b>
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	RX12M_C=1
<b>Universe Description:</b>	Sample Children 0-17 who had been prescribed medication in the past 12 months
<b>Question Text:</b>	<b>During the past 12 months, did you DELAY filling a prescription for ^SCNAME to save money?</b>
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto RXDG12M_C]

Question ID: PMD.0030.00.1	Variable name: RXDG12M_C	Interview module: PMD(Child.PMD)
----------------------------	--------------------------	----------------------------------

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>During the past 12 months, was there any time when ^SCNAME needed prescription medication, but DID NOT GET IT because of the cost?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto next section]

Question ID: IMM.0001.00.1	Variable name: FLUINTRO_C	Interview module: IMM(Child.IMM)
----------------------------	---------------------------	----------------------------------

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	GEN.AGE_FINAL[PX_C]=12-17
<b>Universe Description:</b>	Sample Children 12-17
<b>Question Text:</b>	<b>There are currently vaccines available for seasonal influenza and coronavirus or COVID-19. I will first ask you questions about seasonal flu vaccination and then about coronavirus or COVID-19 vaccination. ♦ Enter '1' to continue.</b>
<b>Response:</b>	1. Enter 1 to Continue
<b>Skip Instructions:</b>	<1> [goto SHTFLU12M_C]

Question ID: IMM.0010.00.1	Variable name: SHTFLU12M_C	Interview module: IMM(Child.IMM)
----------------------------	----------------------------	----------------------------------

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>There are two types of flu vaccinations. One is a shot and the other is a spray, mist, or drop in the nose. During the past 12 months, has ^SCNAME had a flu vaccination? ♦ Read if necessary:</b> A flu vaccination is usually given in the fall and protects against influenza for the flu season.
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1



<b>Skip Instructions:</b>	<1> [goto SHTFLUNUM_C] <2,RF,DK> [goto next section]
---------------------------	---

Question ID: IMM.0020.00.1      Variable name: SHTFLUNUM\_C      Interview module: IMM(Child.IMM)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	SHTFLU12M_C=1
<b>Universe Description:</b>	Sample Children 0-17 who have had a flu shot in the past 12 months
<b>Question Text:</b>	<b>During the past 12 months, how many flu vaccinations has ^SCNAME received?</b>
<b>Response:</b>	1.      1 vaccination 2.      2 or more vaccinations DK:     Don't Know RF:     Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2> [goto FLUVAC1M_C] <RF,DK> [goto next section]

Question ID: IMM.0030.01.1      Variable name: FLUVAC1M\_C      Interview module: IMM(Child.IMM)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	SHTFLUNUM_C IN (1,2)
<b>Universe Description:</b>	Sample Children 0-17 who have had one or more shots in the past 12 months
<b>Question Text:</b>	◆ 1 of 2 During what month and year did ^SCNAME receive ^hisher_C most recent flu vaccine? ◆ Enter month of most recent flu vaccine.
<b>Response:</b>	

	1. January 2. February 3. March 4. April 5. May 6. June 7. July 8. August 9. September 10. October 11. November 12. December DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
<b>Skip Instructions:</b>	<1-12,DK> [goto FLUVAC1Y_C] <RF> if SHTFLUNUM_C=2 [goto FLUVAC2M_C] else if SHTFLUNUM_C=1 [goto next section]

**Question ID: IMM.0030.02.1                      Variable name: FLUVAC1Y\_C                      Interview module: IMM(Child.IMM)**

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	(FLUVAC1M_C=1-12 or FLUVAC1M_C=DK)
<b>Universe Description:</b>	Sample Children 0-17 who have had one or more shots in the past 12 months and gave month/don't know month of flu shot
<b>Question Text:</b>	* 2 of 2 * <a href="#">Enter year of most recent flu vaccine.</a>
<b>Response:</b>	DK: Don't Know RF: Refused

<b>Skip Instructions:</b>	<current year, current year-1,RF,DK> and SHTFLUNUM_C = 2 [goto FLUVAC2M_C] else [goto next section] if FLUVAC1M_C and FLUVAC1Y_C = a future date [goto ERR1_FLUVAC1Y_C]; if FLUVAC1M_C and FLUVAC1Y_C = a date prior to birth [goto ERR2_FLUVAC1Y_C]; if FLUVAC1M_C and FLUVAC1Y_C = a date prior to 12 months ago [goto ERR3_FLUVAC1Y_C]
---------------------------	---

**Check Name: ERR1\_FLUVAC1Y\_C**

<b>Text:</b>	{check ERR1_FLUVAC1Y_C} *Future date invalid
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	(FLUVAC1Y_C gt current year) or (FLUVAC1Y_C=current year and FLUVAC1M_C gt current month)
<b>Universe Description:</b>	Date of first flu vaccine is in the future

**Check Name: ERR2\_FLUVAC1Y\_C**

<b>Text:</b>	{check ERR2_FLUVAC1Y_C} *Date prior to birth
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	FLUVAC1M_C and FLUVAC1Y_C = date prior to birth date
<b>Universe Description:</b>	Date of first flu vaccine is before sample child's birth date

**Check Name: ERR3\_FLUVAC1Y\_C**

<b>Text:</b>	{check ERR3_FLUVAC1Y_C} *Date before 12 months ago
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	(FLUVAC1Y_C lt current year-1) or (FLUVAC1Y_C=current year-1 and FLUVAC1M_C lt current month)
<b>Universe Description:</b>	Date of first flu vaccine is prior to 12 months ago

**Question ID: IMM.0040.01.1**

**Variable name: FLUVAC2M\_C**

**Interview module: IMM(Child.IMM)**

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	SHTFLUNUM_C=2
<b>Universe Description:</b>	Sample Children 0-17 who have had two or more flu shots in the past 12 months
<b>Question Text:</b>	* 1 of 2 During what month and year did ^SCNAME receive the flu vaccine before that one? * Enter month of the flu vaccine.
<b>Response:</b>	<ol style="list-style-type: none"> <li>1. January</li> <li>2. February</li> <li>3. March</li> <li>4. April</li> <li>5. May</li> <li>6. June</li> <li>7. July</li> </ol>

	8. August 9. September 10. October 11. November 12. December DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-12,DK> [goto FLUVAC2Y_C] <RF> [goto next section]

Question ID: IMM.0040.02.1                      Variable name: FLUVAC2Y\_C                      Interview module: IMM(Child.IMM)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	(FLUVAC2M_C=1-12 or FLUVAC2M_C=DK)
<b>Universe Description:</b>	Sample Children 0-17 who have had two or more flu shots and gave month/don't know month of 2nd vaccine dose
<b>Question Text:</b>	♦ 2 of 2 ♦ Enter year of next most recent flu vaccine.
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<current year, current year-1,RF,DK> [goto next section] If FLUVAC2M_C and FLUVAC2Y_C = a date in the future [goto ERR1_FLUVAC2Y_C] If FLUVAC2M_C and FLUVAC2Y_C = a date prior to birth [goto ERR2_FLUVAC2Y_C] If FLUVAC2M_C and FLUVAC2Y_C = a date prior to 12 months ago [goto ERR3_FLUVAC2Y_C] If FLUVAC2M_C and FLUVAC2Y_C = a date more recent than answer given in (FLUVAC1M_C and FLUVA1Y_C) [goto ERR4_FLUVAC2Y_C]

**Check Name: ERR1\_FLUVAC2Y\_C**

<b>Text:</b>	{check ERR1_FLUVAC2Y_C} ♦Future date invalid
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	(FLUVAC2Y_C gt current year) or (FLUVAC2Y_C=current year and FLUVAC2M_C gt current month)
<b>Universe Description:</b>	Date of second flu vaccine is in the future

**Check Name: ERR2\_FLUVAC2Y\_C**

<b>Text:</b>	{check ERR2_FLUVAC2Y_C} ♦Date prior to birth
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	FLUVAC2M_C and FLUVAC2Y_C = a date prior to birth
<b>Universe Description:</b>	Date of second flu vaccine is prior to sample child's birth date

**Check Name: ERR3\_FLUVAC2Y\_C**

<b>Text:</b>	{check ERR3_FLUVAC2Y_C} ♦Date before 12 months ago
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	(FLUVAC2Y_C lt current year-1) or (FLUVAC2Y_C=current year-1 and FLUVAC2M_C lt current month)
<b>Universe Description:</b>	Date of second flu vaccine is prior to 12 months ago

**Check Name: ERR4\_FLUVAC2Y\_C**

<b>Text:</b>	{check ERR4_FLUVAC2Y_C} ♦The date entered for the second most recent flu vaccine is after the date of the most recent flu vaccine. ♦Please verify.
<b>Hard / Soft Edit:</b>	Soft
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	(FLUVAC2Y_C gt FLUVAC1Y_C) or (FLUVAC2Y_C=FLUVAC1Y_C and FLUVAC2M_C gt FLUVAC1M_C)
<b>Universe Description:</b>	Date of second flu vaccine is more recent than date of first flu vaccine

Question ID: CVV.0010.00.3

Variable name: SHTCVD19AV\_C

Interview module: CVV(Child.CVV)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe Description:</b>	Sample Children 12-17
<b>Question Text:</b>	<b>The next questions are about coronavirus or COVID-19 vaccination. Has ^SCNAME had at least one dose of a COVID-19 vaccination? ^COVIDAGES ♦</b> <b>Read if necessary:</b> There are three vaccines for COVID-19 approved for use in the United States. The first is made by Pfizer, is called Comirnaty, and requires two initial shots. The second is made by Moderna and also requires two initial shots. The third is made by Johnson and Johnson and requires one initial shot.
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused

<b>Fills:</b>	<p>^SCNAME                      Fill ALIAS of HHSTAT_C=1</p> <p>^COVIDAGES                      If GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 15, fill: "Read if necessary:The COVID-19 vaccination has been available for children between the ages of 12 and 15 since May 2021." If GEN.AGE_FINAL[PX_C] ge 16 and GEN.AGE_FINAL[PX_C] le 17, fill: "Read if necessary:The COVID-19 vaccination has been available for children between the ages of 16 and 17 since 2020."</p>
<b>Skip Instructions:</b>	<p>&lt;1&gt; [goto SHTCVD19NM_C] &lt;2,RF,DK&gt; [goto next section]</p>

**Question ID:** CVV.0020.00.3                      **Variable name:** SHTCVD19NM\_C                      **Interview module:** CVV(Child.CVV)

<b>Inherited Universe:</b>	<p>(GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17))</p>
<b>Universe:</b>	SHTCVD19AV_C=1
<b>Universe Description:</b>	Sample Children 12-17 who have received at least one COVID-19 vaccination
<b>Question Text:</b>	<b>How many COVID-19 vaccinations has ^SCNAME received?</b>
<b>Response:</b>	<p>1.            1 vaccination 2.            2 vaccinations 3.            3 vaccinations 4.            4 or more vaccinations DK:        Don't Know RF:        Refused</p>



<b>Fills:</b>	^SCNAME Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-4> [goto CVDVAC1M_C] <RF,DK> [goto next section]

Question ID: CVV.0030.01.3      Variable name: CVDVAC1M\_C      Interview module: CVV(Child.CVV)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe:</b>	SHTCVD19NM_C=1-4
<b>Universe Description:</b>	Sample Children 12-17 who have had one or more COVID-19 vaccinations
<b>Question Text:</b>	◆ 1 of 2 During what month and year did ^SCNAME receive ^hisher_C most recent COVID-19 vaccination? ◆ Enter month of most recent COVID-19 vaccination.
<b>Response:</b>	1. January 2. February 3. March 4. April 5. May 6. June 7. July 8. August 9. September 10. October 11. November 12. December DK: Don't Know RF: Refused

<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
<b>Skip Instructions:</b>	<1-12,DK>[goto CVDVAC1Y_C] <RF> if SHTCVD19NM_C IN (2,3,4) [goto CVDVAC2M_C] else if SHTCVD19NM_C=1 [goto SHOTTYPE_C]

Question ID: CVV.0030.02.3                      Variable name: CVDVAC1Y\_C                      Interview module: CVV(Child.CVV)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe:</b>	CVDVAC1M_C=1-12,DK
<b>Universe Description:</b>	Sample Children 12-17 who gave month of most recent COVID-19 vaccination or don't know
<b>Question Text:</b>	♦ 2 of 2 ♦ <a href="#">Enter year of most recent COVID-19 vaccination.</a>
<b>Response:</b>	DK:      Don't Know RF:      Refused
<b>Skip Instructions:</b>	<current year, current year-1, current year-2,RF,DK> if SHTCVD19NM_C=2,3,4 [goto CVDVAC2M_C] else [goto SHOTTYPE_C] if CVDVAC1M_C and CVDVAC1Y_C = a future date [goto ERR1_CVDVAC1Y_C]; if CVDVAC1M_C and CVDVAC1Y_C = a date prior to birth [goto ERR2_CVDVAC1Y_C]; if CVDVAC1M_C and CVDVAC1Y_C = a date prior to 2020 [goto ERR3_CVDVAC1Y_C]

**Check Name: ERR1\_CVDVAC1Y\_C**

<b>Text:</b>	{check ERR1_CVDVAC1Y_C} *Future date invalid. Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe:</b>	(CVDVAC1Y_C gt current year) or (CVDVAC1Y_C=current year and CVDVAC1M_C gt current month)
<b>Universe Description:</b>	Date of first COVID-19 vaccination is in the future

**Check Name: ERR2\_CVDVAC1Y\_C**

<b>Text:</b>	{check ERR2_CVDVAC1Y_C} *Date prior to birth. Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe:</b>	CVDVAC1M_C and CVDVAC1Y_C = date prior to birth date
<b>Universe Description:</b>	Date of first COVID-19 vaccination is before Sample Child's birth date

**Check Name: ERR3\_CVDVAC1Y\_C**

<b>Text:</b>	{check ERR3_CVDVAC1Y_C} *Date before 2020. Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe:</b>	CVDVAC1Y_C lt 2020
<b>Universe Description:</b>	Date of first COVID-19 vaccination is prior to 2020

**Question ID: CVV.0040.01.3**

**Variable name: CVDVAC2M\_C**

**Interview module: CVV(Child.CVV)**

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe:</b>	SHTCVD19NM_C=2,3,4
<b>Universe Description:</b>	Sample Children 12-17 who have had two or more COVID-19 vaccinations
<b>Question Text:</b>	* 1 of 2 During what month and year did ^SCNAME receive ^his/her_C next most recent COVID-19 vaccination? * Enter month of the next most recent COVID-19 vaccination.
<b>Response:</b>	<ol style="list-style-type: none"> <li>1. January</li> <li>2. February</li> <li>3. March</li> <li>4. April</li> </ol>

	5. May 6. June 7. July 8. August 9. September 10. October 11. November 12. December DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
<b>Skip Instructions:</b>	<1-12,DK> [goto CVDVAC2Y_C] <RF> [goto SHOTTYPE_C]

**Question ID: CVV.0040.02.3                      Variable name: CVDVAC2Y\_C                      Interview module: CVV(Child.CVV)**

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe:</b>	CVDVAC2M_C=1-12,DK
<b>Universe Description:</b>	Sample Children 12-17 who gave month of second COVID-19 vaccination or don't know
<b>Question Text:</b>	✳ 2 of 2 ✳ <a href="#">Enter year of next most recent COVID-19 vaccination.</a>
<b>Response:</b>	DK: Don't Know RF: Refused

<b>Skip Instructions:</b>	<current year, current year-1, current year-2,RF,DK> [goto SHOTTYPE_C] If CVDVAC2M_C and CVDVAC2Y_C = a date in the future [goto ERR1_CVDVAC2Y_C] If CVDVAC2M_C and CVDVAC2Y_C = a date prior to birth [goto ERR2_CVDVAC2Y_C] If CVDVAC2M_C and CVDVAC2Y_C = a date prior to 2020 [goto ERR3_CVDVAC2Y_C] If CVDVAC2M_C and CVDVAC2Y_C = a date more recent than answer given in (CVDVAC1M_C and CVDVAC1Y_C) [goto ERR4_CVDVAC2Y_C]
---------------------------	--

**Check Name: ERR1\_CVDVAC2Y\_C**

<b>Text:</b>	{check ERR1_CVDVAC2Y_C} *Future date invalid. Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe:</b>	CVDVAC2Y_C gt current year or (CVDVAC2Y_C=current year and CVDVAC2M_C gt current month)
<b>Universe Description:</b>	Date of second COVID-19 vaccination is in the future

**Check Name: ERR2\_CVDVAC2Y\_C**

<b>Text:</b>	{check ERR2_CVDVAC2Y_C} *Date prior to birth. Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe:</b>	CVDVAC2M_C and CVDVAC2Y_C = a date prior to birth
<b>Universe Description:</b>	Date of second COVID-19 vaccination is prior to Sample Child's birth date

**Check Name: ERR3\_CVDVAC2Y\_C**

<b>Text:</b>	{check ERR3_CVDVAC2Y_C} *Date before 2020. Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe:</b>	(CVDVAC2Y_C lt 2020)
<b>Universe Description:</b>	Date of second COVID-19 vaccination is prior to 2020

**Check Name: ERR4\_CVDVAC2Y\_C**

<b>Text:</b>	{check ERR4_CVDVAC2Y_C} *The date entered for the second most recent COVID-19 vaccination is after the date of the most recent COVID-19 vaccination. * Please verify.
<b>Hard / Soft Edit:</b>	Soft
<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe:</b>	(CVDVAC2Y_C gt CVDVAC1Y_C) or (CVDVAC2Y_C=CVDVAC1Y_C and CVDVAC2M_C gt CVDVAC1M_C)
<b>Universe Description:</b>	Date of second COVID-19 vaccination is more recent than date of first COVID-19 vaccination

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe:</b>	SHTCVD19NM_C=1-4
<b>Universe Description:</b>	Sample Children 12-17 who had at least one COVID-19 vaccination
<b>Question Text:</b>	<b>Which brand of COVID-19 vaccine did ^SCNAME receive ^FIRST_C? ♦Read if necessary:</b> There are three vaccines for COVID-19 approved for use in the United States. The first is made by Pfizer, is called Comirnaty, and requires two initial shots. The second is made by Moderna and also requires two initial shots. The third is made by Johnson and Johnson and requires one initial shot.
<b>Response:</b>	<ol style="list-style-type: none"> <li>1. Pfizer-Biontech Comirnaty shot</li> <li>2. Moderna shot</li> <li>3. Johnson and Johnson (Janssen) shot</li> <li>4. One of the brands that requires two initial shots, but not sure which brand</li> <li>5. None of these brands</li> </ol> DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^FIRST_C                      If SHTCVD19NM_C>1 fill "for ^hisher_C first shot"
<b>Skip Instructions:</b>	<1-5,RF,DK> [goto next section]



Question ID: HPV.0010.00.3

Variable name: SHTHPV\_C

Interview module: HPV(Child.HPV)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 9 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 9 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe Description:</b>	Sample children 9-17 years old.
<b>Question Text:</b>	<b>HPV is the Human Papillomavirus. Has ^SCNAME ever received an HPV shot or vaccine?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto SHTHPVAGE_C] <2,RF,DK> [goto next section]

Question ID: HPV.0020.00.3

Variable name: SHTHPVAGE\_C

Interview module: HPV(Child.HPV)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 9 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 9 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe:</b>	SHTHPV_C=1
<b>Universe Description:</b>	Sample children 9-17 years old who have received an HPV shot.
<b>Question Text:</b>	<b>How old was ^SCNAME when ^heshe_C received ^hishe_C first HPV shot? *</b> <a href="#">Read if necessary:</a> HPV stands for Human Papillomavirus. <a href="#">Enter 1 if reported age is 1 or younger</a>
<b>Response:</b>	DK: Don't Know RF: Refused

<b>Fills:</b>	<p>^hishe_C                    if GEN.SEX_FINAL[PX_C]=1 fill "his";  else if GEN.SEX_FINAL[PX_C]=2 fill "her";  else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill  "their"</p> <p>^SCNAME                    Fill ALIAS of HHSTAT_C=1</p> <p>^heshe_C                    If GEN.SEX_FINAL[PX_C]=1 fill "he"  else if GEN.SEX_FINAL[PX_C]=2 fill "she"  else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"</p>
<b>Skip Instructions:</b>	<RF,DK> [goto next section] <01-17>   if   SHTHPVAGE_C    gt    GEN.AGE_FINAL[PX_C]    [goto ERR1_SHTHPVAGE_C] if SHTHPVAGE_C lt 9 [goto ERR2_SHTHPVAGE_C] else [goto next section]

**Check Name: ERR1\_SHTHPVAGE\_C**

<b>Text:</b>	{check ERR1_SHTHPVAGE_C} *Invalid age. Age of first HPV shot is greater than current age. Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 9 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 9 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe:</b>	SHTHPVAGE_C gt GEN.AGE_FINAL[PX_C]
<b>Universe Description:</b>	Age of HPV shot is greater than current age.

**Check Name: ERR2\_SHTHPVAGE\_C**

<b>Text:</b>	{Signal ERR2_SHTHPVAGE_C} *^SCNAME received an HPV shot before age 9? * Please verify.
<b>Hard / Soft Edit:</b>	Soft
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 9 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 9 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe:</b>	SHTHPVAGE_C lt 9
<b>Universe Description:</b>	Age reported for HPV shot is less than 9 years old

Question ID: PTC.0010.00.2

Variable name: EYEEX12M\_C

Interview module: PTC(Child.PTC)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>During the past 12 months, has ^SCNAME had an eye exam from an eye specialist such as an optometrist, ophthalmologist, or eye doctor?</b>
<b>Response:</b>	1.        Yes 2.        No DK:      Don't Know RF:      Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1

<b>Skip Instructions:</b>	<1,2,RF,DK> [goto THERA12M_C]
---------------------------	-------------------------------

<b>Question ID:</b> PTC.0020.00.2	<b>Variable name:</b> THERA12M_C	<b>Interview module:</b> PTC(Child.PTC)
-----------------------------------	----------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>During the past 12 months, did ^SCNAME receive physical therapy, speech therapy, rehabilitative therapy, or occupational therapy?</b> * <a href="#">Read if necessary:</a> Do not include mental health therapy.
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto HOMEHC12M_C]

<b>Question ID:</b> PTC.0030.00.2	<b>Variable name:</b> HOMEHC12M_C	<b>Interview module:</b> PTC(Child.PTC)
-----------------------------------	-----------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>During the past 12 months, did ^SCNAME receive care at home from a nurse or other health professional?</b>
<b>Response:</b>	1. Yes

	2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto next section]

Question ID: MHC.0010.00.2	Variable name: MHRX_C	Interview module: MHC(Child.MHC)
----------------------------	-----------------------	----------------------------------

<b>Inherited Universe:</b>	(AGE_FINAL GE '002' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '002' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 2-17
<b>Question Text:</b>	<b>During the past 12 months, did ^SCNAME take any prescription medication to help with ^hisher_C emotions, concentration, behavior or mental health?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto MHTHRPY_C]

Question ID: MHC.0020.00.2

Variable name: MHTHRPY\_C

Interview module: MHC(Child.MHC)

<b>Inherited Universe:</b>	(AGE_FINAL GE '002' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '002' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 2-17
<b>Question Text:</b>	<b>During the past 12 months, did ^SCNAME receive counseling or therapy from a mental health professional such as a psychiatrist, psychologist, psychiatric nurse, or clinical social worker?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto MHTHDLY_C]

Question ID: MHC.0030.00.2

Variable name: MHTHDLY\_C

Interview module: MHC(Child.MHC)

<b>Inherited Universe:</b>	(AGE_FINAL GE '002' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '002' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 2-17
<b>Question Text:</b>	<b>During the past 12 months, has ^SCNAME been DELAYED in getting counseling or therapy from a mental health professional because of the cost?</b>
<b>Response:</b>	

Response:

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto MPTHND_C]

<b>Question ID:</b> MHC.0040.00.2	<b>Variable name:</b> MPTHND_C	<b>Interview module:</b> MHC(Child.MHC)
-----------------------------------	--------------------------------	---

<b>Inherited Universe:</b>	(AGE_FINAL GE '002' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '002' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 2-17
<b>Question Text:</b>	<b>During the past 12 months, was there any time when ^SCNAME needed counseling or therapy from a mental health professional, but DID NOT GET IT because of the cost?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto next section]

Question ID: SDQ.0010.00.2

Variable name: SDQCOPY\_C

Interview module: SDQ(Child.SDQ)

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<p>✦ The following statements are not to be read to the respondent. They are displayed and included here for legal reasons. ✦ The next 25 items contained in SDQ1_C through SDQ25_C as well as 8 impact questions are included in this survey with permission as indicated below. ✦ The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged. ✦ Enter '1' to continue.</p>
<b>Response:</b>	1. Enter 1 to Continue
<b>Skip Instructions:</b>	<1> [goto SDQ1_C]

Question ID: SDQ.0020.00.2

Variable name: SDQ1\_C

Interview module: SDQ(Child.SDQ)

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<p>I am going to read a list of items that describe children. For each item, please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS. ^SCNAME is considerate of other people's feelings?</p>
<b>Response:</b>	



	1. Not true 2. Somewhat true 3. Certainly true DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SDQ2_C]

Question ID: SDQ.0030.00.2                      Variable name: SDQ2\_C                      Interview module: SDQ(Child.SDQ)

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>^SCNAME is restless, overactive, cannot stay still for long? Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.</b>
<b>Response:</b>	1. Not true 2. Somewhat true 3. Certainly true DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SDQ3_C]

Question ID: SDQ.0040.00.2

Variable name: SDQ3\_C

Interview module: SDQ(Child.SDQ)

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>^SCNAME often complains of headaches, stomach-aches or sickness?</b> * <a href="#">Read if necessary</a> : Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.
<b>Response:</b>	1. Not true 2. Somewhat true 3. Certainly true DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SDQ4_C]

Question ID: SDQ.0050.00.2

Variable name: SDQ4\_C

Interview module: SDQ(Child.SDQ)

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>^SCNAME shares readily with other ^TOYSGAMES?</b> * <a href="#">Read if necessary</a> : Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.
<b>Response:</b>	

	1. Not true 2. Somewhat true 3. Certainly true DK: Don't Know RF: Refused
<b>Fills:</b>	^TOYSGAMES      if AGE=4-10 fill "children; for example, toys, treats, pencils" else if AGE=11-17 fill "youth; for example, books, games, food"  ^SCNAME            Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SDQ5_C]

Question ID: SDQ.0060.00.2      Variable name: SDQ5\_C      Interview module: SDQ(Child.SDQ)

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>^SCNAME often loses ^hisher_C temper?</b> ♦ <b>Read if necessary:</b> Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.
<b>Response:</b>	1. Not true 2. Somewhat true 3. Certainly true DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME            Fill ALIAS of HHSTAT_C=1  ^hisher_C            if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"

<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SDQ6_C]
---------------------------	---------------------------

<b>Question ID:</b> SDQ.0070.00.2	<b>Variable name:</b> SDQ6_C	<b>Interview module:</b> SDQ(Child.SDQ)
-----------------------------------	------------------------------	---

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))	
<b>Universe Description:</b>	Sample Children 4-17	
<b>Question Text:</b>	<b>^SCNAME ^SOLITARY?</b> * <a href="#">Read if necessary</a> : Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.	
<b>Response:</b>	1. Not true 2. Somewhat true 3. Certainly true DK: Don't Know RF: Refused	
<b>Fills:</b>	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^SOLITARY	If AGE=4-10 fill "is rather solitary, prefers to play alone" else if AGE=11-17 fill "would rather be alone than with other youth"
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SDQ7_C]	

Question ID: SDQ.0080.00.2

Variable name: SDQ7\_C

Interview module: SDQ(Child.SDQ)

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>^SCNAME is generally well behaved, usually does what adults request?</b> * <a href="#">Read if necessary</a> : Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.
<b>Response:</b>	1. Not true 2. Somewhat true 3. Certainly true DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SDQ8_C]

Question ID: SDQ.0090.00.2

Variable name: SDQ8\_C

Interview module: SDQ(Child.SDQ)

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>^SCNAME has many worries, or often seems worried?</b> * <a href="#">Read if necessary</a> : Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.
<b>Response:</b>	

	1. Not true 2. Somewhat true 3. Certainly true DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SDQ9_C]

Question ID: SDQ.0100.00.2

Variable name: SDQ9\_C

Interview module: SDQ(Child.SDQ)

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>^SCNAME is helpful if someone is hurt, upset or feeling ill?</b> ♦ <a href="#">Read if necessary:</a> Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.
<b>Response:</b>	1. Not true 2. Somewhat true 3. Certainly true DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SDQ10_C]

Question ID: SDQ.0110.00.2

Variable name: SDQ10\_C

Interview module: SDQ(Child.SDQ)

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>^SCNAME is constantly fidgeting or squirming?</b> ♦ <a href="#">Read if necessary</a> : Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.
<b>Response:</b>	1. Not true 2. Somewhat true 3. Certainly true DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SDQ11_C]

Question ID: SDQ.0120.00.2

Variable name: SDQ11\_C

Interview module: SDQ(Child.SDQ)

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>^SCNAME has at least one good friend?</b> ♦ <a href="#">Read if necessary</a> : Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.
<b>Response:</b>	

	1. Not true 2. Somewhat true 3. Certainly true DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SDQ12_C]

Question ID: SDQ.0130.00.2                      Variable name: SDQ12\_C                      Interview module: SDQ(Child.SDQ)

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>^SCNAME often fights with other ^childyouth or bullies them? * Read if necessary:</b> Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.
<b>Response:</b>	1. Not true 2. Somewhat true 3. Certainly true DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^childyouth                      If AGE=4-10 fill "children" else if AGE 11-17 fill "youth"



<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SDQ13_C]
---------------------------	----------------------------

<b>Question ID: SDQ.0140.00.2</b>	<b>Variable name: SDQ13_C</b>	<b>Interview module: SDQ(Child.SDQ)</b>
-----------------------------------	-------------------------------	---

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>^SCNAME is often unhappy, depressed or tearful?</b> * <a href="#">Read if necessary</a> : Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.
<b>Response:</b>	1. Not true 2. Somewhat true 3. Certainly true DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SDQ14_C]

<b>Question ID: SDQ.0150.00.2</b>	<b>Variable name: SDQ14_C</b>	<b>Interview module: SDQ(Child.SDQ)</b>
-----------------------------------	-------------------------------	---

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>^SCNAME is generally liked by other ^childyouth?</b> * <a href="#">Read if necessary</a> : Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.
<b>Response:</b>	

	1. Not true 2. Somewhat true 3. Certainly true DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^childyouth                      If AGE=4-10 fill "children" else if AGE 11-17 fill "youth"
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SDQ15_C]

Question ID: SDQ.0160.00.2                      Variable name: SDQ15\_C                      Interview module: SDQ(Child.SDQ)

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>^SCNAME is easily distracted, ^hisher_C concentration wanders?</b> * <a href="#">Read if necessary</a> : Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.
<b>Response:</b>	1. Not true 2. Somewhat true 3. Certainly true DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"

<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SDQ16_C]
---------------------------	----------------------------

<b>Question ID:</b> SDQ.0170.00.2	<b>Variable name:</b> SDQ16_C	<b>Interview module:</b> SDQ(Child.SDQ)
-----------------------------------	-------------------------------	---

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))	
<b>Universe Description:</b>	Sample Children 4-17	
<b>Question Text:</b>	<b>^SCNAME is nervous ^CLINGY in new situations, ^heshe_C easily lose^s confidence?</b> * <b>Read if necessary:</b> Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.	
<b>Response:</b>	1. Not true 2. Somewhat true 3. Certainly true DK: Don't Know RF: Refused	
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^CLINGY                        If AGE=4-10 fill "or clingy"  ^heshe_C                        If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"  ^s                                    if SEX_FINAL[PX_C]=1,2 fill "s" else fill blank	
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SDQ17_C]	

Question ID: SDQ.0180.00.2

Variable name: SDQ17\_C

Interview module: SDQ(Child.SDQ)

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>^SCNAME is kind to younger children?</b> * <a href="#">Read if necessary</a> : Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.
<b>Response:</b>	1. Not true 2. Somewhat true 3. Certainly true DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SDQ18_C]

Question ID: SDQ.0190.00.2

Variable name: SDQ18\_C

Interview module: SDQ(Child.SDQ)

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>^SCNAME often lies or cheats?</b> * <a href="#">Read if necessary</a> : Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.
<b>Response:</b>	

	1. Not true 2. Somewhat true 3. Certainly true DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SDQ19_C]

Question ID: SDQ.0200.00.2                      Variable name: SDQ19\_C                      Interview module: SDQ(Child.SDQ)

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>^SCNAME is picked on or bullied by other ^childyouth?</b> * <a href="#">Read if necessary:</a> Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.
<b>Response:</b>	1. Not true 2. Somewhat true 3. Certainly true DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^childyouth                      If AGE=4-10 fill "children" else if AGE 11-17 fill "youth"

<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SDQ20_C]
---------------------------	----------------------------

<b>Question ID:</b> SDQ.0210.00.2	<b>Variable name:</b> SDQ20_C	<b>Interview module:</b> SDQ(Child.SDQ)
-----------------------------------	-------------------------------	---

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))	
<b>Universe Description:</b>	Sample Children 4-17	
<b>Question Text:</b>	<b>^SCNAME often offers to help others, such as parents, teachers, and ^other children?</b> * <b>Read if necessary:</b> Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.	
<b>Response:</b>	1. Not true 2. Somewhat true 3. Certainly true DK: Don't Know RF: Refused	
<b>Fills:</b>	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^other	If AGE=4-10 fill "other"
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SDQ21_C]	

Question ID: SDQ.0220.00.2

Variable name: SDQ21\_C

Interview module: SDQ(Child.SDQ)

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>^SCNAME thinks things out before acting?</b> * <a href="#">Read if necessary</a> : Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.
<b>Response:</b>	1. Not true 2. Somewhat true 3. Certainly true DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SDQ22_C]

Question ID: SDQ.0230.00.2

Variable name: SDQ22\_C

Interview module: SDQ(Child.SDQ)

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>^SCNAME steals from home, school or elsewhere?</b> * <a href="#">Read if necessary</a> : Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.
<b>Response:</b>	

	1. Not true 2. Somewhat true 3. Certainly true DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SDQ23_C]

Question ID: SDQ.0240.00.2                      Variable name: SDQ23\_C                      Interview module: SDQ(Child.SDQ)

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>^SCNAME gets along better with adults than with other ^childyouth?</b> * <a href="#">Read if necessary</a> : Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.
<b>Response:</b>	1. Not true 2. Somewhat true 3. Certainly true DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^childyouth                      If AGE=4-10 fill "children" else if AGE 11-17 fill "youth"



<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SDQ24_C]
---------------------------	----------------------------

<b>Question ID:</b> SDQ.0250.00.2	<b>Variable name:</b> SDQ24_C	<b>Interview module:</b> SDQ(Child.SDQ)
-----------------------------------	-------------------------------	---

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>^SCNAME has many fears, is easily scared?</b> * <a href="#">Read if necessary</a> : Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.
<b>Response:</b>	1. Not true 2. Somewhat true 3. Certainly true DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SDQ25_C]

<b>Question ID:</b> SDQ.0260.00.2	<b>Variable name:</b> SDQ25_C	<b>Interview module:</b> SDQ(Child.SDQ)
-----------------------------------	-------------------------------	---

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>^SCNAME has a good attention span, sees work through to the end?</b> * <a href="#">Read if necessary</a> : Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.
<b>Response:</b>	

**Response:**

	1. Not true 2. Somewhat true 3. Certainly true DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SDQIMP1_C]

Question ID: SDQ.0270.00.2                      Variable name: SDQIMP1\_C                      Interview module: SDQ(Child.SDQ)

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>Overall, do you think that ^SCNAME has difficulties in one or more of the following areas: emotions, concentration, behavior, or being able to get along with other people? Would you say no difficulties, minor difficulties, definite difficulties, or severe difficulties?</b>
<b>Response:</b>	1. No - no difficulties 2. Yes - minor difficulties 3. Yes - definite difficulties 4. Yes - severe difficulties DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,RF,DK> [goto next section] <2,3,4> [goto SDQIMP2_C]

Question ID: SDQ.0280.00.2

Variable name: SDQIMP2\_C

Interview module: SDQ(Child.SDQ)

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe:</b>	SDQIMP1_C IN ('2','3','4')
<b>Universe Description:</b>	Sample Children 4-17 who have had minor, definite or severe difficulties with emotions, concentration, behavior, or being able to get along with other people
<b>Question Text:</b>	<b>How long have these difficulties been present? Would you say less than a month, 1-5 months, 6-12 months, or over a year?</b>
<b>Response:</b>	1. Less than a month 2. 1-5 months 3. 6-12 months 4. Over a year DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto SDQIMP3_C]

Question ID: SDQ.0290.00.2

Variable name: SDQIMP3\_C

Interview module: SDQ(Child.SDQ)

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe:</b>	SDQIMP1_C IN ('2','3','4')
<b>Universe Description:</b>	Sample Children 4-17 who have had minor, definite or severe difficulties with emotions, concentration, behavior, or being able to get along with other people
<b>Question Text:</b>	<b>Do the difficulties upset or distress ^SCNAME? Would you say not at all, only a little, a medium amount, or a great deal?</b>
<b>Response:</b>	

	1. Not at all 2. Only a little 3. A medium amount 4. A great deal DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto SDQIMP4_C]

<b>Question ID: SDQ.0300.00.2</b>	<b>Variable name: SDQIMP4_C</b>	<b>Interview module: SDQ(Child.SDQ)</b>
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe:</b>	SDQIMP1_C IN ('2','3','4')
<b>Universe Description:</b>	Sample Children 4-17 who have had minor, definite or severe difficulties with emotions, concentration, behavior, or being able to get along with other people
<b>Question Text:</b>	<b>Do the difficulties interfere with ^SCNAME's everyday life in the following areas? ...Home life? Would you say not at all, only a little, a medium amount, or a great deal?</b>
<b>Response:</b>	1. Not at all 2. Only a little 3. A medium amount 4. A great deal DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1

<b>Skip Instructions:</b>	<1-4,RF,DK> [goto SDQIMP5_C]
---------------------------	------------------------------

<b>Question ID:</b> SDQ.0310.00.2	<b>Variable name:</b> SDQIMP5_C	<b>Interview module:</b> SDQ(Child.SDQ)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe:</b>	SDQIMP1_C IN ('2','3','4')
<b>Universe Description:</b>	Sample Children 4-17 who have had minor, definite or severe difficulties with emotions, concentration, behavior, or being able to get along with other people
<b>Question Text:</b>	<b>Do the difficulties interfere with ^SCNAME's everyday life in the following areas? ...Friendships? Would you say not at all, only a little, a medium amount, or a great deal?</b>
<b>Response:</b>	1. Not at all 2. Only a little 3. A medium amount 4. A great deal DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto SDQIMP6_C]

Question ID: SDQ.0320.00.2

Variable name: SDQIMP6\_C

Interview module: SDQ(Child.SDQ)

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe:</b>	SDQIMP1_C IN ('2','3','4')
<b>Universe Description:</b>	Sample Children 4-17 who have had minor, definite or severe difficulties with emotions, concentration, behavior, or being able to get along with other people
<b>Question Text:</b>	◆ <b>Read if necessary:</b> Do the difficulties interfere with ^SCNAME's everyday life in the following areas? ... <b>Classroom learning?</b> ◆ <b>Read if necessary:</b> Would you say not at all, only a little, a medium amount, or a great deal?
<b>Response:</b>	1. Not at all 2. Only a little 3. A medium amount 4. A great deal DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto SDQIMP7_C]

Question ID: SDQ.0330.00.2

Variable name: SDQIMP7\_C

Interview module: SDQ(Child.SDQ)

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe:</b>	SDQIMP1_C IN ('2','3','4')
<b>Universe Description:</b>	Sample Children 4-17 who have had minor, definite or severe difficulties with emotions, concentration, behavior, or being able to get along with other people
<b>Question Text:</b>	◆ <b>Read if necessary:</b> Do the difficulties interfere with ^SCNAME's everyday life in the following areas? ... <b>Leisure activities?</b> ◆ <b>Read if necessary:</b> Would you say not at all, only a little, a medium amount, or a great deal?
<b>Response:</b>	

	1. Not at all 2. Only a little 3. A medium amount 4. A great deal DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto SDQIMP8_C]

<b>Question ID:</b> SDQ.0340.00.2	<b>Variable name:</b> SDQIMP8_C	<b>Interview module:</b> SDQ(Child.SDQ)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	(AGE_FINAL GE '004' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '004' and AGE_FINAL LE '017'))
<b>Universe:</b>	SDQIMP1_C IN ('2','3','4')
<b>Universe Description:</b>	Sample Children 4-17 who have had minor, definite or severe difficulties with emotions, concentration, behavior, or being able to get along with other people
<b>Question Text:</b>	<b>Do the difficulties put a burden on you or the family as a whole? Would you say not at all, only a little, a medium amount, or a great deal?</b>
<b>Response:</b>	1. Not at all 2. Only a little 3. A medium amount 4. A great deal DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto next section]

<b>Inherited Universe:</b>	(GEN.AGE_FINAL=12-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL=12-17))	
<b>Universe Description:</b>	Sample Children 12-17	
<b>Question Text:</b>	<b>How often does ^SCNAME get the social and emotional support ^heshe_C needs? Would you say always, usually, sometimes, rarely, or never?</b>	
<b>Response:</b>	1. Always 2. Usually 3. Sometimes 4. Rarely 5. Never DK: Don't Know RF: Refused	
<b>Fills:</b>	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^heshe_C	If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1-5,RF,DK> [goto COMSUPPORT_C]	

<b>Inherited Universe:</b>	(GEN.AGE_FINAL=12-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL=12-17))	
<b>Universe Description:</b>	Sample Children 12-17	
<b>Question Text:</b>	<b>Other than parents or adults living in ^SCNAME's home, is there at least one adult in ^SCNAME's school, neighborhood, or community who makes a positive and meaningful difference in ^hisher_C life?</b>	
<b>Response:</b>		



	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto next section]

Question ID: SLE.0010.00.2	Variable name: SLEINTRO_C	Interview module: SLE(Child.SLE)
----------------------------	---------------------------	----------------------------------

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>The next set of questions are about events that may have happened during ^SCNAME's life. These things can happen in any family, but some people may feel uncomfortable with these questions. You may skip any questions you do not want to answer. ♦Enter '1' to continue.</b>
<b>Response:</b>	1. Enter 1 to Continue
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto VIOLENEV_C]

Question ID: SLE.0020.00.2

Variable name: VIOLENEV\_C

Interview module: SLE(Child.SLE)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>Has ^SCNAME ever been the victim of violence or witnessed violence in ^hisher_C neighborhood?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^hisher_C if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"  ^SCNAME Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto JAILEV1_C]

Question ID: SLE.0030.00.2

Variable name: JAILEV1\_C

Interview module: SLE(Child.SLE)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>Has ^SCNAME ever been separated from a parent or guardian because the parent or guardian went to jail, prison, or a detention center?</b>
<b>Response:</b>	

Response:

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto MENTDEPEV_C]

**Question ID: SLE.0040.00.2                      Variable name: MENTDEPEV\_C                      Interview module: SLE(Child.SLE)**

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>Did ^SCNAME ever live with anyone who was mentally ill or severely depressed?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto ALCDRUGEV_C]

Question ID: SLE.0050.00.2

Variable name: ALCDRUGEV\_C

Interview module: SLE(Child.SLE)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>Did ^SCNAME ever live with anyone who had a problem with alcohol or drugs?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto PUTDOWN_C]

Question ID: SLE.0060.00.3

Variable name: PUTDOWN\_C

Interview module: SLE(Child.SLE)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>Has ^SCNAME ever lived with a parent or adult who frequently swore at ^himher_C, insulted ^himher_C, or put ^himher_C down?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^himher_C                      if SEX_FINAL=1, fill "him" if SEX_FINAL=2, fill "her" if SEX_FINAL=RF,DK, fill "them"

<b>Skip Instructions:</b>	<1,2,RF,DK> [goto BNEEDS_C]
---------------------------	-----------------------------

<b>Question ID:</b> SLE.0070.00.3	<b>Variable name:</b> BNEEDS_C	<b>Interview module:</b> SLE(Child.SLE)
-----------------------------------	--------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
<b>Universe Description:</b>	Sample Children 0-17	
<b>Question Text:</b>	<b>Has there ever been a time when ^SCNAME's basic needs were NOT met, such as having enough to eat, being able to go to a doctor when ^heshe_C was sick, or having a safe place to stay?</b>	
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused	
<b>Fills:</b>	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^heshe_C	If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto UNFAIRRE_C]	

<b>Question ID:</b> SLE.0080.00.4	<b>Variable name:</b> UNFAIRRE_C	<b>Interview module:</b> SLE(Child.SLE)
-----------------------------------	----------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
<b>Universe Description:</b>	Sample Children 0-17	
<b>Question Text:</b>	<b>Has anyone ever treated or judged ^SCNAME unfairly because of ^hisher_C race or ethnic group?</b>	
<b>Response:</b>		

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hissher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
<b>Skip Instructions:</b>	<1,2,RF,DK> if GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17 [goto UNFAIRSO_C] else [goto next section]

Question ID: SLE.0090.00.4                      Variable name: UNFAIRSO\_C                      Interview module: SLE(Child.SLE)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17
<b>Universe Description:</b>	Sample Children 12-17
<b>Question Text:</b>	<b>Has anyone ever treated or judged ^SCNAME unfairly because of ^hissher_C sexual orientation or gender identity?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hissher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"

<b>Skip Instructions:</b>	<1,2,RF,DK> [goto next section]
---------------------------	---------------------------------

<b>Question ID:</b> BLY.0010.00.4	<b>Variable name:</b> BULLYVIC_C	<b>Interview module:</b> BLY(Child.BLY)
-----------------------------------	----------------------------------	---

<b>Inherited Universe:</b>	(GEN.AGE_FINAL=12-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL=12-17))
<b>Universe Description:</b>	Sample Children 12-17
<b>Question Text:</b>	<b>During the past 12 months, how often was ^SCNAME bullied, picked on, or excluded by other children?</b> ♦ <b>Read if necessary:</b> If the frequency changed throughout the year, report the highest frequency.
<b>Response:</b>	0. Never in the past 12 months 1. 1-2 times in the past 12 months 2. 1-2 times per month 3. 1-2 times per week 4. Almost every day DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<0-4,RF,DK> [goto CYBERVIC_C]

<b>Question ID:</b> BLY.0020.00.4	<b>Variable name:</b> CYBERVIC_C	<b>Interview module:</b> BLY(Child.BLY)
-----------------------------------	----------------------------------	---

<b>Inherited Universe:</b>	(GEN.AGE_FINAL=12-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL=12-17))
<b>Universe Description:</b>	Sample Children 12-17
<b>Question Text:</b>	<b>During the past 12 months, has ^SCNAME been electronically bullied?</b> ♦ <b>Read if necessary:</b> Count being bullied through texting, Instagram, Facebook, Snapchat, or other social media.
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto BULLYPERP_C]

Question ID: BLY.0030.00.4                      Variable name: BULLYPERP\_C                      Interview module: BLY(Child.BLY)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL=12-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL=12-17))
<b>Universe Description:</b>	Sample Children 12-17
<b>Question Text:</b>	<b>During the past 12 months, how often did ^SCNAME bully others, pick on them, or exclude them?</b> ♦ <a href="#">Read if necessary</a> : If the frequency changed throughout the year, report the highest frequency.
<b>Response:</b>	0. Never in the past 12 months 1. 1-2 times in the past 12 months 2. 1-2 times per month 3. 1-2 times per week 4. Almost every day DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<0-4,RF,DK> [goto next section]



Question ID: TBI.0010.00.4

Variable name: TBIINTRO\_C

Interview module: TBI(Child.TBI)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>The next questions are about head injuries that may have occurred anytime in ^SCNAME's life. Please think about all head injuries, for example, from playing sports, car accidents, falls, or being hit by something or someone.</b>
<b>Response:</b>	1. Enter 1 to Continue
<b>Fills:</b>	^SCNAME Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto TBILOSTCON_C]

Question ID: TBI.0020.00.4

Variable name: TBILOSTCON\_C

Interview module: TBI(Child.TBI)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>As a result of a blow or jolt to the head, has ^SCNAME ever been knocked out or lost consciousness?</b> ♦ <a href="#">Read if necessary</a> : Please think about all head injuries, for example, from playing sports, car accidents, falls, or being hit by something or someone.
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused

<b>Fills:</b>	^SCNAME Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto TBICHKCONC_C] <2,RF,DK> [goto TBIDAZED_C]

Question ID: TBI.0030.00.4      Variable name: TBIDAZED\_C      Interview module: TBI(Child.TBI)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	TBILOSTCON_C IN (2,RF,DK)
<b>Universe Description:</b>	Sample Children 0-17 who did not report ever being knocked out because of blow or jolt to the head or refused or didn't know
<b>Question Text:</b>	<b>As a result of a blow or jolt to the head, has ^SCNAME ever been dazed or had a gap in ^hisher_C memory?</b> ♦ <b>Read if necessary:</b> Please think about all head injuries, for example, from playing sports, car accidents, falls, or being hit by something or someone.
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME      Fill ALIAS of HHSTAT_C=1  ^hisher_C      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto TBIHEADSYM_C]

Question ID: TBI.0040.00.4

Variable name: TBIHEADSYM\_C

Interview module: TBI(Child.TBI)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	TBILOSTCON_C IN (2,RF,DK)
<b>Universe Description:</b>	Sample Children 0-17 who did not report ever being knocked out because of blow or jolt to the head or refused or didn't know
<b>Question Text:</b>	<b>As a result of a blow or jolt to the head, has ^SCNAME had headaches, vomiting, blurred vision, or changes in mood or behavior?</b> ♦ <a href="#">Read if necessary:</a> Please think about all head injuries, for example, from playing sports, car accidents, falls, or being hit by something or someone.
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto TBICHKCONC_C]

Question ID: TBI.0050.00.4

Variable name: TBICHKCONC\_C

Interview module: TBI(Child.TBI)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>Has ^SCNAME ever been checked for a concussion or brain injury by a doctor, nurse, athletic trainer, or other health professional?</b>
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,DK> [goto TBIDRCONC_C] <2,RF> [goto next section]

**Question ID: TBI.0060.00.4                      Variable name: TBIDRCONC\_C                      Interview module: TBI(Child.TBI)**

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	TBICHKCONC_C IN (1,DK)
<b>Universe Description:</b>	Sample Children 0-17 who have ever been checked for a concussion or don't know
<b>Question Text:</b>	<b>Did a doctor, nurse, athletic trainer, or other health professional ever say that ^SCNAME had a concussion or brain injury?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto next section]

Question ID: PHY.0010.00.2

Variable name: SPORT\_C

Interview module: PHY(Child.PHY)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=6-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=6-17))
<b>Universe Description:</b>	Sample Children 6-17
<b>Question Text:</b>	<b>In the past 12 months, did ^SCNAME play or participate on a sports team or club or take sports lessons either at school or in the community?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto PEGYM_C]

Question ID: PHY.0020.00.2

Variable name: PEGYM\_C

Interview module: PHY(Child.PHY)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=6-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=6-17))
<b>Universe Description:</b>	Sample Children 6-17
<b>Question Text:</b>	<b>In the past 12 months, did ^SCNAME take a Physical Education, PE, or gym class?</b>
<b>Response:</b>	1. Yes

	2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto PADAYS_C]

Question ID: PHY.0030.00.2	Variable name: PADAYS_C	Interview module: PHY(Child.PHY)
----------------------------	-------------------------	----------------------------------

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=6-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=6-17))
<b>Universe Description:</b>	Sample Children 6-17
<b>Question Text:</b>	<b>In a typical week during the school year, how often does ^SCNAME exercise, play a sport, or participate in physical activity for at least 60 minutes a day? Would you say never, some days, most days, or every day? *</b> <a href="#">Read if necessary</a> : Please include exercise in and out of school.
<b>Response:</b>	1. Never 2. Some days 3. Most days 4. Every day DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto STRENGTH_C]

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=6-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=6-17))
<b>Universe Description:</b>	Sample children 6-17
<b>Question Text:</b>	<b>In a typical week during the school year, how often does ^SCNAME do exercises to strengthen or tone ^hisher_C muscles, such as sit-ups, push-ups, or weight lifting? Would you say never, some days, most days, or every day?</b> <a href="#">Read if necessary:</a> Please include strengthening or toning activities in and out of school.
<b>Response:</b>	1. Never 2. Some days 3. Most days 4. Every day DK: Don't Know RF: Refused
<b>Fills:</b>	^hisher_C                    if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"  ^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto WALK_C]

Question ID: PHY.0050.00.2

Variable name: WALK\_C

Interview module: PHY(Child.PHY)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=6-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=6-17))
<b>Universe Description:</b>	Sample children 6-17
<b>Question Text:</b>	<b>In a typical week during the school year, how often does ^SCNAME walk for at least 10 minutes at a time?</b> <a href="#">Read if necessary:</a> Would you say never, some days, most days, or every day?
<b>Response:</b>	1. Never 2. Some days 3. Most days 4. Every day DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto BIKE_C]

Question ID: PHY.0060.00.2

Variable name: BIKE\_C

Interview module: PHY(Child.PHY)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=6-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=6-17))
<b>Universe Description:</b>	Sample children 6-17
<b>Question Text:</b>	<b>In a typical week during the school year, how often does ^SCNAME ride a bike for at least 10 minutes at a time?</b> <a href="#">Read if necessary:</a> Would you say never, some days, most days, or every day?
<b>Response:</b>	

Response:



	1. Never 2. Some days 3. Most days 4. Every day DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto Next Section]

Question ID: NHC.0010.00.2	Variable name: SIDEWALK_C	Interview module: NHC(Child.NHC)
----------------------------	---------------------------	----------------------------------

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 6 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 6 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe Description:</b>	Sample Children 6-17
<b>Question Text:</b>	<b>The next questions are about where ^SCNAME lives. By where ^SCNAME lives we mean in ^hisher_C neighborhood or near ^hisher_C home. Where ^SCNAME lives, are there roads, sidewalks, paths or trails where ^SCNAME can walk or ride a bicycle?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"

<b>Skip Instructions:</b>	<1,2,RF,DK> [goto PARKS_C]
---------------------------	----------------------------

<b>Question ID:</b> NHC.0020.00.2	<b>Variable name:</b> PARKS_C	<b>Interview module:</b> NHC(Child.NHC)
-----------------------------------	-------------------------------	---

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 6 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 6 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe Description:</b>	Sample Children 6-17
<b>Question Text:</b>	✦ <b>Read if necessary:</b> Where ^SCNAME lives... <b>Are there parks or playgrounds close enough for ^SCNAME to walk or bike to?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto TRAFFIC_C]

<b>Question ID:</b> NHC.0030.00.2	<b>Variable name:</b> TRAFFIC_C	<b>Interview module:</b> NHC(Child.NHC)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 6 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 6 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe Description:</b>	Sample Children 6-17
<b>Question Text:</b>	<b>Where ^SCNAME lives, does traffic make it unsafe for ^SCNAME to walk or ride a bicycle, even with an adult?</b>
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto CRIME_C]

Question ID: NHC.0040.00.2	Variable name: CRIME_C	Interview module: NHC(Child.NHC)
----------------------------	------------------------	----------------------------------

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 6 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 6 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe Description:</b>	Sample Children 6-17
<b>Question Text:</b>	* <a href="#">Read if necessary</a> : Where ^SCNAME lives... <b>Does crime make it unsafe for ^SCNAME to walk or ride a bicycle, even with an adult?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto next section]

Question ID: SLP.0010.00.2

Variable name: RESTED\_C

Interview module: SLP(Child.SLP)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 2 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 2 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe Description:</b>	Sample children 2-17
<b>Question Text:</b>	<b>In a typical ^SCHOOLWEEK, how often does ^SCNAME wake up well-rested? Would you say never, some days, most days, or every day?</b>
<b>Response:</b>	1. Never 2. Some days 3. Most days 4. Every day DK: Don't Know RF: Refused
<b>Fills:</b>	^SCHOOLWEEK If GEN.AGE_FINALGE 2 and GEN.AGE_FINAL LE 5, fill: "week" If GEN.AGE_FINAL GE 6, fill:"week during the school year"  ^SCNAME Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto OUTOFBED_C]

Question ID: SLP.0020.00.2

Variable name: OUTOFBED\_C

Interview module: SLP(Child.SLP)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 2 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 2 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe Description:</b>	Sample children 2-17
<b>Question Text:</b>	<b>In a typical ^SCHOOLWEEK, how often does ^SCNAME have difficulty getting out of bed in the morning? Would you say never, some days, most days, or every day?</b>
<b>Response:</b>	

	1. Never 2. Some days 3. Most days 4. Every day DK: Don't Know RF: Refused
<b>Fills:</b>	^SCHOOLWEEK      If GEN.AGE_FINALGE 2 and GEN.AGE_FINAL LE 5, fill: "week" If GEN.AGE_FINAL GE 6, fill:"week during the school year"  ^SCNAME              Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto TIRED_C]

Question ID: SLP.0030.00.2      Variable name: TIRED\_C      Interview module: SLP(Child.SLP)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 2 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 2 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe Description:</b>	Sample Children 2-17
<b>Question Text:</b>	<p>◆ <b>Read if necessary:</b> In a typical ^SCHOOLWEEK... <b>How often does ^SCNAME complain about being tired during the day?</b> ◆ <b>Read if necessary:</b> Would you say never, some days, most days, or every day?</p>
<b>Response:</b>	1. Never 2. Some days 3. Most days 4. Every day DK: Don't Know RF: Refused

<b>Fills:</b>	^SCHOOLWEEK      If GEN.AGE_FINALGE 2 and GEN.AGE_FINAL LE 5, fill: "week" If GEN.AGE_FINAL GE 6, fill:"week during the school year"  ^SCNAME              Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto NAPS_C]

Question ID: SLP.0040.00.2      Variable name: NAPS\_C      Interview module: SLP(Child.SLP)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 2 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 2 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe Description:</b>	Sample Children 2-17
<b>Question Text:</b>	* <a href="#">Read if necessary:</a> In a typical ^SCHOOLWEEK... <b>How often does ^SCNAME nap or fall asleep during the day, such as in school, watching TV, or riding in a car?</b> * <a href="#">Read if necessary:</a> Would you say never, some days, most days, or every day?
<b>Response:</b>	1.      Never 2.      Some days 3.      Most days 4.      Every day DK:     Don't Know RF:     Refused
<b>Fills:</b>	^SCHOOLWEEK      If GEN.AGE_FINALGE 2 and GEN.AGE_FINAL LE 5, fill: "week" If GEN.AGE_FINAL GE 6, fill:"week during the school year"  ^SCNAME              Fill ALIAS of HHSTAT_C=1



<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C] ge 2 and GEN.AGE_FINAL[PX_C] le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] ge 2 and GEN.AGE_FINAL[PX_C] le 17))
<b>Universe Description:</b>	Sample Children 2-17
<b>Question Text:</b>	<b>In a typical ^SCHOOLWEEKD, how often does ^SCNAME wake up at the same time?</b> * <a href="#">Read if necessary</a> : Would you say never, some days, most days, or every day?
<b>Response:</b>	<ul style="list-style-type: none"> <li>1. Never</li> <li>2. Some days</li> <li>3. Most days</li> <li>4. Every day</li> <li>DK: Don't Know</li> <li>RF: Refused</li> </ul>
<b>Fills:</b>	<p>^SCHOOLWEEKD      If GEN.AGE_FINALGE 2 and GEN.AGE_FINAL LE 5, fill: "week" If GEN.AGE_FINAL GE 6, fill:"week during the school year, on school days"</p> <p>^SCNAME              Fill ALIAS of HHSTAT_C=1</p>
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto next section]



Question ID: SCR.0010.00.2

Variable name: SCREENTIME\_C

Interview module: SCR(Child.SCR)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>On most weekdays, does ^SCNAME spend more than 2 hours a day in front of a TV, computer, cellphone or other electronic device watching programs, playing games, accessing the internet, or using social media?</b> <a href="#">Read if necessary</a> : Do not include time spent doing school work.
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto next section]

Question ID: CIH.0010.00.3

Variable name: CHIRO\_C

Interview module: CIH(Child.CIH)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=4-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=4-17))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>During the past 12 months, has ^SCNAME seen or talked to a chiropractor about ^hisher_C own health?</b>
<b>Response:</b>	1. Yes

	2. No DK: Don't Know RF: Refused
<b>Fills:</b>	<p>^SCNAME                      Fill ALIAS of HHSTAT_C=1</p> <p>^his/her_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his";  else if GEN.SEX_FINAL[PX_C]=2 fill "her";  else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill  "their"</p>
<b>Skip Instructions:</b>	<1> [goto CHIROPAIN_C] <2,RF,DK> [goto ACU_C]

Question ID: CIH.0020.00.3                      Variable name: CHIROPAIN\_C                      Interview module: CIH(Child.CIH)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=4-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=4-17))
<b>Universe:</b>	CHIRO_C=1
<b>Universe Description:</b>	Sample Children 4-17 who saw a chiropractor in the past 12 months
<b>Question Text:</b>	<b>During the past 12 months, did ^SCNAME see a chiropractor ...to treat or manage physical pain?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1

<b>Skip Instructions:</b>	<1,2,RF,DK> [goto CHIROHLTH_C]
---------------------------	--------------------------------

<b>Question ID:</b> CIH.0030.00.3	<b>Variable name:</b> CHIROHLTH_C	<b>Interview module:</b> CIH(Child.CIH)
-----------------------------------	-----------------------------------	---

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=4-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=4-17))	
<b>Universe:</b>	CHIRO_C=1	
<b>Universe Description:</b>	Sample Children 4-17 who saw a chiropractor in the past 12 months	
<b>Question Text:</b>	* <b>Read if necessary:</b> During the past 12 months, did ^SCNAME see a chiropractor ...to restore ^hisher_C overall health?	
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused	
<b>Fills:</b>	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^hisher_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto ACU_C]	

Question ID: CIH.0040.00.3

Variable name: ACU\_C

Interview module: CIH(Child.CIH)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=4-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=4-17))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>During the past 12 months, did ^SCNAME see a practitioner of acupuncture?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto ACUPAIN_C] <2,RF,DK> [goto MASS_C]

Question ID: CIH.0050.00.3

Variable name: ACUPAIN\_C

Interview module: CIH(Child.CIH)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=4-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=4-17))
<b>Universe:</b>	ACU_C=1
<b>Universe Description:</b>	Sample Children 4-17 who saw a practitioner of acupuncture in the past 12 months
<b>Question Text:</b>	<b>During the past 12 months, did ^SCNAME see a practitioner of acupuncture ...to treat or manage physical pain?</b>
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto ACUHLTH_C]

Question ID: CIH.0060.00.3	Variable name: ACUHLTH_C	Interview module: CIH(Child.CIH)
----------------------------	--------------------------	----------------------------------

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=4-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=4-17))
<b>Universe:</b>	ACU_C=1
<b>Universe Description:</b>	Sample Children 4-17 who saw a practitioner of acupuncture in the past 12 months
<b>Question Text:</b>	* <a href="#">Read if necessary</a> : During the past 12 months, did ^SCNAME see a practitioner of acupuncture ...to restore ^hisher_C overall health?
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"

<b>Skip Instructions:</b>	<1,2,RF,DK> [goto MASS_C]
---------------------------	---------------------------

<b>Question ID:</b> CIH.0070.00.3	<b>Variable name:</b> MASS_C	<b>Interview module:</b> CIH(Child.CIH)
-----------------------------------	------------------------------	---

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=4-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=4-17))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>During the past 12 months, did ^SCNAME see a practitioner of massage?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto MASSPAIN_C] <2,RF,DK> [goto NATUR_C]

<b>Question ID:</b> CIH.0080.00.3	<b>Variable name:</b> MASSPAIN_C	<b>Interview module:</b> CIH(Child.CIH)
-----------------------------------	----------------------------------	---

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=4-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=4-17))
<b>Universe:</b>	MASS_C=1
<b>Universe Description:</b>	Sample Children 4-17 who saw a practitioner of massage in the past 12 months
<b>Question Text:</b>	<b>During the past 12 months, did ^SCNAME see a practitioner of massage ...to treat or manage physical pain?</b>
<b>Response:</b>	

**Response:**

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto MASSHLTH_C]

Question ID: CIH.0090.00.3	Variable name: MASSHLTH_C	Interview module: CIH(Child.CIH)
----------------------------	---------------------------	----------------------------------

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=4-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=4-17))
<b>Universe:</b>	MASS_C=1
<b>Universe Description:</b>	Sample Children 4-17 who saw a practitioner of massage in the past 12 months
<b>Question Text:</b>	* <a href="#">Read if necessary</a> : During the past 12 months, did ^SCNAME see a practitioner of massage ...to restore ^hisher_C overall health?
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"

<b>Skip Instructions:</b>	<1,2,RF,DK> [goto NATUR_C]
---------------------------	----------------------------

<b>Question ID:</b> CIH.0100.00.3	<b>Variable name:</b> NATUR_C	<b>Interview module:</b> CIH(Child.CIH)
-----------------------------------	-------------------------------	---

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=4-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=4-17))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>A naturopath (nay-chur-AH-path) is a licensed doctor who went to naturopathic medical school and uses both standard medical tests as well as massage, acupuncture, exercise, nutritional counseling, and natural therapies such as herbs. During the past 12 months, did ^SCNAME see a practitioner of naturopathy (nay-chur-AH-puh-thee)?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto NATURPAIN_C] <2,RF,DK> [goto ARTTHPY_C]

<b>Question ID:</b> CIH.0110.00.3	<b>Variable name:</b> NATURPAIN_C	<b>Interview module:</b> CIH(Child.CIH)
-----------------------------------	-----------------------------------	---

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=4-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=4-17))
<b>Universe:</b>	NATUR_C=1
<b>Universe Description:</b>	Sample Children 4-17 who saw a naturopath in the past 12 months
<b>Question Text:</b>	<b>During the past 12 months, did ^SCNAME see a naturopath (nay-chur-AH-path) ...to treat or manage physical pain?</b>
<b>Response:</b>	



	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto NATURHLTH_C]

Question ID: CIH.0120.00.3	Variable name: NATURHLTH_C	Interview module: CIH(Child.CIH)
----------------------------	----------------------------	----------------------------------

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=4-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=4-17))
<b>Universe:</b>	NATUR_C=1
<b>Universe Description:</b>	Sample Children 4-17 who saw a naturopath in the past 12 months
<b>Question Text:</b>	<p>◆ <b>Read if necessary:</b> During the past 12 months, did ^SCNAME see a naturopath (nay-chur-AH-path) ...to restore ^hisher_C overall health?</p>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"

<b>Skip Instructions:</b>	<1,2,RF,DK> [goto ARTTHPY_C]
---------------------------	------------------------------

<b>Question ID:</b> CIH.0130.00.3	<b>Variable name:</b> ARTTHPY_C	<b>Interview module:</b> CIH(Child.CIH)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=4-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=4-17))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>Art therapists work with patients to make artwork to help with emotions. During the past 12 months, did ^SCNAME see an art therapist?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto MUSICTHPY_C]

<b>Question ID:</b> CIH.0140.00.3	<b>Variable name:</b> MUSICTHPY_C	<b>Interview module:</b> CIH(Child.CIH)
-----------------------------------	-----------------------------------	---

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=4-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=4-17))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>Music therapists use music with patients to promote healing and quality of life. During the past 12 months, did ^SCNAME see a music therapist?</b>
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto MEDITATE_C]

Question ID: CIH.0150.00.3	Variable name: MEDITATE_C	Interview module: CIH(Child.CIH)
----------------------------	---------------------------	----------------------------------

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=4-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=4-17))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>Meditation includes Mindfulness, Mantra, and Spiritual meditation. In meditation a person focuses, stills, or quiets the mind. During the past 12 months, did ^SCNAME use any of these types of meditation?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto MEDIPAIN_C] <2,RF,DK> [goto GIPR_C]

Question ID: CIH.0160.00.3

Variable name: MEDIPAIN\_C

Interview module: CIH(Child.CIH)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=4-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=4-17))
<b>Universe:</b>	MEDITATE_C=1
<b>Universe Description:</b>	Sample Children 4-17 who used meditation in the past 12 months
<b>Question Text:</b>	<b>During the past 12 months, did ^SCNAME use meditation ...to treat or manage physical pain?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto MEDIHLTH_C]

Question ID: CIH.0170.00.3

Variable name: MEDIHLTH\_C

Interview module: CIH(Child.CIH)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=4-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=4-17))
<b>Universe:</b>	MEDITATE_C=1
<b>Universe Description:</b>	Sample Children 4-17 who used meditation in the past 12 months
<b>Question Text:</b>	♦ <b>Read if necessary:</b> During the past 12 months, did ^SCNAME use meditation ...to restore ^hisher_C overall health?
<b>Response:</b>	

Response:

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto GIPR_C]

Question ID: CIH.0180.00.3	Variable name: GIPR_C	Interview module: CIH(Child.CIH)
----------------------------	-----------------------	----------------------------------

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=4-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=4-17))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>Guided imagery uses visualization to relax. Progressive relaxation uses tensing and relaxing muscle groups. During the past 12 months, did ^SCNAME use guided imagery or progressive relaxation?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1

<b>Skip Instructions:</b>	<1> [goto GIPRPAIN_C] <2,RF,DK> [goto YOGA_C]
---------------------------	--

<b>Question ID:</b> CIH.0190.00.3	<b>Variable name:</b> GIPRPAIN_C	<b>Interview module:</b> CIH(Child.CIH)
-----------------------------------	----------------------------------	---

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=4-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=4-17))
<b>Universe:</b>	GIPR_C=1
<b>Universe Description:</b>	Sample Children 4-17 who used guided imagery or progressive relaxation in the past 12 months
<b>Question Text:</b>	<b>During the past 12 months, did ^SCNAME use guided imagery or progressive relaxation ...to treat or manage physical pain?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto GIPRHLTH_C]

<b>Question ID:</b> CIH.0200.00.3	<b>Variable name:</b> GIPRHLTH_C	<b>Interview module:</b> CIH(Child.CIH)
-----------------------------------	----------------------------------	---

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=4-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=4-17))
<b>Universe:</b>	GIPR_C=1
<b>Universe Description:</b>	Sample Children 4-17 who used guided imagery or progressive relaxation in the past 12 months
<b>Question Text:</b>	✦ <b>Read if necessary:</b> During the past 12 months, did ^SCNAME use guided imagery or progressive relaxation ...to restore ^hisher_C overall health?
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto YOGA_C]

Question ID: CIH.0210.00.3	Variable name: YOGA_C	Interview module: CIH(Child.CIH)
----------------------------	-----------------------	----------------------------------

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=4-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=4-17))
<b>Universe Description:</b>	Sample Children 4-17
<b>Question Text:</b>	<b>During the past 12 months, did ^SCNAME practice Yoga as part of a class or on        ^hisher_C own?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"

<b>Skip Instructions:</b>	<1> [goto YOGABRTH_C] <2,RF,DK> [goto next section]
---------------------------	--

<b>Question ID:</b> CIH.0220.00.3	<b>Variable name:</b> YOGABRTH_C	<b>Interview module:</b> CIH(Child.CIH)
-----------------------------------	----------------------------------	---

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=4-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=4-17))
<b>Universe:</b>	YOGA_C=1
<b>Universe Description:</b>	Sample Children 4-17 who used yoga in the past 12 months
<b>Question Text:</b>	<b>Breathing exercises may involve actively controlling the way air is drawn in, or the rate or depth of breathing. Did ^SCNAME do breathing exercises as part of Yoga?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto YOGAMED_C]

<b>Question ID:</b> CIH.0230.00.3	<b>Variable name:</b> YOGAMED_C	<b>Interview module:</b> CIH(Child.CIH)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=4-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=4-17))
<b>Universe:</b>	YOGA_C=1
<b>Universe Description:</b>	Sample Children 4-17 who used yoga in the past 12 months
<b>Question Text:</b>	<b>Did ^SCNAME do meditation as part of Yoga?</b>
<b>Response:</b>	



	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto YOGAPAIN_C]

Question ID: CIH.0240.00.3	Variable name: YOGAPAIN_C	Interview module: CIH(Child.CIH)
----------------------------	---------------------------	----------------------------------

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=4-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=4-17))
<b>Universe:</b>	YOGA_C=1
<b>Universe Description:</b>	Sample Children 4-17 who used yoga in the past 12 months
<b>Question Text:</b>	<b>During the past 12 months, did ^SCNAME use Yoga ...to treat or manage physical pain?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto YOGAHLTH_C]

Question ID: CIH.0250.00.3

Variable name: YOGAHLTH\_C

Interview module: CIH(Child.CIH)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=4-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=4-17))
<b>Universe:</b>	YOGA_C=1
<b>Universe Description:</b>	Sample Children 4-17 who used yoga in the past 12 months
<b>Question Text:</b>	◆ <b>Read if necessary:</b> During the past 12 months, did ^SCNAME use Yoga ...to restore ^hisher_C overall health?
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto next section]

Question ID: VSL.0010.00.3

Variable name: VSLVYR\_C

Interview module: VSL(Child.VSL)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=3-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=3-17))
<b>Universe Description:</b>	Sample Children 3-17
<b>Question Text:</b>	<b>During the past 12 months, did ^SCNAME have problems or difficulty with ^hisher_C VOICE, such as having a hoarse, raspy, tired, or strained voice, or trouble speaking loud enough to be heard?</b>
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hissher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
<b>Skip Instructions:</b>	<1> [goto VSLVDYS_C] <2,RF,DK> [goto VSLSWYR_C]

Question ID: VSL.0020.00.3                      Variable name: VSLVDYS\_C                      Interview module: VSL(Child.VSL)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=3-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=3-17))
<b>Universe:</b>	VSLVYR_C=1
<b>Universe Description:</b>	Sample Children 3-17 who had a voice problem in the past 12 months
<b>Question Text:</b>	<b>During the past 12 months, about how many days, weeks, or months did          ^heshe_C have problems or difficulty with ^hissher_C voice? ♦ Do not read          categories unless the respondent says they don't know, at which time you can read          the wording in parentheses.</b>
<b>Response:</b>	1. 1 to 6 days (â€œless than a weekâ€•) 2. 7 to 13 days (â€œone week or more, but less than two weeksâ€•) 3. 14 to 29 days (â€œ2 weeks or more, but less than a monthâ€•)

	<p>4. 30 to 89 days (â€œa month or more, but less than 3 monthsâ€•)</p> <p>5. 90 days to 179 days (â€œ3 months or more, but less than 6 monthsâ€•)</p> <p>6. 180 days or more (â€œ6 months or moreâ€•)</p> <p>DK: Don't Know</p> <p>RF: Refused</p>
<b>Fills:</b>	<p>^heshe_C            If GEN.SEX_FINAL[PX_C]=1 fill "he"  else if GEN.SEX_FINAL[PX_C]=2 fill "she"  else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"</p> <p>^hisher_C            if GEN.SEX_FINAL[PX_C]=1 fill "his";  else if GEN.SEX_FINAL[PX_C]=2 fill "her";  else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill  "their"</p>
<b>Skip Instructions:</b>	<1-6,RF,DK> [goto VSLVDIF_C]

Question ID: VSL.0030.00.3	Variable name: VSLVDIF_C	Interview module: VSL(Child.VSL)
----------------------------	--------------------------	----------------------------------

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=3-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=3-17))
<b>Universe:</b>	VSLVYR_C=1
<b>Universe Description:</b>	Sample Children 3-17 who had a voice problem in the past 12 months
<b>Question Text:</b>	<b>During the past 12 months, how much difficulty did ^heshe_C have with  ^hisher_C voice? Would you say a little, a lot, or somewhere in between?</b>
<b>Response:</b>	<p>1. A little</p> <p>2. A lot</p> <p>3. Somewhere in between</p> <p>DK: Don't Know</p> <p>RF: Refused</p>

<b>Fills:</b>	<p>^heshe_C                    If GEN.SEX_FINAL[PX_C]=1 fill "he"  else if GEN.SEX_FINAL[PX_C]=2 fill "she"  else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"</p> <p>^hissher_C                    if GEN.SEX_FINAL[PX_C]=1 fill "his";  else if GEN.SEX_FINAL[PX_C]=2 fill "her";  else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill  "their"</p>
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto VSLSWYR_C]

Question ID: VSL.0040.00.3                    Variable name: VSLSWYR\_C                    Interview module: VSL(Child.VSL)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=3-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=3-17))
<b>Universe Description:</b>	Sample Children 3-17
<b>Question Text:</b>	<b>During the past 12 months, did ^SCNAME have problems or difficulty with SWALLOWING, such as having difficulty eating solid food, taking pills, or drinking liquids?</b>
<b>Response:</b>	1.        Yes 2.        No DK:       Don't Know RF:       Refused
<b>Fills:</b>	^SCNAME                    Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto VSLSWDYS_C] <2,RF,DK> [goto VSLSPYR_C]

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=3-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=3-17))
<b>Universe:</b>	VSLSWYR_C=1
<b>Universe Description:</b>	Sample Children 3-17 who had a swallowing problem in the past 12 months
<b>Question Text:</b>	<b>During the past 12 months, about how many days, weeks, or months did ^heshe_C have problems or difficulty with swallowing?</b> ♦ Do not read categories unless the respondent says they don't know, at which time you can read the wording in parentheses.
<b>Response:</b>	<ol style="list-style-type: none"> <li>1. 1 to 6 days (â€œless than a weekâ€•)</li> <li>2. 7 to 13 days (â€œone week or more, but less than two weeksâ€•)</li> <li>3. 14 to 29 days (â€œ2 weeks or more, but less than a monthâ€•)</li> <li>4. 30 to 89 days (â€œa month or more, but less than 3 monthsâ€•)</li> <li>5. 90 days to 179 days (â€œ3 months or more, but less than 6 monthsâ€•)</li> <li>6. 180 days or more (â€œ6 months or moreâ€•)</li> </ol> DK: Don't Know RF: Refused
<b>Fills:</b>	^heshe_C If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1-6,RF,DK> [goto VSLSWDIF_C]

Question ID: VSL.0060.00.3

Variable name: VSLSWDIF\_C

Interview module: VSL(Child.VSL)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=3-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=3-17))
<b>Universe:</b>	VSLSWYR_C=1
<b>Universe Description:</b>	Sample Children 3-17 who had a swallowing problem in the past 12 months
<b>Question Text:</b>	<b>During the past 12 months, how much difficulty did ^heshe_C have with swallowing? Would you say a little, a lot, or somewhere in between?</b>
<b>Response:</b>	1. A little 2. A lot 3. Somewhere in between DK: Don't Know RF: Refused
<b>Fills:</b>	^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto VSLSPYR_C]

Question ID: VSL.0070.00.3

Variable name: VSLSPYR\_C

Interview module: VSL(Child.VSL)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=3-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=3-17))
<b>Universe Description:</b>	Sample Children 3-17
<b>Question Text:</b>	<b>During the past 12 months, did ^SCNAME have problems or difficulty with ^hishe_C SPEECH, such as stuttering, repeating words, or not being able to pronounce words correctly? ♦ Read if necessary:</b> This refers to the language ^heshe_C is most comfortable with, not a second or third language.
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^hisher_C                      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"  ^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1> [goto VSLSPDYS_C] <2,RF,DK> [goto VSLLGYR_C]

Question ID: VSL.0080.00.3                      Variable name: VSLSPDYS\_C                      Interview module: VSL(Child.VSL)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=3-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=3-17))
<b>Universe:</b>	VSLSPYR_C=1
<b>Universe Description:</b>	Sample Children 3-17 who had a speech problem in the past 12 months
<b>Question Text:</b>	<b>During the past 12 months, about how many days, weeks, or months did          ^heshe_C have problems or difficulty with ^hisher_C speech? Do not read          categories unless the respondent says they don't know, at which time you can read          the wording in parentheses.</b>
<b>Response:</b>	



	1. 1 to 6 days (â€œless than a weekâ€•) 2. 7 to 13 days (â€œone week or more, but less than two weeksâ€•) 3. 14 to 29 days (â€œ2 weeks or more, but less than a monthâ€•) 4. 30 to 89 days (â€œa month or more, but less than 3 monthsâ€•) 5. 90 days to 179 days (â€œ3 months or more, but less than 6 monthsâ€•) 6. 180 days or more (â€œ6 months or moreâ€•) DK: Don't Know RF: Refused
<b>Fills:</b>	^heshe_C            If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"  ^hisher_C            if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
<b>Skip Instructions:</b>	<1-6,RF,DK> [goto VSLSPDIF_C]

**Question ID:** VSL.0090.00.3                      **Variable name:** VSLSPDIF\_C                      **Interview module:** VSL(Child.VSL)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=3-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=3-17))
<b>Universe:</b>	VSLSPYR_C=1
<b>Universe Description:</b>	Sample Children 3-17 who had a speech problem in the past 12 months
<b>Question Text:</b>	<b>During the past 12 months, how much difficulty did ^heshe_C have with  ^hisher_C speech? Would you say a little, a lot, or somewhere in between?</b>
<b>Response:</b>	

	1. A little 2. A lot 3. Somewhere in between DK: Don't Know RF: Refused
<b>Fills:</b>	^heshe_C                    If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"  ^hisher_C                    if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto VSLSPST_C]

**Question ID:** VSL.0100.00.3                    **Variable name:** VSLSPST\_C                    **Interview module:** VSL(Child.VSL)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=3-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=3-17))
<b>Universe:</b>	VSLSPYR_C=1
<b>Universe Description:</b>	Sample Children 3-17 who had a speech problem in the past 12 months
<b>Question Text:</b>	<b>During the past 12 months, did ^SCNAME's speech problems or difficulty include stuttering, trouble pronouncing words correctly, or both?</b>
<b>Response:</b>	1. Stuttering 2. Trouble pronouncing words correctly 3. Both DK: Don't Know RF: Refused

<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto VSLLYR_C]

**Question ID: VSL.0110.00.3                      Variable name: VSLLYR\_C                      Interview module: VSL(Child.VSL)**

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=3-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=3-17))
<b>Universe Description:</b>	Sample Children 3-17
<b>Question Text:</b>	<b>During the past 12 months, did ^SCNAME have problems or difficulty with LANGUAGE, such as difficulty using, learning, or understanding words, sentences, or conversational interactions?</b> * <a href="#">Read if necessary</a> : This refers to the language ^heshe_C is most comfortable with, not a second or third language.
<b>Response:</b>	1.        Yes 2.        No DK:      Don't Know RF:      Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1  ^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1> [goto VSLLDYS_C] <2,RF,DK> if VSLVYR_C=1 or VSLSWYR_C=1 or VSLSPYR_C=1 [goto VSLBRAIN_C] else [goto next section]

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=3-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=3-17))
<b>Universe:</b>	VSLLYR_C=1
<b>Universe Description:</b>	Sample Children 3-17 who had a language problem in the past 12 months
<b>Question Text:</b>	<b>During the past 12 months, about how many days, weeks, or months did ^heshe_C have problems or difficulty with language?</b> ♦ Do not read categories unless the respondent says they don't know, at which time you can read the wording in parentheses.
<b>Response:</b>	<ol style="list-style-type: none"> <li>1. 1 to 6 days (â€œless than a weekâ€•)</li> <li>2. 7 to 13 days (â€œone week or more, but less than two weeksâ€•)</li> <li>3. 14 to 29 days (â€œ2 weeks or more, but less than a monthâ€•)</li> <li>4. 30 to 89 days (â€œa month or more, but less than 3 monthsâ€•)</li> <li>5. 90 days to 179 days (â€œ3 months or more, but less than 6 monthsâ€•)</li> <li>6. 180 days or more (â€œ6 months or moreâ€•)</li> </ol> DK: Don't Know RF: Refused
<b>Fills:</b>	^heshe_C If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1-6,RF,DK> [goto VSLLDIF_C]

Question ID: VSL.0130.00.3

Variable name: VSLLGDI\_C

Interview module: VSL(Child.VSL)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=3-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=3-17))
<b>Universe:</b>	VSLLYR_C=1
<b>Universe Description:</b>	Sample Children 3-17 who had a language problem in the past 12 months
<b>Question Text:</b>	<b>During the past 12 months, how much difficulty did ^heshe_C have with language? Would you say a little, a lot, or somewhere in between?</b>
<b>Response:</b>	1. A little 2. A lot 3. Somewhere in between DK: Don't Know RF: Refused
<b>Fills:</b>	^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto VSLBRAIN_C]

Question ID: VSL.0140.00.3

Variable name: VSLBRAIN\_C

Interview module: VSL(Child.VSL)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=3-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=3-17))
<b>Universe:</b>	VSLVYR_C=1 or VSLSWYR_C=1 or VSLSPYR_C=1 or VSLLYR_C=1
<b>Universe Description:</b>	Sample Children 3-17 who had a voice, swallowing, speech, or language problem in the past 12 months
<b>Question Text:</b>	<b>Did any of ^SCNAME's ^VSLTYPE_C problems or difficulty follow a head or brain injury?</b>
<b>Response:</b>	

- 1. Yes
- 2. No
- DK: Don't Know
- RF: Refused

**Fills:** ^SCNAME      Fill ALIAS of HHSTAT\_C=1

^VSLTYPE\_C      IF VSLVYR\_C=1 AND VSLSWYR\_C=1 AND VSLSPYR\_C=1 AND VSLLGYR\_C=1, fill: "voice, swallowing, speech, and language"

ELSEIF VSLSWYR\_C=1 AND VSLSPYR\_C=1 AND VSLLGYR\_C=1, fill: "swallowing, speech, andlanguage"

ELSEIF VSLVYR\_C=1 AND VSLSPYR\_C=1 AND VSLLGYR\_C=1, fill: "voice, speech, andlanguage"

ELSEIF VSLVYR\_C=1 AND VSLSWYR\_C=1 AND VSLLGYR\_C=1, fill: "voice, swallowing, andlanguage"

ELSEIF VSLVYR\_C=1 AND VSLSWYR\_C=1 AND VSLSPYR\_C=1, fill: "voice, swallowing, and speech"

ELSEIF VSLVYR\_C=1 AND VSLSWYR\_C=1, fill: "voice and swallowing"

ELSEIF VSLVYR\_C=1 AND VSLSPYR\_C=1, fill: "voice and speech"

ELSEIF VSLVYR\_C=1 AND VSLLGYR\_C=1, fill: "voice andlanguage"

ELSEIF VSLSWYR\_C=1 AND VSLSPYR\_C=1, fill: "swallowing and speech"

ELSEIF VSLSWYR\_C=1 AND VSLLGYR\_C=1, fill: "swallowing and language"

ELSEIF VSLSPYR\_C=1 AND VSLLGYR\_C=1, fill: "speech andlanguage"

ELSEIF VSLVYR\_C=1, fill: "voice"

ELSEIF VSLSWYR\_C=1, fill: "swallowing"

ELSEIF VSLSPYR\_C=1, fill: "speech"

	ELSEIF VSLLGYR_C=1, fill: "language"
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto VSLPA_C]

Question ID: VSL.0150.00.3      Variable name: VSLPA\_C      Interview module: VSL(Child.VSL)

**Inherited Universe:** (GEN.AGE\_FINAL[PX\_C]=3-17) AND  
 ((GEN.PX\_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and  
 PCNT ge 2 and PCNT18UP\_C gt 0 and NOFAMSC ne 1) AND  
 (GEN.AGE\_FINAL[PX\_C]=3-17))

**Universe:** VSLVYR\_C=1 or VSLSWYR\_C=1 or VSLSPYR\_C=1 or VSLLGYR\_C=1

**Universe Description:** Sample Children 3-17 who had a voice, swallowing, speech, or language problem in the past 12 months

**Question Text:** **During the past 12 months, did ^SCNAME see a speech-language pathologist, doctor, or other health care professional for evaluation, treatment, or rehabilitation services of ^hisher\_C ^VSLTYPE\_C problems or difficulty?** ♦  
[Read if necessary:](#) Health care professionals can include early intervention specialists, ENT doctors, otolaryngologists, audiologists, rehabilitation specialists, occupational or physical therapists, internal medicine doctors, neurologists, gerontologists, and others.

- Response:**
- 1. Yes
  - 2. No
  - DK: Don't Know
  - RF: Refused

**Fills:** ^SCNAME      Fill ALIAS of HHSTAT\_C=1

^VSLTYPE\_C      IF VSLVYR\_C=1 AND VSLSWYR\_C=1 AND VSLSPYR\_C=1 AND VSLLGYR\_C=1, fill: "voice, swallowing, speech, and language"

ELSEIF VSLSWYR\_C=1 AND VSLSPYR\_C=1 AND VSLLGYR\_C=1, fill: "swallowing, speech, andlanguage"

ELSEIF VSLVYR\_C=1 AND VSLSPYR\_C=1 AND VSLLGYR\_C=1, fill: "voice, speech, andlanguage"

ELSEIF VSLVYR\_C=1 AND VSLSWYR\_C=1 AND VSLLGYR\_C=1, fill: "voice, swallowing,

andlanguage"

ELSEIF VSLVYR\_C=1 AND VSLSWYR\_C=1 AND  
VSLSPYR\_C=1, fill: "voice, swallowing, and speech"

ELSEIF VSLVYR\_C=1 AND VSLSWYR\_C=1, fill:  
"voice and swallowing"

ELSEIF VSLVYR\_C=1 AND VSLSPYR\_C=1, fill:  
"voice and speech"

ELSEIF VSLVYR\_C=1 AND VSLLGYR\_C=1, fill:  
"voice andlanguage"

ELSEIF VSLSWYR\_C=1 AND VSLSPYR\_C=1, fill:  
"swallowing and speech"

ELSEIF VSLSWYR\_C=1 AND VSLLGYR\_C=1, fill:  
"swallowing and language"

ELSEIF VSLSPYR\_C=1 AND VSLLGYR\_C=1, fill:  
"speech andlanguage"

ELSEIF VSLVYR\_C=1, fill: "voice"

ELSEIF VSLSWYR\_C=1, fill: "swallowing"

ELSEIF VSLSPYR\_C=1, fill: "speech"

ELSEIF VSLLGYR\_C=1, fill: "language"

^hisher\_C

if GEN.SEX\_FINAL[PX\_C]=1 fill "his";  
else if GEN.SEX\_FINAL[PX\_C]=2 fill "her";  
else if GEN.SEX\_FINAL[PX\_C] in (blank,DK,RF): fill  
"their"



<b>Skip Instructions:</b>	<1> [goto VSLPALF_C] <2,RF,DK> [goto VSLBTWR_C]
---------------------------	--

Question ID: VSL.0160.00.3      Variable name: VSLPALF\_C      Interview module: VSL(Child.VSL)

<b>Inherited Universe:</b>	(GEN.AGE_FINAL[PX_C]=3-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=3-17))
<b>Universe:</b>	VSLPA_C=1
<b>Universe Description:</b>	Sample Children 3-17 saw a speech-language pathologist or doctor for treatment
<b>Question Text:</b>	<b>How did those evaluation, treatment, or rehabilitation services affect ^his/her_C life as a whole? Has ^his/her_C life improved greatly, improved somewhat, stayed the same, or gotten worse?</b>
<b>Response:</b>	1. Improved greatly 2. Improved somewhat 3. Stayed the same 4. Gotten worse DK: Don't Know RF: Refused
<b>Fills:</b>	^his/her_C      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
<b>Skip Instructions:</b>	<1-4,RF,DK> [goto VSLBTWR_C]

**Inherited Universe:** (GEN.AGE\_FINAL[PX\_C]=3-17) AND  
 ((GEN.PX\_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and  
 PCNT ge 2 and PCNT18UP\_C gt 0 and NOFAMSC ne 1) AND  
 (GEN.AGE\_FINAL[PX\_C]=3-17))

**Universe:** VSLVYR\_C=1 or VSLSWYR\_C=1 or VSLSPYR\_C=1 or VSLLGYR\_C=1

**Universe Description:** Sample Children 3-17 who had a voice, speech, swallowing, or language problem in the past 12 months

**Question Text:** During the past 12 months, did ^hisher\_C problems or difficulty with ^VSLTYPE\_C get a lot better, get a little better, stay the same, get a little worse, or get a lot worse?

**Response:**

1. Get a lot better
2. Get a little better
3. Stay the same
4. Get a little worse
5. Get a lot worse

DK: Don't Know  
 RF: Refused

**Fills:** ^hisher\_C if GEN.SEX\_FINAL[PX\_C]=1 fill "his";  
 else if GEN.SEX\_FINAL[PX\_C]=2 fill "her";  
 else if GEN.SEX\_FINAL[PX\_C] in (blank,DK,RF): fill  
 "their"

^VSLTYPE\_C IF VSLVYR\_C=1 AND VSLSWYR\_C=1 AND  
 VSLSPYR\_C=1 AND VSLLGYR\_C=1, fill: "voice,  
 swallowing, speech, and language"

ELSEIF VSLSWYR\_C=1 AND VSLSPYR\_C=1 AND  
 VSLLGYR\_C=1, fill: "swallowing, speech,  
 andlanguage"

ELSEIF VSLVYR\_C=1 AND VSLSPYR\_C=1 AND  
 VSLLGYR\_C=1, fill: "voice, speech, andlanguage"

ELSEIF VSLVYR\_C=1 AND VSLSWYR\_C=1 AND  
 VSLLGYR\_C=1, fill: "voice, swallowing,  
 andlanguage"

ELSEIF VSLVYR\_C=1 AND VSLSWYR\_C=1 AND  
 VSLSPYR\_C=1, fill: "voice, swallowing, and speech"

ELSEIF VSLVYR\_C=1 AND VSLSWYR\_C=1, fill:  
"voice and swallowing"

	<p>ELSEIF VSLVYR_C=1 AND VSLSPYR_C=1, fill: "voice and speech"</p> <p>ELSEIF VSLVYR_C=1 AND VSLLGYR_C=1, fill: "voice and language"</p> <p>ELSEIF VSLSWYR_C=1 AND VSLSPYR_C=1, fill: "swallowing and speech"</p> <p>ELSEIF VSLSWYR_C=1 AND VSLLGYR_C=1, fill: "swallowing and language"</p> <p>ELSEIF VSLSPYR_C=1 AND VSLLGYR_C=1, fill: "speech and language"</p> <p>ELSEIF VSLVYR_C=1, fill: "voice"</p> <p>ELSEIF VSLSWYR_C=1, fill: "swallowing"</p> <p>ELSEIF VSLSPYR_C=1, fill: "speech"</p> <p>ELSEIF VSLLGYR_C=1, fill: "language"</p>
<p><b>Skip Instructions:</b></p>	<p>&lt;1-5,RF,DK&gt; [goto next section]</p>

Question ID: PAR.0010.00.1      Variable name: PARINTRO\_C      Interview module: PAR(Child.PAR)

<p><b>Inherited Universe:</b></p>	<p>GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1</p>
<p><b>Universe:</b></p>	<p>GEN.PARENTS_FINAL[PX_C].NONFOST_CNT_FINAL GE 1</p>
<p><b>Universe Description:</b></p>	<p>Sample Children 0-17 with at least one resident parent who is a biological, adoptive, or step parent.</p>
<p><b>Question Text:</b></p>	<p><b>Now I'm going to ask questions about ^SCNAME's parents living here. ✦ Enter '1' to continue.</b></p>
<p><b>Response:</b></p>	

	1. Enter 1 to Continue
<b>Fills:</b>	^SCNAME Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto tblPARREL]

Question ID: PAR.0030.00.1 Variable name: RELCHPAR\_C Interview module: PAR(Child.PAR.tblPARREL.bParent)

**Inherited Universe:** (GEN.PX\_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP\_C gt 0 and NOFAMSC ne 1) AND (GEN.PARENTS\_FINAL[PX\_C].NONFOST\_CNT\_FINAL GE 1)

**Universe Description:** Sample Children 0-17 with at least one resident parent who is a biological, adoptive, or step parent.

**Question Text:** ^Areyoulspar ^SCNAME's biological, adoptive, or step ^fathermother?

**Response:**

- 1. Biological
- 2. Adoptive
- 3. Step
- 4. Other
- DK: Don't Know
- RF: Refused

**Fills:**

- ^Areyoulspar If PX=LNO\_SCRESP, fill: "Are you" else fill: "Is ALIAS[PX]"
- ^fathermother If GEN.SEX\_FINAL[PX]='1', fill: "father" If GEN.SEX\_FINAL[PX]='2', fill: "mother" If GEN.SEX\_FINAL[PX]='(DK','RF)', fill: "parent"
- ^SCNAME Fill ALIAS of HHSTAT\_C=1

**Skip Instructions:** <1-4,RF,DK> if last parent in GEN.PARENTS\_FINAL[PX\_C].NONFOST\_FINAL [goto MARINTRO\_C if any parent in GEN.PARENTS\_FINAL[PX\_C].PARENTS\_FINAL has MAR\_FLG\_A ne 1]

else [goto tblPARBORN.bParent.PARBORN\_C for first parent in GEN.PARENTS\_FINAL[PX\_C].PARENTS\_FINAL where Adult.NAT.NATUSBORN\_A=empty]

else [goto next section]

else [goto RELCHPAR\_C for next parent listed at

GEN.PARENTS\_FINAL[PX\_C].NONFOST\_FINAL]

\*\*Note: update skip instructions to tblPARBORN\*\*

Question ID: PAR.0040.00.1

Variable name: MARINTRO\_C

Interview module: PAR(Child.PAR)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)
<b>Universe Description:</b>	At least one parent has marital flag of 3 or blank, or at least one parent has marital flag of 2 and the parent is the sample adult and not the sample child respondent
<b>Question Text:</b>	<b>The next set of questions are about marriage and cohabitation.</b> <a href="#">Enter '1' to continue.</a>
<b>Response:</b>	1. Enter 1 to Continue
<b>Skip Instructions:</b>	For the first parent in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL with GEN.MAR_FLG_A ne 1, If GEN.MAR_FLG_A=blank or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1) [goto tblIMAR.bParent.MARITAL_C] Elseif GEN.MAR_FLG_A=3 [goto tblIMAR.bPARENT.EVRMARRIED_C]

Question ID: PAR.0090.00.1

Variable name: MARITAL\_C

Interview module: PAR(Child.PAR.tblIMAR.bParent)

**Inherited Universe:** (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND  
((GEN.PX\_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP\_C gt 0 and NOFAMSC ne 1) AND  
(At least one parent listed in GEN.PARENTS\_FINAL[PX\_C].PARENTS\_FINAL has GEN.MAR\_FLG\_A IN (3,empty) or (GEN.MAR\_FLG\_A=2 and PX=PX\_A and SARESPSC\_FLG ne 1)) AND  
(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))

**Universe:** (GEN.MAR\_FLG\_A[PX]=EMPTY or (GEN.MAR\_FLG\_A[PX]=2 and PX=GEN.PX\_A and GEN.SARESPSC\_FLG ne 1)) and auxMARSTATSetByPreviousPerson[PX] ne 2

<b>Universe Description:</b>	Sample Children 0-17 where parent's marital status is not determined in the Sample Adult section OR the parent's marital status is don't know or refused in the Sample adult section and the parent is the sample adult but not the sample child respondent OR the parent's marital status has not been obtained in this block
<b>Question Text:</b>	<b>^Areyoulspar married, living with a partner together as an unmarried couple, or neither?</b>
<b>Response:</b>	1. Married 2. Living with a partner together as an unmarried couple 3. Neither DK: Don't Know RF: Refused
<b>Fills:</b>	^Areyoulspar                      If PX=LNO_SCRESP, fill: "Are you" else fill: "Is ALIAS[PX]"
<b>Skip Instructions:</b>	<1> [goto SPOUSLIV_C] <2> if GEN.PCNT16PLUSNOSC=1 [got ERR1_MARITAL_C] else [goto PARTNERWHO_C] <3,RF,DK> [goto EVRMARRIED_C]

**Check Name: ERR1\_MARITAL\_C**

<b>Text:</b>	{signal ERR1_MARITAL_C} * Respondent is the only person 16 or older on the household roster. There is no one else eligible to select.
<b>Hard / Soft Edit:</b>	Soft
<b>Inherited Universe:</b>	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
<b>Universe:</b>	MARITAL_C=2 and GEN.PCNT16PLUSNOSC=1
<b>Universe Description:</b>	Parent reports he/she is living with a partner but parent is the only person eligible to be living with a partner on the household roster

<b>Skip Instructions:</b>	Correct: [goto MARITAL_C] Suppress: [goto EVRMARRIED_C]
---------------------------	--

Question ID: PAR.0100.00.1      Variable name: SPOUSLIV\_C      Interview module: PAR(Child.PAR.tbIMAR.bParent)

<b>Inherited Universe:</b>	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
<b>Universe:</b>	MARITAL_C=1
<b>Universe Description:</b>	Sample Children 0-17 where one parent is married
<b>Question Text:</b>	<b>Does ^yourPARspouse currently live in the household?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^yourPARspouse if PX=LNO_SCRESP, fill: "your spouse" else fill: "ALIAS[PX]'s spouse"
<b>Skip Instructions:</b>	<1> if GEN.PCNT16PLUSNOSC=1 [goto ERR1_SPOUSLIV_C] else [goto SPOUSWHO_C] <2> [goto SPOUSEP_C] <RF,DK> loop through table for remaining parents else [goto tbIPARBORN.bParent.PARBORN_C for first parent in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL where Adult.NAT.NATUSBORN_A=empty] else [goto next section]]

**Check Name: ERR1\_SPOUSLIV\_C**

<b>Text:</b>	{signal ERR1_SPOUSLIV_C} * Respondent is the only person 16 or older on the household roster. There is no one else eligible to select.
<b>Hard / Soft Edit:</b>	Soft
<b>Inherited Universe:</b>	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
<b>Universe:</b>	MARITAL_C=1 and SPOULIV_C=1 and GEN.PCNT16PLUSNOSC=1
<b>Universe Description:</b>	Parent is married and says spouse lives in household but parent is the only person eligible to be married on the household roster
<b>Skip Instructions:</b>	Correct: [goto SPOUSLIV_C] Suppress: loop through table for remaining parent else [goto tbIPARBORN.bParent.PARBORN_C for first parent in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL where Adult.NAT.NATUSBORN_A=empty] else [goto next section]]

**Question ID: PAR.0110.00.1**

**Variable name: SPOUSEP\_C**

**Interview module: PAR(Child.PAR.tbIMAR.bParent)**

**Inherited Universe:** (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND  
 ((GEN.PX\_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP\_C gt 0 and NOFAMSC ne 1) AND  
 ((At least one parent listed in GEN.PARENTS\_FINAL[PX\_C].PARENTS\_FINAL has GEN.MAR\_FLG\_A IN (3,empty) or (GEN.MAR\_FLG\_A=2 and PX=PX\_A and SARESPSC\_FLG ne 1)) AND  
 (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))

**Universe:** SPOUSLIV\_C=2

**Universe Description:** Sample children 0-17 where parent is married and their spouse doesn't live in the household



<b>Question Text:</b>	Does ^yourPAR spouse not live here because ^youPAR and ^yourPAR spouse are legally separated?
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^yourPAR                      If PX=LNO_SCRESP, fill: "your" else fill ALIAS[PX] + " 's "  ^youPAR                        If PX=LNO_SCRESP, fill: "you" else fill "ALIAS[PX]"
<b>Skip Instructions:</b>	<1,2,RF,DK> loop through table for remaining parents else [goto tbIPARBORN.bParent.PARBORN_C for first parent in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL where Adult.NAT.NATUSBORN_A=empty] else [goto next section]

Question ID: PAR.0120.00.1                      Variable name: SPOUSWHO\_C                      Interview module: PAR(Child.PAR.tbIMAR.bParent)

<b>Inherited Universe:</b>	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
<b>Universe:</b>	SPOUSLIV_C=1
<b>Universe Description:</b>	Sample Children 0-17 where parent is married and spouse lives in the household
<b>Question Text:</b>	<b>Which person is ^yourPAR spouse?</b> ♦ Enter line number of spouse. ♦ Deleted persons cannot be selected. Enter '0' if respondent wishes to select a deleted person.
<b>Response:</b>	

- 00. Not on roster
- 01. ^ALIASNAME[1]
- 02. ^ALIASNAME[2]
- 03. ^ALIASNAME[3]
- 04. ^ALIASNAME[4]
- 05. ^ALIASNAME[5]
- 06. ^ALIASNAME[6]
- 07. ^ALIASNAME[7]
- 08. ^ALIASNAME[8]
- 09. ^ALIASNAME[9]
- 10. ^ALIASNAME[10]
- 11. ^ALIASNAME[11]
- 12. ^ALIASNAME[12]
- 13. ^ALIASNAME[13]
- 14. ^ALIASNAME[14]
- 15. ^ALIASNAME[15]
- 16. ^ALIASNAME[16]
- 17. ^ALIASNAME[17]
- 18. ^ALIASNAME[18]
- 19. ^ALIASNAME[19]
- 20. ^ALIASNAME[20]
- 21. ^ALIASNAME[21]
- 22. ^ALIASNAME[22]
- 23. ^ALIASNAME[23]
- 24. ^ALIASNAME[24]
- 25. ^ALIASNAME[25]
- DK: Don't Know
- RF: Refused

**Fills:** ^yourPAR                      If PX=LNO\_SCRESP, fill: "your"  
    else fill ALIAS[PX] + " 's "

**Skip Instructions:** <1-25> if MARITAL\_C=3 "Neither" for person selected at SPOUSWHO\_C  
 [goto ERR1\_SPOUSWHO\_C]  
 {person selected at SPOUSWHO\_C has conflicting answer of "Neither"  
 married or living with a partner at MARITAL\_C}

elseif SPOUSLIV\_C=2 "Outside household" for person selected at  
 SPOUSWHO\_C [goto ERR2\_SPOUSWHO\_C]  
 {person selected at SPOUSWHO\_C has conflicting answer of married with a  
 spouse living outside the household at SPOUSLIV\_C}

elseif person selected at SPOUSWHO\_C ((was already selected previously at  
 SPOUSWHO\_C or PARTNERWHO\_C) or (already chose a spouse/partner))  
 [goto ERR3\_SPOUSWHO\_C]  
 {person selected at SPOUSWHO\_C is already indicated as married to  
 someone else/a partner of someone else}

	<p>else if GEN.SEX_FINAL[SPOUSWHO_C] IN('1','2') and GEN.SEX_FINAL[PX] IN ('1','2') [goto SPOUSSEX_C]</p> <p>else loop through table for remaining parents</p> <p>else [goto tblPARBORN.bParent.PARBORN_C for first parent in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL where Adult.NAT.NATUSBORN_A=empty]</p> <p>else [goto next section]</p> <p>&lt;0,RF,DK&gt; loop through table for remaining parents</p> <p>else [goto tblPARBORN.bParent.PARBORN_C for first parent in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL where Adult.NAT.NATUSBORN_A=empty]</p> <p>else [goto next section]</p>
--	---

**Check Name: ERR1\_SPOUSWHO\_C**

<b>Text:</b>	{signal ERR1_SPOUSWHO_C} * Person selected also has answer of "Neither" married or living together as an unmarried couple. *Please correct.
<b>Hard / Soft Edit:</b>	Soft
<b>Inherited Universe:</b>	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
<b>Universe:</b>	if MARITAL_C=3 "Neither" for person selected at SPOUSWHO_C
<b>Universe Description:</b>	Person selected at SPOUSWHO_C has conflicting answer of "Neither" married or living with a partner at MARITAL_C
<b>Skip Instructions:</b>	[goto MARITAL_C] [goto SPOUSWHO_C]

**Check Name: ERR2\_SPOUSWHO\_C**

<b>Text:</b>	{signal ERR2_SPOUSWHO_C} * Person selected was indicated to have a spouse living outside the household. * Please correct.
<b>Hard / Soft Edit:</b>	Soft
<b>Inherited Universe:</b>	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
<b>Universe:</b>	SPOUSLIV_C=2 "Outside household" for person selected at SPOUSWHO_C
<b>Universe Description:</b>	Person selected at SPOUSWHO_C has conflicting answer of married with a spouse living outside the household at SPOUSLIV_C
<b>Skip Instructions:</b>	[goto SPOUSLIV_C] [goto SPOUSWHO_C]

**Check Name: ERR3\_SPOUSWHO\_C**

<b>Text:</b>	{signal ERR3_SPOUSWHO_C} * Person selected is already indicated as ^marriedpartner someone else. * Please correct.
<b>Hard / Soft Edit:</b>	Soft
<b>Fills:</b>	^marriedpartner if person selected was previously selected at SPOUSWHO or person selected has MARITAL_C=1 fill "<span class='question_text'>married to</span>" elseif person selected was previously selected at PARTERWHO or&nbsp;person selected has MARITAL_C=2 fill "<span class='question_text'>a partner of</span>"

<b>Inherited Universe:</b>	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
<b>Universe:</b>	person selected at SPOUSWHO_C ((was already selected previously at SPOUSWHO_C or PARTNERWHO_C) or (already chose a spouse/partner))
<b>Universe Description:</b>	Person selected at SPOUSWHO_C is already indicated as married to someone else/a partner of someone else

Question ID: PAR.0130.00.1      Variable name: SPOUSSEX\_C      Interview module: PAR(Child.PAR.tbIMAR.bParent)

<b>Inherited Universe:</b>	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
<b>Universe:</b>	SPOUSEWHO_C=1-25 and GEN.SEX_FINAL[SPOUSWHO_C] IN (1,2) and GEN.SEX_FINAL[PX] IN (1,2)
<b>Universe Description:</b>	Sample Children 0-17 where parent is married and spouse lives in the household and the sex of the residential parent of interest is not refused/don't know and the sex of the spouse of this parent is not refused/don't know
<b>Question Text:</b>	<b>I have previously recorded that ^ParentX ^sex_ParentX and that ^fillSPOUSWHO_C ^sex_SPOUSWHO_C. Is that correct?</b>

**Response:**

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^fillSPOUSWHO_C If SPOUSWHO_C=LNO_SCRESP, fill: "you are" else fill "ALIAS[SPOUSWHO_C] is"  ^sex_SPOUSWHO_C If SEX[SPOUSWHO_C]=1 fill: "male" If SEX[SPOUSWHO_C]=2 fill: "female"  ^ParentX If PX=LNO_SCRESP, fill: "you are" else fill: "ALIAS[PX] is"  ^sex_ParentX If SEX[PX]=1, fill: "male" If SEX[PX]=2, fill: "female"
<b>Skip Instructions:</b>	<1,RF,DK> loop through table for remaining parents else [goto tblPARBORN.bParent.PARBORN_C for first parent in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL where Adult.NAT.NATUSBORN_A=empty] else [goto next section] <2> [goto FIXSPOUSSEX_C]

Question ID: PAR.0140.00.1

Variable name: FIXSPOUSSEX\_C

Interview module: PAR(Child.PAR.tblMAR.bParent)

**Inherited Universe:** (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX\_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP\_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS\_FINAL[PX\_C].PARENTS\_FINAL has GEN.MAR\_FLG\_A IN (3,empty) or (GEN.MAR\_FLG\_A=2 and PX=PX\_A and SARESPSC\_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))

**Universe:** SPOUSSEX\_C=2

**Universe Description:** Sample Children 0-17 where parent is married and spouse lives in the household and the sex of the residential parent of interest is not refused/don't know and the sex of the spouse of this parent is not refused/don't know, and the sex of one or both individuals was incorrect

**Question Text:** Which was not correct? ♦ Enter all that apply, separate with commas.

<p><b>Response:</b></p>	<p>01. ^ALIASNAME[1]  02. ^ALIASNAME[2]  03. ^ALIASNAME[3]  04. ^ALIASNAME[4]  05. ^ALIASNAME[5]  06. ^ALIASNAME[6]  07. ^ALIASNAME[7]  08. ^ALIASNAME[8]  09. ^ALIASNAME[9]  10. ^ALIASNAME[10]  11. ^ALIASNAME[11]  12. ^ALIASNAME[12]  13. ^ALIASNAME[13]  14. ^ALIASNAME[14]  15. ^ALIASNAME[15]  16. ^ALIASNAME[16]  17. ^ALIASNAME[17]  18. ^ALIASNAME[18]  19. ^ALIASNAME[19]  20. ^ALIASNAME[20]  21. ^ALIASNAME[21]  22. ^ALIASNAME[22]  23. ^ALIASNAME[23]  24. ^ALIASNAME[24]  25. ^ALIASNAME[25]</p>
<p><b>Skip Instructions:</b></p>	<p>&lt;1-25&gt; loop through table for remaining parents else [goto  tbIPARBORN.bParent.PARBORN_C for first parent in  GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL where  Adult.NAT.NATUSBORN_A=empty] else [goto next section]</p>

<b>Inherited Universe:</b>	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
<b>Universe:</b>	MARITAL_C=2 and GEN.PCNT16PLUSNOSC ge 2
<b>Universe Description:</b>	Sample Children 0-17 where parent is cohabitating with a partner and there are at least two people eligible to be cohabitating in the household
<b>Question Text:</b>	<b>Which person is ^yourPAR partner?</b> ♦ Enter line number of partner. ♦ Deleted persons cannot be selected. Enter '0' if respondent wishes to select a deleted person.
<b>Response:</b>	00. Not on roster 01. ^ALIASNAME[1] 02. ^ALIASNAME[2] 03. ^ALIASNAME[3] 04. ^ALIASNAME[4] 05. ^ALIASNAME[5] 06. ^ALIASNAME[6] 07. ^ALIASNAME[7] 08. ^ALIASNAME[8] 09. ^ALIASNAME[9] 10. ^ALIASNAME[10] 11. ^ALIASNAME[11] 12. ^ALIASNAME[12] 13. ^ALIASNAME[13]



	<p>14. ^ALIASNAME[14]  15. ^ALIASNAME[15]  16. ^ALIASNAME[16]  17. ^ALIASNAME[17]  18. ^ALIASNAME[18]  19. ^ALIASNAME[19]  20. ^ALIASNAME[20]  21. ^ALIASNAME[21]  22. ^ALIASNAME[22]  23. ^ALIASNAME[23]  24. ^ALIASNAME[24]  25. ^ALIASNAME[25]  DK: Don't Know  RF: Refused</p>
<p><b>Fills:</b></p>	<p>^pareja_C                      Spanish fill</p> <p>^yourPAR                      If PX=LNO_SCRESP, fill: "your"  else fill ALIAS[PX] + " 's "</p>
<p><b>Skip Instructions:</b></p>	<p>&lt;1-25&gt; if MARITAL_C=3 "Neither" for person selected at PARTNERWHO_C  [goto ERR1_PARTNERWHO_C]  {person selected at PARTNERWHO_C has conflicting answer of "Neither"  married or living with a partner at MARITAL_C}</p> <p>elseif SPOUSLIV_C=2 "Outside household" for person selected at  PARTNERWHO_C [goto ERR2_PARTNERWHO_C]  {person selected at PARTNERWHO_C has conflicting answer of married with  a spouse living outside the household at SPOUSLIV_C}</p> <p>elseif person selected at PARTNERWHO_C ((was already selected previously  at SPOUSWHO_C or PARTNERWHO_C) or (already chose a  spouse/partner)) [goto ERR3_PARTNERWHO_C]  {person selected at PARTNERWHO_C is already indicated as married to  someone else/a partner of someone else}</p> <p>elseif                      GEN.SEX_FINAL[PX]                      IN                      ('1','2')                      and  GEN.SEX_FINAL[PARTNERWHO_C] IN ('1','2')[goto PARTNERSEX_C]  else [goto EVRMARRIED_C]</p> <p>&lt;0,RF,DK&gt; [goto EVRMARRIED_C]</p>

**Check Name: ERR1\_PARTNERWHO\_C**

<b>Text:</b>	{signal ERR1_PARTNERWHO_C} * Person selected also has answer of "Neither" married or living together as an unmarried couple. *Please correct.
<b>Hard / Soft Edit:</b>	Soft
<b>Inherited Universe:</b>	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
<b>Universe:</b>	if MARITAL_C=3 "Neither" for person selected at PARTNERWHO_C
<b>Universe Description:</b>	Person selected at PARTNERWHO_C has conflicting answer of "Neither" married or living with a partner at MARITAL_C
<b>Skip Instructions:</b>	[goto MARITAL_C] [goto PARTNERWHO_C]

**Check Name: ERR2\_PARTNERWHO\_C**

<b>Text:</b>	{signal ERR2_PARTNERWHO_C} * Person selected was indicated to have a spouse living outside the household. *Please correct.
<b>Hard / Soft Edit:</b>	Soft
<b>Inherited Universe:</b>	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))

<b>Universe:</b>	SPOUSLIV_C=2 "Outside household" for person selected at PARTNERWHO_C
<b>Universe Description:</b>	Person selected at PARTNERWHO_C has conflicting answer of married with a spouse living outside the household at SPOUSLIV_C
<b>Skip Instructions:</b>	[goto SPOUSLIV_C] [goto PARTNERWHO_C]

**Check Name: ERR3\_PARTNERWHO\_C**

<b>Text:</b>	{signal ERR3_PARTNERWHO_C} * Person selected is already indicated as ^marriedpartner someone else. * Please correct.
<b>Hard / Soft Edit:</b>	Soft
<b>Fills:</b>	^marriedpartner if person selected was previously selected at SPOUSWHO or person selected has MARITAL_C=1 fill "<span class='question_text'>married to</span>" elseif person selected was previously selected at PARTERWHO or&nbsp;person selected has MARITAL_C=2 fill "<span class='question_text'>a partner of</span>"
<b>Inherited Universe:</b>	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
<b>Universe:</b>	person selected at PARTNERWHO_C ((was already selected previously at SPOUSWHO_C or PARTNERWHO_C) or (already chose a spouse/partner))
<b>Universe Description:</b>	Person selected at PARTNERWHO_C is already indicated as married to someone else/a partner of someone else

<b>Inherited Universe:</b>	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
<b>Universe:</b>	PARTNERWHO_C=1-25 and GEN.SEX_FINAL[PX] IN (1,2) and GEN.SEX_FINAL[PARTNERWHO_C] IN (1,2)
<b>Universe Description:</b>	Sample Children 0-17 where parent is cohabitating with a partner and the partner lives in the household and the sex for the residential parent is not refused or don't know and the sex for the partner is not refused or don't know
<b>Question Text:</b>	<b>I have previously recorded that ^ParentX ^sex_ParentX and that ^fillPARTNERWHO_C ^sex_PARTNERWHO_C. Is that correct?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	<p>^ParentX If PX=LNO_SCRESP, fill: "you are" else fill: "ALIAS[PX] is"</p> <p>^sex_ParentX If SEX[PX]=1, fill: "male" If SEX[PX]=2, fill: "female"</p> <p>^fillPARTNERWHO_C If PARTNERWHO_C=LNO_SCRESP, fill: "you are" else fill "ALIAS[PARTNERWHO_C] is"</p> <p>^sex_PARTNERWHO_C If GEN.SEX_FINAL[PARTNERWHO_C]=1 fill: "male" If GEN.SEX_FINAL[PARTNERWHO_C]=2 fill: "female"</p>

<b>Skip Instructions:</b>	<1,RF,DK> [goto EVRMARRIED_C] <2> [goto FIXPARTSEX_C]
---------------------------	--

Question ID: PAR.0170.00.1      Variable name: FIXPARTSEX\_C      Interview module: PAR(Child.PAR.tbIMAR.bParent)

<b>Inherited Universe:</b>	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
<b>Universe:</b>	PARTNERSEX_C=2
<b>Universe Description:</b>	Sample Children 0-17 where parent is cohabitating with a partner and the partner lives in the household and the sex for the residential parent is not refused/don't and the sex for the partner is not refused/don't know, and the sex of one or both of the individuals is incorrect.
<b>Question Text:</b>	<b>Which was not correct?</b> <a href="#">Enter all that apply, separate with commas.</a>
<b>Response:</b>	01. ^ALIASNAME[1] 02. ^ALIASNAME[2] 03. ^ALIASNAME[3] 04. ^ALIASNAME[4] 05. ^ALIASNAME[5] 06. ^ALIASNAME[6] 07. ^ALIASNAME[7] 08. ^ALIASNAME[8] 09. ^ALIASNAME[9] 10. ^ALIASNAME[10]

	11. ^ALIASNAME[11] 12. ^ALIASNAME[12] 13. ^ALIASNAME[13] 14. ^ALIASNAME[14] 15. ^ALIASNAME[15] 16. ^ALIASNAME[16] 17. ^ALIASNAME[17] 18. ^ALIASNAME[18] 19. ^ALIASNAME[19] 20. ^ALIASNAME[20] 21. ^ALIASNAME[21] 22. ^ALIASNAME[22] 23. ^ALIASNAME[23] 24. ^ALIASNAME[24] 25. ^ALIASNAME[25]
<b>Skip Instructions:</b>	<1-25> [goto EVRMARRIED_C]

Question ID: PAR.0180.00.1      Variable name: EVRMARRIED\_C      Interview module: PAR(Child.PAR.tbIMAR.bParent)

<b>Inherited Universe:</b>	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
<b>Universe:</b>	MARITAL_C IN (2,3,RF,DK) or GEN.MAR_FLG_A[PX] = 3 or auxMARSTATSetByPreviousPerson[PX] = 2
<b>Universe Description:</b>	Sample Children 0-17 where parent is either cohabitating or not in relationship with anyone else in the household, or the marriage/cohabitation status is refused/don't know in the Adult section or the parent is reported as cohabitating with another parent
<b>Question Text:</b>	^HaveyouHasPAR ever been married?
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^HaveyouHasPAR If PX=LNO_SCRESP, fill: "Have you" else, fill: "Has ALIAS[PX]"
<b>Skip Instructions:</b>	<pre> &lt;1&gt; if (MARITAL_C=2 or GEN.PAR_FLG_C[PX]=3 or GEN.MAR_FLG_A[PX]=3) [goto LEGALSTAT_A] elseif MARITAL_C=3 [goto WIDIVSEP_A] else loop through table for remaining parents else [goto tblPARBORN.bParent.PARBORN_C for first parent in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL where Adult.NAT.NATUSBORN_A=empty] else [goto next section] &lt;2,RF,DK&gt; loop through table for remaining parents else [goto tblPARBORN.bParent.PARBORN_C for first parent in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL where Adult.NAT.NATUSBORN_A=empty] else [goto next section] </pre>

Question ID: PAR.0190.00.1      Variable name: LEGALSTAT\_C      Interview module: PAR(Child.PAR.tblMAR.bParent)

<b>Inherited Universe:</b>	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
<b>Universe:</b>	EVRMARRIED_C=1 and (MARITAL_C=2 or GEN.PAR_FLG_C[PX]=3 or GEN.MAR_FLG_A[PX]=3)
<b>Universe Description:</b>	Sample Children 0-17 where parent has been married and is living with a partner or person selected as a cohabitating partner in PAR or person selected as a cohabitating partner in MAR
<b>Question Text:</b>	<b>What is ^yourPAR current legal marital status?</b>
<b>Response:</b>	

	1. Married 2. Widowed 3. Divorced 4. Separated DK: Don't Know RF: Refused
<b>Fills:</b>	^estadocivil_C Spanish Fill  ^yourPAR If PX=LNO_SCRESP, fill: "your" else fill ALIAS[PX] + " 's "
<b>Skip Instructions:</b>	<1-4,RF,DK> loop through table for remaining parents else [goto tbIPARBORN.bParent.PARBORN_C for first parent in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL where Adult.NAT.NATUSBORN_A=empty] else [goto next section]

Question ID: PAR.0200.00.1      Variable name: WIDIVSEP\_C      Interview module: PAR(Child.PAR.tbIMAR.bParent)

<b>Inherited Universe:</b>	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
<b>Universe:</b>	EVRMARRIED_C=1 and MARITAL_C=3
<b>Universe Description:</b>	Sample Children 0-17 where parent is neither living with a partner nor married, but has been married
<b>Question Text:</b>	<b>^Areyoulspar widowed, divorced, or separated?</b>
<b>Response:</b>	



	1. Widowed 2. Divorced 3. Separated DK: Don't Know RF: Refused
<b>Fills:</b>	^Areyoulspar      If PX=LNO_SCRESP, fill: "Are you" else fill: "Is ALIAS[PX]"
<b>Skip Instructions:</b>	<1-3,RF,DK> loop through table for remaining parents else [goto FINISH_MAR_C]

**Question ID: PAR.0210.00.1      Variable name: FINISH\_MAR\_C      Interview module: PAR(Child.PAR)**

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Question Text:</b>	♦ <a href="#">The Sample Child MAR section is now complete.</a> ♦ <a href="#">Enter '1' to continue.</a>
<b>Response:</b>	1. Enter 1 to Continue
<b>Skip Instructions:</b>	<1> [goto tbIPARBORN.bParent.PARBORN_C for first parent in GEN.PARENTS_FINAL[PX_C].PARENTS where Adult.NAT.NATUSBORN_A=empty] else [goto next section]

**Question ID: PAR.0230.00.1      Variable name: PARBORN\_C      Interview module: PAR(Child.PAR.tbIPARBORN.bPerso**

<b>Inherited Universe:</b>	(PX ne PX_A or (PX=PX_A and Adult.NAT.NATUSBORN_A=empty)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (PX ne PX_A or (PX=PX_A and Adult.NAT.NATUSBORN_A=empty)))
<b>Universe Description:</b>	Sample Children 0-17 where whether the parent was born in the US or US territory is unknown
<b>Question Text:</b>	<b>^WereyouWaspar born in the United States or a U.S. territory?</b>
<b>Response:</b>	

	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^WereyouWaspar      If PX=LNO_SCRESP, fill: "Were you" else fill: "Was ALIAS[PX]"
<b>Skip Instructions:</b>	<1,2,RF,DK> loop through table for remaining parents else [goto next section]

**Question ID: PAR.0240.00.1      Variable name: LOCK\_PARENTS\_VFY    Interview module: PAR(Child.PAR)**

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Question Text:</b>	
<b>Response:</b>	1. Enter 1 to Continue
<b>Skip Instructions:</b>	<1> [goto next section]

**Question ID: NAT.0010.00.1      Variable name: NATUSBORN\_C      Interview module: NAT(Child.NAT)**

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	<b>Was ^SCNAME born in the United States or a U.S. territory?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused

<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto NATSTBORN_C] <2> [goto NATUSYR_C] <RF,DK> [goto next section]

<b>Question ID:</b> NAT.0020.00.1	<b>Variable name:</b> NATSTBORN_C	<b>Interview module:</b> NAT(Child.NAT)
-----------------------------------	-----------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	NATUSBORN_C=1
<b>Universe Description:</b>	Sample Children 0-17 born in the United States or U.S. territory
<b>Question Text:</b>	<b>In what state or U.S. territory was ^SCNAME born?</b>
<b>Response:</b>	DK:     Don't Know RF:     Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<American Samoa> [goto CITIZEN_C] else [goto next section]

<b>Question ID:</b> NAT.0040.00.1	<b>Variable name:</b> NATUSYR_C	<b>Interview module:</b> NAT(Child.NAT)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	NATUSBORN_C=2
<b>Universe Description:</b>	Sample Children 0-17 not born in the United States or U.S. territory
<b>Question Text:</b>	<b>In what year did ^SCNAME come to the United States to stay?</b>
<b>Response:</b>	DK:     Don't Know RF:     Refused

<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<2000-Current Year,RF,DK> if NATUSYR_C gt current year [goto ERR1_NATUSYR_C] if NATUSYR_C lt VFY.DEMBIRYR_C [goto ERR2_NATUSYR_C] else [goto CITIZEN_C]

**Check Name: ERR1\_NATUSYR\_C**

<b>Text:</b>	{check ERR1_NATUSYR_C} *Future year invalid. Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	NATUSYR_C is a future year

**Check Name: ERR2\_NATUSYR\_C**

<b>Text:</b>	{check ERR2_NATUSYR_C} *Year is prior to date of birth. Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	NATUSYR_C = a year prior to child's birth year

Question ID: NAT.0050.00.1

Variable name: CITIZEN\_C

Interview module: NAT(Child.NAT)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	NATUSBORN_C=2 or NATSTBORN_C=American Samoa
<b>Universe Description:</b>	Sample children 0-17 not born in the United States or U.S. territory or born in American Samoa
<b>Question Text:</b>	<b>Is ^SCNAME a citizen of the United States?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> [goto NATCTZN_C] <2,RF,DK> [goto next section]

Question ID: NAT.0060.00.1

Variable name: NATCTZN\_C

Interview module: NAT(Child.NAT)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	CITIZEN_C=1
<b>Universe Description:</b>	Sample Children 0-17 are United States citizens
<b>Question Text:</b>	<b>Was ^SCNAME born abroad to an American parent, born abroad and adopted by an American parent, or did ^SCNAME become a U.S. citizen by naturalization?</b>
<b>Response:</b>	

	1. Born abroad to American parent 2. Born abroad and adopted by an American parent 3. Became U.S. citizen by naturalization DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto next section]

Question ID: FEM.0010.00.1

Variable name: FEMINTRO\_C

Interview module: FEM(Child.FEM)

**Inherited Universe:** ((SAMEFAM\_FLG ne 1)  
OR  
(SAMEFAM\_FLG=1 and PCNT18UP\_C=1 and EMP\_FLG\_A=blank)  
OR  
(SAMEFAM\_FLG=1 and PCNT18UP\_C GT 1 and FEM\_FLG\_A=blank)  
OR  
(SAMEFAM\_FLG=1 and PCNT18UP\_C GT 1 and FEM\_FLG\_A=2 and  
SARESPSC\_FLG ne 1)) AND  
((GEN.PX\_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and  
PCNT ge 2 and PCNT18UP\_C gt 0 and NOFAMSC ne 1) AND  
((SAMEFAM\_FLG ne 1)  
OR  
(SAMEFAM\_FLG=1 and PCNT18UP\_C=1 and EMP\_FLG\_A=blank)  
OR  
(SAMEFAM\_FLG=1 and PCNT18UP\_C GT 1 and FEM\_FLG\_A=blank)  
OR  
(SAMEFAM\_FLG=1 and PCNT18UP\_C GT 1 and FEM\_FLG\_A=2 and  
SARESPSC\_FLG ne 1)))

**Universe Description:** Sample Child is not in the same family as the Sample Adult  
OR  
Sample Child is in same family as Sample Adult and there is one adult in  
family who is the Sample Adult and the Sample Adult Employment section has  
not been asked  
OR  
Sample Child is in the same family as Sample Adult and there are more than  
one adults in the family and the Sample Adult FEM section has not been  
asked  
OR  
Sample Child is in the same family as Sample Adult and there are more than  
one adults in the family and the Sample Adult FEM section was asked but has  
don't know/refused responses for all questions and the sample adult isn't the  
sample child respondent.

<b>Question Text:</b>	<b>Now I have a few questions about ^youandothfam. ♦ Enter '1' to continue.</b>
<b>Response:</b>	1. Enter 1 to Continue
<b>Fills:</b>	<pre> ^youandothfam      IF LNO_SCRESP &lt;&gt; PX_A OR                     ( LNO_SCRESP = PX_A AND ( (SARESPSC_FLG                     &lt;&gt; 1 AND EMP_FLG_A=2) OR (EMP_FLG_A =                     EMPTY) ) )THEN                     fill: "you"                     ENDIF                      IF PCNT18UP_C &gt;= 2 THEN                     IF fill = EMPTY THEN                     fill: "other members of your family"                     ELSEIF (PCNT18UP_C = 2 AND (                     (SAMEFAM_FLG &lt;&gt; 1) OR ( (SAMEFAM_FLG = 1)                     AND ( (SARESPSC_FLG &lt;&gt; 1 AND                     EMP_FLG_A=2) OR (EMP_FLG_A = EMPTY) ) ) ) )                     OR (PCNT18UP_C &gt; 2)THEN                     fill: "you and other members of your family"                     ENDIF                     ENDIF </pre>
<b>Skip Instructions:</b>	[goto tblFEM_C]

**Question ID: FEM.0030.00.1**      **Variable name: FEMWORK\_C**      **Interview module: FEM(Child.FEM.tblFEM\_C.bPerson)**

**Inherited Universe:** ((GEN.AGE\_FINAL[PX] GE 18 or Roster.HHC.tblAGE.bPerson.AGE18[PX]=2 or Roster.HHC.tblAGE.bPerson.AGEGUESS[PX]=2) AND (FAMILYC\_FLG[PX]=1) AND (HHSTAT\_A NE 1 OR (HHSTAT\_A=1 AND ((SAMEFAM\_FLG=1 AND SARESPSC\_FLG ne 1 AND EMP\_FLG\_A=2) or SAMEFAM\_FLG=1 AND EMP\_FLG\_A='blank')))) AND ((GEN.PX\_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP\_C gt 0 and NOFAMSC ne 1) AND (((SAMEFAM\_FLG ne 1) OR (SAMEFAM\_FLG=1 and PCNT18UP\_C=1 and EMP\_FLG\_A=blank) OR (SAMEFAM\_FLG=1 and PCNT18UP\_C GT 1 and FEM\_FLG\_A=blank) OR (SAMEFAM\_FLG=1 and PCNT18UP\_C GT 1 and FEM\_FLG\_A=2 and SARESPSC\_FLG ne 1)) AND ((GEN.AGE\_FINAL[PX] GE 18 or Roster.HHC.tblAGE.bPerson.AGE18[PX]=2 or Roster.HHC.tblAGE.bPerson.AGEGUESS[PX]=2)

	<p>AND (FAMILYC_FLG[PX]=1)  AND (HHSTAT_A NE 1 OR (HHSTAT_A=1 AND ((SAMEFAM_FLG=1 AND SARESPSC_FLG ne 1 AND EMP_FLG_A=2) or SAMEFAM_FLG=1 AND EMP_FLG_A='blank'))))</p>
<p><b>Universe Description:</b></p>	<p>(Sample Child is not in the same family as the Sample Adult  OR  Sample Child is in same family as Sample Adult and there is one adult in family who is the Sample Adult and the Sample Adult Employment section has not been asked  OR  Sample Child is in the same family as Sample Adult and there are more than one adults in the family and the Sample Adult FEM section has not been asked  OR  Sample Child is in the same family as Sample Adult and there are more than one adults in the family and the Sample Adult FEM section was asked but has don't know/refused responses for all questions and the sample adult isn't the sample child respondent.)  AND  Person is in Sample Child's family and over the age of 18</p>
<p><b>Question Text:</b></p>	<p><b>^DoesDoyouALIASNAME work for pay at a job or business? ♦ If the respondent says ^heshetheywork, but not for pay, at a family-owned job or business, enter '1' for yes.</b></p>
<p><b>Response:</b></p>	<p>1. Yes  2. No  DK: Don't Know  RF: Refused</p>
<p><b>Fills:</b></p>	<p>^DoesDoyouALIASNAMEIf PX=LNO_SCRESP, fill: "Do you" (that is if the subject of the question is the sample child respondent, fill: "Do you")  else fill: "Does ^ALIASNAME"    ^heshetheywork           elseif GEN.SEX_FINAL=1 fill "he works"  elseif GEN.SEX_FINAL=2 fill "she works"  elseif GEN.SEX_FINAL IN (RF,DK) fill "they work"</p>



<b>Skip Instructions:</b>	<1> [goto FEMWKFT_C] <2,RF,DK> if there is another adult in the family [goto FEMWORK_C] for the next adult 18+ else [goto next section]
---------------------------	---

**Question ID: FEM.0040.00.1**      **Variable name: FEMWKFT\_C**      **Interview module: FEM(Child.FEM.tblFEM\_C.bPerson)**

**Inherited Universe:** ((GEN.AGE\_FINAL[PX] GE 18 or Roster.HHC.tblAGE.bPerson.AGE18[PX]=2 or Roster.HHC.tblAGE.bPerson.AGEGUESS[PX]=2)  
AND (FAMILYC\_FLG[PX]=1)  
AND (HHSTAT\_A NE 1 OR (HHSTAT\_A=1 AND ((SAMEFAM\_FLG=1 AND SARESPSC\_FLG ne 1 AND EMP\_FLG\_A=2) or SAMEFAM\_FLG=1 AND EMP\_FLG\_A='blank')))) AND  
((GEN.PX\_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP\_C gt 0 and NOFAMSC ne 1) AND  
(((SAMEFAM\_FLG ne 1)  
OR  
(SAMEFAM\_FLG=1 and PCNT18UP\_C=1 and EMP\_FLG\_A=blank)  
OR  
(SAMEFAM\_FLG=1 and PCNT18UP\_C GT 1 and FEM\_FLG\_A=blank)  
OR  
(SAMEFAM\_FLG=1 and PCNT18UP\_C GT 1 and FEM\_FLG\_A=2 and SARESPSC\_FLG ne 1)) AND  
((GEN.AGE\_FINAL[PX] GE 18 or Roster.HHC.tblAGE.bPerson.AGE18[PX]=2 or Roster.HHC.tblAGE.bPerson.AGEGUESS[PX]=2)  
AND (FAMILYC\_FLG[PX]=1)  
AND (HHSTAT\_A NE 1 OR (HHSTAT\_A=1 AND ((SAMEFAM\_FLG=1 AND SARESPSC\_FLG ne 1 AND EMP\_FLG\_A=2) or SAMEFAM\_FLG=1 AND EMP\_FLG\_A='blank'))))))

---

**Universe:** FEMWORK\_C=1

---

**Universe Description:** (Sample Child is not in the same family as the Sample Adult  
OR  
Sample Child is in same family as Sample Adult and there is one adult in family who is the Sample Adult and the Sample Adult Employment section has not been asked  
OR  
Sample Child is in the same family as Sample Adult and there are more than one adults in the family and the Sample Adult FEM section has not been asked  
OR  
Sample Child is in the same family as Sample Adult and there are more than one adults in the family and the Sample Adult FEM section was asked but has don't know/refused responses for all questions and the sample adult isn't the sample child respondent.)

AND  
 Person is in Sample Child's family and over the age of 18  
 AND  
 The adult in question works for pay at a job or business

**Question Text:** ^DoesDoyouALIASNAME usually work 35 hours or more per week in total at  
 ^hisheryour job or jobs?

<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^DoesDoyouALIASNAME If PX=LNO_SCRESP, fill: "Do you" (that is if the subject of the question is the sample child respondent, fill: "Do you") else fill: "Does ^ALIASNAME"  ^hisheryour If PX=LNO_SCRESP, fill: "your" (that is, if the subject of the question is the sample child respondent, fill: "your") else if SEX_FINAL[PX] = 1, fill "his" else if SEX_FINAL[PX] = 2, fill "her" else if SEX_FINAL[PX] in (DK,RF), fill "their"
<b>Skip Instructions:</b>	<1,2,RF,DK> if another adult in the family [goto FEMWORK_C] for the next adult 18+ else [goto next section]

**Inherited Universe:** ((SAMEFAM\_FLG=1 and INC\_FLG\_A=blank) or (SAMEFAM\_FLG=1 and INC\_FLG\_A=2 and SARESPSC\_FLG ne 1) or (SAMEFAM\_FLG ne 1)) AND ((GEN.PX\_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP\_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM\_FLG=1 and INC\_FLG\_A=blank) or (SAMEFAM\_FLG=1 and INC\_FLG\_A=2 and SARESPSC\_FLG ne 1) or (SAMEFAM\_FLG ne 1)))

**Universe Description:** Sample Children 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and the Sample Child are in the same family and the Sample Adult is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused

**Question Text:** **The next questions are about your total family income in ^LASTYEAR BEFORE TAXES. Based on questions asked earlier, we have that ^SCNAME's family consists of ^INCINTRO\_C\_fill.** ♦ **Read if necessary:** Income is important in analyzing the health information we collect. For example, with this information, we can learn whether persons in one income group use certain types of medical services more or less often than those in another group. Please be assured that, like all other information you have provided, these answers will remain confidential. ♦ **Enter '1' to continue.**

**Response:** 1. Enter 1 to Continue

**Fills:** ^LASTYEAR Fill year prior to current year

^SCNAME Fill ALIAS of HHSTAT\_C=1

^INCINTRO\_C\_fill For all people with FAMC\_REL\_FLG =1 OR (SAME\_REL\_FLG=1 for SC and tblRelate\_SA.bPerson.RELATE in (1-13,DK,RF)) OR (FAMA\_REL\_FLG=1 and 1st person in SC's family has tblRelate\_SA.bPerson.RELATE in (1-13,DK,RF), fill with their names.

Description: Person was identified as being in the SC's family at WHOPAR/WHOFOST OR (Sample Child is related to the Sample Adult and person on roster was placed in Sample Adult's family based on answer provided at RELATE), include their name as part of the list of SC's family.

Include sample child on the list.

	<p>If Household Respondent (Roster.HHC.HHRESPAVAIL) is on list of names, fill "you" for name and place name at the beginning of the list.</p> <p>Include the word "and" before the last name on the list.</p>
<b>Skip Instructions:</b>	<1> [goto INCWRKO_C]

<b>Question ID: INC.0020.00.1</b>	<b>Variable name: INCWRKO_C</b>	<b>Interview module: INC(Child.INC)</b>
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))
<b>Universe Description:</b>	Sample Children 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and the Sample Child are in the same family and the Sample Adult is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused
<b>Question Text:</b>	<b>In ^LASTYEAR, did ^YOUFAM18YRS_C receive income from wages, salaries, commissions, bonuses, tips, or self-employment? ♦ Read if necessary:</b> For the purpose of this survey, ^SCNAME's family includes ^FAMVERSC_fill
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused

<b>Fills:</b>	<p><b>^YOUFAM18YRS_C</b> If GEN.PCNT18UP_C=1 fill "you" else if GEN.PCNT18UP_C GT 1 fill "you or any family members 18 or older"</p> <p><b>^SCNAME</b> Fill ALIAS of HHSTAT_C=1</p> <p><b>^FAMVERSC_fill</b> Loop through all persons on roster and add to list of names if FAMILYC_flg = 1</p> <p>Do not include Sample Child on list.</p> <p>If Household Respondent (Roster.HHC.HHRESPAVAIL) is on list of names, fill "you" for name and place name at the beginning of the list.</p> <p>If only one person on the list of names and person ne Roster.HHC.HHRESPAVAIL, follow list with "is".</p> <p>If more than one person on the list or only one person on list and person is Household Respondent (Roster.HHC.HHRESPAVAIL), follow list with "are".</p> <p><b>^LASTYEAR</b> Fill year prior to current year</p>
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto INCINTER_C]

**Question ID:** INC.0030.00.1      **Variable name:** INCINTER\_C      **Interview module:** INC(Child.INC)

**Inherited Universe:** ((SAMEFAM\_FLG=1 and INC\_FLG\_A=blank) or (SAMEFAM\_FLG=1 and INC\_FLG\_A=2 and SARESPSC\_FLG ne 1) or (SAMEFAM\_FLG ne 1)) AND ((GEN.PX\_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP\_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM\_FLG=1 and INC\_FLG\_A=blank) or (SAMEFAM\_FLG=1 and INC\_FLG\_A=2 and SARESPSC\_FLG ne 1) or (SAMEFAM\_FLG ne 1)))

**Universe Description:** Sample Children 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and the Sample Child are in the same family and the Sample Adult is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused

**Question Text:** In ^LASTYEAR, did ANY FAMILY MEMBERS receive income from interest-bearing accounts or investments, dividends from stocks or mutual funds, net rental income, royalty income, or income from estates and trusts?

<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^LASTYEAR                      Fill year prior to current year
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto INCSSRR_C]

<b>Question ID:</b> INC.0031.00.1	<b>Variable name:</b> INCSSRR_C	<b>Interview module:</b> INC(Child.INC)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))
<b>Universe:</b>	INCWRKO_C IN (1,2,DK) or INCINTER_C in (1,2,DK)
<b>Universe Description:</b>	Sample Children 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and the Sample Child are in the same family and the Sample Adult is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused and both the income from wages and income from accounts questions have not been refused
<b>Question Text:</b>	♦ <a href="#">Read if necessary:</a> In ^LASTYEAR, did ^YOUFAMHERE_C receive... <b>Income from Social Security or Railroad Retirement?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused

<b>Fills:</b>	^LASTYEAR                      Fill year prior to current year  ^YOUFAMHERE_C                If GEN.PCNT_C=2 fill "you" else if GEN.PCNT_C GT2 fill "you or any family members"
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto INCSSISSDI_C]

<b>Question ID:</b> INC.0040.00.1	<b>Variable name:</b> INCSSISSDI_C	<b>Interview module:</b> INC(Child.INC)
-----------------------------------	------------------------------------	---

<b>Inherited Universe:</b>	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))
<b>Universe:</b>	INCWRKO_C IN (1,2,DK) or INCINTER_C in (1,2,DK)
<b>Universe Description:</b>	Sample Children 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and the Sample Child are in the same family and the Sample Adult is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused and both the income from wages and income from accounts questions have not been refusedv
<b>Question Text:</b>	♦ <b>Read if necessary:</b> In ^LASTYEAR, did ANY FAMILY MEMBERS receive... <b>Supplemental Security Income, SSI, or Social Security Disability Income, SSDI, which are different from Social Security?</b>
<b>Response:</b>	1.        Yes 2.        No DK:      Don't Know RF:      Refused

<b>Fills:</b>	^LASTYEAR	Fill year prior to current year
<b>Skip Instructions:</b>	<1> [goto SSISSDIBTH_C] <2,RF,DK> [goto INCWELF_C]	

**Question ID:** INC.0050.00.1      **Variable name:** SSISSDIBTH\_C      **Interview module:** INC(Child.INC)

<b>Inherited Universe:</b>	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))
<b>Universe:</b>	INCSSISSDI_C=1
<b>Universe Description:</b>	Sample Children 0-17 where someone in the family gets SSI or SSDI and Sample Child INC section has not been completed OR the Sample Adult and Sample Child are in the same family and the person who answered the Sample Adult questions is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused OR the Sample Adult and Sample Child are not in the same family
<b>Question Text:</b>	<b>Was this Supplemental Security Income, SSI, Social Security Disability Income, SSDI, or both?</b>
<b>Response:</b>	1. SSI 2. SSDI 3. Both SSI and SSDI DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto SSISSDIDSB_C]



Question ID: INC.0060.00.1

Variable name: SSISSDIDSB\_C

Interview module: INC(Child.INC)

<b>Inherited Universe:</b>	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))
<b>Universe:</b>	INCSSISSDI_C=1
<b>Universe Description:</b>	Sample Children 0-17 living in families where someone in the family gets SSI or SSDI and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the person who answered the Sample Adult questions is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused
<b>Question Text:</b>	<b>Was this received as a disability benefit?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<1> [goto SSISSDIP_C] <2,RF,DK> [goto INCWELF_C]

Question ID: INC.0070.00.1

Variable name: SSISSDIP\_C

Interview module: INC(Child.INC)

**Inherited Universe:** ((SAMEFAM\_FLG=1 and INC\_FLG\_A=blank) or (SAMEFAM\_FLG=1 and INC\_FLG\_A=2 and SARESPSC\_FLG ne 1) or (SAMEFAM\_FLG ne 1)) AND ((GEN.PX\_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP\_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM\_FLG=1 and INC\_FLG\_A=blank) or (SAMEFAM\_FLG=1 and INC\_FLG\_A=2 and SARESPSC\_FLG ne 1) or (SAMEFAM\_FLG ne 1)))

**Universe:** INCSSISSDI\_C=1 and SSISSDIDSB\_C=1

**Universe Description:** Sample Children 0-17 with more than one person in the family where someone in the family gets SSI or SSDI and SSI/SSDI was received as a disability benefit and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the person who answered the Sample Adult

questions is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused

**Question Text:** In ^LASTYEAR, who received this disability benefit? ♦ Read if necessary: Do NOT include a benefit received on behalf of someone else. ♦ Enter all that apply, separate with commas.

- Response:**
- 01. ^ALIASNAME[1]
  - 02. ^ALIASNAME[2]
  - 03. ^ALIASNAME[3]
  - 04. ^ALIASNAME[4]
  - 05. ^ALIASNAME[5]
  - 06. ^ALIASNAME[6]
  - 07. ^ALIASNAME[7]
  - 08. ^ALIASNAME[8]
  - 09. ^ALIASNAME[9]
  - 10. ^ALIASNAME[10]
  - 11. ^ALIASNAME[11]
  - 12. ^ALIASNAME[12]
  - 13. ^ALIASNAME[13]
  - 14. ^ALIASNAME[14]
  - 15. ^ALIASNAME[15]
  - 16. ^ALIASNAME[16]
  - 17. ^ALIASNAME[17]
  - 18. ^ALIASNAME[18]
  - 19. ^ALIASNAME[19]
  - 20. ^ALIASNAME[20]
  - 21. ^ALIASNAME[21]
  - 22. ^ALIASNAME[22]
  - 23. ^ALIASNAME[23]
  - 24. ^ALIASNAME[24]
  - 25. ^ALIASNAME[25]
  - DK: Don't Know
  - RF: Refused

**Fills:** ^LASTYEAR                      Fill year prior to current year

<b>Skip Instructions:</b>	<1-25,RF,DK> [goto INCWELF_C]
---------------------------	-------------------------------

<b>Question ID:</b> INC.0090.00.1	<b>Variable name:</b> INCWELF_C	<b>Interview module:</b> INC(Child.INC)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))
<b>Universe:</b>	INCWRKO_C IN (1,2,DK) or INCINTER_C in (1,2,DK)
<b>Universe Description:</b>	Sample Children 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and the Sample Child are in the same family and the Sample Adult is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused and both the income from wages and income from accounts questions have not been refused
<b>Question Text:</b>	<b>In ^LASTYEAR, did ^YOUFAMHERE_C receive... Any public assistance or welfare payments from the state or local welfare office?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	^LASTYEAR            Fill year prior to current year  ^YOUFAMHERE_C      If GEN.PCNT_C=2 fill "you" else if GEN.PCNT_C GT2 fill "you or any family members"

<b>Skip Instructions:</b>	<1,2,RF,DK> [goto INCRETIRE_C]
---------------------------	--------------------------------

<b>Question ID:</b> INC.0100.00.1	<b>Variable name:</b> INCRETIRE_C	<b>Interview module:</b> INC(Child.INC)
-----------------------------------	-----------------------------------	---

<b>Inherited Universe:</b>	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))	
<b>Universe:</b>	INCWRKO_C IN (1,2,DK) or INCINTER_C in (1,2,DK)	
<b>Universe Description:</b>	Sample Children 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and the Sample Child are in the same family and the Sample Adult is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused and both the income from wages and income from accounts questions have not been refused	
<b>Question Text:</b>	♦ <b>Read if necessary:</b> In ^LASTYEAR, did ^YOUFAMHERE_C receive... <b>Income from retirement, survivor, or disability pensions?</b>	
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused	
<b>Fills:</b>	^LASTYEAR                      Fill year prior to current year  ^YOUFAMHERE_C                If GEN.PCNT_C=2 fill "you" else if GEN.PCNT_C GT2 fill "you or any family members"	

<b>Skip Instructions:</b>	<1,2,RF,DK> [goto INCOTHR_C]
---------------------------	------------------------------

<b>Question ID:</b> INC.0110.00.1	<b>Variable name:</b> INCOTHR_C	<b>Interview module:</b> INC(Child.INC)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))	
<b>Universe:</b>	INCWRKO_C IN (1,2,DK) or INCINTER_C in (1,2,DK)	
<b>Universe Description:</b>	Sample Children 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and the Sample Child are in the same family and the Sample Adult is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused and both the income from wages and income from accounts questions have not been refused	
<b>Question Text:</b>	* <b>Read if necessary:</b> In ^LASTYEAR, did ^YOUFAMHERE_C receive... <b>Any other sources of income such as VA payments from the Veterans Benefits Administration, unemployment compensation, child support, or alimony?</b>	
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused	
<b>Fills:</b>	^LASTYEAR	Fill year prior to current year
	^YOUFAMHERE_C	If GEN.PCNT_C=2 fill "you" else if GEN.PCNT_C GT2 fill "you or any family members"

<b>Skip Instructions:</b>	<1,2,RF,DK> [goto INCTOTAL_C]
---------------------------	-------------------------------

<b>Question ID:</b> INC.0120.00.1	<b>Variable name:</b> INCTOTAL_C	<b>Interview module:</b> INC(Child.INC)
-----------------------------------	----------------------------------	---

<b>Inherited Universe:</b>	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))
<b>Universe:</b>	INCWRKO_C IN (1,2,DK) or INCINTER_C in (1,2,DK)
<b>Universe Description:</b>	Sample Children 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and the Sample Child are in the same family and the Sample Adult is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused and both the income from wages and income from accounts questions have not been refused
<b>Question Text:</b>	<b>When answering this next question, please remember to include your income PLUS the income of all family members living in this household. What is your best estimate of the total income of all family members from all sources, before taxes, in the last calendar year? ♦ Enter '999995' if the reported income is \$999,995 or greater.</b>
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<0-999> [goto ERR1_INCTOTAL_C] <250001-999995> [goto ERR2_INCTOTAL_C] <1000-250000> [goto next section] <RF,DK> [goto INC250PCT_C]

**Check Name: ERR1\_INCTOTAL\_C**

<b>Text:</b>	{signal ERR1_INCTOTAL_C} *Do not read to the respondent. * ^INCTOTAL_C is unusually low. Make corrections if necessary.
<b>Hard / Soft Edit:</b>	Soft
<b>Fills:</b>	^INCTOTAL_C                  Fill value from INCTOTAL_C
<b>Inherited Universe:</b>	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))
<b>Universe:</b>	INCTOTAL_C=0-999

**Check Name: ERR2\_INCTOTAL\_C**

<b>Text:</b>	{signal ERR2_INCTOTAL_C} *Do not read to the respondent. * ^INCTOTAL_C is unusually high. Make corrections if necessary.
<b>Hard / Soft Edit:</b>	Soft
<b>Fills:</b>	^INCTOTAL_C                  Fill value from INCTOTAL_C
<b>Inherited Universe:</b>	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))
<b>Universe:</b>	INCTOTAL_C=250001-999995

<b>Inherited Universe:</b>	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))
<b>Universe:</b>	INCTOTAL_C IN (DK,RF)
<b>Universe Description:</b>	Sample Children 0-17 who don't know or refuse the total family income and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and the Sample Child are in the same family and the Sample Adult is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused
<b>Question Text:</b>	<b>Was your total family income from all sources less than ^250POVERTY_C or ^250POVERTY_C or more?</b>
<b>Response:</b>	1. Less than ^250POVERTY_C 2. ^250POVERTY_C or more DK: Don't Know RF: Refused
<b>Fills:</b>	^250POVERTY_C      Fill value stored in Child.INC.INC250PCT_C
<b>Skip Instructions:</b>	<1> [goto INC138PCT_C] <2> if GEN.PCNT_C=2 and GEN.PCNT66UP_C ge 1 [goto INC75K_C]; else if GEN.PCNT_C=4 OR GEN.PCNT_C ge 6 [goto INC400PCT_C]; else if (GEN.PCNT_C=2 and GEN.PCNT66UP_C=0) or GEN.PCNT_C IN (3,5) [goto INC100K_C] <RF,DK> [goto next section]



<b>Inherited Universe:</b>	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))
<b>Universe:</b>	INC250PCT_C=1
<b>Universe Description:</b>	Sample Children 0-17 answered less than 250% of poverty threshold and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and the Sample Child are in the same family and the Sample Adult is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused
<b>Question Text:</b>	<b>Was your total family income from all sources less than ^138POVERTY_C or ^138POVERTY_C or more?</b>
<b>Response:</b>	1. Less than ^138POVERTY_C 2. ^138POVERTY_C or more DK: Don't Know RF: Refused
<b>Fills:</b>	^138POVERTY_C      Fill value stored in Child.INC.INC138PCT_C
<b>Skip Instructions:</b>	<1> [goto INC100PCT_C] <2> [goto INC200PCT_C] <RF,DK> [goto next section]

<b>Inherited Universe:</b>	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))
<b>Universe:</b>	INC138PCT_C=1
<b>Universe Description:</b>	Sample Children 0-17 who answered less than 138% of poverty threshold and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and the Sample Child are in the same family and the Sample Adult is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused
<b>Question Text:</b>	<b>Was your total family income from all sources less than ^100POVERTY_C or ^100POVERTY_C or more?</b>
<b>Response:</b>	1. Less than ^100POVERTY_C 2. ^100POVERTY_C or more DK: Don't Know RF: Refused
<b>Fills:</b>	^100POVERTY_C      Fill value stored in Child.INC.INC100PCT_C
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto next section]

<b>Inherited Universe:</b>	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))
<b>Universe:</b>	INC138PCT_C=2
<b>Universe Description:</b>	Sample Children 0-17 who answered 138% of poverty or more and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and the Sample Child are in the same family and the Sample Adult is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused
<b>Question Text:</b>	<b>Was your total family income from all sources less than ^200POVERTY_C or ^200POVERTY_C or more?</b>
<b>Response:</b>	1. Less than ^200POVERTY_C 2. ^200POVERTY_C or more DK: Don't Know RF: Refused
<b>Fills:</b>	^200POVERTY_C      Fill value stored in Child.INC.INC200PCT_C
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto next section]

<b>Inherited Universe:</b>	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))
<b>Universe:</b>	INC250PCT_C=2 and GEN.PCNT_C=2 and GEN.PCNT66UP_C ge 1
<b>Universe Description:</b>	Sample Children 0-17 who answered 250% of poverty threshold or more and are from a 2 person family where the adult is 66 years of age or older and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and the Sample Child are in the same family and the Sample Adult is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused
<b>Question Text:</b>	<b>Was your total family income from all sources less than \$75,000 or \$75,000 or more?</b>
<b>Response:</b>	1. Less than \$75,000 2. \$75,000 or more DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<1> [goto INC400PCT_C] <2> [goto INC100K_C] <RF,DK> [goto next section]

<b>Inherited Universe:</b>	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))
<b>Universe:</b>	INC75K_C=2 or (INC250PCT_C=2 and (GEN.PCNT_C IN (3,5) or (GEN.PCNT_C=2 and GEN.PCNT66UP_C =0)))
<b>Universe Description:</b>	Sample Children 0-17 who answered \$75,000 or more OR answered 250% of poverty threshold or more and are from a 3 or 5 person family or are from 2 person family and the adult is less than 66 years of age and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and the Sample Child are in the same family and the Sample Adult is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused
<b>Question Text:</b>	<b>Was your total family income from all sources less than \$100,000 or \$100,000 or more?</b>
<b>Response:</b>	1. Less than \$100,000 2. \$100,000 or more DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<1> if GEN.PCNT_C IN (2,5) [goto next section] else if GEN.PCNT_C=3 [goto INC400PCT_C] <2> if GEN.PCNT_C IN (2,3) [goto INC150K_C] else if GEN.PCNT_C=5 [goto INC400PCT_C] <RF,DK> [goto next section]

<b>Inherited Universe:</b>	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))
<b>Universe:</b>	(INC75K_C=1 or (INC100K_C=1 and GEN.PCNT_C=3) or (INC100K_C=2 and GEN.PCNT_C=5 or (INC250PCT_C=2 and (GEN.PCNT_C=4 or GEN.PCNT_C ge 6))))
<b>Universe Description:</b>	Sample Children 0-17 who answered less than \$75,000 OR answered less than \$100,000 and are from a 3 person family OR answered \$100,000 or more and from a 5 person family OR answered 250% of poverty threshold or more and are from a 4 or 6+ person family and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and the Sample Child are in the same family and the Sample Adult is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused
<b>Question Text:</b>	<b>Was your total family income from all sources less than ^400POVERTY_C or ^400POVERTY_C or more?</b>
<b>Response:</b>	1. Less than ^400POVERTY_C 2. ^400POVERTY_C or more DK: Don't Know RF: Refused
<b>Fills:</b>	^400POVERTY_C      Fill value stored in Child.INC.INC400PCT_C

<b>Skip Instructions:</b>	<p>&lt;1&gt; if GEN.PCNT_C=8 [goto INC150K_C]  else [goto next section]  &lt;2&gt; if GEN.PCNT_C IN (2,3,6,7) or GEN.PCNT_C ge 9[goto next section]  else if GEN.PCNT_C IN (4,5) [goto INC150K_C]  &lt;RF,DK&gt; [goto next section]</p>
---------------------------	--

<b>Question ID:</b> INC.0210.00.1	<b>Variable name:</b> INC150K_C	<b>Interview module:</b> INC(Child.INC)
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))
<b>Universe:</b>	(INC100K_C=2 and GEN.PCNT_C IN (2,3)) or (INC400PCT_C=2 and GEN.PCNT_C IN (4,5)) or (INC400PCT_C=1 and GEN.PCNT_C=8)
<b>Universe Description:</b>	Sample Children 0-17 who answered \$100,000 or more and are from 2 or 3 person family OR answered 400% of poverty threshold or more and are from 4 or 5 person family OR answered less than 400% of poverty threshold and are from a family of 8 persons and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and the Sample Child are in the same family and the Sample Adult is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused
<b>Question Text:</b>	<b>Was your total family income from all sources less than \$150,000 or \$150,000 or more?</b>
<b>Response:</b>	1. Less than \$150,000 2. \$150,000 or more DK: Don't Know RF: Refused

<b>Skip Instructions:</b>	<1,2,RF,DK> [goto next section]
---------------------------	---------------------------------

<b>Question ID:</b> FOO.0010.00.1	<b>Variable name:</b> FSNAP12M_C	<b>Interview module:</b> FOO(Child.FOO)
-----------------------------------	----------------------------------	---

**Inherited Universe:** (FINISH\_FOO\_C ne 1) AND  
 ((GEN.PX\_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and  
 PCNT ge 2 and PCNT18UP\_C gt 0 and NOFAMSC ne 1) AND  
 (FINISH\_FOO\_C ne 1))

**Universe:** ((GEN.SAMEFAM\_FLG=1 and GEN.FOO\_FLG\_A=blank) or  
 (GEN.SAMEFAM\_FLG ne 1) or (GEN.SAMEFAM\_FLG=1 and  
 GEN.FOO\_FLG\_A=2 and GEN.SARESPSC\_FLG NE 1))

**Universe Description:** Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FOO section has not been completed OR the Sample Adult and Sample Child are not in the same family OR Sample Adult and Sample Child are in the same family and Sample Adult FOO section was not the Sample Child respondent and this person answered all questions asked in the FOO section with RF or DK.

**Question Text:** **At any time in the last 12 months did any family members living here receive ^FSSNAPNM?** \* [Read if necessary:](#) This program puts money on a SNAP EBT card that you can only use to buy food.

- Response:**
- 1. Yes
  - 2. No
  - DK: Don't Know
  - RF: Refused

**Fills:** ^FSSNAPNM

- If AL then fill "Food Assistance Program or food stamp benefits"
- If AK then fill "SNAP or food stamp benefits"
- If AZ then fill "Nutrition Assistance or food stamp benefits"
- If AR then fill "SNAP or food stamp benefits"
- If CA then fill "CalFresh or food stamp benefits"
- If CO then fill "SNAP or food stamp benefits"
- If CT then fill "SNAP or food stamp benefits"
- If DE then fill "Food Supplement Program or food stamp benefits"
- If DC then fill "SNAP or food stamp benefits"
- If FL then fill "Food Assistance Program or food stamp benefits"
- If GA then fill "Georgia Food Stamp Program or food stamp benefits"
- If HI then fill "SNAP or food stamp benefits"



If ID then fill "SNAP or food stamp benefits"  
If IL then fill "SNAP or food stamp benefits"  
If IN then fill "SNAP or food stamp benefits"  
If IA then fill "Food Assistance Program or food stamp benefits"

If KS then fill "Food Assistance Program or food stamp benefits"  
If KY then fill "SNAP or food stamp benefits"  
If LA then fill "SNAP or food stamp benefits"  
If ME then fill "Food Supplement Program or food stamp benefits"  
If MD then fill "SNAP or food stamp benefits"  
If MA then fill "SNAP or food stamp benefits"  
If MI then fill "Food Assistance Program (FSP) or food stamp benefits"  
If MN then fill "SNAP or food stamp benefits"  
If MS then fill "SNAP or food stamp benefits"  
If MO then fill "Food Stamp Program (FSP) or food stamp benefits"  
If MT then fill "SNAP or food stamp benefits"  
If NE then fill "SNAP or food stamp benefits"  
If NV then fill "SNAP or food stamp benefits"  
If NH then fill "SNAP or food stamp benefits"  
If NJ then fill "NJ SNAP or food stamp benefits"  
If NM then fill "SNAP or food stamp benefits"  
If NY then fill "SNAP or food stamp benefits"  
If NC then fill "Food and Nutrition Services or food stamp benefits"  
If ND then fill "SNAP or food stamp benefits"  
If OH then fill "SNAP or food stamp benefits"  
If OK then fill "SNAP or food stamp benefits"  
If OR then fill "SNAP or food stamp benefits"  
If PA then fill "SNAP or food stamp benefits"  
If RI then fill "SNAP or food stamp benefits"  
If SC then fill "SNAP or food stamp benefits"  
If SD then fill "SNAP or food stamp benefits"  
If TN then fill "SNAP or food stamp benefits"  
If TX then fill "SNAP or food stamp benefits"  
If UT then fill "SNAP or food stamp benefits"  
If VT then fill "3SquaresVT or food stamp benefits"  
If VA then fill "SNAP or food stamp benefits"  
If WA then fill "Basic Food or food stamp benefits"  
If WV then fill "SNAP or food stamp benefits"  
If WI then fill "FoodShare Wisconsin or food stamp benefits"  
If WY then fill "SNAP or food stamp benefits"

<b>Skip Instructions:</b>	<1> [goto FSNAP30D_C] <2,RF,DK> if PCNTF1255_C GE 1 or PCNTC05_C GE 1, [goto FWIC12M_C] else if PCNTC517_C GE 1 [goto FLUNCH12M_C] else [goto FINISH_FOO_C]
---------------------------	--

**Question ID:** FOO.0020.00.3      **Variable name:** FSNAP30D\_C      **Interview module:** FOO(Child.FOO)

**Inherited Universe:** (FINISH\_FOO\_C ne 1) AND  
 ((GEN.PX\_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and  
 PCNT ge 2 and PCNT18UP\_C gt 0 and NOFAMSC ne 1) AND  
 (FINISH\_FOO\_C ne 1))

**Universe:** FSNAP12M\_C=1

**Universe Description:** Sample Child 0-17 and someone in the family received food stamps in the past 12 months

**Question Text:** **Did any family members living here receive ^FSSNAPNM in the LAST 30 days? \***  
[Read if necessary:](#) This program puts money on a SNAP EBT card that you can only use to buy food.

- Response:**
- 1. Yes
  - 2. No
  - DK: Don't Know
  - RF: Refused

**Fills:** ^FSSNAPNM

- If AL then fill "Food Assistance Program or food stamp benefits"
- If AK then fill "SNAP or food stamp benefits"
- If AZ then fill "Nutrition Assistance or food stamp benefits"
- If AR then fill "SNAP or food stamp benefits"
- If CA then fill "CalFresh or food stamp benefits"
- If CO then fill "SNAP or food stamp benefits"
- If CT then fill "SNAP or food stamp benefits"
- If DE then fill "Food Supplement Program or food stamp benefits"
- If DC then fill "SNAP or food stamp benefits"
- If FL then fill "Food Assistance Program or food stamp benefits"
- If GA then fill "Georgia Food Stamp Program or food stamp benefits"
- If HI then fill "SNAP or food stamp benefits"
- If ID then fill "SNAP or food stamp benefits"
- If IL then fill "SNAP or food stamp benefits"
- If IN then fill "SNAP or food stamp benefits"

If IA then fill "Food Assistance Program or food stamp benefits"

If KS then fill "Food Assistance Program or food stamp benefits"

If KY then fill "SNAP or food stamp benefits"

If LA then fill "SNAP or food stamp benefits"

If ME then fill "Food Supplement Program or food stamp benefits"

If MD then fill "SNAP or food stamp benefits"

If MA then fill "SNAP or food stamp benefits"

If MI then fill "Food Assistance Program (FSP) or food stamp benefits"

If MN then fill "SNAP or food stamp benefits"

If MS then fill "SNAP or food stamp benefits"

If MO then fill "Food Stamp Program (FSP) or food stamp benefits"

If MT then fill "SNAP or food stamp benefits"

If NE then fill "SNAP or food stamp benefits"

If NV then fill "SNAP or food stamp benefits"

If NH then fill "SNAP or food stamp benefits"

If NJ then fill "NJ SNAP or food stamp benefits"

If NM then fill "SNAP or food stamp benefits"

If NY then fill "SNAP or food stamp benefits"

If NC then fill "Food and Nutrition Services or food stamp benefits"

If ND then fill "SNAP or food stamp benefits"

If OH then fill "SNAP or food stamp benefits"

If OK then fill "SNAP or food stamp benefits"

If OR then fill "SNAP or food stamp benefits"

If PA then fill "SNAP or food stamp benefits"

If RI then fill "SNAP or food stamp benefits"

If SC then fill "SNAP or food stamp benefits"

If SD then fill "SNAP or food stamp benefits"

If TN then fill "SNAP or food stamp benefits"

If TX then fill "SNAP or food stamp benefits"

If UT then fill "SNAP or food stamp benefits"

If VT then fill "3SquaresVT or food stamp benefits"

If VA then fill "SNAP or food stamp benefits"

If WA then fill "Basic Food or food stamp benefits"

If WV then fill "SNAP or food stamp benefits"

If WI then fill "FoodShare Wisconsin or food stamp benefits"

If WY then fill "SNAP or food stamp benefits"

<b>Skip Instructions:</b>	<1,2,RF,DK> if PCNTF1255_C GE 1 or PCNTC05_C GE 1, [goto FWIC12M_C] else if PCNTC517_C GE 1 [goto FLUNCH12M_C] else [goto FINISH_FOO_C]
---------------------------	---

**Question ID: FOO.0030.00.1**      **Variable name: FWIC12M\_C**      **Interview module: FOO(Child.FOO)**

<b>Inherited Universe:</b>	(FINISH_FOO_C ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (FINISH_FOO_C ne 1))
<b>Universe:</b>	(PCNTF1255_C ge 1 or PCNTC05_C ge 1) AND ((GEN.SAMEFAM_FLG=1 and GEN.FOO_FLG_A=blank) or (GEN.SAMEFAM_FLG ne 1) or (GEN.SAMEFAM_FLG=1 and GEN.FOO_FLG_A=2 and GEN.SARESPSC_FLG ne 1) or (GEN.SAMFAM_FLG=1 and GEN.FOO_FLG_A=1 and Adult.FOO.FWIC12M_A = EMPTY))
<b>Universe Description:</b>	Sample Children 0-17 living in families with females 12-55 years of age or children 0-5 years of age and Sample Adult and Sample Child are in the same family and the Sample Adult FOO section has not been completed OR the Sample Adult and Sample Child are not in the same family OR Sample Adult and Sample Child are in the same family and Sample Adult FOO section was asked to someone other than the Sample Child respondent and this person answered all questions asked in the FOO section with RF or DK.
<b>Question Text:</b>	<b>At any time in the last 12 months did any family members living here receive benefits from the WIC program, that is, the Women, Infants, and Children program?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused

<b>Skip Instructions:</b>	<1,2,RF,DK> If PCNTC517_C GE 1 [goto FLUNCH12M_C] else [goto FINISH_FOO_C]
---------------------------	---

Question ID: FOO.0040.00.1      Variable name: FLUNCH12M\_C      Interview module: FOO(Child.FOO)

<b>Inherited Universe:</b>	(FINISH_FOO_C ne 1) AND ((GEN.PX_C gt 0 and PCNTUnder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (FINISH_FOO_C ne 1))
<b>Universe:</b>	PCNTC517_C ge 1 AND ((GEN.SAMEFAM_FLG=1 and GEN.FOO_FLG_A=blank) or (GEN.SAMEFAM_FLG ne 1) or (GEN.SAMEFAM_FLG=1 and GEN.FOO_FLG_A=2 and GEN.SARESPSC_FLG NE 1) or (GEN.SAMFAM_FLG=1 and GEN.FOO_FLG_A=1 and Adult.FOO.FLUNCH12M_A = EMPTY))
<b>Universe Description:</b>	Sample Children living in families with children between the ages of 5-17 and Sample Child are in the same family and the Sample Adult FOO section has not been completed OR the Sample Adult and Sample Child are not in the same family OR Sample Adult and Sample Child are in the same family and Sample Adult FOO section was asked to someone other than the Sample Child respondent and this person answered all questions asked in the FOO section with RF or DK.
<b>Question Text:</b>	<b>At any time in the last 12 months, did ^SCCHILDFAM_C receive free or reduced-cost breakfasts or lunches at school? * Read if necessary:</b> The National School Lunch Program and the School Breakfast Program provide cash assistance to states to operate breakfast and lunch programs in schools and residential childcare institutions. The programs provide low-cost or free breakfasts and lunches to low-income children in kindergarten through 12th grade.
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused

<b>Fills:</b>	^SCCHILDFAM_C if PCNTC517_C=1, fill "^SCNAME", elseif PCNTC517_Cgt 1, fill "any child in your family",
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto FINISH_FOO_C]

Question ID: FOO.0050.00.1	Variable name: FINISH_FOO_C	Interview module: FOO(Child.FOO)
----------------------------	-----------------------------	----------------------------------

<b>Inherited Universe:</b>	(FINISH_FOO_C ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (FINISH_FOO_C ne 1))
<b>Universe:</b>	FOO_FINISH_C = EMPTY AND ((GEN.SAMEFAM_FLG=1 and GEN.FOO_FLG_A=blank) or (GEN.SAMEFAM_FLG ne 1) or (GEN.SAMEFAM_FLG=1 and GEN.FOO_FLG_A=2 and GEN.SARESPSC_FLG NE 1) or (GEN.SAMFAM_FLG=1 and GEN.FOO_FLG_A=1 and Adult.FOO.FWIC12M_A = EMPTY and (PCNTF1255_C ge 1 or PCNTC05_C ge 1)) or (GEN.SAMFAM_FLG=1 and GEN.FOO_FLG_A=1 and Adult.FOO.FLUNCH12M_A = EMPTY and PCNTC517_C ge 1))
<b>Question Text:</b>	◆ The Sample Child food related programs section is now complete. ◆ Enter '1' to continue.
<b>Response:</b>	1. Enter 1 to Continue
<b>Skip Instructions:</b>	<1> [goto next section]

Question ID: FDS.0010.00.3

Variable name: FDSINTRO\_C

Interview module: FDS(Child.FDS)

<b>Inherited Universe:</b>	(((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1))) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1))))
<b>Universe Description:</b>	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent
<b>Question Text:</b>	<b>These next questions are about whether you were always able to afford the food you needed in the last 30 days. I'm going to read you several statements that people have made about their food situation. For these statements, please tell me whether the statement was often true, sometimes true, or never true for your family in the last 30 days. Enter '1' to continue.</b>
<b>Response:</b>	1. Enter 1 to Continue
<b>Skip Instructions:</b>	<1> [goto FDSRUNOUT_C]

Question ID: FDS.0020.00.3

Variable name: FDSRUNOUT\_C

Interview module: FDS(Child.FDS)

**Inherited Universe:** (((SAMEFAM\_FLG=1 and FDS\_FLG\_A=blank) or (SAMEFAM\_FLG ne 1) or (SAMEFAM\_FLG=1 and FDS\_FLG\_A=2 and SARESPSC\_FLG ne 1))) AND ((GEN.PX\_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP\_C gt 0 and NOFAMSC ne 1) AND (((SAMEFAM\_FLG=1 and FDS\_FLG\_A=blank) or (SAMEFAM\_FLG ne 1) or (SAMEFAM\_FLG=1 and FDS\_FLG\_A=2 and SARESPSC\_FLG ne 1))))

**Universe Description:** Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent

**Question Text:** **The first statement is "We worried whether our food would run out before we got money to buy more." Was that often true, sometimes true, or never true for your family in the last 30 days?**

<b>Response:</b>	1. Often true 2. Sometimes true 3. Never true DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto FDSLAST_C]

<b>Question ID: FDS.0030.00.3</b>	<b>Variable name: FDSLAST_C</b>	<b>Interview module: FDS(Child.FDS)</b>
-----------------------------------	---------------------------------	---

<b>Inherited Universe:</b>	(((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1))) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1))))
<b>Universe Description:</b>	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent
<b>Question Text:</b>	<b>"The food that we bought just didn't last, and we didn't have money to get more." Was that often true, sometimes true, or never true for your family in the last 30 days?</b>
<b>Response:</b>	1. Often true 2. Sometimes true 3. Never true DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<1-3,RF,DK> [goto FDSBALANCE_C]



<b>Inherited Universe:</b>	((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1))) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1))))
<b>Universe Description:</b>	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent
<b>Question Text:</b>	<b>"We couldn't afford to eat balanced meals." Was that often true, sometimes true, or never true for your family in the last 30 days?</b>
<b>Response:</b>	<ul style="list-style-type: none"> <li>1. Often true</li> <li>2. Sometimes true</li> <li>3. Never true</li> <li>DK: Don't Know</li> <li>RF: Refused</li> </ul>
<b>Skip Instructions:</b>	<1-2> [goto FDSSKIP_C] <3,RF,DK> if FDSRUNOUT_C IN (1,2) OR FDSLAST_C IN (1,2) [goto FDSSKIP_C]; else [goto next section]

<b>Inherited Universe:</b>	(((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1))) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1))))	
<b>Universe:</b>	FDSRUNOUT_C IN (1,2) or FDSLAST_C IN (1,2) or FDSBALANCE_C IN (1,2)	
<b>Universe Description:</b>	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.	
<b>Question Text:</b>	<b>In the last 30 days, did ^youorother_C ever cut the size of your meals or skip meals because there wasn't enough money for food?</b>	
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused	
<b>Fills:</b>	^youorother_C	If PCNT18UP_C=1 fill "you" else fill: "you or other adults in your family"
	^dejar_C	Spanish Only

<b>Skip Instructions:</b>	<1> [goto FDSSKIPDYS_C] <2,RF,DK> [goto FDSLESS_C]
---------------------------	---

**Question ID: FDS.0060.00.3**      **Variable name: FDSSKIPDYS\_C**      **Interview module: FDS(Child.FDS)**

<b>Inherited Universe:</b>	((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1))))
<b>Universe:</b>	FDSSKIP_C = 1
<b>Universe Description:</b>	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent respondent answered they skipped meals due to cost
<b>Question Text:</b>	<b>In the last 30 days, how many days did this happen?</b>
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<1-30,RF,DK> [goto FDSLESS_C]

<b>Inherited Universe:</b>	(((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1))) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1))))	
<b>Universe:</b>	(FDSRUNOUT_C IN (1,2) or FDSLAST_C IN (1,2) or FDSBALANCE_C IN (1,2))	
<b>Universe Description:</b>	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.	
<b>Question Text:</b>	<b>In the last 30 days, did ^youorother_C ever eat less than you felt you should because there wasn't enough money for food?</b>	
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused	
<b>Fills:</b>	^youorother_C If PCNT18UP_C=1 fill "you" else fill: "you or other adults in your family"  ^COMER_C Spanish Only  ^pensar_C Spanish Only	

<b>Skip Instructions:</b>	<1,2,RF,DK> [goto FDSHUNGRY_C]
---------------------------	--------------------------------

<b>Question ID:</b> FDS.0080.00.3	<b>Variable name:</b> FDSHUNGRY_C	<b>Interview module:</b> FDS(Child.FDS)
-----------------------------------	-----------------------------------	---

<b>Inherited Universe:</b>	(((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1))) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1))))	
<b>Universe:</b>	(FDSRUNOUT_C IN (1,2) or FDSLAST_C IN (1,2) or FDSBALANCE_C IN (1,2))	
<b>Universe Description:</b>	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.	
<b>Question Text:</b>	<b>In the last 30 days, were ^youorother_C ever hungry but didn't eat because there wasn't enough money for food?</b>	
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused	
<b>Fills:</b>	^youorother_C If PCNT18UP_C=1 fill "you" else fill: "you or other adults in your family"  ^estar_C Spanish Only  ^COMER_C Spanish Only	

<b>Skip Instructions:</b>	<1,2,RF,DK> [goto FDSWEIGHT_C]
---------------------------	--------------------------------

<b>Question ID:</b> FDS.0090.00.3	<b>Variable name:</b> FDSWEIGHT_C	<b>Interview module:</b> FDS(Child.FDS)
-----------------------------------	-----------------------------------	---

<b>Inherited Universe:</b>	(((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1))) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1))))	
<b>Universe:</b>	(FDSRUNOUT_C IN (1,2) or FDSLAST_C IN (1,2) or FDSBALANCE_C IN (1,2))	
<b>Universe Description:</b>	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.	
<b>Question Text:</b>	<b>In the last 30 days, did ^youorother_C lose weight because there wasn't enough money for food?</b>	
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused	
<b>Fills:</b>	^perder_C Spanish Only  ^youorother_C If PCNT18UP_C=1 fill "you" else fill: "you or other adults in your family"	

<b>Skip Instructions:</b>	<1> [goto FDSNOTEAT_C] <2,RF,DK> if FDSSKIP_C=1 or FDSLESS_C=1 or FDSHUNGRY_C=1 [goto FDSNOTEAT_C]; else [goto next section]
---------------------------	---

Question ID: FDS.0100.00.3      Variable name: FDSNOTEAT\_C      Interview module: FDS(Child.FDS)

<b>Inherited Universe:</b>	(((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1))) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1))))	
<b>Universe:</b>	FDSSKIP_C=1 OR FDSLESS_C=1 OR FDSHUNGRY_C=1 OR FDSWEIGHT_C=1	
<b>Universe Description:</b>	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and respondent answered they cut the size of the meals, skipped meals, were hungry but didn't eat, or lost weight in the last 30 days because there wasn't enough money for food.	
<b>Question Text:</b>	<b>In the last 30 days, did ^youorother_C ever not eat for a whole day because there wasn't enough money for food?</b>	
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused	
<b>Fills:</b>	^pasar_C                      Spanish Only  ^youorother_C                If PCNT18UP_C=1 fill "you" else fill: "you or other adults in your family"	

<b>Skip Instructions:</b>	<1> [goto FDSNEDAYS_C] <2,RF,DK> [goto next section]
---------------------------	---

**Question ID: FDS.0110.00.3**      **Variable name: FDSNEDAYS\_C**      **Interview module: FDS(Child.FDS)**

<b>Inherited Universe:</b>	((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1))) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1))))
<b>Universe:</b>	FDSNOTEAT_C=1
<b>Universe Description:</b>	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and adults in the family have ever not eaten for a whole day because there wasn't enough money for food in the last 30 days
<b>Question Text:</b>	<b>In the last 30 days, how many days did this happen?</b>
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<1-30,RF,DK> [goto next section]



<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	GEN.AGE_FINAL[PX_C] ge 1 and GEN.AGE_FINAL[PX_C] le 17
<b>Universe Description:</b>	Sample Children 1-17
<b>Question Text:</b>	<b>About how long has ^SCNAME lived in this house/apartment?</b>
<b>Response:</b>	1. Less than 1 year 2. 1 to 3 years 3. 4 to 10 years 4. 11 years or more DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1-4,RF,DK> if ((SAMEFAM_FLG=1 and HOU_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and HOU_FLG_A=2 and SARESPSC_FLG ne 1)) [goto HOUTENURE_C] else [goto next section]  If GEN.AGE_FINAL[PX_C] lt 11 and HOUYRSLIV_C=4 [goto ERR1_HOUYRSLIV_C]

## Check Name: ERR1\_HOUYRSLIV\_C

<b>Text:</b>	{check ERR1_HOUYRSLIV_C} Years in house/apartment exceedchild's age. Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	(AGE_FINAL GE 1 AND AGE_FINAL LE 3, and HOUYRSLIV_C in (3,4)) or (AGE_FINAL LE 10, and HOUYRSLIV_C=4)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	((SAMEFAM_FLG=1 and HOU_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and HOU_FLG_A=2 and SARESPSC_FLG ne 1)) )
<b>Universe Description:</b>	Sample Children 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult HOU section has not been completed OR the Sample Adult and Sample Child are not in the same family OR Sample Adult and Sample Child are in the same family and Sample Adult HOU section was asked to someone other than the Sample Child respondent and this person answered all questions asked in the HOU section with RF or DK.
<b>Question Text:</b>	<b>Is this house/apartment owned or rented by you ^SOMEFAM_C? ♦ If house has a mortgage, record as owned.</b>
<b>Response:</b>	1. Owned or being bought 2. Rented 3. Other arrangement DK: Don't Know RF: Refused
<b>Fills:</b>	^SOMEFAM_C            If PCNT_C=2 fill: blank If PCNT_C gt2 fill: "or someone in your family"
<b>Skip Instructions:</b>	<1,3,RF,DK> [goto next section] <2> [got HOUVASST_C]

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	HOUTENURE_C=2 and (((SAMEFAM_FLG=1 and HOU_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and HOU_FLG_A=2 and SARESPSC_FLG ne 1)))
<b>Universe Description:</b>	Sample Children 0-17 living in a house/apartment that is being rented and Sample Adult and Sample Child are in the same family and the Sample Adult HOU section has not been completed OR the Sample Adult and Sample Child are not in the same family OR Sample Adult and Sample Child are in the same family and Sample Adult HOU section was asked to someone other than the Sample Child respondent and this person answered all questions asked in the HOU section with RF or DK.
<b>Question Text:</b>	<b>Is anyone in your family paying lower rent because the Federal, State, or local government is paying part of the cost?</b> ♦ <b>Read if necessary:</b> Federal, State, or Local government housing programs for persons with low income may take many forms. Government housing assistance could come from monetary assistance to help pay rent, a program called "Section 8," direct payments to landlords, vouchers, or other types of assistance from a local housing authority. Living in public housing is considered housing assistance from the government.
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto next section]

Question ID: REC.0010.00.1

Variable name: LNKFNAME\_C

Interview module: REC(Child.REC)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	♦ Ask or verify: What is ^SCNAME's full name? ♦ Enter first name.
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<allow 20,RF,DK> [goto LNKMNAME_C]

Question ID: REC.0020.00.1

Variable name: LNKMNAME\_C

Interview module: REC(Child.REC)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	♦ Enter middle name. ♦ Press "Enter" to skip to last name if child has no middle name.
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<allow 20,RF,DK> [goto LNKLNAME_C]

Question ID: REC.0030.00.1

Variable name: LNKNAME\_C

Interview module: REC(Child.REC)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	♦ Enter last name.
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<allow 20,RF,DK> [goto next section]

Question ID: TEL.0010.00.1

Variable name: TELCURWRK\_C

Interview module: TEL(Child.TEL)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	(SAMEFAM_FLG=1 and TELCURWRK_A=empty) or (SAMEFAM_FLG=1 and TELCURWRK_A IN (DK,RF) and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)
<b>Universe Description:</b>	Sample Children 0-17 who live in the same family as a sample adult, where TELCURWRK_A has not be asked OR who live in the same family as a sample adult, where TELCURWRK_A was answered don't know or refused and the sample child respondent is not the sample adult OR who do not live in the same family as the sample adult
<b>Question Text:</b>	<b>Is there at least one telephone INSIDE ^SCNAME's home that is currently working and is not a cell phone?</b>
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused

<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto PHONELIVE_C]

<b>Question ID:</b> TEL.0020.00.1	<b>Variable name:</b> PHONELIVE_C	<b>Interview module:</b> TEL(Child.TEL)
-----------------------------------	-----------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	TELCEL_A ne 1 and ((SAMEFAM_FLG=1 and PHONELIVE_A=blank) or (SAMEFAM_FLG=1 and PHONELIVE_A IN (DK,RF) and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1))
<b>Universe Description:</b>	Sample Children 0-17 in a family with at least one other person without working cell phones where Sample Adult does not live in same family as Sample Child or Sample Adult and Sample Child are in the same family but PHONELIVE_A has not been asked OR Sample Adult and Sample Child are in the same family, PHONELIVE_A was answered dk/rf and the Sample Adult is not the Sample Child Respondent.
<b>Question Text:</b>	<b>Does ^SCNAME live with anyone who has a working cell phone?</b>
<b>Response:</b>	1.        Yes 2.        No DK:      Don't Know RF:      Refused
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto next section]

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
<b>Universe Description:</b>	Sample Children 0-17	
<b>Question Text:</b>	<p><b>[F1] We would like the last four digits of ^SCNAME's Social Security Number. This information will help us link ^hisher_C survey data with other health-related records of other government agencies, and allow us to conduct additional research without taking up your time with more questions. The National Center for Health Statistics (NCHS) uses this information for research purposes only. Providing this information is voluntary. There will be no effect on ^SCNAME's benefits if you do not provide this information. Federal laws authorize us to ask for this information. Like all other answers you have provided, this information will remain confidential. ♦ Read if necessary:</b> The specific federal laws protecting ^SCNAME's privacy and the confidentiality of ^hisher_C data are the Public Health Service Act (Title 42, U.S.C., Section 242m(d)), the Confidential Information Protection and Statistical Efficiency Act of 2018 (Title III, Public Law No. 115-435), and the Privacy Act of 1974 (5 U.S.C. Â§ 552a). ♦ <b>Read if necessary:</b> NCHS collects health-related data from other government agencies, including records from Medicare and Medicaid Services, Social Security, housing, and death certificates. If you agree, NCHS will attempt to link records such as these with ^SCNAME's survey data to give a fuller picture of the kinds of things that affect health. NCHS does this linkage. ^SCNAME's name and ^hisher_C information are not given to these agencies. ♦ <b>Read if necessary: If asked:</b> ^SCNAME's data will not be linked to records from the IRS (Internal Revenue Service) or ICE (Immigration and Customs Enforcement). <b>Enter '1' to continue.</b></p>	
<b>Response:</b>	1. Enter 1 to Continue	
<b>Fills:</b>	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^hisher_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"

<b>Skip Instructions:</b>	<1> [goto SSN4_C]
---------------------------	-------------------

<b>Question ID:</b> LNK.0020.00.1	<b>Variable name:</b> SSN4_C	<b>Interview module:</b> LNK(Child.LNK)
-----------------------------------	------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
<b>Universe Description:</b>	Sample Children 0-17	
<b>Question Text:</b>	<p><b>?[F1] What are the last four digits of ^SCNAME's Social Security Number?</b>  <b>Read if necessary:</b> Providing this information is voluntary. There will be no effect on ^SCNAME's benefits if you do not provide this information. Federal laws authorize us to ask for this information. Like all other information you have provided, these answers will remain confidential. <b>Read if asked about specific laws:</b> The specific federal laws protecting ^SCNAME's privacy and the confidentiality of ^hisher_C data are the Public Health Service Act, which is Title 42, U.S.C., Section 242m(d); the Confidential Information Protection and Statistical Efficiency Act of 2018, which is Title III, Public Law No. 115-435; and the Privacy Act of 1974, which is 5 U.S.C. Â§ 552a. ♦ <b>Enter 'N' if no Social Security Number.</b></p>	
<b>Response:</b>	DK: Don't Know RF: Refused	
<b>Fills:</b>	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^hisher_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
<b>Skip Instructions:</b>	if SSN4_C=Adult.LNK.SSN4_A [goto ERR1_SSN4_C] elseif SSN4_C=000-999 [goto ERR2_SSN4_C] elseif SSN4_C NOT IN (N,DK,RF,000-999,0001-9999) [goto ERR3_SSN4_C] <0001-9999> [goto THANKS_C] <N,RF,DK> [goto RLINK_C]	



Check Name: ERR1\_SSN4\_C

<b>Text:</b>	{signal ERR1_SSN4_C} * The last four digits of ^SCNAME's Social Security Number are the same as the last four digits of ^SANAME's Social Security Number. Please verify.
<b>Hard / Soft Edit:</b>	Soft
<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1 ^SANAME                      Sample Adult's name
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	Adult.LNK.SSN4_A=SSN4_C
<b>Universe Description:</b>	The sample adult and the sample child's last four digits are the same

Check Name: ERR2\_SSN4\_C

<b>Text:</b>	{check ERR2_SSN4_C} * You must enter all four of the last four digits of the Social Security Number. * Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	SSN4_C=000-999
<b>Universe Description:</b>	Entered less than four digits

**Check Name: ERR3\_SSN4\_C**

<b>Text:</b>	{check ERR3_SSN4_C} * The last 4 digits of a SSN may be between 0001-9999. * For a respondent who does not want to provide the SSN, enter 'Ctrl D' or 'Ctrl R' for 'Don't Know' or 'Refused.' * If a respondent does not have a SSN, enter 'N'. * Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	SSN4_C NOT IN ('N','RF','DK','000-999','0001-9999')
<b>Universe Description:</b>	SSN last four digits are 0000 or a letter other than N

Question ID: LNK.0030.00.1

Variable name: RLINK\_C

Interview module: LNK(Child.LNK)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe:</b>	SSN4_C IN (N,RF,DK)
<b>Universe Description:</b>	Sample child 0-17 where SSN was refused, don't know or not available.
<b>Question Text:</b>	?[F1] <b>May we try to link ^SCNAME's survey data without a Social Security Number?</b> * <b>Read if necessary:</b> Any data obtained are protected by strict federal laws, including the Public Health Service Act, which is Title 42, U.S.C., Section 242m(d); the Confidential Information Protection and Statistical Efficiency Act of 2018, which is Title III, Public Law No. 115-435; and the Privacy Act of 1974, which is 5 U.S.C. Â§ 552a.
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused

<b>Fills:</b>	^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1,2,RF,DK> [goto next section]

<b>Question ID: WEB.0040.00.4</b>	<b>Variable name: TNMODE_C</b>	<b>Interview module: WEB(Child.WEB)</b>
-----------------------------------	--------------------------------	---

<b>Inherited Universe:</b>	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))
<b>Universe Description:</b>	Sample Children 12-17
<b>Question Text:</b>	<a href="#">How are you contacting the respondent?</a>
<b>Response:</b>	1.        Personal visit 2.        Telephone
<b>Skip Instructions:</b>	<1,2> [goto TNINTRO_C]

<b>Question ID: WEB.0050.00.4</b>	<b>Variable name: TNINTRO_C</b>	<b>Interview module: WEB(Child.WEB)</b>
-----------------------------------	---------------------------------	---

**Inherited Universe:** (GEN.QTYPE2=1 and (GEN.AGE\_FINAL ge 012 and GEN.AGE\_FINAL le 017)) AND  
((GEN.PX\_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP\_C gt 0 and NOFAMSC ne 1) AND  
(GEN.QTYPE2=1 and (GEN.AGE\_FINAL ge 012 and GEN.AGE\_FINAL le 017)))

**Universe Description:** Sample Children 12-17

**Question Text:** ? [F1] Thank you for answering questions about ^InitTNFNAME\_C\_fill's health. Before we finish, we would like to ask you for permission to contact ^InitTNFNAME\_C\_fill directly so that ^heshe\_C ^havehas\_SC an opportunity to answer questions about ^hisher\_C own health. With your permission, we will ask ^InitTNFNAME\_C\_fill to complete a quick online survey that takes 15 minutes or less to complete. The majority of the questions are the same or similar to the ones you just answered, but ^InitTNFNAME\_C\_fill may have ^hisher\_C own unique perspectives. That's why we think it is important to give ^himher\_C a chance to tell us about ^hisher\_C health. ^TNINFO This survey includes additional questions about ^InitTNFNAME\_C\_fill's health, health care, physical activities, use of yoga and meditation, demographics, like the race,

ethnicity, and gender that ^InitTNFNAME\_C\_fill considers ^himherthemselves\_C, sexual orientation, and experiences with bullying and discrimination. ^InitTNFNAME\_C\_fill's answers, just like the answers you provided, will be kept strictly confidential. We won't tell ^InitTNFNAME\_C\_fill the answers that you just provided, and we won't tell you ^hishe\_C answers after ^heshe\_C ^participate. ^InitTNFNAME\_C\_fill can skip any questions ^heshe\_C ^DoDoes\_SC not want to answer and stop the survey at any time. ♦

**Read if necessary:** The answers ^InitTNFNAME\_C\_fill provides will ONLY be used for statistical research. Strict federal laws, including Section 308(d) of the Public Health Service Act (Title 42, U.S.C., Section 242m(d)), the Privacy Act of 1974 (5 U.S.C. Â§ 552a) and the Confidential Information Protection and Statistical Efficiency Act (CIPSEA, Title 5 of Public Law 107-347) prevent NCHS and its contractors from releasing information that could identify ^InitTNFNAME\_C\_fill or your family to anyone else without your permission. All identifying information is removed from the data. ♦ Enter '1' to continue.

---

<b>Response:</b>	1.	Enter 1 to Continue
------------------	----	---------------------

---

<b>Fills:</b>	^havehas_SC	If GEN.SEX_FINAL[PX_C]=1 or 2, fill "has" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "have"
	^TNINFO	If TNMODE_C=1, fill: "This card gives you some information about the survey, and I can tell you more about the content if you wish." elseif TNMODE_C=2, fill: "You will receive a card that gives you some information about the survey, and I can tell you more about the content if you wish."
	^hishe_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
	^himher_C	if SEX_FINAL=1, fill "him" if SEX_FINAL=2, fill "her" if SEX_FINAL=RF,DK, fill "them"
	^himherthemselves_C	If SEX_FINAL_C=1 fill "himself" else if SEX_FINAL_C=2 fill "herself" elseif SEX_FINAL_C=blank: fill "themselves"
	^participate	if SEX_FINAL=1 or 2, fill "participates" if SEX_FINAL=RF,DK, fill "participate"
	^DoDoes_SC	If GEN.SEX_FINAL[PX_C]=1 or 2, fill "does"

	<p>else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "do"</p> <p>^InitTNFNAME_C_fill      Fill value from Child.WEB.InitTNFNAME_C</p> <p>^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he"  else if GEN.SEX_FINAL[PX_C]=2 fill "she"  else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"</p>
<b>Skip Instructions:</b>	<1> [goto TNPER_C]

<b>Question ID:</b> WEB.0060.00.4	<b>Variable name:</b> TNPER_C	<b>Interview module:</b> WEB(Child.WEB)
-----------------------------------	-------------------------------	---

<b>Inherited Universe:</b>	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))
<b>Universe Description:</b>	Sample Children 12-17
<b>Question Text:</b>	? [F1] May we ask ^InitTNFNAME_C_fill if ^heshe_C ^areisSEX_C willing to participate in this survey?
<b>Response:</b>	1.        Yes 2.        No 3.        Teen declined participation
<b>Fills:</b>	^heshe_C                      If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"  ^InitTNFNAME_C_fill      Fill value from Child.WEB.InitTNFNAME_C  ^dispuesto_C_fill              Spanish only  ^areisSEX_C                      if GEN.SEX_FINAL[PX_C] in (1,2) fill: "is" elseif GEN.SEX_FINAL[PX_C] in (DK,RF) fill: "are"

<b>Skip Instructions:</b>	<1> and TNNAME_FLG_C=1 [goto TNNAME_C] <1> and TNNAME_FLG_C=0 [goto TNFNAME_C] <2> [goto TNOPTIN_C] <3> [goto TNLEAVE_C]
---------------------------	---

Question ID: WEB.0061.00.4      Variable name: TNLEAVE\_C      Interview module: WEB(Child.WEB)

<b>Inherited Universe:</b>	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))
<b>Universe:</b>	TNPER_C=3
<b>Universe Description:</b>	Sample Children 12-17 who decline participation
<b>Question Text:</b>	<b>May we ^LEAVE ^SCNAME the initial letter in case they change their mind? *</b> <b>Read if necessary:</b> ^SCNAME does not need to complete the survey at this time. They can complete it online when it is convenient for them. * <b>Read if necessary:</b> The initial letter provides additional detail about the survey that ^SCNAME may want to read, including the goals of the survey, how long it will take, and compensation they may receive.
<b>Response:</b>	1.      Yes 2.      No
<b>Fills:</b>	^LEAVE                      if TNMODE_C=1, fill "leave" elseif TNMODE_C=2, fill "mail"  ^SCNAME                      Fill ALIAS of HHSTAT_C=1
<b>Skip Instructions:</b>	<1> and TNNAME_FLG_C=1 [goto TNNAME_C] <1> and TNNAME_FLG_C=0 [goto TNFNAME_C] <2> [goto next section]

<b>Inherited Universe:</b>	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))
<b>Universe:</b>	TNPER_C=1 and TNAME_FLG_C=1
<b>Universe Description:</b>	Sample Children 12-17 whose parents gave permission for the child to be contacted and who have a valid first name
<b>Question Text:</b>	<p> <a href="#">Ask or verify: Invitations to participate are sent by mail. Can you confirm ^InitTNFNAME_C_fill's name as it should appear on a mailed envelope? I have ^InitTNFNAME_C_fill ^InitTNLNAME_C_fill. Select 'Yes' to confirm name. Select 'No' to update name.</a> </p>
<b>Response:</b>	<ol style="list-style-type: none"> <li>1. Yes</li> <li>2. No</li> </ol>
<b>Fills:</b>	<p>^InitTNFNAME_C_fill      Fill value from Child.WEB.InitTNFNAME_C</p> <p>^InitTNLNAME_C_fill      Fill value from Child.WEB.InitTNLNAME_C</p>
<b>Skip Instructions:</b>	<p>&lt;1&gt; [goto NHISLINKID]</p> <p>&lt;2&gt; [goto TNFNAME_C]</p>

<b>Inherited Universe:</b>	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))
<b>Universe:</b>	TNPER_C=1 and (TNNAME_C=2 or TNNAME_FLG_C=0)
<b>Universe Description:</b>	Sample Children 12-17 whose parents gave permission for the child to be contacted and who need updated first name
<b>Question Text:</b>	<b>^TNNAMEFIX Can you provide your child's first name? Enter first name. *</b> A first name is needed to ensure the teenager receives the initial invitation letter and future communications, if parent/guardian is unwilling to provide a first name, enter "Refused"
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Fills:</b>	^TNNAMEFIX If TNPER_C=1 and TNNAME_FLG_C=0, fill: Invitations to participate are sent by mail. In order for your child to participate in this study, we need at least their first name. ^ALIASORNOT.
<b>Skip Instructions:</b>	<allow 20,RF,DK> if NAMEOK_FLG_C=1 [goto TNLNAME_C] else if NAMEOK_FLG_C=0 [goto TNOPTIN_C]



Question ID: WEB.0110.00.4

Variable name: TNLNAME\_C

Interview module: WEB(Child.WEB)

<b>Inherited Universe:</b>	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))
<b>Universe:</b>	TNPER_C=1 and NAMEOK_FLG_C=1
<b>Universe Description:</b>	Sample Children 12-17 whose parents gave permission for the child to be contacted and who have valid first name
<b>Question Text:</b>	<a href="#">Enter last name if provided, last name is optional.</a>
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<allow 20,RF,DK> [Goto NHISLINKID]

Question ID: WEB.0130.00.4

Variable name: NHISLINKID

Interview module: WEB(Child.WEB)

<b>Inherited Universe:</b>	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))
<b>Universe:</b>	PER_FLG_C=1
<b>Universe Description:</b>	Sample Children 12-17 whose parents gave permission for the child to be contacted and have valid first name
<b>Question Text:</b>	✦ <a href="#">Enter the 8-digit NHIS link ID printed on the left-hand side of the envelope just above the barcode.</a>
<b>Response:</b>	

<b>Skip Instructions:</b>	[goto CHECKDIGIT]
---------------------------	-------------------

<b>Question ID:</b> WEB.0140.00.4	<b>Variable name:</b> CHECKDIGIT	<b>Interview module:</b> WEB(Child.WEB)
-----------------------------------	----------------------------------	---

<b>Inherited Universe:</b>	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))
<b>Universe:</b>	PER_FLG_C=1
<b>Universe Description:</b>	Sample Children 12-17 whose parents gave permission for the child to be contacted and have valid first name
<b>Question Text:</b>	<b>** Instrument Variable **</b>
<b>Response:</b>	
<b>Skip Instructions:</b>	<1> if TNPER_C=1 [goto TNPHONE_C] <1> if TNLEAVE_C=1 [goto TNLETTER_C] <0> [goto ERR1_CHECKDIGIT]

<b>Check Name:</b> ERR1_CHECKDIGIT
------------------------------------

<b>Text:</b>	{check ERR1_CHECKDIGIT} NHIS Link ID invalid. Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))
<b>Universe:</b>	CHECKDIGIT=0 or NHISLINKID is all the same digit
<b>Universe Description:</b>	NHISLINKID is invalid
<b>Skip Instructions:</b>	[goto NHISLINKID]

<b>Inherited Universe:</b>	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))	
<b>Universe:</b>	PER_FLG_C=1	
<b>Universe Description:</b>	Sample Children 12-17 whose parents gave permission for the child to be contacted and have valid first name	
<b>Question Text:</b>	<p><b>Invitations to participate in this online survey may also be sent by text messages directly from the Census Bureau. Does ^TNNAME_fill have ^hisher_C own cell phone number we may use to text ^himher_C? *</b> <a href="#">Read if necessary</a>: The survey is mobile friendly and can be completed easily over the phone. * <a href="#">Read if necessary</a>: ^TNNAME_fill's cell phone number will only be used to receive automated invitations and reminders to participate in the survey. No one will use this information to contact ^himher_C other than through automated messages sent from the Census Bureau. NCHS and the Census Bureau are not responsible for any text-related charges. * <a href="#">Read if necessary</a>: Under the Federal Cybersecurity Enhancement Act of 2015, ^TNNAME_fill's data are protected from cybersecurity risks through screening of the systems that transmit ^hisher_C data, but not the responses ^TNNAME_fill provided. NCHS cannot promise protection related to information shared while using a personal device. NCHS can only protect information once it is in the NCHS system.</p>	
<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused	
<b>Fills:</b>	^TNNAME_fill            Fill values from TNFNAME_C  ^hisher_C                if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"  ^himher_C                if SEX_FINAL=1, fill "him" if SEX_FINAL=2, fil "her" if SEX_FINAL=RF,DK, fill "them"	

<b>Skip Instructions:</b>	<1> [goto TNPHONENUM_C] <2,RF,DK> [goto TNEMAIL_C]
---------------------------	---

Question ID: WEB.0160.00.4      Variable name: TNPHONENUM\_C      Interview module: WEB(Child.WEB)

<b>Inherited Universe:</b>	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))
<b>Universe:</b>	TNPHONE_C=1
<b>Universe Description:</b>	Sample Children 12-17 whose parents gave permission for the child to be contacted and have valid first name and agree to provide a phone number
<b>Question Text:</b>	<b>What is ^TNNAME_fill's cell phone number?</b>
<b>Response:</b>	DK:      Don't Know RF:      Refused
<b>Fills:</b>	^TNNAME_fill                  Fill values from TNFNAME_C
<b>Skip Instructions:</b>	If TNPHONENUM_C LT 2000000000 or GT 9999999996 [goto ERR1_TNPHONENUM_C] elseif all 10 digits the same in TNPHONENUM_C or first three digits 555 or 911 [goto ERR2_TNPHONENUM_C] elseif duplicate phone number entered [goto ERR3_TNPHONENUM_C] else [TNEMAIL_C]

**Check Name: ERR1\_TNPHONENUM\_C**

<b>Text:</b>	{check ERR1_TNPHONENUM_C} * Enter the entire telephone number. *Check for invalid area code (000-200). * Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))
<b>Universe:</b>	If TNPHONENUM_C LT 2000000000 or GT 9999999996

**Check Name: ERR2\_TNPHONENUM\_C**

<b>Text:</b>	{signal ERR2_TNPHONENUM_C} * Are you sure this is the correct phone number? * Please confirm.
<b>Hard / Soft Edit:</b>	Soft
<b>Inherited Universe:</b>	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))
<b>Universe:</b>	IF all 10 digits the same of TNPHONENUM_C or first three digits '555' or '911'
<b>Universe Description:</b>	IF all 10 digits the same of TNPHONENUM_C or the area code is invalid

**Check Name: ERR3\_TNPHONENUM\_C**

<b>Text:</b>	{signal ERR3_TNPHONENUM_C} * I have ^TNPHONENUM_fill as ^TNNAME_fill's personal cell phone number, is that correct?
<b>Hard / Soft Edit:</b>	Soft
<b>Fills:</b>	^TNPHONENUM_fill      Fill value from Child.WEB.TNPHONENUM_C  ^TNNAME_fill          Fill values from TNFNAME_C
<b>Inherited Universe:</b>	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))
<b>Universe Description:</b>	If phone number entered matches phone number already collected

**Question ID: WEB.0170.00.4**

**Variable name: TEMAIL\_C**

**Interview module: WEB(Child.WEB)**

**Inherited Universe:** (GEN.QTYPE2=1 and (GEN.AGE\_FINAL ge 012 and GEN.AGE\_FINAL le 017)) AND  
((GEN.PX\_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP\_C gt 0 and NOFAMSC ne 1) AND  
(GEN.QTYPE2=1 and (GEN.AGE\_FINAL ge 012 and GEN.AGE\_FINAL le 017)))

**Universe:** PER\_FLG\_C=1

**Universe Description:** Sample Children 12-17 whose parents gave permission for the child to be contacted and who have valid first name

**Question Text:** **Invitations to participate may also be sent by e-mail directly from the Census Bureau. Does ^TNNAME\_fill have ^hisher\_C own e-mail address we may use to e-mail ^himher\_C?** \* **Read if necessary:** ^TNNAME\_fill's e-mail address will only be used to receive automated invitations and reminders to participate in the survey. No one will use this information to contact ^himher\_C other than through automated messages sent from the Census Bureau. \* **Read if necessary:** Under the Federal Cybersecurity Enhancement Act of 2015, ^TNNAME\_fill's data are protected from cybersecurity risks through screening of the systems that transmit ^hisher\_C data, but not the responses ^TNNAME\_fill provided. NCHS cannot promise protection related to information shared while using a personal device. NCHS can only protect information once it is in the NCHS system.

<b>Response:</b>	1. Yes 2. No DK: Don't Know RF: Refused
<b>Fills:</b>	<p><b>^hisher_C</b>      if GEN.SEX_FINAL[PX_C]=1 fill "his";          else if GEN.SEX_FINAL[PX_C]=2 fill "her";          else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"</p> <p><b>^himher_C</b>      if SEX_FINAL=1, fill "him"          if SEX_FINAL=2, fill "her"          if SEX_FINAL=RF,DK, fill "them"</p> <p><b>^TNNAME_fill</b>      Fill values from TNFNAME_C</p>
<b>Skip Instructions:</b>	<1> [goto TNEADDRESS_C] <2,RF,DK>[goto TNLETTER_C]

Question ID: WEB.0180.00.4

Variable name: TNEADDRESS\_C

Interview module: WEB(Child.WEB)

**Inherited Universe:** (GEN.QTYPE2=1 and (GEN.AGE\_FINAL ge 012 and GEN.AGE\_FINAL le 017)) AND  
 ((GEN.PX\_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP\_C gt 0 and NOFAMSC ne 1) AND  
 (GEN.QTYPE2=1 and (GEN.AGE\_FINAL ge 012 and GEN.AGE\_FINAL le 017)))

**Universe:** TNEMAIL\_C=1

**Universe Description:** Sample Children 12-17 whose parents gave permission for the child to be contacted and who have valid first name and whose parents gave permission for the child to be contacted by e-mail

**Question Text:** **What is ^TNNAME\_fill's e-mail address?** \* Enter e-mail address. \* Enter 'N' if ^TNNAME\_fill does not have a personal e-mail address. Read if necessary: ^TNNAME\_fill's e-mail address will only be used to receive automated invitations and reminders to participate in the survey. No one will use this information to contact ^himher\_C other than through automated messages sent from the Census Bureau. **Read if necessary:** Under the Federal Cybersecurity Enhancement Act of 2015, ^TNNAME\_fill's data are protected from cybersecurity risks through screening of the systems that transmit ^hisher\_C data, but not the responses ^TNNAME\_fill provided. NCHS cannot promise protection related to information shared while using a personal device. NCHS can only protect information once it is in the NCHS system.

<b>Response:</b>	DK: Don't Know RF: Refused
<b>Fills:</b>	<p>^TNNAME_fill      Fill values from TNFNAME_C</p> <p>^himher_C      if SEX_FINAL=1, fill "him" if SEX_FINAL=2, fill "her" if SEX_FINAL=RF,DK, fill "them"</p> <p>^hisher_C      if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"</p>
<b>Skip Instructions:</b>	<verbatim,RF,DK> if response is ne 'N' and lt 6 characters [goto ERR1_TNEADDRESS_C] else if response is ne 'N' and is missing '.' and/or '@' [goto ERR2_TNEADDRESS_C] else [goto TNLETTER_C]

**Check Name: ERR1\_TNEADDRESS\_C**

<b>Text:</b>	{signal ERR1_TNEADDRESS_C} * Enter entire email address. * Please correct.
<b>Hard / Soft Edit:</b>	Soft
<b>Inherited Universe:</b>	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))
<b>Universe:</b>	If TNEADDRESS_C <> 'N' AND TNEADDRESS_C LT 6 characters
<b>Universe Description:</b>	Email address entered is less than 6 characters



**Check Name: ERR2\_TNEADDRESS\_C**

<b>Text:</b>	{check ERR2_TNEADDRESS_C} * Enter entire email address. * Please correct.
<b>Hard / Soft Edit:</b>	Hard
<b>Inherited Universe:</b>	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))
<b>Universe:</b>	If TNEADDRESS_C <> 'N' AND Email address is missing '.' and/or '@'
<b>Universe Description:</b>	Email address is missing '.' and/or '@'

**Question ID: WEB.0190.00.4**

**Variable name: TNLETTER\_C**

**Interview module: WEB(Child.WEB)**

<b>Inherited Universe:</b>	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))
<b>Universe:</b>	PER_FLG_C=1 or TNLEAVE_C=1
<b>Universe Description:</b>	Sample Children 12-17 whose parents gave permission for the child to be contacted and who have valid first name or who declined participation but parents allowed a letter to be left
<b>Question Text:</b>	^TNLETTER
<b>Response:</b>	

	1. Enter 1 to Continue
<b>Fills:</b>	<p>^TNLETTER                      If TNMODE_C=1, fill " Write the teen's name on the initial letter envelope. Hand the envelope to the parent or guardian, or directly to the teenager if they are available."</p> <p>^TNFNAME_C ^TNLNAME_C"</p> <p>elseif TNMODE_C=2, fill: "We will mail the initial invitation letter to ^TNNAME_fill."</p>
<b>Skip Instructions:</b>	<1> [goto next section]

Question ID: WEB.0200.00.4                      Variable name: TNOPTIN\_C                      Interview module: WEB(Child.WEB)

<b>Inherited Universe:</b>	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))
<b>Universe:</b>	TNPER_C=2 or (TNPER_C=1 and NAMEOK_FLG_C=0)
<b>Universe Description:</b>	Sample Children 12-17 whose parents did not give permission for the child to be contacted or whose parents did give permission for the child to be contacted but do not have valid first name
<b>Question Text:</b>	<b>If you change your mind, you can call the phone number on the card ^MODENUM.</b>
<b>Response:</b>	
<b>Fills:</b>	<p>^MODENUM                      If TNMODE_C=1, fill: "that was given to you, 1-800-618-5888"</p> <p>   If TNMODE_C=2, fill: "that is being mailed to you, 1-800-618-5888"</p>

<b>Skip Instructions:</b>	<1> [goto next section]
---------------------------	-------------------------

<b>Question ID:</b> THX.0010.00.1	<b>Variable name:</b> THANKS_C	<b>Interview module:</b> THX(Child.THX)
-----------------------------------	--------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	♦ Thank respondent for answering these questions. If there is a Sample Adult interview to complete, ask for appropriate person to respond to these questions. Enter '1' to continue.
<b>Response:</b>	1. Enter 1 to Continue
<b>Skip Instructions:</b>	<1> [goto SCRESP_FNAME]

<b>Question ID:</b> THX.0020.01.1	<b>Variable name:</b> SCRESP_FNAME	<b>Interview module:</b> THX(Child.THX)
-----------------------------------	------------------------------------	---

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	♦ Ask or verify: In case I or someone from my office needs to get in touch with you, we need your full name. What is your full name? ♦ Enter first name.
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<allow 20,RF,DK> [goto SCRESP_LNAME]

Question ID: THX.0020.02.1

Variable name: SCRESP\_LNAME

Interview module: THX(Child.THX)

<b>Inherited Universe:</b>	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
<b>Universe Description:</b>	Sample Children 0-17
<b>Question Text:</b>	♦ <a href="#">Enter last name.</a>
<b>Response:</b>	DK: Don't Know RF: Refused
<b>Skip Instructions:</b>	<allow 20,RF,DK> [goto next section]

Check Name: Child parallel tab finished

<b>Text:</b>	<a href="#">You have finished the Child parallel tab. Press "Enter" or click OK to go back to the main interview path. Then press the "END" key to jump to the next unanswered question.</a>
<b>Hard / Soft Edit:</b>	Soft
<b>Inherited Universe:</b>	(GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1)
<b>Skip Instructions:</b>	Closing the box takes the user to the CASESTATUS screen