Measure	Background	Item Count	Reference
Demographics	We requested several demographic items, including age, marital status, gender identity, racial identity, ethnicity, and sexual experience.	6	N/A
Sexual Strategies Scale	Stang et al. (2013) used the Sexual Strategies Scale (SSS; Peterson et al., 2010) in a study that examines an individual's use of sexual coercion and aggression. The SSS measures the range of tactics used to obtain sex from an unwilling target.	23	Peterson, Z. D., Janssen, E., Heiman, J. R., Goodrich, D., Thigpen, J., & Fortenberry, J. D. (2010). Sexual Strategies Scale. *PsycTESTS.* https://doi.org/10.1037/t61059-000
	<i>Note:</i> We have modified this scale to include gender neutral language. We have also included one item regarding penetration.		
Illinois Rape Myth Acceptance Scale	The Illinois Rape Myth Acceptance Scale (IRMAS; McMahon & Farmer, 2011) is a widely-used tool for measuring rape myth acceptance.	22	McMahon, S., & Farmer, G. L. (2011). An updated measure for assessing subtle rape myths. <i>Social Work Research</i> , <i>35</i> (2), 71-81.
Sexual Social Norms Inventory	The Sexual Social Norms Inventory (Bruner, 2002) examines normative attitudes and behaviors related to sexual assault.	31	Bruner, J.B. (2002). Measuring rape-supportive attitudes, behaviors, and perceived peer norms among college students: Validation of a social norms survey (Unpublished doctoral dissertation). University of Northern Colorado, Greeley.
Alcohol and Sexual Behaviors	This brief, self-report measure is used to assess past sexual experiences that occurred subsequent to alcohol consumption, as well as future intentions for use of alcohol before sexual activity.	8	Corbin, W. R., Bernat, J. A., Calhoun, K. S., McNair, L. D., & Seals, K. L. (2001). Alcohol and Sexual Behavior Scale. <i>PsycTESTS</i> . https://doi.org/10.1037/t15227-000
Stages of Change	The Stages of Change Scale (Banyard et al, 2005) was based on Prochaska and DiClemente's Transtheoretical Model of health behavior change (Grimley et al., 1994) and is used to evaluate whether the sexual assault prevention program works differently for people	9	Banyard, V. L., Plante, E. G., & Moynihan, M. M. (2005). Stages of Change Scale. <i>PsycTESTS</i> . https://doi.org/10.1037/t15227-000

		1	,
	at different stages of readiness to change their		
	behavior in relation to preventing sexual assault.		
Intentions to	The Intentions to Intervene with Peers measure	12	Miller, E., Tancredi, D. J., McCauley, H. L., Decker, M. R.,
Intervene with	(Miller et al, 2012) was developed to measure		Virata, M. C., Anderson, H. A., Stetkevich, N., Brown, E. W.,
Peers	likelihood of an individual to intervene when		Moideen, F., & Silverman, J. G. (2012). "Coaching boys into
	witnessing a peer engage in common abusive		men": a cluster-randomized controlled trial of a dating violence
	behaviors.		prevention program. The journal of adolescent health: official
			publication of the Society for Adolescent Medicine, 51(5), 431–
	<i>Note</i> : We have modified this scale to include		438. https://doi.org/10.1016/j.jadohealth.2012.01.018
	gender neutral language.		
Bystander	The Bystander Efficacy Scale (Banyard, Plante,	20	Banyard, V. L., Plante, E. G., & Moynihan, M. M. (2005).
Efficacy Scale	& Moynihan, 2002, 2005) was developed for a		Bystander Efficacy Scale. <i>PsycTESTS</i> .
	project that evaluated the effectiveness of a		https://doi.org/10.1037/t42713-000
	sexual violence prevention program based on		100 100 100 100 100 100 100 100 100 100
	preventing antecedents to sexual violence by		
	increasing prosocial bystander behavior. On this		
	measure, participants are asked to indicate their		
	confidence, on an 11-point scale, in performing		
	each of 14 bystander behaviors (e.g., "How		
	confident are you that you could ask a stranger		
	who looks very upset at a party if they are ok or		
	need help?").		
Daily	The Daily Drinking Questionnaire (DDQ;	7	Collins, R. L., Parks, G. A., & Marlatt, G. A. (1985). Daily
Drinking	Collins et. al, 1985) is a shortened version of the		Drinking Questionnaire (DDQ). <i>PsycTESTS</i> .
Questionnaire	Drinking Practices Questionnaire (DPQ;		https://doi.org/10.1037/t02146-000
Z = CSIIOIIIIIII C	Cahalan et. al, 1969), developed to measure		
	volume, quantity, and frequency of alcohol		
	consumption.		
Sexual History	This measure includes 2 items asking about	2	N/A
	sexual history, specifically history of sexual		
	intercourse and what percent of sexual assaults		
	are false reports. We have asked about these		
	questions in previous research; however, these		
	items are generated for the purpose of this		
	study.		
	L Diving.	1	

Sexual Experiences Survey – Victimization	The Sexual Experiences Survey Short Form Victimization (SES-SFV) is a condensed version of the SES Long Form Victimization in assessing victimization of unwanted sexual experiences. It is widely used to measure victimization experiences. Note: We have adapted the survey to indicate time since joining the military for the population.	10	Koss, M. P., Abbey, A., Campbell, R., Cook, S., Norris, J., Testa, M., Ullman, S., West, C., & White, J. (2007). Revising the SES: A collaborative process to improve assessment of sexual aggression and victimization. <i>Psychology of Women Quarterly, 31</i> (4), 357–370. https://doi.org/10.1111/j.1471-6402.2007.00385.x
Sexual Assault Likelihood	This measure was created to provide personalized feedback on how likely the individual would be to intervene while sober and drinking, so it is not a standardized measure.	19	Gilmore, A. K., Lewis, M. A., & George, W. H. (2015). A randomized controlled trial targeting alcohol use and sexual assault risk among college women at high risk for victimization. <i>Behaviour research and therapy</i> , 74, 38–49. https://doi.org/10.1016/j.brat.2015.08.007
Injunctive Drinking Behaviors Scale	The Injunctive Drinking Behaviors Scale (Lewis et al., 2010) was created to assess injunctive normative perceptions for less and more severe drinking behaviors among undergraduate college students.	15	Lewis, M. A., Neighbors, C., Geisner, I. M., Lee, C. M., Kilmer, J. R., & Atkins, D. C. (2010). Injunctive Drinking Behaviors Scale. <i>PsyTESTS</i> . https://doi.org/10.1037/t03959-000
Patient Health Questionnaire- 2	The Patient Health Questionnaire-2 (PHQ-2) is a 2-item measure of frequency of depressed mood.	2	Kroenke, K., Spitzer, R.L., & Williams, J.B. (2003) The Patient Health Questionnaire-2: Validity of a two-item Depression Screener. <i>Medical Care</i> , 41, 1284-92.
RAND Short Form Sexual Harassment Scale	The RAND Short Form Sexual Harassment Scale is a 5-item measure that assess individuals' exposure to sexual harassment in a military environment. Note: We have modified this scale to be more inclusive and gender-neutral. We have also changed the responses from binary Yes/No to a Likert scale from never to very often. We have also included one item inquiring about whether they consider the events described in the scale	5	Schell, T. L., Cefalu, M. & Morral, A. R. (2019) Development of a short form measure of sexual harassment risk in the military: Findings from the RAND Military Workplace Study. Santa Monica, CA: RAND Corporation, 2019. https://www.rand.org/pubs/research_reports/RR2031.html

	4- 11 1		
	to be sexual harassment.		
Sexual	The Sexual Experiences Questionnaire (SEQ-	21	Fitzgerald, L.F., Magley, V. J., Drasgow, F., & Waldo, C. R.
Experiences	DOD, Fitzgerald et al., 1999) is an adaptation of		(1999) Measure sexual harassment in the military: The Sexual
Questionnaire	the Sexual Experience Questionnaire		Experiences Questionnaire (SEQ-DoD. Military Psychology,
	specifically designed and tested in a military		11(3), 243-263. https://doi.org/10.1207/s15327876mp1103_3
	population to assess sexual harassment		
	experiences.		
Perceptions of	A brief scale designed for this project to	3	N/A
Peer	measure perceptions of how likely sailors would		
Willingness	be to intervene in three situations.		
Injunctive	A 16-item measure designed for this project to	16	N/A
Questions	determine injunctive norms and self-reported		
	beliefs.		
Alcohol Use	The AUDIT-C is a brief, 3-item self-report	3	Bush K, Kivlahan DR, McDonell MB, Fihn SD, Bradley KA, for
Disorders	measure to screen for problematic drinking		the Ambulatory Care Quality Improvement Project (ACQUIP). The
Identification			AUDIT Alcohol Consumption Questions (AUDIT-C): An Effective
Test (AUDIT			Brief Screening Test for Problem Drinking. Arch Intern
-C)			Med. 1998;158(16):1789–1795. doi:10.1001/archinte.158.16.1789
Perceptions of	The Administrator-Researcher Campus	3	Swartout, K.M., Flack, W.F., Cook, S.L., Olson, L.N., Smith, P.H.,
Study	Climate Consortium (ARC3) Survey includes		& White, J.W. (2018). Measuring campus sexual misconduct and its
Questions and	3 questions designed to assess participant's		context: The administrator-researcher campus climate consortium
Participation	perceptions of study questions and		(ARC3) survey. Psychological Trauma: Theory, Research, Practice,
	participation. These questions will be adapted		and Policy. http://dx.doi.org/10.1037/tra0000395
	so that the language is appropriate for military		
	service members rather than college students.		