Acute Flaccid Myelitis: Patient Summary Form

Name of person complet	completing form:						State assigned patient ID:					
Affiliation			Email:									
Name of physician who												
Affiliation			Phone:				Ema	ail:				
Name of main hospital that provided patient's care:												
·												
Acute Flaccid Myelitis: Patient Summary Form											Form Approved OMB No. 0920-0009 Exp Date: 06/30/2019	
Please send the following information along with the patient summary form (check information included): □ History and physical (H&P) □ MRI report □ MRI images □ Neurology consult notes □ EMG report (if done) □ Infectious disease consult notes (if available) □ Vaccination record □ Diagnostic laboratory reports												
1 . Today's date/	/	(mm/dd/v	/vv) 2 .	State as	signed	patient	t ID:					
1. Today's date// (mm/dd/yyyy) 2. State assigned patient ID: 3. Sex: □ M □F 4. Date of birth// Residence: 5. State 6. County												
	Indian or Alaska waiian or Other I							8. Ethnicity: □His	spanic or Latin Iispanic or Lati			
					in that	арріу)			ispariic or Lau	IIIO		
9. Date of onset of lim									/			
10 . Was patient admit		•						r st hospital/_	/			
12. Date of discharge f												
13 . Did the patient die SIGNS/SYMPTOMS		s? ∐yes L	Jno Llunknow	n 14	. If yes,	date o	of death_	//				
	condition.					Right	Arm	Left Arm	Right Leg	g L	eft Leg	
15. Weakness? [indicate yes(y), no (n), unknown (u) for each limb]					Y	YNU		YNU	YNU			
15a . Tone in affected limb(s) [flaccid, spastic, normal for each limb]						☐ flaccid □ spastic □ normal □ unknown		☐ flaccid □ spastic □ normal □ unknown	☐ flaccid ☐ spastic ☐ normal ☐ unknown	□ fl □ sµ □ n	☐ flaccid □ spastic □ normal □ unknown	
					Yes	No	Unk					
16 Was patient admitted to ICU2								17 If yos admi	t dato: /	/		
16. Was patient admitted to ICU?						No	Unk	17. If yes, admi	i uale/	/		
In the 4-weeks BEFORE onset of limb weakness , did patient:						INU	UTIK					
18. Have a respiratory illness?20. Have a gastrointestinal illness (e.g., diarrhea or vomiting)?								19. If yes, onset date // 21. If yes, onset date //				
22. Have a fever, measured by parent or provider $\ge 38.0^{\circ}C/100.4^{\circ}F$?								23. If yes, onset date				
24. Travel outside the US?								25. If yes, list country:				
26 . At onset of limb weakness, does patient have any underlying illnesses?								27. If yes, list:				
							I					
Other patient inform												
28. Was MRI of spinal30. Was MRI of brain		-	no unki					ine MRI:/ ain MRI:/				
CSF examination: 32. If yes, complete 32 (a)	-			□ no rst 2 per		nknowr)	า					
	Date of											
	lumbar % %			1	,	%		%		Glucose	Protein	
					ocytes	mo	nocytes	eosinophils RBC/mm ³		mg/dl	mg/dl	
32a. CSF from LP1						_						
32b. CSF from LP2			1	1					1	1	1	

Public reporting burden of this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-74 Atlanta, Georgia 30333.

FOR LOCAL USE ONLY

Acute Flaccid Myelitis Outcome - follow-up (completed at least 60 days after onset of limb weakness)

33. Date of follow-up: ___/___/ (*mm/dd/yyyy*)

34. Impairment:

□ None □ Minor (any minor involvement) □ Significant (impacts daily life and independence ≤ 2 extremities, major involvement) □ Severe (≥ 3 extremities and respiratory involvement) □ Death (Date: ___/____ (mm/dd/yyyy) □ Unknown

35. Physical condition (includes cardiovascular, gastrointestinal, urologic, endocrine as well as neurologic disorders):

- a) Medical problems sufficiently stable that medical or nursing monitoring is not required more often than 3-month intervals
- b) Medical or nurse monitoring is needed more often than 3-month intervals but not each week.
- c) Medical problems are sufficiently unstable as to require medical and/or nursing attention at least weekly.
- d) Medical problems require intensive medical and/or nursing attention at least daily (excluding personal care assistance)

36. Upper limb functions: Self-care activities (drink/feed, dress upper/lower, groom, wash) dependent mainly upon upper limb function:

- a) Age-appropriate independence in self-care without impairment of upper limbs
- b) Age-appropriate independence in self-care with some impairment of upper limbs
- c) Dependent upon assistance in self-care with or without impairment of upper limbs.
- d) Dependent totally in self-care with marked impairment of upper limbs.

37. Lower limb functions: Mobility (walk, stairs, wheelchair, transfer to chair/toilet/tub or shower) dependent mainly upon lower limb function:

- a) Independent in mobility without impairment of lower limbs
- b) Independent of mobility with some impairment of lower limbs, such as needing ambulatory aids such as a brace or prosthesis.
- c) Dependent upon assistance or supervision in mobility with or without impairment of lower limbs.
- d) Dependant totally in mobility with marked impairment of lower limbs.
- 38. Sensory components: Relating to communication (speech and hearing) and vision:
 - a) Age-appropriate independence in communication and vision without impairment
 - b) Age-appropriate independence in communication and vision with some impairment such as mild slurred speech, delayed speech or need for eyeglasses or hearing aid.
 - c) Dependent upon assistance, an interpreter, or supervision in communication or vision
 - d) Dependent totally in communication or vision

39. Excretory functions (bladder and bowel control, age-appropriate):

- a) Complete voluntary control of bladder and bowel sphincters (at least as well as prior to AFM diagnosis)
- b) Control of sphincters allows normal social activities despite urgency or need for catheter, appliance, suppositories, etc.
- c) Dependent upon assistance in bowel and bladder sphincter management
- d) Frequent wetting or soiling from bowel or bladder incontinence

40. Support factors:

- a) Able to fulfil usual age-appropriate roles and perform customary tasks (at least as well as prior to AFM diagnosis)
- b) Must make some modifications in usual age-appropriate roles and performance of customary tasks
- c) Dependent upon assistance, supervision, and encouragement from an adult due to any residual limb weakness or impairment?
- d) Dependent upon long-term institutional care (chronic hospitalization, residential rehabilitation)

Acute Flaccid Myelitis case definition (<u>http://c.ymcdn.com/sites/www.cste.org/resource/resmgr/2015PS/2015PSFinal/</u>15-ID-01.pdf)

Criteria

Public reporting burden of this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-74 Atlanta, Georgia 30333.

An illness with onset of acute focal limb weakness AND

- a magnetic resonance image (MRI) showing spinal cord lesion largely restricted to gray matter and spanning one or more spinal segments, OR
- cerebrospinal fluid (CSF) with pleocytosis (white blood cell count >5 cells/mm³)

Case Classification

Confirmed:

- An illness with onset of acute focal limb weakness AND
- MRI showing spinal cord lesion largely restricted to gray matter and spanning one or more spinal segments

Probable:

- An illness with onset of acute focal limb weakness AND
- CSF showing pleocytosis (white blood cell count >5 cells/mm³).

Acute Flaccid Myelitis specimen collection information

(https://www.cdc.gov/acute-flaccid-myelitis/hcp/instructions.html)

Acute Flaccid Myelitis job aid

(https://www.cdc.gov/acute-flaccid-myelitis/downloads/job-aid-for-clinicians.pdf)

Public reporting burden of this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-74 Atlanta, Georgia 30333.