# **Acute Flaccid Myelitis: Patient Summary Form**

### FOR LOCAL USE ONLY

Name of person completing form:	person completing form: State assigned patient ID:						
AffiliationPhone:Email:							
Name of physician who can provide additional clinical/lab information, if needed							
AffiliationPhone:							
Name of main hospital that provided patient's care: State: County:							
DETACH and transmit only lower portion to A							
Acute Flaccid Myelitis: I	Patie	ent Si	ımm	ary Form		Form Approved OMB No. 0920-0009 Exp Date: 08/31/2022	
Please send the following information along with the patient summary form: $\ \square$ MRI	l report	□MR	I images	☐ Neurology cons	ult note		
1. Today's date// (mm/dd/yyyy) 2. State ass	igned	patient	D:				
3. Sex:   M   F 4. Date of birth/ Residence: 5. State 6. County							
7. Race: □American Indian or Alaska Native □Asian □Black or African American □Native Hawaiian or Other Pacific Islander □White (check all that apply) □Not Hispanic or Latino							
9. Date of onset of limb weakness//(mm/dd/yyyy)							
<b>10</b> . Was patient admitted to a hospital? □yes □no □unknown <b>11</b> . □	Date of	admissi	on to <b>fi</b>	rst hospital/_	/		
<b>12.</b> Date of discharge from <b>last</b> hospital//(or □ still hos	spitaliz	ed at tin	ne of fo	rm submission)			
				/			
SIGNS/SYMPTOMS/CONDITION:							
		Right A	rm	Left Arm	Right Leg	Left Leg	
<b>15</b> . Weakness? [indicate yes(y), no (n), unknown (u) <b>for each limb</b> ]	Weakness? [indicate yes(y), no (n), unknown (u) for each limb]  Y N U Y N U Y N U					Y N U	
		flaccid		☐ flaccid	☐ flaccid		
<b>15a</b> . Tone in <b>affected</b> limb(s) [flaccid, spastic, normal <b>for each limb</b> ]		spastic		☐ spastic	☐ spastic		
	normal			□ normal	□ normal □ unknown		
□ unknown □ unknown □ unknown							
Yes No Unk							
	16. Was patient admitted to ICU? 17. If yes, admit date:/						
In the 4-weeks BEFORE onset of limb weakness, did patient:	Yes	No	Unk				
18. Have a respiratory illness?       19. If yes, onset date//					_/		
20. Have a gastrointestinal illness (e.g., diarrhea or vomiting)?				<b>21</b> . If yes, onset date///			
22. Have a fever, measured by parent or provider ≥38.0°C/100.4°F?				23. If yes, onset date//			
24. Have pain in neck or back?				25. If yes, onset date//			
26. At onset of limb weakness, does patient have any underlying illnesses?       27. If yes, list:							
Travel history:							
28. Did the patient travel outside of the US in the 30 days before the onset	of limb	weakn	ess?	" yes " no "	unknown		
28a. If yes, list country/countries							
Polio vaccination history:							
29. Has the patient received polio vaccine?				" ye	s "no "unk	nown	
29a. How many doses of inactivated polio vaccine (IPV) are documented to	o have	been re	ceived l	,			
patient before the onset of limb weakness?					doses " unkr	nown	
29b. How many doses of <b>oral polio vaccine (OPV)</b> are <b>documented</b> to have before the onset of limb weakness?	been	received	by the	patient	doses " unkr		
29c. How many doses of unknown type of polio vaccine are documented to	o have	been re	ceived	by the	uoses uilki	101111	
nation before the onset of limb weakness?					dance "lin		

# Magnetic Resonance Imaging:

Public reporting burden of this collection of information is estimated to average 12 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-74 Atlanta, Georgia 30333.

Page 1 of 4 Version 7.2 May 12, 2021

<b>30.</b> Was MRI of spinal cord <b>32.</b> Did the spinal MRI show	-	-			res, date of spine □ no □ ι	e MRI:/ unknown	_/	_	
33. Was MRI of brain performed?									
<b>CSF examination: 35</b> . Was a lumbar puncture performed? ☐ yes ☐ no ☐ unknown If yes, complete 35 (a,b) (If more than 2 CSF examinations, list the first 2 performed)									
ii yes, complete 55 (a,b) (i)	Date of	SI EXAMINATI	0113, 1131 1116 1113	t z perjornieu)					
	lumbar		%	%	%	%		Glucose	Protein
	puncture	WBC/mm <sup>3</sup>	neutrophils	lymphocytes	monocytes	eosinophils	RBC/mm <sup>3</sup>	mg/dl	mg/dl
35a. CSF from LP1									
35b. CSF from LP2									

Public reporting burden of this collection of information is estimated to average 20 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-74 Atlanta, Georgia 30333.

Page 2 of 4 Version 7.2 May 12, 2021

At time of 60 day follow-up please collect and send the following information: for confirmed and probable cases  □ Discharge summary □ History and physical (H&P) □ Neurology consult notes □ EMG report (if done) □ Infectious disease consult notes (if available) □ Vaccine registry record □ Diagnostic laboratory reports
Acute Flaccid Myelitis Outcome – complete follow-up for all reported persons under investigation (PUI) at 60 days after onset of limb weakness.
<b>36</b> . Date of follow-up:/ (mm/dd/yyyy)
37. Impairment: ☐ None ☐ Minor (any minor involvement) ☐ Significant (≤2 extremities, major involvement) ☐ Severe (≥3 extremities and respiratory involvement) ☐ Death ☐ Unknown
<b>37a.</b> Date of death:/ (mm/dd/yyyy)
38. Physical condition (includes cardiovascular, gastrointestinal, urologic, endocrine as well as neurologic disorders):
<ul> <li>i. Medical problems sufficiently stable that medical or nursing monitoring is not required more often than 3-month intervals</li> <li>ii. Medical or nurse monitoring is needed more often than 3-month intervals but not each week.</li> <li>iii. Medical problems are sufficiently unstable as to require medical and/or nursing attention at least weekly.</li> <li>iv. Medical problems require intensive medical and/or nursing attention at least daily (excluding personal care assistance)</li> </ul>
<b>39. Upper limb functions</b> : Self-care activities (drink/feed, dress upper/lower, brace/prosthesis, groom, wash, perineal care) dependent mainly upon upper limb function:
<ul> <li>i. Age-appropriate independence in self-care without impairment of upper limbs</li> <li>ii. Age-appropriate independence in self-care with some impairment of upper limbs</li> <li>iii. Dependent upon assistance in self-care with or without impairment of upper limbs.</li> <li>iv. Dependent totally in self-care with marked impairment of upper limbs.</li> </ul>
40. Lower limb functions: Mobility (walk, stairs, wheelchair, transfer chair/toilet/tub or shower) dependent mainly upon lower limb function:
<ul> <li>i. Independent in mobility without impairment of lower limbs</li> <li>ii. Independent of mobility with some impairment of lower limbs, such as needing ambulatory aids, a brace or prosthesis</li> <li>iii. Dependent upon assistance or supervision in mobility with or without impairment of lower limbs.</li> <li>iv. Dependant totally in mobility with marked impairment of lower limbs.</li> </ul>
41. Sensory components: Relating to communication (speech and hearing) and vision:
<ul> <li>i. Age-appropriate independence in communication and vision without impairment</li> <li>ii. Age-appropriate independence in communication and vision with some impairment such as mild dysarthria, mild aphasia or need for eyeglasses or hearing aid.</li> <li>iii. Dependent upon assistance, an interpreter, or supervision in communication or vision</li> <li>iv. Dependent totally in communication or vision</li> </ul>
42. Excretory functions (bladder and bowel control, age-appropriate):
<ul> <li>i. Complete voluntary control of bladder and bowel sphincters</li> <li>ii. Control of sphincters allows normal social activities despite urgency or need for catheter, appliance, suppositories, etc.</li> <li>iii. Dependent upon assistance in sphincter management</li> <li>iv. Frequent wetting or soiling from bowel or bladder incontinence</li> </ul>
43. Support factors:
<ul> <li>i. Able to fulfil usual age-appropriate roles and perform customary tasks</li> <li>ii. Must make some modifications in usual age-appropriate roles and performance of customary tasks</li> <li>iii. Dependent upon assistance, supervision, and encouragement from an adult due to any of the above considerations</li> <li>iv. Dependent upon long-term institutional care (chronic hospitalization, residential rehabilitation, etc. Excluding time-limited hospitalization for specific evaluation or treatment)</li> </ul>

Public reporting burden of this collection of information is estimated to average 20 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-74 Atlanta, Georgia 30333.

Page 3 of 4 Version 7.2 May 12, 2021

### **Acute Flaccid Myelitis case definition**

(https://cdn.ymaws.com/www.cste.org/resource/resmgr/ps/ps2021/21-ID-02 AFM.pdf)

#### **Clinical Criteria**

An illness with onset of acute flaccid\* limb weakness AND

Absence of a clear alternative diagnosis attributable to a nationally notifiable condition.

\* Low muscle tone, limp, hanging loosely, not spastic or contracted.

## Confirmatory laboratory/imaging evidence:

MRI showing spinal cord lesion with predominant gray matter involvement\* and spanning one or more vertebral segments, **AND** Excluding persons with gray matter lesions in the spinal cord resulting from physician diagnosed malignancy, vascular disease, or anatomic abnormalities.

### Presumptive laboratory/imaging evidence:

MRI showing spinal cord lesion where gray matter involvement\* is present but predominance cannot be determined, **AND** Excluding persons with gray matter lesions in the spinal cord resulting from physician diagnosed malignancy, vascular disease, or anatomic abnormalities.

### Supportive laboratory/imaging evidence:

MRI showing a spinal cord lesion in at least some gray matter\* and spanning one or more vertebral segments, **AND** Excluding persons with gray matter lesions in the spinal cord resulting from physician diagnosed malignancy, vascular disease, or anatomic abnormalities.

\* Spinal cord lesions may not be present on initial MRI; a negative or normal MRI performed within the first 72 hours after onset of limb weakness does not rule out AFM. Terms in the spinal cord MRI report such as "affecting mostly gray matter," "affecting the anterior horn or anterior horn cells," "affecting the central cord," "anterior myelitis," or "poliomyelitis" would all be consistent with this terminology.

### Other classification criteria

Autopsy findings that include histopathologic evidence of inflammation largely involving the anterior horn of the spinal cord spanning one or more vertebral segments.

#### **Vital Records Criteria**

Any person whose death certificate lists acute flaccid myelitis as a cause of death or a condition contributing to death.

### **Case Classification**

### Confirmed:

Meets clinical criteria with confirmatory laboratory/imaging evidence, **OR** Meets other classification criteria.

#### Probable:

Meets clinical criteria with presumptive laboratory/imaging evidence.

#### Suspect:

Meets clinical criteria with supportive laboratory/imaging evidence, **AND** Available information is insufficient to classify case as probable or confirmed.

### Acute Flaccid Myelitis specimen collection information

(https://www.cdc.gov/acute-flaccid-myelitis/hcp/specimen-collection.html)

# Acute Flaccid Myelitis job aid

(https://www.cdc.gov/acute-flaccid-myelitis/downloads/job-aid-for-clinicians-508.pdf)

Public reporting burden of this collection of information is estimated to average 20 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-74 Atlanta, Georgia 30333.