

Form Approved

National Violent Death Reporting System (NVDRS):
 OMB No. 0920-0607
 Exp. Date: 7/31/2023

State Unintentional Drug Overdose Reporting System (SUDORS):
 OMB No. 0920-1128
 Exp. Date: 1/31/2023

Public reporting burden of this collection of information is estimated to average 2 hours and 30 minutes per case report, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Clearance Officer, 1600 Clifton Road NE, MS D-24, Atlanta, Georgia, 30333; ATTN: PRA (0920-0449)

Case Classification

1 SUDORS CASE

SUDORS Case Classification

2

3 No CME Report Available

**Only to be used if CME report does not exist or if it is not possible to obtain the CME report.

Drug Overdose/Poisoning

4

Type of drug poisoning

5

Time last known alive and well before overdose (Military Time format e.g., 0000-2359, 9999)

6 7 8

Date last known alive and well before overdose

9

Time first found unresponsive (Military time format (e.g., 0000-2359, 9999)

10 11 12

Date found unresponsive

- | | |
|-------------------------|------------------------|
| 1. SUDORSCase | 7. LastSeenAliveDay |
| 2. CaseClassification | 8. LastSeenAliveYear |
| 3. NoCMEReportAvailable | 9. Time_unresponsive |
| 4. TypeOfPoisoning | 10. Month_unresponsive |
| 5. LastSeenAliveTime | 11. Day_unresponsive |
| 6. LastSeenAliveMonth | 12. Year_unresponsive |

Substance Use/Misuse and Treatment History

1 Previous drug overdose

- 2 Overdose occurred 0-2 days prior 3 Overdose occurred 3-7 days prior

4 Recent opioid use relapse

5 Recent emergency department or urgent care visit

Current or past prescription drug misuse or illicit drug use, not including alcohol (Check all that apply)

- 6 No evidence of current or past drug use/misuse

7 Heroin

8 Prescription opioids

9 Unspecified opioids

10 Fentanyl

11 Cocaine

12 Methamphetamine

13 Benzodiazepines

14 Cannabis (marijuana)

15 Drug use/misuse, substance unspecified

16 Other substance - specify

17

128 character(s) remaining.

18 Treatment for substance use disorder

Type(s) of substance use disorder treatment (Check all that apply)

19 Inpatient/outpatient rehabilitation

20 Medication-assisted treatment, or MAT (with cognitive/behavioral therapy)

21 Medication-Assisted treatment, or MAT (without cognitive/behavioral therapy)

22 Medication-assisted therapy, or MAT (cognitive/behavioral therapy unknown)

23 Cognitive/behavioral therapy

24 Narcotics Anonymous

25 Other - specify:

26

128 character(s) remaining.

27 Involved with criminal justice system (perpetrator)

1. PreviousOverdose

2. Overdose0to2DaysPrior

3. Overdose3to7DaysPrior

4. RecentOpioidUse

5. RecentED

6. HxDrugNoEvidence

7. HxHeroin

8. HxRxOpioid

9. HxAnyOpioid

10. HxFentanyl

11. HxCocaine

12. HxMeth

13. HxBenzo

14. HxCannabis

15. HxUnspecified

16. HxOther

17. HxOtherDescript

18. TreatmentForSubstanceAbuse

19. SubsTx_rehab

20. SubsTx_MATcog

21. SubsTx_MATnocog

22. SubstTx_MAT

23. SubsTx_CogTherapy

24. SubsTx_NA

25. SubsTx_Other

26. SubsTx_OtherSpecify

27. InvoleCriminalJustice

Scene Indications of Drug Use

1 Any evidence of drug use 3 Non-specific drug use evidence

2 No evidence of drug use

4 Evidence of rapid overdose

5 Tourniquet still in place 7 Body position consistent with rapid overdose

6 Needle Location 8 Witness report rapid overdose

(0) No Evidence (0) No Report

9 Other - Explain:

10

128 character(s) remaining.

1. IndicationsDrugPara
2. IndicationsNone
3. DrugUseEvidence_NOS
4. HasRapidOverdoseEvidence
5. IsTourniquetAroundArm
6. NeedleLocation
7. BodyPosition
8. RapidOverdoseWitnessReport
9. RapidOverdoseOther
10. RapidOverdoseOtherDescription

Route of Drug Administration (Check all that apply)

1 No information on route of administration

2 Evidence of Injection (Check all that apply)

3 Track marks on decedent 6 Needles/Syringe

4 Tourniquet 7 Filters

5 Cookers 8 Witness Report

9 Other injection evidence - Specify:

10

128 character(s) remaining.

11 Evidence of Smoking/Inhalation

12 Pipes 15 Bong or Bowl

13 Tinfoil 16 Witness report

14 Vape pens or e-cigarettes

17 Other smoking evidence - specify

18

128 character(s) remaining.

1. RouteUnknown
2. RouteInjection
3. IndicationsTracks
4. HasEvidenceOfInjectionTourniquet
5. HasEvidenceOfInjectionCooker
6. HasEvidenceOfInjectionNeedle
7. HasEvidenceOfInjectionFilter
8. HasEvidenceOfInjectionWitnessReport
9. HasEvidenceOfInjectionOther
10. EvidenceOfInjectionOtherDescription
11. HasRouteSmoking
12. SmokingPipe
13. SmokingTinfoil
14. SmokingVape
15. SmokingBongBowl
16. SmokingWitness
17. SmokingOther
18. SmokingOtherDescript

1 Evidence of Snorting/Sniffing

2 Straws

3 Rolled paper or dollar bills

4 Razor blades

8 Other snorting evidence - specify

9
128 character(s) remaining.

Illicit or Prescription Drugs (Check all that apply)

15 Evidence of unspecified drug type

16 Evidence of prescription drugs (Check all that apply)

17 Prescribed to decedent

18 Not prescribed to decedent

19 Unknown who prescribed for

Type of evidence of prescription drugs found (Check all that apply)

20 Pills/Tablets

21 Patch

22 Prescription bottle

23 Liquid

24 Lozenges/lollipops

25 Vial

26 Witness report of prescription use

27 Evidence of use of prescription fentanyl at scene or by witness report

28 Other form - Specify:

29
128 character(s) remaining.

10 Evidence of Transdermal

11 Evidence of Ingestion

12 Evidence of Suppository

13 Evidence of Sublingual

14 Evidence of Buccal

30 Evidence of Illicit drugs (Check all that apply)

31 Powder

32 Witness report

33 Counterfeit pills

34 Tar

35 Crystal

36 Illicit drug packaging

37 Other illicit drug - Specify:

38
128 character(s) remaining.

1. RouteSnorting

2. SnortingStraw

3. SnortingRolled

4. SnortingRazor

5. SnortingPowderMirror

6. SnortingPowderNose

7. SnortingWitness

8. SnortingOther

9. SnortingOtherDescript

10. HasRouteTransdermal

11. RouteIngestion

12. RouteSuppository

13. HasRouteSublingual

14. HasRouteBuccal

15. DrugEvidence_NOS

16. HasEvidenceOfPrescriptionDrug

17. IsPrescribedToVictim

18. IndicationsRxDrugs

19. IsUnknownWhoPrescribed

20. IsPrescriptionPill

21. IsPrescriptionPatch

22. IsPrescriptionBottle

23. IsPrescriptionLiquid

24. IsPrescriptionLozenge

25. IsPrescriptionVial

26. HasEvidenceOfInjectionReportRxUse

27. IsPrescriptionFentanyl

28. IsPrescriptionOther

29. PrescriptionOtherDescription

30. IndicationsDrugsatScene

31. HasEvidenceOfIllicitPowder

32. HasEvidenceOfIllicitWitnessReport

33. HasEvidenceOfIllicitCounterfeit

34. HasEvidenceOfIllicitTar

35. IsPrescriptionCrystal

36. HasEvidenceOfIllicitPackage

37. IndicationsOther

38. IndicationsOtherNarrative

Response to Drug Overdose

1 Bystander present

🔍 Type here to search

Type(s) of bystander(s) present (Check all that apply)

- 2 Person using drugs
- 3 Intimate partner
- 4 Family member/ other family member
- 5 Friend
- 6 Stranger
- 7 Roommate
- 8 Medical professional
- 9 Other -specify
- 10 128 character(s) remaining.

Naloxone

Naloxone Administered Or Not

- 18 Naloxone administered
- 19 Naloxone not administered
- 20 Unknown whether naloxone administered

35 Total # of naloxone dosages administered by first responders/health care

36 Total # of naloxone dosages administered by layperson(s)

11 Drug Use Witnessed

🔍 Type here to search

Layperson response other than naloxone administration (Check all that apply)

- 12 CPR
- 13 Rescue breathing
- 14 Sternal rub
- 15 Stimulation
- 16 Other - specify
- 17 128 character(s) remaining.

Who Administered? (Check all that apply)

- 21 Unknown
- 22 Law enforcement
- 23 EMS/fire
- 24 Hospital staff/health care staff
- 25 Other-specify
- 26 Layperson

Type of lay-person:

- 27 Person using drugs
- 28 Intimate partner
- 29 Friend
- 30 Family member/ other family member
- 31 Roommate
- 32 Stranger
- 33 Other-specify
- 34 128 character(s) remaining.

37

Presence of pulse on first-responder arrival

🔍 Type here to search

First-responder intervention(s) other than naloxone administration (Check all that apply)

- 38 CPR
- 39 Rescue breathing
- 40 Epinephrine administration
- 41 Transport to ED
- 42 Provided oxygen
- 43 Other - specify
- 44 128 character(s) remaining.

- | | | |
|----------------------------|-------------------------------|---------------------------------|
| 1. BystandersPresent | 16. BystanderIntOther | 31. IsNaloxoneWhoRoommate |
| 2. BystanderUser | 17. BystanderIntOther_specify | 32. IsNaloxoneWhoStranger |
| 3. BystanderPartner | 18. NaloxoneAdministered | 33. IsNaloxoneWhoOther |
| 4. BystanderFamily | 19. IsNaloxoneNotAdmin | 34. NaloxoneWhoOtherDescription |
| 5. BystanderFriend | 20. IsNaloxoneUnknown | 35. NaloxoneTotalResponder |
| 6. BystanderStranger | 21. IsNaloxoneAdminUnknown | 36. NaloxoneTotalBystander |
| 7. BystanderRoommate | 22. IsNaloxoneAdminLaw | 37. HadPulse |
| 8. BystanderMedical | 23. IsNaloxoneAdminEms | 38. InterventionCPR |
| 9. BystanderOther | 24. IsNaloxoneAdminHospital | 39. InterventionBreathing |
| 10. BystanderOther_specify | 25. IsNaloxoneAdminOther | 40. InterventionEpinephrine |
| 11. WitnessedDrugUse | 26. IsNaloxoneAdminBystander | 41. InterventionTransport |
| 12. BystanderCPR | 27. IsNaloxoneWhoPerson | 42. InterventionOxygen |
| 13. BystanderBreathing | 28. IsNaloxoneWhoPartner | 43. InterventionOther |
| 14. BystanderSternal | 29. IsNaloxoneWhoFriend | 44. InterventionOtherSpecify |
| 15. BystanderStim | 30. IsNaloxoneWhoOtherFamily | |

If bystander present and no response made or response was delayed (check all reasons for no/delayed response)

- 1 Did not recognize any abnormalities
 - 2 Bystander using substances or drinking alcohol and impaired
 - 3 Public space and strangers didn't intervene
 - 4 Reported abnormalities but did not recognize as overdose
 - 5 Spatially separated (i.e., different room)
 - 6 Unaware that decedent was using substances
 - 7 Other -specify
 - 8
- 128 character(s) remaining.

- 1. BystanderNotRecognize
- 2. BystanderUsing
- 3. BystanderPublic
- 4. BystanderNoOD
- 5. BystanderSeparated
- 6. BystanderUnaware
- 7. BystanderReasonOther
- 8. BystanderReasonOther_specify

Medical History

1 Treated for pain at time of injury

Known medical conditions (Check all that apply)

- 2 COPD
- 3 Asthma
- 4 Sleep apnea
- 5 Heart disease
- 6 Obesity
- 7 History of major injury
- 8 Migraine
- 9 Back pain
- 10 Hepatitis C
- 11 HIV/AIDS
- 12 Other pain
- 13 Other breathing problem

- 1. TreatedforPain
- 2. MedHx_COPD
- 3. MedHx_Asthma
- 4. MedHx_Apnea
- 5. MedHx_Heart
- 6. MedHx_Obesity
- 7. MedHx_Injury
- 8. MedHx_Migraine
- 9. MedHx_Backpain
- 10. MedHx_hepc
- 11. MedHx_hiv
- 12. MedHx_OtherPain
- 13. MedHx_OtherBreathing

Prescription Information

1 Use of Prescription Morphine

2 Prescription Morphine Narrative

Prescription for (check all that apply):

3 Prescribed Buprenorphine: 4 Pain 5 MAT 6 Unknown reason

7 Prescribed Methadone: 8 Pain 9 MAT 10 Unknown reason

11 Prescribed Naltrexone

12 Prescribed Fentanyl

Optional:

13 Number of opioid prescriptions in the 30 days preceding injury

14 Number of pharmacies dispensing opioids to decedent in 180 days preceding injury

15 Number of doctors writing opioid prescriptions to the decedent in the 180 days preceding injury

- | | |
|----------------------------------|---------------------------------|
| 1. PrescriptionMorphine | 9. RxMethadone_MAT |
| 2. PrescriptionMorphineNarrative | 10. RxMethadone_unknown |
| 3. RxBuprenorphine | 11. RxNaltrexone |
| 4. RxBuprenorphine_pain | 12. FentanylRx |
| 5. RxBuprenorphine_MAT | 13. NumScripsPast30Days |
| 6. RxBuprenorphine_unknown | 14. NumPharmaciesPast30Days |
| 7. RxMethadone | 15. NumDoctorsPrescribing30Days |
| 8. RxMethadone_pain | |