

SpecWriter Data

Form Version: 9/15/2017 1:26:52 PM
Report Type: Full Detail
Project Database: WESSQL6.MEPS_V2
Language: English
Spec Label:

This is the cover page. Additional contents currently project specific.

BOX_00 **(AH1000)** **Item Type:** Route **Type Class:** If Then

Route Details:

- 01 Box = BOX_10, BOX_20, BOX_30, BOX_40, BOX_50, BOX_60, BOX_70, BOX_80, BOX_90, BOX_100, BOX_110, BOX_120
- 02 Loop = LOOP_10
- 03 End Loop = END_LP10
- 04 Single Select = AH10, AH40, AH90, AH100, AH110, AH120
- 05 Single Select with Display Roster = AH70
- 10 Multiple Select with Fill in Answer Text = AH80
- 19 Numeric Field = AH20, AH30, AH50, AH60

BOX_10 **(AH1005)** **Item Type:** Route **Type Class:** If Then

Route Details:

Context header display instructions:
Display Person.FullName, BegRefM, BegRefD, BegRefY, EndRefM, EndRefD, EndRefY.

General Display Instructions for Question Text:
For '{PERSON'S START DATE}', display the person level reference period PERSON'S START DATE. Display as full month, xx, YYYY - e.g., "January 1, 2016". Use variables BegRefM, BegRefD, BegRefY.

For '{PERSON'S END DATE}', display the person level reference period PERSON'S END DATE. Display as full month, xx, YYYY - e.g., "January 1, 2016". Use variables EndRefM, EndRefD, EndRefY.

BOX_20 **(AH1010)** **Item Type:** Route **Type Class:** If Then

Route Details:

Note: The following section is for:
-all persons and
- for all rounds
This section is part of the larger person level looping that includes the PM, OM, AH, CS, and QS sections.

Continue to BOX_30.

BOX_30 **(AH1015)** **Item Type:** Route **Type Class:** If Then

Route Details: If person is < or = 15 years old (or age category 3), go to BOX_70.
Otherwise, continue with AH10.

AH10 **(AH1025)** **BLAISE NAME:** MissWork
Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TDAYSINHOSP **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available (HALFDAYHelp) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

{NUMBER OF DAYS IN HOSPITAL: {NUMBER OF DAYS}}
{NUMBER OF DAYS INSTITUTIONALIZED: {NUMBER OF DAYS}}

{The next questions ask about time/Now think about} when {you/{PERSON}} may have missed a half day or more from work {since {PERSON'S START DATE}/between {PERSON'S START DATE} and {PERSON'S END DATE}}. {In answering these questions, please include any time when this occurred because of {your/{PERSON}' s} physical illness or injury, or a mental or emotional problem such as stress or depression.}

{Including the time {you/{PERSON}} {were/was} in {the hospital} {and} {the long-term care facility}, how/How many days did {you/{PERSON}} miss a half day or more from work {since {PERSON'S START DATE}/ between {PERSON'S START DATE} and {PERSON'S END DATE}}? Please do not include work around the house.

PROBE: Include any time when a half day or more was missed because of a physical illness or injury, or a mental or emotional problem.

HELP: F1

Responses: RECORD NUMBER OF DAYS 1 AH20 (AH1030)
 NO DAYS MISSED FROM WORK 2 BOX_50 (AH1045)
 DOES NOT WORK (OTHER THAN 3 BOX_50 (AH1045)
 AROUND THE HOUSE)
 REFUSED RF BOX_50 (AH1045)
 DON'T KNOW DK BOX_50 (AH1045)

**Display
Instructions:**

Display 'NUMBER OF DAYS IN HOSPITAL: { }' if person has at least one hospital stay that ended in current round (i.e., discharge date not coded '95' (STILL IN HOSPITAL)). Otherwise, use a null display.

For 'NUMBER OF DAYS', display total number of days person was in hospital for all hospital stays that ended in current round (i.e., discharge date not coded '95' (STILL IN HOSPITAL)). Otherwise, use a null display.

Display 'NUMBER OF DAYS INSTITUTIONALIZED: { }' if person has at least one institutional stay (IC event) that ended in current round (i.e., discharge date not coded '95' (STILL IN INSTITUTION)). Otherwise, use a null display.

For 'NUMBER OF DAYS', display total number of days person was in an institution for all institutional stays that ended in current round (i.e., discharge date not coded '95' (STILL IN INSTITUTION)). Otherwise, use a null display.

Display 'The next questions ask about time' if first time through the Additional Healthcare Questions (AH) Section in the current round. Otherwise, display 'Now think about'.

Display 'since {PERSON'S START DATE}' if not round 5. Display 'between {PERSON'S START DATE} and {PERSON'S END DATE}' if round 5.

Display 'In answering . . . or depression.' if first time through the AH section in the current round. Otherwise, use a null display.

Display 'Including the time {you/{person}} {were/was} in {the hospital} {and} {the long-term care facility}, how' if person has at least one hospital stay (HS) or one institutional stay (IC) event that ended in current round (i.e., discharge date not coded '95' (STILL IN HOSPITAL/INSTITUTION)). Otherwise, display 'How'.

Display 'the hospital' if person has at least one hospital stay (HS) event that ended in the current round. Otherwise, use a null display.

Display 'the long-term care facility' if person has at least one institutional care (IC) event that ended in the current round. Otherwise, use a null display.

Display 'and' if person has both a hospital stay (HS) event and an institutional care (IC) event that both ended in the current round. Otherwise, use a null display.

**Testing/Editing
Notes:**

Variable collected at MEPSSpring2018.AH_Main
Variable stored at MEPSSpring2018_PersSect.AH_Main

Full Detail Spec

AH20

(AH1030)

BLAISE NAME: NoWork

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:** -99

Type Class: Integer **Field Size:** 3

Answer Type: {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:** 999

Help Available (HALFDAYHelp)

Show Card ()

Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

{NUMBER OF DAYS IN HOSPITAL: {NUMBER OF DAYS}}

{NUMBER OF DAYS INSTITUTIONALIZED: {NUMBER OF DAYS}}

[{The next questions ask about time/Now think about} when {you/{PERSON}} may have missed a half day or more from work {since {PERSON'S START DATE}/between {PERSON'S START DATE} and {PERSON'S END DATE}}. {In answering these questions, please include any time when this occurred because of {your/{PERSON}' s} physical illness or injury, or a mental or emotional problem such as stress or depression.}

{Including the time {you/{PERSON}} {were/was} in {the hospital} {and} {the long -term care facility}, how/How many days did {you/{PERSON}} miss a half day or more from work {since {PERSON'S START DATE}/ between {PERSON'S START DATE} and {PERSON'S END DATE}}? Please do not include work around the house.

PROBE: Include any time when a half day or more was missed because of a physical illness or injury, or a mental or emotional problem.]

ENTER NUMBER OF DAYS

[HELP: F1](#)

Responses: BOX_40 (AH1035)

Programmer Instructions: Hard Checks:

1. RF/DK not allowed. If RF/DK coded here display the following message: "REFUSED AND DON'T KNOW DISALLOWED. IF NUMBER OF DAYS MISSED FROM WORK IS UNKNOWN, SELECT REFUSED OR DON'T KNOW AT PREVIOUS QUESTION (AH10-MissWork)."
2. '0' not allowed. If '0' entered, display the following message: "IF NO DAYS MISSED FROM WORK, SELECT CODE 2 'NO DAYS MISSED FROM WORK' AT PREVIOUS QUESTION (AH10-MissWork)."
3. 1 through number of days in person's reference period allowed. If number entered > number of days in person's reference period, display the following message: "NUMBER OF DAYS MUST BE EQUAL TO OR LESS THAN NUMBER IN {PERSON}'S REFERENCE PERIOD."

Display Instructions: Display "{The next questions ... around the house" and the PROBE in lighter grayed out text and in brackets. Display AH10 and AH20 on the same form pane. See AH10 for other display instructions.

Testing/Editing Notes: Variable collected at MEPSSpring2018.AH_Main
Variable stored at MEPSSpring2018_PersSect.AH_Main

BOX 40 **(AH1035)** **Item Type:** Route **Type Class:** If Then

Route Details: If round 3, continue with AH30.
Otherwise (i.e., if not round 3), go to BOX_50.

AH30	(AH1040)	BLAISE NAME: MissWorkYr		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value: 0
Type Class:	Integer	Field Size: 3		
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMax:	Max value: 996

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

NUMBER OF DAYS MISSED WORK: {NUMBER OF DAYS}

Of those days, how many were in {YEAR}?

ENTER NUMBER OF DAYS

Responses: BOX_50 (AH1045)
REFUSED RF BOX_50 (AH1045)
DONT KNOW DK BOX_50 (AH1045)

Programmer Instructions: Hard Check:
Days missed from work in { YEAR} entered at AH30 must be < or = total days missed from work entered at AH20. If AH30 > AH20, display the following message: "DAYS MISSED IN {YEAR} MUST BE LESS THAN OR EQUAL TO TOTAL NUMBER OF DAYS MISSED FROM WORK."

Display Instructions: For 'NUMBER OF DAYS,' display the number entered at AH20.
(For specifications purposes only; CAPI handles automatically): 'YEAR' in question text is first calendar year of panel (FirstPanYear).

Testing/Editing Notes: Variable collected at MEPSSpring2018.AH_Main
Variable stored at MEPSSpring2018_PersSect.AH_Main

BOX_50 **(AH1045)** **Item Type:** Route **Type Class:** If Then

Route Details: If AH10 is coded '3' (DOES NOT WORK (OTHER THAN AROUND THE HOUSE)),
go to BOX_70.

Otherwise, continue with AH40.

AH40 **(AH1050)** **BLAISE NAME:** MissWorkOth
Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TYESNO_DD **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available (HALFDAYHelp) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

{Besides the {NUMBER OF MISSED WORK DAYS} days {you/{PERSON}} missed a half day or more from work because of {your/his/her} own illness or injury, did/Did} {you/{PERSON}} miss more than a half day from work {between {PERSON'S START DATE} and {PERSON'S END DATE}} because of someone else's illness, injury, or health care needs, for example, to take care of a sick child or a relative?

HELP: F1

Responses: YES 1 AH50 (AH1055)
NO/DO NOT WORK 2 BOX_70 (AH1070)
REFUSED RF BOX_70 (AH1070)
DON'T KNOW DK BOX_70 (AH1070)

Display Instructions: Display 'Besides the ..., did' if AH10 is coded '1' (RECORD NUMBER OF DAYS). Otherwise, display 'Did'.

For 'NUMBER OF MISSED WORK DAYS', display number recorded at AH20.

Display 'between {PERSON'S START DATE} and {PERSON'S END DATE}' if round 5. Otherwise, use a null display.

Testing/Editing Notes: Variable collected at MEPSSpring2018.AH_Main
Variable stored at MEPSSpring2018_PersSect.AH_Main

AH50	(AH1055)	BLAISE NAME: DaysOth		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value: 1
Type Class:	Integer	Field Size: 3		
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMax:	Max value: 996

Help Available (HALFDAYHelp) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:
How many days did {you/{PERSON}} miss a half day or more from work because of someone else's illness, injury, or health care needs?

ENTER NUMBER OF DAYS

HELP: F1

Responses:

.....	BOX_60	(AH1060)
REFUSED	RF BOX_70	(AH1070)
DON'T KNOW	DK BOX_70	(AH1070)

Programmer Instructions: Hard Checks:
1. '0' not allowed. If '0' entered, display the following message: "IF NO WORK DAYS MISSED, BACK UP AND CORRECT PREVIOUS ANSWER (AH40-MissWorkOth)."
2. 1 through number of days in person's reference period allowed. If number entered at AH50 > number of days in person's reference period, display the following message: "NUMBER OF DAYS MUST BE EQUAL TO OR LESS THAN NUMBER IN {PERSON}'S REFERENCE PERIOD."

Display Instructions:

Testing/Editing Notes: Variable collected at MEPSSpring2018.AH_Main
Variable stored at MEPSSpring2018_PersSect.AH_Main

BOX 60 **(AH1060)** **Item Type:** Route **Type Class:** If Then

Route Details: If round 3, continue with AH60.
Otherwise (i.e., if not round 3), go to BOX_70.

AH60	(AH1065)	BLAISE NAME: DaysOthYr		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value: 0
Type Class:	Integer	Field Size: 3		
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMax:	Max value: 996

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

NUMBER OF DAYS MISSED WORK DUE TO SOMEONE ELSE'S HEALTH: {NUMBER OF DAYS}

Of those days, how many were in {YEAR}?

ENTER NUMBER OF DAYS

Responses: BOX_70 (AH1070)
REFUSED RF BOX_70 (AH1070)
DON'T KNOW DK BOX_70 (AH1070)

Programmer Instructions: Hard Check:
Days in missed from work in {YEAR} entered at AH60 must be < or = days missed work due to someone else's health at AH50. If AH60 > AH50, display the following message: "DAYS MISSED IN {YEAR} MUST BE LESS THAN OR EQUAL TO TOTAL NUMBER OF DAYS MISSED FROM WORK DUE TO SOMEONE ELSE'S HEALTH."

Display Instructions: For "NUMBER OF DAYS", display the number entered at AH50.

(For specifications purposes only; CAPI handles automatically): 'YEAR' in question text is first calendar year of panel (FirstPanYear).

Testing/Editing Notes: Variable collected at MEPSSpring2018.AH_Main
Variable stored at MEPSSpring2018_PersSect.AH_Main

**Programmer
Instructions:**

Roster behavior:
1. Select, add, delete, and edit disallowed.

If coded '1' (YES) and only 1 condition eligible for display at AH70, auto-code that condition at AH80 and go to BOX_80. If coded '1' (YES) and more than 1 condition eligible for display at AH70, continue with AH80.

**Display
Instructions:**

Roster 1- Report

Roster Definition:
This item displays the person's-conditions-roster.

Roster filter:
Display only the conditions for person that meet the following conditions:

- Condition was 'created' during the current round (RndCreated=current round).
- Condition is not a priority condition, that is, condition was not created in the PE section.

Display 'was this health condition' if only one condition eligible for display at AH70.
Otherwise, display 'were any of these health conditions'.

**Testing/Editing
Notes:**

Variable collected at MEPSSpring2018.AH_Main
Variable stored at MEPSSpring2018_PersSect.AH_Main

Full Detail Spec

AH80

(AH1080)

BLAISE NAME: Injury

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TCONDITION **Answers allowed:** 99 **ArrayMax:** **Max value:**

Help Available (ConInjHelp) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

Which of {your/{PERSON}'s} health conditions were due to an accident or injury?

PROBE: Any other health conditions due to an accident or injury?

ENTER ALL THAT APPLY

HELP: F1

Responses: {MEDICAL CONDITION} 1 1 BOX_80 (AH1085)
 {MEDICAL CONDITION} 2 2 BOX_80 (AH1085)
 {MEDICAL CONDITION} 3 3 BOX_80 (AH1085)
 {MEDICAL CONDITION} 4 4 BOX_80 (AH1085)
 {MEDICAL CONDITION}N 5 BOX_80 (AH1085)

Programmer Instructions: Roster Behavior:
 1. Multiple select allowed.
 2. Select, add, delete, and edit disallowed.

Display Instructions: Roster 2- no add/edit/delete

Roster Definition:
Display the person-medical-conditions-roster for selection.

Roster Filter:
Display conditions that meet the following:

- Condition was 'created' during the current round (RndCreated=current round).
- Condition is not a priority condition, that is, condition was not created in the PE section.

Testing/Editing Notes: Variable collected at MEPSSpring2018.AH_Main
 Variable stored at MEPSSpring2018_PersSect.AH_Main

BOX_80 **(AH1085)** **Item Type:** Route **Type Class:** If Then

Route Details: If person is = or > 16 years of age or in age categories 4-9, continue with BOX_90.
Otherwise, go to BOX_100.

BOX_90 **(AH1090)** **Item Type:** Route **Type Class:** If Then

Route Details: If at least one condition selected (or auto-coded) at AH80, continue with LOOP_10.
Otherwise, go to BOX_100.

LOOP_10 **(AH1095)** **Item Type:** Route **Type Class:** Begin Loop

Route Details: For each element in person's-medical-conditions-roster, ask AH90 - END_LP10.

Loop definition: LOOP_10 collects information about medical conditions created during the current round that are due to an accident or injury. This loop cycles on medical conditions that meet the following conditions:

- Condition was selected (or auto-coded) at AH80 in the current round (condition is due to an accident or injury)
- Condition was 'created' during the current round (RndCreated=current round).

BOX_100 **(AH1110)** **Item Type:** Route **Type Class:** If Then

Route Details: If rounds 3 or 5, continue with BOX_110.
 Otherwise (i.e., if rounds 1, 2, or 4), go to BOX_120.

BOX_110 **(AH1115)** **Item Type:** Route **Type Class:** If Then

Route Details: If person is = or > 18 years of age or in age categories 4-9, continue with AH100.
 Otherwise, go to BOX_120.

<u>AH100</u>	<u>(AH1120)</u>	<u>BLAISE NAME:</u> AllTeeth		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

The next few questions ask you to consider {your/{PERSON's}} health.

{Have/Has} {you/{PERSON}} lost all of {your/his/her} upper and lower natural (permanent) teeth?

Responses:	YES	1	AH110	(AH1125)
	NO	2	AH110	(AH1125)
	REFUSED	RF	AH110	(AH1125)
	DON'T KNOW	DK	AH110	(AH1125)

**Display
Instructions:**

**Testing/Editing
Notes:** Variable collected at MEPSSpring2018.AH_Main
Variable stored at MEPSSpring2018_PersSect.AH_Main

AH110	(AH1125)	BLAISE NAME: Exer5Days		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available (ExerActHelp) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

{Do/Does} {you/{PERSON}} now spend half an hour or more in moderate or vigorous physical activity at least five times a week?

HELP: F1

Responses:	YES	1	AH120	(AH1130)
	NO	2	AH120	(AH1130)
	REFUSED	RF	AH120	(AH1130)
	DON'T KNOW	DK	AH120	(AH1130)

**Display
Instructions:**

**Testing/Editing
Notes:** Variable collected at MEPSSpring2018.AH_Main
Variable stored at MEPSSpring2018_PersSect.AH_Main

