

# SpecWriter Data

**Form Version:** 9/22/2017 1:51:40 PM  
**Report Type:** Full Detail  
**Project Database:** WESSQL6.MEPS\_V2  
**Language:** English  
**Spec Label:**

**This is the cover page. Additional contents currently project specific.**

**BOX 00**                    **(FF1000)**                    **Item Type:** Route                    **Type Class:** If Then

---

**Route Details:**            01 BOX = BOX\_00, BOX\_10, BOX\_20, BOX\_30, BOX\_40, BOX\_50, BOX\_60  
04 Single Select = FF40, FF60, FF90, FF100, FF120, FF130, FF160, FF190  
06 Single Select with Fill in Answer Text = FF10  
11 Multiple Select with Add/Edit/Delete = FF170  
18 Dollar Items Not Allowing Cents = FF140, FF150, FF180  
19 Numeric Field = FF50, FF70  
23 Text Field = FF30, FF110  
24 Information Screen = FF80  
30 Multiple Select with Fill in Answer Text and Display Roster = FF20  
  
Roster 2 = FF10, FF20  
  
Roster 3 = FF170  
  
Grid 2 = FF180

**BOX 10**                    **(FF1001)**                    **Item Type:** Route                    **Type Class:** If Then

---

**Route Details:**            Throughout the Flat Fee (FF) section, entry of all dollar amounts will include only whole dollars. Entry of cents will be disallowed.  
  
Context Header Display Instructions:  
Display PERS.FULLNAME, PROV.PROVNAME, EVPV.EVNTTYPE,  
EVPV.EVNTBEGM, EVPV.EVNTBEGD, EVPV.EVNTBEGY, EVPV.EVNTENDM,  
EVPV.EVNTENDDD, EVPV.EVNTENDY, FFEE.FFEENAME. Display  
EVPV.EVNTENDM, EVPV.EVNTENDDD, and EVPV.EVNTENDY for IC or HS events,  
only.  
  
For '{STR-DT}' display the person's reference period start date.

**BOX 20**                    **(FF1005)**                    **Item Type:** Route                    **Type Class:** If Then

---

**Route Details:**            If no flat fee groups already on PERSONS-FLAT-FEE-GROUPS-ROSTER, go to  
FF20.  
  
Otherwise, continue with FF10.

Full Detail Spec

**FF10**

**(FF1015)**

**BLAISE NAME:** FFeeGrp

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TFlatFee      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER.} {EV} {EVN-DT}

**Question Text:**

Let me review the groups of health care events I have recorded for {you/{PERSON}}. Please tell me if any of these groups include the charge that covered {this hospital stay/this visit}/the services received at home}.

REVIEW FLAT FEE GROUPS WITH RESPONDENT.  
 SELECT FLAT FEE GROUP COVERED BY SAME CHARGE AS EVENT BEING ASKED ABOUT.

**Responses:**

ADD GROUP	.....	0	FF20	(FF1020)
{FLAT FEE GROUP} 1	.....	1	BOX_60	(FF1160)
{FLAT FEE GROUP} 2	.....	2	BOX_60	(FF1160)
{FLAT FEE GROUP} 3	.....	3	BOX_60	(FF1160)
{FLAT FEE GROUP} 4	.....	4	BOX_60	(FF1160)
{FLAT FEE GROUP} N	.....	5	BOX_60	(FF1160)

**Programmer Instructions:** Since this roster will include all flat fee groups, current round single events can be added to any flat fee group created during the current round or a previous round (FlatFeeGroup[I].FFeeName).

Roster Behavior:  
1. Only single select allowed.

**Display Instructions:**

Roster 2- No Add/Edit/Delete

Roster Definition:  
Display the person's-flat-fee-groups-roster (FFEE, FFEENAME) for selection.

Roster Filter:  
No filter; display all.

Display 'this hospital stay' if event type is HS.

Display 'this visit' if event type is ER, OP, MV, or DN.

Display 'the services received at home' if event type is HH.

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.FF\_Main  
Variable stored at MEPSSpring2018\_Event.FF\_Main

Full Detail Spec

**FF20**

**(FF1020)**

**BLAISE NAME:** FFeeRoster

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** {User Defined.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER.} {EV} {EVN-DT}

**Question Text:**

Let me review the list of health care events I have recorded for {you/{PERSON}}. Please tell me which of these were included in the same charge that covered {this hospital stay/this visit/the services received at home}.

REVIEW EVENTS WITH RESPONDENT.  
 SELECT EVENTS COVERED BY SAME CHARGE AS EVENT BEING ASKED ABOUT.

ENTER ALL THAT APPLY.

MEDICAL PROVIDER	DOCTOR OR DEPARTMENT NAME	EVENT TYPE	ADMIT DATE	DISCHARGE DATE
EVENT OUTSIDE REFERENCE PERIOD 0				
{MEDICAL PROVIDER}	{DOC OR DEPT}	{EVENT TYPE}	{ADMIT DATE}	{DISCHARGE DATE}1
{MEDICAL PROVIDER}	{DOC OR DEPT}	{EVENT TYPE}	{ADMIT DATE}	{DISCHARGE DATE}2
{MEDICAL PROVIDER}	{DOC OR DEPT}	{EVENT TYPE}	{ADMIT DATE}	{DISCHARGE DATE}3
{MEDICAL PROVIDER}	{DOC OR DEPT}	{EVENT TYPE}	{ADMIT DATE}	{DISCHARGE DATE}4
{MEDICAL PROVIDER}	{DOC OR DEPT}	{EVENT TYPE}	{ADMIT DATE}	{DISCHARGE DATE}N

**Responses:**

**Programmer Instructions:** RF/DK not allowed.

**Display Instructions:** Display the roster in nonproportional text.

Roster 1 - Report

Roster Definition:

This item displays all medical events on person's-medical-events- roster for selection in the info pane. The 5 columns to be displayed are: MEDICAL PROVIDER, DOCTOR OR DEPARTMENT NAME, EVENT TYPE, ADMIT DATE, DISCHARGE DATE. For MEDICAL PROVIDER, display the name of provider associated with this event (EVNT.LORPNAME), if PV70 has a value, display the doctor or department associated with this event, display the two- letter event abbreviation (EVNT.EVNTTPYE) for EVENT TYPE, for Admit date display the month, day, and year of medical events (EVNT.EVNTBEGM, EVNT, EVNTBEGD, EVNT, EVNTBEGY), and the discharge date for HS events (EVNT.EVNTENDM, EVNT.EVNTENDDD, EVNT.EVNTENDY). For MV, ER, OP, or DN, events display the visit date for { ADMIT DATE } and use a null display for { DISCHARGE DATE }.

For HS events display the hospital stay admit date for { ADMIT DATE } and the hospital stay discharge date for the { DISCHARGE DATE }.

Roster Filter:

Display events that meet the following conditions:

1. Event is not the event currently looping on.
2. Event has CP status of 'PROCESSED' or 'UNPROCESSED' (display event regardless of CP status).
3. Event is not already included in a flat fee group or a repeat visit group.
4. Event is not already coded (VERIFIED) as a copayment.
5. Event type is not IC.
6. Event is not an HS event with a discharge date coded '95' (STILL IN HOSPITAL).
7. Event is not an HH event with event date = interview month.
8. Event is not an HH event type 'INFORMAL' or 'VOLUNTEERED: MEAL DELIVERY SERVICE.'
9. Event is not an OM event.

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.FF\_Main  
Variable stored at MEPSSpring2018\_Event.FF\_Main

Full Detail Spec

<b>FF30</b>	<b>(FF1035)</b>	<b>BLAISE NAME:</b> FFeeName		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 30		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

INTERVIEWER: RECORD 'NAME OF FLAT FEE GROUP' FOR EVENTS SELECTED IN PREVIOUS QUESTION:

**Responses:**                      .....

**Programmer Instructions:**

If Round 1, continue with FF40.

If Round 5, go to FF60.

Otherwise, go toFF80.

Write flat fee group to person's-flat-fee-groups-roster.

**Display Instructions:**

**Testing/Editing Notes:**     Variable collected at MEPSSpring2018.FF\_Main  
Variable stored at MEPSSpring2018\_Event.FF\_Main

Full Detail Spec

<b>FF40</b>	<b>(FF1045)</b>	<b>BLAISE NAME:</b> FFeeVstBefStart		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
 FLAT FEE GROUP: {NAME OF FLAT FEE EVENT GROUP..}

**Question Text:**

Did the charge which included the services for {FLAT FEE GROUP} cover any visits before {START DATE}?

<b>Responses:</b>	YES .....	1	FF50	(FF1050)
	NO .....	2	FF80	(FF1080)
	REFUSED .....	RF	FF80	(FF1080)
	DON'T KNOW .....	DK	FF80	(FF1080)

**Display Instructions:**     For {FLAT FEE GROUP}, display the name of the flat fee group selected at FF10 or entered at FF30.

**Testing/Editing Notes:**     Variable collected at MEPSSpring2018.FF\_Main  
 Variable stored at MEPSSpring2018\_Event.FF\_Main



Full Detail Spec

**FF50**

**(FF1050)**

**BLAISE NAME:** FFeeVisBef

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:** 1

**Type Class:** Integer      **Field Size:** 2

**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:** 99

---

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
FLAT FEE GROUP: {NAME OF FLAT FEE EVENT GROUP..}

**Question Text:**

How many visits did {you/{PERSON}} have before {START DATE}?

ENTER NUMBER OF VISITS:

**Responses:**

.....	FF80	(FF1080)
REFUSED .....	RF FF80	(FF1080)
DON'T KNOW .....	DK FF80	(FF1080)

**Display Instructions:**

**Testing/Editing Notes:**      Variable collected at MEPSSpring2018.FF\_Main  
Variable stored at MEPSSpring2018\_Event.FF\_Main

Full Detail Spec

**FF60**

**(FF1070)**

**BLAISE NAME:** FFeeVisAft

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TYESNO      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
FLAT FEE GROUP: {NAME OF FLAT FEE EVENT GROUP}

**Question Text:**

Will the charge which includes the services for {FLAT FEE GROUP} cover any visits after December 31, {YEAR}?

**Responses:**      YES      ..... 1      FF70      (FF1075)  
NO      ..... 2      FF80      (FF1080)  
REFUSED      ..... RF      FF80      (FF1080)  
DONT KNOW      ..... DK      FF80      (FF1080)

**Display**

**Instructions:**

For {FLAT FEE GROUP}, display the name of the flat fee group selected at FF10 or entered at FF30.

(For specifications purposes only; CAPI handles automatically): for 'YEAR' in question text, display the second year of the panel.

**Testing/Editing Notes:**

Variable collected at MEPSSpring2018.FF\_Main  
Variable stored at MEPSSpring2018\_Event.FF\_Main

Full Detail Spec

**FF70**

**(FF1075)**

**BLAISE NAME:** FFeeNumVisAft

**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:** 1

**Type Class:** Integer **Field Size:** 2

**Answer Type:** {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:** 99

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
FLAT FEE GROUP: {NAME OF FLAT FEE EVENT GROUP..}

**Question Text:**

Approximately, how many visits will {you/ {PERSON}} have after December 31, {YEAR}?

NUMBER OF VISITS:

<b>Responses:</b>	.....	FF80	(FF1080)
	REFUSED .....	RF FF80	(FF1080)
	DON'T KNOW .....	DK FF80	(FF1080)

**Programmer Instructions:** Hard Range: TBD

**Display Instructions:** (For specifications purposes only; CAPI handles automatically): for 'YEAR' in question text, display the second year of the panel.

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.FF\_Main  
Variable stored at MEPSSpring2018\_Event.FF\_Main

Full Detail Spec

<b>FF80</b>	<b>(FF1080)</b>	<b>BLAISE NAME:</b> FFeeIntro		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TContinue	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available (CPayIntroHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} FLAT FEE GROUP:  
                                   {NAME OF FLAT FEE EVENT GROUP}

**Question Text:**

Now I'd like to ask you about the charges for the services for {FLAT FEE GROUP} for {you/{PERSON}}.

PRESS 1 AND ENTER TO CONTINUE.

HELP:F1

**Responses:**            CONTINUE     .....     FF90                      (FF1085)

**Display Instructions:**     For '{FLAT FEE GROUP}' display the name of the flat fee group selected at FF10 or entered at FF30.

**Testing/Editing Notes:**     Variable collected at MEPSSpring2018.FF\_Main  
   Variable stored at MEPSSpring2018\_Event.FF\_Main



Full Detail Spec

**FF100**

**(FF1090)**

**BLAISE NAME:** FFeeYNoBill

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TNotReceivedWriting      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

- Help Available (YNoBillHelp)                       Show Card (CP-1)                       Look Up File ( )

**Context Header:**

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} FLAT FEE GROUP:  
 {NAME OF FLAT FEE EVENT GROUP}

**Question Text:**

 CP-1.

Please look at card CP-1. Why {have/has} {you/{PERSON}} (or anyone in the family) not received anything in writing?

HELP:F1

**Responses:**

- PAID AT TIME OF VISIT ..... 1 BOX\_30 (FF1105)
- MADE A COPAYMENT ..... 2 BOX\_30 (FF1105)
- BILL SENT DIRECTLY TO OTHER ..... 3 FF110 (FF1095)
- SOURCE
- BILL HAS NOT ARRIVED ..... 4 BOX\_30 (FF1105)
- NO BILL SENT: HMO PLAN ..... 5 BOX\_30 (FF1105)
- NO BILL SENT: VA (VETERANS ..... 6 BOX\_30 (FF1105)
- ADMINISTRATION)/CHAMPVA
- NO BILL SENT: MILITARY FACILITY..... 7 BOX\_30 (FF1105)
- NO BILL SENT: PUBLIC ..... 8 BOX\_30 (FF1105)
- ASSISTANCE/MEDICAID/SCHIP
- NO BILL SENT: INDIAN HEALTH ..... 9 BOX\_30 (FF1105)
- SERVICE (IHS)
- NO BILL SENT: WORKER'S ..... 10 BOX\_30 (FF1105)
- COMPENSATION
- NO BILL SENT: PRIVATE HEALTH ..... 11 BOX\_30 (FF1105)
- CENTER/CLINIC
- NO BILL SENT: PUBLIC CLINIC/HEALTH ..... 12 BOX\_30 (FF1105)
- CENTER OR PRIVATE CHARITY
- NO CHARGE: TELEPHONE CALL ..... 13 BOX\_60 (FF1160)
- FREE FROM PROVIDER ..... 14 BOX\_60 (FF1160)
- GOVERNMENT-FINANCED RESEARCH ..... 15 BOX\_60 (FF1160)
- AND CLINICAL TRIALS
- REFUSED ..... RF BOX\_30 (FF1105)
- DON'T KNOW ..... DK BOX\_30 (FF1105)

**Display  
Instructions:**

**Testing/Editing  
Notes:** Variable collected at MEPSSpring2018.FF\_Main  
Variable stored at MEPSSpring2018\_Event.FF\_Main

<b>FF110</b>	<b>(FF1095)</b>	<b>BLAISE NAME:</b> FFeeWhereBill		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 45		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} FLAT FEE GROUP:  
{NAME OF FLAT FEE EVENT GROUP}

**Question Text:**  
To whom was the bill sent?  
  
RECORD VERBATIM.

<b>Responses:</b>	.....	FF120	(FF1100)
	REFUSED .....	RF FF120	(FF1100)
	DON'T KNOW .....	DK FF120	(FF1100)

**Display  
Instructions:**

**Testing/Editing  
Notes:** Variable collected at MEPSSpring2018.FF\_Main  
Variable stored at MEPSSpring2018\_Event.FF\_Main

Full Detail Spec

<b>FF120</b>	<b>(FF1100)</b>	<b>BLAISE NAME:</b> FfeeWhereBillTp		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TWHOBILLC	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available (WhereBillTpHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} FLAT FEE GROUP:  
                                   {NAME OF FLAT FEE EVENT GROUP}

**Question Text:**

INTERVIEWER: SELECT TYPE OF ORGANIZATION TO WHOM BILL WAS SENT:

HELP: F1

<b>Responses:</b>	HMO .....	1	BOX_30	(FF1105)
	VA (VETERANS ADMINISTRATION)/CHAMPVA	2	BOX_30	(FF1105)
	TRICARE .....	3	BOX_30	(FF1105)
	OTHER MILITARY .....	4	BOX_30	(FF1105)
	PUBLIC ASSISTANCE/MEDICAID/SCHIP .....	5	BOX_30	(FF1105)
	WORKER'S COMPENSATION .....	6	BOX_30	(FF1105)
	PRIVATE INSURANCE COMPANY .....	7	BOX_30	(FF1105)
	INDIAN HEALTH SERVICE (IHS) .....	8	BOX_30	(FF1105)
	OTHER .....	91	BOX_30	(FF1105)
	REFUSED .....	RF	BOX_30	(FF1105)
	DON'T KNOW .....	DK	BOX_30	(FF1105)

**Display Instructions:**

**Testing/Editing Notes:**     Variable collected at MEPSSpring2018.FF\_Main  
                                   Variable stored at MEPSSpring2018\_Event.FF\_Main



**BOX 30**      **(FF1105)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If FF90 is coded '1' (YES, AND DOCUMENTATION AVAILABLE) or '2' (YES, BUT DOCUMENTATION NOT AVAILABLE);  
 or  
 If FF100 is coded '1' (PAID AT TIME OF VISIT), '2' (MADE A COPAYMENT), '4' (BILL HAS NOT ARRIVED), 'DK' (DON'T KNOW), or 'RF' (REFUSED);  
 or  
 If FF120 is coded '3' (TRICARE), '91' (OTHER), 'DK' (DON'T KNOW), or 'RF' (REFUSED);  
 Go to FF130.  
  
 Otherwise, go to FF150

**FF130**      **(FF1110)**      **BLAISE NAME:** FFeeKnowTotal  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:**      Enumerated      **Field Size:**  
**Answer Type:**      TYESNO      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available (EvpvChrgHelp)       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} FLAT FEE GROUP:  
 {NAME OF FLAT FEE EVENT GROUP}

**Question Text:**  
 Do you know the total charge for the services for {FLAT FEE GROUP}?

HELP: F1

**Responses:**      YES ..... 1      FF140      (FF1115)  
 NO ..... 2      FF150      (FF1120)  
 REFUSED ..... RF      FF150      (FF1120)  
 DON'T KNOW ..... DK      FF150      (FF1120)

**Display Instructions:**      For '{FLAT FEE GROUP}' display the name of the flat fee group selected at FF10 or entered at FF30.

**Testing/Editing Notes:**      Variable collected at MEPSSpring2018.FF\_Main  
 Variable stored at MEPSSpring2018\_Event.FF\_Main









**Programmer  
Instructions:**

Roster behavior:

1. Multiple select allowed.
2. Multiple add allowed.
3. Pressing CTRL-A displays a pop-up with a blank text entry field and a selectable pick list of 15 common sources of payment. (See below for a detailed list). The interviewer can type a new source or select one from the list. Upon return to FF170, the added source will appear on the roster as selected.

GOVERNMENT SOURCES:

- 'Medicare'
- 'Medicaid{/STATE NAME FOR MEDICAID}'
- 'CHIP/{STATE NAME FOR CHIP}'
- 'VA (VETERAN'S ADMINISTRATION)/CHAMPVA'
- 'Tricare'
- 'Military Facility'
- 'Indian Health Service'
- 'Worker's Compensation'

PRIVATE SOURCES:

- 'AARP'
- 'Aetna'
- 'Blue Cross/Blue Shield'
- 'Cigna'
- 'Delta Dental'
- 'Kaiser/Kaiser Permanente'
- 'United Healthcare'
- Other Source not listed

4. Limited delete allowed. If interviewer adds a source of payment, delete is possible for that source only, as long as the interviewer has not left the screen. If delete is attempted when it is not allowed, CAPI displays the following error message: 'DELETE ALLOWED ONLY WHEN SOURCE IS FIRST ENTERED.'

If 'Other Source not listed' is selected, CAPI should display a text box for entry.

Write sources selected to the Event's-Sources-of- Payment-roster

If at least one source is added or selected during the current round, the flag SOPFlag should be set to YES.

**Display  
Instructions:**

Roster 3- add/edit/delete allowed.

Roster definition:

Display the RU-Sources-Of-Payment-roster for selection. Display payment source name (SRCS.SRCNAME)

Roster filter:

Display all sources of payment except PERSON/FAMILY

Display '/STATE NAME FOR MEDICAID' (substituting the real state name for program) if the state in which interview being conducted does not use the name 'Medicaid'. Otherwise, use a null display. For the specific name to use by state, see the plan fill file.

Display 'STATE NAME FOR CHIP' under all conditions (substituting the real state name for program).

For the specific name to use by state, see the plan fill file.

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.FF\_Main  
Variable stored at MEPSSpring2018\_Event.FF\_Main

<b>FF180</b>	<b>(FF1135)</b>	<b>BLAISE NAME:</b> PayFAmtPaid		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b> -99999
<b>Type Class:</b>	Integer	<b>Field Size:</b> 6		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b> 999999

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} FLAT FEE GROUP:  
{NAME OF FLAT FEE EVENT GROUP}

**Question Text:**

How much did {SOURCE} pay?

ENTER AMOUNT.

TOTAL CHARGE: \${TOTAL CHARGE}

**Responses:**

.....  
REFUSED ..... RF  
DON'T KNOW ..... DK

**Programmer  
Instructions:**

Preloaded Grid Type 2- including FF180

Soft check: If amount entered is > \$10,000, display the following message: "VALUE IS HIGHER THAN USUAL. VERIFY AND CORRECT IF NEEDED."

Flag all sources and associated amounts as 'payment'.

1. Interviewer enters a dollar amount for each source displayed. Amounts can be changed as many times as necessary before the interviewer leaves the screen.

2. The PERSON/FAMILY amount paid cell is protected and prefilled with the family out-of-pocket payment amount entered at FF150; no changes are allowed to this amount.

Soft Check:

If any source coded '\$0', display the following message: "IF {SOURCE} DID NOT PAY ANY PART OF THE TOTAL CHARGE, CORRECT THE SOURCES THAT MADE DIRECT PAYMENTS TO THIS PROVIDER AT FF160 (FFeeAnySrcPay) OR FF170 (FFeeSOPRoster). IF {SOURCE} IS THE ONLY SOURCE OF DIRECT PAYMENT, GO TO FF160 (FFeeAnySrcPay) AND CODE '2' (NO). IF THERE ARE OTHER SOURCES OF PAYMENT, GO TO FF170 (FFeeSOPRoster) AND DELETE {SOURCE} FROM THE LIST OF SOURCES OF DIRECT PAYMENT. IF RESPONDENT DOES NOT KNOW HOW MUCH{SOURCE} PAID, CODE "DK" AT FF180 (PayFAmtPaid)." CAPI displays FF160 (FFeeAnySrcPay), FF170 (FFeeSOPRoster), and FF180 (PayFAmtPaid) as options to return to.

**Display  
Instructions:**

Roster 1- Report

Roster definition:

Display the Event's-Sources-of-Payment-roster for entry of payment amount in the form pane. Display payment source name.

Roster Filter:

Display all sources selected at FF170 for this event-provider pair and the 'PERSON/FAMILY' record.

For TOTAL CHARGE, display amount entered at FF140, otherwise, display "N/A" if FF140 =empty, DK, RF.

**Testing/Editing  
Notes:**

Variable collected at MEPSSpring2018.FF\_Main.FF180Grid.FF180Grid[1..25]

Variable stored at MEPSSpring2018\_Event.FF\_Main.FF180Grid.FF180Grid[1..25]



Full Detail Spec

**BOX 40**            **(FF1145)**            **Item Type:** Route            **Type Class:** If Then

---

**Route Details:**            If FF140 (TOTAL CHARGE) or 'AMOUNT PAID' by any source of direct payment (all payments sources, including PERSON/FAMILY entered or displayed at FF180) is coded 'RF' (REFUSED) or 'DK' (DON'T KNOW), go to BOX\_60.

Otherwise, continue with BOX\_50.

**BOX 50**            **(FF1150)**            **Item Type:** Route            **Type Class:** If Then

---

**Route Details:**            Determine if there is an underpayment. Subtract the total payment (PERSON/FAMILY entered at FF150 plus all payments sources entered at FF180) from the total charge entered at FF140.

Determine what 3% of the total charge is. Compare that value with \$5 and determine which of these two values is greater. CAPI will use the greater value to compare against the remainder.

If the value of the remainder is > 3% OR \$5 (whichever is higher) of the total charge, continue with FF190.

Otherwise, go to BOX\_60.

NOTE: Negative values (overpayments) are not eligible for FF190.

Full Detail Spec

<b>FF190</b>	<b>(FF1155)</b>	<b>BLAISE NAME:</b> FFeeElsePay		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} FLAT FEE GROUP:  
                                  {NAME OF FLAT FEE EVENT GROUP}

**Question Text:**

Does anyone in the family or any other source expect to make additional payments for the services for {FLAT FEE GROUP}?

**Responses:**

YES	.....	1	BOX_60	(FF1160)
NO	.....	2	BOX_60	(FF1160)
REFUSED	.....	RF	BOX_60	(FF1160)
DON'T KNOW	.....	DK	BOX_60	(FF1160)

**Display Instructions:**     For '{FLAT FEE GROUP}' display the name of the flat fee group selected at FF10 or entered at FF30.

**Testing/Editing Notes:**     Variable collected at MEPSSpring2018.FF\_Main  
                                  Variable stored at MEPSSpring2018\_Event.FF\_Main

---

<b>BOX_60</b>	<b>(FF1160)</b>	<b>Item Type:</b> Route	<b>Type Class:</b> If Then
---------------	-----------------	-------------------------	----------------------------

---

**Route Details:**     If the event provider pair that launched the flat fee section represents a HS event and HS50 is coded '4' (GIVE BIRTH TO A BABY) or '5' (TO BE BORN) OR a MV event and MV100 is coded '2' (SOMEWHERE ELSE), go to the EF section.

Otherwise, return to the Event Driver for this Event-Provider Pair. Flag the status of CP as 'Processed' for all event-provider pairs in the flat fee group.

[End of FF]