

Public reporting burden of this collection of information is estimated to average 6 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0920-0995).

OMB Control Number 0920-0995
Exp. Date 06/30/2023

Intensive Long-Term Evaluation

1. The training was relevant to my work

Strongly disagree Strongly agree

2. The training improved the way I do my work

Strongly disagree Strongly agree

3. I am using what I learned in this training in my work

Strongly disagree Strongly agree

3a. If you have not used what you learned, please explain why not.

4. In the prior evaluation, you replied to the question, "Do you intend to make a change in your practice, worksite setting, or job as a result of this training?"

Your answer was: ANSWER

Were you able to make this change?

- Yes
 No

4a. If No, please explain

5. As a result of the training, did you make other changes in your practice or at your worksite?

- Yes
- No
- Not my job

Other reason (please specify)

5a. If yes, what change(s) did you make?

6. Did any of these factors MAKE IT HARDER for you to incorporate the STI practices recommended in the presentation? (select all that apply)

- Lack of time with patients
- More important patient concerns
- Cost/lack of reimbursement
- Policies where I work
- Resistance to change by supervisor or colleagues
- Lack of equipment or supplies
- No opportunity to apply practices
- I did not feel confident
- Coworkers need training
- Nothing interfered

Other (please specify)

7. Did any of these factors HELP you incorporate the STI practices recommended in the presentation? (select all that apply)

- Reimbursement or other financial incentive
- Support of supervisor and/or colleagues
- Standing orders
- Reminder in chart
- Convenient supplies
- Posted patient instructions for obtaining specimens
- Electronic health system
- Knowledge/Confidence gained from training
- Trained coworkers
- Nothing specific helped

Other (please specify)

The following questions ask about screening rates. Please select the range that is the best estimate of your screening practice

8. Now, 3 months AFTER training, approximately what % of sexually active asymptomatic female patients under age 25 are you screening annually for chlamydia?

- 0% 1-25% 26-50% 51-75% 76-90% >91% NA

9. Now, 3 months AFTER training, approximately what % of sexually active asymptomatic female patients under age 25 are you screening annually for gonorrhea?

- 0% 1-25% 26-50% 51-75% 76-90% >91% NA

10. Now, 3 months AFTER training, approximately what % of pregnant patients under age 25 are you screening for chlamydia?

0% 1-25% 26-50% 51-75% 76-90% >91% NA

11. Now, 3 months AFTER training, approximately what % of pregnant patients under age 25 are you screening for gonorrhea?

0% 1-25% 26-50% 51-75% 76-90% >91% NA

12. Now, 3 months AFTER training, approximately what % of pregnant patients are you screening for syphilis?

0% 1-25% 26-50% 51-75% 76-90% >91% NA

13. Now, 3 months AFTER training, approximately what % of your male patients who have sex with men are you screening annually for gonorrhea and chlamydia?

0% 1-25% 26-50% 51-75% 76-90% >91% NA

14. Now, 3 months AFTER training, approximately what % of your male patients who have sex with men are you screening at least once a year for syphilis?

0% 1-25% 26-50% 51-75% 76-90% >91% NA

15. Now, 3 months AFTER training, approximately what % of your patients recently diagnosed with syphilis are you testing for HIV?

- 0% 1-25% 26-50% 51-75% 76-90% >91% NA

16. Now, 3 months AFTER training with approximately what % of your non-vaccinated 11 to 26 year-old female patients are you discussing HPV vaccination during a preventive health visit?

- 0% 1-25% 26-50% 51-75% 76-90% >91% NA

17. Now, 3 months AFTER training, with approximately what % of your non-vaccinated 11 to 21 year-old male patients are you discussing HPV vaccination during a preventive health visit?

- 0% 1-25% 26-50% 51-75% 76-90% >91% NA

18. Now, 3 months AFTER training, with approximately what % of your non-vaccinated male patients age 26 or under who have sex with men or are HIV+ are you discussing HPV vaccination during a preventive health visit?

- 0% 1-25% 26-50% 51-75% 76-90% >91% NA

19. Now, 3 months AFTER training, for approximately what % of patients older than 15 seeing you for a preventive health visit do you take a sexual history that asks about behaviors that would put them at risk of getting or transmitting an STI?

- 0% 1-25% 26-50% 51-75% 76-90% >91% NA

20. Now, 3 months AFTER training, for approximately what % of patients older than 15 seeing you for a preventive health visit do you take a sexual history that asks whether they have had oral, vaginal, or anal sex?

- 0% 1-25% 26-50% 51-75% 76-90% >91% NA

EXPEDITED PARTNER THERAPY

21. As a result of the information presented did you provide Expedited Partner Therapy (EPT) to heterosexual partners of those diagnosed with gonorrhea and/or chlamydia?

- Yes
 No
 Not applicable to my practice or job
 My practice/worksites is in the planning stages to offer EPT
 My practice/worksites already offers EPT
 EPT was not discussed

22. As a result of the information presented did you.....

23. Use the CDC STI Treatment Guidelines in your practice?

- Yes
- No
- I was already do this

24. Download the CDC STI Treatment Guidelines app?

- Yes
- No
- I was already do this

25. Use the STI Treatment Guidelines wall chart or pocket guide?

- Yes
- No
- I was already do this

26. Send a consult to the STD Clinical Consultation Network? www.stdccn.org

- Yes
- No
- I was already do this

27. As a result of the information presented did you.....(please select 'Not Applicable if the training did not cover the content listed)

28. Increase the proportion of your sexually active asymptomatic female patients under age 25 screened annually for urogenital chlamydia and gonorrhea?

- Yes
- No
- I was already doing this
- Not applicable

29. Increase the proportion of your male patients who have sex with men screened for syphilis, gonorrhea, and chlamydia at least annually?

- Yes
- No
- I was already doing this
- Not applicable

30. Use CDC-recommended antibiotic therapy to treat uncomplicated gonorrhea?

- Yes
- No
- I was already doing this
- Not applicable

31. Recommend rescreening in 3 months following a gonorrhea, chlamydia or trichomonas diagnosis?

- Yes
- No
- I was already doing this
- Not applicable

THANK YOU!