

## Surgical Site Infection (SSI)

Page 1 of 4

*required for saving **required for completion	
Facility ID:	Event #:
*Patient ID:	Social Security #:
Secondary ID:	Medicare #:
Patient Name, Last:	First: Middle:
*Gender: F M Other	*Date of Birth:
Sex at Birth: F M Unknown	Gender Identity (Specify):
Ethnicity (Specify):	Race (Specify):
*Event Type: SSI	*Date of Event:
*NHSN Procedure Code:	ICD-10-PCS or CPT Procedure Code:
*Date of Procedure:	*Outpatient Procedure: Yes No
*MDRO Infection Surveillance:	
<input type="checkbox"/> Yes, this infection's pathogen & location are in-plan for Infection Surveillance in the MDRO/CDI Module <input type="checkbox"/> No, this infection's pathogen & location are <b>not</b> in-plan for Infection Surveillance in the MDRO/CDI Module	
*Date Admitted to Facility:	Location:
<b>Event Details</b>	
*Specific Event:	
<input type="checkbox"/> Superficial Incisional Primary (SIP)	<input type="checkbox"/> Deep Incisional Primary (DIP)
<input type="checkbox"/> Superficial Incisional Secondary (SIS)	<input type="checkbox"/> Deep Incisional Secondary (DIS)
<input type="checkbox"/> Organ/Space (specify site): _____	
*Infection present at the time of surgery (PATOS): <input type="checkbox"/> Yes <input type="checkbox"/> No	
*Specify Criteria Used (check all that apply):	
<u>Signs &amp; Symptoms</u>	<u>Laboratory</u>
<input type="checkbox"/> Drainage or material <sup>†</sup>	<input type="checkbox"/> Organism(s) identified
<input type="checkbox"/> Pain or tenderness	<input type="checkbox"/> Culture or non-culture based testing not performed
<input type="checkbox"/> Swelling or inflammation	<input type="checkbox"/> Organism(s) identified from blood specimen
<input type="checkbox"/> Erythema or redness	<input type="checkbox"/> Organism(s) identified from ≥ 2 periprosthetic specimens
<input type="checkbox"/> Heat	<input type="checkbox"/> Other positive laboratory tests <sup>†</sup>
<input type="checkbox"/> Fever	<input type="checkbox"/> Imaging test evidence of infection
<input type="checkbox"/> Incision deliberately opened/drained	
<input type="checkbox"/> Wound spontaneously dehisces	<u>Clinical Diagnosis</u>
<input type="checkbox"/> Abscess	<input type="checkbox"/> Physician diagnosis of this event type
<input type="checkbox"/> Other evidence of infection found on invasive procedure, gross anatomic exam, or histopathologic exam <sup>†</sup>	<input type="checkbox"/> Physician institutes appropriate antimicrobial therapy <sup>†</sup>
<input type="checkbox"/> Other signs & symptoms <sup>†</sup>	
<sup>†</sup> per specific site criteria	
*Detected: <input type="checkbox"/> A (During admission) <input type="checkbox"/> P (Post-discharge surveillance)	
<input type="checkbox"/> RF (Readmission to facility where procedure performed)	
<input type="checkbox"/> RO (Readmission to facility other than where procedure was performed)	
*Secondary Bloodstream Infection: Yes No	**Died: Yes No SSI Contributed to Death: Yes No
Discharge Date:	*Pathogens Identified: Yes No *If Yes, specify on pages 2-3.
*COVID-19: Yes No	
<small>Assurance of Confidentiality: The voluntarily provided information obtained in this surveillance system that would permit identification of any individual or institution is collected with a guarantee that it will be held in strict confidence, will be used only for the purposes stated, and will not otherwise be disclosed or released without the consent of the individual, or the institution in accordance with Sections 304, 306 and 308(d) of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)).          Public reporting burden of this collection of information is estimated to average 35 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS D-74, Atlanta, GA 30333, ATTN: PRA (0920-0666).          CDC 57.120 (Front) Rev 7, v8.6</small>	

## Surgical Site Infection (SSI)

Pathogen #	Gram-positive Organisms								
<i>Staphylococcus coagulase-negative</i>  (specify species if available):	<b>CEFOX/OX</b> SRN	<b>VANC</b> SIRN							
_____ <i>Enterococcus faecium</i>  _____ <i>Enterococcus faecalis</i>  _____ <i>Enterococcus</i> spp. (Only those not identified to the species level)	<b>DAPTO</b> S I/S-DD NS R N	<b>GENTHL<sup>§</sup></b> SRN	<b>LNZ</b> SIRN	<b>VANC</b> SIRN					
<i>Staphylococcus aureus</i>	<b>CEFOX/METH/OX</b> SRN	<b>CEFTAR</b> S S-DD I RN	<b>CIPRO/LEVO/MOXI</b> SIRN	<b>CLIND</b> SIRN	<b>DAPTO</b> SNSN	<b>DOXY/MINO</b> SIRN	<b>GENT</b> SIRN		
	<b>LNZ</b> SRN	<b>RIF</b> SIRN	<b>TETRA</b> SIRN	<b>TMZ</b> SIRN	<b>VANC</b> SIRN				
Pathogen #	Gram-negative Organisms								
<i>Acinetobacter</i> (specify species)  _____	<b>AMK</b> SIRN	<b>AMPSU</b> L SIRN	<b>CEFE</b> P SIRN	<b>CEFTAZ/CEFOT/</b> <b>CEFTRX</b> SIRN	<b>CIPRO/</b> <b>LEVO</b> SIRN	<b>COL/</b> <b>PB</b> SRN	<b>DORI/</b> <b>MERO</b> SIRN		
	<b>DOXY/</b> <b>MINO</b> SIRN	<b>GENT</b> SIRN	<b>IMI</b> SIRN	<b>PIPTAZ</b> SIRN	<b>TMZ</b> SIRN	<b>TOBRA</b> SIRN			
<i>Escherichia coli</i>	<b>AMK</b> SIRN	<b>AMP</b> SIRN	<b>AMPSUL/</b> <b>AMXCLV</b> SIRN	<b>AZT</b> SIRN	<b>CEFAZ</b> SIRN	<b>CEFEP</b> S I/S-DD RN	<b>CEFOT/CEFTRX</b> SIRN		
	<b>CEFTAV</b> <b>I</b> SRN	<b>CEFTA</b> <b>Z</b> SIRN	<b>CEFTOTAZ</b> SIRN	<b>CIPRO/LEVO/</b> <b>MOXI</b> SIRN	<b>COL/PB<sup>†</sup></b> IRN	<b>DORI/IMI/</b> <b>MERO</b> SIRN	<b>DOXY/MINO/</b> <b>TETRA</b> SIRN		
	<b>ERTA</b> SIRN	<b>GENT</b> SIRN	<b>IMIREL</b> SIRN	<b>MERVAB</b> SIRN	<b>PIPTAZ</b> SIRN	<b>TIG</b> SIRN	<b>TMZ</b> SIRN		
	<b>TOBRA</b> SIRN								
<i>Enterobacter</i> (specify species)  _____	<b>AMK</b> SIRN	<b>AZT</b> SIRN	<b>CEFEP</b> S I/S-DD RN	<b>CEFOT/CEFTRX</b> SIRN	<b>CEFTAVI</b> SRN	<b>CEFTAZ</b> SIRN	<b>CEFTOTAZ</b> SIRN		
	<b>CIPRO/LEVO/MOXI</b> SIRN	<b>COL/PB<sup>†</sup></b> IRN	<b>DORI/IMI/MERO</b> SIRN	<b>DOXY/MINO/TETRA</b> SIRN	<b>ERTA</b> SIRN	<b>GENT</b> SIRN	<b>IMIREL</b> SIRN		
	<b>MERVAB</b> SIRN	<b>PIPTAZ</b> SIRN	<b>TIG</b> SIRN	<b>TMZ</b> SIRN	<b>TOBRA</b> SIRN				

Pathogen #	Gram-negative Organisms (continued)									
	____ <i>Klebsiella pneumoniae</i>	AMK SIRN	AMPSUL/ AMXCLV SIRN	AZT SIRN	CEFAZ SIRN	CEFEP S/S-DD RN	CEFOT/CEFTRX SIRN	CEFTAV I SIRN		
	____ <i>Klebsiella oxytoca</i>	CEFTAZ SIRN	CEFTOTAZ SIRN	CIPRO/LEVO/ MOXI SIRN	COL/PB <sup>†</sup> IRN	DORI/IMI/ MERO SIRN	DOXY/MINO/ TETRA SIRN	ERTA SIRN		
	____ <i>Klebsiella aerogenes</i>	GENT SIRN	IMIREL SIRN	MERVAB SIRN	PIPTAZ SIRN	TIG SIRN	TMZ SIRN	TOBRA SIRN		
	<i>Pseudomonas aeruginosa</i>	AMK SIRN	AZT SIRN	CEFEP SIRN	CEFTAVI SRN	CEFTAZ SIRN	CEFTOTAZ SIRN	CIPRO/LEVO SIRN		
		COL/PB SIRN	DORI/IMI/MERO SIRN	GENT SIRN	PIPTAZ SIRN	TOBRA SIRN				
Pathogen #	Fungal Organisms									
	<i>Candida</i> (specify species if available) _____	ANID SIRN	CASPO SIRN	FLUCO S S-DD RN	MICA SIRN	VORI SIRN				
Pathogen #	Other Organisms									
	Organism 1 (specify) _____	Drug 1 SIRN	Drug2 SIRN	Drug3 SIRN	Drug 4 SIRN	Drug 5 SIRN	Drug 6 SIRN	Drug 7 SIRN	Drug 8 SIRN	Drug 9 SIRN
	Organism 1 (specify) _____	Drug 1 SIRN	Drug2 SIRN	Drug3 SIRN	Drug 4 SIRN	Drug 5 SIRN	Drug 6 SIRN	Drug 7 SIRN	Drug 8 SIRN	Drug 9 SIRN
	Organism 1 (specify) _____	Drug 1 SIRN	Drug2 SIRN	Drug3 SIRN	Drug 4 SIRN	Drug 5 SIRN	Drug 6 SIRN	Drug 7 SIRN	Drug 8 SIRN	Drug 9 SIRN

### Result Codes

S = Susceptible I = Intermediate R = Resistant NS = Non-susceptible S-DD = Susceptible-dose dependent  
N = Not tested

§ GENTHL results: S = Susceptible/Synergistic and R = Resistant/Not Synergistic

† Clinical breakpoints are based on CLSI M100-ED30:2020, Intermediate MIC ≤ 2 and Resistant MIC ≥ 4

Drug Codes:			
AMK = amikacin	CEFTAR = ceftaroline	GENT = gentamicin	OX = oxacillin
AMP = ampicillin	CEFTAVI = ceftazidime/avibactam	GENTHL = gentamicin –high level test	PB = polymyxin B
AMPSUL = ampicillin/sulbactam	CEFTOTAZ = ceftolozane/tazobactam	IMI = imipenem	PIPTAZ = piperacillin/tazobactam
AMXCLV = amoxicillin/clavulanic acid	CEFTRX = ceftriaxone	IMIREL = imipenem/relebactam	RIF = rifampin
ANID = anidulafungin	CIPRO = ciprofloxacin	LEVO = levofloxacin	TETRA = tetracycline
AZT = aztreonam	CLIND = clindamycin	LNZ = linezolid	TIG = tigecycline
CASPO = caspofungin	COL = colistin	MERO = meropenem	TMZ = trimethoprim/sulfamethoxazole
CEFAZ = ceftazidime	DAPTO = daptomycin	MERVAB = meropenem/vaborbactam	TOBRA = tobramycin
CEFEP = cefepime	DORI = doripenem	METH = methicillin	VANC = vancomycin
CEFOT = cefotaxime	DOXY = doxycycline	MICA = micafungin	VORI = voriconazole
CEFOX = ceftoxitin	ERTA = ertapenem	MINO = minocycline	
CEFTAZ = ceftazidime	FLUCO = fluconazole	MOXI = moxifloxacin	

## Surgical Site Infection (SSI)

Page 4 of 4

Custom Fields																																																													
<p>Label</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border-bottom: 1px solid black; width: 70%;"></td> <td style="border-bottom: 1px solid black; width: 5%; text-align: center;">/</td> <td style="border-bottom: 1px solid black; width: 5%;"></td> <td style="border-bottom: 1px solid black; width: 5%; text-align: center;">/</td> <td style="border-bottom: 1px solid black; width: 15%;"></td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> </tr> </table>		/		/																											<p>Label</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border-bottom: 1px solid black; width: 70%;"></td> <td style="border-bottom: 1px solid black; width: 5%; text-align: center;">/</td> <td style="border-bottom: 1px solid black; width: 5%;"></td> <td style="border-bottom: 1px solid black; width: 5%; text-align: center;">/</td> <td style="border-bottom: 1px solid black; width: 15%;"></td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;"></td> </tr> </table>		/		/																										
	/		/																																																										
	/		/																																																										
Comments																																																													