PATIENT ID: _____ DATE REPORTED TO EIP SITE: *(mm/dd/yyyy)* _____

2023 Extended-Spectrum Beta-Lactamase (ESBL)-Producing Enterobacterales / Invasive *Escherichia coli* Multi-site Gram-Negative Surveillance Initiative (MuGSI) Healthcare-Associated Infections Community Interface (HAIC) Case Report

Form Approved
OMB No. 0920-0978

Patient's Name:	Phone no.:
Address:	MRN:
Address Type:	Hospital:

----Patient Identifier information is not transmitted to CDC----

DEMOGRAPHICS

1. STATE:	2. COUNTY:	3. STATE ID:	4a. LABORATORY ID WHERE INCIDENT SPECIMEN IDENTIFIED:	4b. FACILITY ID WHERE PATIENT TREATED:

5. DATE OF BIRTH: *(mm/dd/yyyy)*

6. AGE: _____

○ Days ○ Mos ○ Yrs

7. SEX AT BIRTH:
- ○ Male
- ○ Female
- ○ Unknown
- ☐ Check if transgender

8a. ETHNIC ORIGIN:
- ○ Hispanic or Latino
- ○ Not Hispanic or Latino
- ○ Unknown

8b. RACE: (Check all that apply)
- ☐ American Indian or Alaska Native
- ☐ Asian
- ☐ Black or African American
- ☐ Native Hawaiian or Other Pacific Islander
- ☐ White
- ☐ Unknown

9a. DATE OF INCIDENT SPECIMEN COLLECTION (DISC): *(mm/dd/yyyy)*

9b. TIME OF DISC: *(HH:MM-Military Format)*

10. ORGANISM:
- ○ *Escherichia coli*
  - If *E. coli*, select one of the following : Extended-spectrum cephalosporin-resistant ○ Non-extended spectrum cephalosporin-resistant
- ○ Extended-spectrum cephalosporin-resistant *Klebsiella pneumoniae*
- ○ Extended-spectrum cephalosporin-resistant *Klebsiella oxytoca*

11. INCIDENT SPECIMEN COLLECTION SITE:
- ☐ Blood
- ☐ Bone
- ☐ CSF
- ☐ Internal body site (specify): _____
- ☐ Joint/synovial fluid
- ☐ Muscle
- ☐ Peritoneal fluid
- ☐ Pericardial fluid
- ☐ Pleural fluid
- ☐ Urine
- ☐ Other normally sterile site (specify): _____

12. LOCATION OF SPECIMEN COLLECTION:

○ **OUTPATIENT** Facility ID: _____
- ○ Emergency room
- ○ Clinic/Doctor's office
- ○ Dialysis center
- ○ Surgery
- ○ Observational/ Clinical decision unit
- ○ Other outpatient

○ **INPATIENT** Facility ID: _____
- ○ ICU
- ○ OR
- ○ Radiology
- ○ Other inpatient

○ **LTCF** Facility ID: _____

○ **LTACH** Facility ID: _____

○ **Autopsy**

○ **Other** (Specify): _____

○ **Unknown**

13. WHERE WAS THE PATIENT LOCATED ON THE 3RD CALENDAR DAY BEFORE THE DISC?
- ○ Private residence
- ○ LTCF Facility ID: _____
- ○ Hospital inpatient Facility ID: _____
- ○ LTACH Facility ID: _____
- ○ Homeless
- ○ Incarcerated
- ○ Other (specify): _____
- ○ Unknown

Was the patient transferred from this hospital?
○ Yes ○ No ○ Unknown

14. WAS THE PATIENT HOSPITALIZED ON THE DAY OF OR IN THE 29 CALENDAR DAYS AFTER THE DISC?
○ Yes ○ No ○ Unknown

IF YES, DATE OF ADMISSION: *(mm/dd/yyyy)* _____

15a. WAS THE PATIENT IN AN ICU IN THE 7 DAYS BEFORE THE DISC?
○ Yes ○ No ○ Unknown

IF YES, DATE OF ICU ADMISSION: *(mm/dd/yyyy)* _____ OR ☐ Date unknown

15b. WAS THE PATIENT IN AN ICU ON THE DAY OF INCIDENT SPECIMEN COLLECTION OR IN THE 6 DAYS AFTER THE DISC?
○ Yes ○ No ○ Unknown

IF YES, DATE OF ICU ADMISSION: *(mm/dd/yyyy)* _____ OR ☐ Date unknown

16. PATIENT OUTCOME: ○ Survived ○ Died ○ Unknown

DATE OF DISCHARGE: *(mm/dd/yyyy)* _____ OR
○ Date unknown ○ Left against medical advice (AMA)

IF SURVIVED, DISCHARGED TO:
- ○ Private residence
- ○ LTCF, Facility ID: _____
- ○ LTACH, Facility ID: _____
- ○ Other (specify): _____
- ○ Unknown

DATE OF DEATH: *(mm/dd/yyyy)* _____ OR ☐ Date unknown

ON THE DAY OF OR IN THE 6 CALENDAR DAYS BEFORE DEATH, WAS THE PATHOGEN OF INTEREST ISOLATED FROM A SITE THAT MEETS THE CASE DEFINITION?
○ Yes ○ No ○ Unknown

17a. TYPES OF INFECTION ASSOCIATED WITH CULTURE(S): (Check all that apply): ○ None ○ Colonized ○ Unknown

- ☐ Abscess, not skin
- ☐ AV fistula/graft infection
- ☐ Bacteremia
- ☐ Bursitis
- ☐ Catheter site infection (CVC)
- ☐ Cellulitis
- ☐ Chronic ulcer/wound (not decubitus)
- ☐ Decubitus/pressure ulcer
- ☐ Empyema
- ☐ Endocarditis
- ☐ Epidural abscess
- ☐ Meningitis
- ☐ Osteomyelitis
- ☐ Peritonitis
- ☐ Pneumonia
- ☐ Pyelonephritis
- ☐ Septic arthritis
- ☐ Septic emboli
- ☐ Septic shock
- ☐ Skin abscess
- ☐ Surgical incision infection
- ☐ Surgical site infection (internal)
- ☐ Traumatic wound
- ☐ Urinary tract infection
- ☐ Other (specify): _____

17b. RECURRENT UTI: ○ Yes ○ No ○ Unknown

18. UNDERLYING CONDITIONS: (Check all that apply) ○ None ○ Unknown

CHRONIC LUNG DISEASE
- ☐ Cystic fibrosis
- ☐ Chronic pulmonary disease

CHRONIC METABOLIC DISEASE
- ☐ Diabetes mellitus
  - ☐ With chronic complications

CARDIOVASCULAR DISEASE
- ☐ CVA/Stroke/TIA
- ☐ Congenital heart disease
- ☐ Congestive heart failure
- ☐ Myocardial infarction
- ☐ Peripheral vascular disease (PVD)

GASTROINTESTINAL DISEASE
- ☐ Diverticular disease
- ☐ Inflammatory bowel disease
- ☐ Peptic ulcer disease
- ☐ Short gut syndrome

IMMUNOCOMPROMISED CONDITION
- ☐ HIV infection
  - ☐ AIDS/CD4 count < 200
- ☐ Primary immunodeficiency
- ☐ Transplant, hematopoietic stem cell
- ☐ Transplant, solid organ

LIVER DISEASE
- ☐ Chronic liver disease
  - ☐ Ascites
  - ☐ Cirrhosis
  - ☐ Hepatic encephalopathy
  - ☐ Variceal bleeding
- ☐ Hepatitis C
  - ☐ Treated, in SVR
  - ☐ Current, chronic

MALIGNANCY
- ☐ Malignancy, hematologic
- ☐ Malignancy, solid organ (non-metastatic)
- ☐ Malignancy, solid organ (metastatic)

NEUROLOGIC CONDITION
- ☐ Cerebral palsy
- ☐ Chronic cognitive deficit
- ☐ Dementia
- ☐ Epilepsy/seizure/seizure disorder
- ☐ Multiple sclerosis
- ☐ Neuropathy
- ☐ Parkinson's disease
- ☐ Other (specify): _____

PLEGIAS/PARALYSIS
- ☐ Hemiplegia
- ☐ Paraplegia
- ☐ Quadriplegia

RENAL DISEASE
- ☐ Chronic kidney disease
  - Lowest serum creatinine: _____ mg/DL
  - ☐ Unknown or not done

SKIN CONDITION
- ☐ Burn
- ☐ Decubitus/pressure ulcer
- ☐ Surgical wound
- ☐ Other chronic ulcer or chronic wound
- ☐ Other (specify): _____

OTHER
- ☐ Connective tissue disease
- ☐ Obesity or morbid obesity
- ☐ Pregnant

MuGSI CONDITIONS
- ☐ Urinary tract problems/abnormalities
- ☐ Premature birth
- ☐ Spina bifida

19. SUBSTANCE USE

SMOKING: (Check all that apply)
- ☐ None
- ☐ Unknown
- ☐ Tobacco
- ☐ E-nicotine delivery system
- ☐ Marijuana

ALCOHOL ABUSE
- ○ Yes
- ○ No
- ○ Unknown

OTHER SUBSTANCES: (Check all that apply) ○ None ○ Unknown

	DUD/ ABUSE	MODE OF DELIVERY (Check all that apply)			
☐ Marijuana, cannabinoid (other than smoking)	☐ DUD or abuse	☐ IDU	☐ Skin popping	☐ Non-IDU	☐ Unknown
☐ Opioid, DEA schedule I (e.g., heroin)	☐ DUD or abuse	☐ IDU	☐ Skin popping	☐ Non-IDU	☐ Unknown
☐ Opioid, DEA schedule II-IV (e.g., methadone, oxycodone)	☐ DUD or abuse	☐ IDU	☐ Skin popping	☐ Non-IDU	☐ Unknown
☐ Opioid, NOS	☐ DUD or abuse	☐ IDU	☐ Skin popping	☐ Non-IDU	☐ Unknown
☐ Cocaine	☐ DUD or abuse	☐ IDU	☐ Skin popping	☐ Non-IDU	☐ Unknown
☐ Methamphetamine	☐ DUD or abuse	☐ IDU	☐ Skin popping	☐ Non-IDU	☐ Unknown
☐ Other (specify): _____	☐ DUD or abuse	☐ IDU	☐ Skin popping	☐ Non-IDU	☐ Unknown
☐ Unknown substance	☐ DUD or abuse	☐ IDU	☐ Skin popping	☐ Non-IDU	☐ Unknown

DURING THE CURRENT HOSPITALIZATION, DID THE PATIENT RECEIVE MEDICATION ASSISTED TREATMENT (MAT) FOR OPIOID USE DISORDER?
○ Yes ○ No ○ N/A (patient not hospitalized or did not have DUD)

20. RISK FACTORS: (Check all that apply) ○ None ○ Unknown

WAS INCIDENT SPECIMEN COLLECTED 3 OR MORE CALENDAR DAYS AFTER HOSPITAL ADMISSION? ○ Yes ○ No

PREVIOUS HOSPITALIZATION IN THE YEAR BEFORE DISC ○ Yes ○ No ○ Unknown

IF YES, DATE OF DISCHARGE CLOSEST TO DISC: *(mm/dd/yyyy)* _____ OR, ☐ DATE UNKNOWN

Facility ID: _____

OVERNIGHT STAY IN LTCF IN THE YEAR BEFORE DISC: ○ Yes ○ No ○ Unknown

Facility ID: _____

OVERNIGHT STAY IN LTACH IN THE YEAR BEFORE DISC: ○ Yes ○ No ○ Unknown

Facility ID: _____

SURGERY IN THE YEAR BEFORE DISC: ○ Yes ○ No ○ Unknown

CURRENT CHRONIC DIALYSIS: ○ Yes ○ No ○ Unknown

IF YES, TYPE
○ Hemodialysis ○ Peritoneal ○ Unknown

IF HEMODIALYSIS, TYPE OF VASCULAR ACCESS:
○ AV fistula/graft ○ Hemodialysis central line ○ Unknown

CENTRAL LINE IN PLACE ON THE DISC (UP TO THE TIME OF COLLECTION), OR AT ANY TIME IN THE 2 CALENDAR DAYS BEFORE DISC: ○ Yes ○ No ○ Unknown

☐ Check here if central line in place for > 2 calendar days

URINARY CATHETER IN PLACE ON THE DISC (UP TO THE TIME OF COLLECTION), OR AT ANY TIME IN THE 2 CALENDAR DAYS BEFORE DISC
○ Yes ○ No ○ Unknown

IF YES, CHECK ALL THAT APPLY:
- ☐ Indwelling Urethral Catheter
- ☐ Condom Catheter
- ☐ Suprapubic Catheter
- ☐ Other (specify): _____

ANY OTHER INDWELLING DEVICE IN PLACE ON THE DISC UP TO THE TIME OF COLLECTION), OR AT ANY TIME IN THE 2 CALENDAR DAYS BEFORE DISC:
○ Yes ○ No ○ Unknown

IF YES, CHECK ALL THAT APPLY:
- ☐ ET/NT Tube
- ☐ Tracheostomy
- ☐ Gastrostomy Tube
- ☐ Nephrostomy Tube
- ☐ NG Tube
- ☐ Other (specify): _____

PATIENT TRAVELED INTERNATIONALLY IN THE YEAR BEFORE DISC:
○ Yes ○ No ○ Unknown

COUNTRY(IES): _____

PATIENT HOSPITALIZED WHILE VISITING COUNTRY(IES) ABOVE:
○ Yes ○ No ○ Unknown

21a. WEIGHT:
_____ lbs. _____ oz. OR
_____ kg ☐ Unknown

21b. HEIGHT:
_____ ft. _____ in. OR
_____ cm ☐ Unknown

21c. BMI:
_____
☐ Unknown

URINE CULTURES ONLY:

22. RECORD THE COLONY COUNT:

_____

URINE CULTURES ONLY:

23. SIGNS AND SYMPTOMS ASSOCIATED WITH URINE CULTURE

Please indicate if any of the following symptoms were reported during the 5 day time period including the 2 calendar days before through the 2 calendar days after the DISC.

- ☐ None
- ☐ Unknown
- ☐ Costovertebral angle pain or tenderness
- ☐ Dysuria
- ☐ Fever [temperature ≥ 100.4 °F (38 °C)]
- ☐ Frequency
- ☐ Suprapubic tenderness
- ☐ Urgency

Symptoms for patients ≤ 1 year of age only:

- ☐ Apnea
- ☐ Bradycardia
- ☐ Lethargy
- ☐ Vomiting

24a. IS ANTIMICROBIAL USE (IV OR ORAL) IN THE 30 DAYS BEFORE THE DISC DOCUMENTED? ○ Yes ○ No ○ Unknown

24b. IF YES, CHECK ALL ANTIMICROBIALS USED IN THE 30 DAYS BEFORE THE DISC: (Check all that apply) ☐ Unknown

- ☐ Amikacin
- ☐ Amoxicillin
- ☐ Amoxicillin/clavulanic acid
- ☐ Ampicillin
- ☐ Ampicillin/sulbactam
- ☐ Azithromycin
- ☐ Aztreonam
- ☐ Cefadroxil
- ☐ Cefazolin
- ☐ Cefdinir
- ☐ Cefepime
- ☐ Cefiderocol
- ☐ Cefixime
- ☐ Cefotaxime
- ☐ Cefoxitin
- ☐ Cefpodoxime
- ☐ Ceftaroline
- ☐ Ceftazidime
- ☐ Ceftazidime/avibactam
- ☐ Ceftizoxime
- ☐ Ceftolozane/tazobactam
- ☐ Ceftriaxone
- ☐ Cefuroxime
- ☐ Cephalexin
- ☐ Ciprofloxacin
- ☐ Clarithromycin
- ☐ Clindamycin
- ☐ Dalbavancin
- ☐ Daptomycin
- ☐ Delafloxacin
- ☐ Doripenem
- ☐ Doxycycline
- ☐ Ertapenem
- ☐ Eravacycline
- ☐ Fidaxomicin
- ☐ Fosfomycin
- ☐ Gentamicin
- ☐ Imipenem/cilastatin
- ☐ Levofloxacin
- ☐ Linezolid
- ☐ Meropenem
- ☐ Meropenem/vaborbactam
- ☐ Metronidazole
- ☐ Moxifloxacin
- ☐ Nitrofurantoin
- ☐ Omadacycline
- ☐ Oritavancin
- ☐ Penicillin
- ☐ Piperacillin/tazobactam
- ☐ Polymyxin B
- ☐ Polymyxin E (colistin)
- ☐ Rifaximin
- ☐ Tedizolid
- ☐ Telavancin
- ☐ Tigecycline
- ☐ Tobramycin
- ☐ Trimethoprim
- ☐ Trimethoprim/sulfamethoxazole
- ☐ Vancomycin
  - ☐ IV
  - ☐ PO
- ☐ Other (specify): _____
- ☐ Other (specify): _____

REMINDER: Any prior antimicrobial use that is not noted above should be documented in the other (specify) field.

25a. DID THE PATIENT HAVE A POSITIVE TEST(S) FOR SARS-CoV-2 (MOLECULAR ASSAY, ANTIGEN OR OTHER VIRAL TEST, EXCLUDING SEROLOGY) IN THE 90 DAYS BEFORE OR DAY OF THE DISC?

○ Yes ○ No ○ Unknown

25b. SPECIMEN COLLECTION DATES FOR POSITIVE TESTS IN THE 90 DAYS BEFORE OR DAY OF DISC:

First positive test	_____ or ☐ Date unknown
Most recent positive test:	_____ or ☐ Date unknown

25c.COVID-NET CASE ID: _____

26a. WAS THE INCIDENT SPECIMEN POLYMICROBIAL? ○ Yes ○ No ○ Unknown

Complete questions 26b-26d ONLY for ESBL cases:

26b. WAS THE INCIDENT SPECIMEN TESTED FOR ESBL PRODUCTION OR OTHER BETA-LACTAMASE GENES?

- ○ Yes
- ○ No
- ○ Laboratory not testing
- ○ Unknown

26c. IF TESTED, WHAT TESTING METHOD WAS USED? (Check all that apply):

26d. IF TESTED, WHAT WAS THE RESULT?

☐ Broth Microdilution (ATI detection)				
☐ ESBL well	○ Pos	○ Neg	○ Ind	○ Unk
☐ Expert rule (ATI flag)	○ Pos	○ Neg	○ Ind	○ Unk
☐ Unknown	○ Pos	○ Neg	○ Ind	○ Unk
☐ Broth Microdilution (Manual)	○ Pos	○ Neg	○ Ind	○ Unk
☐ Disk Diffusion	○ Pos	○ Neg	○ Ind	○ Unk
☐ E-test	○ Pos	○ Neg	○ Ind	○ Unk
☐ Molecular test (specify): _____	○ Pos	○ Neg	○ Ind	○ Unk
☐ Gene variant (specify): _____				
☐ Other non-molecular test (specify): _____	○ Pos	○ Neg	○ Ind	○ Unk

27. SUSCEPTIBILITY RESULTS:
Please complete the table below based on the information found in the indicated data source. (Accelerate Pheno System, E-test, Kirby Bauer, Microscan, Phoenix, Sensititre, Vitek, or Medical Record).

	Data Source		Data Source		Data Source:	
Antibiotic	MIC or Zone diameter	Interpretation	MIC or Zone diameter	Interpretation	MIC or Zone diameter	Interpretation
Amikacin						
Amoxicillin/Clavulanate						
Ampicillin						
Ampicillin/Sulbactam						
Aztreonam						
Cefazolin						
CEFEPIME						
Cefiderocol						
CEFOTAXIME						
Cefoxitin						
CEFTAZIDIME						
Ceftazidime/Avibactam						
Ceftolozane/Tazobactam						
CEFTRIAXONE						
Cephalothin						
Ciprofloxacin						
COLISTIN						
DORIPENEM						
Doxycycline						
Eravacycline						
ERTAPENEM						
Fosfomycin						
Gentamicin						
IMIPENEM						
Imipenem-relebactam						
Levofloxacin						
MEROPENEM						
Meropenem-vaborbactam						
Minocycline						
Nitrofurantoin						
Omadacycline						
Piperacillin/Tazobactam						
Plazomicin						
POLYMYXIN B						
Rifampin						
Tetracycline						
TIGECYCLINE						
Tobramycin						
Trimethoprim-sulfamethoxazole						

28a. WAS THE CASE FIRST IDENTIFIED THROUGH AN AUDIT?

- ○ Yes
- ○ No

28b. CRF STATUS:

- ○ Complete
- ○ Complete-Pending
- ○ Pending
- ○ Chart unavailable after 3 requests

28c. SO INITIALS: _____

28d. DATE OF ABSTRACTION: *(mm/dd/yyyy)* _____

28e. COMMENTS: